

REGISTRAR-GENERAL'S

76TH ANNUAL REPORT

ENGLAND & WALES

1 9 1 3

BIRTHS, DEATHS & MARRIAGES



22500149121

THE ROYAL CANCER HOSPITAL RESEARCH INSTITUTE
LIBRARY
(NOT TO BE TAKEN AWAY)



SEVENTY-SIXTH
ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN ENGLAND AND WALES.

(1913.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE
By DARLING AND SON, LIMITED, BACON STREET, E.

To be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C.,
28, ABINGDON STREET, S.W., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America and other Foreign Countries of
T. FISHER UNWIN, LONDON, W.C.

1915.

[Cd. 7780.] Price 5s. 4d.

WELLCOM INSTITUTE LIBRARY	
Coll.	welMOMec
Call	
No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1913.

	PAGE.
INTRODUCTORY REMARKS—	
Salient Features of the Vital Statistics of the Year	vii
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—	
POPULATION—	
Census and Estimated... ..	ix
Factors for estimating	ix
Need for revision of Estimate	ix
MARRIAGES—	
Number	ix
Changes in the Marriage-rate... ..	ix
Methods of Calculating Marriage-rates	ix
Proportions of First Marriages and Re-marriages in 1000 Marriages, 1876-1913 ...	x
Marriages of Bachelors, Spinsters, Widowers, and Widows of Various Ages per 1000 Marriages at All Ages, 1886-1913	x
The Divorced	xi
Average Annual Number of Divorced Persons who Re-married, 1876-1913... ..	xi
Marriages of Minors	xi
Minors Married per 1000 Marriages at All Ages, 1876-1913	xi
Mean Age at Marriage... ..	xii
Mean Ages of Men and of Women at Marriage, 1896-1913	xii
Signature in Marriage Register	xiii
Buildings in which Marriage may be Solemnized	xiii
Manner of Solemnization	xiv
BIRTHS—	
Number	xiv
Changes in the Birth-rate	xiv
Age and Marital Condition of Women in relation to Birth-rate, 1871-1911	xiv
Factors influencing the Fall in Birth-rate, 1876-80 to 1913	xv
Fertility in Different Classes of Area and Parts of the Country	xv
Geographical Divisions employed (North, Midlands, South, Wales)	xv
Sex Proportions at Birth	xvii
Illegitimate Births	xvii
Illegitimate Birth-rates and Fertility, 1876-1913	xvii
in Different Classes of Area and Parts of the Country, 1913	xviii
Natural Increase	xviii
per 1000 living, 1876-1913	xviii
in Different Classes of Area and Parts of the Country, 1913	xix
DEATHS—	
Number	xix
Changes in Death-rate... ..	xix
Standardization of Death-rates for differences of Sex- and Age-constitution	xix
Standardization for differences of Age-constitution between the Sexes	xx
Mortality of Each Sex... ..	xx
Male Excess at Various Ages	xx
Mortality at Different Ages	xxi
Infant Mortality in 1913 and other Recent Years	xxi
in Different Classes of Area and Parts of the Country, 1913	xxi
Mortality in Early Childhood and Survivors at Ages 1, 2, and 5 Years	xxii
Combined Effect of Fertility and Mortality—Effective Fertility	xxiii
Causes of Infant Mortality—	
Increase or Reduction at Various Ages as compared with 1908-12 and 1912	xxiv
Infant Mortality from Developmental and Wasting Diseases, 1886-1913	xxv
Relation to Sex and Legitimacy in Different Classes of Area and Parts of the Country	xxvi
Centenarians	xxvii
Mortality in Town and Country	xxviii
Crude and Standardized Death-rates in Different Classes of Area	xxviii
Mortality by Sex and Age in Different Classes of Area	xxix
Comparison at Ages of Mortality in each Sex by Class of Area	xxxi
Mortality in Different Parts of the Country	xxxi

	PAGE.
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR— <i>continued.</i>	
CAUSES OF DEATH—	
Details shown for Various Areas	xxxii
Comparison of Registrar-General's with International Short List	xxxii
ENTERIC FEVER—	
Diminution in Mortality	xxxiii
Mortality, Prevalence and Fatality in Different Classes of Area and Parts of the Country	xxxiv
SMALL-POX	xxxiv
MEASLES—	
Mortality in Different Classes of Area and Parts of the Country	xxxv
SCARLET FEVER—	
Trend of Mortality	xxxv
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	xxxvi
Fatality experience of Metropolitan Asylums Board	xxxvi
WHOOPING COUGH—	
Trend of recent Mortality	xxxvii
Mortality in Different Classes of Area and Parts of the Country	xxxvii
DIPHTHERIA AND CROUP—	
Trend of Mortality	xxxviii
Standardization of Death-rates for Different Classes of Area and Parts of the Country	xxxviii
Effect of new Standardization upon Sex Comparison	xxxix
Variations in Age Distribution of Mortality	xxxix
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	xxxix
Fatality Experience of Metropolitan Asylums Board	xl
INFLUENZA—	
Trend of Mortality	xl
Mortality in Different Classes of Area and Parts of the Country	xli
ERYSIPELAS—	
Trend of Mortality	xli
Mortality, Prevalence, and Fatality in Different Classes of Area and Parts of the Country	xli
VACCINIA	xlii
TETANUS—	
Trend of Mortality	xlii
Mortality by Sex in Different Classes of Area	xlii
TUBERCULOSIS—	
Trend of Mortality in recent years	xliii
Mortality (Crude and Standardized) in different Classes of Area	xliii
Effect of Urbanization on Mortality in each Sex	xliii
PHTHISIS—	
The Title more comprehensive than in Old List	xliv
Mortality (Crude and Standardized) in Different Classes of Area	xliv
Effect of Urbanization on Mortality	xliv
Mortality by Sex and Age in Different Classes of Area	xl
Mortality at All Ages and over 65 years in Different Classes of Area and Parts of the Country	xlvi
TUBERCULOUS MENINGITIS—	
Trend of Mortality	xlvii
Mortality at Ages under 15 years in Different Classes of Area and Parts of the Country	xlvii
TUBERCULOSIS OF THE PERITONEUM AND INTESTINES—	
Trend of Mortality	xlviii
Mortality by Sex at All Ages and under 5 years in Different Classes of Area	xlix
OTHER TUBERCULOUS DISEASES	l
CANCER—	
Crude and Standardized Mortality in Different Classes of Area	l
Mortality by Sex and Age in Different Classes of Area	li
Mortality in each Sex at certain Ages in Different Classes of Area and Parts of the Country	lii
Comparison of Mortality in each Sex at certain Ages in Different Classes of Area and Parts of the Country	lii
Sites of Fatal Cancer at Ages in each Sex	liii
Proportion of Deaths in Institutions from Cancer of Various Sites	lv
Mortality by Sex and Age of Cancer of Various Parts of the Body	lv
Comparison of the Frequency of Cancer of Various Sites in Institutions and elsewhere, with distinction of Sex and Age	lvi
Age Distribution of Mortality from Cancer of Various Sites in Institutions and elsewhere	lvii

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*CANCER—*continued.*

Influence of Marital Condition upon Mortality from Cancer of the Female Mammary and Genital Organs	lviii
Forms and Complications of Cancer	lx

TUMOURS (not returned as Malignant)—

Classification by Sex, Age, and Part of the Body affected	lxii
--	------

OSTEO-ARTHRITIS—

Age-distribution of Mortality	lxiii
Mortality in Different Classes of Area	lxiii

DIABETES MELLITUS—

Mortality (Crude and Standardized) in Different Classes of Area	lxiii
Mortality by Sex and Age in Different Classes of Area	lxiv
Age-incidence of Mortality in Different Classes of Area	lxv

ALCOHOLISM—

The Title less comprehensive than in Old List	lxvi
Alcoholism as a Secondary Cause of Death	lxvi
Classification of Deaths by Sex, Age, and Primary Cause	lxvi

MENINGITIS—

Trend of Mortality	lxvii
Increased Mortality from Cerebro-spinal Fever	lxvii
Seasonal Distribution of Mortality	lxviii
Mortality by Sex and Age in Different Classes of Area	lxviii
Age Incidence of Mortality	lxix

POLIOMYELITIS	lxix
----------------------	------

PNEUMONIA (All Forms)—

Mortality in Different Classes of Area and Parts of the Country	lxx
Proportion of the Mortality from Pneumonia in each Quarter of the Year	lxxi

APPENDICITIS—

Age Incidence of Mortality	lxxi
Comparison with Mortality from Diarrhoeal Diseases	lxxii
Seasonal Distribution of Mortality	lxxii
Mortality by Sex (Crude and Standardized) in Different Classes of Area	lxxii
Mortality by Sex and Age in Different Classes of Area	lxxiii

THE PUERPERAL STATE—

Details of Cause of Death, distinguishing Age	lxxiv
Deaths at Ages from various Causes complicated by Pregnancy or Childbirth	lxxv

ANÆSTHETICS—

Difference from former Practice in Tabulation	lxxvi
Deaths connected with the Administration of various Anæsthetics, distinguishing Sex and Age	lxxvii
Conditions for which Anæsthetics were administered	lxxvii
Status Lymphaticus	lxxviii

ILL-DEFINED CAUSES OF DEATH—

Deaths so classified and Comparison with previous Years	lxxviii
Effects upon Tabulation of the Inquiries addressed to Coroners and Medical Practitioners, and their Importance	lxxix

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—

Proportion of total Mortality occurring in various Classes of Institutions, in Different Classes of Area and Parts of the Country	lxxx
Proportion of Deaths of each Sex at Various Ages occurring in Institutions in Different Classes of Area	lxxxi

UNITED KINGDOM—

Population	lxxxii
Marriages	lxxxii
Births	lxxxii
Deaths	lxxxiii
Infant Mortality	lxxxiii

MORTALITY IN THE ARMY	lxxxiii
------------------------------	---------

MORTALITY IN THE NAVY	lxxxiv
------------------------------	--------

BIRTHS AND DEATHS AT SEA	lxxxiv
---------------------------------	--------

PROGRESS OF REGISTRATION	lxxxiv
---------------------------------	--------

OFFENCES AGAINST THE REGISTRATION ACTS	lxxxiv
---	--------

SEARCHES AND CERTIFICATES	lxxxv
----------------------------------	-------

METEOROLOGY OF THE YEAR 1913	lxxxvi
-------------------------------------	--------

TABLES—

1. United Kingdom : Population of its several portions estimated to the middle of each of the years 1864–1913	2
2. Estimated Population of England and Wales and Main Divisions in the middle of the year 1913, by sexes at ages	4
3. Estimated Population of aggregate Urban and Rural Areas in Administrative Counties in the middle of the year 1913, by sexes at ages	5
4. Estimated Population of County Boroughs in the middle of the year 1913, by sexes at ages	13
5. Marriages, Births, and Deaths, 1864–1913	19
6. Annual Marriage-, Birth-, and Death-rates and Infant Mortality, 1838–1913	20
7. Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in Groups of Years, 1838–1913, and in each year, 1904–1913	21
8. Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, 31st December, 1913	21
9. England and Wales and London, in 1,000 Marriages, 1864–1913— Manner of Solemnization	22
10. First Marriages, Re-marriages, Marriages of Minors and Signatures by Mark	23
11. Registration Counties, in 1,000 Marriages, Manner of Solemnization, 1913	24
12. Proportions of First Marriages, Re-marriages, 1913; Marriages of Minors, Signatures by Mark, and Marriage-rates, 1903–12 and 1913	25
13. Annual Death-rates at Twelve Groups of Ages, General Death-rate corrected for Sex- and Age-Constitution, and Infant Mortality, 1838–1913—Males	26
14. Females	27
15. Persons	28
16. Mortality by Sex, Age, and Locality, 1913	29
17. Administrative Counties—Crude Death-rate at all Ages, Death-rates at Ages, including Infant Mortality, together with Crude Death-rate at All Ages in Urban and Rural Aggregates, 1913—Males and Females	30
18. County Boroughs—Crude Death-rate at All Ages, Death-rates at Ages, including Infant Mortality, 1913—Males and Females	32
19. Deaths from Various Causes at all Ages, 1899–1913—Males, Females, and Persons (List of Causes as in use prior to 1911)	35
20. Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1899–1913—Males, Females, and Persons (List of Causes as in use prior to 1911)	45
21. Crude Death-rates at all Ages from Various Causes, 1913—Males, Females and Persons (New List)	55
22. Annual Death-rates from the Principal Epidemic Diseases, 1838–1913	60
23. Administrative Counties and County Boroughs : Mortality from the principal Epidemic Diseases and from certain Other Causes, 1912 and 1913	61
24. Mortality from Several Causes, by sex and age, 1913—All Areas...	65
25. London	67
26. County Boroughs	68
27. Other Urban Districts	70
28. Rural Districts	72
29. Infant Mortality by Sex, Age, Cause, and Legitimacy—1913	75
30. Infant Mortality by Age, Cause, and Legitimacy, 1913—Classes of Administrative Areas	77
31. Names on Registers, Searches and Fees received at the General Register Office, 1864–1913	82
32. Islands in the British Seas. Area and Population; and Births and Deaths, 1889–1913	83
33. Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1895–1913	83
34. Army—Strength and Mortality, 1874–1913	84
35. Royal Navy—Mortality in the Service Afloat, 1874–1913	84
36. Merchant Service, Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the United Kingdom and the Isle of Man, 1893–94 to 1912–1913	85
37. Meteorological Elements, Greenwich, 1864–1913	86
38. Quarterly, 1913	88
39. Meteorological Table for London, 1913	90
40. Meteorological Elements at Several Stations, 1913	92
41. Age constitution of Populations of Several Countries	96
42. International Vital Statistics	97

ABSTRACTS—

MARRIAGES—

Analysis of, in Registration Divisions and Counties; showing (a) mode of Solemnization, (b) number in each quarter of the year, (c) Previous Civil Condition of Persons married, (d) Marriages of Persons not of Full Age, and (e) Signatures by mark in Marriage Register	110
Ages of Persons married in England and Wales and in London, distinguishing Bachelors, Spinsters, Widowers and Widows	114
In Registration Districts	129

ESTIMATED POPULATION, BIRTHS (Legitimate and Illegitimate), Birth-rate, DEATHS, Death-rate (Crude and Standardized), Standardizing Factor, Infant Mortality and Natural Increase in each Administrative Area	132
---	-----

ENUMERATED POPULATION (adjusted for Institutions) and Calculated Deaths used in calculating Standardizing Factors—Corrected for changes in boundary to 31st December, 1913	165
---	-----

DEATHS—

By Sex, and for Females by Condition as to Marriage, at each Year of Age	166
By Sex and Age—	
County Boroughs	167
Metropolitan Boroughs	172
Urban and Rural Portions of Counties... ..	174
From Various Causes by Sex and Age—	
England and Wales	182
London	212
County Boroughs	230
Other Urban Districts	248
Rural Districts	266
In each Quarter of the Year, distinguishing Sex and Cause, in Different Classes of Area	284
In various Classes of Institutions, distinguishing Sex, Class of Institution, and Age in Different Classes of Area	302
By Sex and Short List of Causes and Ages—	
Summarized Areas	304
Metropolitan Boroughs	315
County Boroughs	330
Urban and Rural Portions of Counties	369
By Sex and Short List of Causes in Administrative Areas	430
Deaths from Accident, Negligence, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females	530
Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females	540
Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females	544
Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females	546
Secondary Causes of Deaths in 1912 allocated to Titles 39-46	548
Deaths in 1912 allocated to Titles 39-45 (Cancer) by Sex, Age, and Place of Occurrence	588

REPORT

TO

THE RIGHT HONOURABLE HERBERT L. SAMUEL, M.P.,
PRESIDENT OF THE LOCAL GOVERNMENT BOARD, &C., &C.

(1913.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1913.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1913 have already been published in the "General Abstract," and in somewhat greater detail as regards the causes of death for the registration counties of England and Wales, and for London and other large towns in the "Annual Summary," which was incorporated with the Return for the Fourth Quarter of the year issued early in March 1914.

The present Report also relates to the year 1913, but the statistics have been compiled from the registers deposited in this office, and they have been analysed in far greater detail than was possible in the "Annual Summary."

The salient features of the vital statistics of 1913 are as follows :—The marriage-rate was 15·5 per 1,000, being the same as in the preceding year and 0·1 above the average in the ten years 1903–1912. It is satisfactory to note that the marriage-rate in 1912 and 1913 showed an increase upon those in the four preceding years. The provisional figures for 1914 indicate a further rise of 0·3 per 1,000.

The birth-rate in 1913 was 23·9 per 1,000 and was 2·4 below the average for the preceding decennium ; with the exception of the rate in 1912 it was the lowest on record, being no less than 0·5 below that of 1911, which was the next lowest. The provisional figures for 1914 indicate a further fall of 0·3 per 1,000.

The death-rate in 1913 was 13·7 per 1,000, and was 1·2 below the average for the ten preceding years. Although higher than the rates in 1910 and 1912 it was otherwise the lowest rate on record. The increase over 1912 is accounted for by the increased mortality from diarrhoea and enteritis due to the fact that the summer of 1913 was much warmer than that of 1912. Apart from the effects of the warmer summer the reduction of mortality below all previous records which characterised 1912 was maintained in 1913.

Infant mortality was 108 per 1,000 births, being 13 per 1,000 below the average for the preceding decennium. As in the case of the general death-rate it was the lowest rate on record, excepting those in 1910 and 1912. The increase over 1912 is almost entirely accounted for by the increase in diarrhoeal mortality already referred to. The provisional infant mortality rate for 1914 shows a reduction to 105 per 1,000 births.

Mortality from all the principal epidemic diseases was below the average, that from enteric fever and from whooping cough being the lowest recorded. The mortality from diphtheria and croup conjointly was the lowest, except for the rate in 1912, and that from scarlet fever the lowest, except for 1911 and 1912.

Cancer caused a higher death-rate both among males and among females than in any preceding year, but the rates from phthisis and from tuberculosis as a whole were the lowest on record. The mortality from diseases affecting the lungs was very low. Lower mortality from bronchitis and pneumonia jointly has been experienced in 1911 only.

I regret that my Report upon the year 1913 should appear only in the spring of 1915, for I regard promptitude of publication as second only in importance to considerations affecting the value of these Reports as permanent records of vital statistics. The delay which occurred in the publication of the Reports for 1911 and 1912 was due partly to extra pressure on the Department owing to the census—a cause which has

regularly produced the same result in the past—and partly to the extensive changes in form and additions to the matter dealt with which were first made in the Report for 1911. It was my hope, with the disappearance of these two causes of delay, to secure much earlier publication of the Report for 1913, not later than 12 months after the completion of the year to which it refers. The war, however, has prevented the realisation of this hope, as it has had the double effect of decreasing the staff of experienced workers in the Department and of imposing new duties upon the remainder. Even so, however, the date of publication is earlier than last year, and compares not unfavourably with what has been attained in the past when the quantity of matter dealt with was far less. Moreover, there is at present reason to hope that unless the interference due to the war is increased, a further improvement may be secured in the date of publishing the Report for 1914.

I should say that the advisability of curtailment of the Report in view of the special circumstances of the year was carefully considered. I was induced to decide against this course by the consideration that for many purposes the value of a series of yearly tables would be greatly impaired if its continuity were interrupted. With one exception, therefore, all the important tables appear as hitherto in the present Report. That exception is formed by the table of deaths from different causes occurring in various classes of institutions. This table had only appeared in the two preceding Reports, and its place has this year been taken by a similar table distinguishing age, but not cause of death, which it is hoped may also be useful. I believe, indeed, that while tables of primary importance should appear every year and in as constant a form as circumstances will admit, it may be of distinct advantage to vary from time to time both the subject-matter and the manner of treatment of other portions of the Report. The volume of information which might be published is too great to admit of its all being dealt with in any one year, but it does not follow that because certain information cannot be given every year it should never be given at all.

Matter of primary importance must be given every year, but for much other material of lesser but still considerable interest it must suffice to publish records for sample years at intervals, varying the subjects so dealt with from year to year in order to increase their number.

A good instance of this method of tabulation is afforded by the tables on pages 548 to 587 dealing with deaths from cancer and other tumours in far greater detail than would be practicable for annual publication. It is hoped, however, that in the course of 10 years each cause of death will be so dealt with, some in one year and some in another. Apart from any other importance they may possess, these tables should be of some historical value as records of the opinions current amongst the medical profession at the dates to which they refer and of the terminology in which these are expressed.

The importance of cancer at the present time as a cause of death, both because of the number of its victims and of their real or apparent increase, is sufficient to justify the space devoted to it in this Report. The tables showing incidence upon single and married women of mortality from the important forms of cancer peculiar to that sex may be especially referred to, for the statements made upon this subject hitherto have lacked the basis of facts which the national records alone can provide; and both on that account and from unavoidable omission to take into consideration all the factors involved, prove to have been to some extent misleading.

I have to convey my thanks to the Registrars-General of Scotland and Ireland, and the various foreign and Colonial Authorities for the information from which the tables of International Vital Statistics have been compiled, to medical officers of health throughout the country, especially county medical officers of health, for their valuable assistance in securing accurate transfer of deaths from the district of occurrence to that of residence, and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report upon the year 1913.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

General Register Office,
Somerset House,
March, 1915.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1913.

POPULATION.

The final report on the census of 1911 shows that the total population of England and Wales on April 3rd, 1911, was 36,070,492.

On the assumption of a continuance of increase by geometrical progression at the rate experienced during 1901–1911 the population at the middle of the year 1913 is estimated to have been 36,919,339; and on the further assumption of a continuance in arithmetical progression of the change in the proportion of the sexes experienced between the last two censuses this total is estimated to have been made up of 17,857,014 males and 19,062,325 females.

For parts of the country the method adopted in this Report for the calculation of estimated populations is that described in the Annual Reports for 1907, pages cxxxii–cxxxiv, and for 1910, pages xi and xii.

The factors required for estimating the population of any district during 1911–1920, on the above assumption of continuance of the last intercensal rate of increase for the country at large, are as follows:—

1911	·02634780	1916	·56787619
1912	·13242746	1917	·67958101
1913	·23960799	1918	·79244797
1914	·34790096	1919	·90648664
1915	·45731880	1920	1·02170833

The population of any district at the middle of any year from 1911 to 1920 is calculated by adding to the population enumerated in 1911 the product of the increase of population in the last intercensal period and the factor for the year in the above series. In the case of a decreasing population the product of the intercensal decrease multiplied by the factor should be deducted from the population enumerated in 1911.

In the case of leap years, when it is desired to allow for the extra day, the mid-year estimate of population should be increased by $\frac{1}{365}$ th part.

There is reason to believe that the rate of increase experienced during 1901–1911 has not continued since the latter date, for Table XIII shows that the rate of natural increase has fallen since 1911, while Table 33 indicates an increase of the loss on passenger movement. In view of these considerations the assumption hitherto made is open to such serious objection that in future years it will be necessary to frame an estimate upon the natural increase of the population and the net effect of migration. In this case a new set of factors for estimating the population of the various parts of the country will be required.

Had the estimate for the middle of 1913 been framed upon the natural increase and migration returns it would have been lower by some 310,000 than that given above.

MARRIAGES.

The marriages in England and Wales during the year 1913 numbered 286,583, corresponding to a rate of 15·5 persons married per 1,000 population at all ages. This rate was equal to that in 1912, and to the average rate in the decade 1901–1910.

The proportion to the total population of persons married during the 76 years (1838–1913) since civil registration of marriages was enforced has ranged between a maximum of 17·9 per 1,000 living in 1853 and a minimum of 14·2 per 1,000 in 1886, the mean annual rate for the whole period being 15·8 per 1,000. (*See* Table 6, p. 20.)

These variations, however, are influenced by the fact that different populations contain marriageable persons—*i.e.*, unmarried, widowed, and divorced persons aged 15 years and upwards—in different proportions. It is obvious that with the tendency to marriage equal in both cases that population containing the larger proportion of marriageable persons will have the larger proportion of marriages to total population. In order to allow for these differences in opportunity it is desirable to state the marriage rate in terms of the marriageable population only. Marriage rates so calculated are shown for a series of years in Table 6. The table shows that the more accurate method of statement accentuates the decline which has occurred during the period referred to, the rate for the quinquennium 1906–1910 being the lowest recorded in any corresponding period for either sex, whereas the rate per 1,000 persons at all ages was lower in three previous quinquennia.

The marriage-rates recorded in the various registration counties are stated in Table 12 (page 25).

TABLE I.—ENGLAND AND WALES, 1876-1913.—PROPORTIONS of FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married.		Widowers who married.	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876-80 ...	864	136	902	98	820	44	82	54
1881-85 ...	874	126	911	89	834	40	77	49
1886-90 ...	881	119	917	83	844	37	73	46
1891-95 ...	887	113	921	79	851	36	70	43
1896-1900	904	96	931	69	871	33	60	36
1901-05 ...	911	89	933	67	877	34	56	33
1906-10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30
1912 ...	918	82	938	62	886	32	52	30
1913 ...	919	81	936	64	885	34	51	30

TABLE II.—ENGLAND AND WALES, 1886-1913.—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS of VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and up-wards.	Age not Stated.
<i>Bachelors.</i>														
1886-1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891-1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896-1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901-1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906-1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
1912 ...	1,000	0	3	11	28	347	378	140	52	20	9	4	3	5
1913 ...	1,000	0	3	12	30	348	372	141	53	21	9	4	3	4
<i>Spinsters.</i>														
1886-1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891-1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896-1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901-1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906-1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6
1912 ...	1,000	5	22	47	71	399	295	95	34	14	7	3	2	6
1913 ...	1,000	5	25	50	72	397	290	95	34	14	7	3	2	6
<i>Widowers.</i>														
1886-1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891-1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896-1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901-1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906-1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
1912 ...	1,000	0	7	55	108	150	145	142	125	99	68	45	33	23
1913 ...	1,000	0	8	51	109	149	150	145	125	97	69	42	30	25
<i>Widows.</i>														
1886-1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891-1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896-1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901-1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906-1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21
1912 ...	1,000	1	19	95	166	195	166	134	87	54	34	17	12	20
1913 ...	1,000	1	21	102	170	195	164	133	82	53	32	16	11	20

Table I gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876 ; it will be observed that the proportion of re-marriages shows continuous decrease in both sexes up to 1910 and amongst men also since that date.

Table II shows the proportions by age of bachelors, spinsters, widowers, and widows who married during the period 1886-1913.

The Divorced.—The number of persons divorced in 1913 was 1,154, the number in 1912 being 1,174. Both figures are well below the average of the five years immediately preceding.

As will be seen from Table III, the marriages of persons described as divorced show a considerable increase on those of previous years. No valid comparison can, however, be instituted between the number of persons divorced and the number of divorced persons married in any given year, as the figures are not directly related. A very large percentage of the divorced who contract marriage in England have been divorced by some foreign tribunal and resort to this country either to avoid local publicity or to avail themselves of the greater facilities for contracting marriage under English law ; while on the other hand it is probable that in some cases persons divorced in this country are not so described in the marriage register.

TABLE III.—ENGLAND AND WALES.—AVERAGE ANNUAL NUMBER OF DIVORCED PERSONS who RE-MARRIED, 1876-1913.

Period.	Average Annual Number of Divorced Persons who re-married.							
	Total.	Men.	Women.	Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widowers.
1876-80	104	56	48	42	12	2	31	15
1881-85	128	68	60	53	12	3	42	15
1886-90	169	80	89	65	11	4	65	20
1891-95	214	110	104	89	15	6	75	23
1896-1900	345	172	173	138	24	10	126	37
1901-05	509	262	247	205	38	19	181	47
1906-10	693	356	337	276	53	27	253	57
1911	702	365	337	300	39	26	265	46
1912	782	402	380	321	51	30	280	70
1913	854	415	439	322	51	42	337	60

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females, since when the ratio of such marriages to total marriages declined continuously up to 1911. In 1913, however, the ratio for both sexes showed an appreciable increase. (See Tables IV and 10.)

TABLE IV.—ENGLAND AND WALES, 1876-1913.—MINORS MARRIED per 1,000 MARRIAGES at ALL AGES.

—		Husbands.	Wives.	—		Husbands.	Wives.
1876-80		77·8	217·0	1911... ..		39·3	133·3
1881-85		73·0	215·0	1912... ..		39·2	135·4
1886-90		63·2	200·2	1913... ..		42·1	143·8
1891-95		56·2	182·6				
1896-1900		51·2	168·0				
1901-05		46·3	153·1				
1906-10		40·3	139·4				

The proportions per 1,000 marriages of husbands and of wives marrying under age in 1913 and in the preceding decennium in the respective registration counties are shown in Table 12, page 25.

The highest proportions of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

Marriages of minors are proportionately more common in Scotland but much less common in Ireland than in England and Wales.

Mean Age at Marriage.—The great reduction that has taken place in the disturbing factor of unstated ages, has rendered it possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the returns in which age is recorded, as is done in Tables V and VI. These tables show that the mean age at marriage has steadily increased since 1896 both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902. The tendency to later marriage received a check in 1913, the mean age of bachelors remaining stationary, and that of spinsters, widows, and widowers respectively showing slight decrease.

TABLE V.—ENGLAND AND WALES.—MEAN AGES of MEN at MARRIAGE, 1896–1913.

Year.	All Bridegrooms.*	All Bachelor Bridegrooms.	All Widower Bridegrooms.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909	28·88	27·29	45·93	27·02	35·00	43·23	50·85
1910	28·92	27·36	45·93	27·09	34·96	43·14	50·89
1911	29·03	27·46	46·42	27·19	35·19	43·49	51·46
1912	29·12	27·56	46·77	27·27	35·75	43·96	51·67
1913	29·11	27·56	46·65	27·25	35·68	43·91	51·35

TABLE VI.—ENGLAND AND WALES.—MEAN AGES of WOMEN at MARRIAGE, 1896–1913.

Year.	All Brides.*	All Spinster Brides.	All Widow Brides.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896	26·21	25·08	40·58	24·54	32·43	35·69	44·81
1897	26·18	25·10	40·74	24·59	32·31	35·95	45·00
1898	26·18	25·14	40·59	24·62	32·68	35·85	45·04
1899	26·21	25·16	40·83	24·65	32·83	36·12	45·16
1900	26·29	25·23	40·74	24·71	32·97	36·19	44·95
1901	26·39	25·31	40·43	24·77	33·04	35·65	44·96
1902	26·37	25·36	40·25	24·86	32·86	35·62	44·95
1903	26·35	25·37	40·27	24·89	32·93	35·69	45·01
1904	26·32	25·37	40·35	24·90	33·03	35·82	45·22
1905	26·38	25·43	40·53	24·96	33·08	36·02	45·29
1906	26·41	25·46	40·79	24·99	33·30	36·27	45·53
1907	26·49	25·54	40·91	25·06	33·43	36·32	45·68
1908	26·61	25·63	41·02	25·13	33·71	36·43	45·86
1909	26·69	25·73	41·27	25·22	33·85	36·71	45·98
1910	26·75	25·79	41·33	25·30	33·85	36·83	46·07
1911	26·80	25·81	41·74	25·32	34·13	37·01	46·63
1912	26·84	25·85	41·89	25·36	34·25	37·44	46·69
1913	26·80	25·78	41·57	25·29	34·23	37·22	46·59

* The apparent anomaly that the mean age of all bridegrooms shows a smaller increase than the mean age of either bachelor or widower bridegrooms is due to the fact that in the earlier years the total number of bridegrooms included a larger proportion of widowers, and this, of course, had the effect of raising the mean age of the total (*see* Table I.). A similar explanation applies to the mean ages of wives.

The ages of persons married in 1911 onwards have been separately abstracted for each year of age up to 25, and these numbers have been used in calculating the mean age at marriage in the above tables. For years prior to 1911 marriages at ages between 21 and 25 formed a single group and the mean age of this group was taken as 23 years.

Signature in Marriage Register.—The proportion of husbands who failed at the time of marriage to sign their names in the marriage register has gradually fallen from 32·6 per cent. in 1841–45 to 0·9 in 1913, and of wives from 48·9 to 1·0. In the Home and the agricultural counties the proportion of illiterate men is higher, and in the mining and industrial counties lower, than that of women.

Buildings in which Marriages may be Solemnized.—At the end of the year 1913 the numbers of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,958
All other Religious Denominations	16,472
Total... ..	<u>32,430</u>

The increase upon the numbers at the end of the previous year was : Established Church 51, other religious denominations 220. The number of these buildings belonging to the various denominations is shown for each registration county in Table 8, (p. 21).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1913, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE VII.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,442	1,368	New Church†	53	57
Wesleyan Methodists	7,491	3,830	Catholic Apostolic Church	69	49
Congregationalists	3,260	2,942	Countess of Huntingdon's Connexion.	46	43
Baptists	3,059	2,655	Salvation Army	1,157	53
Primitive Methodists	4,277	1,736	Society of Friends	426	—†
United Methodist Church	1,956	1,176	Jews	208	—†
Calvinistic Methodists	1,223	917	Other Denominations	2,829	1,013
Presbyterians	436	440			
Unitarians	178	193			
			All Denominations	28,110	16,472

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† Formerly called New Jerusalem Church.

‡ It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1913 the number of such buildings which had been brought under the operation of the Act, and so remained, was 3,749 out of the total of 16,472 ; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,613 Wesleyan Methodists.
583 Congregationalists.
528 Primitive Methodists.
373 Baptists.
332 United Methodist Church.
96 Calvinistic Methodists.
224 Other Denominations, and Unsectarian.
<u>3,749 All Denominations.</u>

These 3,749 registered buildings were distributed among 535 of the registration districts. In the remaining 99 registration districts there was no registered building under the operation of the Act.

Manner of Solemnization.—Table 9, p. 22, shows that almost four-fifths of the marriages contracted in England and Wales during 1913 were solemnized with religious ceremonial. This proportion, which has been steadily decreasing since the commencement of civil registration owing to the growing favour of purely civil marriage in District Register Offices, was lower in 1913 than in any previous year.

The proportion of marriages solemnized under the provisions of the Marriage Act, 1898, has steadily increased in each successive year from 11 per 1,000 marriages in 1899 to 50 in 1913.

Of the 1,934 Jewish marriages contracted in the year 1913 in England and Wales, 1,419, or 73 per cent., were registered in London, 179, or 9 per cent., in the City of Manchester, and 100, or 5 per cent., in the City of Leeds. Of the Jewish marriages in London, no fewer than 1,090, or 77 per cent., were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Table 11, p. 24, gives particulars as to the forms under which marriages have been contracted in the various registration counties during 1913.

BIRTHS.

The births registered in the year 1913 numbered 881,890 ; of these 843,981 were legitimate and 37,909 illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 23·9 per 1,000 living ; this rate was 0·1 per 1,000 more than that recorded in 1912, but was no less than 3·3 per 1,000 below the average of the low rates in the ten years 1901–1910.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

The birth-rate, stated in terms of total population (crude birth-rate), must obviously vary considerably with the proportion of females of conceptive ages in the population, and with the proportion of these married.

The following statement shows the changes in these proportions and in the age constitution of the married female population at the last five censuses :—

TABLE VIII.—ENGLAND AND WALES.

Census Years.	Proportion per cent. of Women aged 15-45 years in the Total Population of both sexes and all ages.	Proportion per cent. of Married Women in the Female Population aged 15-45 years.	Of the Married Women aged 15-45 years. the proportion per cent. at four groups of ages.				Persons Married per 1,000 Marriage- able Persons* in the Population.	
			15-20.	20-25.	25-35.	35-45.		
1871	...	23·1	49·6	1·3	13·9	45·5	39·3	56·9
1881	...	23·1	49·1	1·1	13·7	45·6	39·6	51·1
1891	...	23·8	47·1	0·9	12·8	46·0	40·3	49·8
1901	...	25·0	46·8	0·7	11·8	46·8	40·7	48·6
1911	...	24·9	47·7	0·5	9·4	46·0	44·1	46·2

* *i.e.*—unmarried and widowed persons over 15 years of age : see p. ix.

There are three changes recorded in this table which influence the birth-rate, one making for its increase and two for its decrease. The first of these is the increased proportion of women of child-bearing age in the total population, which is a direct consequence of the fall in the birth-rate which has already occurred. Up to 1901 this fall affected the population mainly in the direction of a decreased number of children, and so the proportion of young women to total population increased. Since 1901, however, another effect of the falling birth-rate has come more into evidence in the form of an increase in the proportion of old people in the population. This has, so far as Table VIII is concerned, offset the continued decrease in the proportion of children, and a complete arrest of the previous increase in the proportion of women of fertile age has resulted.

There remains, however, a considerably increased proportion of these women as compared with the period when the birth-rate commenced to fall, a fact which, of course, had other factors remained unchanged, would have led to a rise.

The second change referred to is the proportion of women of fertile age who are married. This change to some extent helps to account for the fall in the birth-rate as compared with 1876, but as the proportion married has risen since 1901 this factor has tended to lessen the fall since that date, a period during which it has been particularly rapid.

The third change is the increasing average age of married women under 45 years old. This appears to have been continuous throughout the period dealt with, and must have contributed to the recorded fall in the birth-rate, since female fertility decreases with age. As, however, in the absence of any statement of the age of parents in our birth registers, there are no available records of the fertility of women of different ages in England, it is impossible to determine exactly the effect upon the birth-rate of this increase in the age of potential mothers. In any case, it can account for but a small fraction of the fall which has occurred.

From Table VIII it is easy to calculate the effect of the first two factors dealt with. Thus, the increase in proportion of women of conceptive age from 231 to 249 per 1,000 total population would, had other factors remained unchanged, have raised the birth-rate in like proportion, from the 35·35 recorded in 1876–80 to 38·10 or, measuring the increase more precisely, to 38·21 per 1,000 total population, an increase of 2·86 per 1,000. After eliminating in this way the effects of the two factors referred to as influencing the proportionate number of women, married and unmarried respectively, of fertile ages in the community, the net fall in the birth-rate of the present day must be due to a diminution in the fertility of these women from whatever cause, including that resulting from increase in their average age. The effects of these changes upon the total, legitimate and illegitimate birth-rates, are set forth in the subjoined table.

TABLE IX.—ENGLAND AND WALES. THE EFFECTS OF VARIOUS FACTORS INFLUENCING THE FALL OF THE BIRTH-RATE, 1876–80 TO 1913.

	Birth-rate per 1,000 total population.		
	Total.	Legitimate.	Illegitimate.
Potential effect of increased proportion of women aged 15–45 in the population.	+ 2·86	+ 2·72	+ 0·14
Potential effect of decreased proportion of married to total women aged 15–45.	– 1·10	– 1·16	+ 0·06
Effect of diminished fertility	– 13·22	– 12·37	– 0·85
Recorded fall 1876–80 to 1913	– 11·46	– 10·81	– 0·65

It will be understood that when a potential rise is spoken of what is meant is that if the factor referred to had been the only one whose influence was altered the rise in question would have occurred.

It will be seen that the effect of decrease in fertility of married women—due in some measure to their greater average age, but largely no doubt to deliberate restriction of child-bearing—is masked to some extent by the net result of the other changes noted in the constitution of the population, so that these cannot be appealed to as helping to explain the fall in the birth-rate.

Birth-rates of different parts of the Country.—The birth-rates of individual administrative areas, tabulated on pages 132–164, are summarized in Table X. The reasons for employing this form of table have been stated in the Reports for 1911 and 1912; and the limits of the four geographical divisions dealt with, the populations of which are given in Table 2, are indicated in a footnote.*

* The “North” includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth and tenth “registration divisions” of the Registrar-General, *i.e.*, Lancashire, Cheshire and Yorkshire and counties north of them. The “South” includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second and fifth registration divisions. “Wales” corresponds to the eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country,

TABLE X.—BIRTHS per THOUSAND TOTAL POPULATION, 1913.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	24·5	—	24·5
County boroughs	25·9	25·7	20·8	26·9	25·3
Other urban districts	24·5	23·4	19·6	28·5	23·5
Rural districts... ..	24·5	21·7	19·4	24·7	22·0
All areas	25·2	23·6	21·8	26·9	23·9

The highest birth-rates recorded in Table X are those of Wales, and next to them of the North of England, while those of the South are much the lowest. In fact, there is no exception for any class of area to the order, Wales, North, Midlands, South. Moreover, if it were not for the inclusion of London in the South the rate for this portion of the country as a whole would fall short of those recorded elsewhere to a considerably greater extent than appears in the table. These differences depend upon real differences in fertility, for when allowance is made for variation in the proportion of women and of married women of fertile age, they are still apparent, though the southern deficit is less marked in a comparison of legitimate births in proportion to married women. (See Table XVIII, p. xxiii.).

If Table X is compared with the corresponding table of the Report for 1912, the apparent anomaly arises that although there was an increase of 0·1 per 1,000 living in the birth-rate of the country as a whole, there was no increase in any of the four geographical divisions. The anomaly disappears if the rates in both years are calculated to a further place of decimals as in Table XVIII. It will then be seen that the increase in the birth-rate in the country as a whole, was 0·07 per 1,000, being contributed to principally by the county boroughs of the North and the Midlands, and to a less degree by the urban districts of the North and the rural districts of the Midlands and Wales. Broadly speaking, the North and Midlands showed an increase and the South and Wales a decrease in birth-rate.

Table XVIII compares the fertility of urban and rural areas in different portions of the country, the rates in each case being stated in proportion to total population, to total females of conceptive ages, and to married females of conceptive ages. It shows that the low position of the rural districts in the last column of Table X is completely changed by statement in proportion either to total or to married women aged 15–45, for their fertility then ranks higher than that of any of the urban sections. This difference would be still more marked if the age constitution in the various groups of areas were identical. The rural districts, however, are at a disadvantage in this respect, because their proportion of married women at the younger and more fertile portions of the child-bearing period (29·5 per cent. under 30 years of age in 1911) is lower than that of the country at large (1·0 per cent. under 30 years of age) in consequence of the migration of young persons from rural to industrial areas. In all three divisions of Table XVIII the county boroughs make a better showing as regards births than the smaller urban areas; so that the relation of fertility to urbanization at the present time is not a simple one.

corresponding to the third, fourth, sixth and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows :—

North.	Midlands.		South.	Wales.
Cheshire. Lancashire. Yorks, West Riding. " East Riding. " North Riding. Durham. Northumberland. Cumberland. Westmorland.	Middlesex. Hertfordshire. Buckinghamshire. Oxfordshire. Northamptonshire. Soke of Peterborough. Huntingdonshire. Bedfordshire. Cambridgeshire. Isle of Ely. Essex. Suffolk, East. " West. Norfolk.	Gloucestershire. Herefordshire. Shropshire. Staffordshire. Worcestershire. Warwickshire. Leicestershire. Rutlandshire. Lincolnshire. Parts of Holland. " Kesteven. " Lindsey. Nottinghamshire. Derbyshire.	London. Surrey. Kent. Sussex, East. " West. Southampton. Isle of Wight. Berkshire. Wiltshire. Dorsetshire. Devonshire. Cornwall. Somersetshire.	Monmouthshire. Glamorganshire. Carmarthenshire. Pembrokeshire. Cardiganshire. Brecknockshire. Radnorshire. Montgomeryshire. Flintshire. Denbighshire. Merionethshire. Carnarvonshire. Anglesey.

When comparison is made between different parts of the country Wales comes first, followed in order by the North, Midlands and South, whatever measure of fertility be employed. The highest rates are yielded by the small towns of Wales; and the lowest by the South of England. In all forms of the comparison London takes a higher position than the remainder of the South.

Further reference is made to this subject on page xxiii, where the combined effects of fertility and infant and child mortality are discussed.

Sex Proportions at Birth.—Births of males in England and Wales numbered 449,159, and those of females 432,731; the proportion of male to female births being, therefore, 1,038 to 1,000. The corresponding proportions in each year since 1864 and in groups of years since the commencement of registration are shown in Table 6, page 20; the extreme range has been from 1,032 per 1,000 in 1898 to 1,054 in 1843 and in 1844. Compared with other countries the proportion in England is exceedingly low, the ratio most commonly returned being 1,050–1,060.

The extent to which the proportional excess in the number of boys at birth varies in the different counties and other administrative areas of England and Wales may be gathered from the returns tabulated on pages 132–164. The relative extent of this excess varies so much from year to year in the different areas that it seems advisable to defer any classification of areas from this point of view until more records can be collated than those of the three years at present available—1911–13.

Illegitimate Births.—The births registered during the year 1913 included 37,909 of illegitimate children.

Illegitimate fertility is frequently measured by the proportion of illegitimate births either to total births or to total population. Neither of these measures, both of which find a place in Table XI, is a satisfactory index of the fertility of unmarried women, and the third form of statement employed in the table, which compares the illegitimate births with the number of possible unmarried mothers, is that to which most importance should be attached. It will be seen that it is when measured in this way that the decline in illegitimacy appears to be greatest, and that all three standards of comparison present results for 1913 identical with those for 1912.

TABLE XI.—ENGLAND AND WALES.—ILLEGITIMATE BIRTHS, 1876–1913.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female Population aged 15–45 years.	
	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.
1876–1880... ..	47·5	100·0	1·7	100·0	14·4	100·0
1881–1885... ..	48·0	101·1	1·6	94·1	13·5	93·8
1886–1890... ..	46·3	97·5	1·5	88·2	11·8	81·9
1891–1895... ..	42·4	89·3	1·3	76·5	10·1	70·1
1896–1900... ..	41·0	86·3	1·2	70·6	9·2	63·9
1901–1905... ..	39·5	83·2	1·1	64·7	8·4	58·3
1906–1910... ..	40·2	84·6	1·1	64·7	8·1	56·3
1901... ..	38·9	81·9	1·1	64·7	8·4	58·3
1902... ..	39·0	82·1	1·1	64·7	8·4	58·3
1903... ..	39·3	82·7	1·1	64·7	8·5	59·0
1904... ..	39·9	84·0	1·1	64·7	8·5	59·0
1905... ..	40·2	84·6	1·1	64·7	8·3	57·6
1906... ..	40·0	84·2	1·1	64·7	8·3	57·6
1907... ..	39·4	82·9	1·0	58·8	7·9	54·9
1908... ..	39·9	84·0	1·1	64·7	8·2	56·9
1909... ..	41·0	86·3	1·1	64·7	8·1	56·3
1910... ..	40·8	85·9	1·0	58·8	7·8	54·2
1911... ..	42·7	89·9	1·0	58·8	8·0	55·6
1912... ..	43·0	90·5	1·0	58·8	7·9	54·9
1913... ..	43·0	90·5	1·0	58·8	7·9	54·9

Comparing the proportion of illegitimate births in England and Wales in the year 1913 with that obtaining in the quinquennial period 1876–80, it will be seen that based on the standard of total births the rate of illegitimacy has decreased by less than 10 per cent. The crude illegitimate birth-rate, however, based on the total population, shows during the same period a decline of 41 per cent., while the rate based on the numbers of single and widowed women of conceptive ages fell by 45 per cent.

The extent of illegitimacy in different classes of area and parts of the country may be gathered from Table XII, from which it may be seen that statement in proportion to total population conceals the excess of illegitimacy in the rural districts which is definitely brought out by the other portion of the table. Stated in relation to unmarried women of conceptive ages illegitimate births were most frequent in the rural districts and least so in London. They were also most frequent in Wales, and least so in the South of England. These statements hold good of each of the three years 1911–13.

TABLE XII.—ILLEGITIMATE BIRTH-RATES, 1913.

	Per 1,000 total Population.					Per 1,000 Unmarried and Widowed Females aged 15-45 years.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	0·99	—	0·99	—	—	6·59	—	6·59
County Boroughs ...	1·10	1·06	1·11	1·05	1·09	8·32	8·03	7·65	8·82	8·17
Other Urban Districts...	1·02	0·98	0·93	0·97	0·98	7·92	7·54	6·33	9·20	7·52
Rural Districts...	1·14	1·05	0·88	1·17	1·04	9·55	9·66	7·27	9·95	9·00
All areas	1·08	1·02	0·97	1·05	1·03	8·34	8·22	6·78	9·37	7·88

Natural Increase.—In 1913 both the birth-rate and the death-rate were slightly higher than in the preceding year, but as the excess was much less in the case of the former the natural increase, or excess of crude birth-rate over crude death-rate, diminished (Table XIII). In one single year only in fact—1911—has a lower rate of natural increase been recorded than that of 1913, and the climatic conditions of 1911 were exceptionally unfavourable to health. In no year previous to 1911 has a rate of natural increase as low as that of any of the three years 1911 1912 and 1913 been recorded. The fall in the death-rate, which for a number of years had sufficed to compensate for that in the birth-rate, has now ceased to do so, and it seems likely that a period of definitely lower natural increases than those of even the recent past has commenced. To some extent this is due to change in the age-constitution of the population. This was more favourable in regard to mortality (*see* Table 6) in 1901 than at any other census, a fact which, until that date, contributed to that fall in the crude death-rate which compensated for the fall in the birth-rate. Since 1901, however, owing largely to increased proportion of old people in

TABLE XIII.—NATURAL INCREASE of POPULATION per 1,000 LIVING, 1876–1913.

	Mean Annual Birth-rate per 1,000 living.	Mean Annual Death-rate per 1,000 living.	Mean Annual Rate of Increase by excess of Births over Deaths, per 1,000 living.
1876–1880	35·3	20·8	14·5
1881–1885	33·5	19·4	14·1
1886–1890	31·4	18·9	12·5
1891–1895	30·5	18·7	11·8
1896–1900	29·3	17·7	11·6
1901–1905	28·2	16·0	12·2
1906–1910	26·3	14·7	11·6
1906... ..	27·2	15·5	11·7
1907... ..	26·5	15·1	11·4
1908... ..	26·7	14·8	11·9
1909... ..	25·8	14·6	11·2
1910... ..	25·1	13·5	11·6
1911... ..	24·4	14·6	9·8
1912... ..	23·8	13·3	10·5
1913... ..	23·9	13·7	10·2

the population as a result of the decreased birth-rate, the age-constitution has again become less favourable, and as this change progresses it will to an increasing extent tend to increase the crude death-rate, and so to diminish natural increase.

TABLE XIV.—NATURAL INCREASE per 1,000 LIVING, 1913.

	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	10·2	—	10·2
County Boroughs	9·8	11·3	8·0	13·3	10·2
Other Urban Districts	10·0	11·5	7·9	14·9	10·6
Rural Districts	11·1	9·5	7·9	10·6	9·5
All areas	10·1	10·8	8·9	13·1	10·2

The distribution throughout the country of the natural increase recorded in 1913 is shown in Table XIV. It will be seen that as in 1911 and 1912 it was highest in Wales in all but the rural areas, and lowest in the South in all three classes of area, its distribution closely resembling in these respects that of the birth-rate. On the other hand the advantage in birth-rate possessed by the North over the Midlands, and by the county boroughs over the smaller towns in the country at large, does not prevent their rates of increase being lower, owing to the higher mortality in the North and in the county boroughs. As all of these statements hold good of each of the three years for which the information has been tabulated, it would seem that the differences between the various areas are of a very stable character.

It may be pointed out that in the absence of migration the large towns would have increased at the same rate as the country at large, the smaller towns faster, and the rural areas more slowly. These facts are worth noting in view of the assumption sometimes loosely made that the population of the towns would cease to increase if it were not recruited from the country. It is true that the figures in the table probably do not fairly represent the increase characteristic of the town and country born, for many births in towns are the result of fertility freshly imported from the country, but the rural population now bears so small a proportion to the whole that this consideration must be of much less importance than in former years.

DEATHS.

The deaths of 504,975 persons were registered in England and Wales during 1913, 261,687 of these being males and 243,288 females.

These deaths correspond to a rate of 13·7 per 1,000 population, which is 0·4 higher than that of the preceding year, the lowest yet reached, but is lower than any recorded previous to 1910. The lowest standardized death-rate* of the nineteenth century was 16·4 in 1894, and the usual rates were considerably higher, the standardized rate for 1861–70 being 21·3 and that for 1891–95 18·5, since when the fall has been very rapid.

* The need for modification of the crude death-rate, that is the proportion borne by deaths registered to each thousand of the population at all ages, if true comparison is to be made of the force of mortality at different times or in different areas, has frequently been pointed out in these Reports. The two methods of effecting this “standardization” of recorded death-rates here employed were fully described in the Annual Report for 1911 (pp. xxvii–xxxix). Owing to the laborious nature of the calculations involved by use of the “direct” method, which is to be preferred on the ground of accuracy, the standardized rates shown for administrative areas on pages 132–164 have been obtained by the indirect or factorial method, by which the standardizing factor represents the relation of the “index death-rate” for the standard population, that of England and Wales in 1901, to the “index death rate” of the population in question (the index death-rate itself being a measure of the effect upon mortality of the sex- and age-constitution of the population as ascertained at the

Mortality of each Sex.—The standardized mortality of males* in 1913 exceeded that of females by 23 per cent. (Table 6). Up to 1860 or so the excess was only about nine per cent., but for the last 15 years it has averaged about 20 per cent. Since 1841–1845, the first quinquennium in the table, the standardized mortality of females has fallen by 39·4 per cent. while the fall in that of males has been only 31·5 per cent.

Tables 13 and 14 show that the excess in the mortality of males exists at all ages except in the years of childhood, when mortality is at its minimum. The excess, however, is very unequally distributed, being large in infancy, negative in childhood, then gradually increasing to a maximum in later middle life, and from this declining again with advancing age. The ratios of male per cent. of

latest census). The following comparison of the results of application of the two methods shows that the differences are not as a rule of great importance.

Rates calculated upon the standard recommended by the International Statistical Institute, viz., the population of Sweden in 1890, distinguishing five groups of ages, but without distinction of sex, are also shown.

	Crude Death-rate per Million Population, 1913.	Standardized Rates.		
		By Direct Method (England and Wales Standard, 1901).	By Indirect Method (England and Wales Standard, 1901).	By Direct Method (International Standard, 1890).
England and Wales	13,678	13,331	13,391	16,142
London... ..	14,278	14,255	14,278	17,024
County Boroughs	15,113	15,591	15,518	18,370
Other Urban Districts	12,889	12,774	12,797	15,501
Rural Districts	12,494	10,690	11,067	13,587

In order that those interested in the subject may have an opportunity of using the standardization method to the fullest extent which the calculations permit, tables showing “calculated deaths” and “adjusted populations” were inserted in the Annual Report for 1912 (pages 163–174 and 610–611) and a supplementary table for areas affected by changes in boundary during 1913 is published at page 165 of the present Report. The figures in the second column of these tables are those referred to on page xxix of the Annual Report for 1911, as giving “the deaths that would have occurred in a year had the mortality of each sex- and age-group been the same as that in England and Wales as a whole” (during 1901–10). By the addition of these calculated deaths and adjusted populations for any combination of areas, a standardizing factor can be obtained for the combination in the same way as for the individual areas. Thus if it were desired to ascertain the standardized death-rate of Manchester and Salford in combination the procedure would be as follows:—

				Calculated deaths.	Adjusted population.
Manchester	10056·5	714,949
Salford	3275·9	231,357
Combined area	13332·4	946,306

The index death-rate for the combined area therefore $= \frac{13332·4 \times 1000}{946306} = 14·09$. The index death-rate for the standard population, that of England and Wales in 1901, was 15·19, and the standardizing factor for the combined area is therefore $\frac{15·19}{14·09} = 1·0781$.

* The methods of calculating standardized death-rates for populations consisting of persons of both sexes are inapplicable to a comparison between the sexes. For this purpose the standard population employed by these methods is unsuitable, since it does not furnish a common basis of comparison between the sexes. The female population is longer lived, and therefore older, and, assuming other conditions the same for both, on that account more prone to death than the male. In any true comparison of male and female mortality this fact must be allowed for, as in other similar cases. The allowance is made by applying the death-rates of the classes of persons compared to a common standard population, which in the case of comparison between the sexes is preferably that of persons of undistinguished sex in the community chosen for the purpose (*i.e.*, England and Wales in 1901). Some other population might have been chosen without seriously affecting the result, *e.g.*, males in 1901 or females in 1901, so long as, in making the comparison, the rates of male mortality are not applied to one population, that of males in 1901, and those of female mortality to another and differently constituted one, that of females in 1901. This would be done were comparison made by the direct method as applied to populations consisting of both sexes. All statements of standardized mortality in this Report which refer to the sexes separately are based upon the age-distribution of persons of undistinguished sex in the population of England and Wales in 1901.

female mortality at the various age-periods during the years 1901-1910 and 1913 are as follows :—

—	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—
1901-10 ...	119	97	95	107	120	119	123	130	128	120	115	112
1913 ...	122	100	95	108	117	121	123	130	133	126	119	111

Mortality at different Ages.—The fall in mortality during recent years applies to all ages, though in old age it is inconsiderable. Tables 13-15 enable the history of this fall to be traced at each age-period dealt with. They show that up to 35 years of age for males and to 45 for females the mortality of 1913 was at each period only about one half or less of that recorded 50 years ago (1861-65), but that after these ages the fall, though appreciable, has been comparatively slight.

Comparing 1913 with 1912, the year of lowest mortality as yet recorded in this country, it will be seen that the advantage of 1912 is almost confined to the first age-group dealt with, 0-5 years. The total mortality at all ages over 5 years was 11·04 per thousand living at these ages in 1913 as against 11·00 in 1912, but at ages under 5 years the mortality was 35·7 in 1913 as against only 32·4 in 1912 (Table 15). This increase is more than accounted for by increase of mortality from diarrhœa and enteritis, due to the fact that the summer was much warmer than that of 1912. The death-rate from this cause at ages 0-5 increased to the extent of 3·5 per 1,000, or 0·2 per 1,000 more than the increase from all causes. It may, therefore, be said that, apart from the effects of the warmer summer, the reduction of mortality below all previous records which could be claimed for 1912 was maintained in 1913.

Infant Mortality.—Of the 504,975 deaths registered during the year in England and Wales, 95,608, or 18·9 per cent., were those of infants under one year of age, corresponding to a mortality rate of 108 per 1,000 births. This rate was 13 per 1,000 births, or 11 per cent., below the average in the preceding 10 years, but exceeded that of 1912, the lowest hitherto recorded, by a like amount, 13 per 1,000 births. This excess is almost wholly accounted for by the increase in diarrhœal mortality already referred to, and may thus be ascribed to the less favourable climatic conditions of the summer. From causes other than diarrhœa and enteritis, the mortality of infants rose from 87 per 1,000 births in 1912—the lowest rate of the kind on record in this country—only to 89 per 1,000 in 1913. It was not until 1909 that this rate fell below 100, and since then it has never reached that figure.

Table XV shows how the infant mortality of 1913 was distributed between the sexes and throughout the country. For infants of both sexes jointly the rate varied from 131 in the county boroughs of the North to 69 in the rural districts of the South.

TABLE XV.—INFANT MORTALITY (DEATHS UNDER 1 YEAR per 1,000 BIRTHS), 1913.

	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	—	—	115	—	115	—	—	96	—	96	—	—	106	—	106
County Boroughs ...	145	134	105	130	137	118	109	82	110	111	131	122	94	120	124
Other Urban Districts ...	139	104	89	139	118	109	83	69	107	93	124	94	79	123	105
Rural Districts ...	126	89	78	115	99	98	71	60	90	77	113	80	69	103	88
All areas ...	140	110	102	130	120	112	89	82	103	96	126	100	92	117	108

The fact that infant mortality is considerably higher under the conditions of town than of country life is well known, and the rate for the rural districts is exceeded accordingly by 19 per cent. in the case of the smaller towns, and by 41 per cent. in that of the county boroughs, but only by 20 per cent. in the case of London. The comparatively small excess in London shows to what a large extent the adverse influence of urban surroundings on infant life may be avoided. The mortality in the

County of London, the central portion of the largest urban population in existence, was lower than that in the country at large—a very remarkable fact.

The geographical variation of the mortality dealt with by the table is remarkable, especially in view of its constancy from year to year. In each sex and in every class of area the English mortality was highest in the North and lowest in the South, the position of the Midlands being in all cases intermediate. Even the rural districts of the North record a higher rate than London does, the excess being much greater in the male sex. All these statements apply equally to the year 1912, and, except for a slightly higher mortality in London than in the northern rural districts, also to 1911. The urban excess in 1913 is analysed by age, legitimacy and cause of death in Table 30, and Tables 24–28 provide the means of investigating, in somewhat less detail, the causes of death which are accountable for the differences between the various geographical areas.

It is of interest to extend the comparison of infant mortality up to school age, *i.e.*, to the end of the period of exclusively home influence. This is done in Table XVI, which gives the mortality during the second year of life, and the mean annual mortality between the ages of two and five years, in the different areas dealt with; and in Table XVII, which shows the survivors from 10,000 births at the end of the first, second, and fifth years of life in the same areas. The range of variation in the second year of life is very much greater than in the first. It extends in Table XVI from 14·47 in the rural districts of the South to 50·78 in the county boroughs of the North, the chances of survival during the second year of life in the latter being not very much greater than those during the first year of life in the former. In both sections of the table mortality in England increases without exception from South to North in each class of area, and from rural districts to large towns in all parts of the country; but in Wales it is higher in the small towns than in the county boroughs.

TABLE XVI.—MORTALITY in EARLY CHILDHOOD, 1913 : DEATHS per 1,000 LIVING at EACH AGE (Both Sexes).

	1–2 years.					2–5 years. (Mean Annual Mortality.)				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	37·23	—	37·23	—	—	8·58	—	8·58
County Boroughs	50·78	40·57	24·55	27·82	44·05	11·56	10·23	7·50	7·73	10·59
Other Urban Districts	40·01	25·74	19·32	31·79	30·25	9·78	6·99	6·05	8·00	7·88
Rural Districts	32·10	16·24	14·47	23·58	20·36	7·98	4·89	4·04	6·43	5·56
All areas	44·36	27·77	27·12	28·57	33·43	10·44	7·42	6·96	7·46	8·34

Table XVII exhibits the cumulative results of the mortalities shown in Tables XV and XVI. It shows that, judging by the experience of 1913, 20 per cent. of children born in the county boroughs of the North may be expected to die before completing their fifth year, while in the rural districts of the South the proportion lost is only 9 per cent., or less than half the other. Outside London there is no class of area in the South which does not, judging by the experience of each of the three years 1911–1913, rear a larger proportion of its children than even the rural districts of the North.

TABLE XVII*.—MORTALITY in EARLY CHILDHOOD, 1913 : SURVIVORS of 10,000 CHILDREN BORN.

	At end of First Year.					At end of Second Year.					At end of Fifth Year.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	8,942	—	8,942	—	—	8,609	—	8,609	—	—	8,387	—	8,387
County Boroughs	8,687	8,784	9,061	8,798	8,756	8,246	8,428	8,839	8,553	8,370	7,960	8,169	8,640	8,355	8,104
Other Urban Dis- tricts.	8,760	9,063	9,205	8,768	8,946	8,410	8,830	9,027	8,489	8,675	8,163	8,645	8,863	8,285	8,470
Rural Districts	8,874	9,196	9,308	8,970	9,118	8,589	9,047	9,173	8,758	8,932	8,383	8,914	9,062	8,589	8,783
All areas	8,737	9,004	9,079	8,835	8,916	8,349	8,754	8,833	8,583	8,618	8,087	8,559	8,649	8,391	8,402

* A note as to the construction of Tables XVII and XVIII will be found in the Annual Report for 1911, page xxxvi.

The comparison may be carried a stage further, as is done in Table XVIII, by stating the combined effects of each population's fertility and early mortality, in other words, by showing the extent to which, on the basis of the experience of 1913, it produces *and rears* children. The result may be regarded as its effective fertility, and will give some indication of the extent to which success in preservation of young lives is likely to compensate for failure in their production.

The greatest effect of successful life preservation in compensating for its non-production is naturally shown by comparison of the county boroughs of the North with the rural districts of the South, since these populations present the greatest contrast of any in Table XVII. Table XVIII shows that while the birth-rate of the former was 25·9 as against 19·4 for the latter this difference would be reduced at age 5 to that between 20·7 and 17·6, the survivors per 1,000 population in each case. It appears therefore that if the conditions affecting child mortality in the country at large could be improved to the extent represented by the difference between the two extremes in the table even so great a change as this would not nearly compensate for a difference in birth-rates much less in extent than the fall of the past 30-40 years.

The advantage in regard to birth-rate held by the large towns in the first section of Table XVIII is still maintained, though to a diminished extent, when the age of five years is attained. The advantage in regard to fertility on the other hand is held on the whole by the rural districts (the higher birth-rates of the towns being accounted for by their higher proportions of women of conceptive age) and this advantage becomes gradually accentuated by their more favourable mortality experience.

One of the most striking features of Table XVIII is, as in 1911 and 1912, the extent to which the fertility of Wales, however stated, exceeds that of England. The survivors

TABLE XVIII.—EFFECTIVE FERTILITY, 1913.*

	1.—Births per 100,000 Total Population.					2.—Births per 10,000 Women aged 15-45.					3.—Legitimate Births per 10,000 Married Women aged 15-45.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	2,446	—	2,446	—	—	909	—	909	—	—	1,962	—	1,962
County Boroughs ...	2,595	2,571	2,079	2,690	2,534	1,003	1,003	788	1,108	983	1,966	1,976	1,649	2,086	1,940
Other Urban Districts ...	2,450	2,341	1,957	2,850	2,350	974	930	753	1,253	936	1,907	1,838	1,657	2,254	1,868
Rural Districts ...	2,452	2,175	1,944	2,469	2,204	1,063	1,011	860	1,110	993	2,094	1,952	1,769	2,244	1,966
All areas	2,524	2,364	2,181	2,694	2,389	1,001	974	847	1,178	959	1,961	1,912	1,814	2,220	1,923
SURVIVORS OF ABOVE AT END OF FIRST YEAR OF LIFE.															
London	—	—	2,187	—	2,187	—	—	813	—	813	—	—	1,754	—	1,754
County Boroughs ...	2,254	2,258	1,884	2,367	2,219	871	881	714	975	861	1,708	1,736	1,494	1,835	1,699
Other Urban Districts ...	2,146	2,122	1,801	2,499	2,102	853	843	693	1,099	837	1,671	1,666	1,525	1,976	1,671
Rural Districts ...	2,176	2,000	1,809	2,215	2,010	943	930	800	996	905	1,858	1,795	1,647	2,013	1,793
All areas	2,205	2,129	1,980	2,380	2,130	875	877	769	1,041	855	1,713	1,722	1,647	1,961	1,715
SURVIVORS OF ABOVE AT END OF SECOND YEAR OF LIFE.															
London	—	—	2,106	—	2,106	—	—	783	—	783	—	—	1,689	—	1,689
County Boroughs ...	2,140	2,166	1,838	2,301	2,121	827	845	696	948	823	1,621	1,666	1,457	1,784	1,624
Other Urban Districts ...	2,060	2,067	1,766	2,420	2,038	819	821	680	1,064	812	1,604	1,623	1,496	1,913	1,620
Rural Districts ...	2,106	1,968	1,783	2,163	1,969	913	915	788	973	887	1,798	1,766	1,623	1,966	1,756
All areas	2,107	2,070	1,926	2,312	2,059	836	853	748	1,011	826	1,637	1,674	1,602	1,905	1,658
SURVIVORS OF ABOVE AT END OF FIFTH YEAR OF LIFE.															
London	—	—	2,052	—	2,052	—	—	763	—	763	—	—	1,646	—	1,646
County Boroughs ...	2,066	2,100	1,797	2,248	2,054	798	819	680	926	797	1,565	1,615	1,424	1,743	1,572
Other Urban Districts ...	2,000	2,024	1,734	2,362	1,990	795	804	668	1,038	793	1,557	1,589	1,469	1,867	1,582
Rural Districts ...	2,056	1,939	1,761	2,121	1,936	891	902	778	954	872	1,755	1,740	1,603	1,928	1,727
All areas	2,041	2,024	1,886	2,260	2,007	810	834	732	988	805	1,586	1,637	1,569	1,862	1,617

* The rates of mortality at ages 1-5 employed in the third section of this table are those applicable to all children without distinction of legitimacy, as the mortality of legitimate children is not separately tabulated except during the first year of life. The consequent error, however, is probably very small. See Annual Report for 1911, Table XXXIII.

at age 5 in Wales exceed the births in the South of England in each class of area and in each section of the table, and the smaller towns of Wales more nearly approximate to the old-fashioned standard of birth-rate than any other of the sections of the population dealt with.

Causes of Infant Mortality.—It will be seen from Table XIX, which compares the rates recorded in Table 29 with the experience of previous years, that infant mortality showed an increase in 1913 upon that in 1912 from all the principal causes of such deaths except the infectious diseases. The only notable increase was that from diarrhoea and enteritis, the mortality from which advanced from 7·72 per 1,000 births in 1912 to 19·32 in 1913, or by 150 per cent., thus accounting for no less than 86 per cent. of the total increase over 1912—13·56 deaths per 1,000 births. Had it not been, however, for the remarkable fall in mortality from whooping cough in 1913, which was far below any previously recorded (Table 22), the increase from causes other than diarrhoea would have been almost twice as great as it was. As the mortality from infectious diseases, like that from diarrhoea, fluctuates greatly from year to year, it is advisable, when examining the trend of infant mortality, to consider deaths from all other causes apart from these peculiarly unstable components of the total mortality. The deaths after exclusion of these causes correspond to a rate of 83·38 per 1,000 births, or 4·04 per 1,000 more than in 1912, but 3·39 less than in 1908–1912, the increase over 1912 amounting to about 5 per cent. This increase, as may be seen from Table XIX, is widely distributed over all the principal causes and over each portion of the first year of life.

The remarkable fall in mortality ascribed to tuberculosis, referred to in last year's Report, has not been fully maintained, the rate from this cause having risen from 2·81 to 3·02 deaths per 1,000 births. Even the latter figure, however, is far below any recorded prior to 1912, the rate in 1911 having been 3·81, while so recently as 1902–1906 it was as high as 5·63. The increase over 1912 applies solely to abdominal tuberculosis, and, as pointed out in last year's Report, the records under this heading may in a year of heavy diarrhoeal mortality be swollen by misdescription of deaths properly assignable to diarrhoea. The figures of the past few years show a certain parallelism of fluctuation between the two causes. Even in this case, however, the rate is well below that of any other year except 1912. The mortality ascribed to tuberculous meningitis fell from 1·24 deaths per 1,000 births in 1911 to 1·06 in 1912 and to 1·02 in 1913. This fall was accompanied by a decrease in the mortality from meningitis not described as tuberculous from 1·72 in 1911 to 1·28 in 1912 and 1·34 in 1913. The change which has occurred cannot therefore be ascribed to a mere difference in the method of certifying deaths from meningeal disease, but would seem to point to a true, and also to a strangely sudden decrease in the mortality of infants from meningeal disease of all varieties in 1912, which has been maintained in 1913.

TABLE XIX.—ENGLAND AND WALES, 1913.—PERCENTAGE INCREASE OR REDUCTION of INFANT MORTALITY as compared with 1908–12 and with 1912.

	Under 1 month.		1–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1908–12.	1912.	1908–12.	1912.	1908–12.	1912.	1908–12.	1912.	1908–12.	1912.	1908–12.	1912.
Whooping cough ...	– 9	–17	–34	– 39	–35	– 36	–33	– 35	–37	– 38	–34	– 37
Other common infectious diseases.	—	—	–25	– 14	—	– 12	–10	– 17	– 5	– 10	– 6	– 13
Diarrhoea and enteritis ...	+10	+53	+10	+118	+ 7	+163	+ 7	+199	+10	+186	+ 8	+150
Premature birth ...	—	+ 1	+ 6	+ 13	+16	+ 22	+33	+ 33	—	—	+ 1	+ 2
Congenital defects...	– 9	+ 5	– 7	+ 6	+ 5	+ 24	—	+ 29	–17	+ 10	– 8	+ 7
Atrophy, debility, marasmus	+ 1	+ 4	–21	+ 3	–12	+ 18	–22	– 1	–12	+ 18	– 8	+ 5
Developmental and wasting diseases	– 1	+ 2	–11	+ 6	– 8	+ 19	–17	+ 4	–11	+ 16	– 4	+ 4.
Tuberculous diseases ...	–17	+25	–27	—	–23	+ 13	–21	+ 2	–17	+ 10	–22	+ 7
Convulsions ...	–10	—	–12	+ 11	– 9	+ 13	+10	+ 5	+23	+ 14	– 6	+ 6
Bronchitis and pneumonia	+11	+ 3	– 2	– 1	+ 2	+ 10	+ 1	+ 10	—	+ 7	+ 1	+ 6
Other causes ...	+ 9	—	—	+ 3	– 9	+ 10	–18	+ 12	–20	+ 12	– 5	+ 6
All causes ...	—	+ 3	– 5	+ 15	– 4	+ 33	– 6	+ 24	– 5	+ 17	– 3	+ 14

Another cause of mortality showing increase in 1913 which may be ascribable in reality to the increase of fatal diarrhoea is convulsions, as these often originate in intestinal disturbance, but in the case of respiratory diseases the increase shown, which chiefly affects pneumonia, is presumably more likely to be related to the atmospheric conditions of the winter than of the summer half of the year.

The important group of developmental and wasting diseases, which includes the whole of the three lines appearing above it in Tables XIX and XX, shows an increase over the previous year of 4 per cent.

TABLE XX.—ENGLAND AND WALES.—DEATHS OF CHILDREN under ONE YEAR of AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS, 1886–1913.

	Sex.	Proportion of Deaths to 1,000 Births of each Sex.							
		1886–1890.	1891–1895.	1896–1900.	1901–1905.	1906–1910.	1911.	1912.	1913.
Premature birth (151A) ...	Males	17·8	20·3	21·7	22·4	22·0	22·1	21·7	21·8
	Females	14·4	16·4	17·5	18·1	17·8	18·0	17·4	18·2
	Both sexes	16·1	18·4	19·6	20·2	19·9	20·1	19·6	20·0
Congenital defects (150 and 152B).	Males	3·5	3·9	4·3	6·4	7·3	5·9	5·9	6·4
	Females	2·9	3·3	3·5	5·0	5·9	4·8	4·7	4·9
	Both sexes	3·2	3·6	3·9	5·7	6·6	5·4	5·3	5·7
Atrophy, Debility, Marasmus (151 B–E).	Males	24·9	25·0	23·9	20·8	17·5	17·7	14·7	15·5
	Females	20·6	20·3	19·3	16·6	13·7	14·1	10·9	11·6
	Both sexes	22·8	22·7	21·7	18·7	15·6	15·9	12·9	13·6
Total: Developmental and wasting diseases.	Males	46·2	49·2	49·9	49·6	46·8	45·7	42·3	43·7
	Females	37·9	40·0	40·3	39·7	37·4	36·9	33·0	34·7
	Both sexes	42·1	44·7	45·2	44·6	42·1	41·4	37·8	39·3

Table XX, however, shows that as compared with years prior to 1912 the rates for 1913 are decidedly low. The largest increase shown in this table is that from atrophy, debility, and marasmus, a heading under which there is reason to believe that a certain number of deaths really due to diarrhœa, or at least dependent upon the conditions which make for increase of diarrhœal mortality, are returned. The proportion of infants dying as the result of premature birth and of congenital defects is about equal to the average of recent years, during which it is very apparent from the table that many deaths which would formerly have been attributed to atrophy, &c., have been returned under the heading of premature birth. Even now there is reason to believe that this process is incomplete, and that a number of deaths of prematurely born infants are returned as due to “debility” without statement of its cause.

The sudden rise in mortality from congenital defects shown for the period 1901–05 in Table XX is in large measure at least due to the inclusion under this heading during the years 1901–10 of deaths from icterus neonatorum (151c) amounting to about 700 annually. Even after deducting this mortality, however, the rate from this cause shows steady increase, which is probably due largely to improvement of certification.

It will be seen that, apart from that recorded for diarrhœa, several of the other increases of mortality in Table XIX may be ascribed wholly or in part to the less favourable climatic conditions of the year, so that on the whole the remarkable improvement of recent years in regard to infant mortality may be said to have been fairly well maintained, even though no new ground has been won.

Table XXI, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 25 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males was greatest in the second and third months of life, regularly decreasing thereafter. All these features of the table—excess in male mortality of about 25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious fidelity from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past six years.

The table also resembles similar tables relating to previous years in showing that the mortality of illegitimate infants was about twice as great as that of the legitimate, the excess being rather greater in the case of females. This excess was highest (136 per cent.) in the second three months of life for males and at one to three months for females (150 per cent.), and thereafter fell to rather more than 50 per cent. in the last three months of the first year.

TABLE XXI.—ENGLAND AND WALES, 1913: INFANT MORTALITY by SEX and LEGITIMACY.

		Deaths per 1,000 Births.						Mortality per cent.				
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.	
								All Infants.	Legitimate.	Illegitimate.	Male.	Female.
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.
All causes	under one month ...	44·38	34·32	42·81	33·00	79·37	63·83	129	130	124	185	193
	1-3 months ...	23·09	17·47	21·88	16·42	49·64	41·13	132	133	121	227	250
	3-6 " ...	21·64	17·82	20·43	16·76	48·25	41·72	121	122	116	236	249
	6-9 " ...	16·81	14·04	16·12	13·45	31·95	27·33	120	120	117	198	203
	9-12 " ...	14·22	12·59	13·82	12·31	23·02	19·01	113	112	121	167	154
	Total under one year ...	120·14	96·24	115·06	91·94	232·23	193·02	125	125	120	202	210
All ages under one year.	Whooping cough ...	2·65	3·15	2·63	3·14	3·28	3·48	84	84	94	125	111
	Other common infectious diseases.	2·95	2·69	2·88	2·65	4·51	3·48	110	109	130	157	131
	Diarrhoea and enteritis	21·44	17·11	20·30	16·05	46·76	41·07	125	126	114	230	256
	Premature birth ...	21·81	18·16	21·11	17·63	37·07	30·15	120	120	123	176	171
	Congenital defects ...	6·40	4·93	6·29	4·87	8·66	6·24	130	129	139	138	128
	Atrophy, debility and marasmus.	15·50	11·56	14·66	10·90	34·00	26·35	134	134	129	232	242
	Developmental and wasting diseases.	43·71	34·65	42·06	33·40	79·73	62·74	126	126	127	190	188
	Tuberculous diseases ...	3·39	2·66	3·23	2·55	7·03	4·94	127	127	142	218	194
	Convulsions ...	10·16	7·88	9·68	7·56	20·77	15·05	129	128	138	215	199
	Bronchitis and pneumonia.	21·30	16·65	20·81	16·19	31·95	27·00	128	129	118	154	167
	Other causes ...	14·54	11·45	13·47	10·40	38·20	35·26	127	130	108	284	339
All causes ...	120·14	96·24	115·06	91·94	232·23	193·02	125	125	120	202	210	

The excess in mortality of illegitimate children varied greatly also for different causes of death. It was comparatively slight for infectious disease in general (Table 29) and especially for whooping cough. It was also slight in the case of deaths from congenital defects, and only moderate for bronchitis and pneumonia, but heavy for diarrhoea and atrophy. These are all very constant features of this table.

The mortality of illegitimate exceeds that of legitimate infants most of all in the case of deaths attributed to syphilis, being over eight times as heavy (Table 29). Probably there is much less reluctance to certify the true cause of death in such cases for illegitimate infants, but the difference is greater than could well be explained in this way, and it is, moreover, of a nature to be expected from the circumstances of the case. Fatal injury at birth is very much commoner with illegitimate infants. No doubt many of the confinements take place under disadvantageous circumstances. The excess of mortality amongst illegitimate infants ascribed to overlying is also greater than that from all causes.

Table 30 compares towns of various sizes and rural districts in respect of infant mortality. These effects are summarised by comparison of the death-rate from each cause in the urban areas as a whole and in the rural areas. The total mortality in the former exceeded that in the latter by 29 per cent., but this excess was very unevenly distributed over the different age-periods into which the first year of life is divided in the table, being only 5 per cent. in the first month, 41 per cent. at 1-3 months, 44 at 3-6, 49 at 6-9, and 57 per cent. at 9-12 months. The chances of survival seem to differ but little at birth in town and in the country, but the noxious influences of the former soon come into play, and make themselves felt to an increasing extent as the first year of life progresses, and to a still greater extent in the second and third years when the urban excess generally approaches 100 per cent., thereafter gradually declining.

When comparison is made between towns of varying size it is seen that apart from London, those of larger size are at a disadvantage at every age, in the case both of legitimate and illegitimate infants. The mortality of legitimate infants in London, however, was practically the same as that in the smaller towns. This is due mainly to the low mortality in London during the first month of life, which, as also in 1911 and 1912, was below that even of the rural districts. After the first month London comes between the county boroughs and the smaller towns, as it may be seen from Table XVI to do also during the succeeding four years of life.

Apart from the special case of London, Table 30 shows that the mortality from each of the five groups of diseases under which it summarises infantile deaths increases regularly from the rural areas to the large towns, but the difference in the case of the wasting diseases is small. This statement applies also to each quarter of the first year of life, except in the case of the infectious diseases during the first six months and of tuberculous diseases during the first three months.

Comparison of individual diseases in town and country shows that measles and diphtheria followed the usual rule of urban excess, but that whooping cough is exceptional in this respect as well as in regard to the incidence of its mortality upon the sexes. The mortality from convulsions in London was only about half that in the rest of the country. This accords with statements made in previous Reports as to evidence of superiority of certification in London, for it has often been pointed out that this indefinite form of certificate, which continues to show a most satisfactory decline in frequency of use (Table 20), is one which should be used only when the condition causing the convulsions cannot be ascertained. Similarly it is perhaps not without significance that while tubercle of organs other than the intestine and peritoneum was more fatal in London than in any other class of area, "abdominal" tuberculosis was less fatal in London than even in the rural districts. For there is no doubt that the term "tabes mesenterica" at least has been loosely used to cover disease not all of which was due to tubercle, and it may be that this looseness has to some extent survived the gradual disuse of the term with which it was especially associated (*see* page xlviii). Another instance of the same kind is furnished by the relative mortality of bronchitis and pneumonia in London and other parts of the country. Reasons were given in the Report for 1909 (pages lxix–lxxi) for believing that, especially in former years, many deaths from pneumonia were erroneously ascribed to bronchitis. Table 30 shows that as far as deaths of infants are concerned, the reform which is taking place in regard to this matter has proceeded further in London than elsewhere.

The harmful effect of town life is well marked in regard to the respiratory diseases, but it is especially evident in the case of diarrhœa, the mortality from which in the urban areas was more than twice that in the rural districts. Syphilis shows an even greater variation with urban conditions, the mortality in the country districts, whether of legitimate or illegitimate children, being less than a quarter of that returned in the great towns. It is most fatal in the first month and thereafter progressively less so, the mortality being 0·46 per 1,000 births in the first month of life (Table 29) as against 0·57 for the second and third months jointly. Another cause of infant mortality particularly associated with the great towns is overlying, which caused about four times as many deaths in London as in the rural districts.

The total infant mortality in each administrative area will be found on pages 132–164.

Centenarians.—Among the deaths registered during the year there were 52 of reputed centenarians, 13 of whom were males and 39 females. In the preceding three years the numbers were 65, 63, and 67 respectively.

TABLE XXII.—ENGLAND AND WALES, 1913.—DEATHS OF CENTENARIANS.

	Males.					Females.					
	Age.					Age.					
	100 and over.	100.	101.	102.	103.	100 and over.	100.	101.	102.	103.	110.
London	2	—	1	—	1	5	1	2	1	1	—
County Boroughs ...	3	—	—	1	2	12	3	4	3	1	1
Other Urban Districts	5	3	1	1	—	9	5	—	3	1	—
Rural Districts ...	3	2	—	1	—	13	4	3	4	2	—
All areas	13	5	2	3	3	39	13	9	11	5	1

Particulars of the ages returned and of the class of area concerned are given in Table XXII. It will be seen that except in one single instance no death was registered at any age above 103. The returns of other years are in general harmony with this experience, and the absence of deaths registered at what might be regarded as fanciful ages may be regarded as confirming the credibility of the facts as tabulated,

Moreover, the numbers of deaths annually returned compare reasonably well with the number of centenarians (36 males and 92 females) recorded at the census of 1911.

The number of females who attain extreme old age is always very much greater than that of males ; and the numbers of these deaths accredited to the various classes of area agree very well with their respective populations at extreme ages. Thus while the rural districts in 1911 contained only 22 per cent. of the total population at all ages, their share at ages over 85 amounted to 35 per cent., which is rather higher than their proportion of centenarians at the census or of the deaths in Table XXII. The advantage in regard to mortality held by the rural districts ceases in extreme old age (Table XXIV), and with this cessation the increase with age in the proportion of the population living in the rural districts comes to an end. In this instance again the credibility of the returns relating to these extreme ages is confirmed by the mutual support of those derived from the census and from the death registers.

Mortality in Town and Country.—Table XXIII states, both in the crude and in the standardized form, the annual rates of mortality for the year 1913 at all ages and from all causes in the four groups of areas employed in this Report, the rates in England and Wales being given also for 1912 and for the quinquennium 1906–10.

Standardization of the death-rates for persons on the 1901 basis slightly reduces that of the whole country, since the constitution of its population in 1913 was less favourable to low mortality than in 1901. The effect upon London and the smaller urban districts is a very slight reduction, but the mortality of the county boroughs is increased by three per cent., and that of the rural districts diminished by 14 per cent., the contrast between them being thus greatly increased. The standardized figures in the table show that outside the metropolis mortality in general increases with urbanization, but that the mortality of London is intermediate between that of the county boroughs and of the smaller urban districts, and in the case of females is even slightly lower than that of the urban districts as a whole. All of these statements apply to each of the three years 1911–1913.

TABLE XXIII.—MORTALITY from ALL CAUSES PER MILLION POPULATION, 1906–10, 1912 and 1913.

		1906–10. 1912.		1913.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	{ Crude rates ...	15,636	14,120	14,655	15,736	16,414	13,758	12,992	15,129
	{ Standardized rates	15,806	14,237	14,783	16,231	17,421	14,207	11,571	15,797
Females	{ Crude rates ...	13,809	12,512	12,763	12,986	13,918	12,078	11,996	12,963
	{ Standardized rates	13,218	11,753	12,043	12,509	13,983	11,508	9,914	12,652
Persons	{ Crude rates ...	14,692	13,290	13,678	14,278	15,113	12,889	12,494	14,001
	{ Standardized rates	14,431	12,914	13,331	14,255	15,591	12,774	10,690	14,126
Standardized mortality of males per cent. of that of females.		120	121	123	130	125	123	117	125

The standardized mortalities for the two sexes in 1906–10 and in 1912 as shown in Table XXIII differ from those given for the same periods in the similar tables of previous reports. The reason is to be found in the change in method of calculating standardized mortalities for the sexes separately to which attention is drawn on page xx. The rates for males are somewhat higher, and those for females lower, than those obtained by a method which did not take into account the less favourable age-constitution of the female population ; but the comparison of the mortality of either sex in any class of area with that in the country at large is practically unaffected by the change in method.

As in the two preceding years the proportional as well as the actual excess of (standardized) male mortality was least in the rural districts and increased with urbanization to a maximum in London. Thus the evidence is consistent that urban conditions tell more severely on males than on females.

Table XXIV gives the mortalities of the various sex- and age-groups from which the standardized rates in Table XXIII are calculated, and Table XXV compares mortality by sex and age in the various classes of area with that in England and Wales as a whole.

Speaking generally, the same order of mortality prevails amongst the four classes of area at the several age-periods as at all ages jointly. The rates start wide apart in early childhood but rapidly approximate, or, in the case of females, even overlap considerably in early adult life, diverge very widely indeed in middle life, and approximate very closely in extreme old age. This holds good of each sex, but the approximation in early adult life is most marked in the case of females and the divergence at middle age in that of males.

The table shows that all the chief features of the diagrams dealing with this subject in the Reports for 1911 and 1912 are common also to the figures for 1913, notwithstanding the diversity of climatic conditions in the three years, so it would seem that for each type of area the distribution of mortality by sex and age possesses features characteristic of that type and clearly distinguishing it from all the others. Some of these may be enumerated:—

1. The London rates are particularly high in middle life for both sexes, but especially for males. Thus at most of the age-periods between 30- and 55- (in 1913 at 30-55) the rates for males in London have in each year exceeded those for the county boroughs, though the latter are almost uniformly higher at other times of life. The corresponding period of relatively high mortality in the female sex in London

TABLE XXIV.—MORTALITY from ALL CAUSES PER MILLION LIVING at VARIOUS AGES, 1906-10, 1912 and 1913.

Sex and Age.				1906-10.	1912.	1913.					
				England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
MALES.	0—	45,445	35,405	39,160	40,773	47,676	37,160	28,595	41,993
	5—	3,326	3,068	3,149	3,243	3,575	3,131	2,516	3,327
	10—	1,971	1,823	1,888	1,973	2,036	1,795	1,783	1,919
	15—	2,975	2,816	2,722	2,929	2,988	2,649	2,371	2,826
	20—	3,971	3,523	3,480	3,409	3,829	3,394	3,149	3,570
	25—	...	}	5,251	4,174	4,056	4,253	4,458	3,844	3,659	4,156
	30—	...			5,207	5,195	6,287	5,954	4,634	4,266	5,425
	35—	...	}	8,615	6,957	6,973	8,575	8,221	6,284	5,223	7,420
	40—	...			9,117	9,194	11,410	11,185	8,183	6,583	9,897
	45—	...	}	15,511	12,522	12,642	16,039	15,259	11,631	8,645	13,792
	50—	...			17,250	17,735	22,005	21,490	16,523	12,310	19,390
	55—	...	}	31,218	24,784	25,241	29,245	30,399	24,183	18,340	27,460
	60—	...			36,405	37,627	41,467	44,938	37,036	28,278	40,870
	65—	...	}	64,400	51,140	52,028	58,856	60,779	52,107	40,707	56,518
70—	...	83,568			83,794	86,484	98,509	84,850	69,099	90,250	
75—	...	}	137,722	121,487	123,619	132,546	142,303	123,548	108,131	131,635	
80—	...			175,703	178,159	192,820	194,465	175,671	166,770	184,717	
85 and upwards			283,035	266,022	266,819	284,949	281,549	256,623	263,342	269,070	
FEMALES.	0—	37,980	29,449	32,203	33,825	39,887	30,129	22,929	34,670
	5—	3,438	3,047	3,096	2,880	3,626	3,017	2,558	3,244
	10—	2,092	1,968	1,969	2,079	2,194	1,858	1,764	2,027
	15—	2,764	2,688	2,536	2,476	2,666	2,441	2,523	2,539
	20—	3,339	3,058	3,011	2,506	3,272	2,890	3,151	2,979
	25—	...	}	4,462	3,554	3,422	2,864	3,814	3,282	3,406	3,425
	30—	...			4,356	4,297	4,287	4,624	4,052	4,191	4,322
	35—	...	}	7,051	5,783	5,653	5,913	6,561	5,143	4,890	5,838
	40—	...			7,146	7,410	7,921	8,599	6,999	5,927	7,790
	45—	...	}	12,000	9,646	9,785	11,529	11,373	8,861	7,846	10,304
	50—	...			13,064	13,465	15,013	15,813	12,702	10,382	14,323
	55—	...	}	24,278	18,886	19,091	20,646	22,458	18,327	14,838	20,343
	60—	...			27,465	27,892	28,896	32,423	27,379	22,371	29,601
	65—	...	}	53,125	40,018	39,654	41,785	44,585	38,656	34,319	41,447
	70—	...			67,846	67,055	68,768	75,312	66,146	58,468	70,071
	75—	...	}	119,591	102,830	101,141	103,286	112,926	100,137	90,422	105,319
80—	...	152,209			151,503	158,713	162,852	149,005	141,975	155,516	
85 and upwards			250,862	245,609	240,951	250,181	242,502	237,617	239,557	241,592	

TABLE XXIV.—*continued.*

Sex and Age.		1906-10.	1912.	1913.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
PERSONS.	0— ...	41,724	32,440	35,697	37,308	43,794	33,659	25,784	38,345
	5— ...	3,382	3,058	3,122	3,060	3,601	3,074	2,537	3,286
	10— ...	2,032	1,896	1,929	2,027	2,116	1,826	1,774	1,973
	15— ...	2,869	2,751	2,628	2,692	2,820	2,544	2,441	2,678
	20— ...	3,638	3,278	3,233	2,908	3,528	3,129	3,150	3,253
	25— ...	4,837	3,847	3,721	3,490	4,115	3,549	3,531	3,767
	30— ...		4,763	4,727	5,213	5,258	4,331	4,228	4,847
	35— ...	7,806	6,350	6,290	7,159	7,361	5,695	5,054	6,598
	40— ...		8,095	8,269	9,556	9,842	7,569	6,249	8,799
	45— ...	13,687	11,029	11,159	13,647	13,233	10,187	8,241	11,968
	50— ...		15,070	15,511	18,303	18,505	14,519	11,340	16,726
	55— ...	27,546	21,691	22,016	24,641	26,201	21,089	16,563	23,691
	60— ...		31,648	32,446	34,637	38,223	31,822	25,260	34,795
	65— ...	58,124	45,062	45,266	49,277	51,749	44,627	37,409	48,116
	70— ...		74,574	74,218	75,881	84,807	73,983	63,440	78,396
	75— ...	127,003	110,504	110,388	114,109	124,264	109,512	98,557	115,589
	80— ...		161,402	161,935	170,255	174,307	159,144	152,938	166,235
	85 and upwards	262,398	252,855	250,138	260,219	255,219	244,151	249,241	250,605

is less prolonged, covering ages 40-50 only, and involving actual excess over the corresponding county borough rates in 1912 and 1913 only (at 45-50 in 1913).

2. The London rates, elsewhere above the mean, always fall short of it in youth. This feature is more marked in the female sex but is to be noted also amongst males in each one of the three years. The period with mortality below average has varied in extent from 20-25 (males in 1913) to 5-35 (females in 1912).

3. At much the same period of life the relative mortality of the county boroughs displays a wider but shallower depression which never reaches as low as the mean for the whole country in either sex.

4. The rates for males in the rural districts are uniformly below average at ages under 85, but in youth there is a distinct approximation to the average which may be related to the corresponding depression in the rates for London and the county boroughs. In the female sex this elevation is carried much further, the mortality exceeding average at 20-30 in 1911 and 1912 and at 20-25 in 1913.

5. Whereas with a few unimportant exceptions the rates for males were lowest at all ages in the rural districts in each of the three years, in the female sex the elevation just referred to has caused the rates of rural mortality in youth and early womanhood to stand higher than those for London or the smaller towns though lower than the county borough rates in each of the three years.

6. The advantage enjoyed by children under five years of age in the rural districts has been greater in each of the three years in the female than in the male sex.

7. The lowest relative rates for males in each of the three years have been those for the rural districts at some period from 45 to 60 (approximately the age at which mortality in London is particularly high), and for females the rural district rates in early childhood; but excluding this the period of lowest relative mortality for females also has been 45-50 or 50-55 in the rural districts.

8. Whereas the age at which mortality in the male sex has been most affected by the difference between urban and rural conditions has been about 40-50 in each of the three years, females have always been most affected in this way at 0-5, but with a secondary maximum at about the same age as males.

9. The relative mortality of females in London has been particularly low at ages 70-80 in each of the three years, falling below the mean in 1911 and 1912, and rising again at ages over 80. This feature may be traced also in the records of London mortality prior to 1911.

10. In both sexes mortality in the smaller towns departs much less from the average at most ages than that of any other type of area. It has been rather below average in each year, particularly at ages 30-50, or very nearly the same age at which the excess of mortality in the larger towns is greatest.

TABLE XXV.—MORTALITY at DIFFERENT AGES in various CLASSES of AREA PER CENT. of MORTALITY at same AGES in ENGLAND and WALES, 1913.

Sex and Age.					England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
MALES.	0—...	100	104	122	95	73	107
	5—...	100	103	114	99	80	106
	10—...	100	105	108	95	94	102
	15—...	100	108	110	97	87	104
	20—...	100	98	110	98	90	103
	25—...	100	105	110	95	90	102
	30—...	100	121	115	89	82	104
	35—...	100	123	118	90	75	106
	40—...	100	124	122	89	72	108
	45—...	100	127	121	92	68	109
	50—...	100	124	121	93	69	109
	55—...	100	116	120	96	73	109
	60—...	100	110	119	98	75	109
	65—...	100	113	117	100	78	109
	70—...	100	103	118	101	82	108
	75—...	100	107	115	100	87	106
	80—...	100	108	109	99	94	104
	85 and upwards	100	107	106	96	99	101
FEMALES.	0—...	100	105	124	94	71	108
	5—...	100	93	117	97	83	105
	10—...	100	106	111	94	90	103
	15—...	100	98	105	96	99	100
	20—...	100	83	109	96	105	99
	25—...	100	84	111	96	100	100
	30—...	100	100	108	94	98	101
	35—...	100	105	116	91	87	103
	40—...	100	107	116	94	80	105
	45—...	100	118	116	91	80	105
	50—...	100	111	117	94	77	106
	55—...	100	108	118	96	78	107
	60—...	100	104	116	98	80	106
	65—...	100	105	112	97	87	105
	70—...	100	103	112	99	87	104
	75—...	100	102	112	99	89	104
	80—...	100	105	107	98	94	103
	85 and upwards	100	104	101	99	99	100

Mortality in Different Parts of the Country.—Table 16 affords the means of comparing the mortality recorded for the North, Midlands and South of England and for Wales, with distinction of sex, age and class of area. It shows, as did the similar tables for the two preceding years, that the standardized death-rate of the North at all ages considerably exceeds that of the other portions of England, an excess common, without exception, to the various classes of area. The table generally indeed harmonises to a remarkable extent with its two predecessors, variations being confined to slight matters of detail. Thus, with four exceptions for males and one for females, but none at all for persons of both sexes, the rates for the North are higher in 1913 at every individual age-period in the table and in each class of area than the corresponding rates for the Midlands or South. Even if the mortality of London alone is compared with that of all areas, urban and rural together, of the North, the latter is everywhere in excess except for males of 25–55 and for females of 45–55.

The mortality of Wales falls, as usual, between that of the North and of the remainder of England, but in early adult life the customary tendency to excess of Welsh mortality over that even of the North of England asserts itself. This tendency is, as usual, more marked in the female sex and in the rural areas. Thus, taking the sexes jointly, actual excess in 1913 was confined to the age-period 20–25 in the county boroughs, but included ages 20–45 in the smaller towns and 15–75 in the rural areas.

The lowest rates in the table are, in nearly all cases, furnished by the Midlands or the South. To this rule there is no exception in the case of the smaller towns or rural districts, while in that of the county boroughs, ages 5–10 in both sexes and 85 and upwards in the male sex, where Wales has the advantage, form the only exceptions. This advantage is shared between the two areas with fair equality, when no distinction is made of the class of district, but when like districts are compared with like in each case, the lowest

mortality is in the great majority of instances that returned by the South. The latter method of comparison must be regarded as the fairer, and it is more favourable to the South, because by it London is necessarily excluded from the calculation, a fact the less to be regretted since London lies on the border line separating the two areas (*see* page xv).

Comparing all four areas without distinction of district, the Midlands have had the lowest standardized mortality at all ages and the majority of the lowest mortalities at age-groups in the male sex in each of the three years 1911–1913, while in the female sex the same statement holds good for the South. In the comparison by classes of district, however, the South has in each year held a great advantage in the male and an overwhelming advantage in the female sex. There are very few instances in which Wales holds the best position (most of them at age 85 and upwards); and the only case in which the North figures at all in this connexion is that of males aged 25–35 in the rural districts in 1913, where it will be seen that the rate for the North equals that for the Midlands and is below those of the other two areas.

In all three years the most favourable position for children under five years is entirely confined to the South in both sexes and in all classes of district.

It will be seen that for the three years covered by the records, the distribution of mortality indicated in Table 16 has been very nearly constant, and it seems to follow that in proportion as the peculiar features of the table are repeated year after year, the increasing significance thereby attaching to them must make them the more worthy of study.

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 182–283 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate; and at pages 284–301 these deaths are shown by cause but not by age for each quarter of the year. These tables include the full International List of Causes of Death with certain sub-divisions introduced for reasons stated in the “Manual of the International List” (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows:—

Short List of Registrar-General and of Local Government Board.					Corresponding Number.	
					Detailed International List.	Abridged International List.
1.	Enteric fever	1	1
2.	Small-pox	5	4
3.	Measles	6	5
4.	Scarlet fever	7	6
5.	Whooping cough	8	7
6.	Diphtheria and croup	9	8
7.	Influenza	10	9
8.	Erysipelas	18	12 part of.
9.	Phthisis (pulmonary tuberculosis)	28, 29	13
10.	Tuberculous meningitis...	30	14
11.	Other tuberculous diseases	31–35	15
12.	Cancer, malignant disease	39–45	16
13.	Rheumatic fever...	47	37 part of.
14.	Meningitis	61	17
15.	Organic heart disease	79	19
16.	Bronchitis	89, 90	20, 21
17.	Pneumonia (all forms)	91, 92	22, and 23 part of.
18.	Other diseases of respiratory organs	86–88, 93–98	23 part of.
19.	Diarrhoea and enteritis, ages stated	104, 105	25, and 37 part of.
	” ” ages unstated	104	25
20.	Appendicitis and typhlitis	108	26

Short List of Registrar-General and of Local Government Board.					Corresponding Number.	
					Detailed International List.	Abridged International List.
21.	Cirrhosis of liver	113	28
21A.	Alcoholism	56	37 part of.
22.	Nephritis and Bright's disease	119, 120	29
23.	Puerperal fever	137	31
24.	Other accidents and diseases of preg- nancy and parturition.				134-136, 138-141	32
25.	Congenital debility and malformation, including premature birth.				150, 151	33
26.	Violent deaths, excluding suicide	...			164-186	35
27.	Suicide	155-163	36
28.	Other defined diseases	2-4, 11-17, 19-27, 37 plus detailed list 36-38, 46, 48-55, 57-60, 62-78, 80-85, 99-103, 105-107, 109-112, 114-118, 121-133, 142-149, 152-154.	Nos. 2-4, 11-17, 19, 64, 65, 102, 103, 109, 128-132, 154; and less de- tailed list Nos. 47, 56, and, where ages are stated, 105.
29.	Diseases ill-defined or unknown	...			187-189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list in use hitherto are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 304-429 deaths are shown for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, short list of causes as above, and the eight age-groups of Table III of the Local Government Board. These tables, in fact, are the same as the Board's Table III with the addition of the distinction of sex. For all other administrative areas the deaths are shown on pages 430-528 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths of the year are shown in Tables 19 and 20 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the deaths and death-rates from each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the "Manual" above referred to (pages vi and xxvi-xxxi).

GENERAL DISEASES.

1. Enteric Fever.—The deaths of 1,505 persons of all ages and of both sexes were classified to enteric fever during 1913.

These deaths correspond to a rate of 41 per million persons living as compared with 44 in 1912. These are the lowest mortalities as yet recorded for England and Wales, the only previous year with a rate of less than 60 having been 1910, while in no year previous to 1907 did the death-rate from this cause stand at less than twice its present level (Table 22).

As the crude death-rate from typhoid fever is but little modified by standardization, Table XXVI may be accepted as giving an adequate picture of the distribution of mortality from this cause in various parts of the country. The table shows that, as in 1911 and 1912, the mortality of London was very low, and that of the North of England much higher than elsewhere. In fact, the constancy of distribution from year to year shown by this table is one of its most marked characteristics, contrasting with similar tables for such diseases as measles and whooping cough, where the areas most severely affected in one year often escape lightly in the next. Other points in which Table XXVI resembles those for the two preceding years are the general association of relatively high death-rates with urban conditions of life, and the exceptions to this rule in the case of the North, where the smaller towns show a higher rate than the county boroughs, and of the South, where the rates for London are consistently below those for the other towns, large and small.

TABLE XXVI.—ENTERIC FEVER, 1913.—MORTALITY per MILLION POPULATION.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	30	—	30
	Females	—	—	21	—	21
	Persons	—	—	25	—	25
County Boroughs	Males	78	42	71	71	66
	Females	42	27	41	38	37
	Persons	59	34	55	54	51
Other Urban Districts	Males	87	29	35	45	51
	Females	52	20	22	44	32
	Persons	69	24	28	45	42
Rural Districts	Males	72	36	22	36	40
	Females	46	21	18	24	26
	Persons	59	28	20	30	33
All areas	Males	80	35	34	47	51
	Females	46	22	23	36	31
	Persons	63	28	29	42	41

Table XXVII, which is founded in part on the returns of notified cases published by the Local Government Board, shows, when compared with the similar table for the year before, that in 1913 the prevalence and fatality of the disease in the country at large both fell very slightly. In the North, where the cases in previous years were much more numerous than elsewhere, and in Wales, there was a trifling increase of prevalence, with a somewhat greater decline in the Midlands and South. Fatality fell in all parts of the country except the Midlands, particularly in Wales. It was highest in the North, the region of greatest prevalence. The position of London is particularly favourable in regard both to prevalence and fatality.

TABLE XXVII.—ENTERIC FEVER, 1913.—PREVALENCE and FATALITY.

Class of Area.	Cases per 100,000 Population.					Deaths per 1,000 Cases.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	17	—	17	—	—	150	—	150
County Boroughs	29	18	27	18	25	207	190	207	299	206
Other Urban Districts	38	15	15	28	24	183	166	179	161	176
Rural Districts	33	13	14	17	18	178	214	146	179	183
All areas	32	15	17	22	22	193	186	167	187	185

The mortality of the year in individual administrative counties and county boroughs is stated in Table 23, from which it appears that the three counties with highest mortality were Lancashire, Northumberland and Flintshire ; and the three county boroughs Wigan, Devonport and Kingston upon Hull. Lancashire, the county of highest mortality in 1913, occupied the same position in 1912, and was fifth highest in the list for 1911 ; while Wigan, the county borough of highest mortality in 1913, was also highest in 1911 with a death-rate of 358 per million, and came fourth in 1912. None of the three boroughs had a mortality of less than 110 in any of the three years. Such facts as these show that the maintenance of mortality from typhoid fever, even at its present level, is largely due to the relatively backward position of a comparatively small number of areas.

5. **Small-pox.**—Ten deaths were attributed to this disease, only one more than in 1912, when the number was lower than any previously recorded.

Of the ten persons who died during the year, one, a woman of 35, had been twice vaccinated, in infancy and again seven years before death ; a second, a woman of 32, had been vaccinated in infancy only ; a third, a man of 30, was stated to have been vaccinated in infancy, but bore no mark ; the remaining seven were unvaccinated, one of them, a woman of 29, being stated to have been unsuccessfully vaccinated in infancy.

The ten deaths without exception occurred in sea ports, five at Newhaven, two (in separate outbreaks) at Liverpool, one in London, one in Gravesend, and one in Weymouth. The limitation of mortality from each of these outbreaks to the port of importation is a striking testimony to the efficacy of the methods of control employed.

6. **Measles.**—The deaths registered from this cause numbered 10,644, giving a death-rate of 288 per million living at all ages. This rate is below the average of the present century, and still more below that of previous years, but for such comparisons it is preferable to employ a rate based on the number of children, as is done in Table 22 (children under 15) and in Table 23 (children under 5). However calculated the rate for 1913 is a fairly low one, as was to be expected from the fact that the rates for the two previous years were both above recent average.

Table XXVIII shows the distribution of this mortality by parts of the country and classes of area in the last three years. In each year the mortality of the larger towns was over twice that of the rural districts, the smaller towns holding an intermediate position.

TABLE XXVIII.—MEASLES, 1911–13.—MORTALITY per 100,000 LIVING at AGES 0–15.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	197	—	197
	1912	—	—	140	—	140
	1913	—	—	118	—	118
County Boroughs	1911	146	140	109	43	136
	1912	200	148	66	291	174
	1913	121	127	89	41	116
Other Urban Districts	1911	126	116	119	86	117
	1912	132	65	31	195	96
	1913	98	89	71	72	87
Rural Districts	1911	85	40	45	47	52
	1912	82	35	15	69	44
	1913	77	46	46	78	56
All areas	1911	130	101	137	65	118
	1912	158	82	80	173	114
	1913	107	89	89	68	93

There is also a tendency for the Northern rates to exceed those of the country at large and for the Southern, apart from London, to fall below them.

Table 23 shows that the administrative counties recording highest mortality in 1913 were Flint, Denbigh and Stafford, in the order named ; and the county boroughs West Bromwich, St. Helens and Wigan, the rate for each of the three latter being over 1 per cent. of the population aged 0–5 years.

7. **Scarlet Fever.**—The deaths allocated to this disease during 1913 numbered 2,100 in all, corresponding to a rate of 57 per million population at all ages, and of 171 per million at ages under 15 years. These are the lowest death-rates from scarlet fever recorded except those of 1911 and 1912, which were very slightly lower. Table 22 shows to what a remarkable extent mortality from this disease has declined during the last 50 years. Until 1906 no year experienced a mortality at all ages less than double that of 1911.

Table XXIX shows the distribution of the mortality from scarlet fever throughout the country in each of the three years 1911–1913. It will be seen that this varies comparatively little from year to year ; that the rate is about twice as high in the county boroughs as in the rural districts, though London escapes lightly ; and that the mortality of the North is more than twice as high as that of the South, which is notably below that of any other part of the country in all classes of area.

The disease was appreciably more prevalent in 1913 than in either of the two preceding years, as shown by the returns of notified cases published by the Local Government Board. These amounted to 115 per 10,000 population of less than 15 years of age (Table XXX), as against 94 and 96 per 10,000 in 1911 and 1912 respectively. Had not this increase of prevalence been accompanied by decrease of fatality the slight increase

of mortality would have been much greater than it was, but the deaths per 1,000 cases declined from 18 in 1911 and 19 in 1912 to 16 in 1913.

TABLE XXIX.—SCARLET FEVER, 1911-13.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	13	—	13
	1912	—	—	12	—	12
	1913	—	—	13	—	13
County Boroughs	1911	24	23	15	18	22
	1912	24	27	17	18	24
	1913	26	23	16	29	24
Other Urban Districts	1911	22	14	7	19	16
	1912	24	11	7	19	16
	1913	22	10	6	20	15
Rural Districts	1911	11	11	3	9	9
	1912	17	11	4	10	10
	1913	27	9	5	15	13
All areas	1911	21	15	10	15	16
	1912	23	16	10	16	17
	1913	25	14	10	20	17

Corresponding rates cannot be stated for previous years, notifications not having been tabulated; but the fatality in London, where nearly all the deaths occur in hospitals and nursing homes, may be compared with the experience in the past of the Metropolitan Asylums Board, which controls the fever hospitals. The fatality during 1913 in the Board's hospitals was 1·2 per cent. of cases treated, as against 1·1 deaths per cent. of notifications shown in Table XXX for London cases as a whole, the difference no doubt being largely due to mistaken notifications. Comparing this rate of 1·2 with the Board's past experience we find that the ratio of deaths per cent. of admissions has gradually fallen from 13·1 in 1876-1880 (when, however, there was some selection of severe cases for admission) to 2·7 in 1906-10, so the type of disease prevailing in London in 1913 was mild even beyond the average of recent years. Table XXX shows that the fatality was considerably higher in the North of England than in the Midlands and South for each class of area compared. Thus, the extremes were a rate of 26 per 1,000 in the rural districts of the North and one of only 10 per 1,000 in the smaller towns and rural districts of the South. This experience is in close agreement with that recorded for 1911 and 1912.

TABLE XXX.—SCARLET FEVER, 1913.—PREVALENCE and FATALITY.

Class of Area.	Cases per 10,000 Population aged 0-15 years.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	135	—	135	—	—	11	—	11
County Boroughs	126	159	127	153	138	22	16	14	20	19
Other Urban Districts	119	100	77	150	108	20	11	10	14	15
Rural Districts	112	83	59	99	85	26	12	10	16	17
All areas	122	113	105	135	115	22	14	11	16	16

Table 23 shows the distribution of scarlet fever mortality (amongst children under 15 years of age) by administrative counties and county boroughs. The counties yielding the highest rates were Durham, the North Riding of York, and Monmouth, Northumberland, Warwick and Brecknock, in the order named, the latter four being equal. Of these Durham and Warwick have returned a mortality above the average for the counties in each of the last three years. The towns yielding the highest rates were Preston,

St. Helens, Newport (Mon.), South Shields and Birmingham, in the order named ; and of these Preston, St. Helens, Newport and Birmingham have returned rates above the average for the county boroughs in each of the last three years. Preston returned the highest rate in 1912 also, and the sixth highest in 1911. This tendency to persistently high mortality year after year in the same locality may be compared with the same tendency already noted in the case of enteric fever, and contrasted with the behaviour of measles and whooping cough, which seldom furnish high rates of mortality for three consecutive years in the same locality. The explanation doubtless lies in the fact that the proportion of children attacked by scarlet fever is very much below the proportion for measles and whooping cough, so that even after a severe outbreak the majority would generally be unprotected by previous attack. This, of course, applies still more to enteric fever, whereas a severe outbreak of measles or whooping cough limits itself by almost exhausting the supply of susceptible children.

8. **Whooping Cough.**—The deaths allocated to this heading numbered 5,458—2,411 of males and 3,047 of females.

TABLE XXXI.—WHOOPING COUGH, 1911–13.—MORTALITY per 100,000 LIVING AT AGES 0–15.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	80	—	80
	1912	—	—	76	—	76
	1913	—	—	61	—	61
County Boroughs	1911	90	72	45	58	79
	1912	92	99	56	120	92
	1913	63	56	42	27	57
Other Urban Districts	1911	90	57	52	74	69
	1912	76	68	50	111	72
	1913	50	44	32	41	44
Rural Districts	1911	79	51	48	58	57
	1912	56	56	47	70	55
	1913	40	39	27	35	36
All areas	1911	88	60	63	66	71
	1912	81	74	61	100	75
	1913	55	46	45	36	48

These figures represent a rate of mortality very much lower than any previously recorded. Table 22 shows how rapidly the death-rate from this cause has fallen in recent years. It was not until 1893 that the deaths from whooping cough amongst children under 15 years of age amounted to less than 1,000 per million living at that age, but in 1913 the rate was only 482 per million, or 26 per cent. lower than the lowest previously recorded, that of 1909. Table XXXI shows that this fall was very general throughout the country, being common to the four sections dealt with in the table and to all classes of area in each of them. It was most marked in Wales, and especially in the Welsh county boroughs, where the previous year's rate had been notably high. The rates for the North of England were higher than those for the Midlands or South in each class of area. As in previous years the mortality of 1913 shows an increase with increased aggregation of population, from rural districts to large towns.

Table XXXII shows that, as in 1911 and 1912, the proportion of infant to total deaths was larger in all parts of the country in the rural districts than in the smaller towns, and larger in these than in the county boroughs.

The tendency to especially heavy incidence of mortality from whooping cough upon the earlier ages in the rural districts is also displayed in the distribution of the mortality of infants within the first year of life, as shown in Table 30. The section of this table relating to all infants shows that, as in 1911 and 1912, mortality in the rural districts was higher than in any other class of area at ages under three months and lower than in any other class of area at ages 9–12 months. If the first and the second six months of life are compared it may be seen from this table that the proportions of total infant mortality occurring during the first six months, are as follows :—London 38 per cent.,

county boroughs 46, other urban districts 47, and rural districts 50, per cent. This proportion rose in the same way with decreasing urbanization in each of the two preceding years.

TABLE XXXII.—WHOOPING COUGH, 1913.—DEATHS under ONE YEAR of AGE per 1,000 at ALL AGES.

Class of Area.	Sex.	North.	Midlands.	South.	Wales.	England and Wales.
London	Males	—	—	480	—	480
	Females	—	—	351	—	351
	Persons	—	—	411	—	411
County Boroughs	Males	461	438	493	400	455
	Females	444	407	476	273	432
	Persons	451	421	483	333	442
Other Urban Districts	Males	479	448	516	605	486
	Females	438	447	489	494	453
	Persons	456	448	500	548	467
Rural Districts	Males	611	649	563	614	618
	Females	484	608	500	612	557
	Persons	539	625	529	613	584
All areas	Males	482	491	498	579	494
	Females	446	471	409	500	448
	Persons	462	480	449	538	468

The administrative counties returning the highest mortality are shown by Table 23 to be Lincs. (Kesteven), Westmorland, Cambridge and Anglesey—all rural counties—and all, except Cambridge, having had a mortality far below average in 1912. The large towns with highest rates were Bootle, Stoke on Trent, Brighton, Rotherham and Newcastle on Tyne. Of these, Stoke has returned a death-rate above that for England and Wales in each of the last three years, but its experience in this respect is quite exceptional (*see* page xxxvii).

9. **Diphtheria and Croup.**—The 4,494 deaths in 1913 from diphtheria and croup, of which all but 52 were allocated to diphtheria, correspond to a death-rate of 121 per million living at all ages, which is lower than that of any year except 1912 since 1855, when the disease was first distinguished in these Reports. Dealing with the population under 15 years of age, amongst whom 97 per cent. of the deaths occurred in 1913, the mortality was 384 per million living, which is also the lowest figure recorded in Table 22 for any year except 1912.

Table XXXIII shows the effect upon the death-rate at all ages from diphtheria and croup of standardization by the direct method referred to on page xix. All the crude rates require increase to make them fairly comparable with those of 1901, the standard year, on account of the diminished proportion of children in our population at the present

TABLE XXXIII.—DIPHTHERIA and CROUP.—DEATH-RATES per MILLION POPULATION, 1906-10, 1912, and 1913.

		1906-10.	1912.	1913.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	163	120	122	99	143	128	94	130
	Standardized rates*	164	123	125	104	144	130	99	132
Females	Crude rates ...	161	117	121	92	147	121	102	127
	Standardized rates	173	128	133	103	161	131	107	140
Persons	Crude rates ...	162	118	121	95	145	124	98	128
	Standardized rates*	169	125	129	106	152	130	103	136

* See page xx.

time. It will be observed that the standardized rates in this table differ from those in the corresponding tables of previous reports in showing a very much larger increase over the crude rates for females than for males. This is due to the change of practice described in the footnote on page xx. In contrast to the conditions obtaining with regard to mortality from all causes (*see* page xxviii), and from most individual causes not specially affecting children, the female population is more favourably constituted than the male in regard to diphtheria mortality. This results from the larger proportion of females at the higher ages, at which the mortality from diphtheria is practically negligible. To allow for this more favourable constitution the death-rate of females has to be increased relatively to that of males, just as in the case of mortality from all causes it has to be decreased because in that case the female population, being older, is less favourably constituted than the male.

As a result of this change of practice the standardized rates for females in 1906–10 and in 1912, which were formerly shown as lower than those for males, now show an excess over the rates for males.

TABLE XXXIV.—DIPHTHERIA and CROUP, 1913.—MORTALITY per MILLION living at AGE-GROUPS under 15 YEARS.

Age and Sex.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
0-1*	{ M.	0·28	0·34	0·32	0·27	0·18	0·30
	{ F.	0·21	0·52	0·29	0·11	0·04	0·25
1-2	{ M.	639	756	813	626	333	721
	{ F.	601	830	714	545	391	657
2-5	{ M.	714	635	868	739	484	777
	{ F.	675	522	838	700	469	730
0-5	{ M.	617	606	755	628	396	677
	{ F.	570	593	711	554	368	624
5-10	{ M.	396	288	423	439	344	411
	{ F.	507	317	614	514	441	526
10-15	{ M.	70	20	64	76	96	63
	{ F.	93	49	93	96	109	88

* Mortality per 1,000 births.

If the mortality of children is analysed by age, as in Table XXXIV, it is seen that it was somewhat higher for males during the first five years of life but considerably higher for females thereafter. This statement applies to all classes of area, but when the first two years of life are dealt with separately exceptions are met with in the cases of London and the rural districts.

The distribution of diphtheria mortality in different parts of the country and different classes of area during each of the last three years is shown in Table XXXV, from which it appears that, apart from a general tendency to increase of mortality with increase of urbanization, there are no very striking or constant differences to record.

The London mortality has been below the average for the whole country in each of the last two years, but the other large towns of the South, like those of Wales, have a heavy mortality. The advantage of the rural areas is much less in the North than in other parts of England.

Table XXXVI shows that although fatality was higher in the North than in other parts of England, the prevalence of the disease, as indicated by notifications, was at its lowest in that part of the country. This has been the experience of each of the years 1911–13. It does not follow that the disease is of a severer type or its treatment worse in the North, for the number of notifications has in recent years been increased by cases of a mild type the nature of which was only established on bacteriological examination. If the practice of making such examinations has been more developed in the South than in the North or in Wales, this fact alone may account for the much higher prevalence and lower fatality in the South (Table XXXVI). The fatality in London was the lowest in the table, as it has been in each of the three years for which

the comparison can be made. About 80 per cent. of the total deaths in London occur in the hospitals of the Metropolitan Asylums Board, and it is of interest to note how low the fatality of cases treated there, which is still falling, is in comparison with that of the years immediately preceding the introduction of antitoxic serum treatment. During the four years 1890-93 the proportion of deaths was 304 per thousand admissions to these hospitals, whereas in 1913 it was only 65 per thousand.

TABLE XXXV.—DIPHTHERIA and CROUP, 1911-13.—MORTALITY per 100,000 LIVING at AGES 0-15.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	47	—	47
	1912	—	—	34	—	34
	1913	—	—	33	—	33
County Boroughs	1911	53	46	59	66	52
	1912	44	40	64	56	45
	1913	42	48	55	55	46
Other Urban Districts	1911	43	36	41	36	39
	1912	41	30	46	32	37
	1913	44	36	34	47	39
Rural Districts	1911	46	31	30	54	37
	1912	34	26	26	33	28
	1913	41	26	24	33	29
All areas	1911	48	37	44	47	43
	1912	41	32	39	37	37
	1913	43	36	34	44	38

From Table 23 it appears that the administrative counties with highest mortality were Cambridge and Westmorland, the former of which has returned a rate far above average for each of the last three years. The great towns of highest mortality were Barrow in Furness, Portsmouth, and Stoke on Trent, each of which has greatly exceeded the average in each of the last three years. In this tendency to recurrence of high rates in several successive years in the same area diphtheria resembles enteric fever and scarlet fever, and differs from measles and whooping cough.

TABLE XXXVI.—DIPHTHERIA, 1913.—PREVALENCE and FATALITY.

	Cases per 10,000 population, aged 0-15 years.					Deaths per 1,000 cases.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	59	—	59	—	—	56	—	56
County Boroughs	41	50	78	56	48	106	99	74	103	98
Other Urban Districts	41	45	55	40	45	109	81	65	119	90
Rural Districts	40	28	35	36	33	109	99	72	100	95
All areas	41	42	55	42	45	107	91	63	110	88

10. Influenza.—The deaths allocated to this disease during the year numbered 6,394, the corresponding mortality being 173 per million living. Although this rate is higher than those of the two preceding years, reference to Table 20 will show that it is well below the average for the present century.

Table XXXVII outlines the distribution of this mortality during each of the last three years. It shows that the changes in mortality have been very uniform in the various parts of the country and classes of area, and that the decrease of recorded mortality with increase of urbanization is an almost constant feature. The exception to this rule, that the county boroughs have higher rates than the smaller towns in the South is also met with in all three years.

TABLE XXXVII.—INFLUENZA, 1911-13.—MORTALITY per MILLION POPULATION.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	111	—	111
	1912	—	—	122	—	122
	1913	—	—	192	—	192
County Boroughs	1911	108	90	153	123	109
	1912	119	114	176	108	123
	1913	150	142	188	111	150
Other Urban Districts	1911	108	116	126	131	116
	1912	138	138	164	147	144
	1913	154	157	187	167	163
Rural Districts	1911	118	141	162	194	147
	1912	174	203	206	216	199
	1913	227	198	223	221	213
All areas	1911	110	116	130	151	120
	1912	133	149	155	162	146
	1913	162	164	196	174	173

18. **Erysipelas.**—This disease is returned as having caused the death of 802 persons, of whom 435 were males and 367 females. Table 20 shows the decline in mortality from this cause which has occurred of late years, the rate for 1913, 22 per million, being the lowest recorded. In 12 of the 15 years 1870-1884 the deaths exceeded 2,000, and in both 1874 and 1875 there were over 3,000 deaths.

TABLE XXXVIII.—ERYSIPELAS, 1911-13.—MORTALITY per MILLION POPULATION.

Class of Area.	Year.	North.	Midlands.	South.	Wales.	England and Wales.
London	1911	—	—	45	—	45
	1912	—	—	34	—	34
	1913	—	—	30	—	30
County Boroughs	1911	32	32	21	15	30
	1912	26	28	30	21	27
	1913	32	24	21	13	27
Other Urban Districts	1911	27	25	17	16	23
	1912	23	24	22	19	22
	1913	19	19	15	16	18
Rural Districts	1911	18	18	18	27	19
	1912	15	21	19	17	19
	1913	18	15	15	10	15
All areas	1911	28	25	30	19	27
	1912	24	24	28	19	25
	1913	25	19	22	13	22

Table XXXVIII shows that the mortality from this disease increases steadily with increasing aggregation of population. Contrary to the experience in the case of many other diseases mortality in London has in the past three years been consistently higher than in the county boroughs—indeed it is only for 1913 that the London figure is exceeded by any other in the table, that namely for the northern county boroughs. The table shows that, apart from the North, where there was a slight increase, all classes of area in all parts of the country contributed to the fall in 1913.

It appears from Table XXXIX that the prevalence of this disease is dependent upon aggregation of population in a similar way and to a very similar extent as its mortality, the fatality being but little affected by this factor. The prevalence was very slightly greater than in 1912, and very similarly distributed by class of area, the fall in mortality being entirely due to diminished fatality.

TABLE XXXIX.—ERYSIPELAS, 1913.—PREVALENCE and FATALITY.

Class of Area.	Cases per 100,000 Population.					Deaths per 1,000 Cases.				
	North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London	—	—	92	—	92	—	—	32	—	32
County Boroughs	74	75	63	49	72	43	32	34	26	38
Other Urban Districts	66	57	41	50	56	29	33	36	33	32
Rural Districts	54	42	35	36	42	34	35	44	26	36
All areas	68	58	65	46	63	37	33	34	30	35

20c. **Vaccinia.**—Four deaths have been assigned to this cause, the same number as in 1912. Until 1911 it was the practice to class to this heading not only deaths returned as due to it, but all in the case of which vaccination appeared to have been in any way connected with the cause of death. In 1911 and subsequent years, however, the general rule with regard to erysipelas, blood poisoning, &c., following slight injury (Manual, page xxxiii, 4 (e)), has been followed in the case of vaccination, with the result that in 1913, three deaths, all of infants, which in former years would have been assigned to effects of vaccination, appear under other headings. The causes to which they have been assigned are as follows :—Meningitis (1 death) and phlegmon (2 deaths).

24. **Tetanus.**—The deaths of 189 persons, of whom 146 were males, were attributed to this disease during the year. Included with these deaths are those of 23 infants, 15 of whom were males, of less than one month of age, from “tetanus” or “trismus neonatorum.” The resulting mortality, 5 per million living, is small, but it is of interest in view of recent improvements in treatment to note whether it is diminishing. Owing to changes in the method of classification the mortality of this disease cannot be traced further back than 1902 or 1903, as it was then for the first time given preference over other causes mentioned on the same certificate. Trismus neonatorum was first classed with tetanus in 1900. Table 20, page 47, shows that since 1903, when these changes had full effect, the mortality has fallen from 8 to 5 per million. The smallest number of deaths in any one year however was 180, in 1908, so no very rapid reduction is in progress.

TABLE XL.—TETANUS, 1911–13.—MORTALITY per MILLION LIVING at ALL AGES.

—	—	Males.	Females.	Persons.
London	1911	8·0	2·9	5·3
	1912	7·5	2·5	4·9
	1913	8·0	1·7	4·6
County Boroughs	1911	6·1	1·9	3·9
	1912	4·8	1·5	3·1
	1913	5·5	1·3	3·3
Other Urban Districts	1911	8·8	2·3	5·4
	1912	7·6	2·0	4·7
	1913	7·9	2·3	5·0
Rural Districts	1911	13·9	3·0	8·5
	1912	14·2	4·6	9·4
	1913	12·4	4·0	8·2
All areas	1911	9·0	2·4	5·6
	1912	8·2	2·4	5·2
	1913	8·2	2·3	5·1

As might be expected from the common sources of infection, tetanus is predominantly a rural disease as well as a disease of males. This is clearly shown by Table XL, from which it appears that the distribution both by sex and by type of area is approximately constant. Although it is so markedly a rural disease the mortality it causes in London is consistently higher than in the county boroughs, being about equal to that in the smaller towns. This is the more noteworthy in view of the fact that the newer

methods of treatment might be expected to be most generally used in London, but the majority of the deaths in the county boroughs as well as in London occur in hospitals.

A considerable proportion of the total mortality occurs in childhood ; and it seems to be almost equally distributed over the four quarters of the year (page 286).

28-35. **Tuberculosis.**—The deaths assigned to tuberculous affections in the aggregate numbered 49,476, being fewer by 575 than those so returned in 1912, and by 5,130 than the average of the previous five years, corrected for estimated increase of population. The corresponding death-rate amounts to 1,340 per million living, which is less than that of any previous year, and forms 9·8 per cent. of the mortality from all causes. This fall has occurred notwithstanding a change in the constitution of the population favouring tubercle mortality, as indicated in Table XLI by the reduction of the crude rate for persons required in standardization to compensate for the change. Compared with the average rate for the five years 1906-10, the standardized mortality of 1913 shows a reduction of 15 per cent., the fall as compared with 1912 being 2 per cent., which is the more satisfactory in that it follows the substantial fall of 7 per cent. in the previous year.

TABLE XLI.—TUBERCULOSIS (ALL FORMS).—MORTALITY per MILLION POPULATION, 1906-10, 1912, and 1913.

		1906-10.	1912.	1913.					
		England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	1,798	1,569	1,549	2,125	1,905	1,344	1,058	1,689
	Standardized rates*	1,781	1,543	1,524	2,046	1,865	1,328	1,071	1,656
Females	Crude rates ...	1,350	1,175	1,145	1,237	1,325	1,054	963	1,192
	Standardized rates*	1,353	1,175	1,147	1,221	1,321	1,057	990	1,190
Persons	Crude rates ...	1,566	1,366	1,340	1,654	1,603	1,194	1,010	1,430
	Standardized rates	1,556	1,350	1,326	1,614	1,580	1,186	1,025	1,411

* See page xx.

The fall in the standardized rates shown in Table XLI has been shared in almost equal proportions by both sexes, but the mortality of males, as in other recent years, exceeded that of females by about one-third. The excess, as in former years, was far greater in town than country, being 68 per cent. in London, 41 per cent. in the county boroughs, 26 per cent. in the smaller towns, and only 8 per cent. in the rural districts. For the population at large and for the male sex mortality from tubercle varied in the same way with urbanization, from a maximum in London to a minimum in the rural districts ; but, as in 1912, a higher mortality was recorded for women in the county boroughs than in London. The excess of female mortality in the county boroughs over that in the rural districts was 33 per cent., but for males the excess of the London rate over that of the rural districts was 91 per cent., so it is evident that urban conditions of life increase the risk of tubercle much more for males than for females. It is of interest to inquire whether this is due to some inherent difference between the sexes or to the conditions of their life in town and country respectively. The woman's sphere of activity being so largely her own household whether in town or country, it seems natural that she should be less affected by the difference between the two environments than the man, who probably exchanges an outdoor life in the country for an indoor occupation in town. This view would seem to be supported by Table XLIII, the last two columns of which show that while at every age above 15 male rural mortality is smaller and male urban mortality greater in proportion to total male mortality than are the corresponding female rates in proportion to total female mortality, no such rule applies to ages 0-15. In other words, the adverse effect of town conditions upon mortality from phthisis is greater for males than for females at ages above 15, about which work may be taken to begin, but not in childhood. The same statements are applicable to tuberculosis generally ; and if we examine the chief forms of tubercle characteristic of childhood we find that although Table XLVII shows a greater increase of mortality from tuberculous meningitis with increasing aggregation of population for male children than for female, no such difference is shown by

Table XLVIII in the case of abdominal tuberculosis. On the whole, therefore, the evidence here considered seems to show that the differentially adverse effect of town life upon the male sex is but little manifest prior to the age at which occupation commences, and hence that if the conditions of their lives were similar the two sexes would probably be about equally affected by the change from rural to urban surroundings. In this connexion it may be permissible to recall the fact, mentioned in last year's Report, that in the asylum population, where their conditions of life are similar, phthisis mortality is about equal for the two sexes, just as it is approximately equal for the two in the rural districts.

The mortality in each administrative county and county borough from tuberculosis of all forms and from phthisis is stated in Table 23. These however are crude rates, and though standardization for differences in sex- and age-constitution does not as a rule alter them greatly still it is preferable to make comparisons between the various areas on the basis of such standardized death-rates, which have been published for the years 1911 and 1912 jointly in the Report of the Medical Officer to the Local Government Board for 1913-14, where the question of the local distribution of tubercle is dealt with.

28 and 29. **Phthisis.**—This heading in the international list of causes of death now in use includes acute miliary tuberculosis in addition to the deaths entered under it prior to 1911. The addition from this cause in 1913 amounts to 852 deaths, and the total contents of the heading to 37,055 deaths, of which 22,116 were returned as pulmonary tuberculosis, 11,303 as “phthisis,” and the remainder as acute forms of the disease. In comparison with those for 1912 these numbers show an appreciable transfer from the less to the more definite form of return. The 37,055 deaths form 75 per cent. of the total deaths allocated to tuberculosis, and correspond to a mortality of 1,004 per million living, or 7·3 per cent. of the death-rate from all causes.

For the reason indicated above, Table XLII, in so far as it supplies a comparison with years prior to 1911, necessarily excludes heading 29B, acute miliary tuberculosis, and applies only to phthisis as formerly understood in these reports, *i.e.*, to 28 and 29A. It shows that the standardized death-rate in 1913 was 4 per cent. below that of 1912 (which was also 4 per cent. below that of 1911) and 12 per cent. below that of the five years 1906-10, a rate of fall appreciably above the average.

TABLE XLII.—PHTHISIS.—MORTALITY per MILLION LIVING at ALL AGES, 1906-10, 1912, and 1913.

		1906-10.	1912.	1913.	1913 (28 and 29).					
		(28 and 29A.)								
		England and Wales.			England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males	Crude rates ...	1,299	1,194	1,154	1,178	1,757	1,442	993	784	1,290
	Standardized rates*	1,278	1,161	1,122	1,146	1,667	1,401	973	782	1,253
Females	Crude rates ...	926	852	818	840	961	975	757	700	877
	Standardized rates*	907	831	799	823	910	948	743	715	853
Persons	Crude rates ...	1,106	1,017	981	1,004	1,335	1,198	871	742	1,075
	Standardized rates	1,082	986	951	976	1,269	1,162	851	746	1,042

* See page xx.

The features of this table as regards relative incidence upon various classes of area are very similar to those of Table XLI. There is the same increase of mortality with urbanization, strongly marked in the male sex, and but slightly in the female, so that the excess of male over female mortality regularly increases from the rural districts to London.

Table XLIII shows that the period of maximum mortality occurs earlier in life for both sexes in the rural districts than in the towns, and earlier in each class of area for females than for males. These may be regarded as constant features of the age distribution of the disease, since they are manifested with considerable regularity in these tables,

The fall in mortality shown in the table is very general for adult life in both sexes, but the mortality recorded for children of 0-5 is higher than in 1912, and for children of 10-15 it is higher than in 1912 or in 1906-10.

TABLE XLIII.—PHTHISIS.—MORTALITY at DIFFERENT AGES, 1906-10, 1912 and 1913.

Mortality at Age-groups per Million Living.										Ratio per cent. of Mortality in England and Wales.						
1906-10.		1912.		1913.		1913 (28 and 29).						1913.				
(28 and 29A.)																
England and Wales.				England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.		
MALES.																
0—	334	228	269	358	568	440	315	184	404	159	123	88	51	113		
5—	125	123	118	143	181	164	146	89	159	127	115	102	62	111		
10—	166	158	171	193	216	241	157	169	200	112	125	81	88	104		
15—	731	704	661	680	793	797	615	566	714	117	117	90	83	105		
20—	1,435	1,322	1,247	1,266	1,416	1,432	1,189	1,063	1,321	112	113	94	84	104		
25—	1,846	1,539	1,425	1,437	1,802	1,601	1,298	1,187	1,500	125	111	90	83	104		
30—		1,813	1,751	1,767	2,355	2,070	1,499	1,380	1,863	133	117	85	78	105		
35—	2,271	2,017	1,961	1,978	2,848	2,375	1,662	1,370	2,133	144	120	84	69	108		
40—		2,163	2,140	2,153	3,550	2,689	1,659	1,345	2,370	165	125	77	62	110		
45—	2,543	2,296	2,241	2,253	3,543	2,950	1,873	1,143	2,572	157	131	83	51	114		
50—		2,243	2,251	2,260	3,688	3,008	1,739	1,279	2,560	163	133	77	57	113		
55—	2,298	2,289	2,064	2,074	3,574	2,769	1,529	1,230	2,345	172	134	74	59	113		
60—		2,074	1,956	1,966	3,092	2,552	1,731	1,083	2,273	157	130	88	55	116		
65—	1,507	1,557	1,445	1,450	2,681	1,877	1,269	754	1,726	185	129	88	52	119		
70—		956	1,012	1,016	2,002	1,325	876	555	1,219	197	130	86	55	120		
75—	598	557	607	607	1,591	652	501	383	723	262	107	83	63	119		
80—		419	399	417	2,133	562	217	47	629	512	135	52	11	151		
85—	224	260	215	215	—	668	272	—	355	—	311	127	—	160		
FEMALES.																
0—	287	214	224	299	481	393	251	131	343	161	131	84	44	115		
5—	188	155	157	191	202	260	155	141	205	106	136	81	74	107		
10—	384	363	400	430	360	537	400	361	450	84	125	93	84	105		
15—	981	994	935	964	862	1,051	939	928	973	89	109	97	96	101		
20—	1,214	1,184	1,113	1,132	954	1,244	1,088	1,147	1,129	84	110	96	101	100		
25—	1,413	1,231	1,194	1,204	978	1,351	1,130	1,250	1,193	81	112	94	104	99		
30—		1,308	1,226	1,240	1,212	1,396	1,116	1,219	1,245	98	113	90	98	100		
35—	1,414	1,350	1,254	1,261	1,456	1,511	1,107	996	1,326	115	120	88	79	105		
40—		1,217	1,205	1,211	1,547	1,438	1,008	990	1,268	128	119	83	82	105		
45—	1,219	1,166	1,110	1,115	1,674	1,267	1,002	732	1,218	150	114	90	66	109		
50—		974	986	989	1,451	1,191	765	780	1,047	147	120	77	79	106		
55—	998	924	881	886	1,234	1,068	757	642	958	139	121	85	72	108		
60—		871	813	815	1,387	777	777	617	876	170	95	95	76	107		
65—	735	742	648	650	1,113	706	569	477	709	171	109	88	73	109		
70—		548	559	566	1,007	634	485	392	626	178	112	86	69	111		
75—	385	422	333	333	534	348	287	287	351	160	105	86	86	105		
80—		247	324	324	364	365	299	301	333	112	113	92	93	103		
85—	141	263	142	142	181	107	213	75	173	127	75	150	53	122		
PERSONS.																
0—	310	221	247	328	525	416	283	157	374	160	127	86	48	114		
5—	157	139	138	167	192	212	151	115	182	115	127	90	69	109		
10—	275	261	286	312	289	390	279	264	326	93	125	89	85	104		
15—	857	850	799	823	829	929	780	733	848	101	113	95	89	103		
20—	1,319	1,249	1,176	1,195	1,160	1,330	1,136	1,104	1,218	97	111	95	92	102		
25—	1,619	1,377	1,303	1,314	1,349	1,468	1,210	1,219	1,337	103	112	92	93	102		
30—		1,550	1,477	1,492	1,741	1,717	1,299	1,298	1,539	117	115	87	87	103		
35—	1,827	1,671	1,595	1,607	2,107	1,927	1,376	1,180	1,714	131	120	86	73	107		
40—		1,673	1,655	1,665	2,486	2,039	1,321	1,164	1,796	149	122	79	70	108		
45—	1,855	1,710	1,654	1,662	2,552	2,072	1,419	935	1,864	154	125	85	56	112		
50—		1,583	1,592	1,598	2,504	2,053	1,228	1,028	1,765	157	128	77	64	110		
55—	1,610	1,574	1,444	1,451	2,321	1,870	1,121	932	1,610	160	129	77	64	111		
60—		1,434	1,348	1,353	2,166	1,599	1,216	845	1,519	160	118	90	62	112		
65—	1,077	1,111	1,009	1,013	1,801	1,224	879	611	1,159	178	121	87	60	114		
70—		723	753	759	1,407	917	649	468	871	185	121	86	62	115		
75—	472	477	445	445	925	466	372	331	496	208	105	84	74	111		
80—		315	353	360	962	436	268	189	442	267	121	74	53	122		
85—	161	262	168	168	129	290	234	45	233	77	173	139	27	139		

TABLE XLIV.—PHTHISIS.—CRUDE DEATH-RATES per MILLION LIVING, 1913.

			All Ages.					At Ages 65 Years and Upwards.				
			North.	Mid-lands.	South.	Wales.	England and Wales.	North.	Mid-lands.	South.	Wales.	England and Wales.
London ...	{ Males	—	—	1,757	—	1,757	—	—	2,220	—	2,220	
	{ Females	—	—	961	—	961	—	—	881	—	881	
	{ Persons	—	—	1,335	—	1,335	—	—	1,422	—	1,422	
County Boroughs	{ Males	1,506	1,422	1,239	1,286	1,442	1,590	1,410	958	1,509	1,437	
	{ Females	1,027	921	845	1,049	975	595	537	612	719	583	
	{ Persons	1,257	1,160	1,028	1,169	1,198	1,011	901	747	1,074	938	
Other Urban Dis- tricts.	{ Males	1,006	963	1,090	873	993	1,021	878	932	871	934	
	{ Females	801	720	693	896	757	432	401	596	389	460	
	{ Persons	900	836	879	884	871	687	602	731	604	660	
Rural Districts ...	{ Males	703	756	841	918	784	430	376	609	1,382	546	
	{ Females	711	661	656	945	700	431	358	371	460	383	
	{ Persons	707	708	748	931	742	430	366	482	882	459	
All areas ...	{ Males	1,216	1,041	1,342	965	1,178	1,169	805	1,290	1,200	1,084	
	{ Females	906	766	822	942	840	511	421	650	471	525	
	{ Persons	1,056	900	1,069	954	1,004	798	589	917	801	766	

Table XLIV reproduces for 1913 a similar table inserted in the two preceding Reports. It shows, as before, how great is the excess of phthisis mortality recorded for old men and women in London. It also shows that the excess of male over female mortality as well as its increase in proportion to urbanization is especially characteristic of old age. The higher mortality of females than of males at all ages in the rural districts and smaller towns of Wales forms a feature common to the tables for all three years.

Attention may also be directed to the fact that the mortality in Wales was higher in the rural districts than in the smaller towns in both sexes both at all ages and at ages over 65. This is true also of the two preceding years. The tendency to relatively high mortality in the rural districts of Wales has already been pointed out when dealing with mortality from all causes (page xxxi).

TABLE XLV.—PHTHISIS, 1911-13.—MORTALITY per 1,000 LIVING at ALL AGES.

		Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	{ 1911	—	—	1·79	—	1·79	—	—	1·02	—	1·02	—	—	1·38	—	1·38
	{ 1912	—	—	1·84	—	1·84	—	—	0·99	—	0·99	—	—	1·39	—	1·39
	{ 1913	—	—	1·76	—	1·76	—	—	0·96	—	0·96	—	—	1·34	—	1·34
County Boroughs.	{ 1911	1·64	1·49	1·40	1·50	1·56	1·08	1·03	1·04	1·41	1·07	1·35	1·25	1·21	1·46	1·31
	{ 1912	1·64	1·44	1·30	1·39	1·53	1·07	0·96	0·87	1·12	1·01	1·34	1·19	1·07	1·25	1·26
	{ 1913	1·51	1·42	1·24	1·29	1·44	1·03	0·92	0·84	1·05	0·97	1·26	1·16	1·03	1·17	1·20
Other Urban Districts.	{ 1911	1·10	1·03	1·18	0·92	1·07	0·92	0·76	0·78	0·98	0·84	1·01	0·89	0·97	0·95	0·95
	{ 1912	1·02	1·01	1·06	0·81	1·00	0·84	0·73	0·71	0·88	0·78	0·93	0·86	0·88	0·84	0·89
	{ 1913	1·01	0·96	1·09	0·87	0·99	0·80	0·72	0·69	0·90	0·76	0·90	0·84	0·88	0·88	0·87
Rural Districts.	{ 1911	0·76	0·83	0·89	1·08	0·85	0·77	0·73	0·76	1·23	0·80	0·76	0·78	0·82	1·16	0·83
	{ 1912	0·73	0·77	0·83	0·98	0·80	0·69	0·72	0·76	1·07	0·76	0·71	0·74	0·79	1·03	0·78
	{ 1913	0·70	0·76	0·84	0·92	0·78	0·71	0·66	0·66	0·94	0·70	0·71	0·71	0·75	0·93	0·74
All Areas	{ 1911	1·31	1·10	1·41	1·08	1·26	0·98	0·83	0·92	1·15	0·92	1·14	0·96	1·15	1·12	1·08
	{ 1912	1·29	1·07	1·38	0·97	1·22	0·93	0·80	0·86	0·99	0·87	1·10	0·93	1·11	0·98	1·04
	{ 1913	1·22	1·04	1·34	0·97	1·18	0·91	0·77	0·82	0·94	0·84	1·06	0·90	1·07	0·95	1·00

It is illustrated by Table XLV, which shows that though the mortality of males as a whole was lower in Wales than elsewhere in each of the three years dealt with, yet the mortality of males in the rural districts was at its highest in Wales in each

year. For females Wales uniformly furnishes the highest rate in all classes of area. Compared with England the mortality of males has been low in Wales and that of females high for many years. In fact the table shows that in Wales the excess of male over female mortality, so marked in England, does not exist, the death-rates of the two sexes there being about equal. The greatest contrast to the state of equality in Wales is furnished by London, where the male excess amounts to about 80 per cent., and the South generally (about 60 per cent.). In Wales we have the lowest male and the highest female mortality, and in the South the highest male mortality together with a rate for females which was below the average in each of the three years represented in Table XLV. Whatever the explanation of this extraordinary difference in sex incidence may be it can hardly fail to possess significance in relation to the efforts now in progress for the suppression of the disease. The excess in mortality of Welsh females is most marked (Table 24) at the young adult ages, the period of life when female mortality in general most tends to excess in Wales.

The North records a high mortality for both sexes in its great towns, but not particularly high elsewhere, coming as a whole second to the South in the male sex and to Wales in the female in each of the three years. The position of the Midlands as a whole is good for both sexes, its mortality being lowest of all for females and lowest in England for males in each year.

30. Tuberculous Meningitis.—The deaths classed to this head during 1913 number 5,018, or 621 below the average of the previous five years corrected for increase of population. The death-rate, 136 per million living at all ages, is the lowest yet recorded. The mortality has been steadily declining for the last 60 years, and now amounts only to one-third of that returned at the commencement of this period. As mortality from non-tuberculous meningitis also shows rapid decline, the fall can scarcely be explained as due to transfer between the two headings.

This decline, during a period of rapidly increasing urbanization, is the more remarkable because the disease is one especially associated with urban conditions of life, as is shown by Tables XLVI and XLVII, which in order to avoid fallacies involved by differences in sex- and age-constitution, refer only to ages 0–15, at which 89 per cent. of the total deaths occurred in 1913.

TABLE XLVI.—TUBERCULOUS MENINGITIS, 1911–13.—MORTALITY per 100,000 LIVING at AGE-GROUPS under 15.

—	Year.	0–5.	5–10.	10–15.
London	1911	122	35·1	8·0
	1912	103	25·1	12·2
	1913	104	36·0	10·5
County Boroughs...	1911	97	27·4	10·7
	1912	95	25·1	12·0
	1913	95	29·0	12·3
Urban Districts ...	1911	80	21·7	11·4
	1912	76	22·9	13·2
	1913	74	22·6	11·2
Rural Districts ...	1911	59	17·1	10·5
	1912	44	17·1	10·9
	1913	50	16·7	10·0
England and Wales ...	1911	87	24·0	10·6
	1912	78	22·5	12·2
	1913	79	24·9	11·2

Table XLVI shows that this association holds good only of the younger ages. At ages 0–5 the mortality in London has been over twice that of the rural districts in each of the three years dealt with, and at ages 5–10 the excess has been almost as great, but at 10–15 the mortality in London has been about the same as that in the rural districts, both being rather below the average for the country as a whole, which is but little departed from at this age in any class of area. The mortality at the earlier ages increases regularly with aggregation of population, from rural districts to London.

Table XLVII shows that increase of mortality in proportion to degree of urbanization is characteristic of all parts of England, but that, as in the case of phthisis, mortality is relatively high in the rural districts of Wales. The relation to aggregation of population is in fact reversed in Wales in 1913, mortality in both sexes having been highest in the rural districts and lowest in the county boroughs. Except in the rural districts the deaths returned from Wales are relatively few, the order of mortality for all classes of area jointly having been North, South, Midlands, Wales, in each of the three years represented in Table XLVII.

TABLE XLVII.—TUBERCULOUS MENINGITIS, 1911-13.—MORTALITY per 100,000 LIVING at AGES 0-15.

	Year.	Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London ...	1911	—	—	60	—	60	—	—	56	—	56	—	—	58	—	58
	1912	—	—	53	—	53	—	—	46	—	46	—	—	49	—	49
	1913	—	—	58	—	58	—	—	47	—	47	—	—	52	—	52
County Boroughs ...	1911	55	44	44	35	49	45	42	51	41	44	50	43	48	38	47
	1912	54	41	41	41	48	50	37	34	27	44	52	39	38	34	46
	1913	60	43	48	27	52	48	37	35	23	42	54	40	42	25	47
Other Urban Districts	1911	49	39	33	36	41	47	34	31	26	37	48	36	32	31	39
	1912	49	35	37	30	40	44	35	33	24	37	46	35	35	27	38
	1913	44	39	35	33	39	38	33	36	24	35	41	36	35	29	37
Rural Districts ...	1911	27	32	23	38	29	34	26	31	29	29	30	29	27	34	29
	1912	29	23	22	36	25	26	21	20	31	23	27	22	21	33	24
	1913	39	21	22	37	27	28	21	23	38	25	33	21	22	37	26
All Areas ...	1911	49	38	44	37	43	44	34	44	30	40	46	36	44	33	42
	1912	48	34	41	34	41	45	32	36	27	37	46	33	39	30	39
	1913	51	35	44	33	43	42	31	38	28	36	46	33	41	31	40

Table XLVII and Tables 24-28 with the corresponding tables for 1911 and 1912 show that mortality from meningeal tubercle in Wales is highest relatively to that in the whole country in the same class of area—the rural districts—as is Welsh mortality from phthisis (page xlv) and from all causes (page xxxi). The mortality of females in Wales as a whole is in considerable excess during early adult life in all three cases. London records the converse experience to that of Wales, showing a particularly high mortality from tuberculous meningitis in early life, when that of Wales is especially low, and a low rate from 15 to 45, when the Welsh rates are high. These appear not to be accidental differences, since they are met with in each of the three years available for comparison, so it would seem that, whatever the reason may be, tuberculous meningitis as a certified cause of death is much more restricted to early life in London than in Wales, the difference being similar to that already noted in Table XLVI between London and the rural districts generally.

31. Tuberculosis of Peritoneum and Intestines.—The deaths returned under this heading in 1913 number 3,760, corresponding to a mortality of 102 per million living at all ages. This rate is lower than that for any previous year except 1912, when it amounted to 89 per million. The mortality recorded has been falling very rapidly during the past 30-35 years, and amounts now only to about one-third of that prevalent at the commencement of this period. The increase from 89 per million in 1912 (Table 20) may be related to the increase in mortality from diarrhoea, for it is noticeable that in years of high diarrhoeal mortality there has generally been an increase, or at least a check to the rate of decline, in mortality from tuberculous peritonitis.

The tendency to disuse of the term *tabes mesenterica* as descriptive of this disease may be traced in Table 19. In 1901, when the deaths so described were first distinguished, they amounted to 52 per cent. of the whole, whereas in 1913 this proportion has fallen to 16 per cent.

Although the descriptive titles in the list in use prior to 1911, as given in Table 20, make no reference to tubercle of the intestines, this form of disease was included under

the term tuberculous peritonitis. Its importance as a constituent of the total heading may be gathered from the tables showing detailed classification of tubercle deaths in 1912 contained in the Report for that year. It is there shown (page 601) that tubercle of the peritoneum, intestines, mesenteric glands, and other abdominal organs listed to this heading was recorded upon 4,082 death certificates, including 836 allocated in the ordinary tabulation by single causes of death to other forms of tuberculosis, mainly pulmonary. Of these 4,082 fatal cases of "tuberculosis of the peritoneum and intestines" 12 per cent. were returned as *tabes mesenterica*, 26 per cent. as tuberculous enteritis or tubercle of the intestines, 3 per cent. as tubercle of the mesentery or mesenteric glands, 55 per cent. as tuberculous peritonitis or tubercle of the peritoneum, 3 per cent. as tubercle of the abdomen, and 1 per cent. in various other ways.

In the same table it appears also that the age distribution differs considerably in these different forms of tubercle. Tubercle of the intestines is much more a disease of adults than is tuberculous peritonitis, though the proportion of deaths under one year of age is the same in both cases, 17 per cent. But only 26 per cent. of the deaths from intestinal tubercle occurred at ages 1–15 as against 49 per cent. of those from peritoneal disease. The term *tabes mesenterica* is almost restricted to early childhood, 45 per cent. of the deaths occurring under 1 year, 82 per cent. under 5 years, and 96 per cent. under 15 years.

TABLE XLVIII.—TUBERCULOSIS of PERITONEUM and INTESTINES, 1911–13.—
MORTALITY per MILLION POPULATION.

		All Ages.			Ages 0—5 years.		
		1911.	1912.	1913.	1911.	1912.	1913.
London	Males ...	94	59	70	576	337	427
	Females	63	46	49	391	279	271
	Persons	77	52	59	484	308	349
County Boroughs	Males ...	155	121	147	953	693	904
	Females	130	104	117	808	612	695
	Persons	142	112	132	881	653	800
Other Urban Districts	Males ...	127	93	111	817	544	700
	Females	113	86	93	650	428	513
	Persons	120	89	102	734	486	607
Rural Districts	Males ...	86	75	79	529	403	455
	Females	96	76	86	472	292	351
	Persons	91	75	82	501	348	404
All areas	Males ...	122	93	111	768	535	682
	Females	108	84	94	629	439	509
	Persons	115	89	102	699	487	596

The mortality ascribed to abdominal tubercle in London is remarkably and consistently low. This is brought out by Table XLVIII, which shows that, whereas meningeal tubercle causes a heavier mortality in London than in other classes of area (Tables XLVI and XLVII), abdominal tubercle causes a lighter, whether mortality at all ages or under five years, at which 63 per cent. of the deaths occurred in 1913, be considered. The London rate indeed is less than half that in the county boroughs, though, London apart, the usual rule of increase in mortality with increasing aggregation of population holds good for each of the three years dealt with in the table. Unless, as seems unlikely, exposure of children to infection by means specially liable to implicate the intestine and peritoneum is at a minimum in London, the question must arise whether the extraordinary difference shown by the figures represents the facts. We have seen that the mortality tends to rise in years when fatal diarrhœa is prevalent. The most obvious explanation of this fact would seem to be the return as tuberculous of certain deaths from diarrhœa not of tuberculous origin, unless, indeed, diarrhœa can be held to prepare the ground for local infection with tubercle. If the deaths returned under this heading are not all due to tubercle this was probably the case still more thirty years ago, which would help to explain the very great reduction in recorded mortality since that time. It might also account for the low mortality in London, where there is much reason to believe that death certification is at its best.

32-35. **Tubercle of the Spine, of the Joints, of other organs, and Disseminated Tuberculosis.**—These forms of the disease jointly accounted for 3,643 deaths, or 7 per cent. of the total mortality from tubercle, and of these 2,028 were assigned to disseminated tuberculosis. This latter heading excludes military tubercle not described as chronic, but includes all deaths from tubercle of two or more organs where the lungs are not affected. Its mortality can only be traced in common with that from acute military tuberculosis. Table 20 shows that the joint death-rate is falling rapidly.

None of the causes numbered 32-35 appears to present any very striking or constant variations in the mortality associated with different degrees of urbanization.

39-45. **Cancer.**—The deaths ascribed to cancer or malignant disease during 1913 numbered 38,939, of which 25,109 were referred to carcinoma, 2,280 to sarcoma, and 11,550 to "cancer," not otherwise defined. The proportion of the latter ingredient in the total is steadily diminishing. The mortality of males was 947 per million living as compared with 913 in 1912, and that of females 1,155 as compared with 1,117. In the case of each sex these rates are the highest on record.

TABLE XLIX.—CANCER.—DEATH-RATES per MILLION POPULATION, 1906-10, 1911, 1912 and 1913.

		Crude Rates.				Standardized Rates.*			
		1906-10.	1911.	1912.	1913.	1906-10.	1911.	1912.	1913.
England and Wales...	M.	819	891	913	947	814	872	894	928
	F.	1,052	1,088	1,117	1,155	944	954	979	1,014
	P.	939	993	1,019	1,055	882	914	937	972
London ...	M.	?	1,065	1,070	1,092	?	1,075	1,080	1,100
	F.	?	1,083	1,212	1,228	?	961	1,076	1,090
	P.	?	1,074	1,145	1,164	?	1,010	1,075	1,093
County Boroughs ...	M.	?	866	901	927	?	922	963	989
	F.	?	1,074	1,071	1,127	?	1,014	1,012	1,065
	P.	?	975	989	1,031	?	969	986	1,027
Other Urban Districts	M.	?	844	844	883	?	861	862	902
	F.	?	1,074	1,104	1,126	?	960	986	1,006
	P.	?	963	978	1,008	?	912	926	956
Rural Districts ...	M.	?	905	968	1,000	?	733	780	806
	F.	?	1,134	1,166	1,203	?	867	883	915
	P.	?	1,020	1,067	1,102	?	802	834	861
All Urban Districts...	M.	?	887	901	932	?	919	936	968
	F.	?	1,075	1,108	1,143	?	981	1,011	1,044
	P.	?	985	1,009	1,042	?	950	974	1,006

* See pages xix and xx.

Table XLIX compares the standardized death-rates from cancer in the four classes of area dealt with in this Report as well as in the country as a whole and the aggregated urban districts. The repetition of the rates for 1911 and 1912 is called for by the modification in the sex rates introduced by the change of method described on page xx. The effect of the change is roughly to increase the standardized male rate by 50 per million in each case and to decrease the female rate by a corresponding amount, with the result that the excess of standardized mortality in the female sex is reduced to very moderate dimensions, and in the case of London is negative for each of the three years in the table.

The table shows a very constant increase in standardized mortality in proportion to urbanization, which is of greater dimensions in the case of males than of females. It is quite conceivable that differences of the dimensions shown may be due to the better facilities for diagnosis in the urban areas where a much larger proportion of the deaths occurs in institutions in which *post mortem* examination is the rule rather than, as in private practice, the exception. It will be seen that the considerable increase in mortality recorded in the year under review is of a very uniform nature, being common to both sexes in every class of area. It is also widely spread over the different age-periods represented in Table L, the chief exception being in women of the two oldest categories.

TABLE L.—CANCER.—DEATH-RATES per MILLION LIVING, 1906-10, 1912 and 1913.

Sex and Age.			1906-10.	1912.	1913.					
			England and Wales.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
MALES.	0—	...	24	22	24	39	17	24	27	23
	15—	...	45	44	38	63	39	30	38	39
	25—	...	113	103	126	141	136	119	112	129
	35—	...	422	279	277	228	343	271	213	294
	40—	...		625	660	692	782	602	552	689
	45—	...	1,589	1,269	1,313	1,566	1,492	1,275	983	1,408
	50—	...		2,195	2,262	2,986	2,630	2,117	1,605	2,462
	55—	...	4,051	3,702	3,768	4,468	4,191	3,699	2,996	4,016
	60—	...		5,502	5,808	6,827	6,365	5,604	4,968	6,100
	65—	...	6,967	6,930	7,343	9,228	7,383	7,309	6,595	7,640
70—	...	9,135		9,044	10,243	8,663	9,060	8,933	9,093	
75—	...	8,345	9,758	10,254	11,588	10,926	9,729	9,887	10,443	
80—	...		8,911	9,355	9,952	9,226	9,095	9,500	9,271	
85 and upwards		7,928	8,239	8,786	12,952	6,454	9,917	8,000	9,295	
FEMALES.	0—	...	20	19	19	18	18	21	16	19
	15—	...	34	34	38	58	39	34	29	40
	25—	...	164	148	153	176	171	134	140	156
	35—	...	822	545	593	602	681	583	457	626
	40—	...		1,072	1,159	1,235	1,311	1,141	903	1,224
	45—	...	2,282	1,935	1,922	2,091	2,045	1,847	1,760	1,966
	50—	...		2,888	2,906	3,149	3,117	2,826	2,587	2,995
	55—	...	4,432	3,957	4,087	4,453	4,330	3,996	3,697	4,202
	60—	...		5,122	5,547	5,607	5,870	5,590	5,046	5,703
	65—	...	6,753	6,415	6,797	7,218	7,116	6,712	6,346	6,949
	70—	...		8,246	8,432	9,197	8,550	8,529	7,824	8,645
	75—	...	8,318	9,551	9,693	10,449	9,142	10,273	9,186	9,891
	80—	...		9,166	9,073	10,726	8,708	9,165	8,584	9,279
	85 and upwards		7,603	9,569	8,800	9,065	9,029	9,251	8,053	9,144
PERSONS.	0—	...	22	21	21	28	17	22	22	21
	15—	...	40	39	38	60	39	32	34	39
	25—	...	140	127	140	160	155	127	126	143
	35—	...	629	417	440	427	518	432	337	466
	40—	...		856	918	980	1,057	882	731	968
	45—	...	1,949	1,615	1,629	1,844	1,780	1,573	1,375	1,700
	50—	...		2,556	2,597	3,072	2,886	2,489	2,099	2,742
	55—	...	4,253	3,836	3,936	4,460	4,265	3,856	3,352	4,115
	60—	...		5,300	5,669	6,164	6,100	5,596	5,008	5,886
	65—	...	6,848	6,648	7,045	8,100	7,234	6,977	6,466	7,255
	70—	...		8,627	8,694	9,617	8,596	8,751	8,343	8,830
	75—	...	8,329	9,636	9,924	10,870	9,831	10,055	9,508	10,107
	80—	...		9,066	9,183	10,464	8,896	9,139	8,989	9,276
	85 and upwards		7,720	9,097	8,795	10,187	8,191	9,480	8,031	9,194

This table also shows that the excess in mortality of females over that of males was concentrated mainly upon ages 25-55. At other ages there was either practical equality or, as at all ages from 60 to 85 in the country as a whole, male excess.

Table LI refers to two groups of ages in making comparison of cancer mortality in different parts of the country. This limitation of age makes it unnecessary to calculate standardized death-rates in order to obtain a fair basis of comparison. At both age-periods the mortality of males in London was, as usual, higher than that of any of the other twelve sections of the population, while that of London females was exceeded only in three instances at 45-65 and one at 65 and over. Apart from the London excess, which is greatest in the male sex, the rates in the table are, on the whole, fairly uniform.

Table LII has been prepared to facilitate their comparison and to ascertain with what constancy such differences as do exist recur in succeeding years. It will be seen that the excess of mortality in London males is its most outstanding feature. It amounts to about 20 per cent. over the male average for the whole country at both age-periods dealt with and varies little in extent from year to year. The excess mortality of London females is much smaller and less constant. Except in Wales the

TABLE LI.—CANCER, 1913—DEATH-RATES per MILLION LIVING.

		Ages 45-65.					Ages 65 and over.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	{ M.	—	—	3,463	—	3,463	—	—	10,012	—	10,012
	{ F.	—	—	3,503	—	3,503	—	—	8,723	—	8,723
County Boroughs	{ M.	3,411	3,043	2,774	2,659	3,196	8,374	8,155	9,005	7,294	8,356
	{ F.	3,526	3,561	3,378	2,914	3,496	7,993	8,284	8,222	5,856	8,053
Other Urban Districts	{ M.	2,777	2,708	2,744	2,655	2,765	8,142	8,417	8,755	8,133	8,394
	{ F.	3,331	3,274	3,111	3,189	3,250	8,867	8,132	7,988	5,916	8,151
Rural Districts ...	{ M.	2,321	2,390	2,327	2,308	2,350	7,575	7,887	8,649	8,837	8,138
	{ F.	3,071	3,127	2,750	3,527	3,047	7,883	7,530	7,225	8,282	7,572
All areas	{ M.	3,027	2,739	2,958	2,533	2,884	8,140	8,141	9,190	8,326	8,480
	{ F.	3,397	3,316	3,233	3,265	3,314	8,286	7,955	8,111	6,956	8,040

rule of increasing mortality with increasing aggregation of population is generally followed, but the smaller towns and even the rural districts of Wales frequently furnish rates higher than those of its county boroughs. The Welsh rates are generally low, except for women aged 45-65. The mortality recorded for the older women in Wales is considerably higher in the rural districts than elsewhere.

TABLE LII.—CANCER.—MORTALITY per cent. of that in ENGLAND and WALES in the SAME SEX.

—			Sex.	North.			Midlands.			South.			Wales.			England and Wales.		
				1911.	1912.	1913.	1911.	1912.	1913.	1911.	1912.	1913.	1911.	1912.	1913.	1911.	1912.	1913.
Ages 45–65.																		
London	M.	—	—	—	—	—	—	125	121	120	—	—	—	125	121	120
			F.	—	—	—	—	—	—	98	109	106	—	—	—	98	109	106
County Boroughs	...	{	M.	117	116	118	99	104	106	102	104	96	92	87	92	109	110	111
			F.	109	107	106	107	100	107	91	95	102	112	105	88	106	103	105
Other Urban Districts	{	M.	95	95	96	98	92	94	99	97	95	94	85	92	97	93	96	
		F.	105	104	101	99	101	99	99	97	94	110	114	96	102	102	98	
Rural Districts	...	{	M.	72	79	80	78	92	83	87	85	81	94	84	80	81	87	81
			F.	100	93	93	89	88	94	87	88	83	94	94	106	91	89	92
All Areas	...	{	M.	102	103	105	92	96	95	108	106	103	94	85	88	100	100	100
			F.	106	104	103	98	96	100	95	100	98	104	105	99	100	100	100
Ages 65 and over.																		
London	M.	—	—	—	—	—	—	123	118	118	—	—	—	123	118	118
			F.	—	—	—	—	—	—	100	109	108	—	—	—	100	109	108
County Boroughs	...	{	M.	98	103	99	97	103	96	113	109	106	93	83	86	100	103	99
			F.	101	98	99	105	103	103	106	106	102	102	81	73	103	100	100
Other Urban Districts	{	M.	100	92	96	100	104	99	107	108	103	82	77	96	100	99	99	
		F.	106	103	110	101	103	101	104	101	99	75	82	74	102	101	101	
Rural Districts	...	{	M.	83	89	89	98	95	93	90	94	102	83	88	104	92	93	96
			F.	98	93	98	93	100	94	95	90	90	98	94	103	95	95	94
All Areas	...	{	M.	96	96	96	98	100	96	108	108	108	84	83	98	100	100	100
			F.	102	99	103	99	102	99	101	102	101	89	87	87	100	100	100

Comparing the two ages dealt with it will be seen that the proportions for the North and for Wales as a whole are higher at the earlier period, especially those for males in the great towns of the North, while in the South, apart from London, the position is reversed.

The parts of the body affected by fatal cancer in 1913 are shown in Tables LIII and LIV in greater detail than that provided by the International classification, five out of its seven headings (Nos. 39-45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths occurring in institutions are separately tabulated.

TABLE LIII.—ENGLAND AND WALES, 1913.—SITES OF FATAL CANCER—MALES.

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
ALL DEATHS.																			
Total				16,918	74	63	124	365	358	726	1,244	1,777	2,342	2,833	2,745	2,189	1,335	539	204
39	Lip	225	—	—	1	1	1	3	7	18	13	30	33	30	46	23	19
	Tongue	995	—	—	—	4	14	50	97	145	170	158	158	106	65	21	7
	Mouth	442	—	—	3	6	9	21	53	50	79	81	60	42	18	14	6
	Jaw	482	1	3	4	13	6	9	39	52	82	90	80	55	27	14	7
40	Pharynx	203	1	3	3	3	2	11	18	24	45	29	28	24	10	—	2
	Esophagus	1,177	—	—	—	2	11	34	83	184	215	228	208	119	59	26	8
	Stomach	3,650	—	1	1	65	73	166	270	388	483	654	635	526	263	95	30
	Liver and gall bladder	1,680	2	2	4	14	30	56	111	182	229	283	287	253	152	55	20
41	Mesentery and peritoneum	125	2	1	4	12	3	9	13	9	17	13	21	11	6	2	2
	Intestines	1,892	2	3	6	32	48	67	142	157	244	294	332	289	175	83	18
	Rectum	1,746	—	—	6	44	32	66	91	160	234	295	307	254	175	60	22
	Breast	22	—	—	—	—	2	—	1	6	4	2	4	1	2	—	—
44	Skin...	571	—	1	—	13	11	26	35	35	49	78	68	90	82	48	35
	Larynx	400	—	—	—	1	5	13	39	51	74	82	80	31	18	6	—
	Lung and pleura	263	2	2	8	15	9	24	25	34	45	44	30	14	10	—	1
	Pancreas	320	—	—	1	13	9	17	30	34	52	65	38	36	23	2	—
45	Kidneys and suprarenal glands	183	27	10	2	7	8	15	15	20	16	22	16	12	8	4	1
	Bladder	516	2	—	—	5	7	16	26	42	58	90	103	73	53	33	8
	Prostate	429	2	1	—	2	3	3	9	18	33	81	80	104	62	22	9
	Testes	110	4	—	7	23	17	10	8	6	10	7	5	5	6	2	—
45	Brain	74	—	4	3	18	5	12	7	10	5	3	2	3	1	1	—
	Bones (jaw excepted)	271	7	11	38	24	8	18	16	32	27	34	28	12	9	5	2
	Other specified organs	598	16	17	21	30	26	38	61	63	86	90	73	41	27	8	1
	Abdominal cavity, organ un- specified.	105	3	1	4	4	4	10	7	8	11	19	12	14	7	1	—
Other and undefined				439	3	3	8	14	15	32	41	49	61	61	57	44	31	14	6
DEATHS IN INSTITUTIONS.																			
Total				4,933	28	32	48	133	147	293	418	607	740	886	737	490	242	91	41
39	Lip	71	—	—	—	—	1	—	1	3	2	10	12	14	11	11	6
	Tongue	398	—	—	—	—	5	26	39	61	71	73	60	33	21	7	2
	Mouth	167	—	—	—	4	6	9	23	21	35	26	27	6	7	2	1
	Jaw	176	1	1	2	4	4	4	12	18	26	36	32	20	9	3	4
40	Pharynx	62	1	2	2	—	2	1	5	12	11	7	7	10	1	—	1
	Esophagus	405	—	—	—	1	8	16	38	71	74	90	67	29	8	3	—
	Stomach	847	—	—	1	18	25	64	79	105	125	168	138	85	24	12	3
	Liver and gall bladder	274	—	—	—	2	6	16	24	41	42	58	31	34	12	5	3
41	Mesentery and peritoneum	37	2	1	4	5	2	4	7	1	2	1	7	1	—	—	—
	Intestines	590	—	3	3	14	22	31	57	73	95	97	93	58	33	9	2
	Rectum	505	—	—	3	18	11	29	29	53	72	98	76	65	40	9	2
	Breast	4	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—
44	Skin...	194	—	—	—	5	4	7	14	12	16	29	30	31	21	14	11
	Larynx	155	—	—	—	—	2	5	15	20	34	29	33	9	8	—	—
	Lung and pleura	84	1	2	2	7	2	10	6	15	13	14	7	3	2	—	—
	Pancreas	134	—	—	1	9	5	6	14	15	25	29	8	16	4	2	—
45	Kidneys and suprarenal glands	60	13	6	1	3	2	6	5	3	6	6	3	—	—	—	—
	Bladder	154	2	—	—	2	5	7	5	16	23	28	29	20	10	6	1
	Prostate	126	1	—	—	1	2	1	2	8	11	30	23	26	18	3	—
	Testes	30	—	—	1	7	5	2	3	2	2	5	—	—	2	1	—
45	Brain	40	—	2	2	11	1	7	3	6	4	2	2	—	—	—	—
	Bones (jaw excepted)	84	3	2	14	7	6	9	6	8	8	10	8	—	1	1	1
	Other specified organs	177	2	9	6	10	13	16	18	19	26	23	20	12	1	4	1
	Abdominal cavity, organ un- specified.	21	—	1	2	2	3	4	—	2	1	2	2	1	1	—	—
Other and undefined				138	2	3	4	3	4	13	13	20	15	15	19	14	8	2	3

TABLE LIV.—ENGLAND AND WALES, 1913.—SITES of FATAL CANCER—FEMALES.

				All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-
				ALL DEATHS.															
Total...				22,021	60	45	130	489	820	1,373	1,965	2,480	2,801	3,078	3,062	2,728	1,806	813	371
39	Lip	21	—	—	—	—	1	1	—	—	2	1	4	3	5	1	3
	Tongue	71	—	—	—	1	6	6	5	4	10	12	8	9	6	2	2
	Mouth	52	—	2	1	—	—	1	3	4	9	7	5	11	7	2	—
	Jaw	183	3	3	1	5	9	11	17	33	17	21	23	21	11	7	1
40	Pharynx	71	—	1	3	3	4	6	7	9	8	9	6	7	3	2	3
	Esophagus	408	—	—	—	13	26	35	49	43	30	62	56	50	32	10	2
	Stomach	3,299	—	1	7	35	91	121	207	299	412	530	564	516	330	134	52
	Liver and gall bladder	2,574	6	2	4	24	33	78	168	228	346	433	432	414	266	104	36
41	Mesentery and peritoneum	269	—	2	4	7	11	13	23	30	37	39	41	20	24	15	3
	Intestines	2,445	1	—	6	41	53	75	151	203	263	352	421	425	271	135	48
	Rectum	1,376	—	—	7	40	44	66	94	123	159	204	225	206	135	46	27
	Ovary and fallopian tube	555	—	1	16	27	30	57	70	86	81	62	50	40	26	4	5
42	Uterus	4,062	—	—	5	111	228	402	552	621	598	536	445	297	176	64	27
	Vagina and vulva	251	2	—	2	4	6	7	9	28	30	34	35	33	32	25	4
	Breast	3,852	—	—	1	81	177	359	432	502	512	450	443	377	264	159	95
	Skin	313	3	—	5	5	4	10	11	21	22	29	34	62	44	39	24
43	Larynx	138	—	—	1	8	8	12	25	22	19	16	7	8	9	3	—
	Lung and pleura	178	—	1	10	8	13	13	11	26	19	28	18	17	11	2	1
	Pancreas	302	—	—	—	4	1	15	22	28	39	55	60	42	27	6	3
	Kidneys and suprarenal glands	149	17	4	1	5	5	7	13	13	25	18	10	19	7	3	2
44	Bladder	249	3	—	—	1	1	5	18	21	24	36	48	36	33	13	10
	Brain	77	2	2	6	11	12	6	6	12	7	7	2	3	1	—	—
	Bones (jaw excepted)	225	4	12	28	22	7	9	12	19	26	24	22	15	16	6	3
	Other specified organs	459	16	10	17	20	24	30	30	56	53	60	46	50	30	11	6
45	Abdominal cavity, organ un-	180	1	—	1	3	12	8	11	19	19	19	29	26	20	8	4
	specified.																
	Other and undefined	262	2	4	4	10	14	20	19	30	34	34	28	21	20	12	10
				DEATHS IN INSTITUTIONS.															
Total...				4,241	21	23	51	184	230	347	453	560	553	546	525	384	226	95	43
39	Lip	4	—	—	—	—	—	—	—	—	1	—	1	1	1	—	—
	Tongue	12	—	—	—	—	—	—	—	—	2	2	5	1	2	—	—
	Mouth	13	—	2	1	—	—	1	—	1	3	1	1	2	1	—	—
	Jaw	43	—	1	1	1	5	2	4	12	2	2	6	3	4	—	—
40	Pharynx	13	—	—	—	—	4	2	1	2	2	—	1	—	—	1	—
	Esophagus	82	—	—	—	5	3	14	10	10	4	12	11	9	3	1	—
	Stomach	472	—	—	4	13	25	28	40	73	66	73	74	44	15	13	4
	Liver and gall bladder	273	—	—	—	10	6	14	20	25	43	42	52	36	18	6	1
41	Mesentery and peritoneum	52	—	1	1	4	3	3	4	8	7	8	2	4	4	3	—
	Intestines	540	—	—	3	23	29	27	47	69	65	83	75	69	36	12	2
	Rectum	320	—	—	—	15	14	27	34	30	43	55	50	27	22	2	1
	Ovary and fallopian tube	178	—	1	10	10	15	24	23	37	24	14	6	8	5	—	1
42	Uterus	988	—	—	2	43	64	107	141	141	157	122	108	49	35	11	8
	Vagina and vulva	56	1	—	1	4	—	4	2	6	6	7	4	7	9	5	—
	Breast	601	—	—	1	18	29	63	72	66	79	60	69	63	41	28	12
	Skin	70	1	—	—	2	3	—	1	4	2	6	13	17	7	7	7
43	Larynx	38	—	—	—	2	3	5	8	8	4	4	1	—	3	—	—
	Lung and pleura	39	—	—	6	3	3	1	6	8	3	4	2	2	—	—	1
	Pancreas	79	—	—	—	2	—	4	8	6	12	15	14	8	8	1	1
	Kidneys and suprarenal glands	39	8	1	—	2	3	2	3	3	5	5	3	3	1	—	—
44	Bladder	61	2	—	—	—	—	—	7	9	2	14	12	7	6	—	2
	Brain	37	2	2	4	8	5	3	4	7	—	1	—	1	—	—	—
	Bones (jaw excepted)	58	1	7	8	7	3	1	2	8	7	5	3	4	1	1	—
	Other specified organs	98	5	7	7	8	4	6	12	15	8	8	6	10	—	1	1
45	Abdominal cavity, organ un-	25	—	—	1	—	5	4	1	4	2	1	3	2	2	—	—
	specified.																
	Other and undefined	50	1	1	1	4	4	5	3	8	4	2	3	7	2	3	2

The proportion of deaths occurring in institutions differs greatly in the case of different organs. It is greatest—just over 50 per cent.—in the case of brain cancer, and lowest in the case of cancers of the breast and liver. These differences are no doubt to some extent dependent upon differences in ease of diagnosis, but there are also other factors concerned. Table LV shows that, however originating, they are fairly constant from year to year. It shows, moreover, that the different seats of disease vary not only in the frequency with which they lead to death in an institution for the sick, but in the relative frequency with which these institutions are resorted to by persons of the two sexes. Thus the proportion of females dying in institutions from

TABLE LV.—ENGLAND AND WALES, 1911-1913.—DEATHS IN INSTITUTIONS PER CENT.
of TOTAL DEATHS FROM CANCER OF VARIOUS SITES.

		1911.	1912.	1913.			1911.	1912.	1913.
TOTAL ...	{ M. 30 F. 20	30	30	29	Breast ...	{ M. 9 F. 15	9	10	18
Lip ...	{ M. 28 F. 22	28	29	32	Skin ...	{ M. 35 F. 20	35	35	34
Tongue ...	{ M. 42 F. 25	42	43	40	Larynx ...	{ M. 33 F. 18	33	37	39
Mouth ...	{ M. 40 F. 30	40	40	38	Lung and pleura ...	{ M. 33 F. 19	33	32	32
Jaw ...	{ M. 41 F. 33	41	36	37	Pancreas ...	{ M. 36 F. 29	36	40	42
Pharynx...	{ M. 36 F. 22	36	38	31	Kidneys and supra-renal glands.	{ M. 30 F. 22	30	35	33
Œsophagus ...	{ M. 37 F. 17	37	34	34	Bladder ...	{ M. 32 F. 23	32	29	30
Stomach ...	{ M. 25 F. 16	25	26	23	Prostate ...	24	24	28	29
Liver and gall bladder	{ M. 19 F. 14	19	17	16	Testes ...	18	18	35	27
Mesentery and perito-neum.	{ M. 28 F. 20	28	33	30	Brain ...	{ M. 57 F. 40	57	60	54
Intestines ...	{ M. 30 F. 22	30	31	31	Bones (jaw excepted)	{ M. 26 F. 26	26	31	31
Rectum ...	{ M. 25 F. 25	25	27	29	Ovary and fallopian tubes	32	32	30	32
					Uterus ...	24	24	22	24
					Vagina and vulva ...	21	21	20	22

TABLE LVI.—ENGLAND AND WALES, 1913.—MORTALITY PER MILLION LIVING AT
SEVERAL AGES FROM CANCER OF VARIOUS PARTS OF THE BODY.

Part of Body affected.	All Ages.	0—	25—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—
Tongue ... { M. 56 F. 4	56 4	— —	1 0	11 4	45 5	102 5	185 5	274 15	324 22	423 18	438 28	499 32	364 22	302 47
Œsophagus { M. 66 F. 21	66 21	— —	1 4	9 19	31 30	88 48	234 50	346 44	467 112	556 124	492 155	453 172	451 112	345 47
Stomach ... { M. 204 F. 173	204 173	0 1	22 11	57 66	151 102	285 203	494 350	777 601	1,341 955	1,699 1,252	2,173 1,595	2,020 1,771	1,649 1,495	1,292 1,233
Liver & gall bladder. { M. 94 F. 135	94 135	1 1	5 8	23 24	51 66	117 164	232 267	368 505	580 780	768 959	1,045 1,280	1,167 1,428	955 1,161	861 854
Intestines { M. 106 F. 128	106 128	1 1	11 13	37 38	61 63	150 148	200 238	393 384	603 634	888 935	1,194 1,314	1,344 1,455	1,441 1,507	775 1,139
Rectum .. { M. 98 F. 72	98 72	1 1	15 13	25 32	60 56	96 92	204 144	376 232	605 368	821 499	1,049 637	1,344 725	1,041 513	948 640
Uterus ... { M. — F. 213	— 213	— 1	— 35	— 165	— 339	— 540	— 728	— 873	— 966	— 988	— 918	— 945	— 714	— 640
Breast ... { M. 1 F. 202	1 202	— 0	— 25	2 128	— 303	1 423	8 588	6 747	4 811	11 983	4 1,165	15 1,417	— 1,774	— 2,253
Skin ... { M. 32 F. 16	32 16	0 1	4 2	9 3	24 8	37 11	45 25	79 32	160 52	182 75	372 192	630 236	833 435	1,507 569

cancer of the rectum is almost equal to that of males, and for brain cancer is not much less ; but in the case of the œsophagus the proportion of males is about twice that of females.

A few of the most important sites only have been selected for incorporation in Table LVI, which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LVII and LVIII, which compare the returns of deaths at various ages in private houses with those occurring in institutions. The age distributions shown in Table LVI are very similar to those tabulated in previous reports, the same characteristic differences between the ages at which the chief brunt of mortality falls upon those suffering from disease of the various organs reappearing year after year. Even so small a point as the later maximum of mortality from cancer of the œsophagus and stomach in the female sex is reproduced year after year. It is evident, therefore, that these peculiarities of age distribution are of significance, though their explanation may not always be apparent at present.

TABLE LVII.—ENGLAND AND WALES, 1913.—SITES OF FATAL CANCER: PERCENTAGE OF DEATHS at VARIOUS AGES to TOTAL DEATHS from CANCER at the same AGES.

	0—		25—		35—		45—		55—		65—		75—		85—		All Ages.	
	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.
MALES.																		
Tongue... ..	—	—	—	1·7	7·0	5·1	9·8	7·1	8·9	5·2	7·6	4·6	8·4	3·8	4·9	3·1	8·1	5·0
Œsophagus ...	—	—	0·8	0·4	5·5	3·3	10·6	7·9	10·1	7·9	7·8	6·2	3·3	4·8	—	4·9	8·2	6·4
Stomach ...	0·9	0·7	13·5	20·3	20·2	23·3	18·0	23·7	18·0	23·8	18·2	25·3	10·8	20·9	7·3	16·6	17·2	23·4
Liver and gall bladder.	—	5·2	1·5	5·2	5·0	9·9	6·3	11·4	6·2	11·6	5·3	12·8	5·1	12·3	7·3	10·4	5·6	11·7
Intestines ...	5·6	3·3	10·5	7·8	12·0	9·6	12·7	8·5	11·8	9·7	12·3	12·7	12·6	14·0	4·9	9·8	12·0	10·
Rectum... ..	2·8	2·0	13·5	11·2	9·1	9·0	8·0	8·5	10·5	10·1	11·5	11·3	14·7	12·1	4·9	12·3	10·2	10·4
Skin ...	—	0·7	3·8	3·4	2·5	4·0	2·5	2·2	2·8	2·3	5·0	2·6	10·5	6·2	26·8	14·7	3·9	3·1
Other organs ...	90·7	88·1	56·4	50·0	38·7	35·8	32·1	30·7	31·7	29·4	32·3	24·5	34·6	25·9	43·9	28·2	34·8	29·1
All sites ...	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0
FEMALES.																		
Œsophagus ...	—	—	2·7	2·6	2·9	2·7	2·0	2·1	1·5	1·6	2·2	1·8	1·2	1·7	—	0·6	1·9	1·8
Stomach ...	4·2	2·9	7·1	7·2	9·2	9·8	11·2	11·5	12·6	16·8	13·0	19·7	8·7	19·0	9·3	14·6	11·1	15·9
Liver and gall bladder.	—	8·6	5·4	4·6	3·5	5·6	4·4	10·2	7·7	14·5	9·7	15·5	7·5	15·1	2·3	10·7	6·4	12·9
Intestines ...	3·2	2·9	12·5	5·9	9·7	4·5	11·5	6·9	13·5	9·8	15·8	14·4	15·0	15·6	4·7	14·0	12·7	10·7
Rectum... ..	—	5·0	8·2	8·2	7·1	4·3	6·3	4·5	8·9	5·5	8·5	7·3	7·5	6·8	2·3	7·9	7·5	5·9
Uterus ...	2·1	2·1	23·4	22·3	29·6	28·4	27·8	26·0	25·4	17·9	17·3	12·0	14·3	8·4	18·6	5·8	23·3	17·3
Breast ...	1·1	—	9·8	20·7	15·9	27·5	13·6	23·2	12·6	17·2	14·5	14·1	21·5	15·4	27·9	25·3	14·2	18·3
Skin ...	1·1	5·0	1·1	1·0	0·5	0·7	0·5	0·8	0·7	0·9	3·3	1·4	4·4	3·0	16·3	5·2	1·7	1·4
Other organs ...	88·3	73·5	29·8	27·5	21·6	16·5	22·7	14·8	17·1	15·8	15·7	13·8	19·9	15·0	18·6	15·9	21·2	15·8
All sites ...	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0

The object of the separate tabulation of institutional deaths in Tables LIII, LIV, LVII and LVIII is to compare the experience of institutions, where presumably the details of the cause of death have as a rule been confirmed by *post mortem* examination, with the certification of other deaths from cancer in the case of which such facilities are, as a rule, lacking.

It cannot be assumed, however, that the institutional deaths are a fair sample of the whole. That they are subject to some selection by age is shown by the fact that the average age at death is lower in institutions than elsewhere. The proportion under the age of 65 amounts to 68·7 per cent. of deaths in institutions but only to 56·6 per cent. of other deaths (Tables LIII and LIV) ; and Table LVIII shows that in both sexes more deaths occur at 55–65 than at any other period in institutional practice, but that in private practice the period 65–75 furnishes the largest number of deaths. Moreover, it is very possible that there may be greater relative frequency of cancer of certain sites amongst that section of the population which chiefly furnishes the deaths reported from institutions. The tables, however, are of interest as showing, in institutional and private

practice respectively, the chance of a cancer at any given age in either sex affecting any particular organ (Table LVII) ; and the chance of a cancer of any organ occurring at any given age (Table LVIII). The principal features in these tables also recur with considerable regularity from year to year.

TABLE LVIII.—ENGLAND AND WALES, 1913.—SITES OF FATAL CANCER :
PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE
SAME SITE AT ALL AGES.

				0—	25—	35—	45—	55—	65—	75—	85—	All Ages.
				MALES.								
Tongue	{ Instn. Private	— —	— 0·7	7·8 5·5	25·1 23·8	36·2 30·9	23·4 28·6	7·0 9·7	0·5 0·8	100·0 100·0
Esophagus	{ Instn. Private	— —	0·2 0·1	5·9 2·7	26·9 20·5	40·6 36·2	23·7 29·9	2·7 9·6	— 1·0	100·0 100·0
Stomach	{ Instn. Private	0·1 0·0	2·1 1·7	10·5 5·4	21·7 16·9	34·6 30·1	26·3 33·4	4·3 11·5	0·4 1·0	100·0 100·0
Liver and gall bladder			{ Instn. Private	— 0·6	0·7 0·9	8·0 4·6	23·7 16·2	36·6 29·3	23·7 33·7	6·2 13·5	1·1 1·2	100·0 100·0
Intestines	{ Instn. Private	1·0 0·4	2·4 1·4	9·0 4·8	22·0 13·0	32·6 26·6	25·6 36·0	7·1 16·6	0·3 1·2	100·0 100·0
Rectum	{ Instn. Private	0·6 0·2	3·6 2·1	7·9 4·7	16·2 13·6	33·7 28·9	27·9 33·9	9·7 15·0	0·4 1·6	100·0 100·0
Skin	{ Instn. Private	— 0·3	2·6 2·1	5·7 6·9	13·4 11·7	23·2 21·8	31·4 25·6	18·0 25·2	5·7 6·4	100·0 100·0
Other organs	{ Instn. Private	5·7 3·9	4·4 3·3	9·9 6·6	19·1 17·6	30·1 29·8	23·1 26·0	6·7 11·5	1·0 1·3	100·0 100·0
All sites	{ Instn. Private	2·2 1·3	2·7 1·9	8·9 5·4	20·8 16·7	32·9 29·6	24·9 30·8	6·8 12·9	0·8 1·4	100·0 100·0
				FEMALES.								
Esophagus	{ Instn. Private	— —	6·1 2·5	20·7 13·5	24·4 22·1	19·5 23·3	24·4 26·3	4·9 11·7	— 0·6	100·0 100·0
Stomach	{ Instn. Private	0·8 0·1	2·8 0·8	11·2 5·6	23·9 13·9	29·6 28·4	25·0 34·1	5·9 15·4	0·8 1·7	100·0 100·0
Liver and gall bladder			{ Instn. Private	— 0·5	3·7 0·6	7·3 4·0	16·5 15·3	31·1 30·2	32·2 32·9	8·8 15·0	0·4 1·5	100·0 100·0
Intestines	{ Instn. Private	0·6 0·2	4·3 0·9	10·4 3·8	21·5 12·5	27·2 24·5	26·7 36·9	8·9 18·8	0·4 2·4	100·0 100·0
Rectum	{ Instn. Private	— 0·7	4·7 2·4	12·8 6·5	20·0 14·5	30·6 25·1	24·1 33·4	7·5 14·9	0·3 2·5	100·0 100·0
Uterus	{ Instn. Private	0·2 0·1	4·4 2·2	17·3 14·9	28·5 29·1	28·2 27·8	15·9 19·0	4·7 6·3	0·8 0·6	100·0 100·0
Breast	{ Instn. Private	0·2 —	3·0 1·9	15·3 13·7	23·0 24·5	23·0 25·2	22·0 21·2	11·5 10·9	2·0 2·6	100·0 100·0
Skin	{ Instn. Private	1·4 2·9	2·9 1·2	4·3 4·5	7·1 11·1	11·4 17·7	42·9 27·2	20·0 28·4	10·0 7·0	100·0 100·0
Other organs	{ Instn. Private	9·4 3·7	6·1 3·0	13·9 9·5	25·6 18·3	20·9 26·9	16·0 24·3	7·2 12·4	0·9 1·9	100·0 100·0
All sites	{ Instn. Private	2·2 0·8	4·3 1·7	13·6 9·1	23·9 19·3	26·0 26·9	21·4 27·5	7·6 12·9	1·0 1·8	100·0 100·0

TABLE LIX.—CANCER of CERTAIN SITES.—ENGLAND AND WALES.—NUMBERS of DEATHS of SINGLE and MARRIED WOMEN and MORTALITY PER MILLION LIVING at AGES 15 YEARS and UPWARDS, 1911-13.

		Total at Ages 15 Years and upwards.	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and upwards.
DEATHS.																	
Ovary	Unmarried	429	17	13	20	17	32	48	71	57	60	29	28	21	14	1	1
	Married and Widowed.	1,110	—	5	19	34	67	101	149	178	151	140	124	79	44	14	5
Uterus	Unmarried	1,072	6	11	16	38	43	109	125	151	169	129	104	74	56	33	8
	Married and Widowed.	10,655	—	2	56	228	608	1081	1476	1668	1539	1391	1144	774	453	171	64
Breast	Unmarried	2,147	2	4	8	40	112	189	275	287	282	251	229	213	133	73	49
	Married and Widowed.	8,868	—	—	20	137	409	773	1062	1116	1157	1061	957	943	657	366	210
DEATH-RATES PER MILLION LIVING.																	
Ovary	Unmarried	60*	3	3	9	14	37	76	142	150	218	137	174	178	211	31	63
	Married and Widowed.	31*	—	4	7	10	21	35	59	83	86	97	105	94	90	60	46
Uterus	Unmarried	169*	1	3	7	31	50	172	250	397	613	611	646	627	844	1020	504
	Married and Widowed.	293*	—	2	20	68	187	374	581	773	873	967	970	917	928	730	584
Breast	Unmarried	346*	0	1	4	32	129	299	550	755	1023	1189	1423	1806	2005	2256	3088
	Married and Widowed.	238*	—	—	7	41	126	268	418	517	657	737	812	1117	1346	1562	1916

* Standardized to a million of persons aged 15 years and upwards, 1901.

Table LIX has been prepared in order to investigate the influence of marital condition upon mortality from cancer of the female genital organs. This effect is seen to be very considerable. During the three years 1911-1913 (which have been considered jointly in order to secure a basis of facts less liable to chance fluctuations than the records of a single year), the mortality of single women from cancer of the ovary has been twice as great as that of the married, due allowance being made for the differing age-distributions of these two sections of the population. The mortality of the unmarried from cancer of the breast similarly exceeded that of the married by 45 per cent., but from cancer of the uterus the married suffered from a mortality 73 per cent. greater than the single. For the sake of convenience the term married is used as including the widowed and divorced.

These relationships differ very considerably from some of those deduced from their material by surgical writers dealing with the subject, but so far as can be ascertained no comparison has hitherto been published based upon records on the scale of those now under review or so standardized as to make accurate allowance in the comparison for the widely varying age-distributions of the single and the married. A recent American series of cases, stated by the authority dealing with it to amount to "a number much higher than any that served as the basis for the deductions of previous writers," numbers little over 5 per cent. of those now being considered. Moreover, it may be noted that previous comparisons of this kind have not taken into account the variations in age-distribution of the mortality from each of these forms of cancer, as is done in Table LIX. Unless this allowance is made, false conclusions may easily be arrived at. For instance the table shows that cancer of the ovary affects young women much more, in proportion to the total mortality it occasions, than does cancer of the breast. If the comparison of marital condition in the two cases were made without taking this fact into account, it would appear that, relatively to breast cancer, the excess of mortality in single women from ovarian disease was greater than it is, because a larger proportion of the deaths occur at those early ages at which single women are relatively numerous. The share of single women in mortality from ovarian cancer should be greater, other things being equal, than their share in that from mammary cancer, on account of this peculiarity of the age incidence of mortality in the two cases—a factor in the situation which must be allowed for in making a valid comparison.

Were it not for this consideration, a fairly satisfactory indication of the relative prevalence of each form of the disease amongst the single and the married would be afforded by a simple statement of the proportion of the total deaths contributed by each class from each form and from all forms of cancer. These proportions have been as follows during the three years dealt with:—

				Single.	Married and Widowed.
Ovary	27·9	72·1
Uterus	9·1	90·9
Breast	19·5	80·5
All sites	15·0	85·0

It is necessary to consider each of these proportions for the various organs in relation to that for cancer in general in order to obtain from the latter some measure of the proportion in which a disease with the age-incidence of cancer might be expected to take toll of these two sections of the population. For want of such a standard, erroneous conclusions appear in the past to have been founded upon data which, if somewhat scanty, were sound enough. Thus one English authority, dealing with cancer of the breast, finds that about 20 per cent. of his cases are single women—just the proportion in the above table. The conclusion drawn, however, from this correct observation, is that “the above facts show how erroneous is the common assertion that the unmarried women are more liable to carcinoma of the breast than the married”—a “common assertion” vindicated by Table LIX.

It will be seen that the results obtained by taking the proportions of single and married in the case of each organ, without distinction of age, are in general agreement with the relations between the standardized rates in Table LIX. The latter however must be preferred, not only as taking into consideration the particular age-incidence of each form of cancer, but as capable of comparison with similar rates for all other causes of death among males or females. With this in view the population chosen in standardization is that of persons, not women, in 1901, as by this means, given the necessary data (which are not as yet obtainable for males) reliable comparisons can be instituted between the sexes when the investigation is extended to other forms of cancer and other diseases altogether which affect both sexes (see page xx). The comparison of proportions married on the other hand is restricted to cancer, since in the case of other diseases the age-incidence differs so greatly that such a comparison would be totally worthless. Moreover, in Table LIX the comparisons by marital condition are independent of each other, whereas the comparisons by proportion married only acquire significance when related to the proportion for cancer as a whole. As cancer mortality in general will presumably be found, when investigated later, to bear more heavily on one or other section of the female community, the precise significance of the proportions ascertained in each case cannot be determined by comparison with this standard.

While most English figures published upon the subject appear to point to about 20 per cent. as the proportion of deaths from cancer of the breast occurring amongst the unmarried, and a recent American series of 600–700 cases yields a ratio of 17 per cent. as occurring amongst virgins, it is remarkable that several series of cases reported by German writers yield very much lower proportions—10–16 per cent. of all carcinomas in “sterile” women, 9·75 per cent. in women who have not borne children, 9·75 per cent. in the unmarried. If these three observations truthfully represent the facts of the case in Germany then it would seem that in that country cancer of the breast must really be more common in the married*. The low figures where sterile married women are included with the single are especially remarkable. It may well be that the preferable distinction to draw where possible is that between women who have and who have not borne children, on the grounds that only in the case of the former has the organ been put to its natural use. If it is objected, however, to the figures in Table LIX that the unmarried include a number of women who have borne children, it may be pointed out that the proportion of unmarried nursing mothers must be comparatively low, particularly in view of the movement of population to the towns and the decline in popularity of the wet nurse.

It should also be remembered that the figures in the table include sarcoma as well as other forms of cancer, whereas these are excluded from most other series. Their

* The deficiency in the German figures for single women cannot be accounted for by excess in the proportion of the married in their population, for it is on record that in Prussia in 1895–6 the deaths of single women from cancer in general amounted to 17 per cent. of the total female mortality, as against the 15 per cent. just quoted for England and Wales in 1911–13.

number however is small (see page 571) and they can easily be excluded when consideration of the subject is resumed at a later date.

It will be seen from the table that during the period of active sexual life there is practical equality of mortality from breast cancer amongst the single and the married, but that after 45 the excess amongst the single becomes very pronounced. This fact appears to be in direct conflict with the statement of one of the German authorities above referred to, that "only a small number of women with late carcinoma have not nursed."

The great excess of mortality from cancer of the uterus amongst the married shown in Table LIX is in accordance with the generally accepted views upon this subject. The American authority quoted above, it is true, considers that "child bearing has not the direct etiological bearing on the disease which is ascribed to it," but his figures would scarcely appear to support his conclusion, for he reports a proportion of virgins amongst women dying from cancer of the breast about three times as great as amongst those from uterine cancer.

It is regretted that it has not been possible in Table LIX to distinguish cancer of the body of the uterus, which is stated not to be more common in mothers than other women or even to be commoner in women who have not given birth, from cancer of the cervix, which is thought to result from injury in labour; but few of the certificates received record cancer of the body (page 567). Cancer of the cervix however is often mentioned, and it will therefore be possible on another occasion to institute comparison for cases returned as such.

It will be noticed that in the case of uterine disease the difference in mortality between married and single is much greater before than after 50, and practically disappears after 75. Thus the difference is greatest with uterine cancer where least with mammary, and *vice versa*, but in each case it is the mortality of the single which increases relatively to that of the married with the advance of age.

The exclusion or separate treatment of sarcoma would be especially desirable in the case of cancer of the ovary where sarcoma is relatively more frequent than in the uterus or breast (see page 567). Here the excess of mortality amongst the single is very great at all ages after 35, at which the number of deaths is sufficient to attach significance to the figures. The effect of marital condition upon mortality would seem to be at its maximum in the case of the ovary, but has not perhaps attracted so much attention as in the case of the uterus and breast—presumably on account of the lesser frequency of the condition.

The rates of increase in mortality from cancer of various organs differ greatly. In both sexes the most rapid rates of increase are furnished by cancer of the alimentary tract, especially the intestine and stomach. Disease of the female breast also claims a rapidly increasing number of victims, while mortality from uterine cancer is diminishing. It is possible that there may be some connexion between the latter two facts and the relation of mortality to marital condition brought out in Table LIX. It would appear from that table that child-bearing increases the risk of uterine and diminishes that of mammary cancer, and it is therefore only to be expected that the present decrease in fertility should be accompanied by an increase in mammary but not in uterine cancer. The mortality ascribed to cancer of the liver remains almost stationary, in spite of the general increase.

The scheme for tabulation of deaths by the full cause as certified, including secondary and complicating causes, has now progressed so far as to deal with cancer in this Report, and deaths from this cause are accordingly presented in the fullest detail of causation which has been found practicable, on pages 548–587. For the reason there stated, the deaths dealt with are those registered during 1912, not 1913; and considerations of space have forbidden the statement of the precise form of malignant growth returned in combination with detailed site of growth and of secondary growths, secondary causes of deaths, and the sex and age of the deceased person. On page 583, however, will be found a complete statement of the varieties of growth reported, with sex and age of their victims, but without information as to the sites affected. It will be seen from this table that in the great majority of cases the information on the certificate does not extend beyond the distinction of sarcoma from carcinoma, while in over 31 per cent. of the returns even this is still to seek. This distinction is drawn for each site in which malignant disease was recorded in the tables marked B, the first three lines of which indicate the numbers of deaths classified in each case as due to carcinoma, sarcoma and "cancer," respectively.

Attention may very briefly be drawn to a few points of interest emerging from the various tables which are not brought out by the routine tabulation as carried out in other years.

Cancer of the lower jaw is relatively very much less frequent in females than cancer of the upper jaw, 44 per cent. of the persons returned as dying from the latter affection being females as against only 16 per cent. from the former (page 553). This difference may be compared with the fact that the very marked preponderance of male mortality from cancer of all parts of the upper alimentary canal down to and including the œsophagus, as well as of the larynx, does not apply to the naso-pharynx (page 557).

Where the upper alimentary tract or the larynx is the seat of cancer there is, as might be expected, especial frequency of pneumonia and other respiratory complications.

Cancer of the large intestine is returned with considerably greater frequency for females than for males, whereas in the case of the small intestine and of the rectum, the relation of the sexes is reversed (page 563).

Secondary growths are mentioned with especial frequency on certified cases relating to breast cancer. Deaths so certified amount to over 33 per cent. in the case of the breast (page 571), whereas in the case of the other most important sites in the aggregate (excluding the liver, which is always, in the absence of a definite statement to the contrary, assumed to be secondary to any other site mentioned along with it), this proportion falls short of 10 per cent.

The breast affected is mentioned in but a small minority of certificates (page 571), but where the information is forthcoming there is practical equality in the frequency with which the two sides of the body are affected.

The deaths from rodent ulcer numbered 219 (page 574). Of the 130 cases in which the site of disease was recorded, all but 7 involved the head or neck (pages 572-574).

Cancer of the lung differs from that of practically all other organs (except lymphatic glands), in being returned more frequently in association with disease of some other organ, to which it is presumably secondary, than otherwise (pages 585 and 580); the liver, on the other hand, was returned without mention of a primary growth elsewhere on no less than 3,887 out of the 5,174 certificates on which any mention of it was made (pages 558 and 584).

The conditions returned as complicating deaths from cancer are summarised on pages 586 and 587. Of those which are not presumably in some if not all cases dependent upon the existence of the growth, the most important are tuberculosis, 78 cases; diabetes, 54 cases; cerebral hæmorrhage, 101 cases; valvular disease of the heart, 110 cases; other or unspecified forms of heart disease, 207 cases; Bright's disease, 195 cases; and child-birth, 16 cases.

46. Other Tumours (situation undefined).—This title includes only tumours not ascertained to be malignant, and (excepting only tumours of the pituitary body, for which there is no appropriate local heading) of which the situation either cannot be ascertained or is of an ill-defined nature. Other benign tumours, *i.e.*, those returned as affecting the various organs, are classified in the International List under the organ concerned; but in order to secure a comprehensive presentation of all deaths attributed to tumours, all those not returned as due to cancer are assembled in Table LX from the various headings to which that list of causes of death allocates them. It will be convenient, therefore, to deal here not only with tumours of undefined situation (46) but with all other tumours not returned as malignant.

The table includes 1,891 deaths, of which 988 were returned as due to tumours of non-malignant nature, and 903 as due to tumours the nature of which could not be ascertained. It will be seen that even if all the latter could be assumed to have been malignant the mortality from cancer would be increased by only a little over 2 per cent. Of these 903 cases of undetermined nature no less than 618 were cerebral tumours. Table LXXVII shows that it is only in a minority of cases certified simply as cerebral tumour that the nature of the growth can be stated. Replies were received to 654 inquiries as to such cases, but only 242 of these added to the information already given, transferring 29 deaths to tubercle, 47 to syphilis, and 70 to cancer. Where the facts can be ascertained, therefore, the deaths properly referable to cancer form only a minority of these cases.

The age-distribution of the deaths from tumour of unstated nature is sufficient in itself to show that a great many of them were non-malignant, for it does not at all resemble that of cancer mortality. A large proportion of the deaths, especially of those from cerebral tumour, occur before middle age, so it seems probable that these latter at least include a fair proportion of tuberculous cases, as more than half the deaths returned from tuberculous brain tumour occur at ages under 20 years (Annual Report for 1912, page 589). About half the deaths from cerebral syphilis are at ages under 45 (*Ib.*, page 603).

TABLE LX.—ENGLAND AND WALES, 1913.—TUMOURS NOT RETURNED AS MALIGNANT.

Part affected.		All Ages.		0—		15—		35—		45—		55—		65—		75—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Tumours classed with other disease of organs affected.</i>																	
74C. Brain	Cyst...	8	9	—	3	3	2	3	2	1	—	1	1	—	1	—	—
	Fibroma	3	4	—	—	—	1	—	1	2	2	1	—	—	—	—	—
	Glioma	75	81	10	17	20	15	16	13	14	17	11	14	4	4	—	1
	Other benign	6	7	—	2	2	2	1	1	1	1	1	—	1	1	—	—
	Nature unstated	303	315	47	43	72	70	53	58	62	60	45	49	21	30	3	5
	Total (74C)	395	416	57	65	97	90	73	75	80	80	59	64	26	36	3	6
129. Uterus	Fibroid	—	256	—	—	—	14	—	74	—	76	—	43	—	39	—	10
	Fibro-cystic	—	3	—	—	—	—	—	1	—	1	—	—	—	1	—	—
	Fibro-myoma	—	29	—	—	—	3	—	3	—	16	—	3	—	2	—	2
	Myoma	—	14	—	—	—	2	—	3	—	4	—	2	—	3	—	—
	Polypus	—	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—
	Other benign	—	4	—	—	—	—	—	—	—	2	—	1	—	—	—	1
	Nature unstated	—	7	—	—	—	2	—	—	—	2	—	1	—	2	—	—
	Total (129)...	—	316	—	—	—	21	—	82	—	103	—	50	—	47	—	13
131. Ovary	Cyst...	—	211	—	1	—	26	—	31	—	41	—	41	—	46	—	25
	Papilloma	—	6	—	—	—	—	—	1	—	3	—	1	—	1	—	—
	Other benign	—	9	—	—	—	—	—	1	—	—	—	1	—	4	—	3
	Nature unstated	—	44	—	—	—	2	—	2	—	11	—	16	—	9	—	4
	Total (131)...	—	270	—	1	—	28	—	35	—	55	—	59	—	60	—	32
In 63. Spinal cord	Cyst...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Glioma	2	2	—	1	—	1	1	—	—	—	1	—	—	—	—	—
	Nature unstated	9	5	—	—	2	1	1	2	2	—	1	1	1	1	2	—
„ 86. Nose	Polypus	5	1	1	1	—	—	—	—	2	—	1	—	1	—	—	—
	Nature unstated	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
„ 87. Larynx	Papilloma	5	3	3	1	—	—	—	—	—	1	1	1	—	—	1	—
	Other benign	2	3	—	—	1	—	—	—	—	1	1	—	—	1	—	1
	Nature unstated	2	2	—	—	—	1	—	—	—	1	1	—	—	—	1	1
„ 88. Thyroid	Adenoma	3	10	1	—	1	2	—	2	—	—	1	5	—	1	—	—
	Cyst...	1	3	—	—	—	—	1	—	—	—	—	—	—	2	—	1
	Non-malignant	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
„ 98. Lung	Non-malignant	1	3	—	—	—	1	—	—	—	—	—	2	1	—	—	—
	Nature unstated	4	5	—	—	—	—	—	—	1	1	2	3	1	1	—	—
„ 110. Intestine	Papilloma	1	4	—	1	—	—	—	—	—	—	1	2	—	1	—	—
	Other benign	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	Nature unstated	5	15	—	—	—	2	—	1	—	1	1	2	3	2	1	7
„ 115. Liver	Non-malignant	—	3	—	—	—	1	—	—	—	—	—	1	—	1	—	—
	Nature unstated	4	6	—	—	—	2	—	—	1	—	—	1	2	1	1	2
„ 118. Pancreas	Cyst...	6	4	1	—	—	1	—	—	1	2	1	—	2	—	1	1
	Non-malignant	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Nature unstated	8	2	—	—	—	—	—	3	—	—	2	—	2	1	1	1
„ 122. Kidney	Cyst...	1	4	—	—	—	—	1	—	—	1	—	—	—	2	—	—
	Nature unstated	4	3	2	—	—	—	—	—	—	2	2	—	—	—	—	1
„ 124. Bladder	Papilloma or villous	60	10	1	1	—	—	1	—	9	—	15	3	20	1	14	5
	Other benign	3	1	1	—	—	—	—	—	—	—	—	—	2	1	—	—
	Nature unstated	8	—	—	—	—	—	—	—	—	—	4	—	2	—	2	—
„ 126. Prostate	Adenoma	59	—	—	—	—	—	—	—	—	—	11	—	34	—	14	—
	Non-malignant	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Nature unstated	4	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—
„ 132. Broad ligament	Cyst	—	6	—	—	—	—	—	2	—	1	—	—	—	2	—	1
	Nature unstated	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Other sites	Non-malignant	12	17	4	3	3	2	—	2	1	1	1	3	3	3	—	3
	Nature unstated	16	13	3	1	—	1	5	3	2	3	5	1	1	2	—	2
	Total	227	131	17	10	7	15	10	13	22	15	56	25	77	24	38	29
<i>Tumours not classed with other disease of organ or part of body affectedd.</i>																	
46. Pituitary body	Adenoma	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—
	Nature unstated	1	4	—	1	1	—	—	3	—	—	—	—	—	—	—	—
Mediastinum	Non-malignant	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated	31	30	1	—	3	1	7	1	5	11	5	9	9	7	1	1
Abdomen	Non-malignant	—	4	—	—	—	—	—	—	—	1	—	—	—	2	—	1
	Nature unstated	5	20	—	2	1	—	—	—	—	4	1	2	2	8	1	4
Other ill-defined sites	Non-malignant	4	2	—	—	—	2	—	—	1	—	2	—	1	—	—	—
	Nature unstated	6	14	—	1	—	1	—	1	3	1	1	1	2	3	—	6
Site not stated	Angioma	1	2	—	1	—	—	—	—	—	—	—	—	1	1	—	—
	Lipoma	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—
	Nature unstated	3	3	—	—	—	—	—	1	1	2	1	—	1	—	—	—
	Total (46)	53	83	1	5	6	5	7	6	10	21	10	13	17	21	2	12
Total, all tumours		675	1216	75	81	110	159	90	211	112	274	125	211	120	188	43	92
„ benign tumours		262	726	22	32	31	76	24	139	32	176	52	125	71	121	30	57
„ nature unstated		413	490	53	49	79	83	66	72	80	98	73	86	49	67	13	35

While the mortality from tumours of doubtful nature does not differ greatly in the two sexes, growths of known non-malignant nature caused the deaths of nearly three times as many females as males. This is due to the comparatively large number of deaths from uterine and ovarian tumour in Table LX. Apart from these two organs the male mortality considerably exceeds the female, as a result of the comparative frequency among males of fatal non-malignant tumours of the bladder and prostate.

48B. Osteo-arthritis.—To this disease, or group of diseases, were attributed in 1913 the deaths of 312 males and of 890 females, corresponding to death-rates of 17 and 47 per million living respectively. Table 20 shows that since this cause of death was first distinguished in the returns for 1901 the death-rate of males has remained almost constant, while that of females shows considerable increase.

The mortality chiefly affects the aged, and its age-distribution is very similar in the two sexes, the incidence in each sex in the three years 1911–13 jointly being as follows :—

TABLE LXI.

		Sex.	All Ages.	0–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–
Proportion of deaths occurring at each age (per cent.)	{	Males	100	1.2	1.2	1.8	2.0	4.0	7.9	10.6	15.2	18.3	16.8	14.2	5.4	1.4
		Females	100	1.1	1.2	1.1	2.5	3.5	8.0	10.1	14.1	16.7	18.2	14.1	6.7	2.7
Proportion of deaths at and under each age	{	Males	100	1.2	2.4	4.2	6.2	10.2	18.1	28.7	43.9	62.2	79.0	93.2	98.6	100
		Females	100	1.1	2.3	3.4	5.9	9.4	17.4	27.5	41.6	58.3	76.5	90.6	97.3	100

It is thus apparent that only about 10 per cent. of the deaths occur under 50 years of age in either sex, and only 60 per cent. under 70 years of age.

The following statement shows that the mortality is approximately equal in town and country, and that the conditions of life implied by such residence have equally little effect upon its sex distribution.

Death-rate per million living—1911–13.

	Males.	Females.
London	18	47
County Boroughs	17	39
Other Urban Districts	17	43
Rural Districts	21	53
England and Wales	18	44

The rates in the county boroughs are no lower, and those in the rural districts no higher, than may easily be accounted for by the relative deficiency and excess of aged persons in these areas.

The seasonal distribution of the mortality resembles that of mortality in general, the rate being heaviest in the first and lightest in the third quarter of the year.

50. Diabetes.—The deaths allocated to this cause in 1913 number 4,311, almost equally divided between the sexes. The corresponding mortality, 117 per million living, is the highest as yet recorded in this country. It is steadily increasing, and is now more than double that of thirty years ago.

In view of this rapid increase in its mortality it is natural to regard the disease as one especially associated with the conditions of modern life, and it is indeed suggested that “modern city life is in itself a cause of diabetes.” Table LXII has been prepared

TABLE LXII.—DIABETES—DEATH-RATES per MILLION POPULATION, 1911–13.

		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males ...	Crude rates ...	115.4	108.7	110.2	119.0	120.8	113.9
	Standardized rates ...	113.3	109.3	116.9	120.8	105.4	117.6
Females	Crude rates ...	107.5	95.3	99.6	110.9	121.8	103.9
	Standardized rates ...	96.7	86.0	95.4	101.0	100.4	96.2
Persons	Crude rates ...	111.3	101.6	104.7	114.8	121.3	108.7
	Standardized rates ...	103.9	96.6	104.9	110.1	102.6	106.2

in order to test the truth of this suggestion, and would almost seem to dispose of it, so far at least as this country is concerned. This table is in some respects better fitted to determine such a point than some of the statistics which have before been employed in its investigation. It is based upon the adequate number of 12,215 deaths during the three years 1911-13 ; it assigns to their place of residence the deaths of persons dying in institutions and elsewhere away from home, which might otherwise lead to an apparent excess of city mortality ; and the death-rates included are standardized to compensate for differences in sex- and age-distribution between the populations compared. It is especially necessary to take the latter point into account in the case of a disease the stress of mortality from which falls upon one particular period of life. Thus the death-rate from diabetes, a disease fatal chiefly to elderly people (see Table LXIII), on that account alone appears to be particularly high in the rural districts, where elderly people are relatively numerous, and low in the county boroughs, where they are few.

When these factors are allowed for it is seen from Table LXII that there is no special association of diabetes with city life in this country. The standardized rates for London are the lowest in the table, and those for the county boroughs are below those of the smaller towns, which are the highest of all in both sexes.

The slight preponderance of male mortality is increased by standardization because of the larger proportion of elderly persons in the female population. Even after standardization, however, the difference remains far below the 50 per cent. male excess quoted in the text-books, and Table 20 shows that this excess has not been approached by the national records during the past 15 years, though the difference between the sexes was formerly much greater than it is now.

The male excess, however, shows itself with few exceptions (chiefly at 5-15, when mortality in general is relatively high in the female sex) at all periods of life in all classes of area (Table LXIII), and must therefore be regarded as a very definite feature. It is most marked in London and least in the rural districts (Table LXII).

TABLE LXIII.—DIABETES.—MORTALITY at DIFFERENT AGES, 1911-13.

Age.	Mortality at Age-groups per Million Living.											
	Males.						Females.					
	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	Total Urban Districts.
0—	7	4	6	7	11	6	5	—	6	5	9	5
5—	13	15	9	14	16	12	13	9	8	13	21	10
10—	20	12	18	26	19	21	26	25	23	21	40	22
15—	39	29	31	43	48	36	28	16	30	24	42	25
20—	43	33	39	40	60	39	32	15	28	31	54	27
25—	55	53	46	57	67	52	45	40	46	40	57	42
30—	63	58	64	61	69	62	56	41	48	54	82	50
35—	77	55	84	72	88	74	61	73	48	62	71	58
40—	85	79	85	80	96	82	72	67	72	70	77	70
45—	127	165	119	132	109	133	112	98	128	117	91	118
50—	190	227	194	193	164	199	192	202	191	198	178	196
55—	358	316	377	393	309	374	300	266	318	318	270	310
60—	574	590	558	650	487	605	518	526	532	559	438	543
65—	816	790	987	885	586	909	654	470	663	722	642	658
70—	949	821	986	1,060	847	995	790	732	741	828	822	779
75—	962	1,009	1,121	1,021	791	1,054	770	682	711	974	620	831
80—	759	947	800	815	636	831	623	788	626	633	541	658
85—	521	446	919	638	257	695	335	363	405	406	201	397

The significance of the approximate equality between the urban and rural rates recorded in Table LXII is increased by the facts as to age-distribution of the mortality embodied in Tables LXIII and LXIV. The former shows that with only a single exception for each sex the rural mortality exceeded the urban at all ages up to 45 and the urban the rural at higher ages. As the age-groups differ greatly in importance as contributors to the total mortality the differences between them may also be conveniently studied in the form of Table LXIV. This table, which allows for the differences in sex- and age-distribution of the populations compared, shows that the proportion of deaths at every age under 45 is higher in the rural districts than in any other class of area, the

proportions above that age being correspondingly low. The deaths occurring under 45 amount to 36·4 per cent. of the whole in the rural districts, but elsewhere this proportion varies from 24·9 to 25·7 per cent.

TABLE LXIV.—DIABETES, 1911-13.—AGE INCIDENCE of MORTALITY (Standardized for differences of sex- and age-constitution between the several populations).

Age-group.	Percentage of Deaths in Age-group to Total Deaths.					Age.	Deaths up to specified Age per cent. of Total Deaths.				
	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.
0— ...	0·7	0·2	0·6	0·6	1·1	0	—	—	—	—	—
5— ...	1·3	1·3	0·9	1·3	1·9	5	0·7	0·2	0·6	0·6	1·1
10— ...	2·2	2·0	2·0	2·2	3·0	10	2·0	1·5	1·5	1·9	3·0
15— ...	3·2	2·3	2·9	3·0	4·4	15	4·2	3·5	3·5	4·1	6·0
20— ...	3·4	2·4	3·1	3·1	5·3	20	7·4	5·8	6·4	7·1	10·4
25— ...	4·1	4·1	3·8	3·7	5·2	25	10·8	8·2	9·5	10·2	15·7
30— ...	4·2	3·8	4·0	3·9	5·6	30	14·9	12·3	13·3	13·9	20·9
35— ...	4·3	4·4	4·1	4·0	5·1	35	19·1	16·1	17·3	17·8	26·5
40— ...	4·2	4·4	4·2	3·9	4·8	40	23·4	20·5	21·4	21·8	31·6
45— ...	5·6	6·5	5·7	5·4	4·7	45	27·6	24·9	25·6	25·7	36·4
50— ...	7·5	9·0	7·5	7·3	6·8	50	33·2	31·4	31·3	31·1	41·1
55— ...	10·2	9·6	10·7	10·4	9·1	55	40·7	40·4	38·8	38·4	47·9
60— ...	14·4	15·9	14·1	15·0	12·2	60	50·9	50·0	49·5	48·8	57·0
65— ...	13·6	12·3	14·9	14·0	11·6	65	65·3	65·9	63·6	63·8	69·2
70— ...	11·4	10·9	11·0	11·6	11·1	70	78·9	78·2	78·5	77·8	80·8
75— ...	6·6	6·9	6·9	7·4	5·6	75	90·3	89·1	89·5	89·4	91·9
80— ...	2·6	3·5	2·7	2·5	2·2	80	96·9	96·0	96·4	96·8	97·5
85 and upwards.	0·5	0·5	0·9	0·7	0·3	85	99·5	99·5	99·1	99·3	99·7
All ages	100·0	100·0	100·0	100·0	100·0	All ages	100·0	100·0	100·0	100·0	100·0

A fictitious excess in diabetes mortality in early life in the rural as compared with the urban districts could only be due to (1) deaths wrongly certified as due to diabetes in the rural districts, or (2) deaths from diabetes in the urban districts (a) not certified as such, or (b) if certified not so tabulated.

As to (1) the disease being one capable of positive demonstration to a degree equalled by few others it is most unlikely that the excess is due to mistaken diagnosis.

Against possibility 2 (a) it may be urged that the malady at this period of life is so fatal and so rapid in its course that its mention is unlikely to be omitted in the death certificate of any person in whom it has been recognised. And that it escapes recognition in a larger proportion of cases in the cities than in the rural districts is unlikely, both on general grounds and in view of the large proportion of institutional deaths in London and other large cities. About one-third of all diabetes deaths in London are returned from institutions for the sick, as against about one-eighth in the rest of the country.

Possibility 2 (b) would arise if diabetes were frequently returned on the certificates of city deaths concomitantly with some other cause, and if this other cause of death were preferred in tabulation. This is most unlikely to be the explanation of a rural excess in mortality limited to those earlier ages at which the course of the disease is most rapid, and at which therefore there is least likelihood of the simultaneous existence of another fatal disease. Fortunately, however, the matter can be put to an actual test in the light of recorded facts.

Diabetes is selected in tabulation in preference to most other causes of death which may appear on the same certificate, cancer, tubercle, the infectious diseases and a few other less important causes being alone preferred to it (see Registrar-General's Manual of the International List, page xxxiv). If their presence as a complication of diabetes were more frequently stated in the cities than in the rural districts this would tend to relative depression of the recorded diabetes mortality in the former. The deaths certified as due to the joint effect of tubercle and diabetes (and allocated to tubercle) were tabulated for 1912, and amounted to 198 only, as against the 4,051 allocated to diabetes. The corresponding figure for cancer (1912) is 54, and for infectious diseases, chiefly influenza (1911), it is 17. All these moreover are causes of death almost certain to be

certified when met with, whether in town or country, so possibility 2 (b) is abundantly negatived.

It seems most difficult to avoid the conclusion that there is a real excess in the rural districts of mortality from diabetes at the earlier ages, with approximate equality when all ages are considered jointly; and that the conditions of city life in London, at least, do not at all increase the liability to diabetes.

56. Alcoholism.—This heading differs from the “alcoholism, delirium tremens,” of the list in use prior to 1911 in that, in accordance with international practice, it excludes organic disease attributed to alcoholism. Thus alcoholic cirrhosis of the liver, formerly referred to alcoholism, is now tabulated with other deaths from the same disease which are not stated to have been of alcoholic origin. As may be seen from page 200 the latter form the immense majority of the returns under this head. As most cases of the disease are generally considered to be of alcoholic origin it may be assumed that the omission to state the fact in certification should not be taken as an indication that any given case is considered not to be of this nature. It is therefore preferable that alcoholic cirrhosis should be grouped with other deaths from that disease, the returns of which are probably made fairly complete by its inclusion, rather than with those from alcoholism, the returns of which cannot possibly be made even approximately complete. The effect of the change may be gathered from comparison of the number of deaths (651) from alcoholism in the new list on page 188 with that (1,893) referred to the same heading in the old list in Table 19.

TABLE LXV.—ENGLAND AND WALES, 1913.—DEATHS FROM OR CONNECTED WITH ALCOHOLISM.

		All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Deaths attributed directly to alcoholism ...		406	245	6	1	55	12	121	72	130	78	60	50	27	28	7	4
Deaths of which alcoholism was recorded as a secondary cause :																	
10. Influenza	5	2	—	—	1	—	2	—	1	1	—	—	1	1	—	—
18. Erysipelas	3	1	—	—	1	—	—	2	—	1	—	1	—	—	—	—
20B. Septicæmia	2	1	—	—	—	—	1	—	—	1	—	1	—	—	—	—
28, 29. Phthisis	25	7	—	—	2	—	8	4	9	3	4	—	2	—	—	—
30-35. Other forms of tubercle	3	3	—	—	—	—	1	1	2	1	—	—	1	—	—	—
37. Syphilis	4	2	—	—	—	—	2	2	1	—	—	—	1	—	—	—
39-45. Cancer	5	4	—	—	1	—	—	—	2	2	1	2	—	—	1	—
Other general diseases	8	6	1	—	1	—	2	2	2	—	2	2	—	1	—	1
60. Encephalitis	—	5	—	—	—	—	3	—	1	—	—	—	—	1	—	—
61c. Meningitis	9	3	—	—	2	—	1	5	2	2	—	—	—	—	—	—
63. Other diseases of the spinal cord	—	5	—	—	—	—	2	—	2	—	—	1	—	—	—	—
64. Cerebral hæmorrhage, apoplexy	37	47	—	1	2	2	8	12	10	17	13	11	4	3	—	1
67 { General paralysis of the insane	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Alcoholic paralysis	7	9	—	—	1	—	2	2	—	5	2	1	2	1	—	—
69. Epilepsy	11	7	—	—	2	—	3	4	3	3	3	—	—	—	—	—
73B. Neuritis	30	85	—	—	2	7	11	24	9	34	5	12	2	8	1	—
Other nervous diseases	9	13	—	—	—	—	3	4	4	4	1	4	1	1	—	—
79A. Valvular disease of the heart	15	12	1	—	3	—	3	4	3	3	3	4	2	—	—	1
79B. Fatty degeneration of the heart	44	26	—	—	2	2	15	5	13	9	10	7	3	3	1	—
79C. Other organic disease of the heart	69	37	—	—	6	4	13	9	27	14	16	8	7	2	—	—
81B. Arterial sclerosis	7	4	—	—	—	—	—	1	2	—	4	2	1	1	—	—
Other diseases of circulatory system	13	4	—	—	—	—	3	1	6	2	3	1	1	—	—	—
89, 90. Bronchitis	25	17	—	—	1	1	3	3	11	7	8	2	2	3	—	1
91. Broncho-pneumonia	6	7	—	—	2	1	2	2	1	3	1	—	—	1	—	—
92A. Lobar pneumonia	114	30	3	1	19	2	40	12	32	11	15	3	5	1	—	—
Other diseases of respiratory system	16	5	—	—	1	1	3	2	8	—	4	1	—	1	—	—
103A. Inflammation of stomach	18	17	—	1	3	2	8	5	1	5	5	4	1	—	—	—
103B. Other diseases of stomach	6	4	—	—	—	—	—	—	5	4	1	—	—	—	—	—
104, 105. Diarrhoea and enteritis	6	4	—	—	—	—	—	1	3	2	—	1	3	—	—	—
113. Cirrhosis of liver	176	146	—	—	9	9	41	38	55	47	48	30	19	19	4	3
Other diseases of digestive system	11	5	—	—	3	1	1	—	4	2	2	1	1	1	—	—
120. Bright's disease	30	43	—	—	2	3	6	12	12	17	7	6	3	5	—	—
124, 125. Diseases of bladder and urethra	6	2	—	—	—	—	1	2	1	—	4	—	—	—	—	—
128-132. Diseases of female genital organs	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—
134A. Abortion	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
144A. Phlegmon	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
145. Diseases of integumentary system	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—
146-149. Diseases of the bones and of the organs of locomotion.	...	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—
155-186. Violence	159	51	7	—	23	4	44	8	50	17	20	18	9	3	6	1
Total	1288	865	18	4	143	52	347	239	416	300	247	173	97	85	20	12

Table 20 shows that there has been a very rapid decline in the mortality attributed to this cause in recent years, the death-rate, which reached 113 per million living so recently as 1900, now standing at 51 only. This rate, however, is higher than that of any year since 1908, the prosperity which has been enjoyed having apparently checked to some extent the remarkable fall in mortality attributed to alcohol.

In order that the change in classification referred to above might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the death certificates in which any mention of alcohol appears have been assembled in Table LXV.

It will be seen that these deaths make up a total of 2,153, or only 260 in excess of the 1,893 referable to the old heading.

The difference is partly accounted for by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it. As it is comparatively small, the numbers in Table 19 may be regarded as forming a fairly complete statement of the deaths certified to have been in any way dependent upon intemperance.

The contents of Table LXV are on the whole very much what might have been expected from the general medical experience of the connexion of intemperance with disease, cirrhosis of the liver, lobar pneumonia and neuritis being the diseases most frequently associated with alcoholism on death certificates.

61. Meningitis.—The number of deaths allocated to this cause during 1913 was 4,251, of which 163 were returned as due to cerebro-spinal fever, 169 to posterior basal meningitis, and the remainder, 3,919, to "meningitis" without further qualification, the corresponding death-rates being 4, 5 and 106 per million living respectively. The corresponding heading in the list of causes of death in use prior to 1911 included encephalitis, No. 60 of the present list, but excluded cerebro-spinal fever. On this basis the meningitis death-rate of 1913 was 119 per million living (Table 20). This rate shows a great diminution from those of even a few years ago, a lower mortality having been only once recorded, in 1912 (113 per million).

The heading cannot be traced, with the significance attaching to it in Table 20, further back than 1882, and it is probable that it would in any case be unsafe to push the comparison much further. From 1882 to 1890 the recorded crude death-rate never fell below 300 per million; in 1902 it for the first time fell below 200, and by 1912 it had further fallen to 113. Simultaneously with this fall a similar decrease was occurring in mortality attributed to tuberculous meningitis.

On the other hand the mortality ascribed to cerebro-spinal fever has increased of recent years. Comparison in this case cannot be carried beyond the year 1901, when inquiry was first made as to cases of cerebro-spinal meningitis. Transfer of a large proportion of these deaths to cerebro-spinal fever as the result of these inquiries (see Table LXXVII) greatly increased the number of deaths so classed from that date onwards. Even so the number in any one year did not exceed 100 till 1905, and has never been below 100 since 1906, the figure for 1913 being the highest recorded (Table 19). If the deaths from posterior basal meningitis (61B) are reckoned along with those from cerebro-spinal fever (61A), the former disease being regarded as the sporadic type of the latter, the total mortality ascribed to meningococcal infection is raised to 9 per million, but it is to be borne in mind that prior to 1911 these deaths were classed to meningitis, not to cerebro-spinal fever, and that the words posterior basal or basic are sometimes used merely to signify the location of the disease indicated, without any implication that it is of meningococcal origin. The distinction attempted in the tables between the various forms of meningitis is not, in fact, altogether satisfactory in practice, and it may be that it would be wiser not for the present to attempt further subdivision than the distinction of deaths returned as due to the meningococcus.

Moreover it is probable that the majority of deaths due to meningococcal meningitis are returned simply as meningitis, and so allocated to 61C.

It will be seen, however, that the age incidence of the mortality from 61B differs appreciably from that allocated to 61A (the epidemic form), so it seems probable that the figures represent a distinction in type of infection, whether or not this distinction is exactly that drawn by the authors of monographs on the subject. The marked seasonal variation which is stated to characterise the sporadic type (greater frequency of the disease in the first half of the year) is not very evident in the figures relating to 61B. For the

three years 1911-13 the deaths and the proportion of mortality in each quarter of the year have been as follows :—

—	—	March.	June.	September.	December.	Year.
Number of Deaths ... {	61 A	96	118	109	116	439
	61 B	170	170	164	133	637
Proportion of Deaths {	61 A	21·9	26·9	24·8	26·4	100·0
	61 B	26·7	26·7	25·7	20·9	100·0

The distribution between town and country of the mortality ascribed to meningitis is stated in Table LXVI. It will be seen that, taking it in the mass, it is highest in the county boroughs and lowest in London and in the rural districts, the difference between London and the other large towns being remarkable. The mortality over five years of age is considerably lower in London than even in the rural districts. On the other hand, the mortality ascribed to both types of meningococcal meningitis is much higher in London than elsewhere (except in females aged five and upwards). This probably implies merely that the nature of the infection is returned in a larger proportion of the London cases, where the proportion dying in institutions for the sick is very much higher than elsewhere.

TABLE LXVI.—MENINGITIS.—MORTALITY per MILLION LIVING at DIFFERENT AGES, 1911-1913.

—	Age.	Males.					Females.				
		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.
61A. Cerebro-spinal fever.	All ages	4·5	7·1	4·2	3·5	5·2	3·5	4·2	3·7	3·2	3·2
	0—	14·9	29·9	14·5	8·7	17·5	12·8	24·3	16·2	11·2	4·0
	5—	8·0	10·5	6·2	7·5	10·1	6·1	4·8	5·0	6·0	8·7
	15—	1·8	2·5	1·9	1·4	1·8	1·4	1·3	1·5	1·3	1·5
61B. Posterior basal meningitis.	All ages	6·6	11·3	7·7	5·6	4·3	5·0	8·9	5·0	4·5	3·6
	0—	48·4	88·2	57·0	40·1	27·1	38·7	81·6	36·3	35·1	24·2
	5—	3·5	4·8	3·3	2·9	4·1	2·6	1·6	2·6	2·6	2·9
	15—	0·8	0·9	0·8	0·7	0·9	0·8	1·0	1·0	0·5	0·7
61C. Meningitis—other forms.	All ages	124	88	157	127	93	102	69	132	102	77
	0—	703	519	891	714	512	598	457	792	595	396
	5—	96	62	114	104	75	94	59	116	95	78
	15—	38	27	47	38	33	31	19	38	31	29
61A, B, C. Meningitis.	All ages	135	107	169	136	102	110	82	141	110	84
	0—	766	637	962	763	557	650	563	845	642	424
	5—	107	77	124	114	90	102	65	124	104	90
	15—	41	31	50	40	36	34	21	41	33	31

Table LXVII shows the age incidence of mortality from the three subdivisions of meningitis tabulated. The posterior basic type is more confined to young children than the others, almost half the deaths occurring during the first year of life and three-quarters under three years. About seven per cent. of the deaths occurred over the age of 20 years. The incidence as described by clinicians is, however, even more confined to young children.

On the other hand the epidemic form of the meningococcic infection has a definitely later age-distribution, only 14 per cent. of the deaths occurring in the first year, and about 17 per cent. during adult life. This is in harmony with experience previously recorded, outbreaks amongst soldiers for instance having repeatedly occurred.

TABLE LXVII.—ENGLAND AND WALES, 1911-13.—AGE INCIDENCE OF MORTALITY from MENINGITIS.

Age.	Percentage of Deaths											
	In each Age-group.						Up to and including each Age-group.					
	61A.		61B.		61C.		61A.		61B.		61C.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
0—	14.2	14.2	47.4	49.0	29.5	25.9	14.2	14.2	47.4	49.0	29.5	25.9
1—	8.8	7.7	23.0	17.5	16.5	16.0	23.0	21.9	70.4	66.5	46.0	41.9
2—	3.7	7.1	5.4	8.4	7.7	8.9	26.7	29.0	75.8	74.9	53.7	50.8
3—	6.2	4.5	2.8	2.5	5.6	5.4	32.9	33.5	78.6	77.4	59.3	56.2
4—	3.7	4.5	2.3	1.8	3.6	4.2	36.6	38.0	80.9	79.2	62.9	60.4
0—	36.6	38.0	80.9	79.2	62.9	60.4	36.6	38.0	80.9	79.2	62.9	60.4
5—	22.8	19.7	7.0	7.3	10.8	11.7	59.4	57.7	87.9	86.5	73.7	72.1
10—	13.7	14.1	3.7	2.5	5.1	6.1	73.1	71.8	91.6	89.0	78.8	78.2
15—	10.4	10.6	1.4	3.1	3.8	3.8	83.5	82.4	93.0	92.1	82.6	82.0
20—	5.8	5.1	1.7	1.4	2.4	2.7	89.3	87.5	94.7	93.5	85.0	84.7
25—	4.1	4.0	.6	.7	1.9	2.1	93.4	91.5	95.3	94.2	86.9	86.8
30—	2.9	2.0	1.1	.7	1.8	2.1	96.3	93.5	96.4	94.9	88.7	88.9
35—	1.7	2.0	.9	.7	1.8	1.7	98.0	95.5	97.3	95.6	90.5	90.6
40—	.8	1.0	.6	1.1	1.6	2.1	98.8	96.5	97.9	96.7	92.1	92.7
45—	.4	1.5	.6	1.8	1.7	1.7	99.2	98.0	98.5	98.5	93.8	94.4
50—	.4	1.0	.6	—	1.7	1.1	99.6	99.0	99.1	98.5	95.5	95.5
55—	.4	1.0	.6	.4	1.4	1.3	100.0	100.0	99.7	98.9	96.9	96.8
60—	—	—	—	.7	.9	1.1	—	—	99.7	99.6	97.8	97.9
65—	—	—	—	.4	.9	.8	—	—	99.7	100.0	98.7	98.7
70—	—	—	.3	—	1.3	1.3	—	—	100.0	—	100.0	100.0
All ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Poliomyelitis.—Deaths from poliomyelitis and polioencephalitis are included under title 63, “other diseases of the spinal cord,” unless it is apparent that the brain alone is affected, when they are listed to No. 74D. So much interest, however, attaches to this disease at the present time that it seems desirable to state its mortality separately.

Including the encephalic form the total number of deaths registered was 206, with sex- and age-distribution as follows:—

—		All Ages.	0—	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males	105	11	16	10	5	9	23	8	8	2	5	3	3	1	1
Females	...	101	10	10	15	3	9	23	14	3	4	3	3	1	2	1

The proportion of deaths occurring under five years of age was 48 per cent., and under 20 years 86 per cent.

Included in the above deaths are 13 from polioencephalitis and two from polioencephalomyelitis, with sex- and age-distribution as follows:—

—		All Ages.	0—	5—	10—
Polioencephalitis	...	{ Males 6	1	2	3
	...	{ Females 7	1	3	3
Polioencephalomyelitis	...	Females 2	1	—	1

91 and 92. Pneumonia.—The deaths assigned to pneumonia in its various forms numbered 37,530,—21,505 being deaths of males and 16,025 of females. Included in this total are 17,760 deaths from broncho-pneumonia, 8,055 from lobar pneumonia, and 11,715 from pneumonia of undefined type. These numbers show an increase upon those of 1912 under each of the defined headings, together with a decrease under the undefined heading. Table 19 shows that from 1901, when the different forms were first distinguished, onwards, deaths returned as due to lobar pneumonia have been increasing,

with decrease under pneumonia (undefined), and minor changes only in mortality attributed to broncho-pneumonia.

The death-rate from pneumonia of all forms (as primary cause of death) amounted to 1,016 per million living. Including 243 deaths from hypostatic pneumonia, formerly classed to this head, the death-rate was 1,023 per million, the lowest recorded since 1889.

As standardizing for sex- and age-constitution causes no very material modification of this rate the following table of crude death-rates may be accepted as giving a fair indication of the distribution throughout the country of the total mortality from pneumonia. Apart from London, where it is fairly high, the mortality steadily decreases from North to South in all classes of area and in both sexes, the position of Wales being generally intermediate between the North and the Midlands. The range of mortality is extreme, being almost four times as great for males in the county boroughs of the North as for females in the rural districts of the South, and three times as great when males alone are compared. Even when comparison is restricted to the same class of area in each case the mortality of the North is in no instance very much less than twice that of the South. No doubt this depends to some extent upon industrial conditions, but these can scarcely explain the great difference between the North and the Midlands. Evidently pneumonia is to a large extent a preventable disease, and the North of England has still much to learn with regard to its prevention. It is a striking fact that all these statements as to relative mortality, copied verbatim from the Report for 1912, apply equally to the year 1913.

The table shows pneumonia to be largely a disease of town life, as in all parts of the country mortality increases with urbanization, though the county boroughs of the South suffer less than the rural districts of the North. Standardization to some extent accentuates these differences, slightly increasing the urban and decreasing the rural mortality.

TABLE LXVIII.—PNEUMONIA (ALL FORMS), 1913.—CRUDE DEATH-RATES per MILLION POPULATION.

				North.	Midlands.	South.	Wales.	England and Wales.	
London	{	Males ...	—	—	1,515	—	1,515
				Females	—	—	1,074	—	1,074
				Persons...	—	—	1,281	—	1,281
County Boroughs	{	Males ...	1,808	1,225	995	1,207	1,517
				Females	1,162	883	658	816	1,006
				Persons...	1,472	1,046	814	1,014	1,250
Other Urban Districts	{	Males ...	1,387	927	749	1,171	1,074
				Females	974	677	496	891	759
				Persons...	1,175	797	614	1,035	911
Rural Districts	{	Males ...	1,084	709	613	1,038	800
				Females	785	523	463	709	582
				Persons...	936	616	537	875	691
All areas	{	Males ...	1,557	953	1,079	1,134	1,204
				Females	1,046	699	762	816	841
				Persons...	1,294	822	912	978	1,016

Mortality from pneumonia is definitely influenced by season, being highest in winter and lowest in summer. This is shown in the following table to apply to both forms of the disease, though the variation was greater in the case of broncho- than of lobar pneumonia.

The uniformity of seasonal distribution in the three years available for examination is very striking. In the first or winter quarter the mortality from broncho-pneumonia was about three times as great as in the third or summer quarter, but in the case of lobar pneumonia the excess was very much less. This difference in seasonal distribution, if it proves to be a fairly constant feature from year to year, will furnish an additional test of the probable composition of the undefined group of cases. Reasons were given in the Report for 1910 for believing that this contains more lobar than broncho-pneumonia, but in regard to seasonal distribution in 1911–1913, at all events, it conforms very closely indeed to the average for pneumonia in general, suggesting that it may be made up of the two forms in much the same proportion as these bear to each other amongst the

defined returns. Fortunately the question is one of continuously decreasing importance owing to the steady growth in precision of certification.

TABLE LXIX.—ENGLAND AND WALES, 1911–1913.—MORTALITY from PNEUMONIA in each QUARTER PER CENT. of TOTAL ANNUAL MORTALITY.

	1911.				1912.				1913.			
	Broncho-Pneumonia.	Lobar Pneumonia.	Pneumonia not otherwise defined.	Pneumonia (all forms).	Broncho-Pneumonia.	Lobar Pneumonia.	Pneumonia not otherwise defined.	Pneumonia (all forms).	Broncho-Pneumonia.	Lobar Pneumonia.	Pneumonia not otherwise defined.	Pneumonia (all forms).
First Quarter ...	38	29	33	35	38	29	35	35	41	30	35	37
Second „ ...	23	28	26	25	22	28	25	24	23	27	25	24
Third „ ...	12	16	16	14	13	17	15	15	13	19	18	16
Fourth „ ...	27	27	25	26	27	26	25	26	23	24	22	23
Year ...	100	100	100	100	100	100	100	100	100	100	100	100

108. **Appendicitis.**—Deaths from this cause were first separately tabulated in 1901. Since then the mortality recorded has increased from 38 per million living in that year

TABLE LXX.—ENGLAND AND WALES.—AGE INCIDENCE of MORTALITY from APPENDICITIS, 1911, 1912, and 1913.

Age.	COMPLETE YEAR.								
	Deaths.			Mortality in each Age-period per cent. of Total Mortality.			Mortality up to and including each Age-period per cent. of Total Mortality.		
	1911.	1912.	1913.	1911.	1912.	1913.	1911.	1912.	1913.
0— ...	123	104	119	4·5	4·4	4·7	4·5	4·4	4·7
5— ...	422	290	350	15·5	12·3	13·9	20·0	16·7	18·6
10— ...	423	322	349	15·5	13·5	13·8	35·5	30·2	32·4
15— ...	300	274	309	11·0	11·6	12·2	46·5	41·8	44·6
20— ...	244	230	208	8·9	9·8	8·2	55·4	51·6	52·8
25— ...	197	167	167	7·2	7·1	6·6	62·6	58·7	59·4
30— ...	170	150	165	6·2	6·4	6·5	68·8	65·1	65·9
35— ...	126	110	136	4·6	4·7	5·4	73·4	69·8	71·3
40— ...	122	123	127	4·5	5·2	5·0	77·9	75·0	76·3
45— ...	130	130	138	4·8	5·5	5·5	82·7	80·5	81·8
50— ...	128	105	116	4·7	4·5	4·6	87·4	85·0	86·4
55— ...	90	110	87	3·3	4·7	3·4	90·7	89·7	89·8
60— ...	92	70	79	3·4	3·0	3·1	94·1	92·7	92·9
65— ...	118	120	122	4·3	5·1	4·8	98·4	97·8	97·7
75— ...	45	52	57	1·6	2·2	2·3	100·0	100·0	100·0
All ages ...	2,730	2,357	2,529	100·0	100·0	100·0	100·0	100·0	100·0
JULY TO SEPTEMBER.									
0— ...	42	29	39	5·2	4·9	5·7	5·2	4·9	5·7
5— ...	139	81	95	17·1	13·7	13·9	22·3	18·6	19·6
10— ...	147	73	94	18·0	12·3	13·9	40·3	30·9	33·5
15— ...	79	65	93	9·7	11·0	13·6	50·0	41·9	47·1
20— ...	74	64	45	9·1	10·8	6·6	59·1	52·7	53·7
25— ...	62	30	39	7·6	5·1	5·7	66·7	57·8	59·4
30— ...	37	41	48	4·6	6·9	7·0	71·3	64·7	66·4
35— ...	30	15	27	3·7	2·5	4·0	75·0	67·2	70·4
40— ...	29	36	37	3·6	6·1	5·4	78·6	73·3	75·8
45— ...	43	38	39	5·3	6·4	5·7	83·9	79·7	81·5
50— ...	33	31	35	4·1	5·2	5·1	88·0	84·9	86·6
55— ...	25	27	19	3·1	4·6	2·8	91·1	89·5	89·4
60— ...	23	16	27	2·8	2·7	4·0	93·9	92·2	93·4
65— ...	36	30	29	4·4	5·1	4·3	98·3	97·3	97·7
75— ...	14	16	16	1·7	2·7	2·3	100·0	100·0	100·0
All ages ...	813	592	682	100·0	100·0	100·0	100·0	100·0	100·0

and 52 in 1903, when it may be taken that the new distinction would be fully operative, to 68 in 1913, the highest rate recorded being 75 per million in 1911 (Table 20). The 1911 maximum is probably related to the high level reached by diarrhoeal mortality in that year. In other years also a tendency is shown to fluctuation in sympathy with diarrhoea, and, as may be seen from Table LXX, the age incidence of the mortality shows variations in harmony with such an interdependence. Of the three years dealt with in the table, 1911, with heavy diarrhoeal mortality, showed the highest mortality and the lowest average age at death from appendicitis; and 1912, with the lightest diarrhoeal mortality of the three years, showed the lowest mortality and the highest average age at death. These facts suggest a correlation between the records of mortality from the two causes, whether due merely to confusion in diagnosis, or to the climatic conditions which set up the one form of intestinal irritation in the young setting up the other also, or to some other cause of actual parallelism between the two mortalities. Confirmatory evidence of the existence of such a relationship is afforded by the seasonal distribution of mortality from appendicitis.

TABLE LXXI.—ENGLAND AND WALES.—SEASONAL DISTRIBUTION OF MORTALITY FROM APPENDICITIS, 1911–1913.

Quarter.	Deaths.			Percentage of Total Deaths.		
	1911.	1912.	1913.	1911.	1912.	1913.
March	627	575	583	23·0	24·4	23·1
June	635	615	648	23·3	26·1	25·6
September	813	592	682	29·7	25·1	26·9
December... ..	655	575	616	24·0	24·4	24·4
Year	2,730	2,357	2,529	100·0	100·0	100·0

It will be seen from Table LXXI that in 1911, when diarrhoeal mortality was exceptionally high, appendicitis mortality rose very considerably in the third quarter; in 1912, a year of light diarrhoeal mortality, appendicitis mortality did not rise at all during the third quarter; and in 1913, with its moderate diarrhoeal mortality, appendicitis mortality rose to a moderate extent during the September quarter.

If, as this table suggests, the excess of mortality in 1911 was chiefly due to deaths dependent on the great heat of the summer quarter, and if, as the first portion of Table LXX suggests, the additional deaths returned in a year of unusually high mortality occur mainly at the earlier ages, then it follows that in such a year the average age of the deaths in the third quarter should be still lower than in the whole year, the additional and early deaths occurring mainly in this quarter. The second part of Table LXX shows that this is the case. In 1912 the age distribution of the deaths was very much the same in the third quarter as in the whole year, but in 1913 the proportion dying under the age of 20 was appreciably, and in 1911 considerably, larger in the summer quarter than in the whole year.

In view of the statements frequently made that appendicitis has greatly increased as a result of changes in the dietary of the people—increased consumption of meat, of preserved provisions or what not—it is of interest to compare its mortality in the large towns, where such changes are presumably at a maximum, with that in the rural districts where it may be supposed that diet has altered less. This is done for the three years 1911–1913 in Table LXXII, which shows after standardization a moderate excess of the kind indicated for males, but none at all for females, the standardized rate in that

TABLE LXXII.—APPENDICITIS.—DEATH-RATES per MILLION POPULATION, 1911–1913.

—		England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males ... {	Crude rates ...	81	92	78	85	74	83
	Standardized rates	82	94	79	86	73	84
Females ... {	Crude rates ...	58	65	55	59	59	58
	Standardized rates	58	65	55	59	59	59
Persons ... {	Crude rates ...	69	78	66	71	67	70
	Standardized rates	70	79	67	72	66	71

sex being the same for the urban as the rural districts. The urban excess for males is much less than that for mortality in general (Table XXIII), and on the assumption that diet has changed least in the rural districts no support for the dietetic theory can be found in Table LXXII. Of course the assumption may be questioned, or it may be supposed that there are other factors at work (such as, for instance, inaccessibility of hospitals) which would cause the rural mortality to be higher than average if diet were similar throughout. It would, therefore, be too much to say that the table disproves the theory, but it may perhaps be taken as to some extent telling against it.

Table LXXIII gives the age-group mortalities recorded for different classes of area. They are everywhere highest, except in old age, at 10–15 for males. For females the corresponding maximum occurs at 5–10 except in the rural districts, where it falls at 10–15, as for males. The high mortality at ages over 75 is interesting. Table LXXIII shows that it is a fairly regular feature of the returns. On the whole it may be said that mortality from appendicitis varies with age less than that from most other causes, no period of life being in the least immune. Comparing urban and rural mortality at different ages it may be noted that the rural excess pointed out on page xxx for the general mortality of young women is well marked in the case of appendicitis. At all ages from 10 to 35 the death-rates of females are higher in the rural than in the urban districts, though those of males are lower. This is the more interesting as the explanation put forward to explain the similar facts met with in the case of tuberculosis—that young women, infected in the towns, frequently return to their country homes when invalided—cannot well apply in the case of an acute disease like appendicitis. The phenomenon may be compared with the depression in the mortality curve of pneumonia in London at similar ages (Annual Report for 1911, page lxxxviii).

TABLE LXXIII.—APPENDICITIS.—DEATH RATES per MILLION LIVING, 1911–13.

Sex and Age.				England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	All Urban Districts.
Males.	0—	35	46	29	39	34	36
	5—	102	127	100	102	93	105
	10—	121	144	119	128	100	127
	15—	106	114	110	111	90	111
	20—	87	75	83	101	78	90
	25—	72	55	77	76	67	73
	30—	63	63	53	75	58	65
	35—	57	64	63	57	46	61
	45—	83	108	74	81	84	82
	55—	89	117	81	98	75	94
	65—	96	156	72	81	111	90
	75 and upwards	100	158	101	104	81	111
Females.	0—	23	39	15	26	23	24
	5—	87	92	91	88	76	90
	10—	85	89	87	74	98	82
	15—	68	63	62	74	73	67
	20—	56	56	48	55	68	53
	25—	43	48	42	41	47	43
	30—	48	43	43	45	66	44
	35—	44	39	49	45	38	45
	45—	58	87	47	60	51	60
	55—	63	76	60	65	57	65
	65—	80	108	65	92	68	84
	75 and upwards	96	154	94	100	69	107

134–141. The Puerperal State.—The number of deaths assigned to pregnancy or childbirth was 3,492 (Table LXXIV), corresponding to a rate of 3·96 per 1,000 births. It will be seen from Table 19 that this number is 221 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi. and xxx.). Deducting these 221 deaths, which are those allocated to puerperal nephritis and albuminuria, formerly not distinguished as puerperal, the mortality amounted to 3·71 per 1,000 births, as against an average rate of 3·83 in the ten years immediately preceding. Inclusion of the 803 deaths in Table LXXV raises the proportion to 4·87 deaths stated to have been caused by or associated with the puerperal state in its widest sense (*i.e.*, including pregnancy as well as childbirth) for every 1,000 births.

The mortality amongst women aged 15-45 years from all the causes included in Tables LXXIV and LXXV was 462 per million living, against 480 per million in 1911 and 473 in 1912.

Table LXXIV gives particulars of the deaths assigned to the puerperal state, and in the case of the headings "other accidents of pregnancy," "other accidents of childbirth," and "puerperal fever" amplifies the information on pages 204 and 205 by giving details of the causes comprised by those titles.

Table LXXV shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Heart disease was much the commonest of these, and after it pneumonia and tuberculosis.

TABLE LXXIV.—ENGLAND and WALES, 1913.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
134A. Abortion	120	1	14	24	32	30	16	3
B. Hæmorrhage of pregnancy	109	1	4	17	22	40	24	1
C. Uncontrollable vomiting	42	3	7	6	10	10	6	—
D. Ectopic gestation	73	1	9	12	20	18	13	—
E. Other accidents of pregnancy :—								
Carneous mole	1	—	—	—	1	—	—	—
Hydatid mole	7	—	1	3	1	—	1	1
Vesicular mole	1	—	—	1	—	—	—	—
Hydramnios	3	—	1	—	—	1	1	—
Retroversion of gravid uterus	3	—	—	—	3	—	—	—
Incarceration of gravid uterus	1	—	—	—	1	—	—	—
Pregnancy apart from above complications :—								
(a) With secondary causes as follows :—								
Embolism, thrombosis	5	—	—	—	2	2	1	—
Phlebitis	2	—	—	—	1	1	—	—
Cedema of lungs	1	—	—	—	1	—	—	—
Acute yellow atrophy of liver	1	—	—	—	1	—	—	—
Pyelitis	3	—	1	1	—	1	—	—
(b) Without stated secondary cause	5	—	1	1	1	1	1	—
135. Puerperal hæmorrhage	507	9	56	76	134	150	78	4
136. Other accidents of childbirth :—								
Contracted pelvis	27	1	3	6	8	7	1	1
Craniotomy	13	—	2	1	4	2	4	—
Cæsarean section	19	—	2	5	5	3	3	1
Version	4	—	—	—	1	1	1	1
Instrumental delivery	9	—	2	3	2	—	2	—
Rupture of uterus	33	—	2	3	11	10	7	—
Rupture of uterus and bladder	1	—	—	—	—	1	—	—
Rupture of bladder	1	—	1	—	—	—	—	—
Malpresentation	18	—	—	2	3	6	7	—
Inversion of uterus	10	—	1	2	5	2	—	—
Inertia of uterus	4	—	—	—	2	—	1	1
Hydrocephalic fœtus	4	—	—	—	2	2	—	—
Difficult and prolonged labour	44	1	1	10	12	15	5	—
Childbirth apart from above complications :—								
(a) With secondary causes as follows :—								
Anæmia	15	—	1	6	3	1	4	—
Meningitis	4	—	2	—	2	—	—	—
Hemiplegia	1	—	—	1	—	—	—	—
Acute endocarditis	2	—	—	1	1	—	—	—
Mitral regurgitation	2	—	—	1	1	—	—	—
Dilatation of heart	10	—	—	3	2	3	2	—
Bronchiectasis	1	—	—	1	—	—	—	—
Bronchitis	7	—	—	2	—	1	4	—
Broncho-pneumonia	4	—	2	2	—	—	—	—
Pneumonia	42	2	7	9	8	10	6	—
Pleurisy	5	—	—	2	1	2	—	—
Congestion of lungs	8	—	—	2	—	5	1	—
Asthma	1	—	—	—	—	1	—	—
Gastritis	5	—	1	2	1	1	—	—

TABLE LXXIV.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Childbirth apart from above complications— <i>continued.</i>								
(a) With secondary causes as follows— <i>continued.</i>								
Dyspepsia	2	—	—	—	1	1	—	—
Hæmatemesis	1	—	—	—	—	—	1	—
Diarrhœa and enteritis	7	1	—	3	2	1	—	—
Intestinal obstruction	1	—	—	—	—	—	1	—
Recto-vaginal fistula	2	—	—	1	—	—	1	—
Acute yellow atrophy of liver	5	—	1	1	2	1	—	—
Abscess of kidney	1	—	—	—	—	1	—	—
Suppression of urine	2	—	—	1	1	—	—	—
Pyelitis	2	—	—	1	—	1	—	—
Hæmaturia	1	—	1	—	—	—	—	—
Cystitis	2	—	—	—	2	—	—	—
Dropsy	1	—	—	—	—	1	—	—
(b) Without stated secondary cause	53	1	5	8	14	15	9	1
137. Puerperal fever :—								
Puerperal septicæmia	671	15	122	170	165	144	52	3
sapræmia	36	1	4	8	12	8	3	—
peritonitis	126	6	29	20	42	18	11	—
salpingitis	3	—	—	1	1	—	1	—
lymphangitis	1	—	—	1	—	—	—	—
metritis	8	—	1	3	1	3	—	—
endometritis	12	—	—	5	4	2	1	—
parametritis	7	—	1	2	1	1	1	1
perimetritis	8	—	2	2	2	1	1	—
erysipelas	4	—	—	1	1	2	—	—
pyæmia	36	—	5	6	10	12	3	—
pelvic cellulitis	31	—	7	7	9	5	3	—
pelvic abscess	4	—	—	—	2	2	—	—
blood poisoning	5	—	2	2	1	—	—	—
fever (not otherwise described).	156	8	31	50	37	26	4	—
138A. Puerperal nephritis and uræmia	169	4	34	27	43	36	23	2
B. Puerperal albuminuria and Bright's disease.	51	1	7	14	8	15	3	3
C. Puerperal convulsions	535	65	126	137	97	73	30	7
139A. Puerperal phlegmasia alba dolens and phlebitis.	65	1	10	12	20	16	4	2
B. Puerperal embolism and sudden death	267	—	32	60	55	76	40	4
140. Puerperal insanity	28	1	2	10	7	7	1	—
141. Puerperal diseases of the breast	11	—	5	—	3	1	2	—
Total	3,492	123	548	758	847	796	384	36

TABLE LXXV.—ENGLAND AND WALES, 1913.—DEATHS of WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Enteric fever	9	1	3	2	2	1	—	—
Measles	1	—	—	—	—	1	—	—
Scarlet fever	8	—	3	3	—	2	—	—
Diphtheria	1	—	—	1	—	—	—	—
Influenza	41	1	3	15	10	6	6	—
Erysipelas	1	—	—	—	1	—	—	—
Pulmonary tuberculosis	55	—	3	18	19	9	6	—
Phthisis	24	—	7	3	5	8	1	—
Acute phthisis	15	1	1	2	3	7	1	—
Acute miliary tuberculosis	5	—	4	1	—	—	—	—
Tuberculous meningitis	2	—	1	—	—	1	—	—
Tuberculosis of peritoneum and intestines	5	—	3	1	1	—	—	—
Other forms of tubercle	3	—	—	2	—	—	1	—
Syphilis	6	2	3	—	1	—	—	—
Gonococcus infection	1	—	—	—	—	1	—	—

TABLE LXXV.—*continued.*

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Cancer	18	—	—	1	5	5	6	1
Rheumatic fever	14	1	1	5	3	1	3	—
Diabetes	4	—	—	1	1	1	—	1
Exophthalmic goitre	2	—	—	1	—	1	—	—
Addison's disease	1	—	1	—	—	—	—	—
Leucocythæmia	3	—	1	2	—	—	—	—
Anæmia	12	—	—	2	3	5	2	—
Purpura	2	—	—	1	—	—	1	—
Hæmophilia	1	—	—	—	—	1	—	—
Meningitis	1	—	1	—	—	—	—	—
Diseases of the spinal cord	2	—	—	—	2	—	—	—
Cerebral hæmorrhage, apoplexy	5	—	—	—	2	2	1	—
Epilepsy	10	1	1	2	3	2	1	—
Chorea	8	—	3	4	1	—	—	—
Neuritis	4	—	—	—	—	—	3	1
Otitis media	1	—	1	—	—	—	—	—
Acute endocarditis	9	—	3	—	1	4	1	—
Valvular disease	114	—	15	27	25	28	19	—
Fatty degeneration of the heart	6	—	—	—	2	2	1	1
Other organic disease of the heart	81	—	7	9	20	29	15	1
Embolism and thrombosis	4	—	—	2	1	1	—	—
Varicose veins	1	—	—	—	—	—	1	—
Laryngitis	2	—	2	—	—	—	—	—
Diseases of the thyroid body	3	—	—	—	—	2	1	—
Bronchitis	25	—	3	2	5	7	7	1
Broncho-pneumonia	10	—	—	3	—	4	3	—
Lobar pneumonia	76	3	8	23	21	13	7	1
Pneumonia (type not stated)	51	3	7	6	16	12	7	—
Pleurisy	8	—	—	1	4	2	1	—
Asthma	6	—	1	—	2	1	2	—
Tonsillitis	1	—	—	1	—	—	—	—
Perforating ulcer of the stomach	14	3	—	3	1	5	2	—
Gastritis	2	—	—	—	1	1	—	—
Other diseases of the stomach	1	—	—	—	1	—	—	—
Diarrhoea and enteritis	13	—	1	2	4	4	2	—
Appendicitis	9	—	4	2	1	2	—	—
Hernia	1	—	—	—	—	1	—	—
Intestinal obstruction	7	—	—	2	1	—	4	—
Acute yellow atrophy of liver	4	—	—	1	2	—	1	—
Other diseases of the liver	7	—	—	1	2	1	3	—
Peritonitis	1	—	—	—	—	—	1	—
Bright's disease... ..	57	2	2	16	10	18	7	2
Other diseases of the kidney	5	—	—	1	—	3	1	—
Diseases of the bladder	2	—	—	1	—	1	—	—
Uterine tumour (non-cancerous)	7	—	—	2	2	1	2	—
Ovarian cyst, tumour (non-cancerous)	2	—	—	2	—	—	—	—
Other diseases of the female genital organs	2	—	—	1	—	1	—	—
Violence	7	1	1	2	1	—	2	—
Total	803	19	94	177	185	197	122	9

Anæsthetics.—For reasons stated in the Reports for 1911 and 1912 deaths during or connected with the administration of anæsthetics, classed until 1911 to the anæsthetic as primary cause except in the case of deaths from cancer and strangulated hernia, are now in all cases classified to the condition for which the anæsthetic was administered. At the same time, in order to record as fully as possible the information collected as to deaths under anæsthetics, a secondary tabulation was commenced of all deaths on the certificates relating to which any mention is made of the administration of an anæsthetic. These are classified in Table LXXVI according to sex and age and to the nature of anæsthetic, while the lists appended to the table show for each sex the disease or accident to which the death has been primarily classed and the age of the patient, but not the kind of anæsthetic. Causes of death in these lists are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased, ages of males being printed thus (3) and of females thus (3).

TABLE LXXVI.—ENGLAND AND WALES, 1913.—DEATHS UNDER OR CONNECTED WITH THE ADMINISTRATION OF VARIOUS ANÆSTHETICS.

Anæsthetic.			Age.																	
			All Ages.	0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	65-
A.C.E. Mixture	...	{ M.	5	—	—	1	—	—	1	—	—	—	—	—	—	1	1	—	—	1
		{ F.	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Alcohol and chloroform	...	{ M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
		{ F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloroform	...	{ M.	71	5	8	4	3	—	5	6	4	—	3	4	5	9	6	3	4	2
		{ F.	39	2	1	—	1	—	5	—	2	3	3	4	6	3	2	1	4	2
Chloroform and ether	...	{ M.	16	1	1	—	—	—	1	—	2	—	—	2	—	4	4	—	1	—
		{ F.	9	—	—	—	—	1	3	1	—	—	—	—	—	—	2	1	—	1
Cocaine	...	{ F.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Ether	...	{ M.	16	1	1	—	—	—	—	—	1	1	1	—	—	1	2	3	2	3
		{ F.	9	—	1	—	—	—	1	—	—	1	—	—	3	1	1	—	1	—
Ethyl chloride	...	{ M.	3	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—
		{ F.	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Hedonal	...	{ M.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
		{ F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Nitrous oxide	...	{ M.	4	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1
		{ F.	3	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—
Stovaine	...	{ F.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Kind not stated	...	{ M.	66	5	8	2	—	—	2	6	2	2	3	3	10	5	3	5	6	4
		{ F.	45	2	—	1	—	1	2	2	4	4	1	5	4	4	4	3	4	4
Total...	...	{ M.	183	12	18	8	3	—	10	12	10	3	7	10	15	21	17	13	13	11
		{ F.	113	4	2	1	1	2	13	3	7	9	6	9	13	8	12	6	9	8

CONDITIONS FOR WHICH ANÆSTHETICS WERE ADMINISTERED IN THE ABOVE CASES.

7. Scarlatinal nephritis, empyema (8). 9. Diphtheria, tracheotomy, (5, 5). 20. Sapræmia, wound of knee (50); septic condition, amputation of thumb (56); blood poisoning, splinter in thumb (45). 25. Actinomycosis, resection of rib (41). 28. Tuberculosis of lung and neck glands (5); tuberculous phthisis, fistula in ano (46). 31. Tuberculous anal fistula (38). 32. Retro-pharyngeal abscess (25). 34. Tuberculosis of—kidney (15); humerus (15); os calcis (6); breast (26); neck glands (1, 42); neck (1, 46). 36. Rickets (1). 37. Syphilitic laryngitis, tracheotomy (23). 39–45. Cancer of—lip (54, 60); tongue (43, 48, 49, 50, 54, 65); mouth (40, 46); jaw (39); pharynx (71); œsophagus (39, 46); intestines (undefined) (47, 60, 69); rectum (41, 46, 64); uterus (43, 55, 57); cheek (43); eyelid (50, 68); lung (40); parotid (54); kidney (1); bladder (38, 51, 63); prostate (70); neck (63); throat (46); nose (19). 50. Diabetes, abscess of tongue (45); diabetes, gangrene of foot, amputation (58). 51. Exophthalmic goitre (18). 63. Infantile paralysis, tenotomy (8). 74. Cerebral tumour (35). 76. Mastoid disease (5, 5, 26, 5); ear disease (31, 24). 79. Mitral disease, operation, nature not stated (29); fatty heart, operation not stated (47); degeneration of heart, difficult childbirth (38); heart disease, removal of fluid in chest (43); heart disease, operation not stated (6). 80. Angina pectoris, extraction of teeth (65). 82. Thrombosis of lateral sinus (19). 84. Glands in neck (6). 86. Adenoids (2, 11, 13, 3, 8, 9); deflected septum of nose (17, 28). 87. Growth on vocal cords (4). 88. Goitre (15, 15, 48); enlarged thyroid (31). 91. Broncho-pneumonia, operation not stated (6). 92. Pneumonia, empyema (1, 2, 34, 51, 52, 21). 93. Empyema (1, 1, 2, 5, 6, 10, 29, 36, 36, 39, 56, 56, 2, 4); pleurisy, fluid on lung (5). 99. Dental operations (16, 31, 31, 32, 8, 20, 23, 45, 51); septic mouth, abscess of neck (0). 100. Removal of tonsils (1, 2, 3, 5, 7, 11, 11, 12, 12, 5, 7, 14); abscess in throat (1, 27); diseased throat (0). 102. Gastric ulcer (35, 38, 39, 44, 53). 104. Duodenal ulcer (46). 108. Appendicitis (10, 11, 42, 45, 48, 7, 7, 14, 19, 22). 109. Hernia (0, 1, 1, 1, 1, 2, 2, 3, 17, 29, 38, 39, 51, 52, 55, 67, 69, 0, 34, 48, 48, 59, 66, 69, 77, 81); intestinal obstruction (0, 0, 60, 62, 65, 8, 35, 45, 50, 69); intestinal obstruction, operation for abscess in chest (36). 110. Gangrene of bowel (20); fæcal fistula (33, 43). 114. Gall stones (38). 115. Abscess of gall bladder (47); operation on gall bladder (51, 61); liver disease, operation for cyst on eyelid (22). 117. Peritonitis (11); cyst of mesentery (3). 118. Pancreatitis (57, 66); tumour of pancreas (49). 122. Pyonephrosis (39); pyelonephritis (43). 124. Neoplasm of bladder (60); retention of urine (67); rupture of bladder, anæsthetic for passing catheter (36). 125. Stricture of urethra (44); fistula of bladder (51).

126. Calculus of prostate (41). 127. Hydrocele (30). 129. Uterine tumour (31, 43, 45, 53). 130. Prolapse of uterus (19, 36); displacement of uterus (31); abscess round uterus (33). 132. Pyosalpinx (31); diseases of Fallopian tubes (39); abscess of external genitals (1); rupture of perineum (48). 134. Abortion (38, 38); ante-partum hæmorrhage (35). 135. Placenta prævia (35). 136. Version (40, 45); parturition (24, 29, 33, 34, 34, 40, 42). 137. Septic absorption after childbirth (24). 144. Abscess (33, 50). 146. Osteo-myelitis (2, 61); tumour of jaw (40); bony growth of spine (1); removal of a bone (42). 147. Removal of split cartilage (36). 149. Talipes (0, 0). 150. Phimosis (0, 0, 1, 1, 1, 1); harelip (0); cleft palate (5); nævus (0, 0); deformed feet (1). 155–186. Various forms of violence (11, 11, 15, 26, 27, 32, 32, 35, 37, 38, 40, 40, 41, 41, 41, 41, 46, 47, 48, 50, 55, 57, 64, 67, 79, 16, 16, 43, 69). 189. Operation, nature not stated (2, 11, 16, 26, 29, 39, 42, 14, 21, 41).

Of the males whose deaths are referred to in Table LXXVI, 22 per cent. were under 5 years of age and 40 per cent. under 20 years, the corresponding proportions for females being 9 and 29 per cent. Not only are boys frequently operated on for certain reasons, such as hernia and phimosis, which seldom or never apply in the case of girls, but where the object of operation is equally applicable to both sexes, *e.g.*, tuberculosis, enlarged tonsils, empyema, the mortality recorded for boys is very much higher. Very few deaths of aged persons appear in the table. The nature of the anæsthetic was stated in only 63 per cent. of the cases. In 59 per cent. of the cases in which it was stated chloroform is recorded as the only anæsthetic administered, and in 18 per cent. as administered in combination with some other agent. Mention is made of anæsthetics other than alcohol, chloroform, ether and nitrous oxide in ten instances as against nine in 1912 and four only in 1911, so the use of the newer agents would seem to be increasing.

Operations for tubercle, cancer, the removal of tonsils and adenoids, the extraction of teeth, empyema, appendicitis, hernia, intestinal obstruction, and various forms of injury, appear to involve the greatest mortality under or related to anæsthetics. In some cases this is evidently due to the frequency with which the operation is performed and in others to its gravity or the severity of the condition requiring it.

84A. **Status Lymphaticus.**—In addition to the 180 deaths primarily classified to this condition its presence was noted in the case of 27 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic. The sex- and age-distribution of these was as follows:—

—	0—	5—	10—	15—	20—	25—	35—
Males ...	7	2	3	4	—	2	1
Females ...	2	2	1	1	1	1	—

In seven of the cases the nature of the anæsthetic was not stated; in 14 of the remainder it was chloroform only, in one chloroform and ether, in three ethyl chloride, in one nitrous oxide, and in one A.C.E. mixture. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature.

The return of status lymphaticus as a cause of death is rapidly increasing, the number of deaths primarily so classified having grown from 121 in 1911 to 180 in 1913.

189. **Ill-defined Causes of Death.**—The deaths allocated to No. 189 of the list of causes, with which this title is particularly associated, number 2,469. Addition of Nos. 187 and 188 however, which are included under the same group title in the International List, brings this number up to 2,768. This figure excludes from the group as given in the old list of causes of death (see Tables 19 and 20) the ill-defined diseases of infancy and old age, which now appear under titles 151 and 154, and together accounted for 40,770 deaths in 1913, as well as 452 deaths from other causes of less numerical importance; and includes 1,585 deaths, mainly from syncope and heart failure, not formerly classified as ill-defined.* When the appropriate additions and deductions have been made the number of ill-defined deaths in Table 19—42,405—is arrived at. This number is the lowest of recent years. It forms 8·4 per cent. of the total deaths, as against 8·9 per cent. in 1912, and 9·5 per cent. in 1901–1910.

* See Manual of Causes of Death, page xxxi.

The inquiries sent to medical practitioners asking for further information respecting deaths which had been indefinitely certified were fewer than in 1911 and 1912, but more than in any previous year. Since 1911 they have been addressed to coroners as well as to medical practitioners. Thanks to the courtesy of the coroners applied to, only 61 deaths appear in 1913 under "Accident (not otherwise described)" without further qualification, and six under "Suicide (otherwise or not stated)," as against 320 and 122 respectively in 1910.

In order at once to facilitate inquiries and to diminish if possible their number in the future a list of indefinite forms of certificate, with indications of the further information desirable in each case, has been distributed with the inquiries from 1911 onwards, and is now bound with each book of death certificate forms issued. By its means the supplemental information desired in any given case is readily indicated, and it has been found moreover that the number of deaths certified in ways respecting which inquiry is at present made has fallen appreciably since the list came into use.

The total number of inquiries issued respecting deaths registered in 1913 was 8,852, and to these 7,575 replies were received, as against 12,563 inquiries and 10,718 replies in 1911, the subjects of inquiry in the two years having been substantially the same. In 1910 the number of inquiries was 6,130, to which 5,549 replies were received.

The principal subjects of inquiry, and the resultant classification of the deaths concerned, are indicated in Table LXXVII. In some cases the allocation of a death, after satisfactory information has been obtained by means of inquiry, is the same as that

TABLE LXXVII.—ENGLAND AND WALES, 1913.—REPLIES TO INQUIRIES RESPECTING INDEFINITELY CERTIFIED CAUSES OF DEATH.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	125	103	Diphtheria 14, Laryngismus stridulus 20, Laryngitis 51.
Membranous laryngitis	27	22	Diphtheria 12.
Pyæmia, septicæmia, &c.	246	127	Diseases of the teeth and gums 22, Puerperal fever 17, Carbuncle, Boil 7.
Tuberculosis	301	298	Pulmonary tuberculosis 106, Acute phthisis 46, Acute miliary tuberculosis 34, Tuberculosis of peritoneum, &c. 16, Disseminated tuberculosis 73, Other forms of tubercle 16.
Cancer (part or organ affected not stated).	976	887	Part or organ stated in 886 cases.
Tumour, growth, &c.	474	267	Cancer 226.
Rheumatism	77	74	Rheumatic fever 37, Chronic rheumatism 15.
Basal or basic meningitis	84	47	Tuberculous meningitis 39.
Cerebro-spinal meningitis	132	111	Tuberculous meningitis 8, Cerebro-spinal fever 96.
Paraplegia	209	161	Syphilis 21, Diseases of the spinal cord 73, Cerebral hæmorrhage, apoplexy 17, Arterial sclerosis 17.
General paralysis (outside asylums)	194	169	Cerebral hæmorrhage, apoplexy 13, General paralysis of the insane 105.
Paralysis	221	185	Diseases of the spinal cord 32, Cerebral hæmorrhage, apoplexy 64, Hemiplegia 11, Arterial sclerosis 16, Cerebral embolism 9.
Cerebral tumour	654	242	Tuberculous meningitis 29, Syphilis 47, Cancer 70.
Fibroid phthisis	174	89	Pulmonary tuberculosis 85.
Hæmoptysis	93	62	Pulmonary tuberculosis 32, Phthisis 9.
Stomatitis	93	76	Thrush, aphthous stomatitis 55.
Stricture of œsophagus	71	57	Cancer 48.
Hæmatemesis	80	59	Cancer 12, Gastric ulcer 23, Cirrhosis of liver 11.
Pyloric obstruction, stenosis, &c....	51	31	Cancer 18, Gastric ulcer 7.
Jaundice	72	35	Cancer 14, Gallstones 11.
Peritonitis	399	207	Tuberculosis of peritoneum, &c. 24, Cancer 8, Gastric ulcer 19, Duodenal ulcer 8, Appendicitis 53, Hernia, intestinal obstruction 19, Diseases of female genital organs 11, Puerperal fever 12.
Pemphigus (of infants)	159	76	Syphilis 72.
Hydrocephalus	183	161	Tuberculous meningitis 23, Congenital hydrocephalus 98.
Violence	194	185	Precise form of suicide 14, Injury by fall 57, Injury in mines and quarries 19, Injury by machines 7, Injury by crushing 32.
Ascites dropsy	73	64	Diseases of the heart 26, Cirrhosis of liver 9.
Syncope, heart failure (ages 1-70)	446	355	Influenza 7, Diseases of the heart 214, Arterial sclerosis 7, Bronchitis 15, Old age 10.
Operation	192	164	Cancer 15, Gastric ulcer 7, Hernia, intestinal obstruction 19, Uterine tumour 7.
Other indefinite forms of certificate	1,575	1,181	—
All Subjects	7,575	5,495	—

provisionally assigned to it on the original incomplete information. Instances of this are afforded by the 106 deaths from "tuberculosis" classed as the result of inquiry to pulmonary tuberculosis, and the 37 deaths from "rheumatism" classed to rheumatic fever. It must not therefore be assumed that all entries in the table represent changes in classification, but in all cases they represent improvement in classification, whether by increase of correctness, of definiteness, or of reliability of the various entries.

Sometimes the significance of a term is so clearly established as the result of a year or two's inquiries that these need not be continued, but where, as is more frequently the case, an indefinite term is found to possess different meanings for different users, the inquiries have to be kept up. They form a most valuable means of increasing the accuracy of the returns of causes of death included in these Reports, and as the Registrar General is necessarily dependent in regard to them upon the goodwill of those to whom they are addressed it is fitting that acknowledgment should here be made of the services willingly rendered in replying to them as well as of the courtesy of those medical officers of health who transmit to the Registrar-General the results of similar inquiries made by them.

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM.

The numbers of deaths occurring in various classes of institutions are shown on pages 302-3, with distinction of the four classes of area dealt with in this Report, and of sex and age, but not of cause. The additional distinction of cause is added on pages 588-590 for that portion of the list of causes selected for specially detailed analysis in the present Report (deaths of 1912).

The deaths in Poor Law Institutions (workhouses and workhouse infirmaries) numbered 55,059, those in lunatic asylums 11,324, and in hospitals 40,659. In addition to these, 963 occurred at addresses known as those of nursing homes, but as it is probable that many more deaths in nursing homes were not recognised as such, these deaths are not distinguished in the table on pages 302-3. The numbers quoted above yield the proportions in the following table, which is continued from previous Reports:—

TABLE LXXVIII.

Public Institutions.	Percentage of Total Deaths.			Rate per 1,000 living.		
	Ten years, 1903-12.	1912.	1913.	Ten years, 1903-12.	1912.	1913.
Workhouses and Workhouse Infirmaries.	10·06	11·34	10·91	1·49	1·51	1·49
Lunatic and Idiot Asylums ...	1·99	2·27	2·24	0·29	0·30	0·31
Hospitals	6·82	7·82	8·05	1·01	1·04	1·10
Total	18·87	21·43	21·20	2·79	2·85	2·90

In the tabulation on pages 302-3, the distinction of age has been substituted for that of cause of death, which was drawn in the corresponding portion of the Reports for 1911 and 1912. Both are of considerable interest, but as they cannot be simultaneously dealt with except on a limited scale it was decided this year to classify the deaths by age and to return later to the distinction of cause of death. The numbers tabulated are shown in Table LXXIX as proportions per 1,000 total deaths at each age.

Perhaps the most remarkable feature of the table is the very high proportion of institutional deaths in London, amounting to 46·5 per cent. for males and 40·9 per cent. for females as against 23·5 and 18·8 for the country at large. This proportion, as might be expected, declines regularly in both sexes with decreasing urbanization, but the gap between London and the county boroughs is by far the greatest.

At certain ages, however, the figures are even more remarkable. At all ages between 1 and 65 years the number of London males dying in institutions is practically half, if not more than half, of the total dying at the age, and at 5-15 years it is almost two-thirds of the total. The proportion of male deaths occurring in institutions is higher than that of female deaths at every age in every class of area, but at all ages between 5 and 45 years, at least half the deaths of London females occur in institutions. In early infancy and extreme old age, institutional deaths are comparatively few, except in London, where they do not fall as low as 30 per cent. at any age.

TABLE LXXIX.—DEATHS in VARIOUS CLASSES of INSTITUTIONS and ELSEWHERE per 1,000 TOTAL DEATHS at the SAME AGES.

		AGES AT DEATH.											
		All Ages.	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85—
MALES.													
Poor Law Institutions.	{ London	252	126	125	93	179	249	306	304	322	351	351	298
	{ County Boroughs	138	36	47	49	98	155	181	191	206	234	202	154
	{ Other Urban Dist.	87	18	22	29	51	77	98	110	126	145	147	157
	{ Rural Districts ...	69	12	12	16	28	41	54	78	85	108	109	128
	{ England & Wales	122	37	44	41	78	124	155	165	173	189	171	159
Lunatic Asylums.	{ London	39	—	0	21	49	75	76	59	53	48	46	22
	{ County Boroughs	19	0	—	4	25	44	56	35	28	21	16	7
	{ Other Urban Dist.	19	0	0	9	28	37	52	39	25	23	12	11
	{ Rural Districts ...	21	—	1	14	25	60	55	45	25	21	16	9
	{ England & Wales	22	0	0	9	29	49	58	41	30	25	18	11
Hospitals.	{ London	174	199	364	506	314	221	184	162	120	54	26	11
	{ County Boroughs	96	56	152	301	222	188	140	111	70	37	17	12
	{ Other Urban Dist.	74	30	98	237	198	163	137	97	64	32	16	6
	{ Rural Districts ...	53	20	71	177	163	137	112	88	58	25	10	2
	{ England & Wales	91	59	151	280	215	176	142	111	72	34	15	6
Elsewhere.	{ London	535	675	511	380	458	455	434	475	505	547	577	669
	{ County Boroughs	747	908	801	646	655	613	623	663	696	708	765	827
	{ Other Urban Dist.	820	952	880	725	723	723	713	754	785	800	825	826
	{ Rural Districts ...	857	968	916	793	778	762	779	789	832	846	865	861
	{ England & Wales	765	904	805	670	678	651	645	683	725	752	796	824
FEMALES.													
Poor Law Institutions.	{ London	221	121	126	112	195	208	257	249	262	282	285	268
	{ County Boroughs	106	33	50	59	115	120	149	135	132	150	140	142
	{ Other Urban Dist.	62	20	21	26	46	60	67	70	75	86	101	101
	{ Rural Districts ...	46	10	16	15	35	35	40	46	45	59	68	88
	{ England & Wales	95	38	45	46	86	95	119	116	114	125	127	129
Lunatic Asylums.	{ London	45	0	1	16	52	66	75	67	70	64	52	39
	{ County Boroughs	19	0	0	3	20	42	43	40	29	24	18	9
	{ Other Urban Dist.	19	0	0	4	18	39	38	43	28	22	17	13
	{ Rural Districts ...	22	—	—	10	26	44	45	45	31	26	17	12
	{ England & Wales	23	0	0	6	24	44	46	46	34	29	22	15
Hospitals.	{ London	143	199	348	461	275	242	165	117	86	38	12	9
	{ County Boroughs	76	50	134	285	166	156	113	82	48	20	8	2
	{ Other Urban Dist.	53	24	80	227	137	114	96	75	43	18	7	4
	{ Rural Districts ...	39	14	65	171	107	96	90	75	37	14	4	—
	{ England & Wales	70	54	134	264	158	142	111	84	49	20	7	3
Elsewhere.	{ London	591	680	525	411	478	484	503	567	582	616	651	684
	{ County Boroughs	799	912	816	653	699	682	695	743	791	806	834	847
	{ Other Urban Dist.	866	956	899	743	799	787	799	812	854	874	875	882
	{ Rural Districts ...	893	976	919	804	832	825	825	834	887	901	911	900
	{ England & Wales	812	908	821	684	732	719	724	754	803	826	844	853

The table shows how remarkably different is the age-distribution of the deaths occurring in the two principal classes of institutions for the sick. Broadly speaking the hospital deaths are deaths of young, and the poor law institution deaths of old persons. At all ages up to 35 in the great towns, and to 55 in the country districts, hospital deaths are in excess of poor law, and above these ages poor law are in excess of hospital deaths.

The proportion of deaths occurring in lunatic asylums is greatest in middle age, and in the London population between the ages of 35 and 45 seven and a half deaths out of every 100 are those of lunatics. The proportion of London deaths occurring in asylums is indeed extraordinarily high, being about twice as great as that of the rural districts, which rank next

to London in this respect, and more than twice as great as those of the other towns of the country, great and small. If this difference between London and the other great towns especially is not of administrative origin, and can therefore be accepted as in any degree corresponding to the distribution of insanity, it seems anomalous that London conditions, comparatively favourable as they are to life in general, should so tend to its wastage by insanity, while in the other great towns, where the conditions of physical health are below the London standard, those affecting the mind should be so vastly superior, and not less so than even in the rural districts. The anomaly indeed is so great as to suggest that although in all parts of the country the great bulk of certified lunatics are now detained in asylums, the relative numbers of their deaths may not form a reliable indication of the distribution of insanity.

UNITED KINGDOM.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the 90 years, 1821–1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The method hitherto adopted, in the absence of precise information as to migration, for estimating the population of England and Wales, has been described on page ix. The populations of the several divisions of the United Kingdom are provisionally estimated as follows :—

TABLE LXXX.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1913.

—						Persons.	Males.	Females.
England and Wales	36,919,339	17,857,014	19,062,325
Scotland	4,728,132	2,292,946	2,435,186
Ireland	4,379,012	2,186,476	2,192,536
United Kingdom						46,026,483	22,336,436	23,690,047

Marriages.

The marriages in the United Kingdom during the year 1913 numbered 342,538, corresponding to a rate of 14·9 persons married per 1,000 of the population at all ages.

This rate was 0·1 per 1,000 above the corresponding rate in 1912 and 0·2 per 1,000 above the average rate in the ten years 1903–1912.

TABLE LXXXI.

—						Marriages, 1913.	Persons Married per 1,000 Living.	
							Ten Years, 1903–1912.	1913.
England and Wales	286,583	15·4	15·5
Scotland	33,689	13·7	14·2
Ireland	22,266	10·4	10·2
United Kingdom						342,538	14·7	14·9

Births.

The births registered in the United Kingdom in the year 1913 numbered 1,102,533 and were in the proportion of 24·0 per 1,000 of the population at all ages.

This rate was 0·1 per 1,000 above the corresponding rate in 1912; compared with the average in the ten years 1903–1912 the birth-rate in 1913 showed a decrease of 2·2 per 1,000.

TABLE LXXXII.

	Births, 1913.	Births per 1,000 Living.	
		Ten Years, 1903-1912.	1913.
England and Wales	881,890	26·3	23·9
Scotland	120,549	27·7	25·5
Ireland	100,094	23·3	22·8
United Kingdom	1,102,533	26·2	24·0

Deaths.

The deaths registered in the United Kingdom in the year 1913 numbered 652,742 and were in the proportion of 14·2 per 1,000 of the population at all ages. This rate was 0·4 per 1,000 above the corresponding rate in 1912; compared with the average in the ten years 1903-1912 the death-rate in 1913 showed a decrease of 1·0 per 1,000.

TABLE LXXXIII.

	Deaths, 1913.	Deaths per 1,000 living.	
		Ten years, 1903-1912.	1913.
England and Wales	504,975	14·9	13·7
Scotland	73,073	16·1	15·5
Ireland	74,694	17·2	17·1
United Kingdom	652,742	15·2	14·2

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom.

TABLE LXXXIV.

						Deaths under 1 year per 1,000 Births.	
						1903-1912.	1913.
England and Wales	121	108
Scotland	114	110
Ireland	94	97
United Kingdom	118	108

In Table 42 (pages 100, 102, 106 and 107) the population, marriages, births, deaths and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1913 was 239,647, and the deaths during the year numbered 759, giving a death-rate of 3·2 per 1,000, as compared with 3·4, 3·4, and 3·0 per 1,000, respectively, in the three preceding years. The mortality in the Army abroad was 3·8 per 1,000, against 4·3, 4·4, and 3·8 in the three preceding years; whilst that in the Army at home was 2·6 per 1,000, against 2·5, 2·5, and 2·3 (Table 34).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1913 was 126,830, and the deaths during the year numbered 412, being in the proportion of 3·24 per 1,000 of the strength, against an average of 3·25 per 1,000 in the six years immediately preceding. Of the 412 deaths in 1913, 262 were caused by disease and 150 by violence ; the death-rate from disease was therefore 2·06 per 1,000, and that from violence 1·18 per 1,000. Of the 150 deaths by violence, 76 were due to drowning, and 5 to heatstroke, while 14 were cases of suicide.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1913, this register was increased by the addition of 258 entries of birth and 2,957 entries of death.

Mercantile Marine.—A return received from the Marine Department of the Board of Trade shows the number of masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1893–1913, and the number of deaths reported to the Board as occurring amongst this population. In the year 1912 the number employed was 251,598, of whom 12,565 were employed in sailing vessels, being 2,521 fewer than in the preceding year, and 239,033 in steam vessels, being 7,073 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June 1913, numbered 1,989, of which 1,103 resulted from disease, suicide, &c., 368 from wreck or casualty to ship, and 518 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 7·9 per 1,000 of the strength ; this rate was 1·8 per 1,000 below the mean rate in the previous five years. (Table 36.) It must not be compared with the mortality in the Navy, where the average age of the men employed is very much lower.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1913 by 1,960,031, this addition raising the total of names in the indexes, which at the end of 1913 embraced a period of $76\frac{1}{2}$ years, to 126,457,464.

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared by the Secretary:—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1913, 15 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false age when registering the death of an old-age pensioner	8
For otherwise giving false information to the registrar when registering a birth or death	1
For falsifying certificate of birth or death and using same as true ...	4
For neglecting to register a birth and failing to comply with requisitions to register it	1
For burying the body of a live-born child as still-born without production of proper authority, and for failing to notify such burial to the registrar	1

In addition to the above prosecutions initiated by the Registrar General, proceedings were taken by the Public Prosecutor in several cases of false notice and declaration for marriage.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix–xxxii of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 27th December, 1913, the total number of searches was 79,315, and of certificates issued 60,356. The total amount received in fees was 11,613*l.* 19*s.*

TABLE LXXXV.

Years.	Total Searches.	Certificates Issued.	Amount Received.
			£ s. d.
1866 (52 weeks)	12,135	10,017	1,860 15 6
1875 (52 weeks)	26,356	20,282	3,879 15 6
1885 (52 weeks)	36,450	27,682	5,317 13 6
1895 (52 weeks)	53,289	35,727	7,200 12 6
1896 (53 weeks)	57,444	37,435	7,600 0 6
1897 (52 weeks)	58,664	37,485	7,686 8 6
1898 (52 weeks)	63,825	41,143	8,450 19 6
1899 (52 weeks)	57,670	44,793	8,551 19 6
1900 (52 weeks)	57,895	45,479	8,658 9 6
1901 (52 weeks)	58,445	45,254	8,645 10 0
1902 (53 weeks)	61,437	48,262	9,177 15 0
1903 (52 weeks)	63,519	49,469	9,437 9 6
1904 (52 weeks)	62,270	48,658	9,274 12 0
1905 (52 weeks)	65,142	50,310	9,611 9 0
1906 (52 weeks)	64,340	49,429	9,458 6 0
1907 (52 weeks)	69,249	53,058	10,194 9 0
1908 (53 weeks)	72,370	54,870	10,550 8 0
1909 (52 weeks)	73,543	54,674	10,568 8 0
1910 (52 weeks)	75,369	57,019	10,939 5 6
1911 (52 weeks)	75,005	56,347	10,875 6 0
1912 (52 weeks)	80,601	61,143	11,752 6 0
1913 (52 weeks)	79,315	60,356	11,613 19 0

Table LXXXV affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866.

In addition to the above, 71,225 searches were made during 1913 free of charge for the purpose of verifying the ages of persons claiming old age pensions, and 91,917 searches were also made free of charge in connexion with a test by the National Insurance Audit Department of the statements of insured persons under the National Insurance Act.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1913.

REMARKS ON THE CONSPICUOUS OCCURRENCES IN THE BRITISH ISLES IN 1913.

(Prepared in the Meteorological Office under the direction of
W. N. SHAW, Esq., LL.D., Sc.D., F.R.S., Director.)

A DULL YEAR.

An open winter, a wet spring, a summer very dry but neither sunny nor warm,
and a uniformly mild autumn.

The following are the outstanding features of the meteorology of the year 1913:—

1. *Gales*.—A good deal of stormy and unsettled weather prevailed during the year and many gales—some of them severe and widespread—were experienced. January was a stormy month; the wind, practically always from points in the southern half of the compass, attained the force of a gale at one or other of the reporting stations on 23 days, and of a strong gale on over 18 days. The most stormy period set in on the 9th, when a strong South-Easterly gale sprang up locally in the far west and north; by the following day it spread over the country generally and became very violent under the influence of the exceptionally deep cyclone on the ocean and an anticyclone covering the greater part of Europe. To the west of Ireland the gradient was 2·2 inches in 750 miles. The situation was complicated on the 11th and 12th by the passage of a secondary depression over southern England. From the 9th to the 12th a whole gale was of daily occurrence on many portions of our coasts, Malin Head reporting a storm on the 10th and 11th, and Roche's Point registering gusts of 70 miles per hour on the 10th. Heavy rains at first accompanied the gales, changing to snow over the most of the Kingdom with the development of the secondary on the 11th. Strong gales again occurred on some coasts from the 14th to the 16th, some gusts at Roche's Point on the 14th reaching 75 miles per hour. At Lerwick a whole gale from the South-East was maintained daily from the 9th to the 16th. During the rest of the month there were several gales, some strong locally, and altogether only two days (25th and 26th) could be described as quiet. The next severe gale was from a south-westerly direction on the 7th and 8th February, there being then many instances of a strong gale, while Aberdeen, Donaghadee, Malin Head, Trevoise Head and Outer Farne reported a whole gale, and Southport and Lundy a storm. During squalls the wind rose to 72 miles per hour at Pendennis, 74 at Shields, 76 at Aberdeen, 79 at Dwyran, 80 at Quilty, 83 at Holyhead, and 86 at Southport. The gale was destructive, and on the 7th caused in the Shannon the highest tide known for 50 years. March, again, was a somewhat boisterous month. On the 4th, 5th, and 6th, following the appearance of a deep depression off the south-west of Ireland, a strong Southerly to Westerly gale was experienced on several parts of the northern, western, and southern coasts, and a whole gale in Shetland, Donegal, and Mayo. Severe squalls accompanied, and at Dwyran a gust of 76 miles per hour was recorded on the 6th. The eastward translation of a deep system along the Arctic Circle was associated with a strong gale round the north of Scotland on the 9th and 10th. The gales of the 15th to the 18th were due to a comparatively shallow disturbance which, while moving eastward beyond the north of Scotland on the 16th, threw off a secondary. Strong gales were felt on many coasts each day, and a whole gale off Pembroke. Again on the 19th and 20th several districts experienced a strong gale, and at Dungeness the wind rose to storm force. On the 22nd a secondary depression brought about a stormy night over southern England and caused numerous casualties, Worthing pier being destroyed. From the 15th to the 20th April a Southerly to Westerly gale, or strong gale, was felt daily on various sections of our coasts, with wet weather and some small falls of snow. A deep and irregularly moving depression approached our western coasts on the 25th, and until the 29th gales and strong gales from North-West, South-West, or South-East were common on most parts of the western coasts, with gusts ranging up to 72 miles per hour at Pendennis, which station also registered 59 miles in an hour. Thunder and hail-storms—severe and destructive in some instances—visited various parts of Ireland and England at the same time, and there were many heavy falls of rain. The weather during May was of a breezy

character generally, with occasional instances of gales, the most important being from the 8th to the 10th from between South and East ; Malin Head reported a whole gale. This more windy period was attended by numerous thunderstorms and many heavy falls of hail and rain. Again between the 15th and 18th there were several reports of gales from North-East, North, and North-West. The second week of June was rough generally, and marked by the unusually severe and widespread summer gale of the 9th and 10th. During the passage of a deep cyclonic depression along the 60th parallel a gale or strong gale from the West or North-West blew in many localities on the 9th, and a strong gale to a whole gale on the 10th. Several high gusts, including one of 64 miles per hour at Aberdeen, were registered.

The months of July, August and September were on the whole quiet with occasional instances of gales at the more exposed stations, particularly between the 12th and 14th, and again between the 22nd and 25th of September. Though the conditions in October were frequently very unsettled, the various disturbances produced no gales of any great severity. A tornado which appeared over the eastern valleys of Glamorgan on the evening of the 27th developed great energy and occasioned some loss of life and much destruction of property.

Numerous and deep depressions made November a stormy month, a gale being felt at one or more stations on as many as 27 days, and a strong gale on 18 of these. A depression, whose centre passed the Faroe on the 3rd, caused boisterous weather very generally during the first three days, a gale as far south as Pembroke and Roche's Point, and a whole gale at Holyhead, where also the anemometer recorded gusts up to 75 miles per hour. A week of comparative quietness was succeeded by the appearance off the Kerry coast of another depression which maintained a disturbed state of weather through the rest of the month, the wind attaining the force of a strong gale on 15 out of 20 days. At Holyhead a whole gale blew from North-West on the 13th, and from West on the 15th, when a gust of 79 miles per hour was recorded at Southport during a strong gale. The most widespread gale of the month blew on the 19th and 20th while the cyclonic centre was passing eastward between Iceland and the Faroe, the gale being felt as far south as the English Channel. At Blacksod, Malin Head, Glasgow, Hexham, and Lerwick it was a strong gale, and at Southport a whole gale, the highest gust velocities being 74 miles per hour at Southport and 83 miles per hour at Hexham. Another instance of a whole gale occurred at Malin Head on the 23rd, when the depression was centred over Denmark Strait. On the 3rd December, during the passage of a deep depression eastwards beyond the north of Scotland, a strong or whole gale blew on many parts of the coast. Some of the gusts were of great violence—as high as 82 miles per hour at Southport.

2. *Rainfall*.—For the country as a whole, the rainfall was slightly below the normal. In Ireland and in South-Western England there was a small excess, but in all other districts there was a deficiency ; the aggregate over the East of Scotland in particular was only about 85 per cent. of the normal. The number of days of rain was also as a rule somewhat under the average. Some exceptionally small totals were registered, 16·2 in. at Cromer, 17·9 in. at Leith, 18·0 in. at Spurn Head, 18·2 in. at Fortrose and Southend, 18·7 in. at Cambridge, and 18·8 in. at Skegness and Clacton. Large records were few, 81·0 in. at Ardnadam, 87·2 in. at Glencarron, 87·9 in. at Caragh Lake, 89·9 in. at Princetown, and 124·5 in. at Seathwaite. Six stations situated on the slopes of Snowdon returned amounts of over 140 in., the highest being Copper Mill with 161·0 in. Falls of an inch or more in a day were fairly numerous in the course of the year and there were many reports of over 2·5 in. ; the heaviest recorded was one of 4·62 in. at Copper Mill on the 17th June. On May 9th many heavy falls were recorded—1·2 in. at Carnoustie, 1·6 in. at Crathes, and next day 1·6 in. at Dyce and 2·8 in. at Crathes ; at Crathes this rainstorm was continuous for 36 hours, during which time 4·4 in. fell. On June 9th a great rainstorm affected the mountainous districts, giving 1·5 in. at Mount Callan in Ireland, 1·8 in. at Fort William, 1·9 in. at Inverary, 4·2 in. at Seathwaite, over 2 in. generally in Snowdonia, and up to 3·9 in. at Intake, 4·4 in. at Llanberis, 4·6 in. at Copper Mill. A violent thunderstorm on the night of the 14th–15th July gave over 3 in. at Mayfield, Sussex. On 31st August many stations in the south had over 1 in. and up to 2·5 in. at Worthing. On September 16th 2·65 in. fell at Newcastle-on-Tyne ; next day the Midlands had heavy downpours, up to 1·7 in. at Sheffield and 2·1 in. at Bawtry. On the 17th September a remarkable rainstorm visited the neighbourhood of Doncaster. An area of about 27 square miles (including the city) received over 5 in. in 24 hours and about 1,000 square miles received over 1 in. Ireland had heavy falls on the 19th—13 $\frac{3}{4}$ in. round Dublin ; on 22nd 1·4 in. at Valencia and on 24th 2 in. at Broadford (Clare). On the 26th the North of England had the heavy falls, up to 1·6 in.

at Lancaster and 1·8 in. at Kirkby Lonsdale. A very heavy downpour over the inland districts of England on 5th October gave amounts up to $1\frac{3}{4}$ in. at Welshpool, Wistanstow and Little Massingham, 2·2 in. at Fulbeck, 2·6 in. at Rauceby and Rugeley, 2·8 in. at Claypole, 2·9 in. at Temple Bruer, and 3·1 in. at Boston; it was followed next day by heavy falls in the southern counties ranging up to 2 in. at Dorchester. Some of the heavy falls in short periods noted by observers were 2·12 in. at Brampton Grange in $1\frac{1}{4}$ hours and 2·80 in. at Great Panton in the same time on June 17th; 4·30 in. at Hafod Fawr in 8 hours on June 19th; 0·61 in. at Heathfield in 15 minutes on July 10th; 2·65 in. in $1\frac{1}{2}$ hours at Newcastle-on-Tyne on September 16th; 1·20 in. in 24 minutes at New Malden on October 2nd; 0·85 in. at Norwich in 13 minutes on October 3rd.

3. *Snowstorms*.—From the 10th to the 12th of January occurred the heaviest snowfall for years; accompanied as it was by a severe gale it caused considerable drifting in many localities. In several instances drifts up to 10 ft. deep were reported and railway and postal services were considerably delayed. In Western Perthshire the depth (undrifted) was estimated at over 3 ft. and many places reported depths of over 12 in. During the first four months of the year there were many minor and local falls of 5 in. or less. In particular a cold southerly wind on the 11th of April brought with it a remarkably widespread fall, amounting in many places to from 3 to 6 in., and being in some parts of the country one of the heaviest of the year.

4. *Thunderstorms*.—In the latter half of January and the first week of February thunderstorms were (for the season) fairly numerous, being noted in many places and accompanied frequently by hail or snow. From the 15th to the 17th March they were widely distributed and heavy rain fell in the lower levels; again, on the 22nd, they were general over England and severe in places. Thunderstorms with hail, sleet or snow occurred at a number of stations on the 17th of April. Various parts of Ireland were visited by thunder and hailstorms on the 27th and 28th, and in the evening of the following day they were common throughout England, very severe and destructive in a number of instances and accompanied by extraordinarily vivid lightning. These storms were practically simultaneous, occurring in most localities between the hours of 7 and 11 p.m. The accompanying rainfall was fairly heavy. On the 30th of this month and the first few days of May and again on the 10th, thunder occurred in many parts of the Kingdom, accompanied on the latter occasion by many heavy falls of rain and hail. The unusual heat of the 25th to 30th was accompanied in nearly all parts of England by more or less severe thunderstorms, resulting in a number of casualties; there were few heavy falls of rain or hail, but from some places sharp falls in short periods were reported and an exceptional hailstorm visited Southend. During June, July and August thunderstorms were, for the season, unusually few and slight, with the exception of that which occurred in the Eastern Counties on the 17th June; in this instance several places received over an inch of rain and one or two had over 2 inches in an hour and a quarter. Comparatively slight storms, severe in places and violent at Princetown, visited the south of England on the 4th September and were accompanied by very heavy rain. On 14th and 15th various districts had thunderstorms; a waterspout was observed crossing the mouth of the Towy River, and Oundle was visited by an extraordinary hailstorm, the hail lying 7 to 9 in. deep and yielding 0·52 in. of water after a fall of 20 minutes. The 16th witnessed further sporadic thunder and rainstorms, Newcastle-on-Tyne receiving 2·65 in. of rain in $1\frac{1}{2}$ hours. During October thunderstorms were unusually frequent and widely distributed over England, while Scotland and Ireland were seldom affected. These visitations were numerous during the first eight days, and again from the 27th to the 29th; in many instances they were accompanied by more or less heavy hail, very violent in particular at Cullompton on the 27th (the day of the whirlwinds in Glamorgan and Shropshire). On the 11th, 12th and 13th of November several districts in England had thunderstorms, accompanied mostly by hail, and on the 28th and 29th December they occurred in all districts, sometimes accompanied by snow.

5. *Dry Periods*.—During the first half of April little or no rain fell in many localities, more especially in Ireland, and in the latter part of May there was a complete drought of from 14 to 19 days in the south-eastern districts of England. In the three months June, July, August many districts reported long dry or partially dry periods. In particular, during the 103 days ending on the 29th August, only about 1 in. of rain fell at Exmouth. In the last three weeks of June a great many places had less than 1 in., and in the period ending on August 8th Exmouth had 29, Teignmouth 30 and South Hanningfield 34 consecutive days without rain, whilst several other stations had from 20 to 24 dry days; Redruth enjoyed the driest July in 34 years' records. In many parts of Scotland October was an unusually dry month, the records of several

places showing rainless periods of 8 or 10 days. During December many consecutive days after the first week were quite rainless over a wide area in England. At Tottenham no rain fell between the 7th and 22nd—a period of 16 days; and at Durham there were 20 days without rain—from the 5th to 24th.

6. *Temperature*.—All over the country the mean temperature for the year was above the normal, the most remarkable feature being the absence of any very high or very low readings. On the 13th and 14th January there were several sharp frosts with many records below 20° — 10° at Newton Rigg and 8° at Mayfield (Staffs). May was an extremely variable month, with frost in many localities on the 6th and 7th, and unusual heat from the 25th to the 30th. In the latter case day readings of 80° were numerous over England and 84° was reached at some London stations; the nights were also very warm—in many instances the minima lying between 55° and 62° . On the 16th and 17th June the highest temperatures of the year were registered in eastern and south-eastern England, the extreme value, however, being only 85° (at Chelmsford, New Malden and London). The last four months of the year were remarkable, on the whole, for their mildness, but the lowest temperatures of the year occurred during the frost which affected a large portion of Scotland, England and Wales towards the end of December. In many places the minima lay between 9° and 13° , and 4° , the lowest for the year, was reached at Braemar on the 31st. The extreme range for the year was in most places less than 70° , but rose to 72° at Balmoral, 73° at Braemar and 74° at Worksop. The localities of smallest range were the Hebrides, Shetland Islands and Scilly Isles. At Castlebay the range was only 35° , at Lerwick and Scilly 38° ; on the mainland the lowest ranges were 40° at Blacksod Point and Malin Head, 43° at Holyhead and 46° at Falmouth and Penzance.

7. *Bright Sunshine*.—The duration of bright sunshine was everywhere considerably less than the normal. August was an unusually bright month in Ireland, in the greater part of Scotland, and in the north-west of England. In October the amount of insolation was in most places above the average, but in almost all other months there was a general deficiency. The aggregate total for the year was as low as 814 hours at Hull, 829 at Bolton, 876 at Fort Augustus, and 884 at Manchester. The southern parts of the country had, as usual, the highest records, 1,599 at Hastings, 1,600 at Bexhill and Worthing, 1,691 at Felixstowe, 1,700 in Jersey, 1,707 in Guernsey, and 1,622 at Broadstairs, whilst Bognor had 1,621 hours.

8. *Fog*.—Inland and on the coasts fogs were more than usually frequent in January and particularly prevalent, both in this country and on the continent, in February. About the middle of the latter month several localities experienced very dense fogs, and in London on the 15th the fog, rising above the housetops, formed a thick canopy which completely shut out the daylight. March and April brought a considerable falling off in the records of fog. The English Channel until now had been unusually free from fog, but the warm weather towards the close of May was accompanied by much fog in this quarter and on the western coasts, often dense and leading to numerous casualties. From June to October fogs were noted frequently on the eastern and western coasts (and inland on several days in the latter month) but only seldom along the south coast. In November the inland districts were uncommonly free from fog, but it again occurred rather frequently on the eastern and western coasts. As a whole the atmosphere in December was clear, especially inland.

9. *Barometer*.—All over the country the mean pressure for the year differed but little from the normal, the chief difference being in the West of Ireland; at Blacksod there was a deficiency of $\cdot 042$ in. and at Valencia a deficiency of $\cdot 024$ in. Pressure over the most of the country was unusually high on February 12th and again on December 21st, the height of the barometer in both cases being about $30\cdot 7$ in. over a large area. On the former occasion $30\cdot 72$ in. was reached at Kew. The White Star Liner "Celtic" registered the remarkably low reading of $27\cdot 44$ in. on the morning of the 10th of January in lat. 50° N. long 29° W., not far from the position where on February 5th, 1870, the s.s. "Tarifa" registered $27\cdot 33$ in., the lowest Atlantic reading known. The 19th of March was notable in that on that day the pressure over the whole of Scotland was under $28\cdot 5$ in.

10. *Floods*.—The floods of December, 1912, in the Thames and other valleys continued for a few days in January, 1913. The great volume of water which fell on the flat country round Doncaster on the 17th September caused considerable flooding and inconvenience for a short time but fortunately resulted in little damage.

11. *High Tides*.—The severe gales of the 7th February, as already noted, caused in the Shannon the highest tide known for 50 years ; at Limerick many houses were flooded. Salcombe on the 29th October had an unusually high tide.

12. *Waterspouts*.—A waterspout was observed crossing the mouth of the Towy River on the 15th September. Three were reported at Claypole during the heavy rainstorm of the 5th October ; one at Rousdon on the 7th and several on the 8th of the same month.

13. *Whirlwinds*.—On the 27th October one of the most violent tornados ever known in this country visited the Taff Valley in Glamorganshire, and some parts of Shropshire and Cheshire. The phenomena were so remarkable and unusual that a detailed investigation was made and a special report issued. On May 9th a similar storm but of moderate intensity caused considerable damage to trees, &c., near Crosshaven, Co. Cork. Like the tornados of the United States it was preceded by remarkable noises, the affected area consisting of a narrow path a few miles long.

14. *Earthquakes*.—An earth tremor was felt at Isleworth, Middlesex, at about 5 p.m. on March 22nd. A thunderstorm was then in progress, and a line squall was passing across the neighbourhood from west to east, marked by a sudden and sharp rise of the barometer.

15. *Luminous Sky*.—Luminous skies were noted by several observers during the year. In November magnificent glows at sunrise and sunset were frequently reported, especially from the 27th to the 30th.

16. *Meteors*.—A brilliant meteor visible for half a minute was observed at Tavistock on May 26th. A large one was seen from several places in South Wales and Ireland on August 3rd. Its height above the earth's surface was calculated at about 87 miles.

17. *Aurora*.—There were a few reports of aurora but none were described as bright.

18. *Extremes of Temperature, etc.*—As in previous Annual Reports the following notes refer exclusively to the stations the results from which are given in the tables on pages 92–95.

The highest temperatures of the air were 87° at Greenwich ; 85° at Camden Square ; and 84° at Cambridge.

The lowest temperatures were 11° at Llangammarch Wells ; 14° at Buxton ; and 15° at Belvoir Castle.

The heaviest totals of rain were at Llangammarch Wells, 56·0 ins. ; at Falmouth, 45·3 ins. ; and at Stonyhurst, 42·1 ins.

The least falls of rain were at Cromer, 16·2 ins. ; at Spurn Head, 18·0 ins. ; and at Cambridge, 18·7 ins.

The stations with the greatest numbers of days of rain were Buxton with 232 ; Salisbury with 228 ; and Llangammarch Wells with 226.

The stations with the least numbers of days of rain were Tottenham, with 127 ; Clacton, with 145 ; and Lincoln, with 147.

19. *Further Information*.—Charts showing the distribution of pressure, temperature, sunshine, and rainfall for the year will be found in the Annual Summary of the Monthly Weather Report (issued by the Meteorological Office) for 1913.

A list of publications concerning the weather will be found in Circular 001 "Statement of Provisions for the Supply of Information to the Public" which can be obtained on application at the Meteorological Office.

TABLES.

TABLE 1.—UNITED KINGDOM: POPULATION of its several PORTIONS ESTIMATED to the
in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES. AREA 37,337,537 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1864	29,680,439	14,431,944	15,248,495	20,883,889	10,172,089	10,711,800
1865	29,925,179	14,552,747	15,372,432	21,145,151	10,298,826	10,846,325
1866	30,147,756	14,656,116	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,135	14,781,925	15,627,210	21,677,525	10,557,066	11,120,459
1868	30,689,980	14,917,164	15,772,816	21,948,713	10,688,600	11,260,113
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,491	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,298,573	21,983,102	23,315,471	36,163,833	17,490,847	18,672,986
1912	45,665,423	22,161,638	23,503,785	36,539,636	17,672,985	18,866,651
1913	46,026,483	22,336,436	23,690,047	36,919,339	17,857,014	19,062,325

* The Estimates of Population for Scotland and Ireland have been supplied

† Land only to high water mark.

‡ Land and inland water.

§ Excluding inland water, tidal water, and foreshore.

|| Excluding larger rivers, lakes, and tideways.

MIDDLE of each of the YEARS 1864-1913, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,069,500 ACRES.‡			IRELAND.* AREA 20,371,125 ACRES.‡			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,156,023	1,497,989	1,658,034	5,640,527	2,761,866	2,878,661	1864
3,185,439	1,513,121	1,672,318	5,594,589	2,740,800	2,853,789	1865
3,215,130	1,528,405	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,101	1,543,844	1,701,257	5,486,509	2,681,015	2,805,494	1867
3,275,353	1,559,439	1,715,914	5,465,914	2,669,125	2,796,789	1868
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,410	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,741,077	2,299,224	2,441,853	4,384,710	2,189,429	2,195,281	1912
4,728,132	2,292,946	2,435,186	4,379,012	2,186,476	2,192,536	1913

by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ESTIMATED POPULATION OF ENGLAND AND WALES AND MAIN DIVISIONS in the MIDDLE of the YEAR 1913.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 Years and upwards.
England and Wales	M	17,857,014	404,705	383,236	1,195,270	1,983,211	1,891,801	1,738,908	1,693,711	1,538,431	2,899,804	2,391,988	1,732,989	1,109,286	615,852	187,815	23,218
	F	19,062,325	396,124	377,804	1,191,534	1,965,462	1,894,602	1,793,957	1,721,461	1,712,214	3,198,584	2,568,336	1,875,472	1,240,145	774,011	275,923	42,158
London	M	2,122,607	49,104	44,960	140,087	234,151	215,548	198,662	192,917	190,684	362,967	293,427	213,635	131,423	68,124	18,830	2,239
	F	2,395,584	48,296	44,591	139,987	232,874	217,737	202,986	212,409	237,849	432,436	333,172	240,919	153,589	92,605	33,492	5,516
County Boroughs*	M	5,589,990	131,088	123,024	384,238	638,350	597,699	560,798	523,385	482,654	935,541	766,070	536,949	331,209	166,717	43,125	4,493
	F	6,089,177	128,193	121,833	384,166	634,192	603,074	572,019	567,942	567,508	1,050,606	825,674	589,715	376,700	221,726	70,718	9,303
Urban Districts*	M	6,182,106	140,493	134,204	416,645	691,342	662,417	622,319	588,533	537,646	1,017,991	836,306	586,962	369,840	200,982	60,407	7,361
	F	6,624,462	137,826	132,106	415,577	685,509	663,313	625,545	607,022	595,564	1,115,531	896,869	643,021	422,847	262,292	92,897	14,052
Rural Districts*	M	3,962,311	84,020	81,048	254,300	419,368	416,137	407,129	388,876	327,447	580,305	496,185	395,443	276,814	180,029	65,453	9,125
	F	3,953,102	81,809	79,274	251,804	412,887	410,478	393,407	334,088	311,293	600,011	512,621	401,817	287,009	197,388	78,816	13,287
Northern Counties	M	6,010,713	141,049	132,942	410,456	684,447	638,975	603,984	571,096	523,738	995,586	820,092	578,152	362,902	181,549	45,900	4,362
	F	6,366,092	137,993	131,613	410,723	680,329	643,338	609,476	588,205	581,597	1,089,376	863,306	614,324	395,143	226,238	67,063	7,697
Midland Counties	M	5,614,874	126,992	121,748	380,649	629,389	612,484	581,969	533,208	458,990	884,853	738,454	539,913	351,245	206,877	68,537	8,955
	F	5,962,018	124,408	119,452	379,786	623,646	611,273	582,587	540,084	516,052	968,593	786,185	578,182	389,371	254,040	96,500	15,505
Southern Counties (including London).	M	4,946,908	105,675	99,404	314,706	519,785	499,250	476,725	466,710	439,364	806,799	661,477	496,548	322,030	187,989	61,724	8,507
	F	5,500,044	103,312	98,130	311,696	513,138	500,011	475,880	477,708	507,094	944,198	762,164	573,719	384,765	248,225	96,509	16,633
Wales and Monmouth	M	1,284,519	30,989	29,142	89,459	149,590	141,092	126,230	122,697	116,339	212,566	172,035	118,376	73,109	39,437	11,654	1,394
	F	1,234,171	30,411	28,609	89,329	148,349	139,980	126,014	115,464	107,471	196,417	156,681	109,247	70,866	45,508	15,851	2,323
County Boroughs.	M	3,042,725	72,360	67,673	211,079	351,112	325,348	305,660	283,873	262,846	513,082	423,124	292,809	178,594	85,433	19,191	1,653
	F	3,295,010	70,941	67,091	211,433	349,465	328,617	311,240	305,268	306,605	575,257	451,912	318,302	200,347	112,898	31,665	3,434
Midlands	M	1,700,949	40,311	37,827	117,907	196,045	185,957	175,404	160,135	142,938	280,502	228,948	161,420	100,811	52,343	14,840	1,606
	F	1,858,212	39,270	37,456	118,606	195,332	187,319	178,907	178,429	174,163	314,847	245,213	175,914	113,088	68,199	23,576	3,225
South*	M	605,251	12,617	12,129	38,536	63,282	60,318	56,486	56,633	54,376	103,291	81,129	59,703	38,716	22,720	7,527	1,070
	F	699,547	12,428	11,863	37,477	61,768	60,975	57,828	60,811	64,052	120,974	98,307	74,771	51,044	33,475	13,187	2,555
Wales	M	241,065	5,800	5,395	16,716	27,911	26,076	23,248	22,744	22,494	41,666	32,869	23,017	13,088	6,221	1,567	164
	F	236,408	5,554	5,423	16,650	27,627	26,163	24,044	23,434	22,688	39,528	30,242	20,728	12,221	7,154	2,290	289

Urban Districts.	North* Midlands* South* Wales	{ ... * ... }	M	2,106,466	48,644	46,032	141,040	235,716	221,757	211,548	200,392	185,971	350,551	287,902	202,882	128,438	63,668	16,164	1,477
			F	2,225,664	47,572	45,845	141,534	234,951	224,191	213,579	205,476	202,274	379,560	302,384	215,959	140,717	80,200	23,682	2,691
			M	2,265,631	52,038	50,280	157,900	260,218	252,022	235,388	212,528	184,794	367,309	305,460	212,712	133,361	74,726	23,529	3,084
			F	2,465,664	51,469	49,560	156,824	257,853	251,139	237,348	227,447	218,951	413,118	331,944	234,585	153,581	97,465	36,411	5,822
Rural Districts.	North* Midlands* South* Wales	{ ... * ... }	M	1,184,797	23,863	22,950	72,951	119,704	118,550	114,545	116,658	108,507	192,253	157,032	115,935	76,106	46,658	16,439	2,350
			F	1,346,080	23,089	22,138	72,192	117,419	118,208	114,072	119,036	122,411	228,240	188,356	143,088	97,975	65,852	26,721	4,702
			M	625,212	15,948	14,942	44,754	75,644	70,088	60,838	58,955	58,374	107,878	85,412	55,433	31,935	15,930	4,275	450
			F	587,054	15,696	14,563	45,027	75,286	69,775	60,546	55,063	51,928	94,613	74,185	49,389	30,574	18,775	6,083	837
Urban Districts.	North* Midlands* South* Wales	{ ... * ... }	M	861,522	20,045	19,237	58,337	97,619	91,870	86,776	86,831	74,921	131,953	108,996	82,461	55,870	32,448	10,545	1,232
			F	845,418	19,480	18,677	57,756	95,913	90,530	84,657	77,461	72,718	134,559	109,010	80,063	54,079	33,140	11,716	1,572
			M	1,648,294	34,643	33,641	104,842	173,126	174,505	171,177	160,545	131,258	237,042	203,546	165,781	117,073	79,808	30,168	4,265
			F	1,638,142	33,669	32,436	104,356	170,461	172,815	166,332	134,208	122,938	240,628	209,028	167,683	122,702	88,376	36,513	6,458
Rural Districts.	North* Midlands* South* Wales	{ ... * ... }	M	1,034,253	20,091	19,365	63,132	102,588	104,834	107,032	100,502	85,797	148,288	129,889	107,275	75,785	50,487	18,928	2,848
			F	1,058,833	19,499	19,538	62,040	101,077	103,091	100,994	85,452	82,782	162,548	142,329	114,941	82,157	56,293	23,109	4,060
			M	418,242	9,241	8,805	27,989	46,035	44,928	42,144	40,998	35,471	63,022	53,754	39,926	28,086	17,286	5,812	780
			F	410,709	9,161	8,623	27,652	45,436	44,042	41,424	36,967	32,855	62,276	52,254	39,130	28,071	19,579	7,478	1,197

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION of aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES in the MIDDLE of the YEAR 1913.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given ; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Bedfordshire	{ U ... R }	{ ... }	M	56,862	1,197	1,143	3,612	5,952	5,781	5,838	5,889	5,156	9,280	7,384	5,324	3,452	2,042	676	88
			F	65,080	1,175	1,154	3,546	5,875	5,621	5,964	6,329	6,405	10,881	8,653	6,709	4,442	2,966	1,056	179
			M	39,153	785	738	2,479	4,002	4,014	4,128	3,746	3,140	5,410	4,679	3,987	2,901	2,195	838	113
			F	38,975	724	722	2,203	3,649	3,844	3,862	3,053	2,722	5,515	4,945	4,251	3,412	2,562	996	164
Berkshire ...	{ U ... R }	{ ... }	M	27,656	565	531	1,619	2,715	2,662	2,697	2,636	2,551	4,235	3,543	2,822	1,935	1,296	479	85
			F	30,512	531	482	1,576	2,589	2,545	2,549	2,767	2,643	5,060	4,051	3,385	2,406	1,671	718	128
			M	68,447	1,387	1,293	4,193	6,873	6,774	7,279	7,044	5,016	9,882	8,720	7,179	5,004	3,213	1,287	176
			F	70,046	1,315	1,293	4,222	6,830	6,958	6,689	5,590	5,438	10,759	9,386	7,585	5,412	3,637	1,514	248
Buckinghamshire...	{ U ... R }	{ ... }	M	39,903	830	817	2,565	4,212	4,289	4,183	4,112	3,050	6,343	5,264	3,768	2,539	1,548	514	81
			F	42,639	821	771	2,463	4,055	4,204	4,046	3,885	3,614	6,828	5,863	4,281	2,939	2,050	754	120
			M	70,021	1,435	1,348	4,303	7,086	7,476	7,181	6,452	5,367	10,166	9,115	7,279	5,057	3,392	1,283	167
			F	72,381	1,290	1,309	4,310	6,909	7,272	7,052	5,590	5,394	11,054	9,787	7,872	5,660	3,936	1,586	269

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.										45—	55—	65—	75—	85 Years and upwards.
		0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—					
Cambridgeshire	M	520	507	1,550	2,577	2,574	2,524	2,585	2,216	3,937	3,552	2,651	1,878	1,038	345	47
	F	504	535	1,492	2,531	2,456	2,641	3,155	3,051	5,078	4,323	3,266	2,394	1,550	619	108
	M	702	721	2,144	3,567	3,736	3,708	3,461	2,848	5,000	4,460	3,832	2,939	2,238	815	102
	F	694	681	2,143	3,518	3,808	3,670	2,657	2,403	4,953	4,655	3,890	3,090	2,517	1,065	221
Cheshire	M	4,255	4,167	12,701	21,123	20,247	19,985	18,843	17,512	33,387	28,208	20,137	12,326	6,473	1,934	197
	F	4,229	4,059	13,024	21,312	20,741	20,060	19,875	20,531	39,198	31,897	22,709	14,841	8,851	2,790	314
	M	1,956	1,755	5,754	9,465	9,386	9,200	9,528	8,045	14,536	12,271	9,150	5,860	3,653	1,221	140
	F	1,834	1,748	5,536	9,118	9,264	9,035	8,830	8,645	16,325	13,255	9,451	6,106	4,011	1,380	174
Cornwall	M	1,290	1,272	4,005	6,567	6,584	6,461	7,038	5,815	9,574	8,109	6,887	4,570	3,032	1,148	144
	F	1,255	1,245	4,021	6,521	6,564	6,533	7,257	7,298	12,525	10,828	9,132	6,525	4,897	2,084	384
	M	1,714	1,650	5,367	8,731	8,861	9,009	9,104	7,030	11,288	10,299	9,172	6,429	4,305	1,594	265
	F	1,617	1,672	5,448	8,737	8,933	9,032	8,452	7,616	13,907	12,522	10,964	7,960	5,895	2,428	469
Cumberland	M	1,971	1,857	5,567	9,395	9,297	9,228	8,085	7,041	12,485	9,899	7,692	5,454	2,903	779	78
	F	1,852	1,772	5,636	9,260	9,013	9,067	8,385	7,688	14,371	10,941	8,502	5,839	3,612	1,139	156
	M	928	917	2,898	4,743	4,773	4,746	5,139	4,033	6,544	5,788	4,835	3,639	2,158	759	91
	F	938	965	2,917	4,820	4,672	4,588	4,652	4,008	7,168	5,990	4,909	3,606	2,317	843	131
Derbyshire	M	3,726	3,554	10,529	17,809	16,521	15,324	14,329	12,865	24,506	19,053	13,134	8,324	4,365	1,197	122
	F	3,626	3,496	10,476	17,598	16,587	15,486	14,157	13,339	24,567	18,904	13,282	8,483	4,833	1,594	194
	M	3,592	3,387	10,361	17,340	16,465	15,147	14,320	12,362	22,820	18,190	13,017	8,437	4,537	1,381	142
	F	3,393	3,321	10,416	17,130	16,339	14,589	11,960	11,105	21,549	17,185	12,246	7,986	4,949	1,706	247
Devonshire	M	2,005	1,829	5,930	9,764	9,680	9,839	10,567	8,729	15,613	13,509	10,993	7,736	5,255	2,034	298
	F	1,869	1,814	5,800	9,483	9,901	10,061	11,214	11,981	21,106	17,975	15,198	10,731	7,661	3,355	616
	M	1,988	1,984	6,536	10,508	10,865	11,164	11,267	9,471	15,613	14,048	12,159	8,577	5,880	2,278	361
	F	1,973	2,081	6,268	10,322	10,683	10,877	9,846	9,195	17,197	15,134	12,668	9,308	6,591	2,780	494
Dorsetshire	M	1,097	1,008	3,343	5,448	5,459	5,173	6,274	6,818	11,648	8,003	5,575	3,619	2,238	811	116
	F	1,062	1,078	3,311	5,451	5,381	5,150	5,647	5,807	10,268	8,275	6,578	4,399	3,054	1,279	252
	M	973	968	3,137	5,078	5,315	5,488	5,067	4,198	7,042	6,510	5,577	4,052	2,740	1,086	146
	F	941	964	3,069	4,974	5,215	5,158	4,114	3,978	7,576	7,025	6,082	4,439	3,183	1,344	236
Durham	M	7,578	7,164	21,431	36,173	31,875	28,808	26,962	24,690	45,029	35,057	23,781	15,622	7,891	1,847	168
	F	7,481	6,951	21,313	35,745	32,519	29,003	26,059	24,316	43,170	32,522	22,087	13,742	7,713	2,277	273
	M	6,145	5,730	16,855	28,730	25,752	23,446	21,894	19,479	32,882	26,227	18,449	12,013	6,205	1,736	155
	F	5,880	5,595	17,096	28,571	25,389	22,728	19,729	17,878	31,156	24,274	16,160	10,036	5,639	1,769	208

Ely, Isle of	{ U { ... }	{ M { F { M { F {	{ 18,394 18,904 17,606 16,108	{ 351 365 355 367	{ 1,194 1,100 1,143 1,085	{ 1,911 1,842 1,861 1,840	{ 1,923 1,766 1,866 1,773	{ 1,792 1,760 1,766 1,616	{ 1,716 1,749 1,664 1,341	{ 1,379 1,575 1,458 1,242	{ 2,804 2,799 2,593 2,292	{ 2,400 2,387 2,113 1,972	{ 1,781 1,894 1,702 1,468	{ 1,366 1,402 1,266 1,248	{ 950 1,156 921 903	{ 313 482 343 350	{ 59 92 53 63
Essex	{ U+ { ... }	{ M { F { M { F {	{ 411,064 444,154 134,612 130,775	{ 9,012 8,826 2,590 2,419	{ 29,278 28,738 7,991 8,172	{ 47,441 46,638 13,161 13,163	{ 47,198 47,072 14,137 13,843	{ 44,623 44,451 13,920 13,539	{ 37,895 40,716 12,949 9,846	{ 33,194 37,676 10,468 9,255	{ 65,531 74,373 19,570 18,904	{ 57,583 62,429 16,933 17,060	{ 38,883 42,149 13,954 13,816	{ 22,475 25,968 9,560 10,274	{ 12,095 16,060 6,959 7,376	{ 3,662 5,695 2,606 3,125	{ 484 927 395 574
Gloucestershire	{ U { ... }	{ M { F { M { F {	{ 44,535 55,888 112,719 117,687	{ 850 827 2,202 2,195	{ 2,660 2,698 7,175 7,068	{ 4,391 4,377 11,635 11,456	{ 4,576 4,549 12,246 12,062	{ 4,620 4,764 12,019 11,883	{ 4,648 5,760 10,835 9,833	{ 3,459 5,248 8,812 8,891	{ 6,375 8,693 15,442 16,810	{ 5,800 7,432 14,008 15,172	{ 4,429 6,018 11,716 12,729	{ 3,220 4,324 8,278 9,198	{ 2,172 3,136 5,487 6,544	{ 734 1,345 1,967 2,667	{ 111 242 274 442
Herefordshire	{ U { ... }	{ M { F { M { F {	{ 18,765 21,409 36,396 37,733	{ 337 350 713 688	{ 1,178 1,137 2,250 2,283	{ 1,880 1,865 3,669 3,699	{ 1,831 1,916 3,826 3,781	{ 1,981 1,879 3,860 3,815	{ 1,726 2,077 3,341 3,122	{ 1,447 1,878 2,500 2,720	{ 2,794 3,337 4,409 5,062	{ 2,444 2,790 4,625 4,834	{ 1,986 2,285 3,991 4,037	{ 1,399 1,580 3,040 3,037	{ 894 1,208 2,226 2,467	{ 337 499 789 989	{ 46 95 120 170
Hertfordshire	{ U+ { ... }	{ M { F { M { F {	{ 96,609 108,691 57,993 60,658	{ 1,975 1,906 1,115 1,082	{ 6,162 6,220 3,486 3,486	{ 10,119 10,132 5,743 5,588	{ 10,387 10,180 5,767 5,766	{ 10,406 9,913 6,017 5,743	{ 9,062 9,834 5,653 5,010	{ 7,634 9,843 4,961 5,070	{ 15,248 18,165 8,897 9,802	{ 13,183 15,011 7,524 8,188	{ 9,202 10,798 5,861 6,361	{ 6,192 7,624 4,083 4,635	{ 3,754 4,886 2,503 3,141	{ 1,243 1,932 865 1,151	{ 179 373 119 203
Huntingdonshire	{ U { ... }	{ M { F { M { F {	{ 11,554 12,380 16,171 15,821	{ 229 220 317 307	{ 772 775 957 1,012	{ 1,223 1,270 1,606 1,591	{ 1,290 1,328 1,581 1,637	{ 1,277 1,282 1,668 1,574	{ 1,099 1,117 1,547 1,219	{ 883 976 1,201 1,011	{ 1,665 1,725 2,247 2,178	{ 1,491 1,565 1,936 1,977	{ 1,141 1,254 1,734 1,732	{ 731 874 1,244 1,309	{ 540 656 969 1,076	{ 191 281 375 436	{ 23 52 63 81
Kent	{ U+ { ... }	{ M { F { M { F {	{ 344,331 380,964 159,497 156,472	{ 6,747 6,581 3,091 3,001	{ 21,800 21,838 9,845 9,719	{ 35,633 35,291 15,944 15,717	{ 36,196 35,990 16,824 16,258	{ 34,378 34,410 17,332 15,978	{ 32,990 33,687 15,169 12,504	{ 31,280 34,051 12,173 11,801	{ 57,067 64,439 22,664 23,545	{ 45,869 52,772 19,638 20,854	{ 32,567 38,892 16,360 16,645	{ 21,004 26,228 11,788 11,628	{ 12,572 17,976 8,102 7,753	{ 4,213 6,757 3,024 3,240	{ 562 1,171 479 549
Lancashire	{ U+ { ... }	{ M { F { M { F {	{ 723,598 786,986 120,902 124,323	{ 14,925 15,057 2,447 2,267	{ 46,336 46,511 7,461 7,423	{ 76,745 76,834 12,332 12,123	{ 73,744 74,716 12,002 11,671	{ 71,811 72,861 11,644 11,343	{ 70,075 73,476 11,812 11,277	{ 65,316 73,389 10,505 11,078	{ 122,883 138,396 19,135 20,993	{ 101,945 111,260 16,289 17,252	{ 72,063 79,552 12,614 12,857	{ 43,580 50,614 8,359 8,845	{ 20,376 27,712 4,786 5,108	{ 4,703 7,447 1,290 1,612	{ 357 729 134 164
Leicestershire	{ U+ { ... }	{ M { F { M { F {	{ 49,325 52,523 75,807 77,288	{ 1,091 1,041 1,680 1,596	{ 3,297 3,311 4,916 4,848	{ 5,501 5,479 8,205 8,098	{ 5,289 5,428 7,995 8,130	{ 5,143 5,258 7,970 7,742	{ 4,757 5,151 7,463 6,787	{ 4,152 5,000 6,190 6,273	{ 8,066 8,709 11,475 12,271	{ 6,355 6,746 9,327 9,775	{ 4,629 4,877 7,285 7,381	{ 3,116 3,171 5,138 5,338	{ 1,708 1,898 3,261 3,704	{ 539 691 1,306 1,575	{ 70 115 192 214

* Excluding the population of Wallasey throughout the whole year, this town having been constituted a County Borough on 1st April, 1913.
+ Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Lincolnshire, Holland.	{ U	18,123	416	402	1,211	2,029	1,889	1,781	1,654	1,344	2,725	2,330	1,741	1,320	915	340	55
	{ F	19,780	414	406	1,184	2,004	1,859	1,849	1,815	1,727	3,048	2,488	1,886	1,444	1,117	446	97
Lincolnshire, Kesteven.	{ R	23,547	514	539	1,577	2,630	2,577	2,337	2,206	1,866	3,412	2,833	2,129	1,746	1,267	479	65
	{ F	22,654	571	457	1,563	2,591	2,363	2,320	1,948	1,674	3,258	2,760	2,084	1,714	1,307	542	93
Lincolnshire, Lindsey.	{ U	22,145	470	464	1,383	2,317	2,210	2,001	1,980	1,838	3,831	2,983	2,173	1,497	927	346	42
	{ F	23,127	446	477	1,429	2,352	2,199	2,168	2,060	1,932	3,866	2,978	2,263	1,625	1,150	450	84
Lincolnshire, Lindsey.	{ R	34,490	761	651	2,159	3,571	3,451	3,402	3,451	2,726	4,925	4,085	3,608	2,592	1,862	729	88
	{ F	33,326	683	635	2,056	3,374	3,393	3,353	2,749	2,414	4,661	4,221	3,460	2,680	2,009	856	156
Middlesex ...	{ U	49,123	1,161	1,142	3,396	5,699	5,181	4,663	4,368	4,192	8,325	6,408	4,731	3,057	1,821	597	81
	{ F	51,777	1,156	1,147	3,434	5,737	5,197	4,857	4,605	4,474	8,634	6,712	4,904	3,341	2,265	911	140
Monmouthshire ...	{ R	73,612	1,594	1,558	4,631	7,783	7,622	7,121	6,887	5,862	10,473	8,921	7,545	5,580	4,019	1,569	230
	{ F	70,835	1,555	1,443	4,621	7,619	7,441	6,986	6,079	5,330	10,351	8,742	7,108	5,202	3,966	1,707	304
Northamptonshire ...	{ U	538,558	12,812	12,363	39,568	64,743	61,127	53,339	47,041	42,270	92,941	77,318	50,665	29,161	15,050	4,329	574
	{ F	617,198	12,727	12,268	39,055	64,050	60,797	54,893	54,289	56,570	112,473	87,929	58,521	36,566	22,034	8,098	1,278
Norfolk ...	{ R	23,837	536	523	1,695	2,754	2,847	2,832	1,900	1,673	3,644	3,237	2,230	1,412	988	275	45
	{ F	26,900	572	494	1,661	2,727	2,833	2,746	2,272	2,293	4,581	3,647	2,556	1,651	1,096	415	83
Northamptonshire ...	{ U	154,309	4,179	3,952	11,925	20,056	18,057	15,054	14,749	14,863	26,649	20,499	12,644	7,283	3,435	921	99
	{ F	133,949	4,089	3,708	11,653	19,450	17,665	14,648	12,818	11,512	21,254	15,810	10,071	6,016	3,480	1,084	141
Norfolk ...	{ R	21,794	424	461	1,462	2,347	2,235	2,187	2,001	1,632	3,101	2,836	2,294	1,704	1,053	349	55
	{ F	21,438	444	386	1,342	2,172	2,251	2,239	1,994	1,709	3,148	2,790	2,086	1,535	1,020	432	62
Northamptonshire ...	{ U	28,955	592	586	1,861	3,039	3,001	3,106	2,692	2,244	4,128	3,661	3,021	2,078	1,364	530	91
	{ F	32,670	605	562	1,839	3,006	3,003	3,072	3,232	2,673	5,013	4,159	3,357	2,445	1,711	852	147
Northamptonshire ...	{ R	131,936	2,683	2,571	8,054	13,308	13,593	13,736	12,632	10,179	17,898	15,320	14,147	10,016	7,471	3,143	493
	{ F	130,668	2,607	2,476	8,053	13,136	13,344	13,256	10,162	9,293	17,842	16,150	14,195	10,424	8,265	3,828	773
Northamptonshire ...	{ U	47,478	949	856	2,792	4,597	5,134	5,289	4,821	3,830	7,363	6,602	4,739	2,859	1,627	545	72
	{ F	49,161	872	914	2,947	4,733	4,995	5,342	4,911	4,495	8,077	6,458	4,655	2,902	1,814	661	118
Northamptonshire ...	{ R	59,409	1,123	1,106	3,569	5,798	5,951	6,044	5,575	4,654	8,577	7,512	6,225	4,468	3,147	1,316	142
	{ F	59,183	1,094	1,144	3,468	5,706	6,052	5,985	4,527	4,213	8,547	7,662	6,376	4,736	3,616	1,502	261
Northamptonshire ...	{ U*	144,015	3,862	3,543	10,776	18,181	16,626	14,592	13,983	12,658	23,598	18,680	12,580	7,859	4,074	1,070	114
	{ F	140,860	3,675	3,504	10,734	17,913	16,433	14,577	13,912	12,653	23,062	17,844	11,871	7,422	4,313	1,394	166
Northamptonshire ...	{ R*	50,337	1,008	1,058	3,242	5,308	5,139	4,801	4,956	4,302	7,666	6,416	5,150	3,517	2,233	747	102
	{ F	52,255	1,030	989	3,149	5,168	5,144	4,813	4,886	4,673	8,547	7,002	5,157	3,695	2,233	826	111

Nottinghamshire ...	{ U { ... { R {	M	113,822	3,041	2,871	8,503	14,415	13,275	11,947	10,814	9,676	18,986	14,900	9,746	6,026	3,003	921	113
		F	115,165	2,855	2,835	8,598	14,288	13,190	12,018	11,285	10,520	19,167	14,416	9,489	5,987	2,467	1,201	137
		M	65,863	1,546	1,474	4,277	7,297	6,849	6,510	6,521	5,662	9,802	8,015	6,530	4,574	2,861	1,083	159
		F	65,992	1,508	1,378	4,392	7,278	7,065	6,584	5,984	5,359	10,015	8,224	6,497	4,525	3,049	1,217	195
Oxfordshire	{ U { ... { R {	M	17,506	384	353	1,029	1,766	1,874	1,730	1,597	1,370	2,570	2,218	1,798	1,257	905	372	49
		F	19,176	339	306	1,017	1,662	1,783	1,778	1,914	1,666	2,901	2,486	1,985	1,410	1,036	470	85
		M	50,338	999	955	3,050	5,004	5,120	5,248	5,006	4,087	6,862	5,877	5,322	3,934	2,675	1,057	146
		F	50,808	1,020	966	3,047	5,033	5,062	5,096	3,970	3,574	7,135	6,511	5,607	4,249	3,031	1,285	255
Peterborough, Soke of.	{ U { ... { R {	M	16,247	342	296	991	1,629	1,592	1,614	1,504	1,293	2,585	2,174	1,724	1,222	642	239	29
		F	17,975	289	302	978	1,569	1,647	1,715	1,737	1,590	2,822	2,399	1,857	1,376	842	364	57
		M	5,790	137	118	389	644	569	567	541	477	838	672	598	450	294	119	21
		F	5,568	104	95	323	522	574	574	467	388	762	699	614	470	324	137	37
Rutlandshire	{ U { ... { R {	M	7,896	42	31	128	201	180	207	186	127	305	235	209	150	69	24	3
		F	1,860	42	34	106	182	178	152	181	161	279	263	220	122	77	34	11
		M	8,529	179	166	521	866	791	870	1,114	627	1,129	1,038	908	569	426	157	34
		F	8,213	131	146	498	775	837	767	686	634	1,171	1,090	871	627	498	219	38
Shropshire ...	{ U { ... { R {	M	53,733	1,125	1,081	3,444	5,650	5,721	5,618	5,159	4,323	8,015	7,014	5,289	3,681	2,354	816	93
		F	56,686	1,112	1,052	3,464	5,628	5,797	5,589	5,990	4,475	8,428	7,437	5,839	4,075	2,993	1,162	173
		M	68,859	1,296	1,412	4,389	7,197	7,170	7,053	6,686	5,314	9,521	8,613	7,125	5,037	3,609	1,363	171
		F	68,592	1,384	1,275	4,380	7,039	7,342	6,999	5,893	5,129	9,502	8,785	6,980	5,092	3,935	1,602	294
Somersetshire	{ U { ... { R {	M	72,872	1,440	1,377	4,379	7,196	7,435	8,001	7,556	5,962	10,821	9,347	7,259	4,905	3,081	1,117	192
		F	87,864	1,415	1,343	4,426	7,184	7,481	7,766	8,542	8,301	14,135	11,814	9,208	6,538	4,629	1,907	359
		M	113,155	2,236	2,204	6,941	11,381	11,890	11,927	11,073	8,893	15,388	13,870	11,859	8,641	5,801	2,101	331
		F	119,720	2,200	2,156	6,892	11,248	11,536	11,375	9,720	9,279	17,618	15,551	12,875	9,862	7,027	3,038	591
Southampton	{ U { ... { R {	M	113,760	2,371	2,260	6,874	11,505	10,162	9,407	13,698	16,245	20,058	13,355	9,004	5,692	3,309	1,175	150
		F	99,935	2,278	2,120	6,578	10,976	9,913	9,082	8,249	8,762	17,315	13,532	9,777	6,175	4,191	1,686	277
		M	121,290	2,425	2,288	7,351	12,064	11,830	11,516	12,315	13,423	18,025	14,736	11,769	7,994	5,315	2,001	302
		F	115,334	2,319	2,297	7,135	11,751	11,634	11,083	9,077	9,124	18,175	15,456	12,278	8,435	5,611	2,310	400
Staffordshire	{ U { ... { R {	M	236,648	6,025	5,761	17,787	29,573	27,546	25,491	23,397	20,411	36,897	29,539	20,662	13,422	7,397	2,098	215
		F	233,798	5,986	5,696	17,626	29,308	27,948	25,818	21,129	19,539	36,322	28,662	20,245	13,494	8,307	2,727	299
		M	107,331	2,355	2,367	7,102	11,824	11,693	11,365	10,946	9,115	15,982	13,618	9,950	6,833	4,310	1,498	197
		F	105,018	2,400	2,276	7,119	11,795	11,564	10,883	9,062	8,183	16,053	13,530	10,004	7,175	4,782	1,738	249
Suffolk, East	{ U { ... { R {	M	38,807	905	854	2,646	4,405	4,435	4,126	3,545	3,375	6,098	4,533	3,599	2,509	1,549	543	90
		F	44,340	938	794	2,721	4,453	4,282	4,185	4,230	3,979	7,102	5,505	4,443	3,119	2,046	846	150
		M	63,433	1,224	1,208	3,815	6,247	6,658	6,535	7,020	4,798	8,497	7,328	6,516	4,804	3,330	1,457	243
		F	60,010	1,209	1,218	3,858	6,285	6,478	6,386	4,525	4,151	8,248	7,401	6,419	4,760	3,468	1,587	302

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—*continued*.

Area.	Sex.	All Ages.	Years										85 Years and upwards.				
			0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Suffolk, West	{ U {	21,039	381	400	1,271	2,052	2,156	2,214	2,214	1,611	2,996	2,708	2,221	1,527	948	345	47
	{ R {	22,749	379	1,186	1,959	2,080	2,218	2,157	1,960	3,409	3,009	2,429	1,666	1,247	526	89	
	{ ... {	36,970	695	2,211	3,642	3,898	3,858	3,552	2,844	5,041	4,375	3,900	2,790	2,100	830	140	
	{ ... {	35,992	690	2,278	3,663	3,838	3,744	2,723	2,350	4,903	4,355	3,920	2,908	2,280	1,107	201	
Surrey, ...	{ U* {	220,246	4,468	4,492	14,243	23,203	22,320	20,748	19,577	18,037	36,538	31,879	22,607	14,304	8,075	2,599	369
	{ ... {	259,195	4,414	4,303	13,905	22,622	22,304	20,427	22,147	24,733	47,577	38,613	26,899	17,778	11,170	4,220	705
	{ R* {	109,888	2,296	2,156	7,147	11,599	11,658	11,527	9,218	7,932	17,384	15,513	11,437	7,524	4,495	1,429	172
	{ ... {	124,140	2,269	2,227	6,969	11,465	11,417	10,990	10,106	10,988	21,959	18,072	13,148	8,588	5,203	1,914	290
Sussex, East	{ U {	50,313	1,000	976	2,907	4,883	5,149	5,305	4,412	3,762	7,600	6,725	5,450	3,705	2,316	872	134
	{ ... {	68,929	918	893	3,066	4,877	5,170	5,544	6,337	6,382	11,990	9,960	7,849	5,635	3,461	1,447	277
	{ R {	62,521	1,120	1,107	3,641	5,868	6,248	6,668	5,868	4,798	9,211	8,011	6,582	4,851	3,053	1,182	181
	{ ... {	66,073	1,131	1,094	3,641	5,866	6,217	6,110	5,382	5,071	10,553	9,288	7,367	5,324	3,373	1,294	228
Sussex, West	{ U {	37,921	792	757	2,342	3,891	4,163	3,951	3,338	2,689	5,663	4,891	3,849	2,718	1,893	750	125
	{ ... {	48,872	770	686	2,342	3,798	4,122	3,752	4,201	4,122	7,908	6,978	5,593	4,140	2,850	1,208	200
	{ R {	47,990	920	826	2,781	4,527	4,847	5,182	4,561	3,557	6,885	6,055	5,049	3,704	2,473	1,002	148
	{ ... {	47,523	842	850	2,802	4,494	4,656	4,447	3,595	3,490	7,335	6,770	5,138	3,846	2,542	1,030	180
Warwickshire	{ U {	65,670	1,441	1,428	4,141	7,010	6,721	6,531	6,230	5,461	11,163	8,909	6,249	4,161	2,275	852	108
	{ ... {	73,857	1,377	1,309	4,268	6,954	6,785	6,457	6,929	6,933	12,611	9,899	7,348	5,054	3,305	1,340	242
	{ R {	86,846	1,942	1,868	5,890	9,700	9,542	9,280	8,309	7,076	13,312	10,836	8,042	5,668	3,543	1,347	191
	{ ... {	85,718	1,884	1,793	5,754	9,431	9,407	8,681	7,072	6,774	13,288	10,976	8,210	6,039	3,962	1,597	281
Westmorland	{ U {	12,273	243	227	709	1,179	1,172	1,255	1,185	964	1,885	1,613	1,333	961	530	174	22
	{ ... {	14,527	214	216	709	1,139	1,155	1,237	1,360	1,424	2,455	1,975	1,558	1,169	735	285	35
	{ R {	17,725	334	324	982	1,640	1,784	1,757	1,816	1,429	2,322	2,190	1,887	1,550	950	358	42
	{ ... {	18,850	318	328	949	1,595	1,678	1,852	1,822	1,658	2,894	2,379	2,099	1,485	914	417	57
Wight, Isle of	{ U {	25,627	511	471	1,594	2,576	2,597	2,392	2,257	1,868	3,964	3,507	2,650	1,925	1,341	489	61
	{ ... {	32,283	480	437	1,547	2,464	2,518	2,533	2,771	2,734	5,431	4,657	3,589	2,712	1,915	821	138
	{ R {	16,634	287	275	828	1,390	1,334	1,725	1,416	1,723	2,575	2,254	1,756	1,244	845	320	52
	{ ... {	15,024	258	250	834	1,342	1,333	1,330	1,158	1,169	2,423	2,069	1,711	1,205	854	373	57
Wiltshire ...	{ U {	60,943	1,238	1,230	3,915	6,383	6,143	6,193	6,315	4,761	9,472	8,295	6,272	3,993	2,250	752	114
	{ ... {	66,155	1,225	1,156	3,782	6,163	6,319	6,265	6,217	5,597	10,486	8,901	6,988	4,708	3,077	1,239	195
	{ R {	84,254	1,654	1,606	5,365	8,625	8,388	8,215	8,400	7,583	12,331	10,235	8,376	5,977	4,265	1,624	235
	{ ... {	79,167	1,633	1,657	5,041	8,331	8,251	7,925	5,908	5,633	11,501	10,202	8,480	6,150	4,624	1,844	318

Worcestershire	{ U { { R { {	M { {	75,397	1,599	1,526	4,952	8,077	8,321	8,020	7,508	5,994	11,832	9,919	7,217	4,742	2,774	881	112
			84,481	1,702	1,588	5,016	8,306	8,292	8,093	7,983	7,652	13,811	11,041	8,331	5,754	3,655	1,375	218
			65,859	1,414	1,264	4,308	6,986	7,065	7,035	6,465	4,991	9,100	8,356	6,648	4,657	3,218	1,178	160
			67,801	1,324	1,263	4,259	6,846	6,967	6,887	5,671	5,093	9,921	8,725	6,999	5,263	3,613	1,528	288
Yorkshire, Riding.	{ U { { R { {	M { {	27,950	593	561	1,791	2,945	3,065	2,857	2,384	2,014	4,111	3,606	2,843	2,159	1,420	475	71
			33,666	597	585	1,823	3,005	2,867	2,998	3,053	2,933	5,472	4,642	3,409	2,681	1,777	699	130
			48,967	996	967	2,935	4,898	4,701	4,581	5,467	4,487	6,931	5,742	4,882	3,684	2,516	945	133
			46,586	955	914	2,931	4,800	4,748	4,478	4,176	3,858	6,944	5,741	4,786	3,407	2,418	1,070	160
Yorkshire, Riding.	{ U* { { R* { {	M { {	89,330	2,172	1,991	6,399	10,562	9,824	9,037	7,911	7,295	14,686	11,689	8,145	5,795	3,287	979	120
			92,497	2,068	1,987	6,138	10,193	9,715	9,062	8,045	8,045	15,417	11,990	8,695	5,990	3,804	1,331	210
			68,568	1,344	1,368	4,232	6,944	6,575	6,632	7,037	5,917	9,800	8,143	7,130	5,309	3,458	1,429	194
			68,887	1,339	1,305	3,997	6,641	6,642	6,370	6,172	5,872	10,497	8,866	7,353	5,339	3,503	1,379	253
Yorkshire, Riding.	{ U† { { R { {	M { {	548,689	12,486	11,597	35,330	59,413	55,907	53,975	50,964	48,481	92,487	77,205	54,308	34,682	16,714	4,203	350
			576,410	12,190	11,714	35,646	59,550	57,032	54,714	51,811	51,295	98,019	79,313	57,576	38,419	21,683	6,320	678
			198,352	4,910	4,671	13,978	23,559	21,758	19,969	19,182	16,724	32,137	25,930	18,364	11,939	6,489	2,060	241
			187,682	4,753	4,566	13,758	23,077	21,322	19,450	15,917	15,048	30,035	24,251	17,291	11,560	6,997	2,420	314
Anglesey ...	{ U { { R { {	M { {	9,002	165	159	611	935	1,048	919	810	675	1,291	1,253	909	650	373	123	16
			10,026	176	165	556	897	958	946	932	738	1,601	1,328	1,084	755	533	208	46
			15,622	288	290	969	1,547	1,611	1,729	1,508	1,115	2,003	1,831	1,677	1,313	875	357	56
			16,354	281	267	933	1,481	1,530	1,512	1,373	1,231	2,327	2,113	1,859	1,392	1,035	420	81
Brecknockshire	{ U { { R { {	M { {	8,776	194	193	545	932	905	856	871	730	1,380	1,241	858	559	325	107	12
			8,956	167	169	602	938	949	873	844	850	1,404	1,140	816	567	385	162	28
			22,277	461	509	1,498	2,468	2,421	2,141	2,079	1,904	3,551	2,924	2,156	1,442	846	293	52
			20,493	510	449	1,447	2,406	2,243	2,078	1,929	1,714	3,077	2,575	1,864	1,290	903	349	65
Cardiganshire	{ U { { R { {	M { {	6,964	130	120	394	644	667	664	702	593	959	908	758	529	402	124	14
			9,483	123	115	405	643	706	748	942	948	1,522	1,305	1,085	762	584	200	38
			19,964	321	297	1,126	1,744	1,993	2,095	2,151	1,573	2,412	2,243	2,164	1,796	1,251	464	78
			23,181	333	372	1,089	1,794	1,927	2,012	1,959	1,786	3,219	2,953	2,643	2,196	1,753	808	131
Carmarthenshire ...	{ U { { R { {	M { {	35,146	772	780	2,301	3,853	3,571	3,224	3,607	3,402	6,108	4,808	3,236	1,952	1,062	300	23
			34,016	778	717	2,275	3,770	3,614	3,158	3,311	3,220	5,518	4,377	3,169	1,989	1,329	498	63
			48,593	1,140	1,058	3,204	5,402	5,182	4,687	5,352	4,469	7,545	5,969	4,379	3,064	1,812	647	85
			48,659	1,120	1,024	3,276	5,420	5,073	4,888	4,642	4,257	7,415	5,854	4,440	3,285	2,324	916	145
Carnarvonshire	{ U { { R { {	M { {	26,367	500	467	1,541	2,508	2,735	2,586	2,376	2,003	4,061	3,674	2,796	2,042	1,194	354	38
			32,149	507	468	1,672	2,647	2,721	2,731	2,888	2,905	5,462	4,558	3,458	2,505	1,626	579	69
			32,770	645	586	1,980	3,211	3,323	3,319	3,010	2,433	4,690	4,383	3,566	2,607	1,623	525	80
			33,613	641	552	1,963	3,156	3,326	3,221	2,543	2,257	5,063	4,605	3,729	2,813	2,025	741	134

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.
+ Excluding the populations of Barnsley and Dewsbury throughout the whole year, these towns having been constituted County Boroughs on 1st April, 1913.

TABLE 3.—ESTIMATED POPULATION OF aggregate URBAN AREAS (U) and of RURAL AREAS (R) in ADMINISTRATIVE COUNTIES, &c.—continued.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 Years and upwards.
Denbighshire	M	23,236	475	425	1,430	2,330	2,360	2,216	2,102	1,893	3,767	3,281	2,424	1,638	917	277	31
	F	27,256	485	437	1,364	2,286	2,374	2,399	2,418	2,396	4,612	3,938	2,931	2,016	1,375	456	55
	M	50,467	1,116	1,000	3,423	5,339	3,608	5,366	5,104	4,284	7,460	6,497	4,800	3,169	1,998	591	51
	F	46,988	1,117	1,092	3,385	5,594	5,512	5,075	3,936	3,388	7,024	6,204	4,402	3,042	2,000	706	105
Flintshire	M	17,117	374	402	1,109	1,885	1,953	1,899	1,602	1,472	2,614	2,202	1,508	1,116	684	166	16
	F	18,805	408	379	1,248	2,035	1,932	1,797	1,721	1,536	2,948	2,509	1,797	1,274	928	277	51
	M	29,960	693	598	1,954	3,245	3,180	3,094	2,916	2,523	4,442	3,867	2,927	2,008	1,304	406	48
	F	29,512	630	620	1,971	3,221	3,140	3,088	2,607	2,130	4,354	3,924	2,882	2,048	1,493	543	82
Glamorganshire	M	304,382	8,326	7,713	22,494	38,533	34,652	29,313	28,293	29,284	55,019	42,566	26,302	13,328	5,686	1,293	113
	F	268,604	8,175	7,636	22,872	38,683	34,730	29,140	25,236	24,022	43,386	33,411	20,335	11,452	6,202	1,792	215
	M	114,174	2,867	2,778	8,533	14,178	12,919	11,120	10,555	10,549	19,534	15,593	9,588	5,962	3,120	946	110
	F	106,434	2,870	2,649	8,441	13,960	12,796	11,027	10,100	9,332	17,438	13,311	8,452	5,523	3,270	1,086	139
Merionethshire	M	9,178	165	154	502	821	927	984	828	702	1,345	1,195	953	795	485	134	9
	F	10,480	177	175	527	879	945	1,026	814	768	1,630	1,453	1,179	911	653	197	25
	M	12,139	207	201	664	1,072	1,177	1,217	1,160	982	1,625	1,593	1,339	1,048	669	230	27
	F	12,980	211	204	695	1,110	1,241	1,262	1,152	925	1,918	1,733	1,426	1,029	803	329	52
Montgomeryshire	M	8,941	174	158	570	902	957	925	856	651	1,229	1,151	977	625	472	173	23
	F	9,970	169	177	509	855	940	914	938	868	1,499	1,301	1,084	740	572	229	30
	M	17,157	356	333	1,110	1,799	1,772	1,790	1,698	1,303	2,179	2,010	1,760	1,415	1,003	396	32
	F	16,657	324	353	1,035	1,712	1,674	1,765	1,554	1,231	2,282	2,031	1,747	1,246	975	375	65
Pembrokeshire	M	19,037	431	365	1,169	1,965	1,976	1,927	1,924	1,887	3,010	2,273	1,798	1,217	758	255	47
	F	20,169	399	385	1,181	1,965	1,981	1,919	1,858	1,841	3,216	2,614	2,042	1,354	967	346	66
	M	24,867	555	531	1,582	2,668	2,647	2,557	2,655	2,026	3,355	2,928	2,430	1,849	1,245	424	83
	F	26,382	505	506	1,572	2,583	2,503	2,438	2,421	2,243	3,873	3,146	2,839	2,063	1,561	609	103
Radnorshire	M	2,757	63	54	163	280	280	271	235	219	446	361	270	201	137	48	9
	F	3,191	43	32	163	238	260	247	343	324	561	441	338	233	141	55	10
	M	8,458	168	163	484	815	860	842	809	678	1,125	1,080	846	709	487	184	23
	F	8,018	175	149	503	827	826	819	757	652	1,138	1,015	761	609	417	164	33

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs in the MIDDLE of the YEAR 1913.

Mortality under one year of age is calculated throughout this Report upon the numbers of births in preference to the populations here given; and the estimated populations at ages 1-2 years must be used with caution owing to uncertainty in the statement of ages in the Census Returns.

Barnsley*	{ ... }	M	26,706	701	663	1,993	3,357	2,973	2,583	2,517	2,313	4,588	3,547	2,512	1,477	669	160	10
			F	26,191	695	671	1,936	3,302	3,012	2,719	2,522	2,451	4,286	3,253	2,227	1,408	761	233	17
Barrow in Furness	...	{ ... }	M	33,825	763	712	2,317	3,792	3,801	3,246	3,098	3,118	5,897	4,825	2,941	1,944	973	172	18
			F	31,427	734	685	2,317	3,736	3,658	3,282	2,705	2,685	5,483	4,224	2,648	1,761	996	218	31
Bath	...	{ ... }	M	29,638	557	573	1,728	2,858	2,975	3,191	2,746	2,272	4,413	3,926	3,098	2,210	1,396	476	77
			F	40,306	566	530	1,808	2,904	3,059	3,050	3,672	3,783	6,402	5,413	4,653	3,462	2,556	1,146	206
Birkenhead	...	{ ... }	M	65,883	1,691	1,542	4,886	8,119	7,320	6,660	6,123	5,815	11,255	8,779	5,903	3,516	1,912	440	41
			F	69,674	1,685	1,500	4,828	8,013	7,176	6,773	6,032	6,283	12,468	9,318	6,393	3,992	2,359	751	116
Birmingham	...	{ ... }	M	409,582	9,757	9,165	28,840	47,792	45,074	41,585	37,248	34,232	70,449	57,247	38,095	23,015	11,516	3,049	310
			F	450,062	9,534	8,928	29,021	47,483	45,015	42,470	42,475	42,833	80,237	61,152	41,366	26,094	15,365	4,975	597
Blackburn	...	{ ... }	M	62,290	1,283	1,149	4,023	6,455	5,954	5,957	5,934	5,597	10,878	8,661	6,668	3,976	1,776	405	29
			F	71,681	1,232	1,204	3,872	6,308	6,065	6,044	6,640	7,294	13,177	10,220	7,925	4,791	2,548	616	53
Blackpool	...	{ ... }	M	26,498	452	459	1,489	2,400	2,588	2,478	2,073	1,927	4,208	4,269	3,184	2,016	1,112	217	26
			F	34,514	459	427	1,516	2,402	2,591	2,757	2,683	3,022	6,118	5,451	4,379	2,970	1,683	411	47
Bolton	...	{ ... }	M	86,609	1,941	1,909	5,625	9,475	9,023	8,845	8,701	7,713	14,302	12,200	8,598	5,101	2,170	446	35
			F	97,270	1,857	1,847	5,666	9,370	8,943	9,097	9,187	9,446	17,157	13,864	10,017	6,098	3,225	794	72
Bootle	...	{ ... }	M	35,376	922	864	2,640	4,426	4,262	3,674	3,333	3,046	5,664	4,579	3,300	1,981	905	192	14
			F	36,810	880	870	2,621	4,371	4,182	3,759	3,534	3,283	6,222	4,821	3,265	2,000	1,069	276	28
Bournemouth	...	{ ... }	M	32,367	613	597	1,892	3,102	2,928	2,805	2,836	2,816	5,333	4,218	3,502	2,519	1,681	534	93
			F	50,838	589	612	1,776	2,977	2,995	2,971	4,677	5,606	9,463	7,542	6,194	4,476	2,792	991	154
Bradford	...	{ ... }	M	134,279	2,505	2,339	7,453	12,297	11,772	12,328	12,634	11,599	23,574	20,307	15,088	9,245	4,316	1,031	88
			F	156,261	2,408	2,316	7,169	11,893	12,194	12,813	14,505	14,837	28,649	23,523	17,715	11,682	6,329	1,754	167
Brighton	...	{ ... }	M	59,367	1,165	1,123	3,595	5,883	5,910	5,658	5,390	4,714	9,318	7,984	6,556	4,405	2,543	882	124
			F	73,729	1,154	1,042	3,448	5,644	5,920	5,837	6,199	6,634	12,476	10,790	8,561	5,970	3,908	1,518	272
Bristol	...	{ ... }	M	165,318	3,612	3,532	10,883	18,027	18,179	17,676	16,228	13,218	25,785	22,286	15,734	10,196	5,981	1,825	183
			F	196,044	3,515	3,406	10,885	17,806	18,338	18,320	19,627	18,917	32,751	26,182	19,151	12,733	8,445	3,229	545

* Constituted a County Borough on 1st April, 1913. The population relates to the whole year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1913—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Burnley ...	M	51,645	1,126	1,075	3,345	5,546	4,924	5,015	4,893	4,643	9,057	7,263	5,417	3,135	1,439	300	13
	F	57,376	1,120	1,061	3,277	5,458	5,099	5,153	5,553	5,715	10,509	8,122	5,964	3,618	1,736	417	32
Burton upon Trent	M	23,858	506	489	1,534	2,529	2,531	2,476	2,178	1,889	3,821	3,251	2,418	1,706	833	202	24
	F	23,900	486	484	1,518	2,488	2,424	2,444	2,060	1,925	3,845	3,198	2,486	1,650	1,017	316	47
Bury ...	M	28,082	506	494	1,630	2,630	2,400	2,478	2,624	2,652	4,998	4,285	2,943	1,935	952	169	16
	F	31,077	530	513	1,549	2,592	2,353	2,493	2,646	3,048	5,823	4,608	3,501	2,369	1,265	355	24
Canterbury	M	11,531	227	215	687	1,129	1,120	1,115	1,234	1,080	1,750	1,504	1,070	783	539	173	34
	F	13,030	247	233	732	1,212	1,183	1,106	1,069	1,123	2,088	1,719	1,372	1,034	745	304	75
Chester ...	M	18,521	435	356	1,231	2,022	1,933	1,797	1,723	1,634	3,127	2,565	1,830	1,119	621	131	19
	F	20,679	414	339	1,251	2,004	1,903	1,853	1,864	1,899	3,666	2,782	2,089	1,360	900	320	39
Coventry ...	M	59,142	1,479	1,258	4,024	6,761	5,852	5,326	5,054	6,265	12,234	8,328	4,853	2,652	1,331	435	51
	F	55,922	1,271	1,243	3,853	6,367	5,837	5,297	5,021	5,133	10,648	7,545	4,786	2,880	1,697	624	87
Croydon ...	M	81,126	1,760	1,787	5,760	9,307	9,030	8,261	6,982	5,973	13,452	11,585	7,940	4,764	2,840	849	143
	F	96,968	1,741	1,784	5,697	9,222	9,229	8,557	7,978	8,219	17,364	14,108	9,620	6,437	4,252	1,710	272
Derby ...	M	60,963	1,455	1,242	4,035	6,732	6,185	6,009	5,475	4,967	10,281	8,546	6,116	4,138	1,941	535	38
	F	64,499	1,306	1,322	4,032	6,660	6,278	5,930	6,162	5,859	11,121	8,657	6,401	4,167	2,384	789	91
Devonport ...	M	46,150	953	787	2,599	4,339	3,852	3,296	6,148	6,097	9,736	5,737	3,492	2,005	1,026	375	47
	F	38,221	846	828	2,442	4,116	3,914	3,394	3,038	3,278	7,045	5,273	3,747	2,242	1,462	602	110
Dewsbury* ...	M	25,555	507	466	1,381	2,354	2,325	2,334	2,235	2,302	4,492	3,825	2,801	1,799	894	184	10
	F	28,300	493	435	1,400	2,328	2,305	2,398	2,489	2,734	5,061	4,165	3,251	2,025	1,201	318	25
Dudley ...	M	25,282	627	573	1,826	3,026	2,903	2,827	2,473	2,156	4,134	3,137	2,168	1,474	753	211	20
	F	26,359	582	596	1,953	3,131	3,065	2,800	2,571	2,405	4,131	3,186	2,195	1,551	962	329	33
Eastbourne	M	22,668	406	420	1,368	2,194	2,279	2,629	2,104	1,853	3,597	2,935	2,304	1,579	875	265	54
	F	32,023	400	404	1,242	2,046	2,180	2,489	3,350	3,246	6,057	4,790	3,600	2,285	1,376	522	82
Exeter† ...	M	23,380	468	435	1,426	2,329	2,217	2,364	2,376	1,985	3,572	3,021	2,477	1,643	1,004	346	46
	F	27,271	496	417	1,320	2,233	2,141	2,288	2,522	2,644	4,342	3,710	3,017	2,161	1,493	599	121

Gateshead ...	{ ... }	M	58,398	1,487	1,415	4,416	7,318	7,043	6,479	5,596	4,884	9,177	7,538	5,215	3,151	1,589	367	41
		F	60,203	1,546	1,411	4,543	7,500	7,253	6,440	5,786	5,339	9,506	7,611	5,265	3,109	1,787	544	63
Gloucester ...	{ ... }	M	23,920	519	468	1,541	2,528	2,652	2,636	2,209	1,869	3,709	3,102	2,421	1,558	900	294	42
		F	26,613	538	459	1,600	2,597	2,600	2,617	2,523	2,355	4,202	3,454	2,712	1,828	1,159	492	74
Great Yarmouth ...	{ ... }	M	26,171	629	555	1,832	3,016	2,920	2,666	2,446	1,886	3,825	3,217	2,562	1,886	1,237	438	72
		F	30,834	579	570	1,759	2,908	3,044	2,654	2,859	2,864	4,806	3,873	3,070	2,284	1,672	696	104
Grimsby ...	{ ... }	M	39,081	948	894	2,724	4,566	3,858	3,642	3,504	3,743	6,937	5,276	3,834	2,280	1,089	312	40
		F	38,339	895	880	2,708	4,483	3,957	3,543	3,548	3,584	6,676	5,088	3,621	2,144	1,186	440	69
Halifax ...	{ ... }	M	45,834	855	812	2,399	4,066	3,954	4,216	4,232	3,909	7,568	7,136	5,349	3,410	1,585	372	37
		F	54,906	810	772	2,594	4,176	4,229	4,314	4,870	5,114	9,640	8,287	6,457	4,415	2,562	766	76
Hastings ...	{ ... }	M	24,510	413	424	1,347	2,184	2,351	2,492	2,203	1,770	3,498	3,251	2,750	2,053	1,426	462	70
		F	35,585	419	413	1,422	2,254	2,432	2,673	3,160	3,057	5,563	5,149	4,403	3,419	2,327	957	191
Huddersfield ...	{ ... }	M	51,536	1,019	1,002	3,079	5,100	4,919	4,680	4,088	4,218	9,365	8,190	5,760	3,290	1,517	378	31
		F	59,346	1,022	1,005	2,978	5,005	4,860	4,912	5,043	5,436	10,944	9,062	6,741	4,245	2,375	657	66
Ipswich ...	{ ... }	M	35,890	801	792	2,441	4,034	3,967	3,630	3,370	2,830	5,705	4,733	3,421	2,336	1,299	487	78
		F	39,792	789	791	2,377	3,957	3,853	3,717	3,730	3,373	6,321	5,386	3,961	2,798	1,835	738	123
Kingston upon Hull ...	{ ... }	M	140,451	3,561	3,370	10,297	17,228	15,692	14,602	12,575	11,887	23,375	18,457	12,776	8,383	4,200	1,144	132
		F	146,581	3,545	3,299	10,237	17,081	15,650	14,599	13,441	13,393	24,841	18,927	13,102	8,491	5,015	1,792	249
Leeds ...	{ ... }	M	216,480	4,711	4,383	13,877	22,971	22,243	21,863	20,257	18,446	35,616	30,995	22,128	13,834	6,625	1,399	103
		F	240,815	4,670	4,473	14,146	23,289	22,952	22,545	22,901	23,072	41,682	33,999	24,033	15,258	8,497	2,379	208
Leicester ...	{ ... }	M	107,565	2,364	2,263	6,968	11,595	11,205	11,026	10,056	8,927	17,660	14,900	10,841	6,840	3,451	975	89
		F	123,405	2,387	2,172	7,054	11,613	11,505	11,337	12,253	12,314	21,530	16,795	12,096	7,855	4,422	1,489	196
Lincoln ...	{ ... }	M	29,665	646	615	1,809	3,070	2,641	2,478	2,597	2,809	5,581	4,154	2,856	2,055	1,117	268	39
		F	29,657	616	586	1,786	2,988	2,601	2,505	2,592	2,739	5,456	3,944	3,009	2,097	1,231	420	75
Liverpool† ...	{ ... }	M	362,780	10,010	8,940	27,472	46,422	41,668	37,770	33,282	30,209	58,901	48,278	33,056	20,441	10,339	2,220	194
		F	394,772	9,636	8,726	27,590	45,952	42,217	37,993	35,857	35,949	68,381	52,621	36,033	22,197	13,453	3,672	447
Manchester† ...	{ ... }	M	351,457	8,241	7,882	24,065	40,188	36,479	34,233	32,544	31,696	62,191	50,334	33,481	19,587	8,785	1,808	131
		F	379,525	7,972	7,801	24,164	39,937	36,890	34,496	34,405	36,291	69,623	53,529	36,239	22,301	12,195	3,298	321

* Constituted a County Borough on 1st April, 1913. The population relates to the whole year.
† Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1913—continued.

Area.	Sex.	All Ages.	0—1	1—2	2—5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Middlesbrough* ...	{ M F	56,374 54,004	1,505 1,428	1,319 1,317	4,101 4,289	6,925 7,034	6,379 6,175	5,572 5,797	4,983 5,023	4,916 4,903	9,974 9,203	7,779 6,859	5,077 4,530	3,004 2,697	1,443 1,397	297 342	25 44
Newcastle on Tyne	{ M F	133,088 138,207	3,200 3,160	2,825 3,017	9,521 9,511	15,546 15,688	14,398 14,928	13,697 13,661	12,767 13,145	11,641 13,424	22,105 23,698	17,865 17,949	12,233 12,241	7,772 7,677	3,637 4,345	841 1,295	86 156
Newport (Mon.) ...	{ M F	44,276 43,350	1,059 1,022	972 1,020	3,233 3,152	5,264 5,194	4,739 4,820	4,260 4,437	4,266 4,399	4,028 4,197	7,713 7,232	5,975 5,552	4,213 3,740	2,321 2,161	1,154 1,177	309 400	34 41
Northampton	{ M F	43,260 47,533	885 823	853 836	2,538 2,659	4,276 4,318	4,280 4,221	4,451 4,758	4,449 5,066	3,735 4,793	7,074 7,895	5,832 6,079	4,342 4,681	2,662 3,050	1,586 1,918	523 663	50 91
Norwich ...	{ M F	57,147 66,141	1,321 1,228	1,208 1,193	3,778 3,811	6,307 6,232	6,054 6,171	5,882 6,186	5,678 6,491	4,739 6,121	8,676 10,555	7,213 8,421	5,705 6,756	3,799 4,621	2,186 3,090	802 1,270	106 227
Nottingham	{ M F	122,487 142,248	2,821 2,828	2,654 2,759	8,157 8,201	13,632 13,788	12,270 12,993	12,181 12,543	11,207 13,819	10,344 14,065	20,485 24,888	16,231 18,836	12,641 14,648	8,049 9,298	4,147 5,356	1,175 1,816	125 198
Oldham ...	{ M F	71,955 77,981	1,601 1,538	1,513 1,489	4,641 4,758	7,755 7,785	6,600 6,718	6,500 6,592	6,608 7,095	6,705 7,451	12,975 14,073	10,540 11,339	7,579 8,382	4,392 5,249	1,872 2,588	398 658	31 51
Oxford ...	{ M F	23,792 30,145	429 517	449 407	1,452 1,479	2,330 2,403	2,284 2,413	2,358 2,448	2,272 2,971	2,036 2,967	3,850 5,036	2,984 4,043	2,519 3,272	1,806 2,362	986 1,510	321 618	46 102
Plymouth ...	{ M F	51,933 61,150	1,159 1,139	1,044 1,050	3,365 3,384	5,568 5,573	5,409 5,563	5,036 5,283	4,413 5,483	4,227 5,577	8,207 10,085	7,282 8,478	5,493 6,356	3,362 4,312	2,070 2,959	748 1,240	118 241
Portsmouth	{ M F	120,783 120,473	2,642 2,722	2,568 2,484	8,058 7,694	13,268 12,900	11,427 11,500	9,656 9,935	11,398 9,816	13,555 11,307	23,868 22,005	15,377 16,275	10,397 11,938	6,721 7,849	3,767 4,892	1,236 1,749	123 307
Preston ...	{ M F	54,449 63,621	1,171 1,245	1,201 1,132	3,756 3,746	6,128 6,123	5,820 6,110	5,611 5,818	5,350 6,193	4,753 5,978	8,932 11,057	7,456 8,768	5,371 6,512	3,048 4,157	1,568 2,294	378 555	34 56
Reading ...	{ M F	42,751 46,588	926 854	858 857	2,727 2,696	4,511 4,407	4,383 4,322	4,194 4,358	3,942 4,346	3,426 4,007	6,953 7,654	5,832 6,250	4,378 4,965	2,994 3,339	1,559 2,047	514 764	65 129
Rochdale ...	{ M F	43,604 49,816	851 870	851 918	2,636 2,679	4,338 4,467	4,178 4,117	4,221 4,298	3,844 4,241	3,770 4,450	7,661 8,935	6,780 7,600	4,711 5,601	2,666 3,637	1,196 1,964	224 471	15 35

Rotherham...	{ ... }	...	{ ... }	M	F	33,324 31,108	822 796	844 878	2,453 2,420	4,119 4,094	3,680 3,691	3,394 3,466	3,079 2,688	2,743 2,593	5,738 5,123	4,582 3,956	2,828 2,544	1,929 1,684	987 960	223 274	22 35
St. Helens ...	{ ... }	...	{ ... }	M	F	51,912 47,548	1,387 1,338	1,290 1,305	3,991 3,820	6,668 6,463	6,107 5,930	5,592 5,483	5,330 4,601	4,907 4,135	8,535 7,416	6,651 5,724	4,479 3,953	2,395 2,363	1,033 1,161	198 303	17 16
Salford ...	{ ... }	...	{ ... }	M	F	112,843 121,006	2,755 2,757	2,643 2,556	8,174 8,305	13,572 13,618	12,299 12,458	11,294 11,597	10,713 11,389	10,086 11,381	19,511 21,272	15,593 16,244	10,414 11,229	5,993 6,856	2,751 3,841	568 1,016	49 105
Sheffield ...	{ ... }	...	{ ... }	M	F	232,372 239,290	5,672 5,748	5,316 5,320	16,887 17,063	27,875 28,131	25,487 25,661	23,178 23,722	21,454 22,555	18,942 20,693	40,228 41,018	33,064 32,227	21,668 21,656	13,095 13,730	5,946 7,546	1,331 2,112	104 239
Smethwick ...	{ ... }	...	{ ... }	M	F	36,184 38,381	890 938	832 935	2,688 2,788	4,410 4,661	4,165 4,410	3,914 4,048	3,641 3,803	3,113 3,383	6,019 6,340	4,913 5,049	3,141 3,232	1,814 1,998	844 1,118	195 313	15 26
Southampton ...	{ ... }	...	{ ... }	M	F	59,047 63,365	1,328 1,255	1,298 1,209	3,984 3,816	6,610 6,280	6,437 6,537	5,789 5,887	4,861 5,501	4,608 5,571	9,594 10,430	8,477 8,810	6,246 6,345	3,678 4,058	1,994 2,666	677 1,085	76 195
Southport ...	{ ... }	...	{ ... }	M	F	28,901 42,191	501 545	523 520	1,685 1,738	2,709 2,803	2,773 2,783	2,829 3,027	2,678 3,853	2,283 4,172	4,493 7,720	3,984 6,298	3,136 4,969	2,170 3,384	1,348 2,281	451 788	47 113
South Shields ...	{ ... }	...	{ ... }	M	F	54,027 56,486	1,547 1,448	1,340 1,338	4,321 4,239	7,208 7,025	6,917 6,887	6,116 5,998	5,224 5,433	4,544 5,082	8,191 9,007	6,544 6,941	4,555 4,912	2,911 2,932	1,490 1,736	304 479	23 54
Stockport* ...	{ ... }	...	{ ... }	M	F	53,466 60,704	1,237 1,150	1,156 1,091	3,482 3,520	5,875 5,761	5,331 5,596	5,390 5,509	4,980 5,694	4,600 5,411	9,138 10,776	7,641 8,774	5,394 6,257	3,220 3,989	1,507 2,228	363 644	27 65
Stoke on Trent ...	{ ... }	...	{ ... }	M	F	117,078 122,206	3,170 3,182	2,897 2,958	8,930 9,062	14,997 15,202	13,978 14,092	12,442 12,794	11,524 12,178	10,174 11,395	18,635 19,873	15,688 15,574	10,346 10,378	5,833 6,162	2,797 3,448	621 1,019	43 91
Sunderland ...	{ ... }	...	{ ... }	M	F	72,799 79,578	1,916 1,924	1,820 1,723	5,716 5,767	9,452 9,414	8,842 9,052	8,051 8,223	6,849 7,807	5,939 7,402	11,071 12,809	9,026 9,608	6,363 7,044	4,320 4,605	2,261 2,693	578 834	47 87
Tynemouth ...	{ ... }	...	{ ... }	M	F	29,884 30,717	819 680	741 703	2,272 2,178	3,832 3,561	3,430 3,401	3,290 3,142	2,871 2,952	2,469 2,814	4,605 5,148	3,827 3,982	2,564 2,660	1,800 1,665	882 1,022	285 325	29 45
Wallasey† ...	{ ... }	...	{ ... }	M	F	38,035 46,441	856 867	819 802	2,713 2,630	4,388 4,299	4,297 4,168	3,677 3,922	3,392 4,238	3,030 4,505	6,512 8,733	5,506 6,874	3,608 4,544	2,166 2,901	1,114 1,706	314 480	31 71
Walsall ...	{ ... }	...	{ ... }	M	F	46,031 47,446	1,219 1,080	1,122 1,127	3,342 3,420	5,683 5,627	5,350 5,229	4,965 4,961	4,387 4,592	3,844 4,409	7,313 7,767	5,987 5,956	4,252 4,146	2,527 2,617	1,351 1,595	331 489	41 58

* Population adjusted to be comparable with the births and deaths shown in this Report, changes in area having occurred during the year.
† Constituted a County Borough on 1st April, 1913. The population relates to the whole year.

TABLE 4.—ESTIMATED POPULATION OF COUNTY BOROUGHs IN THE MIDDLE OF THE YEAR 1913—continued.

Area.	Sex.	All Ages.	0-1	1-2	2-5	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 Years and upwards.
Warrington	M	37,304	955	947	2,812	4,714	4,101	4,014	3,982	3,405	6,207	4,899	3,190	1,773	839	170	10
	F	36,761	988	934	2,835	4,757	4,304	4,070	3,649	3,417	5,947	4,431	3,065	1,816	997	277	31
West Bromwich	M	34,713	875	855	2,586	4,316	4,097	3,875	3,341	2,822	5,423	4,422	3,060	1,965	1,107	260	25
	F	34,375	836	817	2,645	4,298	3,950	3,662	3,098	2,981	5,383	4,301	2,981	1,988	1,283	396	54
West Ham	M	144,952	3,899	3,676	11,425	19,000	18,006	16,038	14,153	11,700	21,997	18,337	13,247	7,879	3,598	890	107
	F	149,271	3,832	3,549	11,386	18,767	17,806	16,438	13,884	12,861	23,371	18,698	13,413	8,026	4,466	1,353	188
West Hartlepool	M	31,437	819	768	2,421	4,008	3,775	3,366	2,927	2,638	4,951	4,088	2,906	1,788	792	183	15
	F	32,797	837	760	2,397	3,994	3,768	3,485	3,156	2,988	5,283	4,268	2,840	1,749	952	275	39
Wigan	M	44,340	1,129	1,054	3,162	5,345	5,059	4,666	4,606	4,094	7,348	5,753	3,903	2,316	1,053	180	17
	F	46,423	1,097	1,071	3,260	5,428	5,189	4,965	4,911	4,512	7,698	5,835	3,901	2,384	1,281	296	23
Wolverhampton	M	46,436	1,003	972	3,105	5,080	5,171	4,965	4,486	3,884	7,510	6,240	4,538	2,808	1,343	384	27
	F	49,165	1,045	992	3,191	5,228	5,189	4,979	4,710	4,465	7,938	6,358	4,788	3,074	1,766	601	69
Worcester	M	22,432	456	463	1,449	2,368	2,335	2,356	2,159	1,756	3,399	2,924	2,310	1,533	950	307	35
	F	25,875	463	446	1,418	2,327	2,328	2,456	2,396	2,422	4,077	3,438	2,765	1,811	1,274	501	80
York	M	40,406	901	871	2,717	4,489	4,102	3,964	3,774	3,773	6,674	5,513	3,880	2,496	1,335	370	36
	F	42,923	817	862	2,624	4,303	4,149	4,025	3,982	4,003	7,105	5,848	4,218	2,782	1,750	670	88
Cardiff	M	91,674	2,127	2,027	6,124	10,278	9,991	9,161	8,754	8,338	15,224	12,371	9,239	5,105	2,490	660	63
	F	94,880	2,000	2,023	6,290	10,313	10,171	9,768	9,483	9,232	15,941	12,293	8,782	4,985	2,867	931	114
Merthyr Tydfil	M	44,460	1,148	1,073	3,267	5,488	4,951	4,195	4,109	4,149	7,779	6,304	3,872	2,297	1,056	237	23
	F	39,348	1,091	1,080	3,189	5,360	4,937	4,214	3,753	3,502	6,270	4,931	3,061	1,877	1,094	308	41
Swansea	M	60,655	1,466	1,323	4,092	6,881	6,395	5,632	5,615	5,979	10,950	8,219	5,693	3,365	1,521	361	44
	F	58,830	1,441	1,300	4,019	6,760	6,235	5,625	5,799	5,757	10,085	7,466	5,145	3,198	2,016	651	93

TABLE 5.—ENGLAND AND WALES.—MARRIAGES, BIRTHS, and DEATHS, 1864-1913.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1864	180,387	740,275	692,827	353,479	339,348	47,448	24,240	23,208	495,531	253,619	241,912
1865	185,474	748,069	701,484	357,703	343,781	46,585	23,741	22,844	490,909	252,218	238,691
1866	187,776	753,870	708,369	361,670	346,699	45,501	23,285	22,216	500,689	256,402	244,287
1867	179,154	768,349	723,163	369,006	354,157	45,186	23,218	21,968	471,073	242,588	228,485
1868	176,962	786,858	740,520	376,686	363,834	46,338	23,697	22,641	480,622	247,107	233,515
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254,985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42,189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21,718	20,928	522,997	269,262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42,667	21,712	20,955	530,828	273,522	257,306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21,881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42,134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213,865	885,944	845,317	430,493	414,824	40,627	20,725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226,526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37,581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498,827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268,160
1899	262,334	928,646	891,529	454,051	437,478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910,969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707
1913	286,583	881,890	843,981	429,657	414,324	37,909	19,502	18,407	504,975	261,687	243,288

TABLE 6.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and DEATH-RATES and INFANT MORTALITY, 1838-1913.

YEAR.	MARRIAGES.			BIRTHS.							DEATHS.									
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Legitimate.		Illegitimate.			Births of males per 1,000 births of females.	Crude rates per 1,000 living.			Standardized rates per 1,000 living.†			Ratio of Standardized Male to Female mortality the latter taken as 1,000.†	Deaths of Infants under 1 year per 1,000 births.		
					Per 1,000 total population.	Per 1,000 married women, aged 15-45.	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15-45.	Per 1,000 total births.		Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate§	Illegitimate.‡
1838-1913	15.8	55.4*	46.8*	31.4	29.8†	258.9*	1.6†	12.4*	50†	1,040	19.3	20.4	18.3	18.8	20.1	17.6	1,147	145	—	—
1841-1850	16.1	—	—	32.6	—	—	—	—	—	1,049	22.4	23.1	21.6	21.6	22.5	20.7	1,085	153	—	—
1851-1860	16.9	59.3	51.7	34.1	31.9	281.0	2.2	18.3	65	1,046	22.2	23.1	21.4	21.2	22.1	20.3	1,092	154	—	—
1861-1870	16.6	60.9	51.8	35.2	33.1	287.3	2.1	18.2	61	1,042	22.5	23.7	21.4	21.3	22.6	20.2	1,119	154	—	—
1871-1880	16.2	59.7	50.7	35.4	33.6	295.5	1.8	15.1	50	1,038	21.4	22.7	20.1	20.3	21.8	19.0	1,150	149	—	—
1881-1890	14.9	53.7	45.3	32.4	30.9	274.6	1.5	12.6	47	1,037	19.1	20.3	18.1	18.6	20.0	17.3	1,154	142	—	—
1891-1900	15.6	53.6	44.9	29.9	28.7	250.3	1.2	9.6	42	1,036	18.2	19.3	17.1	18.1	19.5	16.7	1,167	153	—	—
1901-1910	15.5	51.6	43.2	27.2	26.1	221.4	1.1	8.2	40	1,038	15.4	16.4	14.4	15.2	16.6	13.9	1,190	128	—	—
1841-1845	15.7	—	—	32.3	—	—	—	—	—	1,052	21.4	22.1	20.6	20.6	21.6	19.8	1,089	148	—	—
1846-1850	16.5	—	—	32.8	30.6	—	2.2	—	67	1,045	23.3	24.1	22.6	22.4	23.4	21.6	1,084	157	—	—
1851-1855	17.1	59.2	52.1	33.9	31.7	281.3	2.2	18.1	66	1,046	22.7	23.5	21.8	21.7	22.7	20.7	1,097	156	—	—
1856-1860	16.7	59.5	51.3	34.4	32.2	280.8	2.2	18.5	65	1,046	21.8	22.6	21.0	20.7	21.6	19.9	1,090	152	—	—
1861-1865	16.8	61.3	52.2	35.1	32.9	285.1	2.2	18.8	64	1,043	22.6	23.7	21.5	21.4	22.6	20.3	1,113	151	—	—
1866-1870	16.4	60.5	51.5	35.3	33.2	289.4	2.1	17.6	58	1,041	22.4	23.7	21.2	21.2	22.6	20.0	1,130	157	—	—
1871-1875	17.1	63.1	53.6	35.5	33.7	294.6	1.8	15.9	52	1,039	22.0	23.3	20.7	20.9	22.4	19.5	1,149	153	—	—
1876-1880	15.3	56.4	48.0	35.3	33.6	296.3	1.7	14.4	48	1,038	20.8	22.1	19.5	19.8	21.3	18.4	1,158	145	—	—
1881-1885	15.2	55.1	46.7	33.5	31.9	282.4	1.6	13.5	48	1,038	19.4	20.5	18.3	18.7	20.1	17.5	1,151	139	—	—
1886-1890	14.7	52.4	44.0	31.4	29.9	267.1	1.5	11.8	46	1,036	18.9	20.0	17.8	18.5	20.0	17.2	1,163	145	—	—
1891-1895	15.1	52.6	44.0	30.5	29.2	258.3	1.3	10.1	42	1,036	18.7	19.8	17.7	18.5	20.0	17.2	1,161	151	—	—
1896-1900	16.1	54.5	45.6	29.3	28.1	242.9	1.2	9.2	41	1,035	17.7	18.8	16.6	17.6	19.1	16.2	1,178	156	—	—
1901-1905	15.6	52.3	43.7	28.2	27.1	230.5	1.1	8.4	39	1,037	16.0	17.1	15.0	16.0	17.4	14.6	1,192	138	—	—
1906-1910	15.3	50.9	42.6	26.3	25.2	212.9	1.1	8.1	40	1,039	14.7	15.6	13.8	14.4	15.8	13.2	1,196	117	113	224
1864	17.2	63.0	53.6	35.4	33.1	287.1	2.3	19.1	64	1,042	23.7	24.9	22.5	22.4	23.7	21.3	1,115	153	—	—
1865	17.5	64.3	54.7	35.4	33.2	288.1	2.2	18.6	62	1,040	23.2	24.5	22.0	22.0	23.4	20.8	1,127	160	—	—
1866	17.5	64.4	54.8	35.2	33.1	287.6	2.1	18.0	60	1,043	23.4	24.6	22.2	22.2	23.5	21.0	1,119	160	—	—
1867	16.5	60.8	51.7	35.4	33.3	290.3	2.1	17.7	59	1,043	21.7	23.0	20.5	20.6	22.0	19.4	1,137	153	—	—
1868	16.1	59.2	50.4	35.8	33.7	293.1	2.1	18.0	59	1,036	21.8	23.1	20.7	20.6	21.9	19.5	1,128	155	—	—
1869	15.9	58.8	50.0	34.8	32.8	285.9	2.0	17.2	58	1,042	22.3	23.6	21.0	21.0	22.4	19.8	1,134	156	—	—
1870	16.1	59.7	50.7	35.2	33.2	290.1	2.0	17.1	56	1,041	22.9	24.2	21.6	21.6	23.1	20.3	1,135	160	—	—
1871	16.7	61.8	52.5	35.0	33.0	288.4	2.0	16.9	56	1,035	22.6	23.9	21.3	21.4	22.9	20.1	1,141	158	—	—
1872	17.4	64.3	54.6	35.6	33.7	294.9	1.9	16.6	54	1,041	21.3	22.6	19.9	20.2	21.7	18.8	1,153	150	—	—
1873	17.6	64.9	55.2	35.4	33.6	294.1	1.8	15.8	52	1,039	21.0	22.4	19.8	20.0	21.5	18.6	1,155	149	—	—
1874	17.0	62.9	53.4	36.0	34.2	299.8	1.8	15.6	50	1,037	22.2	23.6	20.9	21.1	22.6	19.7	1,147	151	—	—
1875	16.7	61.8	52.5	35.4	33.7	295.4	1.7	14.5	48	1,043	22.7	24.1	21.4	21.6	23.2	20.2	1,149	158	—	—
1876	16.5	60.9	51.8	36.3	34.6	304.1	1.7	14.6	47	1,038	20.9	22.3	19.6	19.9	21.4	18.4	1,163	146	—	—
1877	15.7	58.0	49.3	36.0	34.3	301.1	1.7	14.6	47	1,036	20.3	21.7	18.9	19.4	21.0	17.9	1,172	136	—	—
1878	15.2	55.9	47.5	35.6	33.9	298.8	1.7	14.4	47	1,042	21.6	22.9	20.3	20.5	22.0	19.1	1,151	152	—	—
1879	14.4	52.8	44.9	34.7	33.0	291.1	1.7	14.2	48	1,036	20.7	22.0	19.6	19.9	21.4	18.5	1,155	135	—	—
1880	14.9	54.7	46.6	34.2	32.6	287.0	1.6	14.1	48	1,036	20.5	21.8	19.3	19.5	21.0	18.2	1,154	153	—	—
1881	15.1	55.6	47.3	33.9	32.2	284.9	1.7	14.1	49	1,039	18.9	20.0	17.8	18.2	19.6	17.0	1,154	130	—	—
1882	15.5	56.7	48.1	33.8	32.2	283.9	1.6	13.8	49	1,038	19.6	20.7	18.5	18.8	20.2	17.6	1,145	141	—	—
1883	15.5	56.4	47.8	33.5	31.9	281.9	1.6	13.4	48	1,035	19.6	20.8	18.5	19.0	20.4	17.7	1,153	137	—	—
1884	15.1	54.8	46.3	33.6	32.0	283.7	1.6	13.2	47	1,041	19.7	20.8	18.5	19.0	20.4	17.7	1,152	147	—	—
1885	14.5	52.4	44.2	32.9	31.3	277.6	1.6	13.0	48	1,040	19.2	20.3	18.2	18.7	20.0	17.4	1,151	138	—	—
1886	14.2	51.1	43.1	32.8	31.2	278.0	1.6	12.8	47	1,038	19.5	20.6	18.5	19.0	20.4	17.7	1,155	149	—	—
1887	14.4	51.5	43.3	31.9	30.4	269.9	1.5	12.4	48	1,039	19.1	20.2	18.1	18.6	20.0	17.3	1,152	145	—	—
1888	14.4	51.4	43.2	31.2	29.8	265.0	1.4	11.7	46	1,033	18.1	19.2	17.0	17.7	19.2	16.4	1,168	136	—	—
1889	15.0	53.2	44.7	31.1	29.7	265.1	1.4	11.5	46	1,038	18.2	19.3	17.2	17.9	19.2	16.6	1,159	144	—	—
1890	15.5	54.6	45.8	30.2	28.9	258.2	1.3	10.7	44	1,033	19.5	20.8	18.3	19.3	21.0	17.8	1,181	151	—	—
1891	15.6	54.6	45.7	31.4	30.1	268.8	1.3	10.6	42	1,038	20.2	21.5	19.0	20.0	21.7	18.5	1,174	149	—	—
1892	15.4	53.8	45.0	30.4	29.1	259.3	1.3	10.1	42	1,035	19.0	20.0	18.0	18.8	20.2	17.5	1,158	148	—	—
1893	14.7	51.1	42.7	30.7	29.4	260.4	1.3	10.3	42	1,038	19.2	20.3	18.1	18.9	20.4	17.6	1,157	159	—	—
1894	15.0	52.0	43.5	29.6	28.3	249.4	1.3	9.9	43	1,036	16.6	17.6	15.6	16.4	17.7	15.2	1,165	137	—	—
1895	15.0	51.6	43.2	30.3	29.0	254.5	1.3	9.9	42	1,034	18.7	19.7	17.7	18.5	19.9	17.3	1,151			

TABLE 7.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838–1913, and in each YEAR, 1904–1913.

Period.	Persons Married to 1,000 Living.				Births to 1,000 Living.				Deaths to 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838–1913	12·7	16·4	16·0	18·5	33·1	33·0	31·3	30·8	22·4	19·5	18·4	19·7
1841–50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851–60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861–70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871–80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881–90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891–1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901–10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1904	10·7	17·1	16·8	16·5	28·7	28·5	28·0	27·0	18·3	14·8	15·8	16·3
1905	10·8	16·7	17·0	16·8	28·4	27·9	27·5	25·6	17·7	14·5	14·1	14·9
1906	10·7	17·4	17·5	17·1	28·0	27·7	27·1	26·1	16·6	14·6	14·9	15·7
1907	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·0
1908	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	23·0	16·1	13·3	15·5	13·6
1912	9·8	16·4	18·1	17·6	24·4	23·9	23·8	23·1	15·9	12·7	11·0	13·6
1913	13·4	14·3	18·0	16·4	23·8	24·7	24·2	22·8	16·1	13·2	12·2	13·2

TABLE 8.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1913.

Registration Division.	Registration County.	All Religious Denominations.	Established Church.	Other Religious Denominations.														
				All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Church.*	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	All Others.
I.	England and Wales	32,430	15,958	16,472	1,368	3,830	2,942	2,655	1,736	1,176	917	440	193	57	49	43	53	1013
II.	London	1,395	634	761	110	107	140	155	44	29	10	50	16	6	7	1	6	80
III.	Surrey	558	271	287	32	59	64	65	15	4	—	12	2	1	—	1	2	30
IV.	Kent	896	518	372	37	91	71	102	25	13	—	9	2	1	1	3	1	16
V.	Sussex	710	425	285	32	50	71	62	11	7	—	10	3	—	1	7	1	30
VI.	Hampshire	832	458	374	23	74	78	59	49	27	—	8	4	—	1	2	—	44
VII.	Berkshire	413	271	142	14	34	23	30	22	—	—	4	1	—	—	2	1	11
VIII.	Middlesex	468	198	270	34	43	52	63	19	5	2	17	2	1	2	2	1	27
IX.	Hertfordshire	347	201	146	11	30	45	40	9	—	—	1	—	—	1	2	—	7
X.	Buckinghamshire	327	200	127	5	25	21	46	17	—	—	—	—	—	—	—	—	13
XI.	Oxfordshire	398	272	126	13	40	24	30	8	4	—	1	—	—	1	—	—	5
XII.	Northamptonshire	521	324	197	9	47	44	63	14	3	—	—	1	1	—	—	1	14
XIII.	Huntingdonshire	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	—	2
XIV.	Bedfordshire	275	140	135	4	51	16	40	16	—	—	—	—	—	1	—	2	5
XV.	Cambridgeshire	347	198	149	6	35	21	53	23	5	—	1	—	—	—	1	1	3
XVI.	Essex	857	458	399	34	68	121	73	27	16	1	8	5	2	3	2	2	37
XVII.	Suffolk	716	509	207	13	35	57	56	25	5	—	3	3	—	—	—	—	10
XVIII.	Norfolk	964	713	251	13	53	34	45	73	18	—	2	2	1	1	1	—	8
XIX.	Wiltshire	548	332	216	10	42	46	59	38	6	—	1	—	—	—	—	—	14
XX.	Dorsetshire	449	312	137	13	42	37	14	16	2	—	—	3	—	—	—	—	10
XXI.	Devonshire	1,016	558	458	24	123	92	68	10	83	—	5	8	—	1	—	2	42
XXII.	Cornwall	569	253	311	11	146	19	9	7	112	—	—	—	—	—	2	—	5
XXIII.	Somersetshire	933	562	371	17	115	81	60	23	38	—	3	4	1	1	1	1	26
XXIV.	Gloucestershire	755	434	321	17	62	76	75	18	23	2	5	4	1	1	3	—	34
XXV.	Herefordshire	311	231	80	7	14	13	16	18	—	2	—	—	—	—	1	—	9
XXVI.	Shropshire	532	320	212	14	43	47	18	61	11	11	2	—	—	1	—	—	4
XXVII.	Staffordshire	900	389	511	49	158	59	42	97	65	2	7	6	1	3	—	2	20
XXVIII.	Worcestershire	366	241	125	16	25	13	19	22	4	—	4	3	1	1	7	—	10
XXIX.	Warwickshire	639	369	320	47	73	59	62	18	12	2	5	5	1	2	—	2	32
XXX.	Leicestershire	581	309	272	21	76	36	68	41	9	—	1	4	—	—	—	—	16
XXXI.	Rutlandshire	77	56	21	2	4	4	7	3	—	—	—	—	—	—	—	—	1
XXXII.	Lincolnshire	1,041	667	374	17	163	25	36	86	33	—	1	3	1	—	—	3	6
XXXIII.	Nottinghamshire	606	311	295	15	93	27	45	45	46	—	2	4	1	1	—	2	14
XXXIV.	Derbyshire	545	224	321	22	94	41	30	63	46	—	3	3	2	—	1	1	15
XXXV.	Cheshire	743	272	471	37	130	73	34	65	39	18	33	10	2	2	—	—	28
XXXVI.	Lancashire	2,792	866	1,926	308	421	276	184	172	171	31	73	44	24	6	3	9	204
XXXVII.	West Riding	2,163	743	1,420	87	452	205	138	193	207	—	10	16	6	7	1	2	96
XXXVIII.	East Riding (with York)	464	256	208	18	77	24	10	54	10	—	6	1	1	1	—	1	5
XXXIX.	North Riding	540	231	259	31	118	27	14	47	6	1	4	4	—	—	—	1	6
XL.	Durham	733	289	444	63	113	29	26	103	42	1	36	4	—	1	—	5	21
XLI.	Northumberland	494	195	299	42	55	19	11	47	37	—	76	1	1	1	—	1	8
XLII.	Cumberland	337	137	150	14	50	19	5	25	8	—	16	1	—	—	—	2	10
XLIII.	Westmorland	144	85	59	3	26	8	5	9	2	—	1	1	—	—	—	—	4
XLIV.	Monmouthshire	459	132	277	15	34	52	102	24	9	33	—	1	—	1	—	—	6
XLV.	Glamorganshire	1,016	254	762	22	62	223	208	10	14	89	5	9	1	—	—	1	18
XLVI.	Cardiganshire	305	92	213	2	6	86	57	—	1	57	—	1	—	—	—	—	3
XLVII.	Pembrokeshire	275	136	139	5	10	46	46	1	—	30	—	—	—	—	—	—	1
XLVIII.	Cardiganshire	318	118	200	1	12	67	34	—	—	74	—	12	—	—	—	—	—
XLIX.	Brecknockshire	209	104	105	3	8	36	28	2	—	28	—	—	—	—	—	—	—
L.	Radnorshire	72	34	38	—	3	4	21	4	—	6	—	—	—	—	—	—	—
LI.	Montgomeryshire	208	76	132	1	26	29	17	5	—	54	—	—	—	—	—	—	—
LII.	Flintshire	133	38	95	5	18	19	4	5	2	37	5	—	—	—	—	—	—
LIII.	Denbighshire	254	86	168	4	23	33	20	4	2	76	5	—	—	—	—	—	1
LIV.	Merionethshire	235	61	174	1	20	43	20	—	—	90	—	—	—	—	—	—	—
LV.	Carnarvonshire	356	106	250	6	31	53	26	—	—	128	4	—	—	—	—	—	2
LVI.	Anglesey	115	54	61	1	6	8	13	—	—	32	1	—	—	—	—	—	—

* Formerly called New Jerusalem Church.

TABLE 9.—ENGLAND AND WALES and LONDON.—MARRIAGES.—MANNER of SOLEMNIZATION, 1864–1913.

Year.	Of 1,000 Marriages.																		
	England and Wales.													London.					
	With Religious Ceremonial.													Civil Marriages in Superintendent Registrar's Office.	According to the rites of the Established Church.	Not according to the rites of the Established Church.			Civil Marriages in Superintendent Registrar's Office.
	According to the rites of the Established Church.							Not according to the rites of the Established Church.								Roman Catholics.	Other Christian Denominations.	Jews.	
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Places.			Quakers.	Jews.							
								Roman Catholics.	Other Christian Denominations.										
Before Registrar.									Before Authorised Person.										
1864	919	0.1	110	629	24	19	782	48	87		0.3	1.9	81	884	49	31.2	8.7	27	
1865	920	0.1	112	629	22	19	782	47	89		0.3	1.9	80	893	43	30.0	7.9	26	
1866	919	0.1	108	630	23	17	778	48	91		0.3	1.6	81	888	44	33.1	6.9	28	
1867	916	0.1	108	628	22	17	775	44	95		0.4	1.8	84	887	39	35.1	6.9	32	
1868	910	0.1	103	627	23	16	769	42	97		0.4	1.7	90	889	39	33.1	7.5	31	
1869	905	0.1	98	627	23	15	763	41	99		0.3	1.9	95	881	35	35.1	7.9	41	
1870	902	0.1	94	634	22	10	760	41	99		0.3	2.0	98	882	35	33.2	7.8	42	
1871	903	0.1	89	642	22	8	761	40	100		0.3	2.1	97	881	35	33.1	8.4	42	
1872	901	0.1	85	645	21	6	757	42	100		0.2	2.1	99	880	33	35.1	8.4	43	
1873	897	0.1	85	642	20	5	752	40	102		0.4	2.4	103	873	34	36.3	10.0	47	
1874	895	0.1	87	637	19	4	747	40	105		0.2	2.3	105	870	33	39.1	9.2	49	
1875	896	0.1	87	635	18	4	744	42	107		0.3	2.4	104	871	32	39.1	9.4	48	
1876	893	0.2	87	630	18	3	738	42	110		0.3	2.3	107	867	34	39.1	8.4	51	
1877	891	0.1	84	627	18	4	733	43	112		0.4	2.2	109	859	35	40.2	8.6	57	
1878	884	0.1	82	623	18	3	726	42	113		0.3	2.7	116	852	36	38.3	11.2	62	
1879	880	0.2	78	624	18	3	723	41	113		0.3	2.5	120	845	36	39.2	9.9	70	
1880	874	0.2	73	623	18	3	717	43	111		0.3	2.4	126	841	37	39.1	9.9	73	
1881	874	0.3	68	626	18	3	715	45	111		0.3	2.5	126	837	37	40.3	10.5	75	
1882	874	0.4	65	631	17	2	715	45	111		0.3	2.5	126	834	39	40.2	10.3	76	
1883	872	0.3	63	629	18	2	712	44	113		0.3	2.6	128	827	36	41.1	10.4	85	
1884	869	0.3	60	628	17	2	707	43	116		0.3	2.9	131	816	38	39.1	12.1	95	
1885	870	0.3	58	630	17	3	708	41	118		0.2	3.2	130	816	37	41.1	13.3	93	
1886	870	0.2	56	632	17	2	707	42	117		0.2	3.4	130	815	37	39.2	13.6	95	
1887	864	0.1	53	629	17	2	701	43	116		0.3	3.2	136	801	38	42.2	13.5	105	
1888	863	0.1	51	632	16	2	701	42	116		0.3	3.9	137	797	38	42.2	16.4	106	
1889	860	0.1	48	632	16	2	698	42	116		0.3	4.1	140	788	38	44.3	16.7	113	
1890	863	0.1	47	637	15	2	701	43	115		0.3	4.0	137	790	38	44.2	17.0	111	
1891	864	0.1	46	637	14	2	699	42	118		0.3	4.6	136	781	37	43.3	19.3	119	
1892	861	0.1	45	637	14	2	698	40	118		0.3	4.6	139	778	36	42.4	19.8	124	
1893	857	0.1	44	634	13	1	692	41	118		0.4	5.1	143	768	38	41.4	21.2	131	
1894	852	0.1	41	630	13	2	686	42	119		0.3	5.0	148	759	37	42.4	21.5	140	
1895	853	0.1	39	633	13	1	686	41	120		0.3	5.3	147	754	36	44.3	21.5	144	
1896	854	0.1	38	637	11	1	687	41	120		0.4	5.2	146	754	35	44.5	22.2	144	
1897	854	0.1	35	640	10	1	686	41	121		0.4	5.7	146	745	36	42.4	24.3	152	
1898	852	0.1	34	641	9	1	685	40	121		0.4	5.7	148	739	35	44.4	25.1	156	
1899	850	0.1	34	634	9	1	678	41	113	11	0.3	6.4	150	730	35	46.2	28.5	160	
1900	847	0.1	34	629	8.0	0.9	672	40	106	22	0.3	6.5	153	720	37	46.2	29.3	167	
1901	842	0.1	33	624	7.7	1.0	666	41	104	24	0.3	7.0	158	710	37	45.2	32.2	176	
1902	837	0.1	33	620	7.2	0.7	661	41	101	26	0.3	7.4	163	699	39	46.3	34.7	181	
1903	830	0.1	31	612	6.8	0.8	651	41	102	28	0.4	7.3	170	686	40	47.3	34.4	192	
1904	821	0.2	30	604	7.0	0.7	642	41	101	30	0.3	7.0	179	676	39	46.3	35.5	203	
1905	817	0.1	29	600	6.7	0.6	636	41	100	32	0.3	7.6	183	664	39	48.2	38.4	210	
1906	812	0.1	28	596	6.6	0.6	631	42	97	33	0.3	8.3	188	653	39	46.3	39.5	222	
1907	805	0.1	27	590	6.4	0.6	624	42	96	35	0.4	7.2	195	641	39	45.3	36.3	238	
1908	796	0.1	27	582	5.9	0.6	616	41	95	37	0.4	6.6	204	628	38	47.4	32.6	254	
1909	795	0.1	28	579	6.0	0.9	614	42	92	40	0.4	6.8	205	624	40	48.3	34.0	254	
1910	795	0.1	27	582	5.8	0.7	616	42	86	44	0.4	6.8	205	619	41	46.3	33.4	260	
1911	791	0.1	26	578	5.3	0.8	610	44	83	47	0.4	6.6	209	613	40	46.4	33.6	267	
1912	794	0.1	27	581	5.0	0.8	614	45	80	48	0.3	6.7	206	610	41	45.3	34.5	269	
1913	783	0.1	25	571	4.8	0.9	602	47	77	50	0.3	6.7	217	587	45	46.2	34.3	287	

TABLE 10.—ENGLAND AND WALES and LONDON.—FIRST MARRIAGES, RE-MARRIAGES, MARRIAGES OF MINORS, and SIGNATURES by MARK, 1864-1913.

Year.	In 1,000 Marriages.																	
	England and Wales.									London.								
	Bachelors and		Widowers and		Under 21 years.		Signed by Mark.			Bachelors and		Widowers and		Under 21 years.		Signed by Mark.		
	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Both.
1864	820	42	89	49	66	201	233	324	147	816	46	92	46	33	143	109	174	59
1865	818	43	89	50	67	201	225	312	141	819	49	88	44	35	148	102	164	54
1866	818	43	88	51	67	200	216	300	134	816	47	90	47	35	143	98	151	49
1867	813	44	91	52	69	202	211	288	127	808	50	94	48	35	148	93	145	46
1868	817	43	89	51	72	210	201	278	119	813	48	91	48	36	153	91	142	43
1869	816	44	89	51	72	214	199	276	117	817	48	90	45	39	157	90	150	46
1870	819	45	85	51	75	216	198	273	116	816	50	88	46	39	150	88	145	43
1871	818	44	86	52	79	220	194	268	113	818	48	86	48	39	158	92	147	48
1872	818	45	84	53	80	223	194	263	111	814	48	90	48	41	160	88	139	43
1873	818	46	82	54	82	224	188	254	106	814	49	88	49	43	161	84	133	41
1874	816	46	82	56	84	227	179	242	98	814	48	87	51	46	166	81	131	39
1875	814	45	85	56	83	222	172	232	93	811	48	89	52	47	168	87	128	41
1876	814	45	83	58	83	220	163	221	86	814	48	86	52	49	172	81	118	37
1877	817	44	84	55	81	220	153	209	79	817	46	88	49	51	172	78	115	35
1878	822	43	81	54	78	216	146	198	73	817	47	86	50	51	175	75	110	34
1879	824	43	80	53	74	214	138	185	67	822	46	85	47	50	177	74	103	31
1880	826	43	79	52	73	215	140	186	68	828	44	82	46	52	181	71	103	30
1881	831	42	77	50	72	214	135	177	64	830	45	78	47	53	183	69	98	29
1882	835	40	76	49	76	220	132	171	62	828	42	84	46	55	189	68	96	29
1883	835	41	75	49	74	218	126	155	55	832	46	79	43	59	189	62	83	24
1884	833	40	77	50	73	213	117	142	48	831	42	82	45	55	191	63	80	25
1885	834	40	78	48	70	210	107	129	43	829	46	80	45	59	196	58	74	23
1886	838	38	77	47	67	206	96	115	37	835	43	78	44	58	193	52	70	22
1887	841	37	75	47	65	202	91	106	34	837	42	77	44	57	195	49	64	19
1888	843	38	74	45	63	199	83	97	29	844	40	74	42	52	190	47	58	17
1889	848	37	71	44	61	199	78	90	27	849	40	71	40	52	182	42	54	16
1890	849	37	70	44	60	195	72	83	24	846	41	71	42	52	183	42	56	16
1891	849	37	70	44	59	190	64	73	21	847	41	72	40	49	174	37	50	15
1892	847	38	71	44	59	187	56	66	19	846	43	70	41	52	177	36	49	16
1893	849	37	71	43	56	181	50	57	16	847	41	69	43	47	168	34	43	14
1894	852	36	70	42	55	181	46	54	14	848	42	69	41	47	168	30	42	11
1895	856	35	68	41	52	174	40	48	13	853	40	68	39	44	159	27	37	10
1896	863	34	64	39	53	174	37	43	11	858	39	64	39	49	161	25	32	9
1897	870	33	61	36	51	170	33	40	10	865	37	62	36	46	162	26	33	11
1898	872	33	60	35	51	168	31	36	10	872	36	58	34	48	163	25	32	11
1899	876	32	57	35	50	165	29	34	9	868	38	59	35	45	158	25	33	12
1900	873	33	59	35	51	163	28	32	9	865	39	59	37	45	155	25	32	12
1901	868	35	60	37	50	160	25	29	8	862	40	61	37	44	150	24	30	12
1902	875	34	57	34	47	154	23	26	7	870	39	59	32	40	140	24	30	13
1903	879	33	56	32	46	152	19	23	6	872	39	57	32	38	137	22	31	13
1904	883	33	54	30	46	153	18	21	5	878	39	53	30	37	139	18	26	10
1905	883	32	54	31	44	147	17	20	5	881	37	53	29	36	130	18	25	9
1906	885	32	53	30	43	146	15	19	5	881	35	54	30	35	129	17	25	9
1907	885	31	54	30	41	142	14	17	4	881	36	54	29	32	118	16	23	8
1908	881	33	55	31	40	140	13	15	4	875	38	56	31	29	113	13	19	6
1909	884	31	55	30	40	137	11	13	3	879	36	56	29	31	111	10	14	4
1910	884	32	54	30	38	133	11	12	3	879	38	54	29	29	108	9	13	3
1911	887	31	52	30	39	133	10	12	3	881	37	52	30	31	109	9	12	3
1912	886	32	52	30	39	135	9	11	2	882	37	51	30	31	112	8	11	3
1913	885	34	51	30	42	144	9	10	2	877	39	53	31	33	117	9	10	2

TABLE 11.—ENGLAND AND WALES.—MARRIAGES.—MANNER of SOLEMNIZATION in REGISTRATION COUNTIES, 1913.

Registration Division.	Registration County.	Of 1,000 Marriages.														Civil Marriages in Superintendent Registrar's Office.
		With Religious Ceremonial.														
		Total.	According to the rites of the Established Church.						Not according to the rites of the Established Church.							
			Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not Stated.	Total in Church.	In Registered Places.					Quakers.	Jews.	
									Roman Catholics.	Before Registrar.	Before Authorized Person.	Other Christian Denominations.				
I.	England and Wales ...	783	0·1	25	571	4·8	0·9	602	47	77	50	0·3	6·7	217		
	London ...	713	0·5	24	562	0·1	0·2	587	45	32	14	0·2	34·3	287		
II.	Surrey ...	753	—	23	638	0·5	1·0	663	25	50	14	0·3	0·3	247		
	Kent ...	781	0·1	18	658	0·9	1·8	679	19	52	30	0·4	0·1	219		
	Sussex ...	802	0·2	28	668	0·5	0·7	697	24	68	11	0·7	0·9	198		
	Hampshire ...	739	—	27	595	2·2	1·5	626	21	75	17	—	0·4	261		
	Berkshire ...	797	—	21	684	0·5	2·3	708	13	55	21	—	—	203		
III.	Middlesex ...	710	—	22	587	0·1	0·2	609	21	52	25	0·5	2·1	290		
	Hertfordshire ...	843	1·1	15	695	0·6	3·4	715	11	94	23	—	—	157		
	Buckinghamshire ...	877	—	20	740	—	0·8	761	6	93	17	—	—	123		
	Oxfordshire ...	841	1·5	25	696	—	2·2	725	17	78	19	1·5	—	159		
	Northamptonshire ...	830	—	20	660	0·8	1·9	683	9	48	90	—	—	170		
	Huntingdonshire ...	887	—	33	748	—	3·3	784	—	83	20	—	—	113		
	Bedfordshire ...	844	—	18	650	—	2·8	671	7	101	61	3·5	—	156		
Cambridgeshire...	872	—	19	713	0·7	3·4	736	9	99	28	—	—	128			
IV.	Essex ...	786	—	14	650	0·1	1·3	665	24	62	34	—	0·7	214		
	Suffolk ...	836	—	15	701	1·1	1·5	719	7	85	25	—	—	164		
	Norfolk ...	819	—	17	697	1·4	2·6	718	11	44	46	—	—	181		
V.	Wiltshire ...	829	—	23	637	0·5	3·1	664	10	113	42	—	—	171		
	Dorsetshire ...	844	—	42	669	2·0	9·4	722	11	86	25	—	—	156		
	Devonshire ...	743	—	46	519	1·5	3·6	570	18	108	46	0·6	0·6	257		
	Cornwall ...	822	—	52	427	0·4	3·0	482	8	243	89	0·4	—	178		
	Somersetshire ...	891	0·3	37	657	1·2	3·0	699	6	140	46	0·3	—	109		
VI.	Gloucestershire...	764	—	24	595	0·6	1·2	621	21	85	36	0·2	0·4	236		
	Herefordshire ...	813	2·7	48	655	2·7	2·7	711	17	69	15	1·3	—	187		
	Shropshire ...	831	0·1	44	648	2·3	2·3	697	15	98	21	—	—	169		
	Staffordshire ...	858	—	14	704	0·9	0·5	719	38	56	45	—	0·3	142		
	Worcestershire ...	843	—	16	716	2·0	1·6	736	19	37	51	—	—	157		
	Warwickshire ...	778	0·1	11	656	1·3	0·9	669	31	44	30	1·2	2·4	222		
VII.	Leicestershire ...	773	—	20	592	2·4	1·9	616	21	67	69	—	—	227		
	Rutlandshire ...	885	—	7	785	7·2	—	799	—	86	—	—	—	115		
	Lincolnshire ...	848	—	22	670	0·7	1·4	694	11	65	77	—	1·4	152		
	Nottinghamshire ...	761	—	23	615	0·3	2·0	640	13	51	55	0·2	1·3	239		
	Derbyshire ...	831	—	31	601	2·3	0·7	635	26	95	75	—	—	169		
VIII.	Cheshire...	860	—	39	590	4·4	0·1	634	59	87	79	0·4	0·4	140		
	Lancashire ...	861	—	32	522	15·3	0·4	570	116	80	88	0·1	6·4	139		
IX.	West Riding ...	839	—	16	608	6·7	0·4	631	42	67	94	0·4	4·5	161		
	East Riding (with York)	752	—	25	607	0·5	2·6	635	43	44	66	0·7	2·9	208		
	North Riding ...	828	—	43	571	1·3	1·9	617	66	86	57	1·3	0·6	172		
X.	Durham ...	737	—	24	469	22·7	0·3	516	93	59	67	0·5	1·0	263		
	Northumberland ...	696	—	33	448	4·4	0·9	486	88	84	35	0·2	2·7	304		
	Cumberland ...	845	—	68	515	23·6	0·5	607	83	70	83	2·1	—	155		
	Westmorland ...	921	—	77	701	2·3	—	780	11	109	14	6·8	—	79		
XI.	Monmouthshire ...	706	—	22	379	1·4	0·8	403	35	237	28	—	2·8	294		
	Glamorganshire ...	528	0·1	26	244	3·3	0·1	274	43	170	39	0·1	1·4	472		
	Carmarthenshire ...	549	—	29	181	6·2	—	216	7	257	67	—	1·8	451		
	Pembrokeshire ...	698	—	63	309	22·0	—	394	14	222	68	—	—	302		
	Cardiganshire ...	616	—	83	115	19·1	4·2	221	—	363	32	—	—	384		
	Brecknockshire...	879	—	47	268	—	2·5	318	34	515	7	—	4·9	121		
	Radnorshire ...	863	—	43	478	—	—	521	—	308	34	—	—	137		
	Montgomeryshire ...	788	—	45	311	10·1	—	366	3	379	40	—	—	212		
	Flintshire ...	847	—	37	465	8·7	—	511	48	275	13	—	—	153		
	Denbighshire ...	704	—	38	309	1·0	—	348	22	305	29	—	—	296		
	Merionethshire ...	774	—	48	199	—	—	247	—	488	39	—	—	226		
	Carnarvonshire...	629	1·2	54	217	1·2	1·2	275	14	311	29	—	—	371		
	Anglesey ...	779	—	74	126	4·3	—	204	82	476	17	—	—	221		

TABLE 12.—ENGLAND and WALES—MARRIAGE-RATES, PROPORTIONS of MARRIAGES of MINORS, and of SIGNATURES by MARK in REGISTRATION COUNTIES, 1903-1912 and 1913.

Registration Division.	Registration County.	In 1,000 Marriages.															
		Persons Married to 1,000 living.		Bachelors and		Widowers and		Under 21 years.				Signed by Mark.					
								Average of Ten Years 1903-1912.		1913.		Average of Ten Years 1903-1912.		1913.			
		Average of Ten Years 1903-1912.	1913.	Spinsters.	Widows.	Spinsters.	Widows.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.	
I.	England and Wales ...	15.4	15.5	885	34	51	30	42	142	42	144	14	16	9	10	2	
	London ...	17.6	18.3	877	39	53	31	33	121	33	117	14	20	9	10	2	
II.	Surrey ...	13.2	12.7	897	29	51	23	24	101	28	106	9	6	4	5	1	
	Kent ...	13.8	14.2	899	35	39	27	26	129	27	122	11	10	8	7	2	
	Sussex ...	13.3	12.7	880	29	63	28	29	104	23	98	10	5	6	2	0	
	Hampshire ...	15.0	14.5	880	46	48	26	23	126	22	119	10	6	6	5	2	
	Berkshire ...	14.2	14.1	896	28	54	22	25	101	23	90	13	7	6	4	0	
III.	Middlesex ...	13.4	13.4	890	33	52	25	30	111	27	109	8	6	6	4	1	
	Hertfordshire ...	12.8	11.9	900	26	48	26	37	106	29	89	17	9	13	8	1	
	Buckinghamshire ...	13.2	13.1	911	28	36	25	37	122	27	119	14	8	15	7	2	
	Oxfordshire ...	14.1	13.5	908	26	46	20	33	101	28	100	15	10	15	4	4	
	Northamptonshire ...	14.4	14.2	910	19	43	28	48	132	47	122	14	12	10	6	2	
	Huntingdonshire ...	13.9	12.4	910	10	33	47	40	154	53	103	22	14	3	10	—	
	Bedfordshire ...	14.3	14.0	902	18	53	27	57	135	48	132	16	13	10	7	1	
IV.	Cambridgeshire ...	14.2	13.6	903	26	51	20	42	139	54	148	23	14	18	8	1	
	Essex ...	13.8	14.0	889	33	49	29	32	132	31	121	12	10	7	7	1	
	Suffolk ...	13.7	14.1	898	28	47	27	36	130	41	131	21	11	12	5	2	
	Norfolk ...	13.9	14.1	895	22	51	32	40	130	39	121	22	12	14	9	2	
	Wiltshire ...	14.3	13.5	893	27	49	31	29	110	25	104	13	10	10	7	2	
V.	Dorsetshire ...	13.8	13.2	886	33	58	23	30	112	21	94	15	9	13	6	1	
	Devonshire ...	15.2	15.0	883	30	60	27	27	107	27	111	10	9	6	6	1	
	Cornwall ...	14.1	14.2	886	29	54	31	38	122	46	135	22	19	16	12	3	
	Somersetshire ...	13.7	13.5	891	25	60	24	31	96	23	81	17	11	14	6	1	
VI.	Gloucestershire ...	15.1	15.1	883	30	57	30	30	99	24	86	15	12	11	10	3	
	Herefordshire ...	13.0	13.1	882	23	75	20	20	88	20	106	24	17	22	7	3	
	Shropshire ...	13.1	13.2	896	32	52	20	23	97	26	104	18	14	12	12	5	
	Staffordshire ...	15.6	16.4	892	32	45	31	61	177	60	179	17	19	13	15	4	
	Worcestershire ...	14.5	14.6	902	19	57	22	41	122	53	133	14	14	12	9	3	
	Warwickshire ...	16.3	16.7	891	34	46	29	53	157	51	153	15	21	8	10	2	
VII.	Leicestershire ...	15.4	15.0	894	26	49	31	60	147	60	150	10	11	8	7	1	
	Rutlandshire ...	12.4	13.1	878	36	72	14	26	106	14	108	10	2	14	—	—	
	Lincolnshire ...	15.4	14.9	880	32	57	31	43	165	48	169	12	10	11	8	1	
	Nottinghamshire ...	16.0	16.1	891	31	45	33	72	209	79	213	14	16	10	9	2	
	Derbyshire ...	15.3	15.3	893	29	51	27	54	185	54	180	11	13	8	9	2	
VIII.	Cheshire ...	14.5	14.6	894	28	57	21	36	117	36	120	11	13	5	8	2	
	Lancashire ...	16.2	16.3	876	36	54	34	48	133	47	137	13	20	8	12	2	
IX.	West Riding ...	15.8	16.2	878	36	52	34	53	174	56	182	14	20	9	14	2	
	East Riding (with York)	15.5	16.0	880	40	47	33	44	168	48	176	11	14	8	10	1	
	North Riding ...	15.1	14.8	882	33	53	32	46	178	44	180	15	20	12	14	3	
X.	Durham ...	16.1	16.8	887	37	46	30	56	227	63	236	16	22	11	15	2	
	Northumberland ...	15.5	16.3	884	38	48	30	39	175	37	185	11	18	11	15	2	
	Cumberland ...	14.6	14.7	899	30	51	20	42	136	42	142	11	13	9	7	1	
	Westmorland ...	13.6	13.9	923	11	57	9	27	88	32	84	5	5	5	9	2	
XI.	Monmouthshire ...	15.3	16.5	879	48	45	28	54	208	48	208	24	26	14	17	4	
	Glamorganshire ...	15.9	16.3	878	46	44	32	47	192	47	200	19	24	12	16	3	
	Carmarthenshire ...	14.8	14.3	887	23	64	26	40	124	51	166	14	25	4	11	1	
	Pembrokeshire ...	14.8	14.9	888	30	66	16	38	121	41	113	15	20	9	9	2	
	Cardiganshire ...	11.9	11.7	868	15	106	11	24	45	28	55	13	27	4	11	2	
	Brecknockshire ...	15.2	14.3	908	20	52	20	25	122	17	133	24	25	22	15	7	
	Radnorshire ...	12.4	13.9	939	9	26	26	19	115	51	154	13	12	26	34	17	
	Montgomeryshire ...	12.8	12.8	893	23	66	18	15	78	8	66	29	20	10	8	—	
	Flintshire ...	12.0	12.7	891	26	63	20	19	88	41	107	23	23	9	13	—	
	Denbighshire ...	13.6	14.0	871	39	62	28	25	94	21	93	23	25	15	10	3	
	Merionethshire ...	11.8	11.3	878	21	68	33	12	62	15	68	12	15	12	12	—	
	Carnarvonshire ...	13.1	12.0	856	29	76	39	14	58	11	75	18	24	13	8	2	
	Anglesey ...	12.3	13.0	840	48	69	43	19	76	9	56	36	32	9	4	—	

TABLE 13.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1913.*—
MALES.

(NOTE.—In previous Reports the rates for the whole period and for the several quinquennia were obtained by averaging the yearly rates. Those now shown being calculated directly from the aggregates of deaths and populations are somewhat more reliable.)

Year.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
1838-1913	20.1	63.6	6.1	3.4	4.8	6.5	7.9	11.7	18.2	33.1	67.7	145.2	301.0	159
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.6	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.5	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.6	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.6	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1864	23.7	75.8	9.8	4.9	6.5	9.1	10.3	14.3	20.1	35.2	70.3	151.4	334.4	166
1865	23.4	75.0	8.1	4.7	6.4	9.2	10.6	14.2	20.5	34.7	68.6	151.8	325.6	174
1866	23.5	74.9	7.8	4.6	6.5	9.2	10.9	14.7	20.9	34.7	68.9	150.6	323.5	174
1867	22.0	69.3	6.5	4.0	6.0	8.4	10.0	13.6	19.1	33.5	68.3	152.5	332.4	167
1868	21.9	72.8	7.8	4.2	5.9	8.0	9.7	13.2	18.9	31.9	63.8	139.1	282.4	168
1869	22.4	72.5	8.3	4.3	5.7	7.9	9.9	13.5	19.3	33.3	68.4	149.1	308.9	169
1870	23.1	75.0	8.9	4.5	5.9	8.0	10.1	13.8	19.6	33.9	69.6	152.1	320.7	174
1871	22.9	71.7	8.3	4.4	6.4	9.2	11.1	14.4	20.0	33.9	67.5	145.2	312.8	172
1872	21.7	67.6	7.0	4.1	6.0	8.7	10.3	14.0	19.4	32.5	65.5	140.3	292.0	162
1873	21.5	66.4	6.0	3.7	5.3	7.5	9.5	13.6	19.8	34.1	70.9	150.6	324.9	164
1874	22.6	71.8	7.4	3.9	5.3	7.5	9.6	14.3	20.9	35.8	71.4	146.4	322.8	165
1875	23.2	71.9	6.9	3.8	5.6	7.6	9.7	15.0	21.5	37.7	74.7	165.0	363.8	173
1876	21.4	67.6	6.3	3.5	5.3	7.3	9.3	13.8	19.9	34.3	67.2	145.8	302.6	160
1877	21.0	63.9	6.1	3.5	4.9	7.0	9.1	13.7	19.7	34.7	68.2	145.8	324.9	150
1878	22.0	71.2	6.6	3.6	4.9	6.8	8.8	13.6	20.0	35.1	69.5	154.8	353.9	166
1879	21.4	63.3	6.3	3.3	4.7	6.4	8.6	13.3	20.4	36.8	74.0	168.7	365.5	150
1880	21.0	69.2	6.4	3.3	4.5	6.1	7.9	12.5	19.1	33.7	68.1	145.8	310.9	167
1881	19.6	56.6	5.8	3.2	4.5	6.1	8.3	13.0	19.3	34.0	67.7	144.8	293.5	143
1882	20.2	63.5	6.3	3.2	4.6	5.9	8.2	12.6	19.0	33.8	66.2	139.3	287.1	153
1883	20.4	61.0	6.2	3.3	4.7	6.2	8.3	13.0	19.7	35.1	70.1	149.1	302.2	151
1884	20.4	64.9	5.8	3.2	4.5	6.0	8.0	12.7	19.4	33.5	68.3	142.2	290.1	160
1885	20.0	60.6	5.1	2.9	4.3	5.8	8.0	12.6	19.3	34.4	71.3	151.5	316.2	151
1886	20.4	64.5	4.8	2.8	4.3	5.7	7.6	12.1	19.2	34.7	72.8	153.4	339.1	163
1887	20.0	62.5	5.1	2.9	4.2	5.4	7.3	11.9	18.7	35.0	72.1	149.4	310.1	158
1888	19.2	57.7	4.7	2.7	4.0	5.4	7.1	11.7	19.0	34.4	71.6	144.5	304.7	150
1889	19.2	61.8	4.7	2.6	3.9	5.1	7.0	11.3	18.3	33.4	68.5	138.9	298.6	157
1890	21.0	62.9	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.3	316.5	165
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.7	47.3	3.5	2.0	3.0	3.9	5.0	8.1	14.7	29.6	63.4	135.7	270.7	142
1912	14.2	35.4	3.1	1.8	2.8	3.5	4.7	8.0	14.7	29.9	63.9	138.1	266.0	106
1913	14.8	39.2	3.1	1.9	2.7	3.5	4.6	8.0	15.0	30.7	64.5	140.4	266.8	120

* For the purposes of this table, the populations shown in Table I have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901. They differ from those published in previous Reports, being now standardized not only for differences of age-constitution among males at the various dates, but also for differences in age-constitution between the two sexes. See p. xx.

TABLE 14.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1913.*—FEMALES.

(NOTE.—In previous Reports the rates for the whole period and for the several quinquennia were obtained by averaging the yearly rates. Those now shown being calculated directly from the aggregates of deaths and populations are somewhat more reliable.)

Year.	Deaths of Females per 1000 living at subjoined Ages.														Deaths of Fe- male Infants under 1 year of age per 1000 Female Births.
	All Ages. (Stand- ard- ized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
1838-1913	17.6	54.2	5.9	3.5	5.0	6.0	7.5	10.2	14.5	27.2	58.4	129.6	272.7	131	
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137	
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.2	15.2	27.0	58.7	134.5	288.9	139	
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139	
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134	
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128	
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138	
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114	
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133	
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142	
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141	
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137	
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136	
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142	
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138	
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130	
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125	
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131	
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135	
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141	
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124	
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105	
1864	21.3	65.8	9.4	5.1	7.0	8.4	10.3	12.6	16.5	29.8	63.4	141.1	302.3	138	
1865	20.8	65.1	7.8	4.6	6.8	8.5	10.2	12.6	16.6	28.8	60.4	138.4	296.7	145	
1866	21.0	65.6	7.2	4.5	6.9	8.6	10.5	13.2	16.9	29.3	61.3	139.8	295.7	145	
1867	19.4	59.6	6.1	3.9	6.4	7.8	9.5	12.0	15.6	27.5	59.5	139.4	287.3	138	
1868	19.5	63.9	7.4	4.1	6.3	7.7	9.4	11.5	14.9	26.4	55.0	125.8	261.5	142	
1869	19.8	63.0	7.8	4.3	6.1	7.3	9.3	11.7	15.7	27.6	59.2	135.4	277.1	141	
1870	20.3	64.2	8.3	4.5	6.4	7.6	9.5	11.9	15.8	28.8	60.6	140.2	290.3	145	
1871	20.1	62.4	7.5	4.5	6.6	8.2	9.7	12.2	15.9	28.5	60.4	132.6	276.4	143	
1872	18.8	58.5	6.5	4.0	6.2	7.6	9.3	11.8	15.1	26.6	56.6	124.7	269.0	136	
1873	18.6	56.4	5.6	3.6	5.5	6.8	8.6	11.4	15.6	28.3	61.9	135.2	303.5	134	
1874	19.7	61.4	7.1	3.9	5.7	7.3	9.2	12.2	15.9	29.2	61.6	134.0	290.0	136	
1875	20.2	61.2	6.4	3.8	5.7	7.3	9.3	12.4	17.0	31.1	65.7	148.8	330.3	143	
1876	18.4	57.3	5.9	3.6	5.2	6.7	8.3	11.7	15.4	27.9	58.4	128.7	287.0	132	
1877	17.9	53.6	5.6	3.6	5.1	6.3	8.2	11.3	15.3	27.7	58.9	129.1	291.6	122	
1878	19.1	61.1	6.1	3.6	5.2	6.3	8.0	11.3	15.4	29.2	61.7	140.5	312.7	138	
1879	18.5	52.9	5.8	3.4	4.9	6.0	8.0	11.3	16.0	30.7	66.6	150.2	328.7	121	
1880	18.2	59.2	6.0	3.3	4.8	5.9	7.6	10.6	14.7	27.5	58.2	129.1	274.9	138	
1881	17.0	48.0	5.7	3.2	4.7	6.0	7.9	11.0	14.9	28.0	58.4	126.4	263.8	117	
1882	17.6	54.4	6.0	3.3	4.7	5.9	7.9	11.0	15.0	27.6	56.9	124.1	256.0	128	
1883	17.7	51.1	5.8	3.4	4.9	6.1	8.1	11.1	15.6	28.8	60.2	134.2	277.0	123	
1884	17.7	54.9	5.8	3.4	4.7	5.9	7.8	10.9	15.3	27.5	57.7	126.8	247.4	133	
1885	17.4	51.0	5.1	3.1	4.5	5.7	7.7	10.8	15.2	28.7	62.0	133.2	282.8	124	
1886	17.7	54.2	4.8	3.1	4.4	5.3	7.2	10.4	15.0	29.1	63.2	136.5	302.1	135	
1887	17.3	52.7	5.1	3.0	4.2	5.4	7.0	10.3	15.2	28.8	62.2	131.6	272.1	131	
1888	16.4	48.0	4.7	2.9	4.0	5.1	6.9	9.9	14.5	27.9	60.1	130.0	270.1	122	
1889	16.6	51.9	4.7	2.8	3.9	4.9	6.5	9.8	14.3	27.4	58.7	126.5	260.3	129	
1890	17.8	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136	
1891	18.5	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133	
1892	17.5	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132	
1893	17.6	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143	
1894	15.2	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124	
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144	
1896	15.7	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134	
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141	
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145	
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148	
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139	
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136	
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118	
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118	
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131	
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115	
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120	
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104	
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107	
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97	
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94	
1911	13.0	40.1	3.4	2.1	2.7	3.2	4.1	6.6	11.4	23.0	50.9	116.4	232.7	117	
1912	11.8	29.4	3.0	2.0	2.7	3.1	3.9	6.4	11.2	22.7	51.7	118.9	245.6	84	
1913	12.0	32.2	3.1	2.0	2.5	3.0	3.8	6.5	11.5	23.0	51.1	117.5	241.0	96	

* See Note * to Table 13.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901. They differ from those published in previous Reports, being now standardized not only for differences of age-constitution among females at the various dates, but also for differences in age-constitution between the two sexes. See p. xx.

TABLE 15.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1913.*—PERSONS.

(NOTE.—In previous Reports the rates for the whole period and for the several quinquennia were obtained by averaging the yearly rates. Those now shown being calculated directly from the aggregates of deaths and populations are somewhat more reliable.)

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1913	18·8	58·9	6·0	3·4	4·9	6·2	7·6	10·9	16·3	30·0	62·6	136·3	283·4	145
1841-50	21·6	66·0	9·0	5·3	7·5	9·3	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851-60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861-70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·8	17·4	30·4	62·8	140·4	296·6	154
1871-80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881-90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891-1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901-10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1841-45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846-50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851-55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856-60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861-65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866-70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871-75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876-80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881-85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886-90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	143
1891-95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896-1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901-05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906-10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1864	22·4	70·8	9·6	5·0	6·7	8·7	10·3	13·4	18·1	32·4	66·6	145·6	314·7	153
1865	22·0	70·1	7·9	4·7	6·6	8·8	10·4	13·4	18·5	31·7	64·2	144·3	307·9	160
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4	160
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4	153
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6	155
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3	156
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0	160
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4	158
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8	150
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8	149
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6	151
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2	158
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0	146
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4	136
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5	152
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9	135
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8	153
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2	130
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9	141
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6	137
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6	147
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4	138
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0	149
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4	145
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	255·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·3	43·7	3·4	2·1	2·9	3·5	4·5	7·3	13·0	26·1	56·4	124·2	246·2	130
1912	12·9	32·4	3·1	1·9	2·8	3·3	4·3	7·2	12·9	26·1	57·1	126·7	252·9	95
1913	13·3	35·7	3·1	1·9	2·6	3·2	4·2	7·2	13·1	26·6	57·0	126·8	250·1	108

* See note * to Table 13.

† The death-rates in this column are standardized to the sex- and age-constitution of the population as enumerated in 1901

TABLE 16.—MORTALITY by SEX, AGE, and LOCALITY, 1913.*
(Deaths per 1,000 living at each Age.)

Age.	Class of Area.	Males.					Females.					Persons.				
		North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
ALL AGES.	Crude.															
	London ...	—	—	15.7	—	15.7	—	—	13.0	—	13.0	—	—	14.3	—	14.3
	County Boroughs ...	17.6	15.6	13.7	14.6	16.4	14.7	13.4	12.0	12.6	13.9	16.1	14.4	12.8	13.6	15.1
	Other Urban Districts ...	15.5	12.7	12.6	14.1	13.8	13.6	11.1	11.0	13.1	12.1	14.5	11.9	11.7	13.6	12.9
	Rural Districts ...	14.0	12.6	12.1	14.4	13.0	12.8	11.8	11.0	13.7	12.0	13.4	12.2	11.5	14.1	12.5
	All Areas ...	16.3	13.6	14.0	14.3	14.7	14.1	12.0	12.0	13.2	12.8	15.1	12.8	12.9	13.8	13.7
	Standardized.†															
	London ...	—	—	16.2	—	16.2	—	—	12.5	—	12.5	—	—	14.3	—	14.3
	County Boroughs ...	19.0	16.2	13.4	16.1	17.4	15.2	13.3	10.5	13.2	14.0	17.0	14.7	11.8	14.6	15.6
	Other Urban Districts ...	16.5	12.9	12.0	15.5	14.2	13.7	10.5	9.2	13.2	11.5	15.0	11.6	10.5	14.3	12.8
	Rural Districts ...	13.6	10.8	10.3	13.5	11.6	12.1	9.3	8.6	11.8	9.9	12.8	10.0	9.4	12.6	10.7
	All Areas ...	17.3	13.2	13.5	14.9	14.8	14.3	11.0	10.6	12.7	12.0	15.7	12.0	12.0	13.7	13.3
0	London ...	—	—	40.8	—	40.8	—	—	33.8	—	33.8	—	—	37.3	—	37.3
	County Boroughs ...	51.8	46.1	32.8	40.6	47.7	43.3	38.7	26.4	35.1	39.9	47.6	42.4	29.6	37.9	43.8
	Other Urban Districts ...	45.9	32.2	26.5	43.9	37.2	37.4	26.2	21.4	34.4	30.1	41.6	29.2	24.0	39.2	33.7
	Rural Districts ...	39.1	25.2	21.3	35.2	28.6	31.7	20.4	16.8	27.6	22.9	35.4	22.8	19.1	31.4	25.8
	All Areas ...	47.9	34.6	32.7	40.6	39.2	39.6	28.5	26.7	32.5	32.2	43.8	31.6	29.7	36.6	35.7
5—	London ...	—	—	3.2	—	3.2	—	—	2.9	—	2.9	—	—	3.1	—	3.1
	County Boroughs ...	3.8	3.4	3.0	2.9	3.6	3.9	3.4	3.2	3.1	3.6	3.9	3.4	3.1	3.0	3.6
	Other Urban Districts ...	3.7	3.0	2.5	2.9	3.1	3.7	2.7	2.6	2.9	3.0	3.7	2.8	2.6	2.9	3.1
	Rural Districts ...	2.9	2.5	2.1	2.8	2.5	3.2	2.4	2.2	2.8	2.6	3.0	2.5	2.1	2.8	2.5
	All Areas ...	3.7	3.0	2.8	2.9	3.1	3.7	2.8	2.7	2.9	3.1	3.7	2.9	2.8	2.9	3.1
10—	London ...	—	—	2.0	—	2.0	—	—	2.1	—	2.1	—	—	2.0	—	2.0
	County Boroughs ...	2.2	1.8	1.9	2.0	2.0	2.4	1.9	1.9	2.0	2.2	2.3	1.9	1.9	2.0	2.1
	Other Urban Districts ...	2.1	1.7	1.4	2.0	1.8	2.0	1.8	1.7	1.9	1.9	2.1	1.7	1.6	1.9	1.8
	Rural Districts ...	2.0	1.6	1.7	2.1	1.8	2.2	1.6	1.7	1.7	1.8	2.1	1.6	1.7	1.9	1.8
	All Areas ...	2.1	1.7	1.8	2.0	1.9	2.2	1.8	1.9	1.8	2.0	2.2	1.7	1.8	1.9	1.9
15—	London ...	—	—	2.9	—	2.9	—	—	2.5	—	2.5	—	—	2.7	—	2.7
	County Boroughs ...	3.2	2.7	2.8	3.1	3.0	2.9	2.5	2.2	2.4	2.7	3.0	2.6	2.4	2.8	2.8
	Other Urban Districts ...	3.0	2.4	2.5	2.7	2.6	2.8	2.2	2.1	2.7	2.4	2.9	2.3	2.3	2.7	2.5
	Rural Districts ...	2.5	2.2	2.2	3.0	2.4	2.4	2.5	2.3	3.1	2.5	2.5	2.4	2.3	3.1	2.4
	All Areas ...	3.0	2.4	2.7	2.9	2.7	2.8	2.4	2.3	2.8	2.5	2.9	2.4	2.5	2.9	2.6
20—	London ...	—	—	3.4	—	3.4	—	—	2.5	—	2.5	—	—	2.9	—	2.9
	County Boroughs ...	3.9	3.9	3.5	3.8	3.8	3.5	3.0	2.7	4.0	3.3	3.7	3.4	3.1	3.9	3.5
	Other Urban Districts ...	3.7	3.1	3.3	3.5	3.4	3.4	2.5	2.4	3.7	2.9	3.5	2.8	2.8	3.6	3.1
	Rural Districts ...	3.3	3.0	2.9	3.8	3.1	3.3	3.0	2.8	4.2	3.2	3.3	3.0	2.9	4.0	3.1
	All Areas ...	3.7	3.3	3.3	3.7	3.5	3.4	2.8	2.6	3.9	3.0	3.6	3.0	2.9	3.8	3.2
25—	London ...	—	—	5.2	—	5.2	—	—	3.5	—	3.5	—	—	4.3	—	4.3
	County Boroughs ...	5.6	4.9	4.3	5.0	5.2	4.5	3.9	3.6	4.4	4.2	5.0	4.4	3.9	4.7	4.7
	Other Urban Districts ...	4.4	4.0	4.4	4.3	4.2	4.0	3.4	3.2	4.7	3.7	4.2	3.7	3.7	4.5	3.9
	Rural Districts ...	3.8	3.8	4.1	4.6	4.0	4.1	3.6	3.4	4.9	3.8	3.9	3.7	3.7	4.8	3.9
	All Areas ...	4.9	4.2	4.7	4.5	4.6	4.3	3.6	3.4	4.7	3.8	4.6	3.9	4.0	4.6	4.2
35—	London ...	—	—	9.9	—	9.9	—	—	6.8	—	6.8	—	—	8.3	—	8.3
	County Boroughs ...	10.2	8.8	8.4	9.4	9.6	8.0	7.2	5.9	7.8	7.5	9.1	8.0	7.1	8.6	8.5
	Other Urban Districts ...	7.4	6.6	7.4	7.9	7.2	7.0	5.4	4.9	7.4	6.0	7.2	6.0	6.1	7.7	6.6
	Rural Districts ...	6.7	5.4	5.8	6.2	5.9	6.3	5.0	4.5	7.2	5.4	6.5	5.2	5.1	6.7	5.6
	All Areas ...	8.8	6.9	8.3	7.7	8.0	7.4	5.9	5.8	7.4	6.5	8.1	6.4	7.0	7.5	7.2
45—	London ...	—	—	18.7	—	18.7	—	—	13.1	—	13.1	—	—	15.8	—	15.8
	County Boroughs ...	19.9	16.6	13.2	17.4	18.1	14.6	12.7	10.2	11.6	13.4	17.2	14.6	11.5	14.6	15.6
	Other Urban Districts ...	15.6	12.6	12.8	14.4	13.8	11.9	10.2	8.7	12.4	10.6	13.7	11.3	10.5	13.5	12.1
	Rural Districts ...	11.5	10.0	9.6	11.4	10.3	10.3	8.4	8.4	10.7	9.0	10.9	9.2	9.0	11.0	9.7
	All Areas ...	17.2	13.0	14.7	14.0	15.0	13.1	10.4	10.7	11.6	11.5	15.1	11.7	12.6	12.8	13.1
55—	London ...	—	—	34.6	—	34.6	—	—	24.3	—	24.3	—	—	29.1	—	29.1
	County Boroughs ...	40.7	32.5	30.0	34.4	36.7	29.8	24.9	19.2	28.7	26.9	34.9	28.5	23.9	31.6	31.5
	Other Urban Districts ...	34.4	27.2	25.9	31.5	29.8	26.4	20.6	18.1	26.7	22.4	30.2	23.7	21.5	29.1	25.8
	Rural Districts ...	26.0	21.1	21.4	27.8	22.8	22.2	17.1	16.2	22.2	18.3	24.2	19.0	18.7	25.0	20.5
	All Areas ...	36.2	26.7	28.9	30.6	30.7	27.6	20.7	20.3	25.3	23.0	31.7	23.5	24.2	28.0	26.6
65—	London ...	—	—	69.4	—	69.4	—	—	53.1	—	53.1	—	—	60.0	—	60.0
	County Boroughs ...	85.2	67.5	54.4	76.5	75.1	64.2	52.8	43.4	54.8	57.3	73.2	59.2	47.9	64.9	64.9
	Other Urban Districts ...	77.2	59.4	54.7	72.3	64.9	61.6	45.5	40.8	57.9	50.1	68.5	51.5	46.6	64.5	56.5
	Rural Districts ...	58.9	49.7	49.0	62.1	52.4	52.1	42.2	41.8	50.8	44.6	55.5	45.7	45.2	56.1	48.3
	All Areas ...	77.7	57.7	58.5	68.5	64.5	61.5	46.3	46.0	54.4	51.1	68.7	51.4	51.3	60.9	57.0
75—	London ...	—	—	150.6	—	150.6	—	—	121.5	—	121.5	—	—	132.0	—	132.0
	County Boroughs ...	173.3	150.0	132.9	150.0	157.4	139.6	125.5	108.0	121.8	128.4	152.3	135.0	117.0	133.3	139.4
	Other Urban Districts ...	162.1	133.3	125.1	143.6	139.5	139.3	110.3	102.5	118.5	116.0	148.5	119.3	111.1	128.9	125.2
	Rural Districts ...	136.7	127.6	118.6	133.3	127.0	122.5	104.4	100.3	124.6	107.8	129.2	114.9	108.5	128.4	116.5
	All Areas ...	161.0	134.4	131.8	139.4	140.4	136.5	111.8	109.3	121.9	117.5	146.4	121.2	118.1	129.3	126.8
85 and upwards.	London ...	—	—	284.9	—	284.9	—	—	250.2	—	250.2	—	—	260.2	—	260.2
	County Boroughs ...	304.3	283.3	249.5	243.9	281.5	264.7	240.6	215.7	218.0	242.5	277.6	254.8	226.3	227.4	255.2
	Other Urban Districts ...	293.8	243.8	250.2	255.6	259.4	259.4	230.7	231.4	250.9	237.6	271.6	235.2	237.7	252.5	244.2
	Rural Districts ...	293.8	255.6	257.7	278.2	263.3	285.6	235.1	229.1	238.9	239.6	289.2	243.2	240.9	254.4	249.2
	All Areas ...	297.8	256.5	261.8	266.9	266.8	267.1	234.6	234.8	240.6	241.0	278.2	242.6	244.0	250.5	250.1

* For Infantile Mortality in these areas, see Table 24, *et seq.*

† The standardized rates for Males and Females differ from similar rates published in previous Reports, being standardized not only for differences of age-constitution in each sex but also for differences in age-constitution between the two sexes. See p. xx.

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES; 1913.—MALES and FEMALES.

Administrative Counties.	Sex.	Deaths per 1,000 living at subjoined ages.															Deaths under 1 per 1,000 Births.*
		All Ages.*			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
		Admin. County.	Urban Aggregate.	Rural Aggregate.													
Bedfordshire ...	M	12·7	12·3	13·3	27·3	1·9	1·9	2·7	3·9	4·1	6·1	11·4	22·2	51·0	130·8	273·6	97
	F	11·4	10·9	12·2	20·9	3·0	1·3	1·8	3·6	4·0	5·5	9·6	20·9	36·9	162·8	207·0	73
Berkshire ...	M	12·5	13·6	12·0	20·9	2·0	1·9	2·7	3·2	4·9	6·9	9·7	23·1	49·0	118·9	272·0	81
	F	11·3	12·5	10·8	17·7	2·1	1·6	2·4	1·7	3·9	4·2	8·9	20·3	41·1	101·3	212·8	59
Buckinghamshire	M	11·4	11·8	11·2	21·7	2·2	1·2	1·5	2·5	3·1	5·4	10·6	22·4	49·0	122·4	217·7	80
	F	10·5	10·2	10·7	17·0	1·3	1·4	1·3	2·3	3·5	4·3	7·7	17·2	45·4	96·6	233·9	60
Cambridgeshire ...	M	13·9	13·2	14·4	26·4	4·8	1·6	3·0	3·9	4·9	6·4	10·8	20·6	54·3	134·5	208·1	87
	F	12·0	10·9	13·0	18·7	3·7	2·4	2·8	1·8	4·1	4·2	9·1	16·6	36·4	103·9	240·1	65
Cheshire ...	M	14·2	15·2	11·9	37·1	3·2	1·9	1·9	2·9	4·0	7·5	14·6	31·0	69·7	145·8	276·0	121
	F	11·9	12·6	10·4	28·1	3·2	1·5	2·1	2·4	3·6	5·5	10·6	23·8	57·3	124·5	274·6	91
Cornwall	M	14·8	15·7	14·2	28·8	2·3	2·0	3·2	3·3	6·0	8·9	13·8	24·9	58·1	125·1	251·8	103
	F	13·0	13·1	13·0	22·5	2·4	2·7	2·8	3·4	4·0	5·1	9·2	17·1	45·9	99·7	228·6	79
Cumberland	M	15·3	15·8	14·5	38·0	3·1	1·9	3·5	2·4	4·3	8·3	13·5	30·8	73·5	152·1	236·7	120
	F	13·3	13·9	12·2	30·4	3·1	1·7	3·0	3·3	4·5	6·4	10·4	23·5	56·7	130·7	264·8	98
Derbyshire	M	13·1	13·6	12·6	38·0	3·1	1·8	2·5	2·7	4·4	6·1	12·8	25·4	61·9	143·9	287·9	124
	F	12·0	12·3	11·7	30·4	3·0	2·0	2·5	2·9	3·8	5·3	11·2	22·5	51·3	131·2	297·1	98
Devonshire	M	13·7	14·7	12·7	25·1	2·5	2·1	2·7	4·6	5·3	6·5	11·0	22·5	49·8	122·9	241·3	89
	F	12·2	12·4	12·0	19·1	2·6	2·2	2·4	3·4	4·1	4·7	8·4	19·3	41·0	97·3	238·7	65
Dorsetshire	M	12·4	11·7	13·2	23·6	2·9	1·1	3·1	2·3	3·9	5·2	10·5	24·6	58·7	124·4	286·3	87
	F	11·0	10·8	11·2	17·8	3·2	1·2	1·6	2·7	2·5	4·2	9·6	18·3	37·8	98·7	202·9	63
Durham ...	M	16·1	16·5	15·4	51·8	3·3	2·0	3·5	4·6	4·5	7·0	13·9	31·7	71·5	159·9	291·0	150
	F	14·5	14·6	14·4	43·1	4·2	2·7	3·2	4·3	4·4	8·5	13·2	26·0	62·5	122·8	255·7	123
Ely, Isle of	M	13·9	14·6	13·3	33·1	1·3	0·6	2·1	4·6	6·1	6·4	11·8	18·2	51·8	117·4	223·2	106
	F	11·5	11·5	11·6	24·7	2·3	1·2	1·6	1·8	2·4	5·3	6·8	16·2	31·6	113·0	200·0	82
Essex ...	M	11·4	11·1	12·1	24·3	2·3	1·5	2·4	3·6	3·9	6·1	11·4	25·1	53·1	124·1	265·1	83
	F	10·1	9·8	11·0	18·6	2·2	1·6	2·1	2·8	3·6	5·1	9·2	18·0	43·6	109·2	218·5	64
Gloucestershire ...	M	13·7	15·0	13·2	23·6	2·9	1·9	2·4	3·1	4·7	6·0	12·1	27·1	55·5	136·2	254·5	80
	F	12·6	13·4	12·2	17·8	2·3	1·9	2·0	3·5	4·0	5·5	10·9	20·4	44·9	112·9	226·6	66
Herefordshire	M	14·5	14·0	14·8	22·9	2·8	2·1	2·6	4·3	6·0	6·4	13·1	24·8	51·0	120·8	271·1	81
	F	13·7	12·2	14·5	20·7	1·9	1·6	1·3	3·3	3·2	7·1	12·2	17·8	42·4	129·7	245·3	73
Hertfordshire	M	11·4	11·3	11·6	21·3	2·3	1·3	2·3	2·7	3·5	5·2	11·4	26·3	53·2	129·0	211·4	74
	F	10·1	10·5	9·2	15·4	1·4	1·6	1·8	2·7	2·9	4·4	8·3	18·3	43·4	102·5	229·2	48
Huntingdonshire	M	12·6	12·8	12·5	20·1	3·5	2·0	0·4	2·9	3·3	6·4	11·1	24·3	45·7	109·5	279·1	73
	F	13·2	12·3	13·8	18·2	1·7	3·2	1·7	1·0	4·6	5·9	9·7	16·9	46·2	106·0	285·7	60
Kent ...	M	12·4	12·4	12·5	25·6	2·6	1·5	2·7	3·4	4·2	7·3	11·8	24·8	53·5	118·4	269·0	85
	F	11·0	10·8	11·3	22·0	2·7	1·9	2·4	2·4	3·4	5·4	9·2	15·8	41·6	105·9	237·8	73
Lancashire	M	15·1	15·4	13·3	44·7	3·9	2·0	2·8	3·2	4·3	7·8	15·9	36·1	76·7	164·4	311·6	141
	F	13·4	13·6	11·8	36·9	3·4	1·9	2·8	3·7	3·7	6·7	12·8	28·1	63·3	138·9	282·2	109
Leicestershire	M	12·6	13·2	12·3	28·7	2·9	2·1	2·9	2·9	3·4	6·8	10·4	23·6	53·9	122·5	263·4	105
	F	12·1	12·1	12·1	24·7	3·2	2·2	3·4	2·8	4·0	5·9	10·7	21·5	48·2	110·3	215·8	81
Lincolnshire : Holland.	M	14·0	15·2	13·1	31·8	3·4	1·5	2·1	3·4	3·7	5·8	10·9	18·9	44·5	151·4	183·3	104
	F	12·6	12·6	12·6	25·2	4·0	2·6	2·4	1·5	4·9	4·2	9·3	19·0	37·1	98·2	215·8	84
Lincolnshire : Kesteven.	M	14·6	15·0	14·4	32·3	3·7	2·2	2·6	2·6	4·7	6·2	9·7	22·0	53·4	145·1	330·8	105
	F	12·2	11·5	12·7	24·3	2·1	1·6	2·5	2·8	4·5	5·8	8·9	17·7	41·2	81·9	245·8	74
Lincolnshire : Lindsey.	M	13·4	14·0	13·0	31·8	2·9	1·8	3·0	2·5	4·3	4·4	9·0	17·9	52·4	137·6	266·9	111
	F	12·4	12·2	12·5	24·9	2·5	1·7	3·8	3·4	4·0	5·8	8·6	17·9	43·7	100·5	236·5	89
London ...	M	15·7	—	—	40·8	3·2	2·0	2·9	3·4	5·2	9·9	18·7	34·6	69·4	150·6	284·9	115
	F	13·0	—	—	33·8	2·9	2·1	2·5	2·5	3·5	6·8	13·1	24·3	53·1	121·5	250·2	96
Middlesex	M	11·0	11·0	10·9	27·8	2·6	1·5	2·0	2·5	3·4	6·1	12·1	25·6	55·6	124·2	260·1	92
	F	9·8	9·8	9·5	23·2	2·6	1·6	1·9	2·1	2·7	5·1	9·6	19·2	41·8	102·8	224·1	75
Monmouthshire	M	13·3	13·2	13·8	40·1	2·6	1·9	2·8	3·4	3·5	7·3	14·9	26·8	67·3	134·6	253·2	132
	F	12·4	12·4	12·2	31·9	2·4	1·6	2·4	3·6	3·5	7·3	11·7	29·1	60·0	123·4	187·2	99
Norfolk ...	M	13·1	13·7	12·9	24·9	2·1	1·5	2·0	3·1	3·2	5·4	8·6	22·7	43·8	122·0	229·5	94
	F	12·4	11·8	12·5	19·8	1·7	1·2	3·0	2·5	3·6	4·3	8·0	15·3	37·5	100·0	251·1	71
Northamptonshire	M	12·3	10·7	13·5	25·9	2·6	1·6	1·5	3·7	4·4	4·3	11·2	19·7	52·6	129·0	280·4	90
	F	11·3	10·3	12·1	21·3	3·0	2·9	2·9	4·6	3·2	4·2	5·8	15·8	42·7	115·6	224·3	80
Northumberland	M	14·2	14·4	13·9	39·8	2·4	2·4	3·4	4·2	4·5	7·5	12·6	25·3	68·8	142·0	287·0	126
	F	13·1	13·3	12·4	31·9	4·2	2·2	2·6	3·4	4·6	7·2	10·7	24·2	59·6	141·4	245·5	96
Nottinghamshire	M	13·0	13·5	12·1	32·8	3·2	1·9	3·1	3·3	4·2	6·8	11·4	23·2	62·9	134·2	239·0	114
	F	11·6	11·7	11·4	27·9	3·0	1·4	1·3	3·0	3·8	6·4	10·8	22·6	49·0	110·4	250·0	89
Oxfordshire	M	11·8	12·6	11·6	20·1	1·7	1·0	1·7	2·4	4·3	4·8	9·6	20·6	48·6	100·8	261·5	75
	F	11·9	11·8	11·9	17·9	1·5	0·6	1·9	1·9	3·8	4·6	8·6	17·8	41·1	107·7	229·4	63

* Corresponding rates for Persons will be found on pages 133-164.

TABLE 17.—ADMINISTRATIVE COUNTIES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY, together with CRUDE DEATH-RATE at ALL AGES in URBAN and RURAL AGGREGATES ; 1913.—MALES and FÉMALES—*cont.*

Administrative Counties.		Sex.	Deaths per 1,000 living at subjoined ages.																Deaths under 1 per 1,000 Births.*
			All Ages.*			0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
			Admin. County.	Urban Aggregate.	Rural Aggregate.														
Peterborough, Soke of	{	M	13·8	13·8	13·8	23·3	5·6	0·5	2·0	2·8	4·4	10·2	12·5	23·9	52·4	145·3	300·0	86	
		F	12·2	11·9	13·1	27·7	3·6	2·2	1·4	—	3·6	3·2	11·7	19·0	35·2	123·8	244·7	95	
Rutlandshire	{	M	15·1	11·1	15·9	24·4	1·0	0·9	1·5	2·7	2·8	8·6	12·5	34·8	78·8	127·1	243·2	101	
		F	12·5	11·3	12·8	20·9	3·0	1·1	2·3	3·8	4·1	6·7	4·6	20·0	48·7	106·7	142·9	83	
Shropshire	{	M	13·0	14·3	12·1	24·7	1·9	0·9	2·3	3·2	4·4	5·8	11·0	24·1	53·5	133·5	238·6	88	
		F	11·3	11·2	11·3	16·6	1·4	0·6	2·5	2·3	3·6	4·9	8·8	18·0	41·6	108·9	246·3	61	
Somersetshire	{	M	13·1	13·6	12·8	22·6	2·2	2·0	1·7	3·4	5·0	6·7	12·2	24·0	53·5	130·2	231·4	75	
		F	11·9	11·4	12·2	19·6	2·3	1·4	2·5	2·7	3·2	5·0	8·6	17·6	44·4	100·3	217·9	67	
Southampton	{	M	10·7	10·5	10·9	22·5	2·0	1·4	2·0	2·2	4·4	6·7	10·8	23·7	46·8	119·0	232·3	83	
		F	10·2	10·0	10·3	17·6	1·8	1·2	2·1	2·2	3·7	4·1	8·8	16·2	39·8	102·9	245·2	59	
Staffordshire	{	M	15·2	16·4	12·4	45·4	3·9	1·7	2·4	3·1	3·9	7·0	13·8	29·8	66·6	150·2	245·1	129	
		F	13·6	14·5	11·6	38·1	3·4	1·7	3·4	2·8	3·8	6·5	11·1	23·6	54·6	111·8	255·5	107	
Suffolk, East	{	M	12·5	13·8	11·8	24·4	2·5	0·9	2·6	3·5	3·9	5·7	10·2	21·7	46·3	122·0	210·2	84	
		F	11·8	10·4	12·8	18·7	2·7	2·3	2·7	2·1	3·9	4·7	9·6	17·0	41·9	105·2	194·7	67	
Suffolk, West	{	M	13·5	13·6	13·5	20·9	3·1	1·8	1·7	3·8	4·5	7·2	9·0	21·3	53·5	139·6	256·7	74	
		F	12·9	12·9	12·9	22·9	2·0	2·2	3·3	2·3	3·4	4·6	8·3	16·4	42·8	102·9	231·0	76	
Surrey	{	M	10·9	11·2	10·3	23·4	2·1	1·5	1·9	2·6	3·4	6·1	11·0	22·7	46·2	121·4	264·3	81	
		F	9·0	9·2	8·5	17·8	2·0	1·8	2·0	2·0	2·3	4·2	8·0	16·1	37·2	103·7	202·0	61	
Sussex, East	{	M	12·9	14·3	11·8	23·0	2·1	1·4	2·3	3·6	3·8	6·2	11·1	24·8	51·0	120·3	304·8	77	
		F	10·3	11·0	9·6	16·3	2·4	0·8	2·0	2·4	3·1	5·1	7·0	17·7	39·1	98·9	243·6	60	
Sussex, West	{	M	12·5	13·2	12·0	20·7	1·9	5·5	2·0	4·6	3·6	6·2	9·9	21·8	50·4	120·4	238·1	81	
		F	11·0	11·8	10·2	15·3	1·8	2·3	1·4	2·6	2·9	4·7	7·5	18·7	39·9	101·9	226·3	57	
Warwickshire	{	M	13·0	13·1	13·0	29·9	3·1	2·3	2·0	3·4	3·1	6·6	11·5	24·6	58·6	132·8	280·9	96	
		F	11·5	12·0	11·1	28·0	3·0	2·0	2·6	2·4	2·4	5·6	7·6	18·6	44·6	98·4	231·4	83	
Westmorland	{	M	14·5	14·8	14·3	35·5	2·7	1·7	2·0	4·6	3·6	4·2	15·8	20·7	62·2	110·9	328·1	134	
		F	12·9	13·3	12·5	27·4	2·5	2·6	0·9	2·6	3·4	6·7	9·8	21·5	47·9	112·5	326·1	82	
Wight, Isle of	{	M	11·3	12·4	9·6	17·7	2·3	1·2	2·2	3·1	3·1	6·9	9·8	22·1	47·1	96·4	177·0	65	
		F	11·4	12·0	10·1	13·7	3·1	1·0	1·0	2·3	2·8	5·2	9·1	15·8	40·8	100·5	287·2	53	
Wiltshire	{	M	12·6	13·4	12·0	25·9	2·5	1·4	2·2	2·9	3·4	5·5	10·6	22·3	56·9	127·5	240·7	88	
		F	11·6	12·1	11·2	19·8	2·7	1·6	2·1	3·7	3·1	4·8	8·3	17·2	46·1	98·6	255·4	51	
Worcestershire	{	M	13·5	14·0	12·9	34·5	2·9	2·5	2·6	2·5	3·5	6·3	12·5	25·5	51·9	128·7	220·6	111	
		F	12·1	12·3	11·8	27·8	2·6	1·5	2·0	3·0	3·7	5·0	9·5	17·2	45·0	109·9	239·1	84	
Yorkshire : East Riding.	{	M	13·4	14·7	12·7	30·9	2·7	2·7	1·9	2·9	3·3	5·2	10·2	20·0	48·5	131·7	274·5	102	
		F	12·0	13·0	11·4	19·9	2·1	1·9	2·6	2·4	4·2	4·6	8·4	17·4	49·1	108·0	255·2	70	
Yorkshire : North Riding.	{	M	14·8	15·6	13·6	35·6	3·8	1·8	2·1	3·6	4·4	7·2	12·4	27·1	59·7	126·7	283·4	114	
		F	13·4	13·8	12·8	31·9	3·2	1·8	2·3	2·4	4·5	7·6	10·3	22·6	44·9	125·5	239·7	92	
Yorkshire : West Riding.	{	M	15·0	15·2	14·2	44·8	3·7	2·2	2·7	3·6	4·0	6·6	14·2	32·5	72·7	159·8	318·1	135	
		F	13·4	13·3	13·6	36·1	3·5	2·1	2·7	3·3	4·0	6·6	10·4	24·4	58·6	146·0	281·3	104	
Anglesey	{	M	13·8	15·2	12·9	31·8	2·6	1·5	3·9	3·9	3·9	6·8	8·5	25·0	56·9	102·1	111·1	102	
		F	16·0	15·6	16·3	29·0	2·8	2·0	1·3	2·5	4·8	6·7	15·6	22·4	56·1	130·3	220·5	87	
Brecknockshire	{	M	13·4	14·9	12·8	32·9	3·0	1·7	2·4	2·7	4·7	6·0	9·6	28·5	59·8	145·0	203·1	115	
		F	13·0	13·6	12·7	26·3	1·6	1·0	2·9	2·7	4·5	6·5	9·7	20·5	63·7	119·4	215·1	92	
Cardiganshire	{	M	16·3	17·5	15·8	33·5	5·3	2·2	2·5	1·4	8·0	5·7	11·6	29·7	51·4	113·9	304·3	128	
		F	16·5	14·6	17·3	27·9	1·9	4·0	2·1	4·8	5·7	8·5	9·4	22·7	44·5	120·0	272·2	102	
Carmarthenshire	{	M	14·0	13·1	14·7	38·8	3·2	2·1	3·8	4·2	4·5	7·1	12·6	24·9	67·5	129·9	240·7	118	
		F	13·5	12·6	14·2	28·9	2·8	1·5	4·1	4·3	5·6	8·1	11·3	24·3	49·0	112·4	221·2	91	
Carnarvonshire	{	M	17·8	17·5	18·0	37·6	2·3	2·7	3·5	2·9	6·9	9·9	13·5	29·9	76·7	175·2	330·5	144	
		F	14·1	12·8	15·4	24·5	2·3	2·4	3·1	3·3	6·0	6·7	9·7	20·3	55·6	124·2	261·1	92	
Denbighshire	{	M	15·3	15·0	15·4	40·5	3·6	2·4	3·2	4·5	4·0	6·7	15·1	28·3	67·6	149·8	341·5	134	
		F	13·0	11·9	13·6	30·5	3·4	1·5	3·0	4·8	4·1	7·0	10·1	22·3	46·5	117·9	231·3	92	
Flintshire	{	M	16·1	18·8	14·5	40·0	3·3	1·2	2·2	3·0	5·1	6·4	12·9	41·9	73·9	138·1	265·6	123	
		F	14·7	15·4	14·3	28·3	4·1	1·0	2·1	3·5	4·8	8·4	11·1	24·7	52·0	145·1	345·9	81	
Glamorganshire	{	M	13·5	13·8	12·6	44·9	2·9	2·1	2·9	3·5	4·1	7·3	13·4	31·9	70·3	130·9	260·1	137	
		F	12·6	13·0	11·8	35·9	3·1	1·8	3·0	3·8	4·9	7·3	13·0	26·3	57·9	113·3	200·6	111	
Merionethshire	{	M	16·8	17·4	16·3	31·7	—	3·6	3·5	7·7	8·8	6·1	14·4	32·6	58·9	151·1	305·6	102	
		F	15·6	14·0	16·9	21·6	1·4	3·5	4·1	4·1	3·9	7·5	12·3	21·6	61·8	125·5	376·6	85	
Montgomeryshire	{	M	15·0	15·9	14·6	24·4	1·8	0·7	0·8	—	5·6	7·9	9·1	23·5	66·4	144·1	363·6	88	
		F	14·3	15·6	13·5	19·9	1·9	0·7	2·8	4·8	4·5	6·9	11·0	22·7	49·8	149·0	242·1	81	
Pembrokeshire	{	M	15·1	14·8	15·4	31·7	2·2	1·6	2·2	6·4	6·0	6·5	11·1	28·1	61·9	147·3	276·9	108	
		F	15·1	15·2	15·0	27·5	4·9	2·5	3·0	4·4	6·5	7·1	10·4	25·2	51·8	115·2	284·0	89	
Radnorshire	{	M	14·8	12·0	15·7	31·1	1·8	0·9	1·0	5·6	1·3	6·9	9·9	31·9	54·5	120·7	281·3	111	
		F	13·3	16·0	12·2	25·4	—	2·8	0·9	5·1	4·7	5·5	10·9	19·0	48·4	141·6	255·8	88	

* Corresponding rates for Persons will be found on pages 133-164.

TABLE 18.—COUNTY BOROUGHES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY ; 1913.—MALES and FEMALES.

County Boroughs.	Sex.	Deaths per 1,000 living at subjoined Ages.														Deaths under 1 st per 1,000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.		
Barnsley ... {	M	16.9	55.1	3.7	2.7	4.0	4.3	3.7	5.6	17.1	39.9	92.7	156.3	200.0	153	
	F	15.4	50.0	5.0	2.2	4.4	2.4	2.6	8.0	12.1	27.7	72.3	137.3	647.1	138	
Barrow in Furness {	M	16.1	53.5	4.7	1.8	2.3	5.1	5.3	9.3	18.0	34.5	67.8	145.3	444.4	131	
	F	13.2	41.2	6.6	2.1	2.6	6.0	3.5	5.7	12.8	22.7	54.2	128.4	258.1	104	
Bath ... {	M	13.9	29.0	2.7	0.9	2.2	2.6	4.1	6.4	14.2	28.1	54.4	145.0	168.8	77	
	F	12.1	20.7	3.3	1.3	1.4	1.9	3.0	5.5	9.7	16.8	36.4	96.9	218.4	74	
Birkenhead ... {	M	16.9	48.3	4.1	2.9	3.6	2.8	6.5	10.5	19.3	42.1	74.8	127.3	268.3	129	
	F	13.2	39.2	4.0	1.6	2.0	3.0	5.3	8.6	10.5	25.8	44.5	115.8	241.4	107	
Birmingham ... {	M	16.2	52.3	4.0	1.9	2.3	3.6	4.8	9.6	18.5	32.4	67.7	143.3	325.8	145	
	F	13.6	42.9	3.7	1.8	2.2	2.6	3.9	8.1	13.7	25.6	53.0	129.2	226.1	113	
Blackburn ... {	M	18.0	46.0	3.7	2.0	3.2	3.6	5.6	11.1	19.5	49.8	102.5	200.0	172.4	156	
	F	14.1	41.7	2.3	2.2	1.7	4.4	3.9	7.3	14.1	33.2	70.3	129.9	358.5	140	
Blackpool ... {	M	16.9	45.8	2.3	2.4	4.3	5.2	4.3	8.4	19.5	35.2	75.5	161.3	38.5	152	
	F	13.2	32.5	1.9	2.5	1.9	2.0	3.4	5.9	11.4	30.3	52.9	153.3	170.2	101	
Bolton ... {	M	16.7	51.5	3.3	2.5	2.8	3.6	4.8	9.9	16.9	42.9	90.8	206.3	342.9	151	
	F	15.0	46.1	3.9	2.3	2.8	3.5	3.8	7.4	16.3	32.1	77.8	144.8	291.7	136	
Bootle ... {	M	18.8	62.4	4.0	2.4	3.0	5.3	6.5	9.2	22.7	39.4	82.9	125.0	428.6	163	
	F	16.3	50.1	5.0	1.9	2.3	5.2	4.5	12.0	19.9	32.0	66.4	126.8	214.3	130	
Bournemouth ... {	M	12.9	24.5	1.4	2.5	2.8	3.9	3.0	9.5	11.4	23.8	37.5	119.9	290.3	82	
	F	8.6	15.8	1.3	0.3	1.1	2.7	2.4	3.0	6.6	12.5	32.6	107.0	175.3	44	
Bradford ... {	M	16.5	44.4	3.6	1.6	3.2	2.9	4.8	8.9	17.6	43.1	87.1	167.8	306.8	145	
	F	13.9	36.0	3.7	1.9	2.6	3.2	3.6	7.4	13.5	27.2	62.5	161.9	359.3	109	
Brighton ... {	M	14.7	36.9	3.2	1.8	2.2	3.2	4.2	8.3	14.3	29.1	51.9	128.1	209.7	130	
	F	13.7	34.7	2.9	1.9	2.4	3.3	3.9	5.6	10.9	18.6	44.5	129.1	231.6	106	
Bristol ... {	M	13.5	34.3	2.5	1.9	2.8	4.0	4.1	6.5	14.0	30.2	65.7	120.0	267.8	112	
	F	12.2	26.0	2.9	2.2	2.7	3.8	3.5	6.6	11.1	23.1	51.0	106.2	271.6	80	
Burnley ... {	M	17.6	57.9	4.3	2.2	4.7	2.6	4.6	7.3	20.3	44.3	84.8	153.3	538.5	181	
	F	16.2	56.2	3.5	1.9	2.7	2.8	4.9	8.5	18.6	38.1	69.1	158.3	218.8	168	
Burton upon Trent {	M	14.1	33.2	0.8	0.8	1.8	4.2	5.0	11.4	17.0	25.2	72.0	158.4	166.7	90	
	F	13.1	30.9	3.3	1.6	2.4	3.1	4.4	7.8	11.7	21.8	57.0	139.2	106.4	95	
Bury ... {	M	17.2	54.4	2.1	1.6	2.7	2.3	3.6	9.3	18.0	40.8	102.9	159.8	250.0	172	
	F	14.0	38.2	1.7	1.2	3.0	5.2	6.7	6.5	12.9	30.4	53.0	121.1	333.3	111	
Canterbury... {	M	14.7	42.5	2.7	1.8	2.4	6.5	5.7	5.3	11.2	15.3	51.9	179.2	147.1	138	
	F	14.4	26.4	2.5	2.7	2.8	2.7	3.8	6.4	10.9	24.2	36.2	144.7	186.7	116	
Chester ... {	M	17.1	44.0	3.6	2.8	2.3	3.1	5.8	10.9	20.2	33.1	98.2	137.4	421.1	112	
	F	14.9	41.9	3.2	1.6	1.1	3.2	4.4	5.8	14.8	28.7	60.0	131.3	230.8	113	
Coventry ... {	M	11.4	32.8	1.9	2.1	2.8	3.0	4.3	9.4	12.8	26.4	51.1	137.9	176.5	101	
	F	11.6	29.7	5.3	1.5	1.4	4.7	3.8	7.3	11.7	21.5	48.9	126.6	149.4	79	
Croydon ... {	M	12.7	33.5	2.4	1.2	2.6	3.0	4.4	7.0	11.3	27.1	57.0	111.9	230.8	108	
	F	10.9	24.9	3.0	1.9	1.8	2.4	2.8	5.8	10.0	18.6	41.6	97.1	224.3	83	
Derby ... {	M	13.6	33.1	3.4	2.2	2.2	3.2	3.9	6.6	14.4	29.2	78.8	145.8	236.8	114	
	F	11.5	26.0	1.0	1.7	1.9	2.2	3.2	6.5	10.8	23.3	57.5	143.2	186.8	88	
Devonport ... {	M	11.2	29.3	2.3	1.8	4.6	3.4	3.7	9.2	14.0	27.9	64.3	133.3	297.9	88	
	F	12.7	32.1	3.6	2.7	2.6	2.1	3.4	8.7	10.4	23.6	49.9	101.3	172.7	88	
Dewsbury ... {	M	18.5	58.6	0.9	1.3	2.7	4.8	4.9	8.1	21.4	37.8	99.6	190.2	900.0	144	
	F	15.3	44.2	3.5	2.5	0.8	3.3	5.7	9.6	15.1	27.2	64.1	147.8	360.0	118	
Dudley ... {	M	18.5	64.8	3.4	2.1	3.2	2.8	5.8	12.4	15.2	37.3	73.0	142.2	250.0	164	
	F	15.4	49.8	2.6	2.5	3.9	2.9	2.2	7.5	18.2	27.1	50.9	127.7	333.3	128	
Eastbourne... {	M	12.1	26.4	1.3	1.5	1.4	2.2	3.6	7.5	15.2	31.0	40.0	139.6	222.2	92	
	F	9.2	22.5	5.0	0.8	1.5	3.4	2.3	4.6	6.9	14.9	42.9	86.2	256.1	47	

* Corresponding rates for Persons will be found on pages 132-133.

TABLE 18.—COUNTY BOROUGHES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY ; 1913.—MALES and FEMALES—*continued*.

County Boroughs.	Sex.	Deaths per 1,000 living at subjoined Ages.													Deaths under 1 per 1,000 Births.*
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
Exeter ...	M	16.0	37.4	3.2	2.5	1.7	5.0	5.3	7.9	14.9	37.1	69.7	109.8	239.1	106
	F	15.1	34.5	3.3	1.7	1.6	1.1	2.8	8.1	13.3	27.8	46.2	135.2	198.3	97
Gateshead ...	M	15.8	47.3	3.5	2.2	3.0	3.7	3.4	9.0	16.3	36.2	78.7	190.7	243.9	136
	F	13.8	37.9	2.2	3.3	2.6	5.4	4.9	10.1	14.1	24.8	58.2	128.7	301.6	111
Gloucester ...	M	13.4	36.0	3.0	2.7	2.3	5.9	3.5	7.7	15.3	24.4	51.1	102.0	238.1	75
	F	14.0	38.1	4.2	2.3	3.2	3.4	2.4	6.1	10.7	20.2	52.6	117.9	324.3	106
Great Yarmouth ...	M	16.5	35.1	3.8	1.5	3.3	5.3	5.0	11.5	15.6	28.1	51.7	148.4	222.2	134
	F	13.6	27.5	3.0	3.0	2.1	3.8	5.6	6.2	11.7	21.0	44.3	96.3	269.2	84
Grimsby ...	M	15.1	37.0	3.4	2.5	3.7	2.9	5.0	11.8	15.6	36.0	72.5	134.6	350.0	122
	F	11.8	32.6	3.0	1.4	1.7	2.2	3.6	5.5	13.5	26.6	46.4	109.1	231.9	105
Halifax ...	M	17.1	39.6	3.3	3.6	3.3	3.6	4.5	8.4	19.8	39.6	98.4	166.7	351.4	124
	F	14.1	27.3	4.3	2.3	3.3	2.9	4.4	5.6	13.0	29.7	65.6	147.5	250.0	80
Hastings ...	M	14.6	25.2	1.7	1.2	2.7	2.3	4.9	8.0	11.3	25.3	52.6	147.2	257.1	101
	F	12.2	16.9	0.8	1.5	1.3	1.6	3.8	6.0	9.5	19.6	32.2	107.6	225.1	64
Huddersfield ...	M	16.2	35.9	2.4	2.4	2.0	5.0	4.4	9.6	17.9	45.3	100.2	166.7	483.9	118
	F	13.5	29.8	3.3	1.4	2.8	4.8	4.8	7.0	13.9	27.1	59.8	156.8	272.7	91
Ipswich ...	M	15.9	38.7	3.0	2.5	3.3	4.6	5.1	8.5	14.3	31.7	55.4	176.6	269.2	120
	F	12.2	23.8	2.1	1.3	2.9	2.7	3.2	6.9	11.9	20.0	47.4	112.5	219.5	71
Kingston upon Hull	M	16.3	46.8	2.5	2.4	2.7	3.9	5.2	10.1	16.6	32.8	76.4	155.6	287.9	144
	F	13.3	36.1	3.8	2.5	3.3	2.9	5.4	7.1	12.0	24.8	52.2	117.2	204.8	112
Leeds ...	M	17.0	51.9	3.9	2.1	2.7	5.2	5.3	9.7	16.5	36.4	83.3	180.1	349.5	146
	F	14.2	42.3	3.1	2.4	3.2	2.8	4.1	7.8	14.8	28.3	65.2	140.4	264.4	123
Leicester ...	M	15.3	41.1	3.3	1.5	3.6	4.1	5.9	7.8	15.7	33.3	68.1	168.2	258.4	132
	F	11.7	30.8	2.5	2.1	1.8	3.2	4.5	6.7	11.6	24.1	45.5	133.0	163.3	107
Lincoln ...	M	13.6	37.5	2.7	0.4	3.1	3.6	5.9	7.5	10.9	25.8	60.0	145.5	230.8	125
	F	11.4	24.4	3.1	2.0	1.9	0.4	3.3	7.4	11.0	20.5	38.2	131.0	266.7	84
Liverpool ...	M	20.1	57.1	3.8	2.5	3.8	4.3	6.6	13.8	25.5	44.8	85.9	174.3	268.0	147
	F	16.4	48.2	4.1	3.1	3.4	3.7	5.2	9.2	16.7	34.6	68.3	133.4	248.3	118
Manchester...	M	17.3	51.8	4.1	2.3	3.1	3.2	5.7	10.6	22.0	42.3	87.9	175.3	282.4	143
	F	14.3	41.7	3.5	2.4	3.3	3.6	4.3	8.2	15.5	30.9	63.4	141.9	264.8	113
Middlesbrough ...	M	19.6	57.0	6.4	3.4	4.2	5.9	8.3	13.1	24.0	39.6	87.3	148.1	160.0	144
	F	16.5	50.3	5.5	2.6	2.0	5.3	7.5	10.2	19.4	27.4	63.7	134.5	318.2	114
Newcastle on Tyne	M	16.5	46.5	3.3	2.3	2.4	3.2	6.4	9.0	17.8	37.6	86.3	212.8	267.4	134
	F	13.9	39.5	3.1	2.1	2.7	3.4	4.6	9.0	14.5	27.5	63.5	128.2	275.6	107
Newport (Mon.) ...	M	14.2	40.5	3.8	1.6	3.5	3.0	5.2	8.5	15.4	33.2	69.3	148.9	176.5	133
	F	11.6	32.3	3.5	2.7	2.3	2.9	3.9	8.3	9.9	28.2	49.3	100.0	341.5	97
Northampton ...	M	13.5	33.4	4.7	1.6	2.9	7.0	4.0	5.8	13.1	26.3	52.3	166.3	320.0	101
	F	12.0	28.7	4.0	1.5	4.1	4.4	5.3	4.8	11.5	20.3	50.1	111.6	263.7	86
Norwich ...	M	14.5	39.3	4.1	1.5	3.0	3.4	4.4	7.6	13.7	23.4	54.4	129.7	273.6	128
	F	13.4	34.5	3.4	1.9	2.0	2.3	3.4	5.6	8.7	20.1	53.1	117.3	277.5	99
Nottingham ...	M	15.6	42.1	2.5	1.9	2.1	3.5	5.2	7.6	17.3	31.6	71.6	155.7	328.0	135
	F	13.2	38.2	3.0	2.0	1.9	2.8	4.1	7.1	12.6	25.2	54.5	126.7	237.4	127
Oldham ...	M	18.7	52.5	5.8	1.7	3.6	3.9	5.5	11.6	24.1	44.4	94.0	203.5	258.1	153
	F	15.7	43.3	5.5	2.7	3.2	4.2	4.1	8.6	15.2	34.9	75.3	152.0	294.1	127
Oxford ...	M	13.1	21.9	2.6	0.4	1.8	5.9	5.7	7.4	11.9	33.8	50.7	143.3	152.2	75
	F	11.0	21.6	2.1	1.6	0.3	0.3	2.8	5.2	8.3	21.2	50.3	111.7	117.6	93
Plymouth ...	M	17.1	49.0	3.5	2.2	3.2	4.7	5.7	9.6	13.5	32.7	57.8	132.4	237.3	143
	F	15.0	38.2	2.3	3.0	3.1	4.5	5.4	7.0	11.5	19.5	57.1	108.9	244.8	103
Portsmouth ...	M	13.4	33.8	4.3	2.4	3.2	3.0	3.6	10.0	14.4	32.7	57.9	133.0	276.4	107
	F	11.7	25.3	5.1	1.7	3.2	3.2	3.5	6.2	11.6	19.7	47.6	98.9	205.2	78

* Corresponding rates for Persons will be found on pages 132-133.

TABLE 18.—COUNTY BOROUGHES.—CRUDE DEATH-RATE at ALL AGES, DEATH-RATES at AGES including INFANT MORTALITY ; 1913.—MALES and FEMALES—*continued.*

County Boroughs.	Sex.	Deaths per 1,000 living at subjoined Ages.														Deaths under 1 per 1 000 Births.
		All Ages.	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
Preston ...	M	18·9	63·3	3·4	2·3	3·4	3·6	5·0	9·7	18·2	48·9	83·5	193·1	176·5	176	
	F	15·5	51·8	4·6	1·7	3·2	2·7	4·4	6·0	13·8	32·2	67·1	180·2	267·9	142	
Reading ...	M	12·5	23·3	1·8	2·1	2·3	4·1	4·5	8·4	10·5	28·4	54·5	130·4	400·0	81	
	F	10·8	19·1	1·6	1·4	2·8	2·7	4·8	5·4	9·7	19·8	39·6	121·7	201·6	81	
Rochdale ...	M	16·1	38·7	2·2	1·9	2·3	2·9	3·9	9·1	16·3	54·8	96·2	267·9	333·3	112	
	F	14·7	34·3	3·6	1·9	3·8	4·3	3·8	6·6	13·9	38·5	66·2	176·2	228·6	101	
Rotherham...	M	16·6	51·5	2·2	2·7	1·9	4·7	5·6	10·9	18·4	32·1	64·8	170·4	272·7	146	
	F	14·6	47·9	3·5	2·9	1·9	5·0	5·5	7·3	13·0	22·6	52·1	105·8	314·3	139	
St. Helens ...	M	19·5	70·6	6·4	2·5	3·6	3·7	4·2	9·2	19·0	43·0	109·4	232·3	294·1	166	
	F	18·5	68·5	6·4	2·7	3·3	3·6	5·0	7·0	14·7	33·4	76·7	151·8	187·5	146	
Salford ...	M	17·6	54·1	4·1	1·8	3·1	3·3	5·9	11·8	20·3	46·2	82·5	162·0	244·9	154	
	F	15·1	43·3	3·7	3·0	3·7	4·0	4·4	8·3	17·5	31·9	70·6	124·0	219·0	121	
Sheffield ...	M	17·1	54·6	4·2	1·8	2·7	3·9	4·8	9·0	18·2	38·9	84·8	180·3	346·2	142	
	F	14·5	43·5	3·9	2·0	2·7	2·4	3·3	7·9	13·1	29·0	69·7	156·7	242·7	113	
Smethwick ...	M	14·1	47·4	3·6	1·0	3·6	2·9	4·0	7·5	15·9	27·6	67·5	164·1	600·0	137	
	F	13·1	42·3	4·5	0·5	3·2	1·5	4·7	3·8	12·7	29·5	55·5	140·6	423·1	121	
Southampton	M	14·1	28·1	4·0	1·9	1·9	5·0	5·9	7·9	13·6	37·0	52·7	156·6	263·2	90	
	F	11·8	24·0	3·1	2·5	1·5	1·8	4·2	6·1	10·6	22·7	49·5	101·4	220·5	74	
Southport ...	M	14·9	28·1	0·4	0·7	1·5	3·9	4·7	10·0	15·0	30·4	64·5	126·4	446·8	120	
	F	11·7	20·3	2·9	1·0	3·1	1·2	3·8	4·9	8·7	22·8	51·7	104·1	265·5	69	
South Shields	M	19·6	51·5	4·3	2·8	3·8	6·2	8·1	11·9	25·9	46·0	86·6	200·7	347·8	132	
	F	16·2	41·4	6·8	4·5	3·7	4·1	5·8	10·1	16·9	31·0	71·4	150·3	351·9	100	
Stockport ...	M	17·2	51·2	4·5	1·3	2·4	3·7	5·7	8·9	19·1	40·1	90·2	159·8	444·4	161	
	F	14·2	43·2	3·4	2·2	2·5	4·3	4·9	7·1	12·9	26·6	57·5	149·1	276·9	129	
Stoke on Trent	M	19·8	69·5	4·7	1·8	2·3	4·6	4·8	10·5	23·1	47·1	82·9	167·5	279·1	180	
	F	17·9	62·5	4·8	2·8	4·2	3·3	5·0	9·8	16·1	34·6	69·9	142·3	263·7	161	
Sunderland	M	19·6	57·1	4·8	2·9	3·5	4·4	7·6	8·3	23·1	40·7	80·1	164·4	340·4	151	
	F	15·9	48·9	4·8	3·0	1·9	3·5	5·5	9·0	17·0	28·4	59·0	127·1	287·4	114	
Tynemouth	M	16·7	42·3	3·8	1·8	3·8	4·5	3·7	11·5	19·1	37·2	78·2	150·9	206·9	113	
	F	15·0	44·9	4·1	2·9	1·4	4·6	3·5	10·3	15·0	26·4	61·6	135·4	266·7	131	
Wallasey ...	M	13·2	31·7	3·0	0·5	2·7	5·0	3·8	8·9	17·7	31·9	61·0	130·6	290·3	95	
	F	10·9	22·6	2·2	1·0	0·9	2·0	4·0	5·8	11·0	23·1	64·5	139·6	225·4	75	
Walsall ...	M	19·2	69·9	3·0	2·4	4·1	4·9	6·6	8·5	18·1	35·6	74·0	154·1	146·3	183	
	F	15·2	51·7	5·2	1·6	3·9	1·8	4·4	8·2	16·6	23·7	42·6	141·1	293·1	129	
Warrington	M	16·2	47·9	3·9	2·7	5·5	2·9	8·7	9·8	19·7	33·8	78·7	152·9	400·0	144	
	F	15·1	46·2	4·2	2·7	3·0	3·5	4·7	9·5	13·4	33·0	56·2	162·5	322·6	119	
West Bromwich	M	18·2	69·0	2·7	2·1	3·3	3·5	4·1	7·9	16·0	32·1	69·6	161·5	240·0	154	
	F	17·7	59·6	4·8	1·6	2·3	4·4	4·5	6·5	17·1	27·2	50·7	179·3	259·3	131	
West Ham ...	M	15·8	40·2	3·7	1·9	2·9	3·6	5·2	10·0	18·1	37·6	82·3	204·5	355·1	116	
	F	13·3	35·9	2·4	1·9	3·2	3·4	3·7	7·6	13·9	27·3	59·6	146·3	266·0	98	
West Hartlepool	M	18·1	54·4	4·5	1·8	6·1	1·5	6·7	9·3	18·6	39·1	97·2	163·9	200·0	142	
	F	14·8	49·8	3·5	3·7	3·2	3·3	4·2	7·3	11·3	26·9	65·1	149·1	153·8	130	
Wigan ...	M	20·3	73·0	4·2	2·4	4·3	3·7	5·3	11·5	21·3	44·5	96·9	250·0	352·9	181	
	F	17·1	69·3	5·0	2·2	3·9	3·8	3·9	7·2	15·1	30·2	68·7	162·2	217·4	180	
Wolverhampton	M	16·5	54·7	2·7	1·4	2·9	3·3	5·6	9·6	16·1	37·7	65·5	166·7	333·3	144	
	F	15·4	48·0	4·0	2·8	1·7	4·3	4·3	6·4	13·8	30·3	66·3	123·1	246·4	117	
Worcester ...	M	15·7	34·2	2·6	0·8	3·2	4·0	4·7	10·6	13·0	32·6	65·3	159·6	342·9	83	
	F	13·4	33·5	2·1	0·8	0·8	5·0	3·4	6·4	8·7	23·7	47·1	125·7	262·5	93	
York ...	M	12·2	30·5	2·9	1·5	1·3	2·7	4·9	6·0	15·2	25·2	53·9	137·8	333·3	103	
	F	12·6	27·4	2·9	1·0	1·8	2·0	3·7	5·8	12·8	23·4	61·1	120·9	295·5	83	
Cardiff ...	M	15·0	39·4	2·8	2·1	3·5	4·6	5·1	10·0	18·2	36·2	74·3	147·0	317·5	123	
	F	12·0	32·8	3·2	2·3	2·2	4·3	3·8	8·3	11·8	26·1	50·9	122·4	228·1	107	
Merthyr Tydfil	M	13·8	37·5	3·4	2·1	2·7	3·6	5·0	7·0	17·0	33·1	79·5	168·8	217·4	131	
	F	13·4	36·8	3·0	2·1	2·1	3·7	5·4	7·5	12·4	35·7	60·3	126·6	122·0	120	
Swansea ...	M	15·0	44·9	1·9	2·0	2·5	3·5	4·7	10·8	17·7	33·3	83·5	144·0	204·5	138	
	F	13·9	39·5	2·7	0·9	3·1	4·5	5·0	7·0	11·9	29·1	60·5	132·1	193·5	116	

* Corresponding rates for Persons will be found on pages 132-133.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
All Causes	M F P	299472 282327 581799	303823 284007 587830	285618 265967 551585	277216 258322 535538	266290 248338 514628	283206 266578 549784	267601 252430 520031	274233 257048 531281	269259 254962 524221	268714 251742 520456	265203 252800 518003	249016 234231 483247	272512 255298 527810	250232 236707 486939	261687 243288 504975
PRINCIPAL SUM- MARIZED HEADINGS.																
Small-pox	M F P	103 71 174	50 35 85	201 155 356	1439 1025 2464	504 256 760	312 195 507	63 53 116	9 12 21	6 4 10	7 5 12	18 3 21	14 5 19	13 10 23	4 5 9	6 4 10
Diarrhoeal diseases... (104 and 105, 1911 list approx.)*	M F P	? ? ?	? ? ?	21183 18604 39787	10792 9477 20269	13425 11939 25364	20130 17723 37853	14731 12776 27507	21024 18748 39772	9390 7893 17283	14446 12433 26879	9444 8024 17468	9946 8217 18163	24848 21707 18163	6290 5096 46555	14103 11634 25737
Venereal diseases	M F P	? ? ?	? ? ?	? ? ?	955 769 1724	998 847 1845	1034 837 1871	1020 825 1845	961 801 1762	968 725 1693	949 788 1737	986 738 1724	971 703 1674	1060 820 1880	1115 787 1902	1209 903 2112
Puerperal septic diseases...	M F P	— 1973 1973	— 2017 2017	— 2079 2079	— 2003 2003	— 1668 1668	— 1654 1654	— 1734 1734	— 1640 1640	— 1465 1465	— 1395 1395	— 1429 1429	— 1274 1274	— 1339 1339	— 1287 1287	— 1184 1184
Pneumonia (all forms) ...	M F P	23044 16801 39845	26147 18153 44300	21623 15790 37413	26526 19905 46431	22995 17730 40725	24219 19153 43372	25068 19299 44367	23626 18199 41825	26413 20554 46967	23671 20554 41779	25734 18108 46108	22541 20374 39760	21605 17219 37757	21323 16152 37424	21495 16120 37615
Septicæmia, pyæmia ...	M F P	412 243 655	463 272 735	265 164 429	347 237 584	336 226 562	305 216 521	356 257 613	348 285 633	366 238 604	335 225 560	291 199 490	238 180 418	299 164 463	317 187 504	286 179 465
Phthisis (28 and 29A, 1911 list.)	M F P	23906 18502 42408	24491 18496 42987	23454 17770 41224	23221 17450 40671	23022 17110 41032	23850 18001 41851	22226 16724 38950	22645 17101 39746	22647 17192 39839	22423 17076 39499	21936 16703 38639	20530 15804 36334	21575 16819 38394	21154 16106 37260	20596 15599 36195
Tuberculosis (all forms) ...	M F P	33671 27049 60720	34335 27021 61356	32881 26049 58930	31958 25438 57396	32464 25643 58107	33552 26653 60205	31005 24754 55759	31449 25392 56841	31166 24935 56101	31182 24898 56080	30216 24209 54425	28458 22859 51317	29207 23881 53088	27801 22243 50044	27649 21815 49464
Cancer (all forms)...	M F P	10337 15988 26325	10475 16246 26721	10891 16596 27487	11098 16774 27872	11799 17290 29089	12086 17596 29682	12470 17751 30221	13257 18411 31668	13199 18546 31745	13901 18816 32717	14263 19790 34053	14843 19764 34607	15589 20313 35902	16188 21135 37323	16918 22021 39291
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	22637 18019 40656	22708 18228 40936	23044 18490 41534	22330 17747 40077	21030 16987 38017	21378 17071 38449	19623 16072 35695	19636 15778 35414	18401 15287 33688	18456 14851 33307	17907 14306 32213	16624 13487 30111	16781 13378 30159	15164 12050 27214	15211 12352 27563
Diseases of heart	M F P	? ? ?	? ? ?	22684 25538 48222	22966 25229 48195	22385 24515 46900	23297 26400 49697	22691 25625 48316	23376 25385 48761	24265 26703 50968	23918 25973 49891	24089 26829 50918	23355 25369 48724	23539 25933 49472	24544 27498 52042	25738 27919 53657
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	? ? ?	? ? ?	13524 14859 28383	13555 14794 28349	13195 14768 27963	13809 15254 29063	13719 14809 28528	14254 15797 30051	14814 16140 30954	15114 16222 31336	15665 16935 32600	15270 16458 31728	16308 17784 34092	17510 18722 36232	18547 19520 38067
Diseases of respiratory sys- tem (including croup but excluding pneumonia.)	M F P	31279 30712 61991	32850 32395 65245	27549 27247 54796	26218 26157 52375	22879 21892 44771	25129 25118 50247	23458 23391 46849	21814 21543 43357	24853 25119 49972	23031 23124 46155	23817 24906 48723	21013 20339 41352	21829 21500 43329	23141 23238 46379	23167 22397 45564
Diseases of liver and gall bladder.	M F P	4261 3790 8051	4126 3915 8041	3710 3465 7175	3406 3124 6530	3180 3052 6232	3113 3035 6148	3032 3061 6093	2999 3013 6012	2920 3004 5924	2806 2759 5565	2873 2618 5491	2564 2543 5107	2582 2685 5267	2586 2595 5181	2717 2739 5456
Diseases of digestive sys- tem.†	M F P	20976 20603 41579	18048 17743 35791	16529 16283 32812	13781 13827 27608	13990 14045 28035	14756 14629 29385	13625 13911 27536	15213 14646 29859	13435 13266 26701	14379 14036 28415	13942 13095 27037	13667 13173 26840	17148 16218 33366	13027 12099 25126	15776 14481 30257
Nephritis and Bright's disease.	M F P	6485 5636 12121	7098 5816 12914	6981 5730 12711	6632 5580 12212	6641 5778 12419	7129 5999 13128	6887 5888 12775	7214 6138 13352	7417 6460 13877	7349 6411 13760	7601 6739 14340	7427 6520 13947	7637 6892 14529	7823 6967 14790	8373 7227 15600
Diseases of generative and mammary organs.	M F P	85 1307 1392	102 1209 1311	77 1167 1244	67 1134 1201	48 1137 1185	73 1115 1188	53 1194 1247	62 1136 1198	48 1114 1162	41 1018 1059	50 1015 1065	66 950 1016	70 1074 1144	79 992 1071	88 987 1075
Diseases of pregnancy and childbirth (not septic).	M F P	— 2353 2353	— 2438 2438	— 2315 2315	— 2202 2202	— 2189 2189	— 2013 2013	— 2171 2171	— 2117 2117	— 2055 2055	— 1966 1966	— 1950 1950	— 1917 1917	— 1897 1897	— 2012 2012	— 2087 2087
All diseases of pregnancy and childbirth.	M F P	— 4326 4326	— 4455 4455	— 4394 4394	— 4205 4205	— 3857 3857	— 3667 3667	— 3905 3905	— 3757 3757	— 3520 3520	— 3361 3361	— 3379 3379	— 3191 3191	— 3236 3236	— 3299 3299	— 3271 3271
Causes ill-defined or not specified.‡	M F P	26348 28357 54705	26694 28369 55063	25502 26850 52352	24072 26098 50170	23780 25675 49455	24490 26959 51449	23364 25662 49026	23906 26623 50529	23060 25919 48979	23307 25912 49219	23051 26159 49210	21499 24452 45951	22916 25963 48879	20087 23242 43329	19944 22461 42405
Violent deaths	M F P	14615 6232 20847	14239 5884 20123	14539 6249 20788	13567 5821 19388	13601 5696 19297	13618 5799 19417	13665 5772 19437	13670 5903 19573	13677 5917 19594	14017 6109 20126	13217 5926 19143	13125 5598 18723	14445 6002 20447	13922 5989 19911	13810 5932 19742

* See note to Diarrhoea due to Food.

† Including some of the headings classed under Diarrhoeal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis. See also note to Hernia.

‡ See note to Hæmorrhage.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.			Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
DETAILED HEADINGS.																		
Small-pox	Vaccinated ...	M	4	4	78	525	98	56	13	—	2	—	4	3	1	2	—	—
		F	—	3	63	296	25	19	10	—	—	—	1	—	2	2	2	2
		P	4	7	141	821	123	75	23	—	2	—	5	3	3	4	2	—
	Not Vaccinated.	M	3	7	61	401	109	76	7	1	1	—	4	1	4	2	5	—
		F	2	10	50	390	65	48	13	—	1	—	2	1	5	3	2	—
		P	5	17	111	791	174	124	20	1	2	—	6	2	9	5	7	—
	Doubtful ...	M	96	39	62	513	297	180	43	8	3	7	10	10	8	—	1	—
		F	69	22	42	339	166	128	30	12	3	5	—	4	3	—	—	—
		P	165	61	104	852	463	308	73	20	6	12	10	14	11	—	—	—
Cow-pox and other effects of vaccination.			M	23	11	6	11	11	17	11	12	7	4	4	3	10	5	3
	F	11	14	11	11	15	11	15	17	5	9	7	5	4	5	4	—	
	P	34	25	17	22	26	28	26	29	12	13	11	8	14	10	7	—	
Chicken-pox ...			M	71	69	57	61	57	55	52	67	68	43	52	55	43	40	44
	F	53	58	58	62	59	49	41	39	52	50	42	42	37	36	39	—	
	P	124	127	115	123	116	104	93	106	120	93	94	97	80	76	83	—	
Measles (Morbilli) ...			M	5094	6506	4765	6633	4704	6313	5623	4748	6578	4135	6466	4305	6861	6652	5567
	F	4904	6204	4254	6297	4446	5993	5453	4696	6047	3876	6152	3997	6267	6203	5077	—	
	P	9998	12710	9019	12930	9150	12306	11076	9444	12625	8011	12618	8302	13128	12855	10644	—	
German measles ...			M	14	14	30	15	19	19	18	14	25	11	21	7	11	10	13
	F	23	23	28	16	20	16	20	11	22	11	18	8	10	15	16	—	
	P	37	37	58	31	39	35	38	25	47	22	39	15	21	25	29	—	
Scarlet fever ...			M	1864	1951	2188	2469	2121	1895	1917	1793	1644	1401	1662	1181	940	985	1060
	F	1858	1893	2151	2406	2037	1875	1917	1682	1576	1426	1553	1189	952	1010	1040	—	
	P	3722	3844	4339	4875	4158	3770	3834	3475	3220	2827	3215	2370	1892	1995	2100	—	
Typhus ...			M	17	14	21	37	33	20	19	5	13	8	11	5	4	7	2
	F	12	15	16	24	36	17	19	4	11	5	4	—	6	5	—	—	
	P	29	29	37	61	69	37	38	9	24	13	15	5	10	12	—	—	
Plague ...			M	—	1	10	2	—	1	1	—	—	1	—	2	—	3	—
	F	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	
	P	—	1	11	2	—	1	1	—	—	—	1	—	5	—	3	—	
Relapsing fever ...			M	—	4	2	1	—	—	1	—	2	—	1	—	—	—	—
	F	—	—	3	4	—	2	2	—	1	1	—	1	—	—	—	—	
	P	—	4	5	5	—	2	3	1	1	3	—	2	—	—	—	—	
Influenza ...			M	6085	7683	2912	3642	3067	2782	3387	3124	4431	4842	4300	3253	2224	2678	3357
	F	6332	8562	2754	3724	3255	2912	3566	3186	4826	5270	4692	3251	2110	2674	3030	—	
	P	12417	16245	5666	7366	6322	5694	6953	6310	9257	10112	8992	6504	4334	5352	6387	—	
Whooping cough ...			M	4622	5157	4573	4474	4334	5260	3954	3717	4501	4339	3137	3862	3412	3729	2411
	F	5507	6310	5632	5331	5188	6649	4755	4596	5754	5512	4045	4935	4432	4678	3047	—	
	P	10129	11467	10205	9805	9522	11909	8709	8313	10255	9851	7182	8797	7844	8407	5458	—	
Mumps ...			M	42	42	44	51	44	50	52	53	54	49	45	55	44	25	39
	F	30	52	46	42	42	58	46	57	64	64	48	59	47	21	22	—	
	P	72	94	90	93	86	108	98	110	118	113	93	114	91	46	61	—	
Diphtheria ...			M	4453	4612	4374	3741	2947	2825	2626	2933	2785	2729	2521	2022	2429	2092	2150
	F	4842	4733	4524	4061	3130	2938	2830	3175	2947	2840	2714	2262	2469	2197	2292	—	
	P	9295	9345	8898	7802	6077	5763	5456	6108	5732	5569	5235	4284	4898	4289	4442	—	
Cerebro-spinal fever ...			M	15	8	29	40	29	43	71	34	101	67	63	70	81	80	80
	F	6	1	30	20	39	38	56	37	60	37	60	49	67	62	53	62	83
	P	21	9	59	60	68	81	127	71	161	116	116	130	132	134	142	163	—
Pyrexia (origin uncertain)			M	50	54	50	41	33	30	23	10	19	10	8	5	8	7	7
	F	63	59	51	52	43	37	30	19	20	16	5	7	6	6	4	—	
	P	113	113	101	93	76	67	53	29	39	26	13	12	14	13	11	—	
Enteric fever ...			M	3561	3272	2925	2396	1929	1837	1750	1840	1373	1617	1270	1047	1419	926	907
	F	2743	2319	2146	1753	1418	1316	1302	1329	971	1034	872	842	997	674	598	—	
	P	6304	5591	5071	4149	3347	3153	3052	3169	2344	2651	2142	1889	2416	1600	1505	—	
Asiatic cholera ...			M	?	?	—	—	—	—	—	—	—	1	—	—	—	—	—
	F	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	?	?	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhoea due to food * ...			M	37	30	35	51	54	58	111	173	125	159	152	137	?	?	?
	F	32	38	30	43	35	47	100	131	92	137	122	114	?	?	?	?	
	P	69	68	65	94	89	105	211	304	217	296	274	251	?	?	?	?	

* Called Food, Ptomaine-poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from Diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913														
Infective enteritis, Epidemic diarrhoea.*				6261 5603 11864	2651 2264 4915	4183 3559 7742	8991 8003 16994	6279 5294 11573	9620 8581 18201	2751 2319 5070	5443 4729 10172	2618 2245 4863	2975 2432 5407	11334 9885 21219	1428 1191 2619	4979 4273 9252														
Diarrhoea (not otherwise defined).	M F P	16178 14793 30971	12367 11096 23463	9586 8360 17946	4723 4161 8884	5424 4933 10357	6558 5804 12362	4523 4011 8534	6156 5606 11762	2790 2348 5138	4173 3555 7728	2628 2313 4941	2626 2220 4846	6383 5678 12061	1336 1213 2549	3405 2838 6243														
Dysentery				174 137 311	145 109 254	177 133 310	171 127 298	121 95 216	150 146 296	124 109 233	139 107 246	115 135 250	125 118 243	136 164 300	92 102 194	112 117 229														
Tetanus†	M F P	17 7 24	52 14 66	44 13 57	151 50 201	187 70 257	192 65 257	188 60 248	200 54 254	176 50 226	139 41 180	167 63 230	153 44 197	158 45 203	145 47 192	146 43 189														
Malaria	M F P	82 12 94	92 17 109	88 10 98	99 13 112	60 9 69	95 11 106	71 8 79	55 15 70	62 6 68	49 7 56	69 11 80	44 7 51	52 6 58	49 9 58	49 9 58														
Rabies, Hydrophobia ...	M F P	— — —	— — —	— — —	2 — 2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	1 — 1	1 — 1	— — —	— — —														
Glanders	M F P	5 — 5	2 — 2	4 — 4	5 — 5	6 2 8	4 — 4	5 1 6	1 — 1	4 — 4	7 — 7	4 — 4	1 — 1	3 — 3	— — —	2 — 2														
Anthrax (Splenic fever) ...	M F P	16 5 21	10 — 10	11 1 12	12 1 13	17 1 18	18 2 20	17 7 24	22 4 26	14 1 15	12 1 13	15 — 15	11 4 15	12 3 15	9 — 9	8 2 10														
Syphilis	M F P	972 821 1793	990 852 1842	956 765 1721	935 758 1693	986 834 1820	1009 825 1834	1002 809 1811	937 781 1718	952 706 1658	939 763 1702	968 717 1685	957 682 1639	1052 798 1850	1093 768 1861	1187 882 2069														
Gonorrhoea†	M F P	334 10 344	354 13 367	350 6 356	20 11 31	12 13 25	25 12 37	18 16 34	24 20 44	16 19 35	10 25 35	18 21 39	14 21 35	8 22 30	22 19 41	22 21 43														
Puerperal septicæmia, Puerperal septic intoxication.				— 1490 1490	— 1464 1464	— 1258 1258	— 1249 1249	— 1307 1307	— 1225 1225	— 1056 1056	— 1030 1030	— 1063 1063	— 967 967	— 1017 1017	— 922 922	— 876 876														
Puerperal pyæmia	M F P	— — 1973	— — 2017	37 37 —	54 54 —	38 38 —	38 38 —	51 51 —	66 66 —	111 111 —	92 92 —	104 104 —	91 91 —	87 87 —	109 109 —	87 87 —														
Phlegmasia alba dolens ...				74 74	95 95	87 87	94 94	103 103	102 102	84 84	83 83	72 72	55 55	72 72	64 64	65 65														
Puerperal fever (not otherwise defined).				— 478 478	— 390 390	— 285 285	— 273 273	— 273 273	— 247 247	— 214 214	— 190 190	— 190 190	— 161 161	— 163 163	— 192 192	— 156 156														
Infective endocarditis§ ...	M F P	? ? ?	? ? ?	173 200 373	190 189 379	180 209 389	203 199 402	208 217 425	230 230 460	212 261 473	251 270 521	253 273 526	246 276 522	267 323 590	308 316 624	284 312 596														
Pneumonia {	M F P	23044 16801 39845	26147 18153 44300	15006 6984 54 40 94	18608 8634 7 3 10	17425 8156 3 4 7	19445 9100 — — —	18805 8783 3 1 4	17276 8219 4 2 6	21317 10080 6 4 6	19034 8764 19795	19795 9446 17547	17547 8239 17547	16764 7854 17363	17363 8311 17747	17747 8352 —														
																	Lobar ...	1437 809 2246	2184 1291 3475	2017 1191 3208	2345 1546 3891	2982 1905 4887	3117 1874 4991	3341 2044 5385	3030 1788 4818	3719 2353 6072	3373 1904 5277	4681 2802 7483	4870 2928 7798	4961 2950 7911
Broncho- ...	8022 6984 54 40 94	9974 8634 7 3 10	9269 8156 3 4 7	10345 9100 — — —	10022 8783 3 1 4	9057 8219 4 2 6	11237 10080 6 4 6	10270 8764 19795	10349 9446 17547	9308 8239 17547	8910 7854 17363	9052 8311 17747	9395 8352 —																	
Epidemic	12110 7957 20067	14361 9977 24338	11706 8379 20035	11529 8507 20036	12061 8610 20671	11448 8104 19552	11833 8426 20259	10368 7555 17923	11657 8573 20230	9854 7073 16927	8014 5496 13510	7401 4862 12263	7139 4818 11957																	
Not defined	M F P	624 603 1227	646 581 1227	607 551 1158	663 617 1280	561 521 1082	622 584 1206	646 609 1255	642 564 1206	541 492 1033	443 393 836	523 490 1013	433 393 826	480 491 971	486 410 896	432 366 798														
Septicæmia, Septic intoxication (not puerperal).	M F P	412 243 655	463 272 735	152 106 258	205 146 351	196 166 362	204 160 364	221 182 403	235 204 439	273 169 442	251 165 416	210 159 369	173 127 300	217 130 347	248 142 390	234 135 369														
Pyæmia. (not puerperal) ...				58 171	91 233	60 200	56 157	75 210	81 194	69 162	60 144	40 121	53 118	34 116	45 114	44 96														

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899-1913.—
MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Phlegmon, Carbuncle (not anthrax).	M	387	403	410	453	412	456	468	511	471	436	494	422	438	447	423
	F	253	290	298	338	289	257	310	325	302	261	325	275	280	257	278
	P	640	693	708	791	701	713	778	836	773	697	819	697	718	704	701
Phagedæna	M	17	16	24	18	19	14	27	11	19	10	14	3	—	1	—
	F	21	27	12	14	16	12	25	13	10	21	14	2	—	—	1
	P	38	43	36	32	35	26	52	24	29	31	28	5	—	1	1
Other infective processes...	M	?	?	99	36	55	78	104	130	136	131	151	145	153	113	147
	F	?	?	113	75	114	52	94	91	77	67	91	59	69	50	73
	P	?	?	212	111	169	130	198	221	213	198	242	204	227	163	220
Pulmonary tuberculosis (tuberculous phthisis).	M	23906	24491	4333	6267	8293	9701	9981	10804	11299	11756	12111	11992	13335	14092	14350
	F	18502	18496	3229	4213	5545	6685	6961	7580	8069	8436	8545	8800	9937	10465	10544
	P	42408	42987	7562	10480	13838	16386	16942	18384	19368	20192	20656	20792	23272	24557	24894
Phthisis (not otherwise defined).	M	14541	13237	16954	14729	14149	12245	11841	11348	10667	9825	8538	8240	7062	6246	
	F	33662	30191	11565	11316	9763	9521	9123	8640	8158	7004	6882	5641	5055		
	P			33662	30191	26294	25465	22008	21362	20471	19307	17983	15542	15122	12703	11301
Tuberculous meningitis ...	M	3452	3412	3134	3084	3406	3359	3187	3117	3090	3057	2955	2889	2705	2578	2676
	F	2997	2983	2820	2877	3070	3030	2896	2987	2795	2811	2819	2582	2540	2423	2340
	P	6449	6395	5954	5961	6476	6389	6083	6104	5885	5868	5774	5471	5245	5001	5016
Tuberculous peritonitis ...	M			1475	1477	1788	1994	1798	1925	1787	1924	1833	1820	1718	1384	1634
	F			1458	1480	1733	1921	1805	1932	1745	1859	1689	1734	1645	1348	1538
	P	3335	3164	2933	2957	3521	3915	3603	3857	3532	3783	3522	3554	3363	2732	3172
Tabes mesenterica	M			1764	1311	1150	1064	784	660	531	554	488	424	421	269	338
	F			1431	1035	912	834	613	578	438	440	389	367	368	245	249
	P	6294	5976	3195	2346	2062	1893	1397	1238	969	994	877	791	789	514	587
Lupus	M	19	19	24	16	18	28	23	22	28	18	23	15	13	17	10
	F	42	35	41	56	44	38	57	62	50	38	56	46	43	44	34
	P	61	54	65	72	62	66	80	84	78	56	79	61	56	61	44
Tubercle of other organs...	M			666	663	842	957	935	1022	957	978	1060	1243	896	881	842
	F			480	515	626	705	713	787	752	646	808	945	772	643	714
	P			1146	1178	1468	1662	1648	1809	1709	1624	1868	2188	1668	1524	1556
General tuberculosis ...	M	2959	3249	2187	2116	2173	2253	2015	2033	2117	2209	1908	1523	1874	1515	1545
	F	2549	2695	1884	1932	2092	2062	1906	1921	1944	2022	1731	1361	1686	1427	1335
	P	5508	5944	4071	4048	4265	4315	3921	3954	4061	4231	3639	2884	3560	2942	2880
Scrofula	M			177	70	65	47	37	25	9	19	13	14	5	3	8
	F			165	93	56	62	40	24	19	6	14	20	8	7	6
	P			342	163	121	109	77	49	28	25	27	34	13	10	14
Parasitic diseases	M	209	188	175	142	165	164	143	176	139	130	120	103	135	97	116
	F	180	177	173	135	149	145	102	128	102	116	102	75	120	96	97
	P	389	365	348	277	314	309	245	304	241	246	222	178	255	193	213
Starvation	M	28	24	11	16	19	17	17	14	15	11	11	22	14	16	17
	F	15	17	7	10	9	13	4	12	6	4	11	7	5	15	6
	P	43	41	18	26	28	30	21	26	21	15	22	29	19	31	23
Scurvy	M	23	18	15	15	22	21	21	26	21	25	26	25	22	9	21
	F	11	26	16	15	22	23	27	25	20	25	21	19	23	17	22
	P	34	44	31	30	44	44	48	51	41	50	47	44	45	26	43
Alcoholism, Delirium tremens.	M	1735	2063	1778	1673	1475	1396	1297	1341	1328	1112	998	862	990	964	1093
	F	1136	1575	1353	1111	1075	962	914	940	873	825	673	628	637	686	800
	P	2871	3638	3131	2784	2550	2358	2211	2281	2201	1937	1671	1490	1627	1650	1893
Opium, Morphia habit ...	M	?	?	3	3	9	6	4	5	5	3	8	4	6	9	6
	F	?	?	6	11	7	4	9	4	7	7	13	6	7	5	5
	P	?	?	9	14	16	10	13	9	12	10	21	10	13	14	11
Industrial poisoning.	M	91	105	96	80	88	83	76	70	89	102	88	80	106	106	80
	F	12	9	5	3	2	4	2	4	3	3	3	6	4	—	1
	P	103	114	101	83	90	87	78	74	92	105	91	86	110	106	81
By Lead ...	M	?	?	—	1	—	—	—	—	1	—	—	—	—	—	—
	F	?	?	—	1	—	1	—	—	—	—	—	—	—	—	—
	P	?	?	—	2	—	1	—	—	1	—	—	—	2	4	—
By Phosphorus.	M	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—
By Arsenic and other metals.	M	?	?	4	1	3	1	1	2	1	1	1	—	2	6	—
	F	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	?	?	4	1	3	1	1	2	1	1	1	—	—	—	—
Rheumatic Fever, Acute Rheumatism.	M	1302	1430	1108	1091	875	894	1016	1090	967	871	961	793	905	916	840
	F	1345	1377	1062	1055	937	894	1105	1129	1057	934	1009	887	1060	1051	930
	P	2647	2787	2170	2146	1812	1788	2121	2219	2024	1805	1970	1680	1965	1967	1770
Rheumatism of heart* ...	M			302	278	239	240	158	137	181	156	149	134	?	?	?
	F			313	351	331	346	196	196	234	207	208	184	?	?	?
	P			615	629	570	586	354	333	415	363	357	318	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Chronic rheumatism ...	M F P	405 518 923	392 502 894	335 455 790	198 308 506	205 257 462	222 266 488	165 272 437	146 246 392	172 268 440	195 249 444	167 271 438	140 231 371	152 242 395	148 210 358	170 226 396
Rheumatoid arthritis, Rheumatic gout.	M F P	? ? ?	? ? ?	290 558 848	289 522 811	273 610 883	275 669 944	253 645 898	259 692 951	299 682 931	245 715 960	295 793 1088	294 746 1040	309 791 1100	318 834 1152	312 888 1200
Gout ...	M F P	428 131 559	383 121 504	416 105 521	386 103 489	364 102 466	405 95 500	326 89 415	366 95 461	362 88 450	333 83 416	320 81 401	307 76 383	324 62 386	275 78 353	302 76 378
Carcinoma* ...	M F P	? ? ?	? ? ?	4746 8469 12693	5071 8469 13540	5743 9070 14813	6128 9404 15532	6423 9656 16079	6963 10202 17165	6895 10715 17619	7476 10907 18383	7794 11719 19513	8370 11950 20320	9121 12472 21593	9954 13543 23497	10490 14619 25109
Sarcoma ...	M F P	883 823 1706	790 821 1611	846 830 1676	843 847 1690	929 860 1789	893 860 1753	949 838 1787	987 908 1895	1034 813 1847	1054 842 1896	1073 901 1974	1116 957 2073	1223 923 2146	1190 971 2161	1273 1007 2280
Cancer, Malignant disease (not otherwise defined).*	M F P	9454 15165 24619	9685 15425 25110	5299 7819 13118	5184 7458 12642	5127 7360 12487	5065 7332 12397	5098 7257 12355	5307 7301 12608	5270 7018 12288	5371 7067 12438	5396 7170 12566	5357 6857 12214	5245 6918 12163	5044 6621 11665	5155 6395 11550
Rickets ...	M F P	750 585 1335	730 563 1293	820 564 1384	780 589 1369	987 663 1650	1076 746 1822	791 607 1398	778 599 1377	707 552 1259	697 492 1189	664 454 1118	617 444 1061	543 439 982	434 318 752	560 380 940
Purpura ...	M F P	177 155 332	168 152 320	148 154 302	140 158 298	150 155 305	129 164 293	130 130 260	110 140 250	145 157 302	148 145 293	159 153 312	147 155 302	164 150 314	117 183 300	171 141 312
Hæmophilia, Hæmorrhagic diathesis.	M F P	750 585 1335	730 563 1293	820 564 1384	780 589 1369	987 663 1650	1076 746 1822	791 607 1398	778 599 1377	707 552 1259	697 492 1189	664 454 1118	617 444 1061	543 439 982	434 318 752	560 380 940
Anæmia, Leucocythæmia ...	M F P	705 1161 1866	758 1114 1872	768 1143 1911	792 1050 1842	761 1032 1793	786 1057 1843	840 1090 1930	894 1156 2050	1004 1186 2190	968 1207 2175	997 1219 2216	1115 1304 2419	1038 1312 2350	1087 1382 2469	1146 1426 2572
Diabetes mellitus ...	M F P	1448 1270 2718	1455 1312 2767	1565 1399 2964	1462 1307 2769	1409 1435 2844	1612 1521 3133	1708 1466 3174	1736 1606 3342	1738 1622 3360	1842 1768 3610	1898 1800 3698	1982 1955 3937	1936 1917 3853	2064 1987 4051	2122 2187 4309
Premature birth ...	M F P	10400 8148 18548	10316 8163 18479	10445 8119 18564	10661 8248 18909	10804 8277 19081	11097 8530 19627	10422 8449 18871	10767 8294 19061	10206 8013 18219	10553 8118 18671	10207 8003 18210	9816 7758 17574	9939 7770 17709	9670 7449 17119	9794 7860 17654
Congenital hydrocephalus †	M F P	1564 1319 2883	1604 1388 2992	2253 1825 4078	252 147 399	270 194 464	252 165 417	245 119 364	211 166 377	179 150 329	223 156 379	203 126 329	175 127 302	182 146 328	182 116 298	216 135 351
Other congenital defects ‡	M F P	196 137 333	254 194 448	382 221 603	389 262 651	413 276 689	464 308 772	418 291 709	521 345 866	485 331 816	585 357 942	566 390 956	484 362 846	519 385 904	571 366 937	637 426 1063
Atelectasis ...	M F P	701 498 1199	726 499 1225	695 489 1184	769 486 1255	750 562 1312	753 574 1327	830 614 1444	856 602 1458	915 638 1553	916 681 1597	874 632 1506	874 679 1553	854 637 1491	858 607 1465	936 610 1546
Want of breast milk ...	M F P	180 152 332	246 213 459	317 228 545	326 248 574	414 303 717	383 311 694	379 242 661	439 322 761	434 322 756	447 331 778	334 285 669	296 245 541	305 248 553	248 154 402	319 215 534
Teething ...	M F P	1845 1551 3396	1979 1622 3601	1750 1518 3268	1775 1433 3208	1802 1463 3265	1593 1382 2975	1288 1055 2343	1201 974 2175	1169 919 2088	1078 905 1983	994 775 1769	896 704 1600	774 681 1455	664 570 1234	810 678 1488
Meningitis, Inflammation of brain.	M F P	4176 3379 7555	4105 3531 7636	3782 3251 7073	3528 3044 6572	3378 2963 6341	3404 2897 6301	3233 2801 6034	3301 2696 5997	2880 2519 5429	3016 2500 5516	2902 2442 5344	2653 2353 5006	2931 2481 5412	2228 1925 4153	2320 2079 4399
Softening of brain ...	M F P	1358 1188 2546	1189 1072 2261	1129 1032 2161	1118 952 2070	1165 1009 2174	1209 1057 2266	1094 1088 2182	1156 1073 2229	1158 1121 2279	1183 1147 2330	1105 1023 2128	1075 1002 2077	951 966 1917	792 817 1609	720 738 1458
General paralysis of insane	M F P	2435 1376 3811	2528 1654 4182	2272 1654 4182	2257 1654 4182	2133 1654 4182	2380 1654 4182	2287 1654 4182	2340 1654 4182	2332 1654 4182	2217 1654 4182	2363 1654 4182	2213 1654 4182	2186 1654 4182	2257 1654 4182	2123 1654 4182
Insanity (not puerperal) ...	M F P	1359 752 1359	1726 945 1726	1653 938 1653	1926 1060 1926	2069 1181 2069	2152 1200 2152	2209 1249 2209	2168 1227 2168	2171 1176 2171	2091 1161 2091	2481 1421 2481	2561 1421 2561	2284 1421 2284	2284 1421 2284	2284 1421 2284

* For the years 1899 and 1900, deaths from Carcinoma are included under Cancer, Malignant disease.

† Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899-1913.--
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Chorea	M	40	43	57	55	41	33	36	37	38	41	38	31	37	38	33
	F	132	125	134	105	106	90	115	118	117	91	132	106	92	114	111
	P	172	168	191	160	147	123	151	155	155	132	170	137	129	152	144
Epilepsy	M	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382	1472	1396	1404	1434	1440
	F	1375	1451	1350	1412	1454	1357	1402	1315	1342	1304	1342	1286	1224	1323	1297
	P	2746	2997	2883	3005	3052	2914	2898	2797	2800	2686	2814	2682	2628	2757	2737
Convulsions... ..	M	10044	10388	9863	9427	8649	8419	7377	7101	6545	6568	5890	5315	5081	4453	4555
	F	7975	8114	7825	7127	6463	6288	5556	5427	5017	4936	4425	4081	3770	3174	3478
	P	18019	18502	17688	16554	15112	14707	12933	12528	11562	11504	10315	9396	8851	7627	8033
Laryngismus stridulus ...	M	281	261	286	266	248	220	222	180	191	231	150	126	140	129	136
	F	154	175	182	173	187	178	142	125	124	112	120	110	103	53	103
	P	435	436	468	439	435	398	364	305	315	343	270	236	243	182	239
Locomotor Ataxy				341	409	418	411	448	463	461	477	496	485	529	542	615
				68	74	84	103	102	99	123	106	123	95	105	122	117
	M	1472	1472	409	483	502	514	550	562	584	583	619	580	634	664	732
Paraplegia, Diseases of cord	F	944	910													
	P	2416	2412	1268	1096	1139	1205	1115	1113	1030	1110	1156	1152	1122	999	946
				1013	960	948	988	960	962	953	1008	948	949	863	787	874
Neuritis, Peripheral, Poly- neuritis.				2281	2056	2087	2193	2075	2075	1983	2118	2104	2101	1985	1786	1820
				46	128	112	125	103	128	140	132	126	113	121	92	116
				86	223	304	291	284	323	335	264	281	264	300	254	273
Brain tumour (not specific)				132	351	416	416	387	451	475	396	407	377	421	346	389
	M	1460	1176	193	324	352	330	357	383	383	371	392	403	360	397	395
	F	1496	1166	187	274	266	334	341	361	370	366	377	401	318	375	414
Other diseases of nervous system.	P	2956	2342	385	598	618	664	698	744	753	737	769	804	678	772	809
				2206	1924	1631	1797	1516	1568	1382	1291	1368	1212	1294	1142	1220
				2026	1882	1716	1850	1551	1511	1430	1286	1371	1199	1300	1206	1176
Otitis, Mastoid disease ...				4232	3806	3347	3647	3067	3079	2812	2577	2739	2411	2594	2348	2396
	M	496	589	491	483	564	618	624	648	601	578	647	579	601	581	673
	F	408	441	443	431	450	440	491	494	507	455	444	439	518	446	478
Epistaxis, Diseases of nose	P	904	1030	934	914	1014	1058	1115	1142	1108	1033	1091	1018	1119	1027	1151
	M	44	37	42	49	36	49	41	41	27	38	40	35	51	54	58
	F	32	41	36	30	45	31	43	26	39	35	41	35	67	40	48
Ophthalmia, Diseases of eye	P	76	78	78	79	81	80	84	67	66	73	81	70	118	94	106
	M	29	48	45	36	42	27	29	38	26	23	33	25	48	42	37
	F	24	28	26	24	28	30	32	37	34	19	21	37	47	32	40
Valvular disease, Endocar- ditis (not infective)*	P	53	76	71	60	70	57	61	75	60	42	54	62	95	74	77
	M	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611	7799	7726	8310	9612	10369
	F	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752	9236	9043	9948	11524	11936
Pericarditis	P	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363	17035	16769	18258	21136	22305
	M	332	369	337	231	219	226	230	237	273	237	224	247	309	269	251
	F	272	254	299	207	203	190	225	192	208	195	186	199	235	211	176
Hypertrophy of heart† ...	P	604	623	636	438	422	416	455	429	481	432	410	446	544	480	427
	M	140	138	121	164	155	149	137	152	149	181	135	141	?	?	?
	F	107	103	89	109	92	102	85	84	75	85	85	59	?	?	?
Angina pectoris	P	247	241	210	273	247	251	222	236	224	266	220	200	?	?	?
	M	452	481	450	480	463	504	532	576	612	617	629	716	711	738	772
	F	246	255	225	248	237	249	307	313	330	312	328	294	349	352	352
Dilatation of heart† ...	P	698	736	675	728	700	753	839	889	942	929	957	1010	1060	1090	1124
				1027	1276	1294	1430	1473	1551	1742	1670	1771	1586	?	?	?
				1172	1327	1308	1595	1573	1576	1778	1685	1778	1609	?	?	?
Fatty degeneration of heart				2199	2603	2602	3025	3051	3127	3520	3355	3549	3195	?	?	?
	M	17221	17204	874	960	950	990	1037	1045	1124	1133	1069	1150	1217	1399	1509
	F	19282	19178	1068	1147	1113	1242	1231	1275	1359	1417	1424	1267	1469	1712	1826
Syncope, Heart disease not specified).†	P	36313	36382	1942	2107	2063	2232	2268	2320	2483	2550	2493	2417	2686	3111	3335
				14151	13803	13140	13315	12461	12639	12911	12469	12462	11789	12992	12526	12837
				15915	15240	14311	15148	14173	13651	14081	13527	13792	12898	13932	13699	13629
Cerebral hæmorrhage, Cerebral embolism.‡				30066	29043	27451	28463	26634	26290	26992	25996	26254	24687	26924	26225	26466
	M	11414	11629	10734	12016	13396	14275	14763	15781	16543	17420	17938	17886	18560	19705	20609
	F	13835	13585													
Apoplexy, Hemiplegia ...	P	25249	25214	6037	5349	4606	4375	3980	3949	3847	3696	3609	3303	3669	3454	3342
				7156	6434	5585	5533	4780	4881	4718	4473	4485	4081	4584	4355	3974
				13193	11783	10191	9908	8760	8830	8565	8169	8094	7384	8253	7809	7316

* For years prior to 1901, deaths from Infective endocarditis, and for 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).
† For years prior to 1901, deaths from "Other diseases of blood vessels," and for 1911 and subsequent years, those from Hypertrophy of heart and Dilatation of heart are included under the heading of Syncope, Heart disease (not specified).
‡ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Aneurysm* ...	M	723	697	773	842	854	869	898	882	941	867	946	898	935	962	921
	F	176	178	194	225	183	224	188	219	199	192	221	225	225	184	234
	P	899	875	967	1067	1037	1093	1086	1101	1140	1059	1167	1123	1160	1146	1155
Senile gangrene ...	M	690	750	748	717	710	746	768	788	783	804	845	767	740	702	722
	F	588	693	658	676	635	657	619	630	662	652	706	640	654	577	600
	P	1278	1443	1406	1393	1345	1403	1387	1418	1445	1456	1551	1407	1394	1279	1322
Embolism, Thrombosis (not cerebral).†	M	603	693	257	231	185	174	171	187	231	192	203	171	181	185	194
	F	978	1007	329	280	233	270	241	258	285	281	269	230	269	243	248
	P	1581	1700	586	511	418	444	412	445	516	473	472	401	450	428	442
Phlebitis ...	M	63	87	61	48	60	57	59	45	46	40	55	37	53	67	48
	F	117	107	102	99	111	91	91	82	84	85	93	99	77	106	111
	P	180	194	163	147	171	148	150	127	130	125	148	136	130	173	159
Varicose Veins ...	M	31	39	35	30	28	44	32	24	33	20	33	32	39	43	42
	F	58	82	75	73	66	77	79	87	70	67	79	74	89	107	117
	P	89	121	110	103	94	121	111	111	103	87	112	106	128	150	159
Other diseases of blood vessels.‡	M	?	?	776	817	798	1057	1167	1372	1530	1604	1975	2045	2468	3373	4085
	F	?	?	448	512	513	614	692	866	982	943	1143	1240	1549	2169	2820
	P	?	?	1224	1329	1311	1671	1859	2238	2512	2547	3118	3285	4017	5542	6905
Laryngitis ...				722	690	613	624	579	578	633	512	566	485	538	481	454
				687	646	491	509	488	484	479	454	425	380	422	351	368
	M	752	732	1409	1336	1104	1133	1067	1062	1112	966	991	865	960	832	822
Membranous laryngitis(not diphtheritic).	F	571	652													
	P	1323	1384	19	21	13	25	21	25	18	15	17	11	10	6	10
				13	16	11	17	20	15	11	16	14	7	9	3	5
Croup (not spasmodic nor membranous).				32	37	24	42	41	40	29	31	31	18	19	9	15
	M	553	465	447	343	236	259	260	259	196	167	130	49	43	28	15
	F	453	377	384	266	207	216	205	201	175	153	111	24	32	12	22
Other diseases of larynx and trachea.	P	1006	842	831	609	443	475	465	460	371	320	241	73	75	40	37
	M	77	82	37	17	20	29	28	40	22	24	15	11	25	15	22
	F	47	54	25	19	24	17	29	21	21	14	13	10	11	11	18
Bronchitis ...	P	124	136	62	36	44	46	57	61	43	38	28	21	36	26	40
	M	25095	26717	21812	21341	18481	20578	18961	17429	20423	18859	19404	17072	17616	18912	19153
	F	26111	27863	22723	22304	18650	21610	19954	18285	21781	19843	21414	17391	18406	20133	19401
Emphysema, Asthma ...	P	51206	54580	44535	43645	37131	42188	38915	35714	42204	38702	40818	34463	36022	39045	38554
	M	1628	1569	1380	914	782	957	906	920	1041	985	1089	965	1109	1219	1242
	F	1191	1046	963	672	520	658	656	613	681	685	837	660	767	835	811
Pleurisy ...	P	2819	2615	2343	1586	1302	1615	1562	1533	1722	1670	1926	1625	1876	2054	2053
	M	983	1136	958	758	747	696	827	738	733	709	815	760	832	867	787
	F	662	736	697	600	552	543	542	521	589	533	588	523	592	587	542
Fibroid disease of lung ...	P	1645	1872	1655	1358	1299	1239	1369	1259	1322	1242	1403	1283	1424	1454	1329
				476	507	467	413	411	408	490	415	420	339	253	239	250
				180	177	146	178	146	121	166	164	163	109	74	80	74
Other diseases of respiratory system.	M	2191	2149	656	684	613	591	557	529	656	579	583	448	327	319	324
	F	1677	1667													
	P	3868	3816	1698	1627	1520	1548	1465	1417	1297	1345	1361	1321	1403	1374	1234
Tonsillitis, Quinsy...				232	227	216	208	191	207	206	200	221	174	226	187	216
				224	189	161	191	200	166	185	163	164	146	204	191	213
	M	548	602	456	416	377	399	391	373	391	363	385	320	480	378	459
Diseases of mouth, pharynx, œsophagus (not specific).§	F	527	528													
	P	1075	1130	323	324	227	306	273	279	254	236	295	304	308	278	295
				286	256	202	283	285	276	260	276	263	319	250	264	290
Gastric ulcer ...				609	580	429	589	558	555	514	512	563	623	558	542	585
				475	514	529	552	613	667	655	674	688	773	760	871	882
				1067	1167	1138	1197	1134	1078	1120	1039	1040	1052	1009	971	912
Gastritis, Gastric catarrh...				1542	1681	1667	1749	1747	1745	1775	1713	1728	1825	1769	1842	1794
	M	2537	2930						1664	1592	1630	1592	1613	1594	1412	1591
	F	3365	3696						1738	1675	1833	1666	1575	1631	1396	1577
Other diseases of stomach (not malignant).	P	5902	6626	2661	2293	2254	2151	1928	3402	3267	3463	3258	3188	3225	2808	3168
				2854	2449	2332	2347	2061								
				5515	4742	4636	4498	3989	291	282	269	252	328	315	359	333
									255	275	239	206	308	272	310	307
									546	557	508	458	636	587	669	640

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from "Other diseases of blood vessels" are included under the heading of Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Œsophagus are included under the heading "Other diseases of digestive system."

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES; 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Ulceration of intestines* ...	M	181	171	3109 2697 5806	2188 2000 4188	2367 2127 4494	306	276	353	477	462	485	552	561	649	687
	F	164	199				219	221	265	244	282	297	306	296	292	299
	P	345	370				525	497	618	721	744	782	858	857	941	986
Enteritis (not epidemic)*	M	10086 9167 19253	7017 6061 13078	2192 1914 4106	1179 1009 2188	1897 1285 2682	2411	2064	2640	1910	2332	1994	1961	3078	1456	2286
	F						2110	1900	2360	1777	2112	1714	1738	2786	1240	1911
	P						4521	3964	5000	3687	4444	3708	3699	5864	2696	4197
Gastro-enteritis ...	M	10086	7017	2192	1179	1897	1806	1478	2082	1337	1877	1567	1695	3492	1421	2746
	F	9167	6061	1914	1009	1285	1540	1250	1805	1113	1618	1333	1407	3062	1160	2313
	P	19253	13078	4106	2188	2682	3346	2728	3887	2450	3495	2900	3102	6554	2581	5059
Appendicitis, Perityphlitis	M	10086 9167 19253	7017 6061 13078	736	901	1016	1124	1096	1287	1161	1236	1279	1336	1597	1322	1387
	F			508	584	713	763	850	857	808	900	997	1025	1132	1034	1141
	P			1244	1485	1729	1887	1946	2144	1969	2136	2276	2361	2729	2356	2528
Hernia† ...	M	674	677	633	694	639	665	708	738	702	652	695	642	708	710	780
	F	805	710	736	819	775	826	839	816	834	758	806	835	861	803	897
	P	1479	1387	1369	1513	1414	1491	1547	1554	1536	1410	1501	1477	1569	1513	1677
Intestinal obstruction ...	M	1381	1287	1305	1197	1297	1270	1263	1336	1314	1301	1355	1205	1330	1232	1209
	F	1435	1337	1342	1248	1277	1240	1314	1309	1249	1352	1262	1297	1350	1260	1206
	P	2816	2624	2647	2445	2574	2510	2577	2645	2563	2653	2617	2502	2680	2492	2415
Other diseases of intestines‡	M	?	?	111	154	155	137	131	128	131	149	147	179	237	228	243
	F	?	?	97	137	134	108	127	110	137	120	151	175	204	221	253
	P	?	?	208	291	289	245	258	238	268	269	298	354	441	449	496
Peritonitis (not puerperal)	M	984	905	726	506	450	435	383	391	308	345	282	223	236	197	236
	F	1010	991	806	609	554	531	460	454	389	368	333	331	374	262	295
	P	1994	1896	1532	1115	1004	966	843	845	697	713	615	554	610	459	531
Cirrhosis of liver ...	M	2574	2527	2375	2296	2196	2207	2166	2117	2070	2060	2048	1827	1832	1598	2039
	F	1958	2112	1923	1770	1720	1764	1842	1744	1833	1611	1481	1384	1457	1480	1519
	P	4532	4639	4308	4066	3916	3971	4008	3861	3903	3671	3529	3211	3289	3378	3558
Other diseases of liver and gall bladder.	M	1687	1599	1335	1110	984	906	866	882	850	746	825	737	750	688	678
	F	1832	1803	1532	1354	1332	1271	1219	1269	1171	1148	1137	1159	1228	1115	1220
	P	3519	3402	2867	2464	2316	2177	2085	2151	2021	1894	1962	1896	1978	1803	1898
Other diseases of digestive system.‡	M	324	333	316	198	263	272	189	151	186	210	217	118	124	119	138
	F	340	306	287	236	245	239	209	144	196	217	240	116	102	100	128
	P	664	639	603	434	508	511	398	295	382	427	457	234	226	219	266
Diseases of spleen ...	M	29	24	39	25	21	23	20	27	21	22	24	15	17	12	19
	F	24	21	34	32	25	25	36	26	29	17	31	23	12	23	25
	P	53	45	73	57	46	48	56	53	50	39	55	38	29	35	44
Other diseases of lymphatic system.	M	192	196	198	223	214	210	242	240	227	241	258	320	295	326	334
	F	118	138	150	134	143	143	149	160	153	156	167	191	212	209	223
	P	310	334	348	357	357	353	391	400	380	397	425	511	507	535	557
Diseases of thyroid body§...	M	33	37	64	61	64	63	68	62	72	93	74	96	88	95	117
	F	279	235	394	370	377	399	412	421	455	456	535	555	622	619	631
	P	312	322	458	431	441	462	480	483	527	549	609	651	710	714	748
Diseases of supra renal capsules.	M	99	93	81	81	93	92	74	116	83	97	109	96	104	99	108
	F	107	116	87	87	98	103	122	112	91	121	139	130	145	147	115
	P	206	209	168	168	191	195	196	228	174	218	248	226	249	246	223
Acute nephritis, Uræmia...	M	1555	1724	1746	1619	1567	1664	1680	1716	1844	1975	1974	1897	1920	1936	2031
	F	1363	1330	1289	1372	1384	1458	1473	1554	1591	1723	1862	1698	1878	1760	1885
	P	2918	3054	3035	2991	2951	3122	3153	3270	3435	3698	3836	3595	3798	3696	3916
Chronic Bright's disease, Albuminuria.	M	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374	5627	5530	5717	5887	6342
	F	4273	4486	4441	4208	4394	4541	4415	4584	4869	4688	4877	4822	5014	5207	5342
	P	9203	9860	9676	9221	9468	10006	9622	10082	10442	10062	10504	10352	10731	11094	11684
Calculus (not biliary) ...	M	188	174	185	182	156	176	177	187	198	161	155	159	196	181	195
	F	57	75	59	67	61	86	72	77	80	74	86	80	73	89	73
	P	245	249	244	249	217	262	249	264	278	235	241	239	269	270	268
Diseases of bladder and of prostate.	M	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256	2203	2189	2514	2372	2370
	F	210	243	222	235	225	241	232	238	238	249	239	221	257	246	233
	P	2321	2318	2353	2436	2493	2499	2469	2641	2441	2505	2442	2410	2771	2618	2603
Other diseases of urinary system.¶	M	458	287	229	459	445	451	496	480	470	486	430	543	584	559	583
	F	229	120	152	127	130	140	148	151	139	124	133	169	181	206	205
	P	687	407	381	586	575	591	644	631	609	610	563	712	765	765	788
Ovarian tumour (not malignant).	M	— 446 446	— 406 406	—	—	—	—	—	—	—	—	—	—	—	—	—
	F			348	373	374	350	389	375	357	292	307	291	314	288	270
	P			348	373	374	350	389	375	357	292	307	291	314	288	270
Other diseases of ovary ...	M	— 446 446	— 406 406	—	—	—	—	—	—	—	—	—	—	—	—	—
	F			69	48	64	46	40	46	51	31	33	23	24	12	12
	P			69	48	64	46	40	46	51	31	33	23	24	12	12

* For the years 1901–3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).
† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
‡ For years prior to 1901, deaths from Diseases of the Oesophagus and from "Other diseases of intestines" are included under the heading "Other diseases of digestive system."
§ Deaths from Cretinism and Myxœdema, which in the old tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.
¶ From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa.

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899-1913.—
MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Uterine tumour (not malignant).	M	—	—	339	334	359	353	376	353	327	358	293	312	324	326	316
	F	709	667	339	334	359	353	376	353	327	358	293	312	324	326	316
	P	709	667	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of uterus and vagina.	M	—	—	316	305	278	316	327	305	319	287	337	285	360	326	330
	F	—	—	316	305	278	316	327	305	319	287	337	285	360	326	330
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	88	92	76	58	56	36	42	39	50	36	33	26	31	20	30
	P	88	92	76	58	56	36	42	39	50	36	33	26	31	20	30
Other diseases of generative and mammary organs.	M	85	102	77	67	48	73	53	62	48	41	50	66	70	79	88
	F	64	44	19	16	6	14	20	18	10	14	12	13	21	20	29
	P	149	146	96	83	54	87	73	80	58	55	62	79	91	99	117
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	179	218	152	148	152	141	151	143	102	83	85	78	89	118	119
	P	179	218	152	148	152	141	151	143	102	83	85	78	89	118	119
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	74	73	70	79	62	62	66	68	70	57	42	48	46	30	28
	P	74	73	70	79	62	62	66	68	70	57	42	48	46	30	28
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	347	387	376	400	409	395	467	438	449	426	462	439	457	457	535
	P	347	387	376	400	409	395	467	438	449	426	462	439	457	457	535
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	691	614	699	637	678	580	619	618	608	560	574	612	557	610	616
	P	691	614	699	637	678	580	619	618	608	560	574	612	557	610	616
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1062	1146	1018	938	888	835	868	850	826	840	787	740	748	797	789
	P	1062	1146	1018	938	888	835	868	850	826	840	787	740	748	797	789
Caries, Necrosis ...	M	445	434	418	408	364	305	283	262	205	198	106	43	—	—	—
	F	340	346	344	298	289	234	239	198	177	150	81	23	—	—	—
	P	785	780	762	706	653	539	522	460	382	348	187	66	—	—	—
Arthritis, Periostitis ...	M	162	175	107	137	119	133	133	111	139	164	154	128	400	422	437
	F	137	118	82	80	83	106	89	92	110	88	102	105	287	293	304
	P	299	293	189	217	202	239	222	203	249	252	256	233	687	715	741
Other diseases of locomotor system.	M	189	146	185	149	155	162	178	205	149	147	174	203	—	—	—
	F	184	148	164	137	129	114	137	186	105	116	127	147	—	—	—
	P	373	294	349	286	284	276	315	391	254	263	301	350	—	—	—
Ulcer, Bed-sore ...	M	173	192	160	132	153	136	140	157	144	129	152	149	145	144	149
	F	361	372	314	265	254	290	300	305	341	307	278	310	269	280	283
	P	534	564	474	397	407	426	440	462	485	436	430	459	414	424	432
Eczema ...	M	201	221	194	218	211	192	190	195	164	169	141	138	168	152	149
	F	153	150	173	144	137	134	130	103	123	117	107	107	101	93	84
	P	354	371	367	362	348	326	320	298	287	286	248	245	269	245	233
Pemphigus ...	M	83	100	96	81	98	104	140	134	123	135	113	113	66	68	72
	F	74	88	69	66	93	94	125	110	100	114	101	91	66	52	70
	P	157	188	165	147	191	198	265	244	223	249	214	204	132	120	142
Other diseases of the skin	M	108	142	130	108	103	92	119	110	129	111	111	113	124	124	137
	F	112	134	110	113	111	103	115	101	122	108	124	120	145	128	150
	P	220	276	240	221	214	195	234	211	251	219	235	233	269	252	287
Other specified diseases* ...	M	365	421	—	4	3	2	2	—	—	—	3	—	—	—	—
	F	721	755	—	1	—	—	—	—	—	—	2	—	—	—	—
	P	1086	1176	—	5	3	2	2	—	—	—	5	—	—	—	—
Atrophy, Debility ...	M	11303	11383	11095	9889	9791	9761	9090	8902	8340	8460	7872	7359	7818	6258	6683
	F	9103	8989	8705	7819	7721	7785	6920	6998	6267	6460	6107	5686	6098	4644	4976
	P	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920	13979	13045	13916	10902	11659
Old age ...	M	13522	13815	13117	13031	12979	13848	13441	14210	13917	14058	14497	13438	14488	13275	12755
	F	17955	17961	17126	17320	17111	18455	18018	18993	19001	18837	19478	18233	19388	18163	17046
	P	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895	33975	31671	33871	31438	29801
Dropsy, Ascites, Anasarca	M	139	125	85	74	69	48	44	36	60	36	23	16	24	18	13
	F	221	223	138	97	95	73	77	46	65	39	41	24	38	23	23
	P	360	348	223	171	164	121	121	82	125	75	64	40	62	41	36
Tumour ...	M	25	25	25	29	36	39	26	28	33	32	41	28	52	71	52
	F	56	48	58	53	50	50	54	40	60	52	56	48	68	72	81
	P	81	73	83	82	86	89	80	68	93	84	97	76	120	143	133
Abscess ...	M	172	177	173	182	184	162	129	140	151	208	137	131	119	154	157
	F	185	169	159	147	148	128	106	132	142	170	129	108	101	112	111
	P	357	346	332	329	332	290	235	272	293	378	266	239	220	266	268

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 19.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1899–1913.—
MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Hæmorrhage* ...	M	74	63	16	31	29	20	19	17	16	19	16	26	39	25	26
	F	40	55	12	25	14	15	17	15	19	16	17	26	24	21	25
	P	114	118	28	56	43	35	36	32	35	35	33	52	63	46	51
Sudden death (cause un-ascertained).	M	129	134	114	94	89	25	18	16	11	4	8	8	7	3	1
	F	83	110	61	83	53	20	12	8	8	11	11	6	2	1	1
	P	212	244	175	177	142	45	30	24	19	15	19	14	9	4	2
Other ill-defined causes ...	M	49	24	205	406	457	435	468	461	421	402	386	391	278	205	179
	F	23	26	155	298	362	342	386	326	291	277	272	243	187	150	136
	P	72	50	360	704	819	777	854	787	712	679	658	634	465	355	315
Causes not specified ...	M	935	948	672	336	146	152	129	96	111	88	71	102	96	78	78
	F	686	788	436	256	121	91	72	60	66	50	48	78	57	56	62
	P	1621	1736	1108	592	267	243	201	156	177	138	119	180	153	134	140
Violent Deaths :—																
In mines and quarries ...				1016	979	940	981	1113	1075	1084	1147	1367	1299	1491	1207	1174
				1	—	1	—	—	2	—	—	—	—	—	—	—
				1017	979	941	981	1113	1077	1084	1147	1367	1299	1491	1207	1174
Vehicles and horses ...				2308	2209	2139	2103	2069	2133	2197	2131	1913	1987	2289	2364	2651
				382	324	330	337	355	377	349	356	346	409	462	473	568
				2690	2533	2469	2440	2424	2510	2546	2487	2259	2396	2751	2837	3219
Ships, boats, and docks (not drowning).				332	266	294	286	280	268	246	275	263	252	301	337	325
				2	1	3	—	3	2	1	3	1	1	1	1	3
				334	267	297	286	283	270	247	278	264	253	302	338	328
Building operations ...				185	205	210	203	233	233	243	227	166	199	203	206	222
				—	—	—	—	—	—	—	—	—	—	—	—	—
				185	205	210	203	233	233	243	227	166	199	203	206	222
Machinery ...				204	251	245	242	204	227	237	217	205	198	249	225	250
				12	12	13	8	15	11	8	10	8	11	13	6	8
				216	263	258	250	219	238	245	227	213	209	262	231	258
Weapons and implements				131	109	103	109	104	103	79	91	99	78	81	102	128
				18	9	11	18	8	11	12	10	10	11	12	22	17
				149	118	114	127	112	114	91	101	109	89	93	124	145
Burns and scalds ...	M	12337	11906	1224	1022	995	1014	1035	1079	1103	1067	1088	995	1052	972	941
	F	5360	5013	1530	1457	1292	1369	1450	1527	1507	1583	1571	1330	1395	1412	1260
	P	17697	16919	2754	2479	2287	2383	2485	2606	2610	2650	2659	2325	2447	2384	2201
Poisons, poisonous vapours				305	334	290	324	312	341	329	362	368	322	215	220	201
				210	161	168	196	198	198	216	188	189	196	135	122	135
				515	495	458	520	510	539	545	550	557	518	350	342	336
Drowning ...				2358	1871	2109	2020	2069	1970	1888	2063	1793	1871	2233	2053	1999
				406	390	407	391	433	374	367	400	397	387	405	435	421
				2764	2261	2516	2411	2502	2344	2255	2463	2190	2258	2638	2488	2420
Suffocation ...				1026	1089	1022	1112	1027	984	1039	936	822	788	755	801	772
				938	950	936	972	855	893	864	890	760	731	699	760	681
				1964	2039	1958	2084	1882	1877	1903	1826	1582	1519	1454	1561	1453
Falls ...				1507	1504	1378	1380	1280	1372	1460	1392	1339	1282	1519	1604	1539
				1303	1172	1171	1158	1106	1190	1270	1238	1271	1074	1313	1341	1432
				2810	2676	2549	2538	2386	2562	2730	2630	2610	2356	2832	2945	2971
Weather agencies ...				300	171	163	200	163	215	127	176	144	136	456	193	172
				137	66	34	84	68	89	27	58	52	31	204	56	64
				437	237	197	284	231	304	154	234	196	167	660	249	236
Otherwise or not stated...				1145	938	911	928	940	866	863	924	816	882	776	776	681
				332	306	299	292	250	288	268	280	272	383	302	286	245
				1477	1244	1210	1220	1190	1154	1131	1204	1088	1265	1078	1062	926
Battle ...	M	—	16	4	6	2	—	3	1	2	1	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	16	4	6	2	—	3	1	2	1	—	—	1	1	1
Homicide ...	M	143	139	161	131	137	176	133	140	139	152	132	140	153	145	140
	F	148	139	175	166	158	151	169	144	126	159	155	147	128	173	180
	P	291	278	336	297	295	327	302	284	265	311	287	287	281	318	320
Suicide ...	M	2121	2166	2318	2460	2640	2523	2683	2655	2632	2844	2683	2680	2655	2706	2596
	F	723	730	803	807	871	822	862	797	901	934	894	887	933	902	918
	P	2844	2896	3121	3267	3511	3345	3545	3452	3533	3778	3577	3567	3588	3608	3514
Execution ...	M	14	12	15	22	23	17	17	8	9	12	19	16	16	10	18
	F	1	2	—	—	2	1	—	—	1	—	—	—	—	—	—
	P	15	14	15	22	25	18	17	8	10	12	19	16	16	10	18

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under "Other diseases of blood vessels" subsequently.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899–1913.—MALES, FEMALES, AND PERSONS.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
All Causes	M F P	19419 17153 18249	19480 17055 18228	18112 15791 16914	17398 15180 16253	16540 14444 15457	17362 15303 16299	16281 14382 15300	16512 14495 15470	16046 14229 15108	15805 13867 14804	15480 13821 14623	14385 12674 13502	15580 13672 14595	14120 12512 13290	14655 12763 13678
PRINCIPAL SUM- MARIZED HEADINGS.																
Small-pox	M F P	6 4 5	3 2 3	13 9 10	90 60 75	31 15 23	19 11 15	4 4 4	0 1 1	0 0 0	0 0 0	1 0 0	1 0 0	1 1 1	0 0 0	0 0 0
Diarrhoeal diseases... (104 and 105, 1911 list approx.)*	M F P	— — —	— — —	1343 1105 1220	676 558 615	834 695 703	1235 1017 1122	897 729 809	1265 1057 1158	559 440 492	848 685 763	550 439 493	575 445 507	1421 1162 1288	355 269 311	790 610 698
Venereal diseases	M F P	— — —	— — —	— — —	60 46 52	62 50 56	64 48 55	62 47 54	57 45 51	58 40 49	56 43 49	57 40 49	56 38 47	60 44 52	63 42 52	67 47 57
Puerperal septic diseases ...	M F P	— 120 62	— 121 63	— 122 64	— 118 61	— 97 51	— 95 49	— 99 51	— 93 48	— 82 41	— 77 39	— 78 40	— 69 36	— 72 37	— 68 35	— 62 32
Pneumonia (all forms) ...	M F P	1494 1021 1250	1676 1090 1374	1371 937 1147	1664 1169 1409	1428 1030 1222	1485 1009 1285	1525 1100 1305	1422 1026 1217	1574 1147 1353	1392 997 1188	1502 1114 1301	1302 932 1110	1235 865 1045	1204 851 1022	1204 846 1019
Septicæmia, pyæmia ...	M F P	27 15 21	30 16 23	17 9 13	22 14 18	21 13 17	19 12 16	21 14 18	21 17 19	22 13 18	20 12 16	17 11 13	14 10 11	17 9 13	18 10 14	16 9 13
Phthisis (28 and 29A, 1911 list.)	M F P	1550 1124 1330	1570 1111 1333	1488 1055 1264	1457 1026 1234	1430 995 1206	1462 1034 1241	1352 953 1146	1364 964 1157	1349 959 1148	1318 941 1123	1280 913 1091	1186 855 1015	1233 901 1062	1194 852 1017	1154 818 980
Tuberculosis (all forms) ...	M F P	2183 1644 1904	2201 1623 1902	2087 1546 1807	2006 1495 1742	2016 1492 1747	2057 1530 1784	1886 1411 1639	1857 1390 1654	1834 1371 1617	1762 1323 1595	1762 1323 1537	1644 1237 1434	1669 1278 1468	1568 1174 1366	1549 1144 1339
Cancer (all forms)... ..	M F P	670 971 826	672 975 829	691 985 842	696 986 846	733 1006 874	741 1010 879	759 1011 889	798 1038 922	787 1035 915	818 1036 931	833 1036 962	856 1082 967	891 1088 993	913 1117 1019	947 1155 1055
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	1468 1095 1276	1455 1094 1271	1462 1097 1274	1401 1043 1215	1305 989 1142	1309 980 1140	1195 916 1049	1183 890 1032	1095 855 971	1085 820 947	1044 782 908	961 730 841	959 718 837	855 637 742	851 648 747
Diseases of heart	M F P	— — —	— — —	1438 1516 1479	1440 1482 1462	1391 1426 1409	1429 1516 1472	1380 1460 1423	1407 1436 1420	1445 1490 1468	1407 1431 1418	1405 1467 1437	1348 1373 1361	1347 1390 1368	1385 1453 1421	1442 1464 1453
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M F P	— — —	— — —	857 883 871	850 869 860	820 860 839	847 875 862	835 843 839	858 892 874	883 901 893	887 894 890	914 925 919	882 890 886	931 952 943	987 990 989	1039 1023 1030
Diseases of respiratory sys- tem (including croup but excluding pneumonia).	M F P	2029 1866 1944	2107 1945 2022	1747 1618 1680	1645 1537 1590	1421 1273 1343	1542 1442 1491	1427 1333 1378	1313 1214 1263	1481 1403 1440	1354 1274 1312	1392 1362 1375	1215 1101 1156	1247 1153 1199	1306 1229 1267	1298 1175 1234
Diseases of liver and gall bladder.	M F P	276 230 252	265 235 249	236 206 220	214 184 198	197 177 188	191 174 183	185 174 179	180 170 175	174 167 170	165 152 158	168 143 155	149 138 143	148 144 146	146 137 141	152 144 147
Diseases of digestive sys- tem.†	M F P	— — —	— — —	1049 907 1005	865 813 838	869 811 842	907 839 871	830 791 811	914 826 870	800 741 769	846 773 807	814 716 763	791 712 750	980 868 921	737 639 685	885 759 817
Nephritis and Bright's disease.	M F P	421 343 381	456 349 401	443 341 390	417 328 371	412 336 373	437 345 389	419 336 376	434 346 389	443 361 400	432 353 391	443 369 404	429 353 389	437 370 402	441 368 404	469 379 422
Diseases of generative and mammary organs.	M F P	6 79 44	7 73 42	5 70 38	4 67 36	3 66 36	4 64 34	3 67 36	4 64 34	3 63 32	2 57 30	3 56 31	4 51 29	4 57 33	4 52 30	5 53 29
Diseases of pregnancy and childbirth (not septic).	M F P	— 143 74	— 146 76	— 137 71	— 130 65	— 128 66	— 116 60	— 124 64	— 120 62	— 115 60	— 108 56	— 106 54	— 104 53	— 101 52	— 106 55	— 108 56
All diseases of pregnancy and childbirth.	M F P	— 263 136	— 267 139	— 259 135	— 248 126	— 225 117	— 211 109	— 223 115	— 213 110	— 197 101	— 185 95	— 184 94	— 173 89	— 173 89	— 174 90	— 170 88
Causes ill-defined or not specified.‡	M F P	1705 1719 1713	1706 1707 1707	1615 1596 1608	1519 1528 1523	1477 1497 1484	1496 1550 1530	1424 1465 1445	1440 1500 1475	1375 1447 1415	1379 1430 1413	1348 1432 1391	1243 1326 1288	1314 1389 1348	1137 1233 1183	1120 1186 1156
Violent deaths	M F P	948 380 652	914 352 624	922 371 636	850 343 589	844 331 580	836 332 574	830 329 571	823 332 571	816 329 565	822 336 572	773 324 543	759 325 522	826 322 565	787 316 542	772 310 534

* See note to Diarrhoea due to Food.
† Including some of the headings classed under Diarrhoeal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis. See also note to Hernia.
‡ See note to Hæmorrhage.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899–1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.		Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	
DETAILED HEADINGS.																		
Small-pox	{	Vaccinated ...	M	0	0	5	33	6	3	1	—	0	—	0	0	0	—	
		F	—	0	4	17	1	1	1	—	—	—	0	—	0	0	0	
		P	0	0	4	25	4	2	1	—	0	—	0	0	0	0	0	
	{	Not Vaccinated.	M	0	0	4	25	7	5	0	0	0	—	0	0	0	0	0
		F	0	1	3	23	4	3	1	—	0	—	—	0	0	0	0	0
		P	0	1	3	24	5	4	1	0	0	—	0	0	0	0	0	0
{	Doubtful ...	M	6	3	4	32	18	11	3	0	0	0	1	1	0	—	0	
	F	4	1	2	20	10	7	2	1	0	0	—	0	0	0	—	—	
	P	5	2	3	26	14	9	2	1	0	0	0	0	0	0	—	0	
Cow-pox and other effects of vaccination.		M	1	1	0	1	1	1	1	1	0	0	0	0	1	0	0	
		F	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	
		P	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	
Chicken-pox	M	5	4	4	4	4	3	3	4	4	3	3	3	2	2	2	
		F	3	3	3	4	3	3	2	2	3	3	2	2	2	2	2	
		P	4	4	4	4	3	3	3	3	3	3	3	3	2	2	2	
Measles (Morbilli)	M	330	417	302	416	292	387	342	286	392	243	377	249	392	375	312	
		F	298	373	253	370	259	344	311	265	337	213	336	216	336	328	266	
		P	314	394	277	392	275	365	326	275	364	228	356	232	363	351	288	
German measles	M	1	1	2	1	1	1	1	1	1	1	1	0	1	1	1	
		F	1	1	2	1	1	1	1	1	1	1	1	0	1	1	1	
		P	1	1	2	1	1	1	1	1	1	1	1	0	1	1	1	
Scarlet fever	M	121	125	139	155	132	116	117	108	98	82	97	68	54	56	59	
		F	113	114	128	141	118	108	109	95	88	79	85	64	51	53	55	
		P	117	119	133	148	125	112	113	101	93	80	91	66	52	54	57	
Typhus	M	1	1	1	2	2	1	1	0	1	0	1	0	0	0	0	
		F	1	1	1	1	2	1	1	0	1	0	0	—	0	0	—	
		P	1	1	1	2	2	1	1	0	1	0	0	0	0	0	0	
Plague	M	—	0	1	0	—	0	0	—	—	0	—	0	—	0	—	
		F	—	—	0	—	—	—	—	—	—	—	—	0	—	—	—	
		P	—	0	0	0	—	0	0	—	—	0	—	0	—	0	—	
Relapsing fever	M	—	0	0	0	—	—	0	0	—	0	—	0	—	—	—	
		F	—	—	0	0	—	0	0	—	0	0	—	0	—	—	—	
		P	—	0	0	0	—	0	0	—	0	0	—	0	—	—	—	
Influenza	M	395	493	185	229	190	171	206	188	264	285	251	188	127	151	188	
		F	385	514	164	219	189	167	203	180	269	290	256	176	113	141	159	
		P	389	504	174	224	190	169	205	184	267	288	254	182	120	146	173	
Whooping cough	M	300	331	290	281	269	322	241	224	268	255	183	223	195	210	135	
		F	335	379	334	313	302	382	271	259	321	304	221	267	237	247	160	
		P	318	356	313	298	286	353	256	242	296	280	203	246	217	229	148	
Mumps	M	3	3	3	3	3	3	3	3	3	3	3	3	3	1	2	
		F	2	3	3	2	2	3	3	3	4	4	3	3	3	1	1	
		P	2	3	3	3	3	3	3	3	3	3	3	3	3	1	2	
Diphtheria	M	289	296	277	235	183	173	160	177	166	160	147	117	139	118	120	
		F	294	284	269	239	182	169	161	179	164	156	148	122	132	116	120	
		P	292	290	273	237	183	170	161	178	165	158	148	120	135	117	120	
Cerebro-spinal fever	M	1	1	2	3	2	3	4	2	6	4	4	4	5	5	4	
		F	0	0	2	1	2	2	3	2	3	3	4	3	3	3	4	
		P	1	0	2	2	2	2	4	2	5	3	4	4	4	4	4	
Pyrexia (origin uncertain)	M	3	3	3	3	2	2	1	1	1	1	0	0	0	0	0	
		F	4	4	3	3	3	2	2	1	1	1	0	0	0	0	0	
		P	4	4	3	3	2	2	2	1	1	1	0	0	0	0	0	
Enteric fever	M	231	210	185	150	120	113	106	111	82	95	74	60	81	52	51	
		F	167	139	127	103	82	76	74	75	54	57	48	46	53	36	31	
		P	198	173	155	126	101	93	90	92	68	75	60	53	67	44	41	
Asiatic cholera	M	?	?	—	—	—	—	—	—	—	—	0	—	—	—	—	
		F	?	?	—	—	—	—	—	—	—	—	—	—	—	—	—	
		P	?	?	—	—	—	—	—	—	—	—	0	—	—	—	—	
Diarrhoea due to food*	M	2	2	2	3	3	4	7	10	7	9	9	8	?	?	?	
		F	2	2	2	3	2	3	6	7	5	8	7	6	?	?	?	
		P	2	2	2	3	3	3	6	9	6	8	8	7	?	?	?	

* Called Food, Ptomaine poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from Diarrhoea in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhoea.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899-1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Infective enteritis, Epidemic diarrhoea.*				397 333 364	166 133 149	260 207 233	551 459 504	382 302 340	579 484 530	164 129 146	320 260 289	153 123 137	172 132 151	648 529 587	81 63 71	279 224 251
Diarrhoea (not otherwise defined).	M F P	1049 899 971	793 666 728	608 496 550	296 245 270	337 287 311	402 333 366	275 229 251	371 316 342	166 131 148	245 196 220	153 126 139	152 120 135	365 304 334	75 64 70	191 149 169
Dysentery				11 8 10	9 6 8	11 8 9	10 7 9	7 5 6	9 8 9	7 6 7	8 6 7	7 7 7	7 6 7	8 9 8	5 5 5	6 6 6
Tetanus†	M F P	1 0 1	3 1 2	3 1 2	9 3 6	12 4 8	12 4 8	11 3 7	12 3 7	10 3 7	8 2 5	10 3 6	9 2 6	9 2 6	8 2 5	8 2 5
Malaria	M F P	5 1 3	6 1 3	6 1 3	6 1 3	4 1 2	6 1 3	4 0 2	3 1 2	4 0 2	3 0 2	4 1 2	3 0 1	3 0 2	3 0 2	3 0 2
Rabies, Hydrophobia ...	M F P	— — —	— — —	— — —	0 — 0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0 — 0	0 — 0	— — —	— — —
Glanders	M F P	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	— — —	0 — 0
Anthrax (Splenic fever) ...	M F P	1 — 1	1 — 0	1 — 0	1 — 0	1 — 1	1 — 1	1 — 1	1 — 1	1 — 1	1 — 0	1 — 0	1 — 0	1 — 0	1 — 0	0 — 0
Syphilis	M F P	63 50 56	63 51 57	61 45 53	59 45 51	61 49 55	62 47 54	61 46 53	56 44 50	57 39 48	55 42 48	56 39 48	55 37 46	60 43 51	62 41 51	66 46 56
Gonorrhoea‡	M F P	22 1 11	23 1 11	22 0 11	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1	1 1 1	1 1 1
Puerperal septicaemia, Puerperal septic intoxication.				88 46	36 44	73 38	72 37	74 38	69 36	59 30	57 29	58 30	52 27	54 28	49 25	46 24
Puerperal pyæmia	M F P	— 120 62	— 121 63	2 1 —	3 2 —	2 1 —	2 1 —	3 2 —	4 2 —	6 3 —	5 3 —	6 3 —	5 3 —	5 2 —	6 3 —	5 2 —
Phlegmasia alba dolens ...				4 2	6 3	5 3	5 3	6 3	6 3	5 2	5 2	4 2	3 2	4 2	3 2	3 2
Puerperal fever (not otherwise defined).				28 15	23 12	17 9	16 8	16 8	14 7	12 6	10 5	10 5	9 4	9 5	10 5	8 4
Infective endocarditis§ ...	M F P	? ? ?	? ? ?	11 12 11	12 11 12	11 12 12	12 11 12	13 12 13	14 13 13	13 15 14	15 15 15	15 15 15	14 15 15	15 17 16	17 17 17	16 16 16
Lobar 				91 48 69	137 76 105	125 69 96	144 89 115	181 109 144	188 106 145	199 114 155	178 98 137	217 129 171	195 103 147	268 150 207	275 155 213	278 155 214
Broncho-				509 415 460	626 507 565	576 474 523	634 522 576	610 500 553	545 463 503	670 563 614	604 483 541	604 516 559	538 446 490	509 421 464	511 439 474	526 438 481
Epidemic 	M F P	1494 1021 1250	1676 1090 1374	3 2 3	0 0 0	0 — —	— — —	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0	? ? ?	? ? ?	? ? ?
Not defined				768 472 615	901 586 739	727 487 603	707 488 594	734 491 608	689 457 569	705 470 584	610 416 510	680 469 571	569 383 473	458 294 374	418 257 335	400 253 324
Erysipelas	M F P	40 37 38	41 35 38	38 33 36	42 36 39	35 30 32	38 34 36	39 35 37	39 32 35	32 27 30	26 22 24	31 27 29	25 21 23	27 26 27	27 22 24	24 19 22
Septicaemia, Septic intoxication (not puerperal).	M F P	27 15 21	30 16 23	10 6 8	13 9 11	12 10 11	13 9 11	13 10 12	14 12 13	16 9 13	15 9 12	12 9 10	10 7 8	12 7 10	14 8 11	13 7 10
Pyæmia (not puerperal) ...				3 5	5 7	3 6	3 5	4 6	5 6	4 5	3 4	2 3	3 3	2 3	2 3	2 3

* Including deaths from Diarrhoea due to food, from 1911 onwards.

† Owing to changes of classification the deaths included under Tetanus in 1902 and subsequent years are not comparable with those in earlier years.

‡ Includes deaths from Stricture of the Urethra previous to 1902. See also note to "Other diseases of the Urinary system."

§ For years prior to 1901, deaths from Infective endocarditis are included under the heading Valvular disease, Endocarditis.

|| From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899-1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Phlegmon, Carbuncle (not anthrax).	M F P	25 15 20	26 17 21	26 18 22	28 20 24	26 17 21	28 15 21	28 18 23	31 18 24	28 17 22	26 14 20	29 18 23	24 15 19	25 15 20	25 14 19	24 15 19
Phagedæna	M F P	1 1 1	1 2 1	2 1 1	1 1 1	1 1 1	1 1 1	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	0 0 0	— — —	0 — 0	— — 0
Other infective processes...	M F P	? ? ?	? ? ?	6 7 7	2 4 3	3 7 5	5 3 4	6 5 6	8 5 6	8 4 6	8 4 6	9 5 7	8 3 6	9 4 6	6 3 4	8 4 6
Pulmonary tuberculosis (tuberculous phthisis).	M F P	1550 1124 1330	1570 1111 1333	275 192 232	393 248 318	515 322 416	595 384 486	607 397 498	651 427 535	673 450 558	691 465 574	707 467 583	693 476 581	762 532 644	795 554 670	804 553 674
Phthisis (not otherwise defined).	M F P	1213 863 1032	1064 778 916	915 673 790	867 650 755	745 556 648	713 537 622	676 509 590	627 476 549	573 446 508	493 379 434	471 369 418	399 298 347	350 205 306	330 205 306	350 205 306
Tuberculous meningitis ...	M F P	224 182 202	219 179 198	199 167 183	194 169 181	212 179 195	206 174 189	194 165 179	188 168 178	184 156 170	180 155 167	172 154 163	167 140 153	155 136 145	145 128 136	150 123 136
Tuberculous peritonitis ...	M F P	216 180 197	203 169 185	94 87 90	93 87 90	111 101 106	122 110 116	109 103 106	116 109 112	106 97 102	113 102 108	107 92 99	105 94 99	98 88 93	78 71 75	92 81 86
Tabes mesenterica ...	M F P	112 85 98	82 61 71	65 53 62	48 35 41	40 33 36	32 24 28	33 24 28	28 25	28	28	25	22	22	14	16
Lupus	M F P	1 3 2	1 2 2	2 2 2	1 3 2	1 3 2	2 2 2	1 3 2	1 3 2	2 3 2	1 2 2	1 3 2	1 2 2	1 2 2	1 2 2	1 2 2
Tubercle of other organs...	M F P	42 28 35	42 30 36	52 36 44	59 40 49	57 41 48	62 44 53	57 42 49	58 36 46	62 44 53	72 51 61	51 41 46	50 34 42	47 37 42	47 37 42	47 37 42
General tuberculosis ...	M F P	192 155 173	208 162 184	139 112 125	133 114 123	135 122 128	138 118 128	123 109 115	122 108 115	126 108 117	130 111 120	111 95 103	88 74 81	107 90 98	85 75 80	86 70 78
Scrofula	M F P	11 10 10	4 5 5	4 3 4	3 4 3	2 2 2	2 1 1	2 1 1	1 0 0	1 0 0	1 0 0	1 0 0	1 0 0	1 0 0	1 0 0	1 0 0
Parasitic diseases ...	M F P	14 11 12	12 11 11	11 10 11	9 8 8	10 9 9	10 8 9	9 6 7	11 7 9	8 6 7	8 6 7	7 6 6	6 4 5	8 6 7	5 5 5	6 5 6
Starvation	M F P	2 1 1	2 1 1	1 0 1	1 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 0 1	1 0 1	1 1 1	1 0 1	1 1 1	1 1 1	1 1 1
Scurvy	M F P	1 1 1	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1	1 2 1	2 1 1	1 1 1	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1
Alcoholism, Delirium tremens.	M F P	113 69 90	132 95 113	113 80 96	105 65 84	92 63 77	86 55 70	79 52 65	81 53 66	79 49 63	65 45 55	58 37 47	50 34 42	57 34 45	54 36 45	61 42 51
Opium, Morphia-habit ...	M F P	? ? ?	? ? ?	0 0 0	0 1 0	1 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 0	1 0 0	0 0 0
Industrial poisoning.	By Lead ...	6 1 3	7 1 4	6 0 3	5 0 3	5 0 3	5 0 3	5 0 2	4 0 2	5 0 3	6 0 3	5 0 3	5 0 2	6 0 3	6 — 3	4 0 2
	By Phosphorus.	? ? ?	? ? ?	— — —	0 0 0	— — —	— 0 0	— — —	— — —	0 0 0	— — —	— — —	— — —	— — —	— — —	— — —
	By Arsenic and other metals.	? ? ?	? ? ?	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	0 — 0	— — —	— — —	— — —	— — —
Rheumatic Fever, Acute Rheumatism.	M F P	84 82 83	92 81 86	70 63 67	68 62 65	54 51 54	55 63 62	66 64 65	58 59 58	51 51 51	56 55 56	46 48 47	52 57 54	52 56 54	47 49 48	47 49 48
Rheumatism of heart* ...	M F P			19 19 19	17 21 19	15 19 17	15 20 17	10 11 10	8 11 10	11 13 12	9 11 10	9 11 10	8 10 9	? ? ?	? ? ?	? ? ?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899-1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Chronic rheumatism ...	M F P	26 31 29	25 30 28	21 27 24	12 18 15	13 15 14	14 15 14	10 15 13	9 14 11	10 15 13	11 14 13	10 15 12	8 12 10	9 13 11	8 11 10	10 12 11
Rheumatoid arthritis, Rheumatic gout.	M F P	? ? ?	? ? ?	18 33 26	18 31 25	17 35 27	17 38 28	15 37 26	16 39 28	18 38 28	14 39 27	17 43 31	17 40 29	18 42 30	18 44 31	17 47 33
Cut	M F P	28 8 18	25 7 16	26 6 16	24 6 15	23 6 14	25 5 15	20 5 12	22 5 13	22 5 13	20 5 12	19 4 11	18 4 11	19 3 11	16 4 10	17 4 10
Carcinoma*	M F P	? ? ?	? ? ?	301 472 389	318 498 411	357 528 445	376 540 460	391 550 473	419 575 500	411 598 508	440 601 523	455 641 551	483 647 568	521 669 598	562 716 641	587 767 680
Sarcoma	M F P	57 50 54	51 49 50	54 49 51	53 50 51	58 50 54	55 49 52	58 48 53	59 51 55	62 45 53	62 46 54	63 49 56	64 52 58	70 49 59	67 51 59	71 53 62
Cancer, Malignant disease (not otherwise defined).*	M F P	613 921 772	621 926 779	336 464 402	325 438 384	318 428 375	310 421 367	310 413 363	320 412 367	314 392 354	316 389 354	315 392 355	309 371 341	300 370 336	284 350 319	289 335 313
Scrofula	M F P	49 36 42	47 34 40	52 33 42	49 35 42	61 39 50	66 43 54	48 35 41	47 34 40	42 31 36	41 27 34	39 25 32	36 24 30	31 24 27	24 17 21	31 20 25
Purpura	M F P	11 9 10	11 9 10	9 9 3	9 9 2	9 9 2	8 9 2	7 8 3	7 8 3	9 9 3	9 8 3	9 8 3	8 8 2	9 8 3	7 10 3	10 7 3
Hæmophilia, Hæmorrhagic diathesis.	M F P	46 71 59	49 67 58	49 68 59	50 62 56	47 60 54	48 61 55	51 62 57	54 65 60	60 66 63	57 66 62	58 67 63	64 71 68	59 70 65	61 73 67	64 75 70
Diabetes mellitus	M F P	94 77 85	93 79 86	99 83 91	92 77 84	88 83 85	99 87 93	104 84 93	105 91 97	104 91 97	108 97 103	111 98 104	114 106 110	111 103 107	116 105 111	119 115 117
Immature birth	M F P	674 495 582	661 490 573	662 482 569	669 485 574	671 481 573	680 490 582	634 481 555	648 468 555	608 447 525	621 447 531	596 437 514	567 420 491	568 416 490	546 394 467	548 412 478
Congenital hydrocephalus†	M F P	102 80 91	103 84 93	143 108 125	16 9 12	17 11 14	15 9 12	13 7 11	13 8 11	11 9 9	13 9 11	12 7 9	10 7 8	10 8 9	10 6 8	12 7 10
Other congenital defects†	M F P	13 8 10	16 12 14	24 13 18	24 15 20	26 16 21	28 18 23	25 17 21	31 19 25	29 18 24	34 20 27	33 21 27	28 20 24	30 21 25	32 19 26	36 22 29
Telectasis	M F P	45 30 38	47 30 38	44 29 36	48 29 38	47 33 39	46 33 39	50 35 42	52 34 42	55 36 45	54 38 45	51 35 43	50 37 43	49 34 41	48 32 40	52 32 42
Lactation of breast milk ...	M F P	12 9 10	16 13 14	20 14 17	20 15 17	26 18 22	23 18 21	23 16 19	26 18 22	26 18 22	26 18 22	22 16 19	17 13 15	17 13 15	14 8 11	18 11 14
Feeding	M F P	120 94 107	127 97 112	111 90 100	111 84 97	112 85 98	98 79 88	78 60 69	72 55 63	70 51 60	63 50 56	58 42 50	52 38 45	44 36 40	37 30 34	45 36 40
Meningitis, Inflammation of brain.	M F P	271 205 237	263 212 237	240 195 217	221 179 199	210 172 190	209 166 187	197 160 178	199 152 175	172 142 156	177 138 157	169 133 151	153 127 140	168 133 150	126 102 113	130 109 119
Softening of brain...	M F P	88 72 80	76 64 70	72 61 66	70 56 63	72 59 65	74 61 67	67 61 65	70 63 65	69 63 66	70 63 66	64 56 60	62 54 58	54 52 53	45 43 44	40 39 39
General paralysis of insane	M F P	158 84 120	162 99 130	110 32 70	105 34 68	98 32 64	110 33 71	106 31 67	107 32 68	106 31 67	101 28 63	106 30 67	100 27 62	100 23 60	102 24 62	97 21 58
Insanity (not puerperal) ...	M F P	120 94 107	112 97 112	100 90 100	97 84 97	98 85 98	88 79 88	69 60 69	63 55 63	60 51 60	56 50 56	50 42 50	45 38 45	40 36 40	34 30 34	40 36 40

* For the years 1899 and 1900, deaths from Carcinoma are included under Cancer, Malignant disease.

† Includes deaths of children under six months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899-1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Chorea	M	3	3	4	3	3	2	2	2	2	2	2	2	2	2	2
	F	8	8	8	6	6	5	7	7	7	5	7	6	5	6	6
	P	5	5	6	5	4	4	4	5	4	4	5	4	4	4	4
Epilepsy	M	89	99	97	100	99	95	91	89	87	81	86	81	80	81	81
	F	84	87	80	83	85	78	80	74	75	72	73	70	66	79	68
	P	86	93	88	91	92	86	85	81	81	76	79	75	73	75	74
Convulsions... ..	M	651	666	625	592	537	516	449	428	390	386	344	307	290	251	255
	F	483	487	465	419	376	361	317	306	280	272	242	221	202	168	182
	P	565	574	542	502	454	436	380	365	333	327	291	262	245	208	218
Laryngismus stridulus ...	M	18	17	18	17	15	13	14	11	11	14	9	7	8	7	8
	F	9	11	11	10	11	10	8	7	7	6	7	6	6	3	5
	P	14	14	14	13	13	12	11	9	9	10	8	7	7	5	6
Locomotor ataxy	M			22	26	26	25	27	28	27	28	29	28	30	31	34
	F			4	4	5	6	6	6	7	6	7	5	6	6	6
	P	95	94	13	15	15	15	16	16	17	17	17	16	18	18	20
Paraplegia, Diseases of cord	M			80	69	71	74	68	67	61	65	67	67	64	56	53
	F			60	56	55	57	55	54	53	56	52	51	46	42	46
	P			70	62	63	65	61	60	57	60	59	59	55	49	49
Neuritis, Peripheral, Polyneuritis.	M			3	8	7	8	6	8	8	8	7	7	7	5	6
	F			5	13	18	17	16	18	19	15	15	14	16	13	14
	P			4	11	12	12	11	13	14	11	11	11	12	9	11
Brain tumour (not specific)	M	95	75	13	20	22	20	22	23	23	22	23	23	21	22	22
	F	91	70	11	16	15	19	19	20	21	20	21	22	17	20	22
	P	93	73	12	18	19	20	21	22	22	21	22	22	19	21	22
Other diseases of nervous system.	M			140	121	101	110	92	94	82	76	80	70	74	64	68
	F			120	111	100	106	88	85	80	71	75	65	70	64	62
	P			130	116	101	108	90	90	81	73	77	67	72	64	65
Otitis, Mastoid disease ...	M	32	38	31	30	35	38	38	39	36	34	38	33	34	33	38
	F	25	26	26	25	26	25	28	28	28	25	24	24	28	24	25
	P	28	32	29	28	30	31	33	33	32	29	31	28	31	28	31
Epistaxis, Diseases of nose	M	3	2	3	3	2	3	2	2	2	2	2	2	3	3	3
	F	2	2	2	2	3	2	2	1	2	2	2	2	4	2	3
	P	2	2	2	2	2	2	2	2	2	2	2	2	3	3	3
Ophthalmia, Diseases of eye	M	2	3	3	2	3	2	2	2	2	1	2	1	3	2	2
	F	1	2	2	1	2	2	2	2	2	1	1	2	3	2	2
	P	2	2	2	2	2	2	2	2	2	1	2	2	3	2	2
Valvular disease, Endocarditis (not infective).*	M	366	381	363	380	383	410	415	432	444	448	455	446	475	542	581
	F	394	417	402	408	422	452	458	468	495	482	505	489	533	609	626
	P	380	399	383	395	403	431	437	450	470	465	481	468	505	577	604
Pericarditis	M	22	24	21	14	14	14	14	14	16	14	13	14	18	15	14
	F	17	15	18	12	12	11	13	11	12	11	10	11	13	11	9
	P	19	19	20	13	13	12	13	12	14	12	12	12	15	13	12
Hypertrophy of heart† ...	M	9	9	8	10	10	9	8	9	9	11	8	8	?	?	?
	F	7	6	5	6	5	6	5	5	4	5	5	3	?	?	?
	P	8	7	6	8	7	7	7	7	6	8	6	6	?	?	?
Angina pectoris	M	29	31	29	30	29	31	32	35	36	36	37	41	41	42	43
	F	15	15	13	15	14	14	17	18	18	17	18	16	19	19	18
	P	22	23	21	22	21	22	25	26	27	26	27	28	29	30	30
Dilatation of heart† ...	M			65	80	80	88	90	93	104	98	103	92	?	?	?
	F			70	78	76	92	90	89	99	93	97	87	?	?	?
	P			67	79	78	90	90	91	101	95	100	89	?	?	?
Fatty degeneration of heart	M	1117	1103	55	60	59	61	63	63	67	67	62	66	70	79	85
	F	1172	1152	63	67	65	71	70	75	76	78	78	69	79	90	96
	P	1145	1128	60	64	62	66	67	68	72	73	70	68	74	85	90
Syncope, Heart disease (not specified).†	M			897	866	816	816	758	761	769	733	727	681	743	707	719
	F			945	896	832	870	807	770	786	745	754	698	746	724	715
	P			922	881	825	844	784	766	778	739	741	690	745	716	717
Cerebral hæmorrhage, Cerebral embolism.‡	M			307	346	370	398	404	422	441	464	467	463	470	492	515
	F			350	382	433	447	462	495	510	525	543	534	554	580	599
	P	740	746	329	365	402	423	434	459	477	496	506	500	513	538	558
Apoplexy, Hemiplegia ...	M	841	816													
	F	792	782													
	P			383	336	286	268	242	238	229	217	211	191	210	195	187
				425	378	325	318	272	275	263	246	245	221	245	230	208
				405	358	306	294	258	257	247	232	228	206	228	213	198

* For years prior to 1901, deaths from infective endocarditis, and for 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease. Endocarditis (not infective).
† For years prior to 1901, deaths from "Other diseases of blood vessels," and for 1911 and subsequent years, those from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).
‡ For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES from VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899–1913.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Aneurysm* ...	M	47	45	49	53	53	53	55	53	56	51	55	52	53	54	52
	F	11	11	12	13	11	13	11	12	11	11	12	12	12	10	12
	P	28	27	30	32	31	32	32	32	33	30	33	31	32	31	31
Senile gangrene ...	M	45	48	47	45	44	46	47	47	47	47	49	44	42	40	40
	F	36	42	39	40	37	38	35	36	37	36	39	35	35	30	31
	P	40	45	43	42	40	42	41	41	42	41	44	39	39	35	36
Embolism, Thrombosis (not cerebral).†	M	39	44	16	14	11	11	10	11	14	11	12	10	10	10	11
	F	59	60	20	16	14	15	14	15	16	15	15	12	14	13	13
	P	50	53	18	16	13	13	12	13	15	13	13	11	12	12	12
Phlebitis ...	M	4	6	4	3	4	3	4	3	3	2	3	2	3	4	3
	F	7	6	6	6	6	5	5	5	5	5	5	5	4	6	6
	P	6	6	5	4	5	4	4	4	4	4	4	4	4	5	4
Varicose Veins ...	M	2	3	2	2	2	3	2	1	2	1	2	2	2	2	2
	F	4	5	4	4	4	4	5	5	4	4	4	4	5	6	6
	P	3	4	3	3	3	4	3	3	3	2	3	3	4	4	4
Other diseases of blood vessels.‡	M	?	?	49	51	50	65	71	83	91	94	115	118	141	190	229
	F	?	?	27	30	30	35	39	49	55	52	62	67	83	115	148
	P	?	?	38	40	39	50	55	65	72	72	88	92	111	151	187
Laryngitis ...	M			46	43	38	38	35	35	38	30	33	28	31	27	25
	F			41	38	29	29	28	27	27	25	23	21	23	19	19
	P	49	47	43	41	33	34	31	31	32	27	28	24	27	23	22
Membranous laryngitis (not diphtheritic).	M															
	F															
	P	41	43													
Croup (not spasmodic nor membranous).	M	36	30	28	22	15	16	16	16	12	10	8	3	2	2	1
	F	28	23	23	16	12	12	12	11	10	8	6	1	2	1	1
	P	32	26	25	18	13	14	14	13	11	9	7	2	2	1	1
Other diseases of larynx and trachea.	M	5	5	2	1	1	2	2	2	1	1	1	1	1	1	1
	F	3	3	1	1	1	1	2	1	1	1	1	1	1	1	1
	P	4	4	2	1	1	1	2	2	1	1	1	1	1	1	1
Bronchitis ...	M	1627	1713	1383	1339	1148	1262	1154	1049	1217	1109	1133	986	1007	1067	1073
	F	1586	1673	1349	1311	1085	1241	1137	1031	1216	1093	1171	941	986	1064	1018
	P	1606	1692	1366	1325	1115	1251	1145	1040	1216	1101	1152	963	996	1066	1044
Emphysema, Asthma ...	M	106	101	88	57	49	59	55	55	62	58	64	56	63	69	70
	F	72	63	57	39	30	38	37	35	38	38	46	36	41	44	43
	P	88	81	72	48	39	48	46	45	50	48	54	45	52	56	56
Pleurisy ...	M	64	73	61	48	46	43	50	44	44	42	48	44	48	49	44
	F	40	44	41	35	32	31	31	29	33	29	32	28	32	31	28
	P	52	58	51	41	39	37	40	37	38	35	40	36	39	40	36
Fibroid disease of lung ...	M			30	32	29	25	25	25	29	24	25	20	14	13	14
	F	142	138	11	10	8	10	8	7	9	9	9	6	4	4	4
	P	102	100	20	21	18	18	16	15	19	16	16	13	9	9	9
Other diseases of respiratory system.	M	121	118	108	102	94	95	89	85	77	79	79	76	80	78	69
	F			94	86	75	79	77	72	68	70	73	67	64	65	61
	P			100	94	84	87	83	79	72	74	76	71	72	71	65
Tonsillitis, Quinsy ...	M			15	14	13	13	12	12	12	12	13	10	13	11	14
	F			13	11	4	11	11	9	10	9	8	11	10	11	11
	P	36	39	14	13	11	12	12	11	11	10	11	9	12	10	12
Diseases of mouth, pharynx, œsophagus (not specific).§	M															
	F															
	P	34	35	20	20	14	19	17	17	15	14	17	18	18	16	17
Gastric ulcer ...	M			30	32	33	34	37	40	39	40	40	45	43	49	49
	F			63	69	66	69	65	61	63	57	57	57	54	51	48
	P			47	51	50	52	51	51	51	49	49	51	49	50	49
Gastritis, Gastric catarrh ...	M	165	188						100	95	96	93	93	91	80	89
	F	204	222						98	93	101	91	85	87	74	83
	P	185	205	169	144	140	132	117	99	94	99	92	89	89	77	86
Other diseases of stomach, (not malignant).	M			169	144	139	135	117		18	17	16	15	19	20	19
	F			169	144	139	133	117		14	15	13	11	17	15	16
	P									16	16	14	13	18	18	17

* Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

† For years prior to 1901, deaths from Cerebral embolism and Cerebral thrombosis are included under the heading Embolism, thrombosis (not cerebral).

‡ For years prior to 1901, deaths from "Other diseases of blood vessels" are included under the heading Syncope, Heart disease (not specified).

§ For years prior to 1901, deaths from Diseases of the Œsophagus are included under the heading "Other diseases of digestive system."

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899-1913.—MALES, FEMALES, AND PERSONS—*continued.*
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Ulceration of intestines* ...	M	12	11	197 160 178	137 118 127	147 124 135	19	17	21	28	27	28	32	32	37	38
	F	10	12				13	13	15	14	16	16	17	16	15	17
	P	11	11				16	15	18	21	21	22	24	24	26	27
Enteritis (not epidemic)*	M			139 114 126	74 59 66	87 75 81	111 88 99	126 108 117	159 133 146	114 99 106	137 116 126	116 94 105	113 94 103	176 149 162	82 66 74	128 100 114
	F	654	450													
	P	557 604	364 406													
Gastro-enteritis ...	M			47 30 38	57 34 45	63 41 52	69 44 56	67 48 57	77 48 62	69 45 57	73 50 61	75 55 64	77 55 66	91 61 75	75 55 64	78 60 68
	F															
	P															
Appendicitis, Perityphlitis	M			47 30 38	57 34 45	63 41 52	69 44 56	67 48 57	77 48 62	69 45 57	73 50 61	75 55 64	77 55 66	91 61 75	75 55 64	78 60 68
	F															
	P															
Hernia† ...	M	44	43	40	44	40	41	43	44	42	38	41	37	40	40	44
	F	49	43	44	48	45	47	48	46	47	42	44	45	46	42	47
	P	46	43	42	46	42	44	46	45	44	40	42	41	43	41	45
Intestinal obstruction ...	M	90	83	83	75	81	78	77	80	78	77	79	70	76	70	68
	F	87	80	80	73	74	71	75	74	70	74	69	70	72	67	63
	P	88	81	81	74	77	74	76	77	74	75	74	70	74	68	65
Other diseases of intestines‡	M	?	?	7	10	10	8	8	8	8	9	9	10	14	13	14
	F	?	?	6	8	8	6	7	6	8	7	8	9	11	12	13
	P	?	?	6	9	9	7	8	7	8	8	8	10	12	12	13
Peritonitis (not puerperal)	M	64	58	46	32	28	27	23	24	18	20	16	13	13	11	13
	F	61	60	48	36	32	30	26	26	22	20	18	18	20	14	15
	P	63	59	47	34	30	29	25	25	20	20	17	15	17	13	14
Cirrhosis of liver ...	M	167	162	151	144	136	135	132	127	123	121	120	106	105	107	114
	F	119	127	115	104	100	101	105	98	102	89	81	75	78	78	80
	P	142	144	132	123	118	118	118	112	112	104	100	90	91	92	96
Other diseases of liver and gall bladder.	M	109	103	85	70	61	56	53	53	51	44	48	43	43	39	38
	F	111	108	91	80	77	73	69	72	65	63	62	63	66	59	64
	P	110	105	88	75	70	65	61	63	58	54	55	53	55	49	51
Other diseases of digestive system.‡	M	21	21	20	12	16	17	11	9	11	12	13	7	7	7	8
	F	21	18	17	14	14	14	12	8	11	12	13	6	5	5	7
	P	21	20	18	13	15	15	12	9	11	12	13	7	6	6	7
Diseases of spleen ...	M	2	2	2	2	1	1	1	2	1	1	1	1	1	1	1
	F	1	1	2	2	1	1	2	1	2	1	2	1	1	1	1
	P	2	1	2	2	1	1	2	2	1	1	2	1	1	1	1
Other diseases of lymphatic system.	M	12	13	13	14	13	13	15	14	14	14	15	18	17	18	19
	F	7	8	9	8	8	8	8	9	9	9	9	10	11	11	12
	P	10	10	11	11	11	10	12	12	11	11	12	14	14	15	15
Diseases of thyroid body§	M	2	2	4	4	4	4	4	4	4	5	4	6	5	5	7
	F	17	17	23	22	22	23	23	24	25	25	29	30	33	33	33
	P	10	10	14	13	13	14	14	14	15	16	17	18	20	19	20
Diseases of supra renal capsules.	M	6	6	5	5	6	6	5	7	5	6	6	6	6	6	6
	F	7	7	5	5	6	6	7	6	5	7	8	7	8	8	6
	P	6	6	5	5	6	6	6	7	5	6	7	6	7	7	6
Acute nephritis, Uræmia...	M	101	111	111	102	97	102	102	103	111	116	115	110	110	109	114
	F	83	80	77	81	80	84	84	88	89	95	102	92	101	93	99
	P	92	95	93	91	89	93	93	95	99	105	108	100	105	101	106
Chronic Bright's disease, Albuminuria.	M	320	345	332	315	315	335	317	331	332	316	328	319	327	332	355
	F	260	269	264	247	256	261	252	258	272	258	267	261	269	275	280
	P	289	306	297	280	284	296	283	294	301	286	296	289	297	303	316
Calculus (not biliary) ...	M	12	11	12	11	10	11	11	11	12	9	9	9	11	10	11
	F	3	5	4	4	4	5	4	4	4	4	5	4	4	5	4
	P	8	8	7	8	7	8	7	8	8	7	7	7	7	7	7
Diseases of bladder and of prostate.	M	137	133	135	138	141	138	136	145	131	133	129	126	144	134	133
	F	13	15	13	14	13	14	13	13	13	14	13	12	14	13	12
	P	73	72	72	74	75	74	73	77	70	71	69	67	77	71	71
Other diseases of urinary system.¶	M	30	18	15	29	28	28	30	29	28	29	25	31	33	32	33
	F	14	7	9	7	8	8	8	9	8	7	7	9	10	11	11
	P	22	13	12	18	17	18	19	18	18	17	16	20	21	21	21
Ovarian tumour (not malignant).	M			21	22	22	20	22	21	20	16	17	16	17	15	14
	F			11	11	11	10	11	11	10	8	9	8	9	8	7
	P	27 14	24 13													
Other diseases of ovary ...	M															
	F															
	P															

* For the years 1901-3, deaths from Ulceration of intestines are included under the heading Enteritis (not epidemic).
† Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
‡ For years prior to 1901, deaths from Diseases of the Oesophagus and from "Other diseases of intestines" are included under the heading "Other diseases of digestive system."
§ Deaths from Cretinism and Myxoedema, which in the old tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.
¶ From 1902 onwards, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhoea.

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899–1913.—MALES, FEMALES, AND PERSONS—*continued*.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Uterine tumour (not malignant).	M	—	—	20	20	21	20	21	20	18	20	16	17	17	17	17
	F	43	40	10	10	11	10	11	10	9	10	8	9	9	9	9
	P	22	21	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of uterus and vagina.	M	—	—	19	18	16	18	19	17	18	16	18	15	19	17	17
	F	—	—	10	9	8	9	10	9	9	8	10	8	10	9	9
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	6	5	3	3	2	2	2	3	2	2	1	2	1	2
	P	3	3	2	2	2	1	1	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs.	M	6	7	5	4	3	4	3	4	3	2	3	4	4	4	5
	F	4	3	1	1	0	1	1	1	1	1	1	1	1	1	2
	P	5	5	3	3	2	3	2	2	2	2	2	2	3	3	3
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	13	9	9	9	8	9	8	6	5	5	4	5	6	6
	P	6	7	5	4	5	4	4	4	3	2	2	2	2	3	3
Puerperal mania ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	4	4	5	4	4	4	4	4	3	2	3	2	2	1
	P	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	23	22	24	24	23	27	25	25	23	25	24	24	24	28
	P	11	12	12	12	12	12	14	13	13	12	13	12	13	12	14
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	42	37	42	37	39	33	35	35	34	31	31	33	30	32	32
	P	22	19	21	19	20	17	18	18	18	16	16	17	15	17	17
Other accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	65	69	60	55	52	48	49	48	46	46	43	40	40	42	41
	P	33	36	31	28	27	25	26	25	24	24	22	21	21	22	21
Caries, Necrosis ...	M	29	28	27	26	23	19	17	16	12	12	6	2	2	2	2
	F	21	21	20	18	17	13	14	11	10	8	4	1	1	1	1
	P	25	24	23	21	20	16	15	13	11	10	5	2	2	2	2
Arthritis, Periostitis ...	M	11	11	7	9	7	8	8	7	8	10	9	7	23	24	24
	F	8	7	5	5	5	6	5	5	6	5	6	6	15	15	16
	P	9	9	6	7	6	7	7	6	7	7	7	7	19	20	20
Other diseases of locomotor system.	M	12	9	12	9	10	10	11	12	9	9	10	12	8	8	8
	F	11	9	10	8	8	7	8	10	6	6	7	8	8	8	8
	P	12	9	11	9	9	8	9	11	7	7	8	10	8	8	8
Ulcer, Bed-sore ...	M	11	12	10	8	10	8	9	9	9	8	9	9	8	8	8
	F	22	22	19	16	15	17	17	17	19	17	15	17	14	15	15
	P	17	17	15	12	12	13	13	13	14	12	12	13	11	12	12
Eczema ...	M	13	14	12	14	13	12	12	12	10	10	8	8	10	9	8
	F	9	9	10	8	8	8	7	6	7	6	6	6	5	5	4
	P	11	12	11	11	10	10	9	9	8	8	7	7	7	7	6
Pemphigus ...	M	5	6	6	5	6	6	9	8	7	8	7	7	4	4	4
	F	4	5	4	4	5	5	7	6	6	6	6	5	4	3	4
	P	5	6	5	4	6	6	8	7	6	7	6	6	4	3	4
Other diseases of the skin	M	7	9	8	7	6	6	7	7	8	7	6	7	7	7	8
	F	7	8	7	7	6	6	7	6	7	6	7	6	8	7	8
	P	7	9	7	7	6	6	7	6	7	6	7	7	7	7	8
Other specified diseases* ...	M	24	27	—	0	0	0	0	—	—	—	—	—	—	—	—
	F	44	45	—	0	—	—	—	—	—	—	0	—	—	—	—
	P	34	36	—	0	0	0	0	—	—	—	0	—	—	—	—
Atrophy, Debility ...	M	733	730	704	621	608	598	553	536	497	498	459	425	451	357	374
	F	553	540	517	459	449	447	394	395	350	356	334	308	321	244	261
	P	640	632	607	537	526	520	471	463	421	424	395	364	382	299	316
Old age ...	M	873	879	829	826	807	844	820	856	829	835	850	776	828	749	719
	F	1089	1082	1019	1012	998	1062	1030	1071	1061	1040	1066	996	1043	965	903
	P	984	983	930	923	902	962	928	970	951	950	959	890	936	857	814
Dropsy, Ascites, Anasarca	M	9	8	5	5	4	3	3	2	4	2	1	1	1	1	1
	F	13	13	8	6	6	4	4	3	4	2	2	1	2	1	1
	P	11	11	7	5	5	4	4	2	4	4	2	2	2	2	2
Tumour ...	M	2	2	2	2	2	2	2	2	2	2	2	2	3	4	3
	F	3	3	3	3	3	3	3	2	3	3	3	3	4	4	4
	P	3	2	3	2	3	3	2	2	3	2	3	2	3	4	4
Abscess ...	M	11	11	11	11	11	10	8	8	9	12	8	8	7	9	9
	F	11	10	9	9	9	7	6	7	8	9	7	6	5	6	6
	P	11	11	10	10	10	9	7	8	8	11	8	7	6	7	7

* The figures for years prior to 1901 refer to deaths then classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

TABLE 20.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1899–1913.—MALES, FEMALES, AND PERSONS—*continued*.
(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Hæmorrhage* ...	M	5	4	1	2	2	1	1	1	1	1	1	2	2	1	1
	F	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	4	4	1	2	1	1	1	1	1	1	1	1	2	1	1
Sudden death (cause unascertained).	M	8	9	7	6	6	2	1	1	1	0	0	0	0	0	0
	F	5	7	4	5	3	1	1	0	0	1	1	0	0	0	0
	P	7	8	5	5	4	1	1	1	1	0	1	0	0	0	0
Other ill-defined causes ...	M	3	2	13	25	28	27	28	28	25	24	23	23	16	12	10
	F	1	2	9	18	21	20	22	18	16	15	15	13	10	8	7
	P	2	2	11	21	25	23	25	23	21	19	19	18	13	10	9
Causes not specified ...	M	61	61	43	21	9	9	8	6	7	5	4	6	6	4	4
	F	42	47	26	15	7	5	4	3	4	3	3	4	3	3	3
	P	51	54	34	18	8	7	6	5	5	4	3	5	4	4	4
Violent Deaths :—																
In mines and quarries ...				64	61	58	60	68	65	65	67	80	75	85	68	66
				0	—	0	—	—	0	—	—	—	—	—	—	—
				31	30	28	29	33	31	31	33	39	36	41	33	32
Vehicles and horses ...				146	139	133	129	126	128	131	125	112	115	131	133	148
				23	19	19	19	20	21	19	20	19	22	25	25	30
				82	77	74	72	71	73	73	71	64	67	76	77	87
Ships, boats, and docks (not drowning).				21	17	18	18	17	16	15	16	15	15	17	19	18
				0	0	0	—	0	0	0	0	0	0	0	0	0
				10	8	9	8	8	8	7	8	7	7	8	9	9
Building operations ...				12	13	13	12	14	14	14	13	10	11	12	12	12
				6	6	6	6	7	7	7	6	5	6	6	6	6
				13	16	15	15	12	14	14	13	12	11	14	13	14
Machinery ...				1	1	1	0	1	1	0	1	0	1	1	0	0
				7	8	8	7	6	7	7	6	6	6	7	6	7
				8	7	6	7	6	6	5	5	6	5	5	6	7
Weapons and implements				1	1	1	1	0	1	1	1	1	1	1	1	1
				5	4	3	4	3	3	3	3	3	2	3	3	4
				8	7	6	7	6	6	5	5	6	5	5	6	7
Burns and scalds ...	M	800	764	78	64	62	62	63	65	66	63	64	57	60	55	53
		327	300	91	86	75	79	83	86	84	87	86	72	75	75	66
		554	525	84	75	69	71	73	76	75	75	75	65	68	65	60
Poisons, poisonous vapours				19	21	18	20	19	21	20	21	21	19	12	12	11
				12	9	10	11	11	11	12	10	10	11	7	6	7
				16	15	14	15	15	16	16	16	16	14	10	9	9
Drowning ...				150	117	131	124	126	119	112	121	105	108	128	116	112
				24	23	24	22	25	21	20	22	22	21	22	23	22
				85	69	76	71	74	68	65	70	62	63	73	68	66
Suffocation ...				65	68	63	68	62	59	62	55	48	46	43	45	43
				56	56	54	56	49	50	48	49	42	40	37	40	36
				60	62	59	62	55	55	55	52	45	42	40	43	39
Falls ...				96	94	86	85	78	83	87	82	78	74	87	91	86
				77	69	68	66	63	67	71	68	69	58	70	71	75
				86	81	77	75	70	75	79	75	74	66	78	80	80
Weather agencies ...				19	11	10	12	10	13	8	10	8	8	26	11	10
				8	4	2	5	4	5	2	3	3	2	11	3	3
				13	7	6	8	7	9	4	7	6	5	18	7	6
Otherwise or not stated				73	59	57	57	57	52	51	54	48	51	44	44	38
				20	18	17	17	14	16	15	15	15	21	16	15	13
				45	38	36	36	35	34	33	34	31	35	30	29	25
Battle ...	M	—	1	0	0	0	—	0	0	0	0	—	—	0	0	0
		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		—	0	0	0	0	—	0	0	0	0	—	—	0	0	0
Homicide ...	M	9	9	10	8	9	11	8	8	8	9	8	8	9	8	8
		9	8	10	10	9	9	10	8	7	9	8	8	7	9	9
		9	9	10	9	9	10	9	8	8	9	8	8	8	9	9
Suicide ...	M	138	139	147	154	164	155	163	160	157	167	157	155	152	153	145
		44	44	48	47	51	47	49	45	50	51	49	48	50	48	48
		89	90	96	99	105	99	104	101	102	107	101	100	99	98	95
Execution ...	M	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1
		0	0	—	—	—	—	—	—	—	—	—	—	—	—	—
		0	0	0	1	1	1	1	0	0	0	1	0	0	0	0

* Deaths from Rupture of blood vessels are included under this heading for years prior to 1901, and under "Other diseases of blood vessels" subsequently.

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1913.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	14,655	12,763	13,678	32	Tuberculosis of spinal column.	18	16	17
1	Enteric fever ...	51	31	41	33	Tuberculosis of joints	11	8	10
2	Typhus... ..	0	—	0	34	Tuberculosis of other organs.	18	16	16
3	Relapsing fever ...	0	0	0		A. Lupus	1	2	1
	A. Relapsing fever...	—	—	—		B. Scrofula	0	0	0
	B. Mediterranean fever.	0	0	0		C. Other tuberculosis included under 34.	17	14	15
4	Malaria	3	0	2	35	Disseminated tuberculosis.	63	48	55
5	Small-pox	0	0	0	28-35	Tuberculosis (all forms)	1,549	1,145	1,340
6	Measles... ..	312	266	288	36	Rickets, Softening of bones.	32	22	27
7	Scarlet fever ...	59	55	57		A. Rickets	31	20	25
8	Whooping cough ...	135	160	148		B. Other forms of bone softening.	1	2	2
9	Diphtheria, Croup ...	122	121	121	37	Syphilis	66	46	56
	A. Diphtheria ...	120	120	120	38	Other venereal diseases	2	2	2
	B. Membranous laryngitis.	1	0	0		A. Soft chancre ...	0	—	0
	C. Croup	1	1	1		B. Gonococcus infection.	1	1	1
10	Influenza	188	159	173	39	C. Purulent ophthalmia.	1	1	1
11	Miliary fever ...	—	—	—	40	Cancer of the buccal cavity.	120	17	67
12	Asiatic cholera ...	—	—	—	41	Cancer of the stomach, liver, &c.	376	333	354
13	Cholera nostras ...	1	1	1	42	Cancer of the peritoneum, intestines, and rectum.	211	215	213
14	Dysentery	6	6	6	43	Cancer of the female genital organs.	—	255	132
15	Plague	—	—	—	44	Cancer of the breast ...	1	202	105
16	Yellow fever ...	—	—	—	45	Cancer of the skin ...	32	16	24
17	Leprosy	0	—	0		Cancer of other or unspecified organs.	207	117	160
18	Erysipelas	24	19	22	39-45	Cancer (all sites) ...	947	1,155	1,055
19	Other epidemic diseases	4	4	4	46	Other tumours (situation undefined).	3	4	4
	A. Mumps	1	1	1		A. Angioma	0	0	0
	B. German measles	1	1	1		B. Adenoma	—	—	—
	C. Varicella... ..	2	2	2		C. Other tumours included under 46.	3	4	4
	D. Other diseases included under 19.	—	—	—	47	Rheumatic fever ...	47	49	48
20	Pyæmia, Septicæmia ...	21	10	16	48	Chronic rheumatism, Osteo-arthritis, Gout.	44	63	54
	A. Pyæmia	3	2	3		A. Chronic rheumatism.	10	12	11
	B. Septicæmia ...	18	8	13		B. Osteo-arthritis ...	17	47	33
	C. Vaccinia	0	0	0		C. Gout	17	4	10
21	Glanders	0	—	0	49	Scurvy	1	1	1
22	Anthrax (Splenic fever)	0	0	0	50	Diabetes	119	115	117
23	Rabies	—	—	—	51	Exophthalmic goitre ...	2	19	11
24	Tetanus	8	2	5	52	Addison's disease ...	6	6	6
25	Mycoses	1	1	1	53	Leucocythæmia, Lymphadenoma.	21	16	18
	A. Actinomycosis ...	1	1	1		A. Leucocythæmia (Leuchæmia).	11	10	10
	B. Other mycoses ...	0	0	0		B. Lymphadenoma	10	6	8
26	Pellagra	0	0	0	54	Anæmia, Chlorosis ...	53	65	59
27	Beri-beri	1	—	0	55	Other general diseases	16	11	13
28	Pulmonary tuberculosis (not acute).	1,067	753	906		A. Diabetes insipidus	1	1	1
	A. Pulmonary tuberculosis.	717	488	599		B. Purpura	10	7	8
	B. Phthisis (not defined as tuberculous).	350	265	307		C. Hæmophilia ...	4	2	3
29	Acute phthisis, Acute miliary tuberculosis.	111	87	98		D. Other diseases included under 55.	1	1	1
	A. Acute phthisis ...	87	65	75					
	B. Acute miliary tuberculosis.	24	22	23					
28-29	Phthisis	1,178	840	1,004					
30	Tuberculous meningitis	150	123	136					
31	Tuberculosis of peritoneum and intestines.	111	94	102					
	A. Tabes mesenterica	19	13	16					
	B. Other peritoneal and intestinal tubercle.	92	81	86					

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1913—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	23	13	18	72	Chorea... ..	2	6	4
57	Chronic lead poisoning	4	0	2	73	Hysteria, Neuralgia, Neuritis.	9	21	16
	A. Occupational lead poisoning.	4	0	2		A. Hysteria, Neuralgia, Sciatica.	1	2	2
	B. Non-occupational lead poisoning.	0	0	0		B. Neuritis... ..	8	19	14
58	Other chronic occupational poisonings.	—	—	—	74	Other diseases of the nervous system.	51	50	51
59	Other chronic poisonings.	0	0	0		A. Idiocy Imbecility	5	5	5
60	Encephalitis	10	8	9		B. Cretinism	1	1	1
61	Meningitis	124	106	115		C. Cerebral tumour	22	22	22
	A. Cerebro-spinal fever.	4	4	4		D. Other diseases included under 74.	23	22	23
	B. Posterior basal meningitis.	5	4	5	75	Diseases of the eyes and annexa.	2	1	1
	C. Meningitis—other forms.	115	98	106	76	Diseases of the ears ...	37	25	31
62	Locomotor ataxy	34	6	20		A. Mastoid disease	10	7	9
63	Other diseases of the spinal cord.	81	66	73		B. Other diseases of the ears.	27	18	22
	A. Diseases formerly classed to "Other nervous affections."	31	23	27	77	Pericarditis	14	9	12
	B. Other diseases included under 63.	50	43	46	78	Acute endocarditis ...	45	49	47
64	Cerebral hæmorrhage, Apoplexy.	598	680	640		A. Acute myocarditis.	8	8	8
	A. Apoplexy	133	146	140		B. Infective endocarditis.	16	16	16
	B. Serous apoplexy and Edema of brain.	3	4	4		C. Other acute endocarditis.	21	25	23
	C. Cerebral congestion.	3	4	3	79	Organic disease of the heart.	1,308	1,374	1,342
	D. Cerebral atheroma.	8	7	7		A. Valvular disease	561	602	582
	E. Cerebral hæmorrhage.	451	519	486		B. Fatty degeneration of the heart.	87	97	92
65	Softening of brain	40	39	40		C. Other organic disease of the heart.	660	675	668
66	Paralysis without specified cause.	64	73	69	80	Angina pectoris	43	18	30
	A. Hemiplegia	54	63	59	81	Diseases of the arteries, Atheroma, Aneurysm, &c.	273	154	211
	B. Paraplegia	3	4	3		A. Aneurysm	52	12	31
	C. Other forms of paralysis.	7	6	7		B. Arterial sclerosis	216	139	176
67	General paralysis of the insane.	97	21	58		C. Other diseases of arteries.	5	3	4
68	Other forms of mental alienation.	22	32	27	82	Embolism and thrombosis.	74	92	84
69	Epilepsy	81	68	74		A. Cerebral embolism and thrombosis.	65	82	74
70	Convulsions (non-puerperal; 5 years and over).	3	3	3		B. Other embolism and thrombosis.	9	10	10
	A. Epileptiform convulsions.	1	1	1	83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	5	12	8
	B. Others included under 70.	2	2	2		A. Phlebitis	3	6	4
71	Infantile convulsions (under 5 years of age).	296	214	253		B. Varix	2	6	4
	A. Convulsions with teething.	43	34	38		C. Pylephlebitis ...	0	0	0
	B. Other infantile convulsions.	253	180	215	84	D. Varicocele	—	—	—
						Diseases of the lymphatic system (Lymphangitis, &c.)	9	6	8
						A. Status lymphaticus.	6	4	5
						B. Other diseases of the lymphatic system.	3	2	3

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1913—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	6	5	6		C. Parotitis ...	1	1	1
	A. Functional disease of the heart.	4	3	4		D. Other diseases of mouth and annexe.	1	1	1
	B. Epistaxis ...	1	1	1	100	Diseases of the pharynx, Tonsillitis.	19	14	17
	C. Other diseases included under 85.	1	1	1		A. Tonsillitis ...	14	11	12
86	Diseases of the nasal fossæ.	3	2	2		B. Ludwig's angina	1	0	1
87	Diseases of the larynx	34	25	29		C. Other diseases of the pharynx.	4	3	4
	A. Laryngismus stridulus.	8	5	6	101	Diseases of the œsophagus.	1	1	1
	B. Laryngitis ...	25	19	22	102	Perforating ulcer of stomach.	50	48	49
	C. Other diseases of larynx.	1	1	1	103	Other diseases of the stomach.	109	100	105
88	Diseases of the thyroid body.	3	13	8		A. Inflammation of stomach.	90	84	87
89 & 90	Bronchitis ...	1,093	1,035	1,062		B. Other diseases included under 103.	19	16	18
	A. Bronchiectasis, Bronchial catarrh, &c.	19	16	17	104 & 105	Diarrhœa and enteritis	799	614	706
	B. Other bronchitis	1,074	1,019	1,045		A. Infective enteritis	276	221	248
91	Broncho-pneumonia...	526	439	481		B. Diarrhœa — not returned as infective.	190	148	169
92	Pneumonia, lobar and undefined.	678	402	535		C. Enteritis — not returned as infective.	128	100	114
	A. Lobar pneumonia	284	156	218		D. Gastro-enteritis — not returned as infective.	154	121	137
	B. Pneumonia (type not stated).	394	246	317		E. Dyspepsia — under 2 years.	11	7	9
93	Pleurisy ...	44	29	36		F. Colic ...	2	2	2
	A. Empyema ...	16	8	12		G. Ulceration of intestines.	7	8	8
	B. Other Pleurisy...	28	21	24		H. Duodenal ulcer	31	7	19
94	Pulmonary congestion, Pulmonary apoplexy.	47	45	47	106	Ankylostomiasis ...	—	0	0
	A. Pulmonary apoplexy and infarction.	1	1	1	107	Other intestinal parasites.	0	1	1
	B. Pulmonary œdema and congestion.	40	37	39	108	Appendicitis ...	78	60	69
	C. Hypostatic pneumonia.	6	7	7	109	Hernia, Intestinal obstruction.	110	109	109
	D. Collapse of lung (3 months and over).	0	0	0		A. Hernia ...	44	47	45
95	Gangrene of the lung	3	2	2		B. Intestinal obstruction.	66	62	64
96	Asthma ...	56	37	46	110	Other diseases of the intestines.	14	13	14
97	Pulmonary emphysema.	14	6	10	111	Acute yellow atrophy of the liver.	1	2	1
98	Other diseases of the respiratory system.	21	10	16	112	Hydatid of liver ...	1	1	1
	A. Fibroid disease of lung.	14	4	9	113	Cirrhosis of the liver	127	92	108
	B. Other diseases included under 98.	7	6	7		A. Cirrhosis of the liver not returned as alcoholic.	114	80	96
99	Diseases of the mouth and annexe.	16	13	14		B. Cirrhosis of the liver returned as alcoholic.	10	8	9
	A. Diseases of the teeth and gums.	9	8	8		C. Diseases formerly classed to "Other diseases of liver and gall bladder."	3	4	3
	B. Thrush, Aphthous stomatitis.	5	3	4					

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1913—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	12	33	23	131	Ovarian cyst, tumour (non cancerous).	—	14	7
115	Other diseases of the liver.	22	26	24	132	Other diseases of the female genital organs.	—	11	5
116	Diseases of the spleen	1	1	1		A. Diseases of ovary (excluding ovarian tu- mour).	—	1	0
	A. Infarction of spleen.	0	0	0		B. Other diseases in- cluded under 132).	—	10	5
	B. Other diseases of the spleen.	1	1	1					
117	Peritonitis (cause un- stated).	13	15	14	133	Non-puerperal diseases of the breast (non- cancerous).	0	2	1
118	Other diseases of the digestive system.	7	5	7	134	Accidents of preg- nancy.	—	20	10
	A. Abdominal ab- scess, Sub- phrenic abscess.	1	0	1		A. Abortion ...	—	6	3
	B. Other diseases in- cluded under 118.	6	5	6		B. Hæmorrhage of pregnancy.	—	6	3
119	Acute nephritis ...	58	48	53		C. Uncontrollable vomiting.	—	2	1
120	Bright's disease ...	409	318	363		D. Ectopic gestation	—	4	2
	A. Bright's disease as in 1901 list.	354	277	315		E. Other accidents of pregnancy.	—	2	1
	B. Nephritis (un- qualified), 10 years and over, and Uræmia.	55	41	48	135	Puerperal hæmorrhage	—	27	14
121	Chyluria ...	—	0	0	136	Other accidents of childbirth.	—	20	10
122	Other diseases of the kidney and annexa.	15	12	13	137	Puerperal fever ...	—	58	30
	A. Abscess of kidney	2	1	1	138	Puerperal albuminuria and convulsions.	—	40	20
	B. Cystic disease ...	1	1	1		A. Puerperal ne- phritis and uræmia.	—	9	5
	C. Suppression of urine.	1	0	0		B. Puerperal albu- minuria and Bright's disease.	—	3	1
	D. Other diseases in- cluded under 122.	11	10	11		C. Puerperal con- vulsions.	—	28	14
123	Calculi of the urinary passages.	11	4	7	139	Puerperal phlegmasia alba dolens, em- bolism, and sudden death.	—	17	9
124	Diseases of the bladder	52	12	32		A. Puerperal phleg- masia alba dolens and phlebitis.	—	3	2
125	Diseases of the urethra, Urinary abscess, &c.	21	0	10		B. Puerperal em- bolism and sudden death.	—	14	7
	A. Perineal abscess	1	—	0	140	Puerperal insanity ...	—	1	1
	B. Other diseases of urethra, &c.	20	0	10	141	Puerperal diseases of the breast.	—	1	0
126	Diseases of the pros- tate.	81	—	39	142	Gangrene ...	44	35	41
127	Non-venereal diseases of male genital organs.	2	—	1		A. Senile gangrene	40	31	36
128	Uterine hæmorrhage (non-puerperal).	—	2	0		B. Noma, Gangrene of mouth.	2	2	2
	A. Menorrhagia ...	—	1	0		C. Noma pudendi ...	1	0	1
	B. Other uterine hæmorrhage.	—	1	0		D. Other gangrene	1	2	2
129	Uterine tumour (non- cancerous).	—	17	9	143	Carbuncle, Boil ...	8	4	6
130	Other diseases of the uterus.	—	7	3	144	Phlegmon, Acute ab- scess.	22	15	18
	A. Disorders of men- struation (ex- cept menorr- hagia).	—	1	0		A. Phlegmon ...	15	10	12
	B. Other diseases in- cluded under 130.	—	6	3		B. Acute abscess ...	7	5	6

TABLE 21.—ENGLAND AND WALES.—CRUDE DEATH-RATES at ALL AGES from
VARIOUS CAUSES, 1913—*continued*.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
145	Diseases of the integumentary system.	27	30	29	163	Other suicides ...	1	1	1
	A. Ulcer, Bedsore...	8	15	12	164	Poisoning by food ...	3	3	3
	B. Eczema ...	8	4	6	165	Other acute poisonings	7	5	6
	C. Pemphigus ...	4	4	4	166	Conflagration ...	2	1	1
	D. Other diseases of the integumentary system.	7	7	7	167	Burns (conflagration excepted).	51	64	58
146	Diseases of the bones	18	10	14	168	Absorption of deleterious gases (conflagration excepted).	42	34	38
147	Diseases of the joints	4	3	3	169	Accidental drowning	112	22	66
148	Amputations ...	—	—	—	170	Injury by firearms ...	6	1	3
149	Other diseases of locomotor system.	1	1	1	171	Injury by cutting or piercing instruments.	2	0	1
150	Congenital malformations.	124	91	108	172	Injury by fall ...	110	75	92
	A. Congenital hydrocephalus.	12	7	10	173	Injury in mines and quarries.	65	—	31
	B. Phimosi ...	1	—	1	174	Injury by machines ...	16	0	8
	C. Congenital malformation of heart.	50	35	42	175	Injury by other crushing (vehicles, railways, landslides, &c.).	161	31	94
	D. Other congenital malformations.	61	49	55	176	Injury by animals ...	5	0	3
151	Premature birth, Infantile debility, Icterus, and Sclerema.	938	675	802	177	Starvation ...	1	0	1
	A. Premature birth	548	412	478	178	Excessive cold ...	4	1	2
	B. Infantile atrophy, debility, and marasmus.	355	243	297	179	Effects of heat ...	5	3	4
	C. Icterus neonatorum.	26	14	20	180	Lightning ...	1	0	0
	D. Sclerema and cedema neonatorum.	1	1	1	181	Electricity (lightning excepted).	1	—	1
	E. Want of breast milk.	8	5	6	182	Homicide by firearms	1	1	1
152	Other diseases peculiar to early infancy.	101	63	81	183	Homicide by cutting or piercing instruments.	1	1	1
	A. Diseases of umbilicus, &c.	11	8	9	184	Homicide by other means.	6	7	6
	B. Atelectasis ...	52	32	42	185	Fractures (cause not specified).	2	1	2
	C. Injuries at birth	36	22	29	186	Other violence ...	24	9	16
	D. Cyanosis neonatorum.	2	1	1	187	Dropsy ...	1	1	1
153	Lack of care ...	5	5	5	188	Syncope, Sudden death	9	5	7
154	Old age ...	753	932	839		A. Syncope (aged 1 year and under 70 years).	9	5	7
	A. Senile dementia	28	31	30		B. Sudden death not otherwise defined.	0	0	0
	B. Senile decay ...	725	901	809	189	Ill-defined causes ...	77	56	68
155	Suicide by poison ...	17	11	14		A. Heart failure (aged 1 year and under 70 years).	42	26	34
156	Suicide by asphyxia ...	6	3	4		B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	19	18	19
157	Suicide by hanging or strangulation.	41	9	25		C. Teething ...	2	2	2
158	Suicide by drowning.	26	15	20		D. Pyrexia ...	0	0	0
159	Suicide by firearms ...	14	1	7		E. Other ill-defined deaths.	10	7	9
160	Suicide by cutting or piercing instruments.	27	6	16		F. Cause not specified.	4	3	4
161	Suicide by jumping from high place.	3	2	2					
162	Suicide by crushing...	10	1	5					

TABLE 22.—ENGLAND AND WALES.—ANNUAL DEATH-RATES from the PRINCIPAL EPIDEMIC DISEASES, 1838-1913.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	Pyrexia, (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838-42 (5 years)	576	539	797		?	504	1,053			?	?		?	?
1847-50 (4 years)	292	403	884		?	480	1,246			1,115	2,385		?	1,345
1851-55	249	399	907		?	511	983			1,114	2,481		?	1,439
1856-60	195	425	806	246	520	498	842			1,185	2,201	609	1,379	1,398
1861-65	219	457	982	248	535	516	922			1,265	2,646	617	1,422	1,437
1866-70	105	428	960	127	335	545	850			1,180	2,589	314	891	1,511
1871-75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876-80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881-85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886-90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891-95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896-1900	7	421	135	272	307	359	1	175	4	1,260	380	790	893	1,079
1901-05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906-10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1864	364	397	1,418	261	585	409	960			1,101	3,796	642	1,546	1,142
1865	301	405	837	196	476	469	1,089			1,122	2,243	484	1,265	1,140
1866	139	511	546	140	381	736	986			1,414	1,465	346	1,019	2,050
1867	114	304	567	120	322	548	778			838	1,529	298	861	1,523
1868	91	528	996	137	341	419	895			1,460	2,681	340	907	1,164
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,177	159	426	435	707
1912	0	351	54	117	118	229	0	44	0	1,139	166	368	372	748
1913	0	288	57	120	121	148	0	41	0	932	171	379	384	482

TABLE 23.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs : MORTALITY FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1912 AND 1913. *Note.*—The figures for 1912 relate to the several areas as then constituted.

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.				Mortality per 100,000 Persons Living.				Mortality per 1,000 Births.													
	Mortality per Million Persons Living at All Ages.				At Ages under 5 Years.				At Ages under 15 Years.													
	Small- pox.	Enteric Fever.	Tuberculosis, All Forms.	Phthisis.	Measles.	Whooping cough.	Scarlet Fever.	Diphtheria and Croup.	Total Deaths under One Year.	Diarrhea and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.								
										1912.	1913.	1912.	1913.		1912.	1913.	1912.	1913.				
																			1912.	1913.	1912.	1913.
1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.							
England and Wales	0	44	1,366	1,340	1,039	1,004	302	243	208	134	17	17	37	38	95	108	9.18	24.20	2.59	2.70	1.39	1.26
<i>Administrative Counties.</i>	0	38	1,246	1,219	944	914	230	213	188	123	13	14	34	35	89	100	8.11	20.24	2.63	2.67	1.43	1.19
Bedfordshire...	—	25	1,007	1,215	810	940	161	72	224	103	12	17	19	53	82	85	5.66	8.67	1.72	2.41	0.98	1.45
Berkshire ...	—	5	1,056	1,058	759	808	106	126	138	79	4	3	30	14	64	70	3.44	6.31	1.59	3.16	1.06	1.58
Buckinghamshire	—	9	984	894	764	729	86	103	114	121	1	4	27	13	78	70	6.16	8.28	1.83	2.24	0.91	1.34
Cambridgeshire	—	31	1,167	1,083	904	860	33	41	223	230	38	21	167	94	68	76	4.58	6.67	0.76	1.96	0.76	2.35
Cheshire*	—	2	1,150	1,102	825	772	224	159	151	156	18	18	32	44	91	106	7.70	18.97	3.78	3.17	1.62	1.66
Cornwall ...	—	30	1,520	1,445	1,238	1,162	72	124	125	52	4	3	29	49	85	91	5.96	12.25	2.75	2.95	1.07	0.78
Cumberland ...	—	8	1,374	1,413	994	1,032	779	170	241	60	13	2	30	38	111	109	7.55	15.45	2.99	4.26	1.89	1.10
Derbyshire ...	—	51	1,021	1,016	718	711	193	250	200	125	23	15	27	42	95	111	7.13	20.93	2.13	3.26	1.65	1.22
Devonshire ...	—	52	1,048	1,255	830	973	42	87	157	97	5	6	43	36	74	77	4.65	11.36	2.27	4.76	2.50	0.49
Dorsetshire ...	—	4	867	854	655	696	24	29	121	134	13	3	57	57	62	75	2.30	5.16	2.76	3.52	1.84	0.23
Durham ...	1	67	1,420	1,451	893	864	365	282	204	132	27	41	43	50	107	137	8.77	28.33	3.14	3.76	1.05	1.07
Ely, Isle of ...	—	43	1,192	1,056	923	817	95	174	216	174	9	—	14	14	91	95	8.52	8.92	—	1.19	0.66	1.78
Essex ...	—	24	1,106	1,091	843	803	92	145	188	108	7	6	28	26	71	74	5.49	11.47	2.32	1.90	1.77	1.07
Gloucestershire	—	6	970	1,127	782	880	98	132	154	63	7	13	29	30	72	73	6.70	9.16	4.21	3.05	0.78	1.22
Herefordshire	—	—	1,067	1,260	849	1,041	63	45	135	45	9	6	15	21	71	77	4.24	4.96	2.97	3.72	1.70	1.24
Hertfordshire	—	13	999	942	804	741	93	86	132	89	6	3	24	16	63	61	4.96	8.31	2.24	2.04	1.76	0.78
Huntingdonshire	—	18	1,255	751	1,022	536	176	158	317	105	—	12	17	17	74	67	1.61	7.21	1.61	0.90	2.42	1.80
Kent ...	—	47	1,193	1,141	908	858	79	148	202	97	7	8	49	32	76	79	6.14	13.74	1.84	2.40	1.09	1.01
Lancashire ...	—	87	1,255	1,161	916	858	292	300	246	133	19	17	41	41	105	125	11.38	34.44	3.74	3.37	1.79	1.60
Leicestershire	—	44	1,196	1,259	895	992	159	99	170	95	20	10	28	36	80	93	2.96	12.38	3.14	3.44	1.05	1.55
Lincolnshire, Holland	—	60	1,269	1,034	874	666	109	205	272	130	12	4	15	46	91	94	6.57	12.91	3.54	1.49	0.51	0.99
” Kesteven	—	27	1,042	1,043	748	734	43	241	78	362	6	—	48	41	71	90	6.26	10.33	1.67	3.18	0.42	1.19
” Lindsey	—	50	1,107	1,072	773	738	57	127	136	75	1	5	19	33	89	100	4.71	13.51	2.86	2.95	1.01	1.21
London ...	0	27	1,713	1,654	1,391	1,335	374	307	204	164	12	13	34	33	91	106	12.45	27.96	0.99	1.59	2.14	1.24
Middlesex ...	—	22	1,075	1,046	835	803	120	244	176	110	7	6	29	32	76	84	6.60	16.22	1.73	1.59	1.55	1.15
Monmouthshire	—	74	812	869	623	624	749	39	205	164	11	26	24	25	105	116	10.85	24.20	4.36	3.23	0.81	1.11
Norfolk ...	—	37	1,052	968	820	728	59	28	293	148	2	9	14	9	85	83	4.08	5.42	2.72	2.20	1.06	1.17
Northamptonshire	—	14	1,207	1,203	941	939	135	96	106	82	5	8	44	47	81	85	4.67	9.13	0.93	3.04	2.57	1.40
Northumberland ...	—	45	1,365	1,399	936	978	269	183	177	178	32	26	43	44	93	111	6.87	20.20	2.71	3.32	1.84	0.98

* Excluding Wallasey C.B. throughout the whole of the year 1913.

TABLE 23.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1912 and 1913—continued.

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.						Mortality per 100,000 Persons Living.						Mortality per 1,000 Births.																	
	Small- pox.			Enteric Fever.			Tuberculosis, All Forms.			Phthisis.			At Ages under 5 Years.			At Ages under 15 Years.			Total Deaths under One Year.			Diarrhoea and Enteritis under Two Years.			Childbirth (Mothers).			Puerperal Fever.		
	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.	1912.		1913.
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nottinghamshire	—	—	34	33	1,064	992	690	685	283	95	99	118	8	13	27	42	92	102	7.43	17.51	2.15	2.23	1.29	1.17						
Oxfordshire	—	—	7	7	955	936	780	726	157	37	30	208	10	—	20	10	69	69	5.06	6.91	0.36	2.91	1.08	0.36						
Peterborough, Soke of	—	—	—	—	1,084	1,185	819	724	393	46	208	46	31	23	69	38	111	90	6.42	9.56	2.14	—	—	1.06						
Rutlandshire...	—	—	49	—	734	829	538	585	—	49	50	198	17	—	—	17	39	92	2.46	5.12	—	2.56	—	—						
Shropshire	—	—	—	16	1,080	803	821	625	75	63	110	86	7	5	20	34	73	75	4.63	10.32	2.78	2.10	0.93	0.76						
Somersetshire	—	—	15	28	966	991	774	770	16	241	201	76	4	3	25	26	68	71	6.37	9.46	2.26	2.13	1.33	1.60						
Southampton	—	—	41	18	1,016	913	788	671	130	104	108	104	4	2	39	37	68	71	4.41	9.75	2.26	2.76	0.97	0.95						
Staffordshire...	—	—	41	28	1,257	1,185	867	842	246	421	216	161	14	17	26	36	106	118	7.97	22.06	2.96	2.20	1.62	0.73						
Suffolk, East...	—	—	15	34	1,048	1,002	805	765	122	61	118	173	16	23	39	36	79	76	1.82	6.62	2.04	4.06	1.59	0.64						
Suffolk, West	—	—	34	—	1,275	1,165	1,061	925	44	247	53	150	6	—	6	3	72	75	5.26	4.65	3.94	1.69	2.19	0.42						
Surrey	—	—	19	15	944	891	735	678	27	174	92	90	8	4	34	17	66	71	7.59	11.09	1.97	1.67	1.75	1.16						
Sussex, East...	—	20	8	8	1,068	1,162	852	900	19	149	75	47	6	7	22	24	57	69	4.87	9.58	3.02	2.57	1.39	1.64						
Sussex, West...	—	—	45	33	1,008	1,103	779	872	18	120	103	48	4	8	31	15	65	70	4.87	9.67	1.83	1.87	0.91	1.87						
Warwickshire	—	—	23	26	918	910	655	625	230	163	230	106	26	26	20	32	79	90	5.73	14.23	2.52	1.46	0.56	1.60						
Westmorland	—	—	16	16	788	805	599	631	126	18	72	342	17	—	17	75	70	109	3.91	6.09	5.47	4.35	—	0.87						
Wight, Isle of	—	—	11	22	1,158	994	956	782	39	51	168	39	—	17	43	25	65	59	5.18	6.80	1.94	2.72	1.29	1.36						
Wiltshire	—	—	3	3	900	936	734	709	44	363	116	71	6	8	13	10	66	70	5.18	7.16	4.01	2.93	0.67	0.65						
Worcestershire	—	—	24	27	1,002	944	776	712	77	334	307	66	11	8	24	23	90	98	9.12	22.00	2.43	2.41	0.76	0.60						
Yorkshire, East Riding	—	—	64	19	1,044	1,063	794	706	64	58	109	64	4	11	24	22	76	87	4.71	11.08	2.35	1.50	0.88	0.60						
Yorkshire, North	—	—	72	31	1,165	1,200	791	792	242	125	143	96	24	31	75	47	91	103	6.22	15.19	2.91	3.46	0.66	0.12						
Yorkshire, West*	—	—	64	50	1,190	1,190	820	818	292	242	174	120	24	23	33	41	95	120	8.34	27.30	3.52	3.12	1.44	1.15						
Anglesey	—	—	20	20	1,570	1,353	1,314	1,039	62	247	62	226	—	7	66	46	98	95	11.79	12.46	4.91	1.92	1.96	0.96						
Brecknockshire	—	—	—	50	1,067	909	767	777	389	59	344	15	5	26	26	21	107	104	7.93	16.94	6.61	3.26	1.32	2.61						
Cardiganshire	—	—	33	34	2,294	2,131	1,926	1,611	83	41	62	21	32	—	26	19	84	115	7.61	16.19	10.47	4.05	4.76	3.04						
Carmarthenshire	—	—	31	6	1,625	1,442	1,185	1,112	287	98	149	43	10	15	49	35	104	105	6.63	18.63	4.02	5.16	2.60	0.45						
Carnarvonshire	—	—	32	24	1,961	1,922	1,504	1,497	52	35	269	52	6	17	45	54	113	118	5.73	10.54	3.68	4.64	2.05	0.84						
Denbighshire	—	—	14	41	1,071	1,122	771	804	346	470	128	190	9	4	17	32	102	113	7.54	15.65	4.35	3.77	1.16	2.32						
Flintshire	—	—	11	84	1,189	1,342	934	996	195	568	205	125	13	20	27	16	82	102	4.73	13.07	2.15	5.23	1.72	2.18						
Glamorganshire	—	—	54	37	1,058	1,069	769	770	361	230	361	87	24	21	32	59	112	124	9.19	34.61	3.58	4.41	1.56	1.39						
Merionethshire	—	1	—	—	2,105	1,854	1,773	1,429	230	26	128	—	16	8	39	32	96	93	7.08	6.14	8.25	7.37	3.54	4.91						
Montgomeryshire	—	—	19	19	1,228	1,574	907	1,157	189	19	246	57	—	6	19	6	82	85	2.71	7.37	3.62	3.68	1.81	0.92						
Pembrokeshire	—	—	78	66	1,396	1,537	1,042	1,117	66	174	22	174	4	15	63	29	74	99	5.99	11.66	5.99	4.37	0.46	3.89						
Radnorshire	—	—	—	—	1,022	1,115	622	803	138	—	369	139	30	—	—	—	85	99	3.78	8.11	5.67	4.06	—	—						

* Excluding Barnsley C.B. and Dewsbury C.B. throughout the whole of the year 1913.

County Boroughs	1	56	57	1,645	1,603	1,261	1,198	459	305	253	157	24	24	45	46	108	124	11·37	32·04	2·50	2·77	1·32	1·40
Barnsley*	?	—	38	?	1,512	?	870	?	315	?	165	?	?	?	45	?	145	?	40·55	?	4·37	?	1·25
Barrow in Furness	—	108	46	1,161	1,318	883	889	497	505	416	27	19	136	6	135	104	118	8·16	24·87	2·92	4·76	1·17	1·06
Bath	—	29	—	1,006	1,029	905	786	244	486	209	104	—	—	—	28	77	76	9·35	5·46	0·85	—	2·55	1·82
Birkenhead	—	37	7	1,619	1,711	1,225	1,225	315	43	315	248	25	11	48	54	98	119	17·22	48·40	1·32	2·05	0·79	1·79
Birmingham	—	28	22	1,531	1,544	1,294	1,198	565	361	345	160	56	61	37	59	112	129	10·75	35·91	2·05	2·09	1·29	1·92
Blackburn	—	52	60	1,131	1,082	883	694	409	86	212	78	8	3	22	19	120	148	13·16	41·17	2·56	4·80	1·83	1·03
Blackpool	—	67	16	1,203	1,180	919	836	85	271	64	83	7	13	34	33	88	126	7·20	32·16	3·09	3·90	2·06	0·97
Bolton	—	66	92	1,337	1,202	1,025	838	182	435	219	276	20	5	37	57	98	143	10·56	44·17	3·84	2·25	0·48	0·75
Bootle	—	14	14	2,010	1,676	1,701	1,261	669	352	173	398	4	16	29	16	112	146	15·43	46·17	1·87	2·77	0·47	0·92
Bournemouth	—	25	—	1,109	1,250	912	1,070	51	33	17	197	17	6	17	23	69	63	4·96	6·15	—	2·31	0·83	0·77
Bradford	—	180	52	1,623	1,494	1,316	1,101	195	132	62	91	15	12	77	74	99	128	4·58	30·72	4·05	4·92	1·58	1·58
Brighton	—	53	45	1,421	1,480	1,043	1,157	183	243	26	373	14	29	9	17	75	118	7·49	21·42	2·36	2·88	1·18	1·24
Bristol	—	14	19	1,461	1,350	1,169	1,085	412	120	185	145	10	3	45	24	103	96	7·26	19·89	1·81	3·34	1·94	0·86
Burnley	—	74	46	1,324	1,376	898	1,009	211	509	339	27	10	19	19	64	145	174	17·67	61·47	5·62	5·62	2·41	1·61
Burton upon Trent	—	104	63	1,338	1,487	1,584	1,152	79	379	60	259	7	7	—	13	71	92	4·70	10·58	2·76	2·88	1·88	0·96
Bury	—	34	51	1,760	1,352	1,303	1,082	153	479	403	19	27	47	7	43	111	141	9·76	38·62	2·44	5·04	0·81	4·20
Canterbury	—	81	41	1,667	1,669	1,383	1,303	—	596	174	224	—	—	58	15	69	128	3·85	18·56	—	2·06	—	—
Chester	—	51	—	1,534	1,709	1,125	1,250	1095	596	174	224	—	—	26	43	101	113	5·59	38·22	2·23	6·37	1·12	2·12
Coventry	—	17	17	1,457	1,564	1,205	1,278	355	69	268	183	50	6	88	93	75	91	4·69	12·27	1·34	1·66	1·34	1·66
Croydon	—	40	34	1,125	1,174	884	887	160	270	66	130	4	6	48	28	78	96	11·92	20·54	2·07	3·34	1·04	1·28
Derby	—	16	24	1,325	1,291	883	917	53	82	113	37	8	5	37	19	79	101	6·50	20·91	2·05	3·09	1·71	—
Devonport	—	192	154	1,238	1,079	914	735	168	118	216	142	13	22	53	92	86	88	9·43	22·69	3·14	3·17	2·10	0·53
Dewsbury*	?	?	56	?	1,300	?	1,096	?	278	?	85	?	?	?	14	?	131	?	34·05	?	6·33	?	3·96
Dudley	—	39	116	953	1,375	564	929	82	633	114	195	—	34	—	6	117	146	7·04	39·24	0·70	2·03	0·70	—
Eastbourne	—	37	37	1,266	1,006	1,098	750	48	495	24	—	52	36	66	80	71	70	5·64	9·14	—	2·29	—	—
Exeter	—	20	59	1,494	1,362	1,248	1,027	—	855	456	22	31	15	15	15	95	101	9·91	11·26	0·99	1·02	—	1·02
Gateshead	—	17	118	1,926	1,686	1,510	1,231	733	88	333	135	14	7	60	24	106	124	8·28	30·01	1·84	1·84	1·73	—
Gloucester	—	80	40	1,371	1,168	1,113	910	39	546	216	20	13	13	26	90	107	89	7·05	22·35	2·64	—	1·76	0·83
Great Yarmouth	—	71	70	1,805	1,491	1,416	1,123	34	135	426	84	6	17	23	70	105	109	5·99	30·44	3·00	—	—	0·76
Grimsby	—	39	90	1,076	1,214	788	852	415	166	415	55	17	—	55	46	105	113	6·80	30·48	2·91	1·90	—	3·33
Halifax	—	40	69	1,484	1,588	1,078	1,161	169	109	97	61	32	8	24	80	82	101	5·98	19·62	5·43	3·18	0·54	2·12
Hastings	—	17	—	1,569	1,215	1,156	998	—	90	—	135	—	—	14	14	69	83	4·37	14·96	1·09	4·60	—	1·15
Huddersfield	—	18	72	1,297	1,290	867	920	210	238	261	79	65	20	31	20	96	104	5·78	18·92	3·37	3·23	0·96	2·77
Ipswich	—	—	13	1,762	1,625	1,295	1,216	582	75	417	188	4	9	65	35	113	96	5·14	16·00	1·14	3·86	1·14	0·55
Kingston upon Hull	—	110	146	1,495	1,505	1,156	1,094	405	35	71	219	1	2	25	35	101	128	10·87	40·94	2·02	2·12	1·14	1·12
Leeds	—	40	39	1,847	1,841	1,412	1,343	343	216	117	190	28	10	68	62	103	135	10·92	31·97	2·78	3·02	1·15	2·74
Leicester	—	26	9	1,705	1,715	1,339	1,394	412	125	221	47	15	9	32	29	109	119	9·07	29·26	2·90	2·66	0·97	1·33
Lincoln	—	17	51	1,233	1,332	993	1,062	302	50	201	182	12	12	19	12	103	105	9·43	21·88	3·63	0·71	—	1·41
Liverpool	—	28	42	2,109	2,177	1,710	1,719	902	316	282	245	32	21	40	31	125	133	20·58	39·18	2·85	1·90	1·11	1·28
Manchester	—	64	66	2,106	1,928	1,589	1,480	583	308	357	167	21	39	43	42	123	129	14·85	33·10	2·35	2·66	1·20	1·17
Middlesbrough	—	75	18	1,896	1,776	1,267	1,314	1272	351	45	150	58	55	27	58	126	129	10·01	30·59	2·94	2·91	1·18	2·62
Newcastle on Tyne	—	63	55	1,857	1,788	1,341	1,191	497	199	119	311	35	21	38	29	102	120	7·72	18·08	3·72	2·58	0·83	0·82
Newport (Mon.)	—	58	57	1,188	1,118	897	810	449	306	117	10	36	73	25	28	109	116	9·42	26·00	3·00	3·41	1·28	1·28
Northampton	—	22	44	1,603	1,366	1,360	1,101	549	314	152	58	4	27	46	99	73	94	5·65	22·90	3·08	2·73	0·51	—
Norwich	—	73	16	1,519	1,484	1,119	1,144	128	359	32	287	36	19	57	41	101	114	12·22	26·56	1·11	0·74	1·11	1·84

* Constituted County Boroughs on 1st April, 1913. The mortality relates to the whole year.

TABLE 23.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1912 AND 1913—continued.

Administrative Counties and County Boroughs.	Mortality per Million Persons Living at All Ages.				Mortality per 100,000 Persons Living.				Mortality per 1,000 Births.				Puerperal Fever.											
	Small- pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		At Ages under 5 Years.		At Ages under 15 Years.			Total Deaths under One Year.	Diarrhoea and Enteritis under Two Years.		Childbirth (Mothers).							
	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.			1912.	1913.	1912.	1913.						
																			Measles.	Whooping cough.	Scarlet Fever.	Diphtheria and Croup.		
	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.	1912.	1913.		1912.	1913.	1912.	1913.							
Nottingham ...	—	—	53	30	1,531	1,424	1,215	1,141	570	62	254	150	26	18	36	48	117	131	12.66	34.84	2.40	1.83	1.12	2.00
Oldham ...	—	—	—	20	1,787	1,867	1,404	1,347	408	238	402	238	17	45	29	45	119	141	13.34	30.76	3.19	4.35	2.61	2.32
Oxford ...	—	—	—	—	1,102	1,168	934	983	255	—	149	63	7	—	—	14	69	84	3.89	21.99	1.94	1.05	0.97	—
Plymouth ...	—	—	80	71	1,456	1,468	1,181	1,167	45	485	252	54	3	25	59	43	106	124	11.26	31.97	1.61	2.97	2.81	0.74
Portsmouth ...	—	—	97	99	1,559	1,488	1,149	1,098	354	92	203	57	42	29	185	127	83	93	10.67	19.33	1.42	2.39	1.42	2.05
Preston ...	—	—	68	85	1,496	1,618	1,046	1,143	688	539	377	49	101	84	116	90	123	160	12.17	50.23	3.22	3.54	0.72	2.12
Reading ...	—	—	23	34	1,151	1,366	880	1,086	158	11	79	101	8	—	19	15	85	81	8.99	11.76	1.06	2.14	1.59	1.60
Rochdale ...	—	—	43	43	1,567	1,627	1,135	1,145	321	80	298	34	28	27	43	35	112	106	14.90	27.82	3.19	5.67	3.19	2.06
Rotherham ...	—	—	157	47	1,510	1,645	1,054	1,148	1111	85	160	353	27	31	45	53	120	143	8.52	32.42	2.66	2.57	1.06	0.51
St. Helens ...	—	—	82	40	1,620	2,001	1,060	1,096	417	1378	363	137	50	74	45	44	121	156	11.98	34.70	1.26	1.88	0.63	0.94
Salford ...	—	—	82	111	2,191	1,967	1,659	1,411	861	441	440	147	15	32	43	36	130	138	14.43	33.49	1.90	3.79	1.11	1.42
Sheffield ...	—	—	90	40	1,665	1,652	1,271	1,238	303	605	339	116	23	46	32	36	106	128	11.01	31.68	1.78	2.78	1.71	1.20
Smethwick ...	—	—	—	27	1,414	1,207	1,030	939	135	309	282	165	20	47	32	31	111	129	9.03	34.67	3.19	2.44	0.53	2.44
Southern ...	—	—	66	49	1,704	1,462	1,332	1,176	110	217	275	70	5	5	49	75	85	82	9.92	15.22	2.83	2.77	1.77	1.04
Southampton ...	—	—	30	14	1,229	1,238	956	914	99	54	59	91	—	6	58	6	72	94	6.24	28.62	3.12	1.85	1.04	—
South Shields ...	—	—	46	63	1,951	2,000	1,495	1,330	439	316	340	77	15	72	15	17	107	117	5.91	19.01	2.66	3.22	0.89	1.46
Stockport ...	—	—	45	88	1,742	1,866	1,336	1,393	467	241	308	112	15	3	46	39	110	145	10.71	46.55	1.98	5.34	1.98	1.14
Stoke on Trent ...	—	—	114	96	1,822	1,805	1,328	1,266	174	699	241	378	34	5	70	111	127	171	17.32	40.02	2.66	2.53	1.20	0.93
Sunderland ...	—	—	26	13	1,917	1,693	1,291	1,168	346	392	229	95	4	32	42	41	117	133	6.88	37.38	3.13	4.04	2.08	1.70
Tynemouth ...	—	—	67	50	2,191	1,617	1,706	974	439	68	219	41	10	58	20	53	102	122	13.85	28.60	4.04	4.01	1.15	0.57
Wallasey* ...	?	—	?	36	?	1,148	?	840	?	127	?	127	?	16	?	20	?	85	?	20.93	?	4.29	?	2.15
Walsall ...	—	—	11	21	1,701	1,701	1,228	1,327	116	92	667	150	—	—	13	44	134	157	13.98	44.98	3.31	2.14	1.10	0.71
Warrington ...	—	—	123	122	1,735	2,025	1,147	1,499	865	222	85	253	39	27	51	35	93	131	13.36	38.46	3.34	3.24	0.95	1.39
West Bromwich ...	—	—	73	29	1,251	1,317	931	984	82	1730	455	128	4	8	21	29	121	143	9.89	41.69	1.48	2.94	2.47	0.49
West Ham ...	—	—	65	37	1,569	1,570	1,185	1,159	627	159	334	130	16	14	33	25	103	107	10.74	37.94	1.14	1.11	1.14	0.77
West Hartlepool ...	—	—	47	109	1,810	2,008	1,092	1,105	751	237	150	187	18	18	76	27	104	137	4.42	22.35	3.87	2.08	0.55	1.04
Wigan ...	—	—	133	165	1,799	1,587	1,144	948	309	1003	281	186	3	3	33	16	126	180	15.70	47.81	3.06	3.92	1.91	—
Wolverhampton ...	10	—	—	42	1,131	1,590	817	1,266	87	660	204	136	23	7	39	23	86	130	10.52	40.94	2.02	0.39	2.83	1.18
Worcester ...	—	—	83	36	1,246	1,677	955	1,366	235	639	21	21	7	14	50	21	80	88	6.97	22.49	1.00	4.09	2.64	1.01
York ...	—	—	84	33	1,617	1,140	1,122	888	286	—	11	125	16	4	64	32	97	93	8.98	19.71	2.64	2.02	1.64	1.01
Cardiff ...	—	—	81	32	1,749	1,672	1,387	1,276	957	49	265	83	12	27	54	64	111	115	11.17	33.40	3.44	2.51	1.29	1.46
Merthyr Tydfil ...	—	—	36	95	1,466	1,181	1,127	1,002	1039	65	777	83	14	21	38	48	129	126	8.29	33.10	6.22	3.77	3.73	2.09
Swansea ...	—	—	17	59	1,713	1,590	1,389	1,381	530	88	246	110	16	5	95	67	101	127	13.17	35.81	3.37	4.81	0.31	1.20

* Constituted a County Borough on 1st April, 1913. The mortality relates to the whole year.

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1913.—ALL AREAS.

The mortality under one year of age is calculated per 1,000 births; that at other ages per 1,000 living at each age. Rates at 1-2 years must be used with caution. See note at head of Table 2.

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
All Causes	North	16·31	140·14	46·50	10·55	2·92	3·34	6·65	24·51	98·31	14·05	111·94	42·20	10·33	3·00	3·12	5·65	18·77	83·47		
	Midland	13·55	110·16	29·36	7·58	2·35	2·85	5·44	18·39	82·44	12·02	88·59	26·14	7·26	2·30	2·58	4·63	14·57	71·53		
	South	13·98	101·80	28·47	7·35	2·30	2·98	6·33	20·29	82·70	11·97	82·00	25·75	6·56	2·31	2·44	4·49	14·55	71·57		
	Wales	14·32	130·03	30·54	7·75	2·45	3·29	5·94	20·31	89·49	13·22	102·51	26·57	7·18	2·42	3·33	5·90	17·00	77·97		
	E. & W.	14·66	120·14	35·17	8·55	2·54	3·08	6·14	21·09	87·42	12·76	96·24	31·67	8·13	2·55	2·77	5·01	16·06	75·21		
1. Enteric fever.	North	0·080	—	0·015	0·017	0·040	0·094	0·129	0·084	0·03	0·046	0·01	0·008	0·027	0·038	0·064	0·055	0·044	0·02		
	Midland	0·035	—	—	0·005	0·023	0·044	0·051	0·039	0·01	0·022	—	—	0·011	0·023	0·027	0·031	0·014	0·01		
	South	0·034	—	—	0·016	0·018	0·043	0·050	0·042	0·00	0·023	—	0·010	0·010	0·018	0·027	0·037	0·015	0·01		
	Wales	0·047	—	0·034	—	0·022	0·059	0·078	0·037	0·04	0·036	—	0·035	0·011	0·056	0·036	0·037	0·028	0·03		
	E. & W.	0·051	—	0·038	0·012	0·027	0·062	0·079	0·055	0·02	0·031	0·00	0·008	0·016	0·029	0·040	0·041	0·025	0·01		
2. Small-pox	North	0·000	—	—	—	—	—	0·001	—	—	0·000	—	—	—	—	0·001	—	—	—		
	Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	South	0·001	—	—	—	0·002	0·001	0·001	—	—	0·001	—	—	0·003	—	—	0·001	—	—		
	Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	E. & W.	0·000	—	—	—	0·001	0·000	0·001	—	—	0·000	—	—	0·001	—	—	0·001	—	—		
3. Measles	North	0·360	2·99	6·823	1·547	0·115	0·002	0·002	—	—	0·309	2·67	5·622	1·575	0·125	0·003	0·003	0·001	—		
	Midland	0·302	2·26	5·281	1·403	0·161	0·009	0·003	—	—	0·262	2·22	4·646	1·338	0·154	0·005	0·005	0·001	—		
	South	0·283	2·38	5·624	1·347	0·124	0·013	0·003	0·004	0·00	0·233	2·30	4·963	1·270	0·126	0·010	0·006	0·001	—		
	Wales	0·237	1·77	4·015	1·073	0·103	0·004	—	0·005	—	0·218	1·65	3·530	0·907	0·094	0·018	0·006	0·006	—		
	E. & W.	0·312	2·51	5·808	1·413	0·131	0·007	0·002	0·001	0·00	0·266	2·36	4·984	1·370	0·133	0·007	0·005	0·001	—		
4. Scarlet fever.	North	0·086	0·08	0·474	0·526	0·150	0·022	0·006	0·003	—	0·080	0·10	0·357	0·526	0·162	0·015	0·006	0·001	—		
	Midland	0·051	0·09	0·197	0·326	0·083	0·016	0·006	0·001	—	0·046	0·05	0·201	0·303	0·086	0·013	0·005	0·002	—		
	South	0·036	0·10	0·282	0·194	0·056	0·017	0·005	—	—	0·029	0·02	0·153	0·228	0·061	0·006	0·002	0·002	—		
	Wales	0·061	0·23	0·343	0·391	0·086	0·013	—	—	—	0·079	0·09	0·419	0·537	0·109	0·009	0·008	—	—		
	E. & W.	0·059	0·10	0·326	0·365	0·099	0·018	0·005	0·001	—	0·055	0·06	0·259	0·378	0·107	0·011	0·005	0·002	—		
5. Whooping cough.	North	0·155	2·82	2·099	0·424	0·024	—	—	—	—	0·186	3·46	2·683	0·665	0·026	—	—	—	—		
	Midland	0·128	2·54	1·791	0·339	0·017	—	—	—	—	0·162	3·39	2·436	0·500	0·025	—	—	—	0·00		
	South	0·124	2·62	1·891	0·308	0·024	—	—	—	—	0·133	2·63	2·568	0·475	0·029	0·001	0·001	—	0·01		
	Wales	0·113	2·43	1·372	0·201	0·011	—	—	—	—	0·128	2·37	1·608	0·347	0·008	—	—	—	—		
	E. & W.	0·135	2·65	1·892	0·350	0·021	—	—	—	—	0·160	3·15	2·493	0·539	0·026	0·000	0·000	—	0·00		
6. Diphtheria and croup.	North	0·137	0·34	0·858	0·802	0·243	0·012	0·004	0·001	0·00	0·135	0·24	0·676	0·791	0·313	0·005	0·005	0·001	0·01		
	Midland	0·119	0·21	0·419	0·688	0·251	0·012	0·006	0·004	—	0·120	0·10	0·469	0·585	0·332	0·010	0·006	0·005	0·00		
	South	0·102	0·28	0·533	0·597	0·217	0·012	0·003	0·001	0·00	0·099	0·29	0·591	0·549	0·271	0·006	0·002	0·005	0·01		
	Wales	0·142	0·26	0·926	0·838	0·228	0·029	0·005	0·010	—	0·160	0·24	0·839	0·963	0·282	0·004	0·003	0·011	0·02		
	E. & W.	0·122	0·28	0·639	0·714	0·238	0·013	0·004	0·003	0·00	0·121	0·21	0·601	0·675	0·306	0·007	0·004	0·004	0·01		
7. Influenza	North	0·180	0·34	0·120	0·027	0·022	0·051	0·123	0·423	1·23	0·145	0·24	0·106	0·024	0·022	0·040	0·071	0·264	1·27		
	Midland	0·180	0·32	0·123	0·045	0·021	0·059	0·114	0·368	1·19	0·149	0·20	0·092	0·047	0·015	0·037	0·067	0·228	1·20		
	South	0·206	0·40	0·151	0·057	0·025	0·049	0·124	0·406	1·39	0·188	0·19	0·102	0·058	0·020	0·041	0·070	0·267	1·51		
	Wales	0·195	0·49	0·069	0·067	0·007	0·063	0·133	0·386	1·58	0·153	0·12	0·035	0·056	0·019	0·045	0·096	0·239	1·37		
	E. & W.	0·188	0·36	0·125	0·044	0·021	0·054	0·121	0·398	1·30	0·159	0·21	0·095	0·043	0·019	0·040	0·071	0·252	1·33		
8. Erysipelas	North	0·028	0·18	0·023	0·005	0·002	0·009	0·017	0·052	0·18	0·023	0·19	0·008	0·010	0·001	0·007	0·011	0·038	0·14		
	Midland	0·022	0·13	0·016	—	0·001	0·002	0·015	0·048	0·11	0·017	0·13	—	0·005	0·003	0·001	0·006	0·029	0·10		
	South	0·025	0·19	0·020	—	0·001	0·006	0·014	0·053	0·13	0·019	0·16	0·031	0·003	0·002	0·004	0·007	0·037	0·09		
	Wales	0·014	0·12	—	—	—	—	0·008	0·047	0·04	0·013	0·12	—	—	—	—	0·011	0·022	0·06		
	E. & W.	0·024	0·16	0·018	0·002	0·001	0·005	0·015	0·051	0·13	0·019	0·16	0·011	0·006	0·002	0·004	0·008	0·034	0·11		
9. Pulmonary tuberculosis.	North	1·216	0·45	0·745	0·295	0·205	0·969	1·760	2·374	1·17	0·906	0·33	0·707	0·265	0·409	1·126	1·281	1·019	0·51		
	Midland	1·041	0·37	0·485	0·194	0·137	0·977	1·653	1·813	0·81	0·766	0·22	0·352	0·200	0·241	0·989	1·205	0·849	0·42		
	South	1·342	0·40	0·674	0·248	0·161	0·951	2·107	2·448	1·29	0·822	0·35	0·520	0·212	0·263	0·956	1·139	1·033	0·65		
	Wales	0·965	0·38	0·515	0·168	0·150	0·870	1·513	1·588	1·20	0·942	0·27	0·384	0·123	0·286	1·328	1·490	1·127	0·47		
	E. & W.	1·178	0·40	0·626	0·241	0·167	0·959	1·806	2·167	1·08	0·840	0·30	0·521	0·220	0·307	1·048	1·229	0·977	0·52		
10. Tuberculous meningitis.	North	0·181	1·37	1·798	0·636	0·215	0·053	0·016	0·014	0·01	0·141	0·95	1·345	0·597	0·190	0·053	0·013	0·006	—		
	Midland	0·126	0·91	1·166	0·455	0·165	0·029	0·020	0·010	0·00	0·109	0·86	1·021	0·445	0·132	0·054	0·015	0·004	—		
	South	0·146	1·10	1·408	0·604	0·200	0·044	0·015	0·006	—	0·115	0·97	1·070	0·529	0·195	0·038	0·013	0·005	0·01		
	Wales	0·126	0·93	0·755	0·414	0·180	0·063	0·018	0·005	—	0·126	0·81	0·594	0·257	0·188	0·090	0·048	0·006	—		
	E. & W.	0·150	1·12	1·417	0·553	0·192	0·044	0·017	0·010	0·00	0·123	0·92	1·114	0·505	0·172	0·051	0·016	0·005	0·00		
11. Other tuberculous diseases.	North	0·295	2·44	2·369	0·582	0·211	0·174	0·120	0·133	0·14	0·241	1·92	1·915	0·446	0·204	0·160	0·111	0·114	0·10		
	Midland	0·191	1·75	1·158	0·313	0·131	0·114	0·108	0·098	0·14	0·155	1·32	0·686	0·271	0·121	0·128	0·091	0·092	0·10		
	South	0·172	1·27	0·875	0·283	0·129	0·130	0·102	0·131	0·10	0·141	1·01	0·632	0·225	0·128	0·104	0·087	0·107	0·14		
	Wales	0·192	1·71																		

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1913.—ALL AREAS—continued.
(See note at head of Table.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
14. Meningitis	North	0.164	1.89	1.279	0.448	0.112	0.044	0.034	0.057	0.11	0.149	1.52	1.299	0.433	0.144	0.049	0.035	0.047	0.05
	Midlnd.	0.112	1.32	0.764	0.271	0.098	0.043	0.025	0.044	0.04	0.091	1.00	0.653	0.240	0.098	0.031	0.025	0.033	0.03
	South	0.090	0.96	0.604	0.213	0.088	0.047	0.030	0.029	0.04	0.070	0.99	0.520	0.209	0.056	0.028	0.017	0.029	0.05
	Wales	0.132	1.77	0.858	0.235	0.091	0.050	0.042	0.047	0.04	0.119	1.29	0.629	0.291	0.102	0.036	0.059	0.02	—
	E. & W.	0.125	1.46	0.908	0.314	0.099	0.045	0.031	0.044	0.06	0.106	1.20	0.842	0.302	0.10	0.037	0.028	0.036	0.04
15. Organic heart disease.	North	1.311	0.03	0.068	0.022	0.110	0.221	0.543	3.429	14.08	1.381	0.01	0.038	0.024	0.136	0.239	0.645	3.323	12.33
	Midlnd.	1.253	0.02	0.041	0.024	0.097	0.167	0.434	2.749	12.59	1.321	—	0.033	0.032	0.101	0.194	0.474	2.504	11.69
	South	1.369	0.03	0.070	0.025	0.096	0.194	0.532	2.873	12.97	1.411	—	0.041	0.013	0.133	0.212	0.460	2.427	11.90
	Wales	1.292	0.03	0.069	0.034	0.101	0.197	0.398	3.384	14.84	1.428	0.06	0.055	—	0.150	0.242	0.609	3.303	13.44
	E. & W.	1.307	0.03	0.060	0.024	0.102	0.195	0.496	3.153	13.27	1.374	0.01	0.037	0.022	0.125	0.218	0.536	2.792	12.04
16. Bronchitis	North	1.327	11.30	3.197	0.451	0.049	0.029	0.170	2.040	14.01	1.224	9.03	3.434	0.424	0.038	0.030	0.132	1.594	12.72
	Midlnd.	0.970	8.25	2.25	0.278	0.093	0.025	0.095	1.121	9.53	0.923	6.57	1.976	0.279	0.023	0.016	0.079	0.888	8.84
	South	0.980	6.95	1.77	0.216	0.025	0.018	0.129	1.134	10.21	0.960	5.07	1.590	0.157	0.033	0.011	0.077	0.873	9.69
	Wales	0.967	9.23	1.819	0.324	0.060	0.01	0.083	1.295	10.33	0.925	7.63	1.398	0.325	0.015	0.022	0.091	0.949	9.52
	E. & W.	1.093	9.07	2.424	0.325	0.035	0.024	0.130	1.441	11.05	1.034	7.14	2.340	0.300	0.030	0.020	0.097	1.116	10.23
17. Pneumonia (all forms).	North	1.557	14.21	10.478	1.895	0.270	0.311	0.771	2.002	4.17	1.046	11.07	9.102	1.940	0.260	0.178	0.343	0.882	2.90
	Midlnd.	0.953	10.36	6.366	1.081	0.157	0.201	0.428	1.085	2.37	0.699	8.08	5.391	1.159	0.159	0.102	0.233	0.586	1.97
	South	1.079	11.92	6.378	1.185	0.159	0.219	0.498	1.263	3.20	0.762	9.06	5.768	1.027	0.151	0.099	0.263	0.678	2.63
	Wales	1.134	11.66	6.588	1.174	0.168	0.243	0.458	1.488	3.68	0.816	9.55	6.222	0.907	0.158	0.157	0.297	0.594	2.21
	E. & W.	1.204	12.23	7.812	1.391	0.196	0.246	0.567	1.467	3.22	0.841	9.51	6.845	1.376	0.191	0.130	0.283	0.711	2.46
18. Other respiratory diseases.	North	0.234	0.92	0.594	0.241	0.058	0.037	0.104	0.467	1.47	0.180	0.63	0.539	0.241	0.048	0.030	0.072	0.293	1.15
	Midlnd.	0.210	0.57	0.370	0.152	0.049	0.024	0.082	0.440	1.36	0.148	0.39	0.226	0.140	0.033	0.024	0.054	0.212	1.06
	South	0.225	0.73	0.402	0.181	0.02	0.036	0.098	0.430	1.46	0.169	0.63	0.204	0.138	0.032	0.018	0.053	0.241	1.18
	Wales	0.260	0.67	0.618	0.391	0.094	0.029	0.107	0.470	1.81	0.196	0.54	0.524	0.358	0.056	0.009	0.085	0.278	1.26
	E. & W.	0.226	0.74	0.475	0.208	0.049	0.032	0.096	0.448	1.45	0.168	0.55	0.352	0.191	0.039	0.023	0.061	0.251	1.14
19. Diarrhoea and enteritis.	North	1.061	26.27	8.620	0.633	0.056	0.027	0.093	0.289	1.08	0.819	20.87	7.993	0.689	0.053	0.025	0.054	0.208	0.90
	Midlnd.	0.655	18.09	4.090	0.394	0.029	0.024	0.060	0.180	0.68	0.508	14.26	4.110	0.400	0.042	0.017	0.047	0.106	0.59
	South	0.616	17.97	4.155	0.315	0.029	0.02	0.064	0.156	0.67	0.461	14.79	3.974	0.302	0.025	0.020	0.035	0.099	0.55
	Wales	0.917	24.43	5.628	0.425	0.037	0.029	0.075	0.178	0.99	0.787	19.13	5.243	0.280	0.060	0.036	0.071	0.194	1.18
	E. & W.	0.800	21.44	5.795	0.458	0.039	0.02	0.074	0.209	0.81	0.616	17.11	5.513	0.465	0.042	0.022	0.047	0.142	0.70
20. Appendicitis and typhlitis.	North	0.077	0.02	0.045	0.051	0.113	0.089	0.064	0.061	0.09	0.059	0.01	0.015	0.022	0.089	0.070	0.045	0.064	0.06
	Midlnd.	0.069	0.01	0.008	0.053	0.091	0.085	0.054	0.071	0.08	0.039	—	—	0.024	0.085	0.062	0.050	0.060	0.09
	South	0.088	—	—	0.076	0.107	0.104	0.070	0.098	0.12	0.063	0.01	—	0.045	0.085	0.059	0.047	0.075	0.11
	Wales	0.076	—	0.034	0.034	0.116	0.100	0.041	0.089	0.10	0.051	—	—	0.022	0.064	0.058	0.042	0.044	0.13
	E. & W.	0.078	0.01	0.021	0.057	0.105	0.093	0.061	0.076	0.10	0.060	0.00	0.005	0.029	0.085	0.063	0.047	0.065	0.09
21. Cirrhosis of liver.	North	0.127	0.01	—	—	0.002	—	0.070	0.508	0.68	0.083	—	0.008	—	0.001	—	0.049	0.343	0.27
	Midlnd.	0.122	—	0.008	0.005	0.003	0.003	0.018	0.435	0.58	0.093	—	—	0.003	0.002	0.005	0.055	0.337	0.33
	South	0.142	—	—	—	0.002	0.001	0.069	0.527	0.65	0.108	—	0.010	—	0.005	0.001	0.067	0.343	0.40
	Wales	0.084	—	—	—	0.004	—	0.049	0.350	0.40	0.051	—	—	—	—	0.004	0.034	0.205	0.17
	E. & W.	0.127	0.00	0.003	0.002	0.002	0.001	0.070	0.480	0.62	0.091	—	0.005	0.001	0.002	0.002	0.055	0.333	0.33
21A. Alcoholism	North	0.029	—	—	—	—	0.003	0.036	0.096	0.08	0.013	—	—	—	—	0.001	0.014	0.042	0.04
	Midlnd.	0.022	—	—	—	—	0.002	0.037	0.061	0.03	0.014	—	—	—	—	—	0.017	0.044	0.03
	South	0.017	—	—	—	—	0.001	0.028	0.043	0.03	0.013	—	—	—	—	—	0.012	0.040	0.03
	Wales	0.017	—	—	—	—	—	0.021	0.057	0.02	0.008	—	—	—	—	—	0.014	0.028	—
	E. & W.	0.023	—	—	—	—	0.002	0.033	0.067	0.04	0.013	—	—	—	—	0.000	0.015	0.011	0.03
22. Nephritis and Bright's disease.	North	0.514	0.23	0.256	0.144	0.077	0.090	0.304	1.472	3.58	0.413	0.22	0.296	0.124	0.065	0.092	0.275	1.082	2.28
	Midlnd.	0.395	0.18	0.172	0.087	0.038	0.071	0.192	1.011	2.76	0.321	0.16	0.176	0.066	0.045	0.057	0.186	0.764	1.82
	South	0.500	0.09	0.060	0.051	0.035	0.077	0.223	1.261	3.78	0.372	0.10	0.051	0.029	0.036	0.053	0.188	0.833	2.25
	Wales	0.443	0.20	0.137	0.078	0.064	0.054	0.242	1.217	3.72	0.333	0.03	0.070	0.045	0.068	0.067	0.212	0.922	2.04
	E. & W.	0.467	0.18	0.170	0.096	0.052	0.078	0.243	1.259	3.37	0.367	0.15	0.177	0.075	0.051	0.068	0.218	0.897	2.10
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.066	—	—	—	—	0.078	0.167	0.003	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.054	—	—	—	—	0.062	0.145	0.001	—
	South	—	—	—	—	—	—	—	—	—	0.048	—	—	—	—	0.058	0.122	—	—
	Wales	—	—	—	—	—	—	—	—	—	0.083	—	—	—	—	0.090	0.232	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.058	—	—	—	—	0.068	0.151	0.001	—
24. Parturition, apart from puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.159	—	—	—	—	0.156	0.418	0.012	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.102	—	—	—	—	0.101	0.282	0.008	—
	South	—	—	—	—	—	—	—	—										

TABLE 24.—MORTALITY from SEVERAL CAUSES, 1913.—ALL AREAS—*continued.*
(See note at head of Table.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
27. Suicide ...	North	0·145	—	—	—	0·001	0·062	0·175	0·386	0·53	0·057	—	—	—	0·002	0·048	0·069	0·143	0·08
	Midland	0·149	—	—	—	0·002	0·076	0·182	0·386	0·42	0·045	—	—	—	—	0·048	0·060	0·091	0·07
	South	0·154	—	—	—	0·003	0·083	0·181	0·417	0·31	0·046	—	—	—	—	0·032	0·064	0·097	0·04
	Wales	0·097	—	—	—	—	0·054	0·138	0·223	0·30	0·032	—	—	—	—	0·013	0·048	0·078	0·08
	E. & W.	0·145	—	—	—	0·002	0·071	0·176	0·384	0·41	0·048	—	—	—	0·001	0·041	0·063	0·109	0·06
28. Other defined diseases.	North	4·047	25·99	4·498	0·899	0·406	0·453	1·099	6·152	45·03	3·772	19·80	4·065	0·730	0·370	0·471	1·089	5·307	38·67
	Midland	3·759	18·64	2·949	0·654	0·370	0·422	1·022	4·590	39·72	3·554	13·98	2·294	0·679	0·340	0·431	0·925	4·016	33·89
	South	3·732	17·33	2·294	0·740	0·390	0·461	1·199	5·193	35·54	3·423	12·48	1·946	0·629	0·385	0·408	0·882	3·787	30·81
	Wales	3·763	30·82	3·946	0·648	0·314	0·372	1·036	4·919	39·54	3·906	23·81	3·181	0·638	0·331	0·458	1·095	5·097	37·45
	E. & W.	3·849	21·84	3·392	0·760	0·384	0·440	1·100	5·303	39·89	3·612	16·41	2·888	0·681	0·362	0·440	0·978	4·426	34·40
29. Causes ill-defined or unknown.	North	0·121	0·19	1·066	0·057	0·014	0·015	0·041	0·316	0·53	0·085	0·20	0·965	0·096	0·017	0·005	0·034	0·170	0·25
	Midland	0·091	0·29	0·748	0·052	0·008	0·008	0·046	0·188	0·35	0·069	0·27	0·712	0·039	0·011	0·006	0·022	0·137	0·20
	South	0·044	0·17	0·363	0·037	0·002	0·003	0·015	0·080	0·15	0·029	0·15	0·367	0·024	0·003	0·003	0·014	0·054	0·08
	Wales	0·102	0·32	0·515	0·034	0·004	0·008	0·053	0·267	0·42	0·060	0·39	0·386	—	0·007	0·016	0·018	0·165	0·16
	E. & W.	0·089	0·23	0·742	0·046	0·009	0·010	0·037	0·205	0·34	0·063	0·24	0·688	0·049	0·011	0·008	0·025	0·124	0·18

TABLE 25.—MORTALITY from SEVERAL CAUSES, 1913.—LONDON.
(See note at head of Table 24.)

All Causes ...	15·74	115·36	39·48	9·18	2·63	3·17	7·31	24·78	91·94	12·99	95·82	34·96	7·98	2·49	2·49	4·97	17·47	78·74
Enteric fever ...	0·030	—	—	—	0·024	0·029	0·040	0·043	0·01	0·021	—	0·022	0·014	0·012	0·022	0·034	0·018	—
Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles ...	0·384	3·04	8·052	1·663	0·116	—	0·002	0·003	—	0·305	2·93	6·683	1·507	0·131	0·011	0·003	0·003	—
Scarlet fever ...	0·048	0·14	0·534	0·264	0·063	0·008	0·005	—	—	0·035	0·02	0·247	0·257	0·071	0·004	0·004	0·003	—
Whooping cough ...	0·174	3·15	2·625	0·450	0·027	—	—	—	—	0·177	2·75	3·566	0·729	0·033	—	—	—	—
Diphtheria and croup ...	0·099	0·34	0·756	0·635	0·159	—	0·003	0·003	—	0·092	0·52	0·830	0·522	0·188	0·002	0·001	—	0·01
Influenza ...	0·207	0·46	0·156	0·014	0·016	0·042	0·131	0·490	1·42	0·178	0·20	0·112	0·036	0·019	0·047	0·065	0·299	1·59
Erysipelas ...	0·034	0·27	0·044	—	0·002	0·008	0·018	0·070	0·18	0·025	0·24	0·067	0·007	—	0·004	0·007	0·046	0·14
Pulmonary tuberculosis.	1·757	0·53	1·068	0·393	0·198	1·103	2·561	3·515	2·22	0·961	0·53	0·785	0·343	0·278	0·911	1·266	1·468	0·88
Tuberculous meningitis.	0·187	1·23	1·868	0·821	0·253	0·034	0·017	—	—	0·137	1·16	1·346	0·671	0·221	0·024	0·009	0·003	—
Other tuberculous diseases.	0·181	1·49	1·134	0·335	0·152	0·096	0·076	0·113	0·13	0·139	1·11	0·897	0·286	0·128	0·087	0·056	0·089	0·16
Cancer, malignant disease.	1·092	0·02	0·067	0·050	0·034	0·063	0·276	3·463	10·01	1·228	0·02	0·022	0·029	0·014	0·058	0·489	3·503	8·72
Rheumatic fever	0·047	—	—	0·029	0·053	0·073	0·040	0·041	0·06	0·047	—	—	0·014	0·090	0·040	0·038	0·056	0·02
Meningitis ...	0·096	1·17	0·667	0·236	0·087	0·034	0·023	0·020	0·03	0·077	1·12	0·516	0·214	0·057	0·024	0·017	0·02	0·08
Organic heart disease.	1·326	0·04	0·067	0·029	0·142	0·250	0·599	3·179	13·01	1·414	—	0·045	0·007	0·209	0·300	0·593	2·831	12·08
Bronchitis ...	1·286	7·95	1·757	0·228	0·031	0·026	0·218	1·803	15·52	1·227	5·62	1·682	0·143	0·048	0·013	0·124	1·432	14·08
Pneumonia (all forms).	1·515	15·42	9·164	1·670	0·210	0·279	0·716	1·800	4·66	1·074	12·12	8·656	1·443	0·200	0·107	0·355	1·087	3·75
Other respiratory diseases.	0·228	0·75	0·578	0·171	0·016	0·029	0·093	0·481	1·66	0·176	0·66	0·269	0·121	0·014	0·018	0·054	0·289	1·42
Diarrhoea and enteritis.	0·925	24·80	6·673	0·500	0·029	0·034	0·078	0·203	0·61	0·683	20·73	6·077	0·471	0·031	0·020	0·037	0·096	0·65
Appendicitis and typhlitis.	0·087	—	—	0·057	0·126	0·094	0·056	0·104	0·18	0·066	—	—	0·057	0·095	0·064	0·035	0·074	0·19
Cirrhosis of liver	0·167	—	—	—	—	—	0·081	0·681	0·75	0·131	—	0·022	—	0·007	—	0·088	0·461	0·46
Alcoholism ...	0·020	—	—	—	—	0·003	0·032	0·052	0·03	0·018	—	—	—	—	—	0·020	0·058	0·04
Nephritis and Bright's disease.	0·544	0·02	0·044	0·050	0·027	0·081	0·264	1·519	4·54	0·417	0·04	0·022	0·029	0·038	0·058	0·227	1·108	2·58
Puerperal fever ...	—	—	—	—	—	—	—	—	—	0·057	—	—	—	—	0·089	0·127	—	—
Parturition, apart from puerperal fever.	—	—	—	—	—	—	—	—	—	0·073	—	—	—	—	0·058	0·191	0·010	—
Congenital debility and malformation (including premature birth).	0·915	33·97	0·200	0·043	0·024	0·013	0·005	—	—	0·666	29·02	0·179	0·029	0·014	—	0·004	—	—
Violence, apart from suicide.	0·607	2·93	0·890	0·600	0·379	0·315	0·414	0·820	1·86	0·343	3·67	0·449	0·421	0·178	0·064	0·108	0·253	1·95
Suicide ...	0·170	—	—	—	—	0·073	0·192	0·493	0·41	0·051	—	—	—	—	0·033	0·077	0·099	0·06
Other defined diseases.	3·584	17·54	2·647	0·892	0·466	0·480	1·365	5·851	34·60	3·150	13·34	2·018	0·621	0·417	0·434	0·938	4·139	29·82
Causes ill-defined or unknown.	0·026	0·10	0·489	0·050	—	0·000	0·005	0·034	0·05	0·018	0·02	0·450	0·008	—	—	0·002	0·019	0·06

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1913.—COUNTY BOROUGHES.
(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	North	17.55	144.54	53.60	11.56	3.05	3.50	7.67	27.78	104.51	14.72	117.53	47.93	11.57	3.17	3.19	6.01	20.49	84.97
	Midland	15.59	133.86	42.35	10.34	2.62	3.28	6.62	22.71	90.33	13.40	108.91	38.77	10.13	2.67	2.74	5.36	17.46	77.25
	South	13.71	105.18	26.71	7.53	2.45	3.14	6.15	19.78	79.96	11.99	82.16	22.34	7.47	2.55	2.45	4.63	13.85	69.06
	Wales	14.64	130.16	27.06	8.50	2.45	3.47	6.92	23.54	94.44	12.61	110.01	28.58	6.97	2.59	3.21	5.86	17.94	75.41
	E. & W.	16.41	137.00	46.32	10.65	2.83	3.39	7.16	25.17	96.00	13.92	111.30	41.76	10.52	2.93	2.97	5.65	18.63	79.65
1. Enteric fever.	North	0.078	—	0.030	0.014	0.038	0.091	0.127	0.072	0.05	0.042	—	0.015	0.024	0.025	0.051	0.054	0.050	0.02
	Midland	0.042	—	—	0.008	0.039	0.049	0.055	0.046	0.01	0.027	—	—	0.017	0.041	0.034	0.032	0.007	0.01
	South	0.071	—	—	0.104	—	0.081	0.114	0.091	—	0.041	—	—	0.027	0.025	0.030	0.064	0.008	—
	Wales	0.071	—	—	—	0.041	0.038	0.121	0.055	—	0.038	—	—	0.060	0.060	0.043	0.029	0.030	—
	E. & W.	0.066	—	0.016	0.021	0.035	0.078	0.104	0.066	0.03	0.037	—	0.008	0.023	0.031	0.048	0.047	0.031	0.01
2. Small-pox	North	—	—	—	—	—	—	—	—	—	0.000	—	—	—	—	—	0.001	—	—
	Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	South	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.000	—	—	—	—	—	0.001	—	—
3. Measles ...	North	0.399	3.09	7.699	1.743	0.100	0.002	0.002	—	—	0.355	3.06	6.514	1.892	0.131	0.003	0.001	—	—
	Midland	0.447	3.06	7.878	2.120	0.191	0.003	0.002	—	—	0.360	2.80	6.247	2.049	0.175	0.003	0.002	—	—
	South	0.284	2.88	5.194	1.323	0.137	—	0.005	—	0.03	0.219	2.49	3.878	1.521	0.126	—	0.009	—	—
	Wales	0.153	1.08	3.336	0.598	0.041	—	—	—	—	0.118	0.94	2.028	0.541	0.020	—	0.014	—	—
	E. & W.	0.391	2.97	7.316	1.767	0.129	0.002	0.002	—	0.00	0.332	2.84	5.975	1.846	0.140	0.003	0.003	—	—
4. Scarlet fever	North	0.092	0.07	0.591	0.573	0.154	0.022	0.004	—	—	0.080	0.14	0.402	0.511	0.164	0.013	0.003	0.002	—
	Midland	0.089	0.19	0.317	0.577	0.127	0.030	0.012	0.004	—	0.073	0.04	0.481	0.481	0.128	0.017	0.007	0.003	—
	South	0.061	0.22	0.165	0.285	0.111	0.045	0.016	—	—	0.040	—	0.084	0.400	0.093	0.008	—	—	—
	Wales	0.100	0.15	0.741	0.718	0.122	0.022	—	—	—	0.102	—	0.369	0.481	0.239	0.022	0.014	—	—
	E. & W.	0.088	0.13	0.471	0.552	0.140	0.027	0.008	0.001	—	0.074	0.09	0.394	0.489	0.149	0.014	0.004	0.002	—
5. Whooping cough.	North	0.180	3.01	2.483	0.512	0.030	—	—	—	—	0.208	3.78	2.966	0.776	0.030	—	—	—	—
	Midland	0.161	2.58	2.353	0.483	0.022	—	—	—	—	0.192	3.22	3.204	0.683	0.027	—	—	—	—
	South	0.114	2.45	1.814	0.234	0.034	—	—	—	—	0.117	2.95	2.276	0.347	0.025	—	—	—	—
	Wales	0.083	1.23	1.854	0.120	—	—	—	—	—	0.093	0.94	1.660	0.420	—	—	—	—	—
	E. & W.	0.163	2.75	2.349	0.458	0.027	—	—	—	—	0.188	3.41	2.914	0.690	0.027	—	—	—	—
6. Diphtheria and croup.	North	0.133	0.36	0.946	0.777	0.212	0.013	0.005	0.002	0.01	0.134	0.36	0.611	0.823	0.297	0.003	0.003	0.002	0.01
	Midland	0.148	0.22	0.608	1.035	0.249	0.003	0.010	—	—	0.163	0.16	0.801	0.801	0.429	0.014	0.004	0.017	0.01
	South	0.164	0.50	0.577	0.753	0.445	0.036	—	—	—	0.154	0.15	0.927	0.987	0.463	0.008	0.005	—	0.02
	Wales	0.178	0.15	1.112	1.137	0.264	0.066	0.013	—	—	0.199	0.63	0.922	0.961	0.418	—	0.014	—	—
	E. & W.	0.143	0.32	0.813	0.868	0.249	0.015	0.006	0.001	0.00	0.147	0.29	0.714	0.838	0.360	0.007	0.004	0.006	0.01
7. Influenza ...	North	0.166	0.38	0.133	0.029	0.022	0.040	0.131	0.373	1.17	0.134	0.27	0.104	0.024	0.020	0.038	0.073	0.241	1.16
	Midland	0.163	0.15	0.053	0.034	0.033	0.066	0.124	0.381	1.00	0.122	0.13	0.053	0.034	0.005	0.031	0.071	0.235	0.99
	South	0.170	0.36	0.082	0.104	0.026	0.027	0.098	0.315	1.21	0.203	0.08	0.169	0.160	0.025	0.064	0.073	0.207	1.63
	Wales	0.133	0.62	—	0.060	—	0.044	0.121	0.249	0.88	0.089	0.16	—	0.120	0.020	0.043	0.043	0.182	0.62
	E. & W.	0.164	0.32	0.098	0.039	0.025	0.047	0.125	0.364	1.11	0.137	0.21	0.090	0.044	0.016	0.039	0.071	0.233	1.17
8. Erysipelas	North	0.037	0.23	0.015	0.009	0.005	0.016	0.021	0.074	0.26	0.027	0.19	0.015	0.014	0.002	0.008	0.013	0.048	0.17
	Midland	0.029	0.22	—	—	0.003	0.007	0.020	0.069	0.12	0.020	0.20	—	0.008	0.003	—	0.007	0.038	0.12
	South	0.023	0.14	—	—	—	0.011	0.051	—	0.16	0.020	0.23	—	—	0.008	0.008	0.005	0.056	0.02
	Wales	0.021	0.31	—	—	—	—	0.013	0.055	—	0.004	—	—	—	—	—	—	0.030	—
	E. & W.	0.032	0.22	0.008	0.005	0.003	0.011	0.019	0.069	0.17	0.023	0.19	0.008	0.010	0.003	0.005	0.010	0.046	0.12
9. Pulmonary tuberculosis.	North	1.506	0.54	0.931	0.308	0.236	1.074	2.189	3.089	1.59	1.027	0.43	0.835	0.359	0.464	1.196	1.421	1.236	0.59
	Midland	1.422	0.30	0.634	0.314	0.158	1.198	2.161	2.765	1.41	0.921	0.31	0.534	0.236	0.289	1.058	1.478	1.007	0.54
	South	1.239	0.36	0.660	0.285	0.137	1.027	1.952	2.093	0.96	0.845	0.08	0.506	0.080	0.337	1.105	1.204	0.866	0.61
	Wales	1.286	0.46	0.556	0.179	0.223	0.973	1.838	2.687	1.51	1.049	0.47	0.922	0.120	0.418	1.301	1.577	1.214	0.72
	E. & W.	1.442	0.44	0.797	0.302	0.201	1.101	2.139	2.861	1.44	0.975	0.36	0.714	0.284	0.395	1.148	1.419	1.119	0.58
10. Tuberculous meningitis.	North	0.212	1.56	2.084	0.739	0.249	0.064	0.020	0.013	—	0.158	1.12	1.461	0.662	0.225	0.054	0.014	0.006	—
	Midland	0.155	1.08	1.375	0.560	0.197	0.030	0.020	0.015	0.01	0.124	1.02	1.335	0.523	0.137	0.045	0.012	—	—
	South	0.159	1.66	1.319	0.519	0.240	0.072	0.005	—	—	0.107	1.06	0.759	0.480	0.185	0.064	0.018	—	—
	Wales	0.104	0.46	0.371	0.598	0.122	0.044	0.027	—	—	0.118	0.47	0.738	0.120	0.179	0.108	0.072	—	—
	E. & W.	0.184	1.37	1.715	0.656	0.226	0.054	0.019	0.012	0.00	0.141	1.05	1.321	0.578	0.191	0.055	0.016	0.003	—
11. Other tuberculous diseases.	North	0.323	2.33	2.438	0.677	0.255	0.194	0.128	0.165	0.15	0.247	2.00	2.057	0.473	0.238	0.162	0.094	0.100	0.11
	Midland	0.239	2.41	1.665	0.390	0.138	0.119	0.100	0.137	0.16	0.172	1.66	1.148	0.295	0.117	0.139	0.073	0.076	0.13
	South	0.208	2.16	0.742	0.335	0.146	0.126	0.141	0.122	0.16	0.142	0.68	0.590	0.240	0.101	0.120	0.109	0.143	0.10
	Wales	0.174	1.54	0.741	0.120	0.142	0.199	0.121	0.028	—	0.195	2.36	0.922	0.300	0.100	0.087	0.100	0	

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1913.—COUNTY BOROUGH—continued.

(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
14. Meningitis	North	0.170	1.82	1.197	0.507	0.114	0.042	0.034	0.064	0.17	0.160	1.64	1.476	0.478	0.150	0.044	0.031	0.058	0.07
	Midland.	0.142	1.74	0.899	0.339	0.100	0.053	0.035	0.053	0.03	0.108	1.13	0.908	0.320	0.112	0.026	0.030	0.024	0.03
	South	0.106	0.79	0.577	0.285	0.094	0.072	0.049	0.041	0.10	0.059	0.53	0.590	0.240	0.051	0.032	0.018	0.016	0.04
	Wales	0.149	2.62	0.371	0.479	0.061	—	0.027	0.111	—	0.144	1.73	0.553	0.601	0.120	0.022	0.043	—	—
	E. & W.	0.153	1.74	1.007	0.432	0.105	0.047	0.036	0.060	0.11	0.132	1.38	1.174	0.411	0.127	0.036	0.030	0.040	0.05
15. Organic heart disease.	North	1.319	0.05	0.074	0.009	0.119	0.241	0.633	3.657	13.91	1.370	0.01	0.015	0.024	0.158	0.252	0.676	3.521	11.70
	Midland.	1.252	0.02	0.106	0.025	0.111	0.218	0.581	3.150	12.98	1.328	—	0.080	0.051	0.131	0.227	0.598	2.983	11.93
	South	1.378	—	0.082	0.026	0.103	0.144	0.504	3.008	13.25	1.321	—	0.084	0.027	0.034	0.120	0.388	2.170	11.00
	Wales	1.224	—	—	0.060	0.101	0.155	0.631	3.573	13.33	1.197	—	0.184	—	0.139	0.217	0.616	3.490	10.99
	E. & W.	1.301	0.03	0.081	0.018	0.114	0.220	0.604	3.427	13.49	1.345	0.01	0.049	0.031	0.141	0.228	0.617	3.183	11.63
16. Bronchitis	North	1.528	11.54	3.487	0.441	0.044	0.037	0.236	2.605	17.46	1.384	9.21	3.696	0.445	0.038	0.039	0.157	2.015	15.01
	Midland.	1.234	9.75	3.410	0.365	0.022	0.063	0.175	1.834	12.75	1.149	7.86	2.723	0.371	0.033	0.017	0.121	1.585	11.49
	South	0.881	8.35	2.721	0.156	0.017	0.027	0.098	0.904	8.49	0.923	5.90	1.602	0.374	0.025	0.008	0.055	0.715	8.75
	Wales	1.087	10.32	1.668	0.239	—	0.022	0.134	1.800	13.33	1.053	9.13	2.397	0.300	—	—	0.143	1.275	12.43
	E. & W.	1.350	10.64	3.308	0.380	0.033	0.043	0.198	2.146	14.49	1.246	8.48	3.135	0.409	0.033	0.027	0.134	1.692	12.80
17. Pneumonia (all forms).	North	1.808	15.01	12.383	2.236	0.312	0.351	0.909	2.499	4.85	1.162	11.97	10.508	2.171	0.280	0.186	0.387	1.051	3.14
	Midland.	1.225	11.80	8.803	1.493	0.166	0.261	0.550	1.499	3.11	0.883	9.32	8.303	1.762	0.227	0.136	0.264	0.734	2.21
	South	0.995	10.51	5.936	1.272	0.120	0.288	0.342	1.199	3.45	0.658	8.54	4.805	0.987	0.160	0.064	0.251	0.485	2.24
	Wales	1.207	11.55	5.190	1.137	0.122	0.376	0.617	1.911	3.90	0.816	10.86	5.532	0.841	0.120	0.130	0.229	0.698	2.98
	E. & W.	1.517	13.46	10.331	1.863	0.239	0.318	0.727	2.025	4.05	1.006	10.79	9.053	1.872	0.244	0.155	0.329	0.870	2.69
18. Other respiratory diseases.	North	0.233	0.98	0.576	0.232	0.046	0.049	0.112	0.460	1.51	0.175	0.72	0.462	0.232	0.044	0.025	0.066	0.307	1.14
	Midland.	0.220	0.58	0.476	0.161	0.053	0.017	0.102	0.530	1.40	0.146	0.38	0.347	0.143	0.014	0.028	0.061	0.263	1.04
	South	0.226	0.79	0.165	0.311	0.026	0.045	0.092	0.437	1.41	0.227	0.98	0.169	0.160	0.034	0.016	0.073	0.286	1.51
	Wales	0.228	0.77	0.371	0.359	0.041	—	0.080	0.582	1.76	0.182	0.31	0.369	0.420	0.040	—	0.100	0.273	1.44
	E. & W.	0.228	0.83	0.496	0.224	0.046	0.037	0.106	0.484	1.47	0.172	0.62	0.394	0.206	0.038	0.024	0.067	0.290	1.18
19. Diarrhoea and Enteritis.	North	1.226	29.09	10.654	0.753	0.068	0.029	0.111	0.274	1.11	0.912	22.93	9.688	0.761	0.052	0.018	0.051	0.208	0.97
	Midland.	1.083	28.37	7.349	0.585	0.039	0.040	0.071	0.214	0.86	0.822	23.00	7.369	0.708	0.030	0.006	0.050	0.121	0.58
	South	0.575	17.42	3.463	0.311	0.051	—	0.054	0.152	0.67	0.385	13.15	3.119	0.267	0.017	0.016	0.046	0.079	0.49
	Wales	1.029	29.42	5.931	0.239	0.020	0.022	0.080	0.138	1.01	0.969	24.55	7.376	0.240	—	0.065	0.072	0.212	1.44
	E. & W.	1.103	27.81	8.722	0.635	0.055	0.029	0.092	0.236	0.96	0.826	22.13	8.233	0.674	0.039	0.016	0.051	0.166	0.78
20. Appendicitis and typhlitis.	North	0.077	0.01	0.044	0.057	0.106	0.099	0.069	0.047	0.08	0.051	0.01	0.015	0.014	0.088	0.046	0.037	0.064	0.05
	Midland.	0.063	0.02	—	0.059	0.080	0.092	0.053	0.057	0.01	0.054	—	—	0.034	0.074	0.051	0.057	0.045	0.07
	South	0.091	—	—	0.026	0.111	0.126	0.065	0.122	0.10	0.067	—	—	0.027	0.067	0.056	0.068	0.095	0.08
	Wales	0.079	—	—	—	0.061	0.155	0.080	0.055	0.13	0.047	—	—	—	0.100	0.065	0.014	0.030	0.10
	E. & W.	0.074	0.01	0.024	0.052	0.097	0.101	0.065	0.059	0.07	0.054	0.01	0.008	0.021	0.082	0.049	0.046	0.061	0.06
21. Cirrhosis of liver.	North	0.128	0.01	—	—	—	—	0.070	0.532	0.66	0.089	—	0.015	—	0.002	—	0.053	0.397	0.22
	Midland.	0.133	—	—	—	0.003	0.003	0.079	0.511	0.73	0.115	—	—	—	0.003	—	0.077	0.484	0.31
	South	0.121	—	—	—	0.017	0.009	0.049	0.417	0.64	0.132	—	—	—	—	0.008	0.087	0.397	0.45
	Wales	0.133	—	—	—	—	—	0.094	0.499	0.88	0.055	—	—	—	—	—	0.029	0.303	0.10
	E. & W.	0.129	0.01	—	—	0.003	0.002	0.072	0.511	0.69	0.101	—	0.008	—	0.002	0.001	0.063	0.420	0.28
21a. Alcoholism	North	0.035	—	—	—	—	0.004	0.044	0.110	0.12	0.018	—	—	—	—	0.002	0.020	0.062	0.05
	Midland.	0.026	—	—	—	—	—	0.037	0.092	0.03	0.018	—	—	—	—	—	0.029	0.055	0.02
	South	0.020	—	—	—	—	—	0.022	0.061	0.06	0.014	—	—	—	—	—	0.014	0.040	0.04
	Wales	0.025	—	—	—	—	—	0.040	0.083	—	0.013	—	—	—	—	—	0.029	0.030	—
	E. & W.	0.031	—	—	—	—	0.002	0.039	0.098	0.08	0.018	—	—	—	—	0.001	0.022	0.056	0.04
22. Nephritis and Bright's disease.	North	0.570	0.23	0.236	0.123	0.076	0.102	0.369	1.672	4.11	0.437	0.20	0.253	0.151	0.064	0.098	0.299	1.182	2.40
	Midland.	0.452	0.15	0.212	0.110	0.058	0.079	0.261	1.312	3.18	0.363	0.22	0.240	0.093	0.076	0.060	0.202	0.962	2.15
	South	0.529	0.36	0.082	0.078	0.051	0.072	0.228	1.483	3.48	0.359	0.15	0.169	—	0.008	0.080	0.187	0.739	2.08
	Wales	0.398	0.31	—	0.120	—	0.088	0.215	1.329	3.02	0.343	—	0.184	0.060	0.080	0.087	0.244	1.184	1.54
	E. & W.	0.522	0.22	0.203	0.115	0.065	0.091	0.314	1.527	3.68	0.402	0.19	0.238	0.115	0.063	0.084	0.255	1.059	2.24
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.073	—	—	—	—	0.082	0.182	0.006	—
	Midland.	—	—	—	—	—	—	—	—	—	0.065	—	—	—	—	0.082	0.162	—	—
	South	—	—	—	—	—	—	—	—	—	0.049	—	—	—	—	0.056	0.123	—	—
	Wales	—	—	—	—	—	—	—	—	—	0.080	—	—	—	—	0.108	0.201	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.068	—	—	—	—	0.080	0.170	0.003	—
24. Parturition, apart from puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.155	—	—	—	—	0.150	0.402	0.013	—
	Midland.	—	—	—	—	—	—	—	—	—	0.103	—	—	—	—	0.105	0.273	0.007	—
	South	—	—	—	—	—	—	—	—	—	0.101	—	—	—	—	0.136	0.242	0.008	—
	Wales	—	—	—	—	—	—	—	—	—	0.190	—	—	—	—				

TABLE 26.—MORTALITY from SEVERAL CAUSES, 1913.—COUNTY BOROUGH—continued.
(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
27. Suicide ...	North	0.142	—	—	—	0.002	0.057	0.162	0.418	0.52	0.056	—	—	—	0.003	0.039	0.076	0.139	0.06
	Midlnd.	0.156	—	—	—	0.003	0.089	0.196	0.400	0.47	0.053	—	—	—	—	0.045	0.077	0.118	0.06
	South	0.126	—	—	—	0.009	0.072	0.168	0.315	0.16	0.031	—	—	—	—	0.008	0.050	0.079	—
	Wales	0.095	—	—	—	—	0.111	0.121	0.249	—	0.008	—	—	—	—	0.014	0.030	—	—
	E. & W.	0.143	—	—	—	0.003	0.071	0.171	0.394	0.43	0.051	—	—	—	0.002	0.036	0.071	0.121	0.05
28. Other defined diseases.	North	4.158	27.11	5.083	0.933	0.423	0.459	1.255	6.877	46.12	3.774	20.50	4.382	0.813	0.380	0.494	1.153	5.622	38.33
	Midlnd.	3.763	20.62	3.780	0.738	0.388	0.455	1.215	5.533	41.65	3.525	16.32	3.097	0.793	0.382	0.423	1.028	4.695	35.61
	South	3.770	19.15	1.896	0.571	0.291	0.441	1.296	5.517	35.32	3.571	12.92	1.855	0.774	0.380	0.290	0.939	3.807	30.81
	Wales	3.754	26.19	3.707	0.838	0.342	0.332	1.422	5.733	44.77	3.431	24.55	3.135	0.661	0.218	0.434	1.147	5.372	34.82
	E. & W.	3.978	24.34	4.308	0.833	0.395	0.450	1.255	6.270	43.06	3.661	18.69	3.685	0.797	0.374	0.447	1.090	5.100	36.14
29. Causes ill-defined or unknown.	North	0.122	0.26	1.403	0.073	0.011	0.015	0.052	0.265	0.47	0.093	0.23	1.178	0.122	0.021	0.001	0.032	0.183	0.19
	Midlnd.	0.090	0.20	1.244	0.061	0.014	0.005	0.034	0.198	0.19	0.077	0.23	1.227	0.101	0.010	0.005	0.038	0.140	0.12
	South	0.023	0.08	0.331	0.028	0.009	0.020	—	0.041	0.07	0.023	0.23	0.081	0.052	—	—	0.012	0.049	0.03
	Wales	0.069	0.31	0.187	0.059	—	0.022	0.055	0.168	0.11	0.050	0.19	0.369	—	—	—	0.014	0.185	—
	E. & W.	0.100	0.22	1.197	0.064	0.011	0.012	0.040	0.215	0.33	0.076	0.23	1.054	0.104	0.016	0.002	0.029	0.152	0.17

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1913.—OTHER URBAN DISTRICTS.
(See note at head of Table 24.)

All Causes	{	North	15.45	138.75	41.30	10.11	2.92	3.31	5.73	22.85	97.98	13.55	108.71	38.72	9.45	2.87	3.12	5.31	17.64	83.85
		Midlnd.	12.68	104.20	27.43	7.26	2.34	2.72	5.17	18.23	82.15	11.12	82.85	24.03	6.72	2.22	2.34	4.29	14.28	70.07
		South	12.61	89.44	19.48	6.35	1.99	2.92	5.72	17.99	79.39	10.95	69.10	19.15	5.75	2.17	2.25	3.96	12.51	66.95
		Wales	14.15	138.87	31.94	8.22	2.47	3.15	5.93	20.64	91.02	13.09	107.09	28.57	7.77	2.45	3.19	5.86	17.88	78.54
		E. & W.	13.76	117.91	31.66	8.17	2.48	3.01	5.55	20.00	86.95	12.08	92.51	28.81	7.59	2.45	2.66	4.70	15.27	73.82
1. Enteric fever.	{	North	0.087	—	—	0.021	0.037	0.101	0.143	0.100	0.01	0.052	—	—	0.028	0.062	0.076	0.056	0.039	0.02
		Midlnd.	0.029	—	—	—	0.010	0.035	0.049	0.035	0.01	0.020	—	—	—	0.016	0.020	0.035	0.013	0.01
		South	0.035	—	—	—	0.021	0.071	0.034	0.042	—	0.022	—	—	—	0.017	0.017	0.038	0.021	—
		Wales	0.045	—	0.067	—	0.023	0.034	0.088	0.034	—	0.044	—	0.069	—	0.084	0.037	0.047	0.025	—
		E. & W.	0.051	—	0.007	0.007	0.023	0.065	0.083	0.059	0.01	0.032	—	0.008	0.010	0.039	0.040	0.044	0.024	0.01
2. Small-pox	{	North	0.000	—	—	—	—	—	0.002	—	—	—	—	—	—	—	—	—	—	—
		Midlnd.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		South	0.003	—	—	—	0.009	—	—	0.003	—	—	0.002	—	—	0.014	—	—	0.005	—
		Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		E. & W.	0.001	—	—	—	0.002	—	—	0.001	—	—	0.000	—	—	0.002	—	—	0.001	—
3. Measles ...	{	North	0.335	3.17	6.061	1.439	0.120	—	0.002	—	—	0.274	2.43	4.995	1.399	0.128	—	—	—	—
		Midlnd.	0.302	2.28	5.151	1.336	0.166	0.008	0.004	—	—	0.264	2.20	5.085	1.275	0.156	0.002	0.004	—	—
		South	0.210	1.70	3.617	1.275	0.103	0.022	0.003	—	—	0.195	1.73	4.698	1.205	0.103	0.012	0.005	—	—
		Wales	0.246	2.00	3.882	1.095	0.084	0.009	—	—	—	0.242	1.70	3.777	1.066	0.077	—	—	—	—
		E. & W.	0.290	2.46	5.059	1.334	0.131	0.008	0.003	—	—	0.251	2.15	4.845	1.283	0.129	0.003	0.002	—	—
4. Scarlet fever.	{	North	0.076	0.09	0.369	0.440	0.143	0.026	0.003	0.006	—	0.073	0.02	0.305	0.509	0.144	0.012	0.010	—	—
		Midlnd.	0.036	0.05	0.119	0.241	0.064	0.005	0.003	—	—	0.034	0.06	0.101	0.230	0.068	0.013	0.001	0.003	—
		South	0.022	—	0.044	0.110	0.039	0.031	0.003	—	—	0.019	0.04	—	0.180	0.047	—	0.002	—	—
		Wales	0.054	0.40	0.201	0.268	0.076	0.017	—	—	—	0.089	0.11	0.343	0.733	0.084	—	0.006	—	—
		E. & W.	0.049	0.10	0.201	0.288	0.087	0.019	0.003	0.002	—	0.049	0.05	0.182	0.371	0.092	0.009	0.005	0.001	—
5. Whooping cough.	{	North	0.138	2.58	1.890	0.390	0.021	—	—	—	—	0.170	3.18	2.530	0.622	0.021	—	—	—	—
		Midlnd.	0.123	2.22	1.790	0.348	0.018	—	—	—	—	0.154	3.12	2.502	0.453	0.031	—	—	—	—
		South	0.080	1.94	1.176	0.219	0.013	—	—	—	—	0.097	2.64	1.897	0.277	0.022	—	—	—	—
		Wales	0.130	2.80	1.272	0.246	0.015	—	—	—	—	0.148	2.52	1.991	0.333	—	—	—	—	—
		E. & W.	0.121	2.37	1.662	0.329	0.018	—	—	—	—	0.147	2.99	2.354	0.467	0.023	—	—	—	—
6. Diphtheria and croup.	{	North	0.142	0.33	0.804	0.879	0.270	0.008	0.002	—	—	0.133	0.15	0.742	0.777	0.322	0.002	0.003	—	0.01
		Midlnd.	0.125	0.21	0.477	0.633	0.283	0.013	0.004	0.003	—	0.107	0.07	0.363	0.574	0.297	0.004	0.004	—	0.01
		South	0.100	0.20	0.392	0.658	0.227	0.018	—	—	—	0.098	0.04	0.271	0.540	0.340	0.012	—	0.008	0.02
		Wales	0.142	0.40	0.937	0.804	0.229	0.009	—	0.011	—	0.182	0.23	0.961	1.155	0.276	—	—	0.013	—
		E. & W.	0.128	0.27	0.626	0.739	0.263	0.012	0.002	0.002	—	0.121	0.11	0.645	0.700	0.311	0.005	0.002	0.003	0.01
7. Influenza ...	{	North	0.176	0.20	0.087	0.014	0.018	0.065	0.108	0.453	1.24	0.134	0.17	0.109	0.021	0.018	0.037	0.066	0.261	1.13
		Midlnd.	0.167	0.30	0.099	0.044	0.016	0.070	0.119	0.358	1.08	0.148	0.11	0.081	0.051	0.018	0.036	0.066	0.255	1.25
		South	0.188	0.28	0.174	0.096	0.030	0.062	0.109	0.349	1.21	0.186	0.12	0.045	0.069	0.013	0.025	0.074	0.232	1.49
		Wales	0.185	0.46	0.134	0.022	0.015	0.043	0.140	0.435	1.60	0.148	0.06	0.069	0.022	0.015	0.047	0.101	0.300	1.40
		E. & W.	0.176	0.28	0.112	0.041	0.019	0.064	0.115	0.396	1.20	0.151	0.13	0.083	0.041	0.017	0.035	0.071	0.255	1.29
8. Erysipelas	{	North	0.019	0.13	0.043	—	—	—	0.013	0.030	0.16	0.019	0.23	—	0.007	—	0.002	0.006	0.025	0.14
		Midlnd.	0.019	0.09	0.040	—	—	—	0.015	0.032	0.16	0.018	0.13	—	—	0.004	—	0.005	0.031	0.14
		South	0.019	0.16	—	—	—	0.004	0.009	0.047	0.08	0.012	0.04	—	—	0.004	—	0.010	0.017	0.06
		Wales	0.016	0.06	—	—	—	—	0.010	0.069	0.05	0.017	0.18	—	—	—	—	0.012	0.025	0.12
		E. & W.	0.019	0.11	0.030	—	—	0.001	0.012	0.038	0.13	0.017	0.16	—	0.002	0.002	0.001	0.007	0.025	0.12
9. Pulmonary tuberculosis.	{	North	1.006	0.33	0.565	0.312	0.208	0.958	1.374	1.844	1.02	0.801	0.23	0.654	0.198	0.365	1.096	1.125	0.819	0.43
		Midlnd.	0.963	0.48	0.557	0.184	0.127	0.893	1.481	1.711	0.88	0.720	0.18	0.323	0.223	0.221	0.910	1.094	0.850	0.40
		South	1.090	0.24	0.349	0.082	0.120	0.799	1.881	1.796	0.93	0.693	0.25	0.361	0.166	0.233	0.928	0.941	0.743	0.60
		Wales	0.873	0.34	0.669	0.179	0.115	0.818	1.443	1.305	0.87	0.896	0.29	0.206	0.155	0.238	1.318	1.368	1.226	0.39
		E. & W.	0.993	0.37	0.551	0.209	0.152	0.889	1.515	1.737	0.93	0.757	0.22	0.431	0.197	0.274	1.013	1.096	0.843	0.46

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1913.—OTHER URBAN DISTRICTS—*continued*.
(See note at head of Table 24.)

		Males.								Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
10. Tuberculous meningitis.	North	0.153	1.17	1.673	0.503	0.189	0.041	0.009	0.018	0.02	0.131	0.77	1.418	0.579	0.162	0.054	0.013	0.008	—
	Midland.	0.143	0.87	1.352	0.551	0.181	0.035	0.024	0.009	—	0.118	0.90	1.029	0.472	0.156	0.058	0.016	0.005	—
	South	0.114	0.83	1.176	0.521	0.163	0.022	0.011	0.010	—	0.109	0.95	1.039	0.485	0.190	0.046	0.022	0.004	0.01
	Wales	0.122	1.03	0.803	0.380	0.168	0.043	0.010	—	—	0.106	0.65	0.549	0.244	0.146	0.084	0.024	—	—
	E. & W.	0.139	0.99	1.371	0.511	0.179	0.036	0.015	0.011	0.01	0.119	0.83	1.113	0.486	0.163	0.057	0.017	0.006	0.00
11. Other tuberculous diseases.	North	0.276	2.69	2.259	0.489	0.175	0.176	0.113	0.112	0.14	0.233	1.78	1.920	0.424	0.169	0.174	0.111	0.132	0.09
	Midland.	0.177	1.56	1.173	0.310	0.129	0.101	0.094	0.075	0.14	0.144	1.38	0.545	0.312	0.111	0.096	0.075	0.106	0.07
	South	0.169	0.83	0.871	0.302	0.120	0.178	0.103	0.135	0.11	0.158	1.24	0.497	0.180	0.155	0.116	0.118	0.133	0.14
	Wales	0.201	2.06	1.138	0.201	0.122	0.153	0.078	0.137	0.15	0.143	1.12	0.755	0.155	0.092	0.131	0.095	0.063	—
	E. & W.	0.212	1.90	1.490	0.358	0.142	0.147	0.100	0.106	0.13	0.178	1.47	1.037	0.310	0.137	0.130	0.098	0.117	0.09
12. Cancer, malignant disease.	North	0.835	—	0.043	0.035	0.012	0.023	0.243	2.777	8.14	1.110	0.06	0.044	0.035	0.007	0.029	0.459	3.331	8.87
	Midland.	0.894	0.04	0.080	0.044	0.023	0.038	0.247	2.708	8.42	1.119	—	0.040	0.057	0.018	0.013	0.421	3.274	8.13
	South	1.030	—	0.044	0.055	0.013	0.040	0.295	2.744	8.76	1.288	—	0.045	—	0.017	0.033	0.466	3.111	7.99
	Wales	0.726	—	—	0.067	—	0.009	0.259	2.655	8.13	0.840	—	—	0.067	—	0.019	0.480	3.189	5.92
	E. & W.	0.883	0.01	0.052	0.046	0.015	0.030	0.256	2.765	8.39	1.126	0.02	0.038	0.041	0.012	0.034	0.448	3.250	8.15
13. Rheumatic fever.	North	0.065	0.02	0.022	0.014	0.069	0.070	0.044	0.118	0.11	0.061	—	—	0.028	0.082	0.059	0.051	0.079	0.08
	Midland.	0.045	0.02	—	0.019	0.076	0.048	0.031	0.058	0.01	0.047	—	0.020	0.019	0.072	0.034	0.032	0.075	0.06
	South	0.046	—	0.044	0.041	0.064	0.062	0.031	0.036	0.05	0.038	—	—	0.028	0.056	0.033	0.036	0.054	—
	Wales	0.042	—	—	—	0.053	0.043	0.026	0.080	0.10	0.051	—	0.069	0.022	0.084	0.047	0.041	0.063	—
	E. & W.	0.052	0.01	0.015	0.019	0.069	0.058	0.035	0.076	0.06	0.050	—	0.015	0.024	0.074	0.043	0.040	0.070	0.05
14. Meningitis.	North	0.167	2.13	1.260	0.425	0.129	0.044	0.033	0.060	0.06	0.139	1.26	1.200	0.396	0.148	0.049	0.047	0.039	0.02
	Midland.	0.116	1.30	0.756	0.279	0.109	0.040	0.025	0.046	0.06	0.087	0.99	0.605	0.236	0.088	0.031	0.023	0.036	0.04
	South	0.083	0.79	0.479	0.151	0.073	0.058	0.034	0.057	0.05	0.081	1.24	0.723	0.277	0.065	0.017	0.022	0.050	0.03
	Wales	0.133	1.43	0.870	0.179	0.137	0.051	0.057	0.011	0.05	0.128	1.00	0.824	0.244	0.115	0.056	0.071	0.025	—
	E. & W.	0.129	1.52	0.894	0.295	0.112	0.046	0.033	0.050	0.06	0.107	1.13	0.855	0.298	0.107	0.037	0.035	0.039	0.03
15. Organic heart disease.	North	1.303	—	0.043	0.043	0.104	0.215	0.471	3.389	14.57	1.399	0.02	0.044	0.028	0.119	0.235	0.645	3.227	12.83
	Midland.	1.132	0.02	—	0.019	0.107	0.154	0.416	2.794	12.14	1.167	—	—	0.026	0.108	0.190	0.425	2.344	10.79
	South	1.366	0.04	0.131	0.041	0.051	0.191	0.515	2.713	13.08	1.315	—	—	—	0.078	0.149	0.358	2.062	11.00
	Wales	1.145	—	0.067	0.045	0.130	0.230	0.383	3.319	14.77	1.276	—	—	—	0.200	0.290	0.640	3.289	12.49
	E. & W.	1.236	0.01	0.045	0.034	0.098	0.190	0.450	3.001	13.31	1.284	0.01	0.015	0.019	0.116	0.206	0.504	2.647	11.55
16. Bronchitis.	North	1.191	11.55	3.107	0.496	0.051	0.018	0.117	1.654	12.56	1.111	8.89	3.446	0.417	0.039	0.025	0.106	1.287	11.58
	Midland.	0.878	7.84	1.691	0.222	0.023	0.008	0.071	1.058	9.88	0.842	6.48	1.776	0.249	0.023	0.013	0.071	0.711	8.94
	South	0.708	5.06	1.874	0.302	0.026	—	0.060	0.646	7.56	0.721	4.33	1.310	0.152	0.022	0.004	0.036	0.477	7.08
	Wales	0.961	9.31	2.142	0.335	0.076	0.009	0.088	1.396	11.67	0.886	8.51	1.442	0.400	0.023	0.037	0.065	1.088	8.99
	E. & W.	0.961	8.86	2.258	0.341	0.038	0.010	0.087	1.212	10.26	0.911	7.21	2.241	0.306	0.028	0.017	0.075	0.879	9.22
17. Pneumonia (all forms).	North	1.387	13.39	9.320	1.702	0.245	0.298	0.664	1.687	4.02	0.974	10.78	8.180	1.809	0.263	0.186	0.312	0.746	2.85
	Midland.	0.927	10.20	6.325	1.032	0.160	0.179	0.420	1.058	2.44	0.677	8.16	4.883	1.059	0.147	0.085	0.239	0.608	2.09
	South	0.749	8.47	4.096	0.836	0.142	0.169	0.366	0.854	2.37	0.496	5.85	3.117	0.776	0.108	0.091	0.173	0.357	2.02
	Wales	1.171	12.11	8.031	1.885	0.176	0.213	0.429	1.568	3.39	0.891	10.33	7.141	1.066	0.184	0.131	0.338	0.550	2.18
	E. & W.	1.074	11.26	7.161	1.262	0.187	0.221	0.495	1.281	2.97	0.759	8.96	5.980	1.266	0.183	0.125	0.258	0.593	2.29
18. Other respiratory diseases.	North	0.228	0.83	0.608	0.220	0.069	0.028	0.078	0.513	1.43	0.181	0.59	0.611	0.233	0.048	0.027	0.076	0.272	1.21
	Midland.	0.203	0.48	0.398	0.133	0.049	0.028	0.074	0.485	1.86	0.149	0.35	0.202	0.153	0.037	0.016	0.047	0.222	1.20
	South	0.214	0.51	0.349	0.137	0.034	0.040	0.092	0.411	1.45	0.140	0.49	0.090	0.222	0.047	0.021	0.048	0.183	0.81
	Wales	0.278	0.80	0.870	0.536	0.130	0.026	0.103	0.538	1.74	0.194	0.82	0.618	0.333	0.054	—	0.077	0.238	1.44
	E. & W.	0.221	0.65	0.514	0.206	0.061	0.030	0.082	0.485	1.43	0.162	0.51	0.371	0.212	0.044	0.019	0.060	0.231	1.12
19. Diarrhoea and enteritis.	North	0.971	24.83	7.017	0.38	0.044	0.031	0.085	0.347	1.14	0.772	19.84	6.893	0.678	0.064	0.034	0.065	0.233	0.95
	Midland.	0.560	15.24	3.262	0.380	0.021	0.018	0.067	0.168	0.66	0.434	12.09	3.309	0.300	0.049	0.022	0.043	0.098	0.69
	South	0.401	12.62	1.961	0.151	0.030	0.009	0.054	0.135	0.70	0.286	9.36	2.304	0.139	0.026	0.012	0.043	0.116	0.43
	Wales	1.144	28.66	7.897	0.648	0.046	0.043	0.067	0.229	1.07	0.937	22.13	5.356	0.355	0.107	0.037	0.077	0.200	1.25
	E. & W.	0.728	19.72	4.843	0.456	0.033	0.023	0.071	0.229	0.85	0.562	15.53	4.610	0.407	0.056	0.026	0.053	0.155	0.73
20. Appendicitis and typhlitis.	North	0.076	0.02	0.043	0.043	0.134	0.070	0.055	0.069	0.11	0.068	—	0.022	0.042	0.094	0.093	0.054	0.062	0.07
	Midland.	0.080	—	—	0.044	0.103	0.093	0.067	0.084	0.14	0.063	—	—	0.013	0.096	0.065	0.047	0.064	0.13
	South	0.098	—	—	0.123	0.116	0.111	0.097	0.089	0.06	0.062	—	—	0.014	0.090	0.062	0.046	0.083	0.07
	Wales	0.080	—	—	0.067	0.115	0.111	0.041	0.103	0.10	0.041	—	—	0.022	0.031	0.037	0.053	0.025	0.16
	E. & W.	0.082	0.01	0.015	0.060	0.117	0.091	0.066	0.082	0.11	0.063	—	0.008	0.024	0.088	0.072	0.050	0.065	0.10
21. Cirrhosis of liver.	North	0.133	—	—	—	0.002	—	0.085											

TABLE 27.—MORTALITY from SEVERAL CAUSES, 1913.—OTHER URBAN DISTRICTS—*continued.*
(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.062	—	—	—	—	0.074	0.158	—	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.050	—	—	—	—	0.017	0.136	0.003	—
	South	—	—	—	—	—	—	—	—	—	0.041	—	—	—	—	0.033	0.113	—	—
	Wales	—	—	—	—	—	—	—	—	—	0.072	—	—	—	—	0.112	0.178	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.054	—	—	—	—	0.059	0.142	0.001	—
24. Parturition, apart from puerperal fever.	North	—	—	—	—	—	—	—	—	—	0.151	—	—	—	—	0.145	0.400	0.011	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0.092	—	—	—	—	0.078	0.251	0.013	—
	South	—	—	—	—	—	—	—	—	—	0.088	—	—	—	—	0.120	0.209	0.008	—
	Wales	—	—	—	—	—	—	—	—	—	0.245	—	—	—	—	0.243	0.687	0.025	—
	E. & W.	—	—	—	—	—	—	—	—	—	0.125	—	—	—	—	0.124	0.329	0.012	—
25. Congenital debility and malformation (including premature birth).	North	1.258	48.54	0.304	0.057	0.009	0.005	0.005	—	—	0.914	38.38	0.153	0.071	0.016	0.007	0.004	0.003	—
	Midlnd.	1.013	40.23	0.179	0.070	0.010	0.015	0.003	—	—	0.717	31.81	0.161	0.038	0.023	0.004	0.005	0.003	0.01
	South	0.771	35.72	0.131	0.027	0.013	0.004	0.003	—	—	0.497	27.09	0.090	0.055	0.013	0.008	0.002	—	—
	Wales	1.244	43.91	0.134	0.022	0.015	0.026	0.005	—	—	1.007	34.23	0.069	0.022	0.023	0.028	—	—	—
	E. & W.	1.073	42.84	0.209	0.053	0.011	0.011	0.004	—	—	0.764	33.63	0.136	0.051	0.019	0.008	0.004	0.002	0.00
26. Violence, apart from suicide.	North	0.693	1.39	0.630	0.837	0.351	0.520	0.606	1.020	1.96	0.224	0.94	0.545	0.458	0.162	0.071	0.075	0.202	1.29
	Midlnd.	0.527	1.53	0.597	0.576	0.259	0.372	0.426	0.809	1.45	0.189	1.39	0.363	0.312	0.119	0.052	0.068	0.137	0.99
	South	0.476	1.82	0.261	0.493	0.202	0.338	0.464	0.588	1.19	0.207	1.61	0.361	0.263	0.116	0.046	0.094	0.187	0.94
	Wales	1.017	0.51	1.138	1.050	0.374	0.852	1.211	1.591	1.98	0.274	0.88	0.549	0.777	0.169	0.112	0.083	0.250	1.36
	E. & W.	0.623	1.41	0.611	0.701	0.291	0.466	0.577	0.909	1.58	0.212	1.21	0.447	0.404	0.138	0.062	0.077	0.178	1.09
27. Suicide ...	North	0.150	—	—	—	—	0.075	0.180	0.392	0.52	0.059	—	—	—	—	0.069	0.062	0.143	0.09
	Midlnd.	0.147	—	—	—	—	0.002	0.065	0.169	0.413	0.49	0.042	—	—	—	0.052	0.052	0.090	0.04
	South	0.145	—	—	—	—	0.004	0.107	0.183	0.359	0.21	0.047	—	—	—	0.037	0.058	0.100	0.06
	Wales	0.085	—	—	—	—	—	0.060	0.129	0.172	0.29	0.034	—	—	—	0.009	0.059	0.088	0.08
	E. & W.	0.142	—	—	—	—	0.002	0.076	0.171	0.373	0.42	0.048	—	—	—	0.051	0.057	0.110	0.06
28. Other defined diseases.	North	3.956	24.92	4.062	0.893	0.415	0.453	0.970	5.910	46.05	3.743	18.66	3.817	0.537	0.370	0.454	1.043	5.206	39.33
	Midlnd.	3.458	18.81	2.566	0.627	0.363	0.420	1.013	4.600	38.78	3.258	13.12	2.078	0.599	0.323	0.417	0.867	4.021	32.71
	South	3.810	17.60	1.874	0.658	0.335	0.497	1.068	5.254	36.76	3.585	11.63	1.807	0.637	0.351	0.385	0.819	3.605	31.59
	Wales	3.512	32.03	3.882	0.603	0.298	0.290	0.967	5.185	40.52	3.771	22.07	3.296	0.558	0.333	0.384	1.078	5.765	40.28
	E. & W.	3.701	22.28	3.107	0.720	0.369	0.433	1.004	5.238	40.62	3.533	15.86	2.771	0.580	0.348	0.420	0.934	4.455	34.85
29. Causes ill-defined or unknown.	North	0.119	0.22	0.761	0.044	0.023	0.005	0.035	0.336	0.63	0.075	0.10	0.718	0.065	0.012	0.009	0.036	0.153	0.26
	Midlnd.	0.084	0.27	0.595	0.064	0.003	0.007	0.047	0.154	0.39	0.048	0.24	0.444	0.007	0.005	0.003	0.015	0.133	0.13
	South	0.055	0.47	0.303	0.028	—	0.005	0.019	0.127	0.18	0.040	0.29	0.498	0.028	—	0.009	0.021	0.048	0.11
	Wales	0.088	0.27	0.600	0.046	0.009	0.005	0.059	0.219	0.28	0.058	0.26	0.482	—	0.016	—	0.013	0.173	0.23
	E. & W.	0.089	0.28	0.604	0.048	0.010	0.005	0.038	0.218	0.40	0.058	0.19	0.551	0.028	0.005	0.004	0.023	0.125	0.18

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1913.—RURAL DISTRICTS.
(See note at head of Table 24.)

All Causes	North	14.01	126.33	34.00	7.97	2.47	2.85	5.11	17.36	84.02	12.78	98.20	30.14	7.98	2.69	2.85	5.06	15.12	77.80
	Midlnd.	12.65	89.15	17.66	4.96	2.07	2.59	4.51	14.57	77.95	11.81	71.40	14.77	4.81	2.00	2.75	4.28	12.07	68.95
	South	12.13	78.06	14.67	4.32	1.91	2.55	4.90	14.52	75.47	10.97	59.76	14.28	3.76	1.96	2.58	3.90	11.65	67.12
	Wales	14.38	115.28	25.21	6.54	2.42	3.40	5.33	18.17	86.52	13.74	89.85	21.92	6.33	2.27	3.64	5.99	15.49	78.33
	E. & W.	12.99	98.54	21.64	5.67	2.15	2.73	4.83	15.50	79.11	12.00	77.29	19.05	5.44	2.17	2.83	4.52	12.88	70.76
1. Enteric fever.	North	0.072	—	—	0.017	0.056	0.087	0.100	0.087	0.02	0.046	0.05	—	0.035	0.023	0.087	0.057	0.030	0.02
	Midlnd.	0.036	—	—	0.010	0.023	0.051	0.050	0.039	0.02	0.021	—	—	0.019	0.015	0.031	0.024	0.024	0.01
	South	0.022	—	—	0.016	0.014	0.016	0.050	0.011	—	0.018	—	—	—	0.029	0.018	0.023	0.005	0.02
	Wales	0.036	—	—	—	0.011	0.078	0.034	0.029	0.08	0.024	—	—	—	0.012	0.029	0.026	0.030	0.07
	E. & W.	0.040	—	—	0.012	0.027	0.053	0.059	0.040	0.02	0.026	0.01	—	0.016	0.020	0.040	0.031	0.020	0.02
2. Small-pox	North	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Midlnd.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	South	0.002	—	—	—	—	0.005	0.004	—	—	—	—	—	—	—	—	—	—	—
	Wales	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	E. & W.	0.001	—	—	—	—	0.001	0.001	—	—	—	—	—	—	—	—	—	—	—
3. Measles ...	North	0.284	2.11	5.562	1.097	0.157	0.006	—	—	—	0.216	1.76	3.962	0.848	0.097	0.013	0.016	0.007	—
	Midlnd.	0.152	1.21	2.556	0.696	0.122	0.017	0.002	—	—	0.146	1.51	2.127	0.623	0.130	0.012	0.009	0.003	—
	South	0.159	1.10	2.634	0.744	0.156	0.038	0.004	0.011	—	0.130	1.11	1.996	0.661	0.112	0.012	0.016	—	—
	Wales	0.270	1.80	4.656	1.322	0.172	—	—	0.015	—	0.241	2.02	4.059	0.868	0.164	0.057	0.009	0.015	—
	E. & W.	0.195	1.47	3.516	0.869	0.143	0.018	0.002	0.004	—	0.167	1.54	2.737	0.711	0.129	0.017	0.013	0.004	—
4. Scarlet fever.	North	0.088	0.09	0.312	0.566	0.157	0.012	0.017	0.007	—	0.101	0.15	0.321	0.623	0.200	0.027	0.004	—	—
	Midlnd.	0.032	0.03	0.178	0.172	0.064	0.017	0.002	—	—	0.032	0.06	0.031	0.211	0.068	0.008	0.007	—	—
	South	0.015	0.05	0.052	0.079	0.033	—	0.004	—	—	0.021	—	0.154	0.113	0.039	0.018	—	0.005	—
	Wales	0.050	—	0.341	0.393	0.080	—	—	—	—	0.051	0.10	0.580	0.253	0.070	0.014	0.009	—	—
	E. & W.	0.042	0.04	0.197	0.263	0.078	0.010	0.006	0.001	—	0.046	0.07	0.189	0.286	0.090	0.015	0.004	0.001	—
5. Whooping cough.	North	0.110	2.72	1.248	0.189	0.011	—	—	—	—	0.147	2.93	2.035	0.364	0.029	—	—	—	—
	Midlnd.	0.102	2.99	1.159	0.162	0.009	—	—	—	—	0.142	4.02	1.449	0.364	0.015	—	—	—	0.01
	South	0.077	2.15	1.084	0.143	0.024	—	—	—	—	0.089	2.38	1.228	0.210	0.029	0.006	0.003	—	0.02
	Wales	0.105	2.56	1.249	0.179	0.011	—	—	—	—	0.119	3.03	0.928	0.325	0.023	—	—	—	—
	E. & W.	0.098	2.68	1.172	0.165	0.013	—	—	—	—	0.126	3.26	1.476	0.322	0.022	0.002	0.001	—	0.01

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1913.—RURAL DISTRICTS—*continued*.
(See note at head of Table 24.)

		Males.										Females.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
6. Diphtheria and croup.	North	0.13	0.28	0.676	0.703	0.285	0.019	0.004	—	—	0.147	—	0.750	0.710	0.348	0.020	0.021	—	—		
	Midland.	0.081	0.19	0.119	0.382	0.208	0.021	0.005	0.011	—	0.092	0.06	0.247	0.355	0.277	0.016	0.011	—	—		
	South	0.072	0.10	0.155	0.348	0.194	0.016	0.007	—	0.01	0.079	0.05	0.205	0.355	0.250	0.006	0.007	0.015	—		
	Wales	0.122	0.09	0.795	0.715	0.207	0.039	0.009	0.015	—	0.107	—	0.580	0.651	0.210	0.014	—	0.015	0.04		
	E. & W.	0.094	0.18	0.333	0.484	0.221	0.021	0.006	0.006	0.00	0.102	0.04	0.391	0.469	0.279	0.014	0.011	0.006	0.00		
7. Influenza ...	North	0.239	0.52	0.156	0.051	0.028	0.056	0.129	0.521	1.63	0.214	0.29	0.107	0.035	0.034	0.060	0.074	0.358	1.94		
	Midland.	0.215	0.55	0.238	0.057	0.015	0.038	0.095	0.368	1.39	0.181	0.43	0.154	0.058	0.021	0.047	0.062	0.186	1.21		
	South	0.246	0.38	0.155	0.079	0.033	0.059	0.144	0.355	1.59	0.201	0.30	0.102	0.032	0.029	0.036	0.075	0.284	1.31		
	Wales	0.244	0.47	—	0.143	—	0.105	0.128	0.397	1.80	0.197	0.20	—	0.072	0.023	0.043	0.122	0.193	1.59		
	E. & W.	0.231	0.49	0.173	0.071	0.021	0.054	0.119	0.399	1.53	0.195	0.34	0.114	0.048	0.026	0.046	0.075	0.248	1.44		
8. Erysipelas	North	0.019	0.14	—	—	—	0.006	0.012	0.029	0.11	0.018	0.10	—	—	—	0.013	0.016	0.030	0.06		
	Midland.	0.018	0.03	—	—	—	—	0.011	0.050	0.06	0.012	0.06	—	0.010	—	0.004	0.004	0.017	0.06		
	South	0.016	0.05	—	—	—	0.005	0.011	0.027	0.10	0.014	0.05	—	—	—	0.006	0.007	0.030	0.06		
	Wales	0.007	0.09	—	—	—	—	—	0.015	0.04	0.012	0.10	—	—	—	—	0.017	0.015	0.04		
	E. & W.	0.016	0.09	—	—	—	0.003	0.010	0.036	0.08	0.014	0.07	—	0.004	—	0.006	0.009	0.023	0.06		
9. Pulmonary tubercu- losis.	North	0.703	0.37	0.520	0.206	0.090	0.643	1.121	1.507	0.43	0.711	0.20	0.375	0.087	0.320	0.919	1.129	0.716	0.43		
	Midland.	0.756	0.27	0.149	0.076	0.130	0.860	1.328	1.057	0.38	0.661	0.14	0.185	0.125	0.218	1.031	1.050	0.689	0.36		
	South	0.841	0.24	0.155	0.095	0.146	0.778	1.424	1.311	0.61	0.656	0.15	0.102	0.048	0.225	1.005	1.043	0.624	0.37		
	Wales	0.918	0.38	0.227	0.143	0.161	0.889	1.422	1.367	1.38	0.945	0.10	0.348	0.072	0.281	1.361	1.615	0.967	0.46		
	E. & W.	0.784	0.30	0.247	0.118	0.129	0.793	1.316	1.189	0.55	0.700	0.15	0.227	0.091	0.249	1.033	1.123	0.703	0.38		
10. Tubercu- lous men- ingitis.	North	0.138	1.12	1.092	0.582	0.157	0.043	0.017	0.007	—	0.102	0.78	0.750	0.398	0.131	0.047	0.012	—	—		
	Midland.	0.073	0.74	0.654	0.191	0.110	0.021	0.014	0.007	—	0.080	0.60	0.647	0.316	0.094	0.058	0.016	0.007	—		
	South	0.089	0.72	0.671	0.269	0.113	0.075	0.022	0.016	—	0.077	0.40	0.665	0.290	0.152	0.042	0.007	0.015	—		
	Wales	0.146	1.04	0.909	0.357	0.230	0.105	0.026	0.015	—	0.158	1.31	0.580	0.362	0.257	0.086	0.070	0.015	—		
	E. & W.	0.099	0.86	0.790	0.319	0.134	0.049	0.018	0.010	—	0.092	0.68	0.669	0.334	0.134	0.054	0.018	0.009	—		
11. Other tu- berculous diseases.	North	0.238	2.25	2.391	0.463	0.140	0.105	0.108	0.072	0.14	0.234	1.95	1.392	0.398	0.166	0.113	0.181	0.119	0.06		
	Midland.	0.162	1.15	0.565	0.229	0.124	0.127	0.138	0.088	0.14	0.154	0.77	0.370	0.182	0.142	0.167	0.140	0.090	0.11		
	South	0.138	0.62	0.362	0.111	0.085	0.145	0.137	0.164	0.04	0.124	0.71	0.205	0.129	0.113	0.119	0.105	0.091	0.11		
	Wales	0.189	1.23	0.681	0.071	0.080	0.131	0.137	0.323	0.13	0.229	0.61	0.464	0.289	0.152	0.258	0.236	0.179	0.21		
	E. & W.	0.175	1.30	0.962	0.236	0.113	0.127	0.131	0.129	0.11	0.171	1.02	0.580	0.230	0.141	0.152	0.149	0.105	0.12		
12. Cancer, ma- lignant disease.	North	0.837	—	—	0.069	0.017	0.025	0.224	2.321	7.57	1.047	—	—	—	—	0.027	0.423	3.071	7.88		
	Midland.	1.031	0.05	—	0.048	0.020	0.041	0.220	2.390	7.89	1.279	0.03	0.092	0.019	0.015	0.031	0.398	3.127	7.63		
	South	1.097	0.05	0.052	0.016	0.028	0.038	0.244	2.327	8.65	1.200	0.10	—	0.032	0.020	0.036	0.367	2.750	7.22		
	Wales	0.973	—	—	0.071	0.023	0.052	0.265	2.308	8.84	1.230	—	0.116	—	—	0.014	0.279	3.527	8.28		
	E. & W.	1.000	0.03	0.012	0.047	0.022	0.038	0.232	2.350	8.14	1.203	0.04	0.050	0.016	0.011	0.029	0.333	3.047	7.57		
13. Rheumatic fever.	North	0.058	—	0.052	—	0.062	0.056	0.050	0.087	0.11	0.059	—	—	0.017	0.103	0.073	0.053	0.037	0.04		
	Midland.	0.027	—	—	—	0.041	0.034	0.025	0.021	0.03	0.029	—	0.031	—	0.044	0.039	0.020	0.038	0.02		
	South	0.031	—	—	0.032	0.038	0.038	0.022	0.044	0.01	0.033	—	—	0.016	0.049	0.042	0.026	0.036	0.02		
	Wales	0.074	—	—	—	0.103	0.092	0.043	0.088	0.17	0.041	—	—	0.108	0.047	0.029	0.017	0.074	0.04		
	E. & W.	0.040	—	0.012	0.008	0.051	0.046	0.032	0.048	0.05	0.038	—	0.013	0.020	0.058	0.046	0.029	0.041	0.02		
14. Meningitis	North	0.133	1.50	1.611	0.291	0.062	0.049	0.037	0.029	0.07	0.134	1.71	0.910	0.364	0.114	0.067	0.021	0.022	0.04		
	Midland.	0.076	0.82	0.624	0.181	0.081	0.038	0.014	0.032	0.02	0.077	0.86	0.432	0.153	0.097	0.039	0.020	0.038	0.02		
	South	0.079	0.72	0.620	0.190	0.104	0.048	0.029	0.011	0.03	0.046	0.61	0.256	0.097	0.049	0.053	0.010	0.015	0.01		
	Wales	0.122	1.80	1.136	0.179	0.034	0.078	0.026	0.059	0.04	0.093	1.51	0.348	0.181	0.070	0.014	0.052	0.030	—		
	E. & W.	0.094	1.08	0.913	0.208	0.078	0.047	0.024	0.028	0.03	0.082	1.08	0.492	0.191	0.086	0.046	0.021	0.028	0.02		
15. Organic heart disease.	North	1.300	—	0.104	0.017	0.095	0.167	0.378	2.747	13.61	1.378	—	0.107	0.017	0.103	0.193	0.517	2.810	13.18		
	Midland.	1.421	0.03	0.030	0.029	0.069	0.134	0.293	2.429	12.76	1.546	—	0.031	0.019	0.059	0.156	0.398	2.242	12.48		
	South	1.453	0.05	—	—	0.052	0.113	0.413	2.393	12.69	1.584	—	0.051	0.032	0.069	0.137	0.318	2.227	13.19		
	Wales	1.552	0.09	0.114	—	0.057	0.170	0.274	3.367	15.41	1.780	0.20	—	—	0.082	0.186	0.559	3.229	15.15		
	E. & W.	1.417	0.03	0.049	0.016	0.069	0.140	0.341	2.579	13.14	1.544	0.02	0.050	0.020	0.073	0.163	0.419	2.445	13.06		
16. Bronchitis	North	0.949	9.69	2.391	0.377	0.062	0.031	0.054	1.041	8.37	0.895	8.74	2.463	0.364	0.040	0.007	0.103	0.783	8.03		
	Midland.	0.824	6.97	1.813	0.267	0.026	0.010	0.041	0.537	7.29	0.789	5.05	1.418	0.220	0.012	0.019	0.038	0.431	6.82		
	South	0.719	5.59	1.084	0.127	0.014	0.016	0.029	0.508	6.79	0.686	3.89	1.689	0.064	0.020	0.018	0.030	0.340	6.34		
	Wales	0.906	8.44	1.363	0.357	0.069	0.013	0.043	0.897	8.17	0.906	5.14	0.696	0.217	0.012	0.014	0.096	0.625	8.99		
	E. & W.	0.833	7.47	1.727	0.267	0.035	0.017	0.041	0.669	7.42	0.796	5.68	1.652	0.214	0.020	0.015	0.056	0.492	7.09		
17. Pneumonia (all forms).	North	1.084	13.11	6.550	1.131	0.179															

TABLE 28.—MORTALITY from SEVERAL CAUSES, 1913.—RURAL DISTRICTS—*continued.*

(See note at head of Table 24.)

		Males.									Females.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
20. Appendicitis and typhlitis.	North	0·079	0·05	0·052	0·051	0·090	0·099	0·066	0·087	0·07	0·067	—	—	—	0·086	0·107	0·053	0·075	0·06
	Midlnd.	0·061	0·03	0·030	0·037	0·087	0·065	0·036	0·067	0·07	0·059	—	—	—	0·029	0·083	0·070	0·047	0·069
	South	0·078	—	—	0·095	0·057	0·102	0·072	0·082	0·12	0·058	0·05	—	—	0·064	0·069	0·042	0·062	0·056
	Wales	0·069	—	0·114	—	0·149	0·052	0·026	0·088	0·08	0·068	—	—	—	0·036	0·094	0·086	0·044	0·074
	E. & W.	0·070	0·02	0·037	0·059	0·086	0·081	0·051	0·077	0·09	0·061	0·01	—	—	0·032	0·081	0·073	0·052	0·067
21. Cirrhosis of liver.	North	0·111	—	—	—	0·006	—	0·029	0·376	0·81	0·086	—	—	—	—	—	0·025	0·350	0·43
	Midlnd.	0·107	—	0·030	—	0·003	0·003	0·075	0·315	0·45	0·069	—	—	—	—	0·003	0·008	0·040	0·179
	South	0·117	—	—	—	—	—	0·058	0·377	0·50	0·060	—	—	—	—	0·010	—	0·016	0·173
	Wales	0·060	—	—	—	—	—	0·043	0·221	0·21	0·032	—	—	—	—	—	0·026	0·104	0·11
	E. & W.	0·105	—	0·012	—	0·002	0·001	0·057	0·335	0·50	0·067	—	—	—	—	0·004	0·003	0·029	0·203
21A. Alcoholism	North	0·016	—	—	—	—	—	0·017	0·065	0·02	0·005	—	—	—	—	—	0·008	0·007	0·02
	Midlnd.	0·018	—	—	—	—	—	0·036	0·046	0·01	0·009	—	—	—	—	—	0·009	0·021	0·03
	South	0·012	—	—	—	—	—	0·018	0·033	0·01	0·003	—	—	—	—	—	—	0·015	—
	Wales	0·012	—	—	—	—	—	0·017	0·029	0·04	0·005	—	—	—	—	—	0·009	0·015	—
	E. & W.	0·015	—	—	—	—	—	0·025	0·045	0·02	0·006	—	—	—	—	—	0·006	0·016	0·02
22. Nephritis and Bright's disease.	North	0·385	0·23	0·156	0·137	0·073	0·087	0·162	0·976	2·60	0·316	0·24	0·268	0·121	0·080	0·040	0·197	0·716	1·85
	Midlnd.	0·354	0·25	0·119	0·048	0·023	0·069	0·125	0·781	2·28	0·299	0·23	0·185	0·048	0·032	0·074	0·171	0·537	1·58
	South	0·409	0·05	—	0·048	0·033	0·070	0·169	0·803	2·84	0·336	0·15	0·102	0·032	0·029	0·048	0·151	0·604	2·04
	Wales	0·524	—	0·114	0·107	0·115	0·039	0·197	1·279	3·85	0·368	0·10	0·116	0·036	0·047	0·129	0·192	0·729	2·27
	E. & W.	0·393	0·17	0·099	0·075	0·046	0·070	0·152	0·878	2·64	0·320	0·20	0·177	0·060	0·044	0·065	0·173	0·610	1·82
23. Puerperal fever.	North	—	—	—	—	—	—	—	—	—	0·050	—	—	—	—	0·073	0·127	—	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0·048	—	—	—	—	0·062	0·138	—	—
	South	—	—	—	—	—	—	—	—	—	0·037	—	—	—	—	0·012	0·121	—	—
	Wales	—	—	—	—	—	—	—	—	—	0·100	—	—	—	—	0·043	0·332	—	—
	E. & W.	—	—	—	—	—	—	—	—	—	0·051	—	—	—	—	0·050	0·151	—	—
24. Parturition, apart from puerperal fever.	North	—	—	—	—	—	—	—	—	—	0·193	—	—	—	—	0·213	0·534	0·007	—
	Midlnd.	—	—	—	—	—	—	—	—	—	0·116	—	—	—	—	0·136	0·343	0·003	—
	South	—	—	—	—	—	—	—	—	—	0·116	—	—	—	—	0·113	0·341	—	—
	Wales	—	—	—	—	—	—	—	—	—	0·212	—	—	—	—	0·258	0·585	0·030	—
	E. & W.	—	—	—	—	—	—	—	—	—	0·142	—	—	—	—	0·161	0·409	0·006	—
25. Congenital debility and malformation (including prematurity birth).	North	1·190	47·42	0·260	0·069	0·006	0·006	0·004	—	—	0·847	34·12	0·268	0·052	0·034	0·007	0·008	—	—
	Midlnd.	0·847	37·43	0·208	0·086	0·017	0·014	0·011	0·004	—	0·660	30·29	0·092	0·038	0·024	0·008	—	0·010	—
	South	0·730	35·14	0·207	0·111	0·014	0·016	0·007	0·005	—	0·490	25·53	0·256	0·048	0·015	0·006	0·007	—	—
	Wales	0·995	38·59	0·341	0·036	0·057	—	—	—	—	0·735	30·15	—	0·072	—	0·014	—	—	—
	E. & W.	0·907	39·42	0·234	0·083	0·018	0·011	0·007	0·003	—	0·662	30·09	0·164	0·048	0·021	0·008	0·004	0·004	—
26. Violence, apart from suicide.	North	0·741	0·66	0·832	0·617	0·291	0·606	0·809	1·077	1·76	0·222	0·83	0·536	0·416	0·171	0·067	0·070	0·253	0·99
	Midlnd.	0·581	1·18	0·624	0·572	0·310	0·350	0·531	0·877	1·25	0·223	1·37	0·555	0·383	0·127	0·070	0·067	0·165	0·91
	South	0·491	0·81	0·620	0·475	0·241	0·317	0·496	0·628	1·19	0·229	1·37	0·512	0·338	0·118	0·137	0·075	0·188	0·93
	Wales	0·811	0·85	1·476	0·643	0·253	0·745	0·839	1·235	1·59	0·219	0·30	0·580	0·796	0·129	0·072	0·096	0·119	0·88
	E. & W.	0·617	0·93	0·765	0·566	0·282	0·441	0·618	0·887	1·36	0·224	1·11	0·542	0·425	0·134	0·087	0·073	0·184	0·93
27. Suicide ...	North	0·138	—	—	—	—	0·049	0·208	0·260	0·57	0·052	—	—	—	—	0·027	0·057	0·157	0·11
	Midlnd.	0·144	—	—	—	—	0·075	0·184	0·339	0·33	0·040	—	—	—	—	0·047	0·051	0·065	0·09
	South	0·150	—	—	—	0·005	0·081	0·162	0·388	0·32	0·042	—	—	—	—	0·042	0·053	0·101	0·02
	Wales	0·117	—	—	—	—	0·013	0·163	0·279	0·42	0·041	—	—	—	—	0·029	0·052	0·089	0·11
	E. & W.	0·141	—	—	—	0·001	0·064	0·181	0·330	0·38	0·044	—	—	—	—	0·039	0·053	0·096	0·08
28. Other defined diseases.	North	3·880	24·29	3·483	0·788	0·325	0·433	0·838	4·258	40·52	3·837	20·01	3·534	0·900	0·337	0·426	0·948	4·354	38·30
	Midlnd.	4·169	15·86	2·586	0·601	0·362	0·391	0·813	3·702	39·39	4·033	12·33	1·696	0·671	0·318	0·467	0·892	3·334	33·89
	South	3·927	15·25	2·221	0·602	0·364	0·392	0·909	3·715	35·68	3·733	10·87	1·996	0·548	0·363	0·459	0·787	3·293	31·44
	Wales	4·144	31·66	4·202	0·607	0·321	0·525	0·968	4·146	36·94	4·373	26·32	3·015	0·761	0·361	0·587	1·091	4·167	35·78
	E. & W.	4·040	19·60	2·887	0·645	0·350	0·415	0·860	3·865	38·30	3·946	15·47	2·346	0·703	0·338	0·469	0·896	3·602	34·08
29. Causes ill-defined or unknown.	North	0·132	0·03	0·623	0·035	0·002	0·030	0·023	0·462	0·46	0·099	0·33	0·800	0·069	0·003	0·017	0·043	0·187	0·43
	Midlnd.	0·102	0·47	0·416	0·028	0·007	0·006	0·053	0·214	0·38	0·080	0·34	0·525	0·028	0·014	0·013	0·030	0·134	0·32
	South	0·066	0·08	0·152	0·016	0·009	0·005	0·037	0·152	0·26	0·063	0·35	0·205	0·051	0·008	—	0·033	0·128	0·17
	Wales	0·137	0·49	0·567	—	—	—	0·050	0·384	0·68	0·070	0·61	0·230	—	—	0·043	0·029	0·149	0·16
	E. & W.	0·103	0·29	0·422	0·024	0·008	0·011	0·043	0·267	0·39	0·079	0·38	0·481	0·037	0·010	0·018	0·033	0·143	0·27

TABLE 29.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY, 1913.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Births.																
			All Infants.						Legitimate Infants.						Illegitimate Infants.				
			Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
CAUSES ...	M	44.38	23.09	21.64	16.81	14.22	120.14	42.81	21.88	20.43	16.12	13.82	115.06	79.37	49.64	48.25	31.95	23.02	232.23
	F	34.32	17.47	17.82	14.04	12.59	96.24	33.00	16.42	16.76	13.45	12.31	91.94	63.83	41.13	41.72	27.33	19.01	193.02
	P	39.44	20.33	19.77	15.45	13.42	108.41	37.99	19.20	18.63	14.81	13.08	103.71	71.83	45.50	45.08	29.70	21.08	213.19
Common Infectious Diseases (5-9, 19C).	M	0.12	0.58	0.82	1.69	2.39	5.60	0.12	0.59	0.81	1.67	2.32	5.51	—	0.36	1.02	2.56	3.85	7.79
	F	0.13	0.66	0.98	1.59	2.48	5.84	0.13	0.66	0.97	1.56	2.47	5.79	0.05	0.70	1.81	2.02	2.88	6.96
	P	0.13	0.62	0.89	1.64	2.43	5.71	0.13	0.62	0.87	1.62	2.40	5.64	0.03	0.53	1.16	2.28	3.39	7.39
Tuberculous Diseases (28-5).	M	0.05	0.44	0.98	1.00	0.92	3.39	0.06	0.42	0.92	0.95	0.88	3.23	—	1.02	2.36	1.80	1.85	7.03
	F	0.03	0.26	0.77	0.81	0.79	2.66	0.03	0.23	0.74	0.78	0.77	2.55	0.05	1.03	1.36	1.24	1.26	4.94
	P	0.05	0.35	0.88	0.89	0.85	3.02	0.05	0.33	0.83	0.85	0.83	2.89	0.03	1.02	1.87	1.53	1.56	6.01
Diarrhoea and Enteritis (104).	M	1.39	5.26	7.06	4.62	3.11	21.44	1.32	4.94	6.64	4.38	3.02	20.30	2.92	12.26	16.65	9.85	5.08	46.76
	F	0.84	3.79	5.72	3.93	2.83	17.11	0.80	3.48	5.31	3.73	2.73	16.05	1.68	10.76	15.04	8.48	5.11	41.07
	P	1.12	4.54	6.41	4.28	2.97	19.32	1.07	4.23	5.97	4.06	2.88	18.21	2.32	11.53	15.88	9.18	5.09	44.00
Developmental and Wasting Diseases (150, 51, 152B).	M	32.61	6.50	3.01	1.04	0.55	43.71	31.73	6.08	2.76	0.96	0.53	42.06	51.86	15.73	8.25	2.82	1.07	79.73
	F	25.62	5.02	2.50	0.92	0.59	34.65	24.97	4.70	2.32	0.84	0.57	33.40	39.93	12.22	6.69	2.88	1.02	62.74
	P	29.18	5.77	2.76	0.98	0.57	39.26	28.42	5.40	2.54	0.90	0.55	37.81	46.05	14.03	7.49	2.85	1.06	71.48
Miscellaneous Diseases (Remainder).	M	10.21	10.31	9.77	8.46	7.25	46.00	9.58	9.85	9.30	8.16	7.07	43.96	24.59	20.27	19.97	14.92	11.17	90.92
	F	7.70	7.74	7.85	6.79	5.90	35.98	7.07	7.35	7.42	6.54	5.77	34.15	22.12	16.42	17.32	12.71	8.74	77.31
	P	8.96	9.05	8.83	7.66	6.60	41.10	8.32	8.62	8.42	7.38	6.42	39.16	23.40	18.39	18.68	13.86	9.98	84.31
Small-pox (5) ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox (19C).	M	0.00	0.00	0.01	0.03	0.02	0.06	0.00	0.00	0.01	0.03	0.02	0.06	—	—	—	—	0.10	0.10
	F	0.00	0.00	0.01	0.03	0.02	0.06	0.00	0.00	0.01	0.03	0.02	0.06	—	—	—	—	0.05	0.05
	P	0.00	0.00	0.01	0.03	0.02	0.06	0.00	0.00	0.01	0.03	0.02	0.06	—	—	—	—	0.08	0.08
Measles (6) ...	M	0.02	0.06	0.18	0.78	1.47	2.51	0.02	0.06	0.18	0.78	1.40	2.44	—	0.10	0.15	0.92	2.83	4.00
	F	0.02	0.05	0.16	0.65	1.48	2.36	0.02	0.05	0.15	0.64	1.46	2.32	—	—	0.38	0.81	1.91	3.10
	P	0.02	0.05	0.17	0.72	1.47	2.43	0.02	0.05	0.16	0.71	1.44	2.38	—	0.05	0.26	0.87	2.38	3.56
Scarlet Fever (7)	M	—	0.00	0.02	0.03	0.05	0.10	—	0.00	0.02	0.03	0.05	0.10	—	—	—	0.10	0.05	0.15
	F	—	0.00	0.01	0.02	0.03	0.06	—	0.00	0.01	0.02	0.04	0.07	—	—	—	—	—	—
	P	—	0.00	0.01	0.03	0.04	0.08	—	0.00	0.01	0.03	0.04	0.08	—	—	—	0.05	0.03	0.08
Whooping Cough (8).	M	0.09	0.51	0.58	0.76	0.71	2.65	0.09	0.52	0.57	0.74	0.71	2.63	—	0.26	0.32	1.38	0.82	3.28
	F	0.10	0.61	0.78	0.83	0.83	3.15	0.10	0.61	0.78	0.82	0.83	3.14	0.05	0.65	0.93	1.04	0.81	3.48
	P	0.10	0.56	0.68	0.79	0.77	2.90	0.10	0.56	0.67	0.78	0.77	2.88	0.03	0.45	0.87	1.21	0.82	3.38
Diphtheria and Group (9).	M	0.01	0.01	0.03	0.09	0.14	0.23	0.01	0.01	0.03	0.09	0.14	0.28	—	—	0.05	0.16	0.05	0.26
	F	0.01	0.00	0.02	0.06	0.12	0.21	0.01	0.00	0.02	0.05	0.12	0.20	—	0.05	—	0.17	0.11	0.33
	P	0.01	0.01	0.02	0.07	0.13	0.24	0.01	0.01	0.02	0.07	0.13	0.24	—	0.03	0.03	0.15	0.08	0.29
Scarlatina (18)...	M	0.03	0.07	0.03	0.02	0.01	0.16	0.02	0.08	0.03	0.02	0.01	0.16	0.10	0.05	—	—	—	0.15
	F	0.04	0.05	0.03	0.03	0.01	0.16	0.04	0.05	0.03	0.03	0.01	0.16	0.06	—	0.05	—	—	0.11
	P	0.03	0.07	0.03	0.02	0.01	0.16	0.03	0.07	0.03	0.02	0.01	0.16	0.07	0.03	0.03	—	—	0.13
Tuberculous Meningitis (30).	M	0.01	0.09	0.28	0.38	0.36	1.12	0.01	0.09	0.27	0.36	0.36	1.09	—	0.15	0.67	0.62	0.41	1.85
	F	0.01	0.05	0.23	0.31	0.32	0.92	0.01	0.05	0.22	0.31	0.32	0.91	0.05	0.11	0.33	0.27	0.22	0.93
	P	0.01	0.07	0.26	0.34	0.34	1.02	0.01	0.07	0.25	0.33	0.34	1.00	0.03	0.13	0.50	0.44	0.32	1.42
Abdominal Tuberculosis (31).	M	0.02	0.24	0.50	0.35	0.32	1.43	0.03	0.23	0.45	0.35	0.30	1.36	—	0.46	1.28	0.51	0.67	2.92
	F	0.01	0.14	0.36	0.27	0.29	1.07	0.01	0.12	0.34	0.26	0.27	1.00	—	0.65	0.76	0.54	0.71	2.66
	P	0.02	0.19	0.43	0.31	0.30	1.25	0.02	0.18	0.39	0.30	0.29	1.18	—	0.55	1.03	0.53	0.69	2.80
Other Tuberculous Diseases (28, 29, 32-35).	M	0.02	0.11	0.20	0.27	0.24	0.84	0.02	0.10	0.20	0.24	0.22	0.78	—	0.41	0.41	0.67	0.77	2.26
	F	0.01	0.07	0.18	0.23	0.18	0.67	0.01	0.06	0.18	0.21	0.18	0.64	—	0.27	0.27	0.43	0.33	1.30
	P	0.02	0.09	0.19	0.24	0.21	0.75	0.02	0.08	0.19	0.22	0.20	0.71	—	0.34	0.34	0.56	0.55	1.79
Meningitis (not Tuberculous) (61).	M	0.09	0.19	0.42	0.39	0.37	1.46	0.09	0.19	0.43	0.39	0.36	1.46	0.05	0.10	0.52	0.41	0.51	1.59
	F	0.04	0.14	0.35	0.38	0.29	1.20	0.03	0.13	0.34	0.38	0.29	1.17	0.16	0.38	0.71	0.54	0.27	2.06
	P	0.06	0.16	0.40	0.39	0.33	1.34	0.06	0.16	0.38	0.38	0.33	1.31	0.11	0.24	0.60	0.47	0.40	1.82
Convulsions (71)	M	3.80	2.40	1.91	1.22	0.83	10.16	3.67	2.27	1.82	1.13	0.79	9.68	6.62	5.33	4.00	3.13	1.69	20.77
	F	2.75	1.85	1.49	1.04	0.75	7.88	2.68	1.75	1.42	0.99	0.72	7.56	4.46	4.07	2.99	2.12	1.41	15.05
	P	3.29	2.13	1.70	1.13	0.79	9.04	3.19	2.02	1.62	1.06	0.75	8.64	5.56	4.72	3.51	2.64	1.56	17.99
Coryngitis (87B).	M	0.02	0.03	0.05	0.04	0.04	0.18	0.02	0.03	0.05	0.04	0.04	0.18	—	0.11	0.05	0.05	—	0.21
	F	0.01	0.01	0.03	0.03	0.06	0.14	0.01	0.01	0.03	0.03	0.05	0.13	—	—	0.05	0.17	—	0.22
	P	0.01	0.02	0.05	0.04	0.04	0.16	0.01	0.02	0.05	0.04	0.04	0.16	—	0.05	0.05	0.11		

TABLE 29.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY
1913—continued.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Sex.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
Gastritis (103A) {	M	0.33	0.63	0.51	0.25	0.14	1.86	0.33	0.58	0.47	0.24	0.14	1.76	0.36	1.69	1.49	0.41	0.15	4.10
	F	0.19	0.43	0.40	0.21	0.14	1.37	0.18	0.40	0.37	0.21	0.14	1.30	0.38	0.87	1.25	0.27	0.16	2.93
	P	0.26	0.53	0.46	0.23	0.14	1.62	0.26	0.48	0.42	0.23	0.14	1.53	0.37	1.29	1.37	0.34	0.16	3.55
Syphilis (37) ... {	M	0.53	0.67	0.26	0.10	0.06	1.62	0.42	0.53	0.19	0.07	0.05	1.26	3.08	3.38	1.90	0.77	0.46	9.55
	F	0.33	0.46	0.28	0.11	0.06	1.29	0.30	0.36	0.19	0.08	0.04	0.97	2.01	2.93	2.28	0.87	0.49	8.53
	P	0.46	0.57	0.27	0.10	0.06	1.46	0.36	0.45	0.19	0.07	0.04	1.11	2.56	3.17	2.08	0.82	0.47	9.10
Rickets (36A) ... {	M	0.00	0.04	0.10	0.15	0.24	0.53	0.00	0.03	0.09	0.15	0.23	0.50	—	0.10	0.41	0.15	0.42	1.08
	F	0.00	0.03	0.07	0.12	0.13	0.35	0.00	0.04	0.07	0.11	0.12	0.34	—	—	0.22	0.22	0.16	0.60
	P	0.00	0.04	0.09	0.13	0.18	0.44	0.00	0.03	0.08	0.13	0.18	0.42	—	0.05	0.32	0.18	0.29	0.83
Suffocation, over-lying (168 part). {	M	0.44	0.54	0.30	0.09	0.02	1.39	0.40	0.52	0.29	0.09	0.02	1.32	1.23	0.97	0.62	0.10	0.05	2.97
	F	0.44	0.62	0.27	0.04	0.02	1.39	0.38	0.61	0.26	0.04	0.02	1.31	1.70	0.81	0.54	0.16	—	3.21
	P	0.44	0.57	0.29	0.07	0.02	1.39	0.39	0.57	0.27	0.06	0.02	1.31	1.45	0.90	0.58	0.13	0.03	3.09
Injury at Birth (152C). {	M	1.40	0.02	0.00	—	—	1.42	1.33	0.02	0.00	—	—	1.35	2.82	0.05	—	—	—	2.87
	F	0.96	0.02	—	—	—	0.98	0.89	0.01	—	—	—	0.90	2.78	0.05	—	—	—	2.83
	P	1.19	0.02	0.00	—	—	1.21	1.11	0.02	0.00	—	—	1.13	2.80	0.05	—	—	—	2.85
Atelectasis (152B). {	M	1.98	0.10	—	—	—	2.08	1.94	0.10	—	—	—	2.04	2.82	0.15	—	—	—	2.97
	F	1.33	0.08	—	—	—	1.41	1.30	0.08	—	—	—	1.33	1.95	0.11	—	—	—	2.06
	P	1.66	0.09	—	—	—	1.75	1.63	0.09	—	—	—	1.72	2.40	0.13	—	—	—	2.53
Congenital Malformations (150). {	M	2.65	0.91	0.44	0.23	0.09	4.32	2.62	0.89	0.43	0.22	0.09	4.25	3.29	1.28	0.51	0.46	0.15	5.69
	F	2.22	0.64	0.40	0.14	0.12	3.52	2.21	0.62	0.39	0.14	0.13	3.49	2.22	0.98	0.71	0.22	0.05	4.18
	P	2.45	0.77	0.42	0.18	0.11	3.93	2.42	0.76	0.41	0.18	0.11	3.88	2.77	1.13	0.61	0.34	0.11	4.90
Premature Birth (151A). {	M	19.83	1.72	0.22	0.03	0.01	21.81	19.22	1.65	0.20	0.03	0.01	21.11	32.97	3.28	0.72	0.10	—	37.07
	F	15.29	1.60	0.21	0.04	0.02	18.16	15.84	1.54	0.20	0.04	0.01	17.63	25.52	3.04	0.38	0.05	0.16	30.15
	P	18.09	1.66	0.22	0.04	0.01	20.02	17.56	1.59	0.20	0.04	0.01	19.40	29.83	3.17	0.55	0.08	0.08	33.71
Atrophy, Debility and Marasmus (151 B-E). {	M	8.15	3.77	2.35	0.78	0.45	15.50	7.95	3.44	2.13	0.71	0.43	14.66	12.78	11.02	7.02	2.26	0.92	34.00
	F	5.78	2.70	1.89	0.74	0.45	11.56	5.62	2.46	1.73	0.66	0.43	10.90	9.24	8.09	5.60	2.61	0.81	26.35
	P	6.98	3.25	2.12	0.76	0.45	13.56	6.81	2.96	1.93	0.68	0.43	12.81	11.05	9.60	6.33	2.43	0.87	30.28
Other Causes ... {	M	1.83	1.19	1.12	0.97	0.81	5.92	1.55	1.15	1.04	0.95	0.79	5.48	8.94	2.08	1.85	1.49	1.28	15.64
	F	1.54	0.82	0.88	0.77	0.56	4.57	1.20	0.78	0.82	0.75	0.57	4.12	9.43	1.82	1.68	1.14	0.65	14.72
	P	1.68	1.01	0.97	0.90	0.71	5.27	1.35	0.96	0.98	0.89	0.67	4.85	9.21	1.93	1.77	1.34	0.95	15.20

TABLE 30.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1913.—CLASSES OF ADMINISTRATIVE AREAS.

Cause of Death.		Proportion of Deaths to 1,000 Births.											
		All Infants.						Legitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes ...	London	34.08	20.66	20.75	16.04	14.23	105.76	32.50	19.18	19.17	15.45	13.91	100.21
	County Boroughs ...	42.16	23.59	23.55	18.78	16.31	124.39	40.50	22.38	22.21	17.90	15.86	118.85
	Other Urban Districts	39.55	19.94	18.70	14.48	12.75	105.42	38.24	18.80	17.61	13.89	12.47	101.01
	Rural Districts	38.03	15.27	14.57	11.10	9.19	88.16	36.76	14.51	13.95	10.74	8.86	84.82
	All Urban Districts ...	39.79	21.58	21.05	16.52	14.47	113.41	38.29	20.35	19.78	15.81	14.11	108.34
I. Common Infectious Diseases (5-9, 19 C).	London	0.19	0.44	0.84	1.99	3.06	6.52	0.19	0.43	0.84	1.96	2.98	6.40
	County Boroughs ...	0.12	0.67	0.99	1.86	2.82	6.46	0.13	0.67	0.97	1.81	2.76	6.34
	Other Urban Districts	0.11	0.62	0.82	1.47	2.28	5.30	0.11	0.64	0.83	1.44	2.24	5.26
	Rural Districts	0.13	0.70	0.90	1.32	1.62	4.67	0.14	0.72	0.88	1.32	1.61	4.67
	All Urban Districts ...	0.13	0.62	0.90	1.70	2.62	5.97	0.13	0.62	0.89	1.66	2.58	5.88
II. Tuberculous Diseases (28-35).	London	0.02	0.36	0.83	0.87	0.95	3.03	0.02	0.34	0.80	0.89	0.94	2.99
	County Boroughs ...	0.05	0.39	1.07	1.14	1.03	3.68	0.05	0.33	1.03	1.06	0.97	3.44
	Other Urban Districts	0.06	0.40	0.85	0.81	0.77	2.89	0.06	0.37	0.81	0.78	0.76	2.78
	Rural Districts	0.04	0.21	0.60	0.67	0.64	2.16	0.04	0.22	0.59	0.66	0.60	2.11
	All Urban Districts ...	0.05	0.38	0.94	0.96	0.91	3.24	0.05	0.35	0.90	0.92	0.87	3.09
III. Diarrhoea and Enteritis (104).	London	1.00	5.02	7.74	5.41	3.63	22.80	0.99	4.52	6.99	5.13	3.46	21.09
	County Boroughs ...	1.42	5.62	8.34	5.62	4.02	25.02	1.35	5.29	7.81	5.31	3.89	23.65
	Other Urban Districts	1.06	4.37	5.76	3.82	2.65	17.66	1.00	4.07	5.40	3.61	2.57	16.65
	Rural Districts	0.80	2.69	3.40	2.09	1.33	10.31	0.76	2.51	3.19	2.04	1.31	9.81
	All Urban Districts ...	1.20	5.00	7.14	4.82	3.38	21.54	1.14	4.65	6.68	4.56	3.26	20.29
IV. Developmental and Wasting Diseases (150, 151, 152 B).	London	24.24	5.42	2.76	0.79	0.47	33.68	23.64	4.97	2.43	0.77	0.42	32.23
	County Boroughs ...	30.87	6.40	3.20	1.25	0.74	42.46	29.97	6.03	2.94	1.13	0.70	40.77
	Other Urban Districts	29.67	5.98	2.68	0.89	0.58	39.80	28.94	5.57	2.50	0.82	0.56	38.39
	Rural Districts	28.55	4.58	2.16	0.80	0.36	36.45	27.91	4.32	2.05	0.70	0.35	35.33
	All Urban Districts ...	29.32	6.07	2.91	1.03	0.62	39.95	28.54	5.66	2.67	0.95	0.59	38.41
V. Miscellaneous Diseases (Remainder).	London	8.63	9.42	8.58	6.98	6.12	39.73	7.66	8.92	8.11	6.70	6.11	37.50
	County Boroughs ...	9.70	10.51	9.95	8.91	7.70	46.77	9.00	10.06	9.46	8.59	7.54	44.65
	Other Urban Districts	8.65	8.57	7.59	7.49	6.34	39.77	8.13	8.15	8.07	7.24	6.34	37.93
	Rural Districts	8.51	7.09	7.51	6.22	5.24	34.57	7.91	6.74	7.24	6.02	4.99	32.90
	All Urban Districts ...	9.09	9.51	9.16	8.01	6.94	42.71	8.43	9.07	8.64	7.72	6.81	40.67
	London	238.15	22.02	30.33	58.41	55.94	71.45	71.45	17.07	25.40	12.13	7.64	63.36
	County Boroughs ...	248.18	26.28	38.51	53.42	50.74	79.23	79.23	13.10	19.81	12.54	7.02	55.55
	Other Urban Districts	206.57	19.01	28.00	43.67	46.21	69.68	69.68	11.29	14.08	8.67	4.37	40.88
	Rural Districts	155.83	15.70	18.38	27.15	30.68	63.92	63.92	6.45	7.42	3.17	1.83	20.45
	All Urban Districts ...	229.06	22.56	32.83	50.04	49.60	74.03	74.03	12.93	18.22	10.84	5.99	50.51
	London	9.66	5.38	2.94	0.67	0.67	—	—	0.89	1.35	0.68	1.13	4.05
	County Boroughs ...	9.31	3.95	3.08	1.57	0.63	0.08	0.08	1.66	2.59	2.45	2.21	8.99
	Other Urban Districts	6.44	3.09	2.15	0.80	0.40	—	—	0.96	2.06	1.28	1.11	5.41
	Rural Districts	4.62	1.83	0.98	1.32	0.49	—	—	0.24	0.73	0.98	1.47	3.42
	All Urban Districts ...	8.15	3.80	2.68	1.11	0.53	0.03	0.03	1.24	2.19	1.69	1.59	6.74
	London	4.05	1.13	0.68	1.35	0.89	—	—	0.89	1.35	0.68	1.13	4.05
	County Boroughs ...	8.99	2.21	2.45	2.59	1.66	0.08	0.08	1.66	2.59	2.45	2.21	8.99
	Other Urban Districts	5.41	1.11	1.28	2.06	0.96	—	—	0.96	2.06	1.28	1.11	5.41
	Rural Districts	3.42	1.47	0.98	0.73	0.24	—	—	0.24	0.73	0.98	1.47	3.42
	All Urban Districts ...	6.74	1.59	1.69	2.19	1.24	0.03	0.03	1.24	2.19	1.69	1.59	6.74
	London	63.36	7.64	12.13	25.40	17.07	1.12	1.12	17.07	25.40	12.13	7.64	63.36
	County Boroughs ...	55.55	7.02	12.54	19.81	13.10	3.08	3.08	13.10	19.81	12.54	7.02	55.55
	Other Urban Districts	40.88	4.37	8.67	14.08	11.29	2.47	2.47	11.29	14.08	8.67	4.37	40.88
	Rural Districts	20.45	1.83	3.17	7.42	6.45	1.58	1.58	6.45	7.42	3.17	1.83	20.45
	All Urban Districts ...	50.51	5.99	10.84	18.22	12.93	2.53	2.53	12.93	18.22	10.84	5.99	50.51
	London	68.53	1.57	0.89	10.56	16.18	39.33	39.33	16.18	10.56	0.89	1.57	68.53
	County Boroughs ...	80.25	1.50	3.95	9.07	14.52	51.21	51.21	14.52	9.07	3.95	1.50	80.25
	Other Urban Districts	71.90	0.80	2.39	6.93	15.58	46.20	46.20	15.58	6.93	2.39	0.80	71.90
	Rural Districts	58.92	0.48	2.92	4.26	9.74	41.52	41.52	9.74	4.26	2.92	0.48	58.92
	All Urban Districts ...	74.96	1.21	2.83	8.39	15.21	47.32	47.32	15.21	8.39	2.83	1.21	74.96
	London	92.55	6.30	13.69	20.43	21.13	31.00	31.00	21.13	20.43	13.69	6.30	92.55
	County Boroughs ...	94.08	11.60	16.49	20.38	20.83	24.78	24.78	20.83	20.38	16.49	11.60	94.08
	Other Urban Districts	81.94	9.64	13.51	19.80	17.98	21.01	21.01	17.98	19.80	13.51	9.64	81.94
	Rural Districts	68.42	10.09	13.42	13.42	13.76	32.90	32.90	13.76	13.42	10.09	10.09	68.42
	All Urban Districts ...	88.70	9.97	14.79	20.13	19.69	24.12	24.12	19.69	20.13	14.79	9.97	88.70

Erysipelas (18)	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.07	0.10	0.03	0.04	0.01	0.25	0.06	0.11	0.03	0.04	0.01	0.25	0.45	—	—	—	0.45
			0.03	0.08	0.05	0.03	0.01	0.20	0.03	0.08	0.05	0.04	0.01	0.21	0.08	—	—	—	0.08
			0.03	0.06	0.02	0.01	0.01	0.13	0.03	0.06	0.02	0.01	0.01	0.13	—	—	—	—	—
			0.01	0.04	0.02	—	0.01	0.08	0.01	0.04	0.02	—	0.01	0.08	0.11	0.03	—	—	—
Tuberculous Meningitis (30).	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.01	0.05	0.28	0.40	0.45	1.19	0.01	0.05	0.28	0.41	0.46	1.21	—	0.22	0.23	0.23	
			0.01	0.07	0.28	0.44	0.42	1.22	0.01	0.07	0.28	0.41	0.41	1.18	0.08	0.16	0.39	0.47	
			0.01	0.08	0.27	0.28	0.27	0.91	0.01	0.08	0.24	0.28	0.28	0.89	—	0.08	0.87	0.24	
			0.02	0.07	0.18	0.27	0.23	0.77	0.02	0.07	0.18	0.27	0.22	0.76	0.03	0.12	0.24		
Abdominal Tuberculosis (31).	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.01	0.07	0.28	0.36	0.36	1.08	0.01	0.07	0.26	0.36	0.36	1.06	0.03	0.13	0.58	1.52	
			—	0.18	0.29	0.18	0.23	0.88	—	0.17	0.27	0.19	0.23	0.86	—	0.45	0.68	0.22	
			0.02	0.23	0.57	0.40	0.35	1.57	0.02	0.19	0.54	0.38	0.33	1.46	0.95	1.65	0.63	0.95	
			0.03	0.21	0.40	0.31	0.31	1.26	0.03	0.19	0.40	0.29	0.30	1.21	0.56	0.87	0.64	0.48	
Other Tuberculous Diseases (28, 29, 32-35).	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.01	0.11	0.29	0.26	0.26	0.93	0.01	0.12	0.28	0.25	0.23	0.89	—	—	0.49	0.85	
			0.02	0.21	0.45	0.33	0.32	1.33	0.02	0.19	0.43	0.32	0.30	1.26	0.71	1.17	0.54	0.64	
			0.01	0.13	0.26	0.29	0.27	0.96	0.01	0.12	0.25	0.29	0.25	0.92	—	0.22	0.45	0.68	
			0.02	0.09	0.22	0.30	0.26	0.89	0.02	0.07	0.21	0.27	0.23	0.80	0.55	0.56	0.95	0.79	
Meningitis (not Tuberculous) (61).	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.07	0.19	0.39	0.38	0.30	1.33	0.07	0.18	0.38	0.38	0.29	1.30	0.16	0.24	0.63	1.91	
			0.04	0.12	0.34	0.27	0.31	1.08	0.04	0.11	0.34	0.25	0.29	1.03	—	0.24	0.49	0.73	
			0.07	0.18	0.40	0.41	0.34	1.40	0.07	0.17	0.39	0.41	0.34	1.38	0.13	0.24	0.64	0.30	
			1.94	0.96	0.95	0.54	0.31	4.70	1.87	0.91	0.88	0.52	0.31	4.49	3.60	2.02	2.70	9.66	
Convulsions (71)	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	3.63	2.50	1.91	1.31	0.93	10.28	3.55	2.38	1.84	1.26	0.91	9.94	5.52	5.05	3.39	17.99	
			3.37	2.19	1.82	1.11	0.78	9.27	3.26	2.05	1.72	1.05	0.75	8.83	6.12	5.25	4.06	19.25	
			3.39	2.17	1.63	1.22	0.87	9.28	3.26	2.04	1.55	1.09	0.78	8.72	5.83	4.87	3.29	20.57	
			3.26	2.12	1.72	1.11	0.77	8.98	3.17	2.01	1.64	1.05	0.75	8.62	5.49	4.68	3.57	17.28	
Laryngitis (87 B)	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.01	0.02	0.03	0.03	0.03	0.12	0.01	0.02	0.03	0.03	0.03	0.12	—	—	—	—	
			0.01	0.02	0.06	0.04	0.04	0.17	0.01	0.02	0.06	0.04	0.04	0.17	—	0.08	—	—	
			0.01	0.03	0.03	0.04	0.04	0.15	0.01	0.02	0.03	0.04	0.06	0.16	—	0.08	—	—	
			0.03	0.01	0.05	0.06	0.03	0.18	0.04	0.01	0.04	0.04	0.03	0.16	—	0.24	0.37	0.61	
Bronchitis (89, 90)	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.01	0.02	0.04	0.04	0.04	0.15	0.01	0.02	0.04	0.04	0.05	0.16	—	0.07	0.03	0.10	
			1.04	1.95	1.76	1.19	0.87	6.81	1.02	1.91	1.66	1.15	0.88	6.62	1.57	2.47	4.28	0.67	11.24
			1.04	2.59	2.43	2.08	1.44	9.58	1.07	2.56	2.36	2.01	1.43	9.43	0.39	3.16	4.18	1.74	13.10
			0.93	2.15	1.94	1.73	1.30	8.05	0.95	2.13	1.87	1.66	1.28	7.89	0.40	2.62	3.58	1.75	11.61
Bronchitis (89, 90)	...	{ London ... County Boroughs ... Other Urban Districts ... Rural Districts ... All Urban Districts ...	0.76	1.81	1.61	1.34	1.08	6.60	0.77	1.75	1.57	1.31	1.02	6.42	0.61	2.81	2.43	10.23	
			1.00	2.30	2.12	1.79	1.29	8.50	1.01	2.27	2.04	1.73	1.28	8.33	0.57	2.83	3.94	2.31	12.19
			1.00	2.30	2.12	1.79	1.29	8.50	1.01	2.27	2.04	1.73	1.28	8.33	0.57	2.83	3.94	2.31	12.19
			1.00	2.30	2.12	1.79	1.29	8.50	1.01	2.27	2.04	1.73	1.28	8.33	0.57	2.83	3.94	2.31	12.19

TABLE 30.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1913.—CLASSES OF ADMINISTRATIVE AREAS—continued.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 1 Month.	1-3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Pneumonia (all forms) (91, 92).	{ London	1.06	2.70	3.21	3.35	3.49	13.81	1.07	2.60	3.07	3.21	3.51	13.46	0.67	4.94	6.52	6.74	3.37	22.24
	{ County Boroughs	0.59	1.75	2.70	3.46	3.64	12.14	0.58	1.66	2.58	3.33	3.54	11.69	1.03	3.79	5.37	6.30	5.92	22.41
	{ Other Urban Districts	0.50	1.58	2.34	2.78	2.93	10.13	0.51	1.54	2.26	2.71	2.87	9.89	0.32	2.62	4.14	4.29	4.14	15.51
	{ Rural Districts	0.46	1.35	2.25	2.13	2.05	8.24	0.45	1.32	2.17	2.12	2.00	8.06	0.73	1.95	3.78	2.31	2.92	11.69
	{ All Urban Districts	0.63	1.83	2.63	3.15	3.31	11.55	0.62	1.75	2.52	3.05	3.26	11.20	0.67	3.47	5.02	5.52	4.78	19.46
Diarrhoea and Enteritis (104).	{ London	1.00	5.02	7.74	5.41	3.63	22.80	0.99	4.52	6.99	5.13	3.46	21.09	1.12	17.07	25.40	12.13	7.64	63.36
	{ County Boroughs	1.42	5.62	8.34	5.62	4.02	25.02	1.35	5.29	7.81	5.31	3.89	23.65	3.08	13.10	19.81	12.54	7.02	55.55
	{ Other Urban Districts	1.06	4.37	5.76	3.82	2.65	17.66	1.00	4.07	5.40	3.61	2.57	16.65	2.47	11.29	14.08	8.67	4.37	40.88
	{ Rural Districts	0.80	2.69	3.40	2.09	1.33	10.31	0.76	2.51	3.19	2.04	1.31	9.81	1.58	6.45	7.42	3.17	1.83	20.45
	{ All Urban Districts	1.20	5.00	7.14	4.82	3.38	21.54	1.14	4.65	6.68	4.56	3.26	20.29	2.53	12.93	18.22	10.84	5.99	50.51
Gastritis (103 A)	{ London	0.14	0.34	0.16	0.05	0.05	0.74	0.14	0.31	0.15	0.04	0.04	0.68	—	1.36	0.45	0.22	0.22	2.25
	{ County Boroughs	0.32	0.60	0.57	0.29	0.15	1.93	0.31	0.57	0.51	0.29	0.15	1.83	0.39	1.50	1.97	0.24	0.08	4.18
	{ Other Urban Districts	0.31	0.61	0.53	0.28	0.22	1.95	0.29	0.59	0.49	0.26	0.21	1.84	0.72	1.19	1.58	0.72	0.24	4.45
	{ Rural Districts	0.17	0.33	0.33	0.17	0.08	1.08	0.18	0.29	0.32	0.17	0.08	1.04	—	1.10	0.61	—	0.12	1.83
	{ All Urban Districts	0.28	0.57	0.49	0.25	0.16	1.75	0.28	0.52	0.45	0.24	0.16	1.65	0.47	1.35	1.58	0.44	0.17	4.01
Syphilis (37)	{ London	0.58	0.86	0.40	0.12	0.09	2.05	0.52	0.69	0.29	0.08	0.08	1.66	2.02	4.95	2.92	1.12	0.45	11.46
	{ County Boroughs	0.69	0.80	0.37	0.13	0.08	2.07	0.52	0.65	0.29	0.09	0.05	1.60	4.50	4.10	2.21	1.03	0.63	12.47
	{ Other Urban Districts	0.35	0.44	0.24	0.11	0.06	1.20	0.29	0.32	0.13	0.08	0.04	0.86	1.83	3.09	2.78	0.80	0.48	8.98
	{ Rural Districts	0.17	0.19	0.08	0.04	0.02	0.50	0.13	0.15	0.07	0.02	0.01	0.38	0.97	0.85	0.37	0.37	0.24	2.80
	{ All Urban Districts	0.53	0.65	0.32	0.12	0.07	1.69	0.42	0.52	0.22	0.08	0.05	1.29	3.00	3.80	2.56	0.94	0.54	10.84
Rickets (36 A)...	{ London	0.01	0.03	0.07	0.14	0.20	0.45	0.01	0.03	0.06	0.14	0.18	0.42	—	—	0.45	—	0.67	1.12
	{ County Boroughs	—	0.04	0.10	0.13	0.20	0.47	—	0.04	0.09	0.12	0.19	0.44	—	0.16	0.31	0.31	0.32	1.10
	{ Other Urban Districts	0.00	0.04	0.08	0.14	0.18	0.44	0.00	0.04	0.08	0.14	0.16	0.42	—	—	0.24	0.24	0.32	0.80
	{ Rural Districts	0.01	0.02	0.08	0.13	0.13	0.37	0.01	0.02	0.07	0.13	0.14	0.37	—	—	0.37	—	—	0.37
	{ All Urban Districts	0.00	0.04	0.09	0.14	0.19	0.46	0.00	0.04	0.08	0.13	0.18	0.43	—	0.07	0.30	0.24	0.37	0.98
Suffocation, overlying (168 part).	{ London	0.70	1.20	0.60	0.11	0.04	2.65	0.65	1.17	0.58	0.10	0.04	2.54	1.80	2.47	0.90	0.22	—	5.39
	{ County Boroughs	0.57	0.81	0.35	0.09	0.02	1.84	0.51	0.80	0.34	0.08	0.02	1.75	1.97	0.87	0.71	0.32	0.08	3.95
	{ Other Urban Districts	0.30	0.33	0.20	0.05	0.02	0.90	0.27	0.31	0.19	0.05	0.02	0.84	1.03	0.64	0.56	—	—	2.23
	{ Rural Districts	0.28	0.21	0.13	0.03	0.03	0.68	0.23	0.19	0.13	0.04	0.03	0.62	1.10	0.49	0.24	—	—	1.83
	{ All Urban Districts	0.48	0.67	0.33	0.07	0.02	1.57	0.43	0.65	0.31	0.07	0.02	1.48	1.55	1.01	0.67	0.17	0.03	3.43

Injury at Birth (152 C)	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	1.24	0.05	—	—	—	—	—	—	1.09	5.84	—	—	—	—	—	5.84
		1.05	0.01	0.00	—	—	—	—	—	1.01	2.29	—	—	—	—	—	2.29
		1.18	0.02	—	—	—	—	—	—	1.14	2.54	0.08	—	—	—	—	2.62
		1.38	0.02	—	—	—	—	—	—	1.35	2.31	0.12	—	—	—	—	2.43
Atelectasis (152 B) ...	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	1.14	0.02	0.00	—	—	—	—	—	1.08	2.93	0.03	—	—	—	—	2.96
		2.01	0.14	—	—	—	—	—	—	2.07	4.04	—	—	—	—	—	4.04
		1.85	0.13	—	—	—	—	—	—	1.96	2.21	0.24	—	—	—	—	2.45
		1.41	0.07	—	—	—	—	—	—	1.45	2.15	0.04	—	—	—	—	2.23
Congenital Malformations (150).	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	1.55	0.04	—	—	—	—	—	—	1.55	2.19	0.12	—	—	—	—	2.31
		1.68	0.11	—	—	—	—	—	—	1.76	2.46	0.13	—	—	—	—	2.59
		2.18	0.81	0.38	0.13	0.08	0.12	0.08	0.08	3.54	2.48	1.35	0.67	0.22	—	—	4.72
		2.48	0.79	0.34	0.18	0.09	0.17	0.09	0.09	3.82	3.24	1.10	0.55	0.24	0.08	—	5.21
Premature Birth (151 A)	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	2.52	0.78	0.49	0.17	0.12	0.17	0.12	0.12	4.05	2.38	1.43	0.64	0.16	0.08	—	4.69
		2.41	0.70	0.46	0.25	0.13	0.22	0.12	0.12	3.90	2.80	0.61	0.61	0.85	0.24	—	5.11
		2.45	0.79	0.41	0.17	0.10	0.17	0.10	0.10	3.87	2.76	1.28	0.61	0.20	0.07	—	4.92
		15.59	1.73	0.28	0.05	0.03	0.05	0.03	0.03	17.16	24.72	4.49	0.90	—	—	—	30.11
Atrophy, Debility, and Marasmus (151 B-E).	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	19.56	1.85	0.22	0.04	0.02	0.04	0.01	0.01	20.89	34.87	3.63	0.71	0.08	0.16	—	39.45
		18.00	1.72	0.22	0.02	0.01	0.01	0.00	0.00	19.35	30.46	2.86	0.48	0.16	0.08	—	34.04
		17.33	1.20	0.16	0.06	0.01	0.07	0.01	0.01	18.38	23.87	2.19	0.24	—	—	—	26.30
		18.29	1.77	0.23	0.03	0.01	0.03	0.01	0.01	19.65	31.49	3.43	0.64	0.10	0.10	—	35.76
Other Causes ...	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	4.46	2.74	2.10	0.61	0.36	2.42	1.81	0.31	9.46	8.09	10.34	8.99	0.67	1.57	—	29.66
		6.98	3.63	2.64	1.03	0.63	3.36	2.41	0.60	14.10	10.89	9.55	7.81	3.63	1.26	—	33.14
		7.74	3.41	1.97	0.70	0.45	3.07	1.80	0.44	13.54	11.21	11.21	5.81	2.07	0.64	—	30.94
		7.26	2.64	1.54	0.49	0.22	2.43	1.44	0.22	11.50	12.66	6.82	3.41	2.07	0.24	—	25.20
Other Causes ...	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	6.90	3.40	2.27	0.83	0.51	3.09	2.06	0.48	13.13	10.61	10.37	7.14	2.53	1.04	—	31.69
		1.79	1.15	1.04	1.00	0.73	1.05	1.03	0.72	5.03	14.83	2.92	1.76	1.34	0.70	—	21.55
		1.70	1.10	0.97	0.90	0.80	1.09	0.91	0.87	5.02	8.53	1.80	1.53	1.66	1.09	—	14.61
		1.60	0.93	1.00	0.86	0.63	0.89	0.90	0.65	4.63	7.89	2.09	2.15	1.33	0.88	—	14.34
Other Causes ...	{ London County Boroughs ... Other Urban Districts Rural Districts ... All Urban Districts ... }	1.81	0.82	0.99	0.83	0.63	0.80	0.96	0.60	4.67	9.27	1.33	1.60	0.70	1.09	—	13.99
		1.65	1.04	0.99	0.90	0.74	1.03	0.92	0.71	4.87	9.20	2.11	1.82	1.45	0.95	—	15.53

TABLE 31.—ENGLAND AND WALES.—NAMES on the REGISTERS, SEARCHES, and FEES RECEIVED, at the GENERAL REGISTER OFFICE, 1864–1913.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.	
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*
						£ s. d.
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,860 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,951,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875 6 0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752 6 0
1913	30,074,360	59,651,409	36,731,695	126,457,464	79,315	11,613 19 0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 32.—ISLANDS IN THE BRITISH SEAS. AREA and POPULATION; and BIRTHS and DEATHS, 1889–1913.

Year.	Islands in the British Seas.	Isle of Man.	Jersey.	Guernsey and adjacent Islands.				
Area in } Acres }	193,408	145,325	28,717	19,366				
Enumerated Population.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,934	52,034	51,903	44,997				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651
1913	2,802	2,321	899	899	946	772	957	650

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 33.—BALANCE inward or outward on PASSENGER MOVEMENT into and out of the UNITED KINGDOM, 1895–1913.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries. (All Nationalities).*	Net Balance Outward on Total Movement to and from all Countries. (All Nationalities).*
	British Subjects.	Aliens.	Nationality not Distinguished.	Total.		
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734
1913	241,997	87,076	—	329,073	125,462	203,611

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1895 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 34.—ARMY.—STRENGTH and MORTALITY, 1874-1913.
(Regiments on Passage Out and Home are included with the Number Abroad.)

Year.	Strength.			Deaths.			Death-rate per 1000.		
	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.	Total Army.	In United Kingdom.	Abroad.
1874 ...	186,389	97,635	88,754	2,136	1,007	1,129	11·5	10·3	12·7
1875 ...	184,669	97,193	87,476	2,269	1,061	1,208	12·3	10·9	13·8
1876 ...	184,433	97,146	87,287	2,102	930	1,172	11·4	9·6	13·4
1877 ...	190,502	101,904	88,598	1,801	856	945	9·5	8·4	10·7
1878 ...	200,758	109,201	91,557	2,249	778	1,471	11·2	7·1	16·1
1879 ...	191,290	88,215	103,075	4,239	796	3,443	22·2	9·0	33·4
1880 ...	188,986	91,887	97,099	3,333	756	2,577	17·6	8·2	26·5
1881 ...	188,798	91,946	96,852	2,650	844	1,806	14·0	9·2	18·6
1882 ...	189,229	94,295	94,934	2,224	806	1,418	11·8	8·5	14·9
1883 ...	181,971	90,071	91,900	1,783	672	1,111	9·8	7·5	12·1
1884 ...	183,004	89,994	93,010	1,611	523	1,088	8·8	5·8	11·7
1885 ...	198,064	91,579	106,485	2,730	735	1,995	13·8	8·0	18·7
1886 ...	203,805	98,057	105,748	2,813	703	2,110	13·8	7·2	20·0
1887 ...	209,574	106,767	102,807	2,006	568	1,438	9·6	5·3	14·0
1888 ...	211,105	106,913	104,192	2,041	731	1,310	9·7	6·8	12·6
1889 ...	210,298	105,956	104,342	1,961	525	1,436	9·3	5·0	13·8
1890 ...	209,221	105,668	103,553	1,813	631	1,182	8·7	6·0	11·4
1891 ...	209,699	104,860	104,839	1,869	562	1,307	8·9	5·4	12·5
1892 ...	213,540	106,115	107,425	1,950	502	1,448	9·1	4·7	13·5
1893 ...	217,279	106,074	111,205	1,803	586	1,217	8·3	5·5	10·9
1894 ...	219,121	105,749	113,372	1,871	447	1,424	8·5	4·2	12·6
1895 ...	220,309	107,636	112,673	1,839	491	1,348	8·3	4·6	12·0
1896 ...	220,742	106,408	114,334	1,862	431	1,431	8·4	4·1	12·5
1897 ...	219,283	102,155	117,128	2,188	403	1,785	10·0	3·9	15·2
1898 ...	225,027	102,202	122,825	2,699	452	2,247	12·0	4·4	18·3
1899 ...	238,739	107,504	131,235	2,516	486	2,030	10·5	4·5	15·5
1900 ...	383,037	117,041	265,996	10,554	958	9,596	27·6	8·2	36·1
1901 ...	412,949	126,797	286,152	6,237	780	5,457	15·1	6·2	19·1
1902 ...	379,048	126,992	252,056	4,029	625	3,404	10·6	4·9	13·5
1903 ...	295,589	137,755	157,834	2,067	703	1,364	7·0	5·1	8·6
1904 ...	283,691	134,345	149,346	1,715	444	1,271	6·0	3·3	8·5
1905 ...	274,158	132,141	142,017	1,526	385	1,141	5·6	2·9	8·0
1906 ...	263,834	129,421	134,413	1,445	399	1,046	5·5	3·1	7·8
1907 ...	249,890	123,668	126,222	1,186	382	804	4·7	3·1	6·4
1908 ...	247,277	124,422	122,855	1,178	329	849	4·8	2·6	6·9
1909 ...	252,105	130,098	122,007	985	400	585	3·9	3·1	4·8
1910 ...	250,942	129,131	121,811	844	319	525	3·4	2·5	4·3
1911 ...	243,414	128,405	115,009	822	320	502	3·4	2·5	4·4
1912 ...	254,001	128,918	125,083	773	302	471	3·0	2·3	3·8
1913 ...	239,647	126,716	112,931	759	328	431	3·2	2·6	3·8

TABLE 35.—ROYAL NAVY.—MORTALITY in the SERVICE AFLOAT, 1874-1913.
(From the Statistical Reports of the Health of the Navy.)

Year.	Death-rate per 1000.			Year.	Death-rate per 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1874 ...	9·4	6·7	2·7	1894 ...	5·76	4·05	1·71
1875 ...	8·8	6·9	1·9	1895 ...	6·60	4·64	1·95
1876 ...	9·24	5·99	3·24	1896 ...	5·28	3·81	1·47
1877 ...	7·05	4·91	2·13	1897 ...	5·23	3·78	1·45
1878 ...	14·41	5·32	9·09	1898 ...	4·91	3·56	1·35
1879 ...	8·58	6·23	2·34	1899 ...	5·41	3·87	1·53
1880 ...	12·57	4·62	7·95	1900 ...	7·27	4·96	2·30
1881 ...	10·94	5·27	5·67	1901 ...	5·34	3·38	1·96
1882 ...	9·49	6·87	2·62	1902 ...	5·92	3·51	2·40
1883 ...	5·88	4·05	1·82	1903 ...	4·19	2·79	1·40
1884 ...	9·00	5·83	3·16	1904 ...	4·45	3·14	1·31
1885 ...	7·04	4·77	2·27	1905 ...	3·90	2·74	1·15
1886 ...	6·88	5·04	1·83	1906 ...	3·68	2·48	1·20
1887 ...	8·32	4·89	3·42	1907 ...	3·35	2·26	1·09
1888 ...	5·71	3·95	1·75	1908 ...	3·37	2·07	1·30
1889 ...	5·33	3·87	1·45	1909 ...	3·21	2·28	0·92
1890 ...	8·54	4·14	4·40	1910 ...	3·15	2·12	1·03
1891 ...	6·17	4·68	1·49	1911 ...	3·12	2·22	0·90
1892 ...	5·58	4·50	1·08	1912 ...	3·30	2·04	1·26
1893 ...	11·29	4·07	7·21	1913 ...	3·24	2·06	1·18

TABLE 36.—MERCHANT SERVICE. NUMBER and MORTALITY of MASTERS and SEAMEN employed in SEA-GOING VESSELS (excluding Fishing Vessels and Yachts) registered in the UNITED KINGDOM and the ISLE OF MAN, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending 30th June, 1893-1894 to 1912-1913.

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

Years.	No. of Masters and Seamen Employed.*	No. of Deaths Reported.				Death-rate per 1,000.			
		From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
DEATHS IN SAILING VESSELS.									
1893-1894 ...	61,327	1,344	374	613	357	21·9	6·1	10·0	5·8
1894-1895 ...	58,537	1,400	484	594	322	23·9	8·3	10·1	5·5
1895-1896 ...	56,095	1,370	410	637	323	24·4	7·3	11·4	5·8
1896-1897 ...	53,267	965	285	413	267	18·1	5·4	7·8	5·0
1897-1898 ...	49,858	781	295	255	231	15·7	5·9	5·1	4·6
1898-1899 ...	46,553	896	271	430	195	19·2	5·8	9·2	4·2
1899-1900 ...	43,356	754	256	307	191	17·4	5·9	7·1	4·4
1900-1901 ...	41,151	894	215	474	205	21·7	5·2	11·5	5·0
1901-1902 ...	38,400	686	207	294	185	17·9	5·4	7·7	4·8
1902-1903 ...	36,406	588	217	196	175	16·2	6·0	5·4	4·8
1903-1904 ...	34,748	652	175	300	177	18·8	5·0	8·6	5·1
1904-1905 ...	32,466	599	166	283	150	18·5	5·1	8·7	4·6
1905-1906 ...	30,204	576	146	287	143	19·1	4·8	9·5	4·7
1906-1907 ...	28,142	386	103	152	131	13·7	3·7	5·4	4·7
1907-1908 ...	25,821	462	105	226	131	17·9	4·1	8·8	5·1
1908-1909 ...	23,478	399	107	214	78	17·0	4·6	9·1	3·3
1909-1910 ...	21,470	283	66	134	83	13·2	3·1	6·2	3·9
1910-1911 ...	19,364	287	60	148	79	14·8	3·1	7·6	4·1
1911-1912 ...	15,086	228	36	131	61	15·1	2·4	8·7	4·0
1912-1913 ...	12,565	178	42	84	52	14·2	3·3	6·7	4·1
DEATHS IN STEAM VESSELS.									
1893-1894 ...	156,990	1,799	747	607	445	11·5	4·8	3·9	2·8
1894-1895 ...	159,257	1,538	733	363	442	9·7	4·6	2·3	2·8
1895-1896 ...	162,129	1,697	761	517	419	10·5	4·7	3·2	2·6
1896-1897 ...	165,966	1,668	717	486	465	10·1	4·3	2·9	2·8
1897-1898 ...	168,158	1,412	759	234	419	8·4	4·5	1·4	2·5
1898-1899 ...	172,830	1,961	843	651	467	11·3	4·9	3·8	2·7
1899-1900 ...	177,751	1,981	1,043	462	476	11·1	5·9	2·6	2·7
1900-1901 ...	183,394	1,887	1,052	370	465	10·3	5·7	2·0	2·5
1901-1902 ...	187,043	1,939	1,022	481	436	10·4	5·5	2·6	2·3
1902-1903 ...	193,755	1,797	1,024	305	468	9·3	5·3	1·6	2·4
1903-1904 ...	198,734	1,600	1,015	181	404	8·1	5·1	0·9	2·0
1904-1905 ...	202,111	1,704	993	327	384	8·4	4·9	1·6	1·9
1905-1906 ...	207,607	1,909	1,128	287	494	9·2	5·4	1·4	2·4
1906-1907 ...	214,828	1,924	1,141	347	436	9·0	5·3	1·6	2·0
1907-1908 ...	221,092	1,850	1,208	181	461	8·4	5·5	0·8	2·1
1908-1909 ...	219,711	1,744	1,048	273	423	7·9	4·8	1·2	1·9
1909-1910 ...	220,029	1,812	976	445	391	8·2	4·4	2·0	1·8
1910-1911 ...	223,423	1,917	1,103	404	410	8·6	4·9	1·8	1·8
1911-1912 ...	231,960	2,896§	1,127	1,292§	477	12·5	4·9	5·6	2·1
1912-1913 ...	239,033	1,811	1,061	284	466	7·6	4·4	1·2	1·9
TOTAL.									
1893-1894 ...	218,317	3,143	1,121	1,220	802	14·4	5·1	5·6	3·7
1894-1895 ...	217,794	2,938	1,217	957	764	13·5	5·6	4·4	3·5
1895-1896 ...	218,224	3,067	1,171	1,154	742	14·1	5·4	5·3	3·4
1896-1897 ...	219,233	2,633	1,002	899	732	12·0	4·6	4·1	3·3
1897-1898 ...	218,016	2,193	1,054	489	650	10·1	4·8	2·2	3·0
1898-1899 ...	219,383	2,857	1,114	1,081	662	13·0	5·1	4·9	3·0
1899-1900 ...	221,107	2,735	1,299	769	667	12·4	5·9	3·5	3·0
1900-1901 ...	224,545	2,781	1,267	844	670	12·4	5·6	3·8	3·0
1901-1902 ...	225,443	2,625	1,229	775	621	11·6	5·5	3·4	2·8
1902-1903 ...	230,161	2,385	1,241	501	643	10·4	5·4	2·2	2·8
1903-1904 ...	233,482	2,252	1,190	481	581	9·6	5·1	2·1	2·5
1904-1905 ...	234,577	2,303	1,159	610	534	9·8	4·9	2·6	2·3
1905-1906 ...	237,811	2,485	1,274	574	637	10·4	5·4	2·4	2·7
1906-1907 ...	242,970	2,310	1,244	499	567	9·5	5·1	2·1	2·3
1907-1908 ...	246,913	2,312	1,313	407	592	9·4	5·3	1·6	2·4
1908-1909 ...	243,189	2,143	1,155	487	501	8·8	4·7	2·0	2·1
1909-1910 ...	241,499	2,095	1,042	579	474	8·7	4·3	2·4	2·0
1910-1911 ...	242,787	2,204	1,163	552	489	9·1	4·8	2·3	2·0
1911-1912 ...	247,046	3,124§	1,163	1,423§	538	12·6	4·7	5·8	2·2
1912-1913 ...	251,598	1,989	1,103	368	518	7·9	4·4	1·5	2·1

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

§ Of these deaths 673 were due to the loss of the s.s. "Titanic."

TABLE 37.—METEOROLOGICAL ELEMENTS,

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of rain in Inches.	Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air. (Saturation = 100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	Inches.	Inches.	%	%	°	°
1864 ...	1597	— 354	16·7	— 7·3	78	— 3	48·5	— 1·0
1865 ...	1553	— 398	29·0	+ 5·0	80	— 1	50·3	+ 0·8
1866 ...	1917	— 34	30·7	+ 6·7	82	+ 1	49·8	+ 0·3
1867 ...	1981	+ 30	28·4	+ 4·4	82	+ 1	48·6	— 0·9
1868 ...	2029	+ 78	25·2	+ 1·2	78	— 3	51·5	+ 2·0
1869 ...	2043	+ 92	24·0	0·0	81	0	49·5	0·0
1870 ...	1872	— 79	18·5	— 5·5	79	— 2	48·7	— 0·8
1871 ...	1749	— 202	22·3	— 1·7	81	0	48·5	— 0·8
1872 ...	1998	+ 47	30·0	+ 6·0	82	+ 1	50·7	+ 1·2
1873 ...	1940	— 11	23·4	— 0·6	82	+ 1	48·9	— 0·6
1874 ...	1915	— 36	20·0	— 4·0	82	+ 1	49·3	— 0·2
1875 ...	1942	— 9	28·2	+ 4·2	80	— 1	49·2	— 0·3
1876 ...	2036	+ 85	24·2	+ 0·2	80	— 1	50·1	+ 0·6
1877 ...	2184	+ 233	26·9	+ 2·9	79	— 2	49·4	— 0·1
1878 ...	1880	— 71	29·2	+ 5·2	81	0	49·6	+ 0·1
1879 ...	1873	— 78	31·3	+ 7·3	83	+ 2	46·2	— 3·3
1880 ...	1928	— 23	29·8	+ 5·8	84	+ 3	49·4	— 0·1
1881 ...	2030	+ 79	25·2	+ 1·2	81	0	48·7	— 0·8
1882 ...	2151	+ 200	25·2	+ 1·2	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	— 2·1	82	+ 1	49·4	— 0·1
1884 ...	2034	+ 83	18·1	— 5·9	80	— 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	0·0	81	0	48·6	— 0·9
1886 ...	1962	+ 11	24·2	+ 0·2	81	0	48·7	— 0·8
1887 ...	1927	— 24	19·9	— 4·1	79	— 2	47·8	— 1·7
1888 ...	2049	+ 98	27·5	+ 3·5	82	+ 1	47·7	— 1·8
1889 ...	1934	— 17	23·3	— 0·7	83	+ 2	48·8	— 0·7
1890 ...	1946	— 5	21·9	— 2·1	81	0	48·6	— 0·9
1891 ...	1945	— 6	25·1	+ 1·1	82	+ 1	48·4	— 1·1
1892 ...	1863	— 88	22·3	— 1·7	80	— 1	48·1	— 1·4
1893 ...	1909	— 42	20·1	— 3·9	76	— 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	+ 2·9	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	— 4·3	78	— 3	49·3	— 0·2
1896 ...	1932	— 19	22·4	— 1·6	79	— 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	— 1·9	79	— 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	— 5·1	78	— 3	51·3	+ 1·8
1899 ...	1911	— 40	22·3	— 1·7	77	— 4	50·6	+ 1·1
1900 ...	2050	+ 99	23·2	— 0·8	79	— 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	— 3·7	78	— 3	49·2	— 0·3
1902 ...	1933	— 18	19·3	— 4·7	80	— 1	49·2	— 0·3
1903 ...	2226	+ 275	35·5	+ 11·5	80	— 1	50·1	+ 0·6
1904 ...	1913	— 38	20·7	— 3·3	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	— 1·0	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	+ 0·7	79	— 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	— 1·7	81	0	49·7	+ 0·2
1908 ...	1932	— 19	23·8	— 0·2	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	+ 1·7	83	+ 2	48·9	— 0·6
1910 ...	2155	+ 204	28·1	+ 4·1	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	— 0·3	79	— 2	51·8	+ 2·3
1912 ...	2085	+ 134	24·9	+ 0·9	83	+ 2	51·0	+ 1·5
1913 ...	2030	+ 79	22·4	— 1·6	83	+ 2	51·3	+ 1·8
Average 50 years (1861- 1910).	1951	—	24·0	—	81	—	49·5	—

Corresponding values for the years 1849-1863 are published

GREENWICH, 1864-1913.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
°	°	°	°	°	°	°	°	
37.9	- 2.1	53.1	+ 0.1	59.4	- 1.1	43.7	- 0.6	1864
36.5	- 3.5	56.2	+ 3.2	62.5	+ 2.0	46.0	+ 1.7	1865
41.2	+ 1.2	53.0	0.0	58.9	- 1.6	46.2	+ 1.9	1866
38.9	- 1.1	53.5	+ 0.5	59.7	- 0.8	42.5	- 1.8	1867
41.4	+ 1.4	55.8	+ 2.8	63.9	+ 3.4	45.1	+ 0.8	1868
41.3	+ 1.3	52.0	- 1.0	61.4	+ 0.9	43.3	- 1.0	1869
38.0	- 2.0	54.4	+ 1.4	60.7	+ 0.2	41.6	- 2.7	1870
40.2	+ 0.2	51.5	- 1.5	61.3	+ 0.8	41.8	- 2.5	1871
43.6	+ 3.6	52.8	- 0.2	61.1	+ 0.6	45.3	+ 1.0	1872
39.4	- 0.6	51.8	- 1.2	60.3	- 0.2	44.2	- 0.1	1873
41.4	+ 1.4	52.8	- 0.2	60.9	+ 0.4	42.3	- 2.0	1874
39.5	- 0.5	53.4	+ 0.4	60.7	+ 0.2	43.1	- 1.2	1875
39.5	- 0.5	51.7	- 1.3	61.8	+ 1.3	47.0	+ 2.7	1876
42.3	+ 2.3	51.9	- 1.1	58.5	- 2.0	45.0	+ 0.7	1877
41.5	+ 1.5	54.6	+ 1.6	60.8	+ 0.3	41.6	- 2.7	1878
37.1	- 2.9	49.5	- 3.5	58.1	- 2.4	39.9	- 4.4	1879
39.8	- 0.2	52.4	- 0.6	61.4	+ 0.9	44.0	- 0.3	1880
37.3	- 2.7	52.9	- 0.1	60.0	- 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	- 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	- 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	- 0.5	62.7	+ 2.2	44.1	- 0.2	1884
40.3	+ 0.3	52.4	- 0.6	59.1	- 1.4	42.8	- 1.5	1885
36.5	- 3.5	52.5	- 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	- 2.7	51.6	- 1.4	61.0	+ 0.5	41.3	- 3.0	1887
36.9	- 3.1	51.6	- 1.4	57.6	- 2.9	44.6	+ 0.3	1888
38.2	- 1.8	54.5	+ 1.5	58.9	- 1.6	43.5	- 0.8	1889
41.4	+ 1.4	52.8	- 0.2	58.4	- 2.1	40.8	- 3.5	1890
37.6	- 2.4	51.6	- 1.4	59.3	- 1.2	45.0	+ 0.7	1891
37.5	- 2.5	53.4	+ 0.4	59.2	- 1.3	42.3	- 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	- 1.9	46.4	+ 2.1	1894
35.2	- 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	- 0.1	42.4	- 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	- 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	- 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	- 0.8	52.8	- 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	- 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	- 0.4	1901
40.5	+ 0.5	51.0	- 2.0	59.6	- 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	- 1.8	60.0	- 0.5	45.2	+ 0.9	1903
39.5	- 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	- 2.1	1905
41.1	+ 1.1	52.8	- 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	- 0.1	60.1	- 0.4	45.8	+ 1.5	1907
39.5	- 0.5	53.8	+ 0.8	60.3	- 0.2	46.6	+ 2.3	1908
38.4	- 1.6	52.5	- 0.5	59.7	- 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	- 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	- 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	- 0.3	47.8	+ 3.5	1913
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861- 1910).

in the Annual Reports for 1912 and previous years.

TABLE 38.—QUARTERLY METEOROLOGICAL

Winter Spring Summer Autumn	Jan., Feb., March. April, May, June. July, Aug., Sept. Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
			Air.			Evaporation.		Dew Point.		Air— Daily Range.					
			Mean of Maximum and Minimum.	Diff. from Average of 130 years.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 Years.
1913.			°	°	°	°	°	°	°	°	in.	in.	grs.	gr.	
Year.			51·3	+2·6	+1·9	47·5	+1·0	44·9	+1·4	15·3	−0·5	·307	+·014	3·5	+0·1
Winter Quarter			42·4	+3·5	+2·6	39·8	+2·0	37·6	+2·4	11·7	−0·1	22 6	+·019	2·6	+0·2
Spring do.			54·5	+2·1	+1·6	49·7	+0·6	45·8	+0·6	20·0	+0·1	·312	+·006	3·5	+0·1
Summer do.			60·2	+0·4	−0·2	55·6	−0·9	52·9	−0·1	17·7	−2·0	·404	+·002	4·5	−0·1
Autumn do.			47·8	+4·1	+3·4	45·3	+2·7	43·3	+2·7	11·9	+0·2	·285	+·028	3·2	+0·1

In this Table + and − respectively signify that the number in the preceding column is

ELEMENTS, GREENWICH, 1913.

Degree of Humidity.		Readings of Barometer, reduced to 32° F. and Lat. 45°.		Weight of a Cubic Foot of Air.		Rain.		Readings of Thermometer on Grass.								
								Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.				
Mean (Saturation = 100).	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Mean.	Diff. from Average of 60 years.	Amount.	Diff. from Average of 60 years.	At or below 30°.	Between 30° and 40°.	Above 40°.						
		ins.	in.	grs.	grs.	ins.		°	°	°	°	°	1913.			
83	+1	29·813	+·019	542	0	22·44	−2·36	107	156	102	10·0	58·6	Year.			
86	+2	29·791	·000	551	−1	5·89	+0·95	51	36	3	10·0	42·3	Winter Quarter.			
76	−1	29·794	−·008	538	0	4·12	−1·49	19	48	24	17·9	52·9	Spring do.			
83	+6	29·865	+·052	534	+4	5·44	−1·73	2	32	58	28·5	58·6	Summer do.			
88	−1	29·800	+·030	545	−2	6·99	−0·09	35	40	17	18·1	50·5	Autumn do.			

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 39.—METEOROLOGICAL TABLE for LONDON, 1913.
(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1913.	Barometer. Mean Pressure, at 32° F. at Station Level and Lat. 46°.*	Air Temperature.						Hygrometer.				Earth Temperature.		Bright Sunshine.				
		Mean of		Mean of A and B. °	Difference from Normal.†	Absolute Maximum and Minimum.			Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Daily mean.	Difference from Normal.†	Per cent. of Possible.	
		Maximum. °	Minimum. °			Day of Month.	Minimum. °	Day of Month.	Maximum. °	Dry Bulb. °	Depression of Wet Bulb. °	Vapour Pressure. ins.						Humidity. %
January	ins. 29.640	46.1	35.9	41.0	+2.4	52	23	26	13	°	°	°	hrs. 1.76	hrs. +0.39	21	%		
February	30.013	46.7	35.6	41.1	+1.7	55	4	24	23	°	°	°	2.08	-0.05	21	21		
March	29.720	52.0	38.3	45.1	+3.3	59	9	28	18	°	°	°	2.98	-0.36	25	25		
April...	29.699	55.4	38.9	47.1	0.0	67	24	29	13	°	°	°	4.00	-1.18	29	29		
May ..	29.755	66.6	45.3	56.0	+3.0	84	27	36	7	°	°	°	6.52	+0.12	42	42		
June ...	29.928	71.4	49.2	60.3	+1.1	87	17	42	1	°	°	°	58.1	+0.28	41	41		
July ...	29.894	68.2	51.8	60.0	-2.4	76	12	46	8	°	°	°	59.6	-4.08	19	19		
August	29.895	71.1	52.0	61.6	+0.1	80	21	45	25	°	°	°	60.4	-1.98	32	32		
September	29.807	67.8	50.2	59.0	+1.9	77	26	42	19	°	°	°	59.4	-0.19	39	39		
October	29.713	61.2	45.9	53.6	+3.5	67	4	36	23	°	°	°	56.3	+0.43	34	34		
November	29.751	54.2	42.0	48.1	+4.6	60	17	28	23	°	°	°	51.7	+0.72	27	27		
December	29.937	45.9	37.7	41.8	+1.8	55	9	28	31	°	°	°	0.87	-0.21	11	11		
Year ...	29.813	58.9	43.6	51.3	+1.8	—	—	—	—	°	°	°	3.63	-0.52	30	30		

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain, 70 years for Temperature, and 16 years for Sunshine.

‡ Wind Force.—Beaufort Scale (0-12) is used. The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in arms. The factor used is 3. Winds above 37 miles per hour are reckoned as gales and winds between 21 and 37 miles per hour as moderate or strong winds.

TABLE 40.—MEAN ANNUAL VALUES OF METEOROLOGICAL

1913.		Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Earth Tempera- ture.		Hygrometer.				Bright Sunshine.				
DISTRICTS AND STATIONS.	Hours of Observa- tion.			Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.			At 1 foot depth.	At 4 feet depth.	Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				Total Observed.	Difference from Normal.	Per cent. of Possible.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.			Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.				Humidity.		
1. LONDON:—		Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	°	In.	%.	Hrs.	Hrs.	%.			
p Tottenham	¶§	9, -, 9	55	9'918	57'8	45'3	51'6	+1'8	83	June 17	26	Feb. 13	—	52'6	50'9	2'7	'318	83	1,237	—	28	
p Hampstead	..	9, -, 9	453	9'511	56'2	43'8	50'0	—	82	June 17	22	Dec. 31	—	—	49'4	2'5	'300	84	1,310	—	30	
a Camden Square..	..	9, -, 9	123	9'860	59'6	44'3	52'0	+1'6	85	June 16,17	24	Feb. 23	50'7	50'7	50'9	2'7	'313	82	1,164	—	26	
a Westminster	..	9, 3, -	—	—	58'4	45'8	52'1	+2'0	82	June 17	28	Jan. 13, 14	—	—	51'7	2'3	'332	85	1,161	+18	26	
a Greenwich	..	9, 3, 9	159	9'806	58'9	43'6	51'3	+1'8	87	June 17	24	Feb. 22	—	51'9	50'3	2'7	'306	83	1,325	-190	30	
Kew	.. ¶§	9, 3, 9	34	9'947	57'6	44'8	51'2	+1'7	83	June 16	25	Jan. 13	50'9	51'3	50'6	2'8	'312	82	1,274	-190	29	
District Value..		—	—	—	58'1	44'6	51'4	+1'5	87	—	22	—	50'8	51'6	—	—	—	—	1,245	-121	—	
2. ENGLAND, CENT.:— (a) East, (b) West.																						
a	p Huddersfield	..	9, 3, 9	411	9'486	54'6	42'5	48'6	—	79	Aug. 3	21	Jan. 14	48'4	48'2	47'6	2'1	'292	86	1,000	—	23
	p Sheffield..	§	9, -, 9	450	9'461	55'1	43'6	49'4	+0'9	79	Aug. 3	22	Jan. 14	48'4	48'4	48'7	2'7	'291	82	1,102	—	25
	p Buxton	..	9, 3, 9	997	8'873	52'6	40'0	46'3	+1'0	75	Aug. 3	14	Dec. 31	47'8	47'9	46'2	2'2	'272	85	1,113	—	25
	p Belvoir Castle..	..	9, -, 9	276	9'674	55'8	42'2	49'0	+0'9	81	Aug. 3	15	Jan. 13	—	49'2	48'0	2'2	'291	85	1,285	—	29
	a Coventry	..	9, -, -	309	9'639	56'9	43'1	50'0	+1'1	82	Aug. 3	23	Jan. 13	50'1	50'6	49'8	2'9	'296	81	1,168	—	27
	a Nottingham	¶§	7, 1, 9	85	9'860	56'4	41'8	49'1	+0'7	82	June 16	16	Jan. 14	48'9	49'3	46'2	1'2	'292	92	1,106	—	25
	p Birmingham	¶§	9, -, 9	542	9'381	55'2	43'3	49'3	+1'2	79	Aug. 3	25	Mar. 18	47'9	48'6	48'0	2'7	'285	83	1,029	—	23
	p Oxford	.. ¶§	8, -, 8	212	—	57'4	44'3	50'9	+1'9	83	June 16	24	Dec. 31	—	—	—	—	—	—	1,299	-197	29
b	a Bath	.. ¶§	7, -, 6	84	9'888	58'7	43'3	51'0	+1'2	82	June 16	25	Dec. 21, 31	51'9	52'5	48'1	—	—	—	1,409	—	32
	p Shrewsbury	¶	9, -, 9	212	9'729	57'2	42'0	49'6	+0'6	79	Aug. 3	18	Dec. 31	—	—	48'3	2'2	'302	86	—	—	—
	p Winstanstown	..	9, -, 9	484	9'422	56'3	41'7	49'1	—	80	Aug. 3	18	Dec. 31	—	—	48'2	1'6	'307	89	—	—	—
	p Cheltenham	..	9, -, 9	206	9'757	57'1	44'1	50'6	+2'0	81	June 16	22	Dec. 31	—	—	50'1	2'5	'309	84	1,270	—	29
District Value..		—	—	—	56'4	42'2	49'0	+1'2	84	—	8	—	49'1	49'6	—	—	—	—	1,179	-226	—	
3. ENGLAND, S.E.:—																						
p Salisbury	..	9, -, 9	186	—	57'9	42'1	50'0	+1'0	83	June 16	21	Dec. 31	52'1	—	49'5	1'9	'316	88	—	—	—	
a Brighton..	..	9, -, -	48	—	57'0	46'8	51'9	+1'5	80	June 29	29	Jan. 13	—	52'9	—	—	—	—	1,584	-142	36	
a Portsmouth	..	9, -, -	18	9'987	58'1	46'7	52'4	+2'1	81	June 29	29	Jan. 13	53'0	53'4	52'6	2'8	'331	82	1,584	—	36	
p Eastbourne	§	9, -, 9	36	9'960	57'1	46'4	51'8	+1'7	79	July 31	29	Feb. 14	52'9	53'2	52'1	2'3	'341	85	1,610	-124	36	
p Southampton	¶§	9, -, 9	84	9'907	58'0	45'4	51'7	+1'2	82	June 29	26	Jan. 13	—	—	51'1	2'5	'325	84	1,420	-241	32	
a Ventnor	.. ¶§	9, 3, -	80	9'888	57'2	47'5	52'4	+1'1	75	Aug. 27	28	Dec. 31	—	—	52'6	2'8	'331	82	1,588	-131	36	
District Value..		—	—	—	57'1	44'7	50'7	+1'2	85	—	19	—	51'6	51'2	—	—	—	—	1,445	-157	—	
4. ENGLAND, E.:— (a) North, (b) South.																						
a	p Lowestoft	..	9, 3, 9	77	—	54'8	44'6	49'7	+1'2	74	May 30	26	Dec. 29	50'8	51'1	—	—	—	—	1,533	—	35
	p Cromer	.. ¶§	9, -, 9	139	9'811	55'9	44'2	50'1	—	80	May 30	24	Jan. 14	—	—	48'6	1'4	'319	91	1,442	—	33
b	p Cambridge	¶§	9, -, 9	43	9'919	57'8	42'5	50'2	+1'3	84	June 17	24	Jan. 13	50'7	51'3	49'3	2'1	'312	86	1,434	-120	33
	a Clacton	.. ¶§	7, 1, 9	54	9'914	55'6	45'4	50'5	+0'9	77	Aug. 30	29	Mar. 18	51'4	52'0	48'9	1'6	'314	88	1,555	—	35
	p Bennington	..	9, 3, 9	411	—	56'9	42'4	49'7	+1'4	82	June 17	22	Jan. 13	50'7	50'8	48'6	2'2	'303	86	1,347	—	31
	p Berkhamstead	..	9, -, 9	397	9'561	57'3	41'7	49'5	+1'1	83	June 16	22	Jan. 13	50'7	—	48'4	2'2	'299	85	1,343	—	31
District Value..		—	—	—	56'5	43'7	49'9	+1'7	85	—	18	—	51'0	51'6	—	—	—	—	1,413	-175	—	

TABLE 40.—MEAN ANNUAL VALUES of METEOROLOGICAL

1913.		Height of Barometer Cistern above M.S.L.	Baro- meter.	Air Temperature.								Earth Tempera- ture.		Hygrometer.				Bright Sunshine.			
DISTRICTS AND STATIONS.	Hours of Observa- tion.			Mean Pressure, at 39° F., at Level and Latitude of Station.	Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				At 1 foot depth.	At 4 feet depth.	Mean of Observa- tions at 9 a.m. and 9 p.m., or at 7 a.m.				Total Observed.	Difference from Normal.	Per cent. of Possible.
					A	B			Maximum.	Day of Month.	Minimum.	Day of Month.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.			
		Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	°	In.	%	Hrs.	Hrs.	%		
5. ENGLAND, N.E.:—																					
(a) North, (b) South.																					
a	p Morpeth	9, -, 9	331	9°554	52°8	40°7	46°8	—	82	Aug. 3	21	Jan. 14	46°5	47°2	46°4	1°9	282	85	1,347	—	31
	a Shields ..	7, -, 6	117	9°789	53°6	42°4	48°0	+0°8	76	Aug. 3	23	Mar. 18	—	—	46°3	1°8	277	83	—	—	—
	p Durham	9, -, 9	352	9°539	53°6	41°0	47°3	+0°5	82	Aug. 3	16	Dec. 31	—	—	47°0	1°9	290	87	1,091	-223	25
	p York ..	9, -, 9	53	9°893	56°3	43°0	49°7	+1°6	82	Aug. 3	19	Dec. 6	49°2	49°4	48°6	2°6	290	83	1,055	-219	24
b	a Spurn Head	7, 1, 6	28	9°898	53°8	44°0	48°9	+0°6	76	May 29	30	Jan. 14	—	—	48°1	1°4	310	90	—	—	—
	a Lincoln ..	9, -, -	42	9°925	56°5	42°9	49°7	+1°3	81	June 17	19	Jan. 14	48°9	49°5	49°5	2°5	306	84	—	—	—
	p Hull ..	9, -, 9	12	9°946	55°9	43°3	49°6	+1°8	80	May 30	23	Dec. 6	48°4	48°9	49°5	2°7	298	83	814	—	18
District Value..		—	—	—	54°7	42°4	48°4	+1°1	82	—	9	—	48°4	48°8	—	—	—	1,263	-190	—	
6. ENGLAND, N.W.:—																					
a Southport ..		9, 3, 9	42	9°897	54°9	44°0	49°5	+1°3	76	June 16	22	Dec. 31	49°9	50°3	49°0	2°3	305	85	1,343	-120	30
p Manchester (City)		9, -, 9	195	9°738	56°0	45°3	50°7	—	80	June 16	27	Dec. 31	49°6	51°3	49°9	2°8	302	82	883	—	20
p Aspatia ..		9, -, 9	254	9°634	54°5	41°8	48°2	+1°1	79	Aug. 29	20	Dec. 31	49°1	48°8	47°7	1°8	299	88	1,310	—	30
p Stonyhurst		-, -, 9	363	—	54°0	43°3	48°7	+1°3	76	Aug. 3	21	Dec. 31	—	—	—	—	—	1,051	-299	24	
p Liverpool (Bid.)		9, -, 9	202	9°721	54°5	44°6	49°6	+0°7	77	June 16	27	Jan. 14	—	—	48°9	2°5	294	84	1,376	—	31
p Llandudno		9, -, 9	32	9°882	55°8	45°3	50°6	+0°7	74	May 30	27	Dec. 31	—	—	50°8	2°6	312	83	1,453	+ 11	33
p Bettws-y-Coed		9, -, 9	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
District Value..		—	—	—	55°0	43°8	49°2	+1°0	82	—	10	—	49°4	49°6	—	—	—	1,321	- 62	—	
7. ENGLAND, S.W.:—																					
a Llangammarch		9, -, -	585	9°933	55°5	41°0	48°2	+0°4	79	Aug. 3	11	Dec. 31	49°1	49°6	48°1	1°5	307	89	1,212	—	27
a Pembroke ..		7, 1, 9	150	9°774	55°1	46°9	51°0	+1°1	73	Aug. 28	27	Feb. 20, 21	—	—	49°5	1°0	335	92	1,365	-274	31
Bristol (Clifton)		9, -, -	229	—	57°6	45°5	51°6	+1°7	83	June 16	27	Dec. 31	—	—	—	—	—	1,456	—	33	
a Portland Bill		7, 1, 9	37	9°937	55°8	48°4	52°1	+1°1	74	July 23	31	Dec. 31	—	—	51°2	2°0	332	87	—	—	—
p Plymouth ..		9, 3, 9	116	9°844	57°4	46°8	52°1	+1°2	77	June 29	29	Jan. 14	53°0	—	52°2	2°1	341	86	1,467	-179	33
Falmouth ..		7, 1, 6	183	9°788	56°4	46°9	51°7	+0°7	74	Aug. 14	28	Dec. 31	—	—	51°4	2°3	330	85	1,559	-204	35
p Woolacombe ..		9, -, 9	120	9°854	56°7	47°4	52°1	-0°1	78	June 16	30	Dec. 31	—	—	52°1	2°4	335	84	1,409	-212	32
District Value..		—	—	—	56°3	44°8	50°4	+0°9	83	—	11	—	52°0	52°1	—	—	—	1,413	-153	—	
8. ENGLISH CHAN.:—																					
a Scilly ..		7, 1, 9	152	9°795	56°2	47°9	52°1	-0°2	70	Aug. 1, 16	32	Feb. 19	—	—	51°3	1°2	351	92	1,460	-347	33
a Jersey ..		7, 1, 9	36	9°980	58°5	48°2	53°4	+1°3	80	May 26	30	Dec. 22	—	—	51°9	2°0	341	87	1,701	-223	39
p Guernsey (Brooklyn).		9, -, 9	311	9°672	57°3	48°1	52°8	—	76	June 16	33	Feb. 18	53°6	53°8	51°7	2°1	337	86	1,694	-208	38
District Value..		—	—	—	57°5	48°1	52°7	+0°6	80	—	30	—	53°6	53°8	—	—	—	1,624	-281	—	

NOTES ON THE STATISTICAL TABLES.

The letters *a* and *p* indicate whether the readings of the maximum and minimum thermometers are taken at the hours of morning or evening observations. Local time is used except at the First Order Observatories and Telegraphic Reporting Stations where G.M.T. is used. The air temperature is obtained from thermometers placed in a louvered screen.

Barometer.—The correction for latitude has been applied to all the values.

Rainfall.—The amounts are those for the 24 hours commenced at the time of morning observation.

Hygrometer.—The values are obtained from the monthly means of the dry and wet bulb readings. At certain stations the vapour pressure and relative humidity are the results obtained from the daily values. These are entered in clarendon type.

Weather Phenomena.—The number of days of Precipitation, Snow, Hail, Thunderstorm, Fog and Gale, are counted irrespective of the hours at which the phenomena occur. Except for rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

Wind Summaries.—The results given under Wind (but not gales) are based on the observations at fixed hours. At Falmouth and Kew the wind observations are based on the records of a standard Robinson anemometer (factor 2.2). Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales. (At Brighton and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer. At Greenwich a Robinson Anemometer is used.)

ELEMENTS from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1913—continued.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations reduced to a total of 1095 for the year.											
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 94.)	Overcast. (See Note on p. 94.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
Mean of Observations of amount at 8 a.m. and 9 p.m., or at 7 a.m.	Ins.	Ins.	Ins.																					
6.7	26.0	- 4.1	1.15	Jan. 12	210	26	3	10	6	124	14	17	206	27	65	92	87	104	73	126	392	129		
8.1	24.6	- 0.4	1.28	Sept. 26	183	16	0	5	1	220	27	3	171	36	107	102	101	91	170	256	166	66		
7.8	23.4	- 3.9	1.51	Oct. 7	174	23	2	13	17	205	31	21	270	259	72	58	53	46	187	179	160	81		
6.5	20.5	- 4.8	1.16	Jan. 11	185	11	2	8	32	135	24	0	43	12	166	70	86	70	268	100	241	82		
6.8	18.0	- 1.6	0.89	Sept. 1	163	13	4	13	4	87	46	41	690	18	96	97	138	141	172	149	190	94		
6.4	19.8	- 3.5	1.32	Jan. 11	147	9	0	5	66	133	14	3	190	29	29	82	149	137	47	210	271	141		
6.5	20.5	- 5.3	0.98	Jan. 11	179	15	3	9	39	135	11	3	68	180	74	137	54	101	93	234	90	72		
7.0	22.0	- 2.9	—	—	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7.0	23.9	- 4.0	0.94	Sept. 26	206	6	21	13	19	147	14	30	637	39	59	74	119	189	118	133	215	149		
5.6	29.8	- 5.3	0.85	Aug. 22	201	18	11	4	18	—	6	0	151	5	103	79	109	139	136	164	203	157		
6.4	36.5	- 2.5	1.96	Aug. 21	192	13	8	5	31	133	2	8	197	156	84	68	113	50	146	230	162	86		
—	42.1	- 4.7	1.18	Apr. 26	205	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.6	25.9	- 3.0	0.77	Aug. 22	205	13	24	16	27	137	14	4	273	9	57	69	141	214	83	167	256	99		
7.1	31.8	+ 1.0	1.45	Sept. 12	198	2	8	3	33	181	1	3	166	43	75	23	190	15	185	126	395	38		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.8	32.5	- 2.5	—	—	200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8.1	56.0	—	1.75	Apr. 26	226	5	8	5	27	250	24	0	237	300	33	57	108	57	75	177	204	84		
6.8	41.5	+ 6.4	1.74	Sept. 12	204	2	4	5	13	48	36	43	543	15	105	124	84	84	162	142	202	137		
—	31.0	- 3.6	1.20	Sept. 4	190	3	1	0	—	—	4	—	—	—	—	—	—	—	—	—	—	—		
6.1	24.2	—	1.76	Aug. 31	158	0	6	9	12	46	18	43	617	13	51	163	104	93	91	216	239	125		
6.9	36.5	+ 0.8	1.18	Jan. 4	199	0	11	5	21	163	17	3	250	96	127	89	105	89	120	178	168	123		
6.3	45.3	+ 0.2	1.12	Oct. 10	206	0	18	14	35	120	10	0	231	150	142	74	52	59	121	199	165	133		
5.6	33.0	+ 1.0	0.85	Jan. 4	203	0	15	7	48	89	12	1	365	93	48	145	155	120	53	176	192	113		
6.4	39.3	+ 0.4	—	—	198	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.8	34.8	+ 1.2	1.47	Aug. 11	216	0	10	2	3	59	36	47	579	28	91	107	109	100	129	125	205	201		
7.2	26.5	- 7.7	1.02	Nov. 6	180	5	12	11	13	114	12	7	446	0	51	109	141	121	106	189	286	92		
6.3	36.1	- 1.4	2.19	July 29	212	3	22	14	37	104	70	30	394	78	31	156	60	106	103	175	255	126		
6.5	32.0	- 0.8	—	—	198	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Averages.—The normal averages used for stations are—Pressure, Temperature and Rainfall for the 35 years 1871-1905; Bright Sunshine for the 25 years 1881-1905. The values are published in Appendix III. to the Weekly Weather Report for 1906. For Greenwich and Oxford, averages for longer periods are used. Monthly averages of pressure at telegraphic reporting stations for the epoch 7 a.m. are published in Appendix I. to the Daily Weather Report.

Royal Observatory, Greenwich.—The earth temperatures are taken at a depth of 3 ft. 2 in.
§ Mean Values for Districts.—Stations used in the Weekly Weather Report for computing "district values" of rainfall and temperature, are distinguished by the sign ¶, those used for "district values of bright sunshine" by the sign §. These stations are distributed between Tables A, and B in the Monthly Weather Report of the Meteorological Office. The yearly mean values for districts given in this Report for maximum, minimum and mean temperature, sunshine and rainfall, are computed from the data for these "representative" stations. The mean temperature for districts is computed in the manner shown in the preface to the Weekly Weather Report. The yearly mean values for districts for "amount of cloud" are computed from the data for all stations. The averages for districts with which the current values are compared are for the 25 years 1881-1905, as in the Weekly Weather Report. The "district values" for Earth Temperature are obtained from the data for all stations.

TABLE 41.—MALES and FEMALES at TWELVE GROUPS of AGES in a MILLION PERSONS at ALL AGES.

Census Year	...	Austrian Commonwealth.	Austria.	Belgium.	Bulgaria.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	The Netherlands.	New Zealand.	Prussia.	Russia (European).	Scotland.	Spain.	Sweden.	Switzerland.
Persons All Ages	...	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	...	117,986	124,156	102,811	145,739	120,864	106,857	129,898	93,190	119,988	133,866	99,245	124,381	125,864	116,919	133,830	151,215	111,900	116,089	112,183	114,082
5—	...	101,737	115,526	103,050	131,263	109,734	102,488	110,977	83,757	113,943	115,940	99,736	108,188	114,133	105,117	116,105	121,757	107,911	113,513	105,312	101,576
10—	...	96,103	108,719	100,012	124,898	104,480	97,023	105,430	84,126	106,572	106,155	97,278	105,846	105,282	90,645	105,641	112,418	102,950	105,272	99,005	94,538
15—	...	109,681	96,408	92,530	109,594	92,277	99,796	97,042	86,353	96,829	100,702	96,353	111,371*	94,905	87,715	94,300	101,189	97,195	83,720	92,791	95,165
20—	...	100,172	83,121	82,012	71,772	82,012	95,946	87,518	82,768	86,370	80,793	86,697	66,014*	84,820	93,012	88,088	83,477	88,110	83,530	82,851	90,725
25—	...	101,468	140,751	157,544	123,777	145,248	165,127	139,544	150,795	151,695	185,319	144,869	132,911	146,012	192,706	147,697	138,705	156,702	145,188	139,752	154,385
30—	...	125,915	117,169	130,087	98,639	113,668	122,849	115,479	133,934	121,168	122,325	122,266	109,010	115,778	130,249	116,533	111,339	126,112	123,085	108,384	125,450
35—	...	97,539	95,074	98,113	78,088	92,366	89,222	97,816	112,582	90,676	94,499	89,785	97,196	87,489	81,087	86,649	80,943	93,825	101,890	99,157	91,642
40—	...	50,364	66,306	67,474	64,845	69,557	89,741	68,609	61,632	62,432	66,155	64,343	76,969	64,500	51,896	62,839	56,466	62,145	74,653	75,568	76,145
45—	...	29,577	38,909	45,351	38,548	44,662	33,080	58,411	58,411	37,176	32,785	71,570	47,203	43,199	34,074	34,373	29,822	38,855	37,812	53,871	43,191
50—	...	13,204	13,861	18,371	17,726	21,452	13,581	14,366	23,639	13,146	11,444	28,858	17,535	18,003	13,225	13,149	12,331	15,215	14,187	30,626	15,101
55—	...	5,249	—	—	161	3,580	—	—	—	—	77	—	3,471	15	1,355	196	338	80	1,111	—	—
60—	...	519,199	491,137	495,810	509,995	485,260	483,543	494,765	491,977	493,488	497,656	499,303	490,944	494,885	527,444	492,318	489,599	484,358	488,015	488,687	490,741
65—	...	60,024	62,248	51,431	73,692	60,865	57,039	65,622	46,566	60,425	67,100	50,290	63,361	63,614	59,471	67,253	75,236	56,325	58,609	57,907	57,133
70—	...	51,533	58,238	51,696	65,991	55,352	53,462	53,676	41,830	57,203	57,992	50,587	55,120	57,659	53,392	53,259	60,339	56,325	58,609	53,480	50,857
75—	...	50,916	54,202	50,170	63,698	52,555	48,462	55,057	42,180	53,456	53,000	49,499	53,620	57,082	53,081	53,117	55,998	51,831	58,060	50,612	47,318
Age not stated	...	6,974	6,218	7,906	9,046	9,203	5,632	5,752	10,232	5,575	5,550	13,764	8,610	8,018	7,880	5,725	6,132	5,644	6,540	13,072	6,890
Males All Ages	...	519,199	491,137	495,810	509,995	485,260	483,543	494,765	491,977	493,488	497,656	499,303	490,944	494,885	527,444	492,318	489,599	484,358	488,015	488,687	490,741
Under 5 years	...	60,024	62,248	51,431	73,692	60,865	57,039	65,622	46,566	60,425	67,100	50,290	63,361	63,614	59,471	67,253	75,236	56,325	58,609	57,907	57,133
5—	...	51,533	58,238	51,696	65,991	55,352	48,462	53,676	41,830	53,456	53,000	49,499	53,620	57,082	53,081	53,117	55,998	51,831	58,060	50,612	47,318
10—	...	50,916	54,202	50,170	63,698	52,555	48,462	53,676	42,180	53,456	53,000	49,499	53,620	57,082	53,081	53,117	55,998	51,831	58,060	50,612	47,318
15—	...	51,218	40,944	42,675	36,555	39,013	45,273	45,879	42,487	48,496	49,332	48,955	53,684*	47,683	44,422	47,496	48,484	49,033	40,528	47,157	49,008
20—	...	83,287	58,302	79,016	61,410	69,224	76,425	69,907	74,886	75,709	66,462	71,088	62,106	41,972	49,275	43,675	40,378	42,381	39,490	41,167	44,506
25—	...	60,608	57,549	65,062	50,835	54,448	59,394	64,776	66,632	60,212	61,688	62,255	52,349	71,337	103,250	73,386	67,095	73,933	69,888	68,512	77,050
30—	...	54,144	46,349	48,735	39,516	43,511	42,924	54,516	43,875	47,406	45,132	47,606	52,349	56,604	70,068	57,331	54,761	61,064	59,377	60,295	69,235
35—	...	27,716	31,685	32,819	35,288	32,819	27,913	36,984	33,235	29,254	29,254	31,367	37,301	31,329	24,131	29,057	27,463	29,206	35,839	34,946	35,257
40—	...	15,554	18,189	20,391	18,295	20,436	14,691	16,981	27,241	16,506	16,237	32,798	28,380	20,429	19,461	15,446	14,339	16,446	18,190	24,187	19,803
45—	...	6,974	6,218	7,906	9,046	9,203	5,632	5,752	10,232	5,575	5,550	13,764	8,610	8,018	7,880	5,725	6,132	5,644	6,540	13,072	6,890
50—	...	2,784	—	—	92	1,761	—	—	—	—	44	—	1,650	8	834	108	173	89	579	—	—
55—	...	480,801	508,863	504,190	490,005	514,740	516,457	505,235	508,023	506,512	502,344	500,697	509,056	505,115	472,556	507,682	510,401	515,042	511,985	511,313	509,259
60—	...	57,962	61,908	50,880	72,047	59,999	57,223	64,276	46,624	59,563	66,766	48,955	61,020	62,250	57,448	66,577	75,979	55,575	57,480	54,876	56,949
65—	...	50,204	57,238	51,354	65,342	54,382	53,747	54,701	41,927	56,740	57,948	49,189	53,068	56,474	51,725	57,846	61,368	53,741	56,263	51,832	50,719
70—	...	49,765	54,517	49,842	61,205	51,925	51,365	52,378	41,946	53,121	53,105	47,779	52,149	52,200	44,614	52,524	56,420	51,119	52,212	48,993	47,220
75—	...	48,954	42,177	43,482	35,217	42,999	50,673	46,383	42,068	43,158	41,173	42,119	34,534*	42,848	43,293	48,804	52,705	48,162	43,192	45,694	47,157
Age not stated	...	76,181	72,449	78,528	62,367	76,024	85,144	69,637	75,909	75,866	88,857	73,781	70,805	74,675	89,476	74,311	71,610	81,719	75,300	71,240	77,335
Under 5 years	...	59,307	59,620	65,025	47,804	59,220	63,455	69,235	67,282	60,637	60,637	60,091	56,661	59,174	60,185	59,202	56,578	66,048	63,658	56,346	63,165
5—	...	43,395	48,725	49,778	38,522	43,855	46,298	48,434	46,801	46,801	47,093	44,339	43,590	43,184	41,792	43,184	41,792	43,989	52,908	53,225	48,018
10—	...	35,339	34,621	35,339	29,557	36,338	31,828	36,460	47,408	33,612	32,920	32,976	39,068	33,171	22,642	36,566	29,003	32,939	38,814	40,622	40,888
15—	...	20,730	20,730	24,360	15,253	24,226	18,389	21,125	31,170	20,671	16,548	38,772	23,823	22,770	14,613	18,927	15,483	22,409	19,622	29,684	23,388
20—	...	6,230	7,643	10,465	8,680	12,249	7,949	8,495	13,357	7,571	5,894	15,094	8,325	9,985	5,345	7,424	6,199	5,571	7,647	17,454	8,211
25—	...	2,465	—	—	69	1,819	—	—	—	—	33	—	1,821	7	521	88	165	41	532	—	—
30—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age not stated	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Ages 15-21 and 21-25 respectively.

BIRTHS (EXCLUDING STILLBORN) PER 1,000 LIVING.

Year.	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Ceylon.	Chili.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	Jamaica.	Japan.	The Netherlands.	New Zealand.	Norway.	Ontario, Province of.	Prussia.	Roumania.	Russia (European).	Scotland.	Servia.	Spain.	Sweden.	Switzerland.	United Kingdom.	United States of America (Registration Area).	Year.	
1887	35.6	38.6	29.7	38.2	32.7	29.1	31.7	31.5	31.9	36.2	28.5	36.9	44.2	23.1	38.9	34.7	27.1	33.7	32.1	31.2	21.7	37.4	41.0	47.5	31.7	46.3	36.1	29.7	27.9	30.7	—	1887
1888	35.5	38.3	29.4	37.5	31.8	31.8	31.5	31.2	34.9	23.1	36.6	43.8	22.8	37.5	39.1	29.6	33.7	31.2	31.2	21.8	37.4	42.4	48.8	31.3	45.7	36.4	28.8	27.7	30.1	—	1888	
1889	34.7	38.3	29.4	36.5	27.7	37.7	31.2	31.1	33.4	23.0	36.4	43.7	22.7	38.3	35.3	30.2	33.2	30.2	30.1	22.6	37.1	40.6	48.8	30.9	44.1	36.4	27.7	27.6	30.0	—	1889	
1890	35.0	36.8	29.0	34.9	31.9	37.6	30.5	30.2	32.9	21.8	35.7	43.7	22.3	35.8	38.4	28.3	32.9	29.4	30.3	22.0	36.6	38.5	48.2	30.4	40.2	34.4	28.0	26.6	29.2	—	1890	
1891	34.5	38.6	30.0	33.9	31.9	30.0	31.4	31.4	34.3	22.6	37.0	42.3	23.1	37.2	38.3	26.7	33.7	29.0	30.9	22.4	37.7	42.3	48.8	31.2	45.0	35.3	28.3	28.2	30.4	—	1891	
1892	33.7	36.3	28.9	35.8	30.2	39.1	29.6	30.4	31.5	22.3	36.2	40.4	22.5	36.2	37.3	29.4	32.0	27.8	29.6	19.5	36.2	39.0	47.0	30.8	42.5	35.6	27.4	27.7	29.8	—	1892	
1893	32.8	38.2	29.5	34.9	31.3	38.9	30.8	30.7	29.9	22.8	36.8	42.6	23.0	36.5	40.6	28.5	33.8	27.5	30.6	19.7	37.4	40.5	47.0	29.9	42.4	34.8	27.1	27.3	29.8	—	1893	
1894	30.8	37.0	29.0	37.6	33.2	40.7	30.4	29.6	30.8	22.3	35.9	41.5	23.0	35.5	37.2	28.9	32.7	27.3	29.6	19.1	36.5	40.9	48.7	29.9	44.0	35.0	27.5	27.3	29.4	—	1894	
1895	30.4	38.1	28.5	40.2	31.8	38.7	30.3	30.3	32.6	21.7	36.1	41.8	23.3	34.9	38.8	29.5	32.8	25.8	30.5	18.8	36.9	42.3	49.4	30.0	44.0	35.0	27.2	28.1	29.0	—	1895	
1896	28.4	38.0	29.0	41.0	32.0	37.0	30.5	29.6	32.1	22.5	36.3	40.3	23.5	34.8	38.5	30.0	32.7	26.3	30.2	20.6	36.9	40.7	49.7	30.4	41.2	35.9	27.2	28.3	28.9	—	1896	
1897	28.2	37.5	29.0	42.2	37.7	39.0	29.8	29.6	31.3	22.2	36.0	40.3	23.5	34.7	39.8	30.9	32.5	26.0	29.9	20.8	36.5	42.9	49.5	30.0	42.6	34.1	26.7	28.3	28.7	—	1897	
1898	27.2	36.3	28.6	39.1	38.8	36.8	30.2	29.3	31.3	21.8	35.8	37.7	23.3	33.5	38.1	31.3	31.9	25.7	30.1	20.2	36.7	36.7	48.7	30.1	35.1	33.3	27.1	28.5	28.7	—	1898	
1899	27.3	37.3	28.8	40.5	38.5	37.0	29.7	29.1	33.2	21.4	35.6	39.3	22.7	33.0	35.7	31.7	31.6	25.6	29.9	19.6	36.1	38.8	49.4	29.5	42.0	33.8	27.0	28.6	28.2	—	1899	
1900	27.3	37.3	28.9	42.2	38.6	37.8	29.7	28.7	32.0	21.4	35.7	37.8	22.7	32.6	40.9	32.7	32.3	23.8	29.6	20.7	36.2	38.3	47.9	29.5	38.0	34.9	27.0	28.0	28.0	—	1900	
1901	27.2	36.6	29.4	37.5	38.6	38.4	29.2	28.5	31.5	21.7	35.1	37.8	23.0	33.4	39.3	32.9	31.6	25.9	28.9	21.3	35.5	39.0	49.1	29.3	38.0	35.5	26.5	28.5	28.0	—	1901	
1902	26.7	37.1	28.4	38.8	38.5	38.4	28.7	28.5	31.5	21.7	35.1	37.8	23.1	31.7	39.9	32.0	31.6	26.6	28.8	21.7	34.4	40.1	48.1	29.1	40.9	36.3	25.7	27.4	28.0	—	1902	
1903	25.3	35.3	27.5	40.9	40.0	37.7	28.9	28.0	31.8	20.9	34.1	37.4	23.6	32.9	36.1	30.6	31.4	26.9	28.1	22.3	34.7	40.1	48.5	29.1	39.8	34.3	25.8	27.3	27.7	—	1903	
1904	26.4	35.6	27.1	42.4	38.5	37.6	28.9	28.0	30.5	20.9	34.1	37.4	23.6	32.9	36.1	30.6	31.4	26.9	28.1	22.3	34.7	40.1	48.5	29.1	39.8	34.3	25.8	27.3	27.7	—	1904	
1905	26.2	33.9	26.1	43.5	38.7	37.8	28.4	27.2	31.3	20.6	32.9	36.3	23.4	32.7	38.8	30.6	30.8	27.2	27.4	23.0	33.5	44.8	28.6	41.3	35.2	25.7	26.9	27.1	—	1905		
1906	26.6	35.0	25.7	44.0	36.5	36.0	28.5	27.2	31.3	20.6	33.1	36.5	23.5	32.1	38.1	28.9	30.4	27.1	26.7	22.9	33.7	39.9	46.8	28.6	41.3	34.0	25.7	26.9	27.0	—	1906	
1907	26.6	35.0	25.7	44.0	36.5	36.0	28.5	27.2	31.3	20.6	33.1	36.7	23.2	31.7	35.0	33.0	30.0	27.3	26.4	24.1	33.0	41.1	46.6	27.7	40.0	33.6	25.5	26.2	26.3	—	1907	
1908	26.8	34.0	25.8	43.7	33.6	38.8	28.2	26.5	31.2	19.7	32.3	36.7	23.3	33.7	37.6	33.9	29.7	27.4	26.3	25.6	32.7	40.3	44.3	28.1	36.8	34.0	25.7	26.4	26.5	—	1908	
1909	26.7	33.7	24.9	40.5	41.0	39.3	28.5	26.7	30.7	20.1	32.1	36.9	23.8	32.7	37.8	34.2	29.1	27.3	26.8	24.3	31.7	41.1	44.0	27.3	36.5	33.5	25.6	26.5	26.7	—	1909	
1910	26.7	33.4	25.7	40.7	37.5	38.6	28.2	25.8	31.2	19.5	31.0	37.7	23.4	33.7	38.6	33.9	28.6	26.2	26.1	24.3	30.5	39.2	26.2	28.1	36.2	33.1	24.7	25.0	25.0	—	1910	
1911	26.7	32.5	23.7	41.7	39.0	38.0	27.5	25.1	30.1	19.6	29.8	35.7	23.3	31.5	39.0	—	27.8	26.0	25.9	22.6	29.4	42.3	—	25.6	36.2	31.2	24.0	24.2	24.4	—	1911	
1912	27.2	31.4	22.9	—	37.9	38.5	26.7	24.1	29.1	18.7	28.6	35.0	23.2	31.5	38.8	—	28.1	26.0	25.9	22.6	29.4	42.3	—	25.6	36.2	31.2	24.0	24.2	24.4	—	1912	
1913	28.3	—	—	—	38.6	—	25.6	23.9	—	19.0	—	—	22.8	—	35.3	—	28.1	26.1	26.2	24.0	—	—	—	25.5	—	30.4	23.1	23.1	24.0	—	1913	

DEATHS (EXCLUDING STILLBORN) PER 1,000 LIVING.

Year.	Australian Commonwealth.	Austria.	Belgium.	Bulgaria.	Ceylon.	Chili.	Denmark.	England and Wales.	Finland.	France.	German Empire.	Hungary.	Ireland.	Italy.	Jamaica.	Japan.	The Netherlands.	New Zealand.	Norway.	Ontario, Province of.	Prussia.	Roumania.	Russia (European).	Scotland.	Servia.	Spain.	Sweden.	Switzerland.	United Kingdom.	United States of America (Registration Area).	Year.
1887	14.6	29.2	19.3	18.1	24.0	31.3	18.2	19.1	19.0	22.0	24.2	33.8	18.2	28.0	24.2	19.3	19.7	10.3	16.2	11.1	23.8	30.5	32.2	19.0	24.9	32.7	16.1	20.2	19.0	—	1887
1888	14.6	29.6	20.3	18.1	26.4	31.8	19.5	18.1	19.8	21.9	23.7	32.0	17.9	27.5	22.3	19.0	20.4	9.4	17.2	11.0	22.8	30.6	32.5	18.0	24.4	30.1	16.0	19.9	18.1	—	1888
1889	15.4	27.6	19.8	18.4	28.5	32.0	18.5	18.2	19.6	20.7	23.7	29.9	17.4	25.6	22.2	20.2	20.1	9.4	17.6	10.9	23.2	27.2	34.5	18.4	25.5	30.4	16.0	20.3	18.1	—	1889
1890	14.3	29.5	20.8	21.0	23.0	36.4	19.0	19.5	19.5	22.8	24.4	32.4	18.2	26.3	25.1	20.4	20.5	9.7	17.9	11.1	24.1	28.4	33.7	19.7	25.3	32.1	17.1	20.9	19.4	—	1890
1891	14.8	28.3	21.2	25.6	28.7	33.9	19.0	20.2	21.2	22.9	23.4	33.1	18.4	26.1	22.7	21.0	20.7	10.3	17.5	11.3	22.9	30.1	34.6	20.7	26.5	31.3	16.8	20.6	20.0	—	1891
1892	12.9	28.9	21.8	31.4	27.5	37.5	19.5	19.0	23.7	22.8	24.1	35.1	18.4	26.2	20.9	21.6	21.0	10.1	17.8	10.8	23.4	34.7	32.1	18.5	23.5	30.6	17.9	19.0	19.0	—	1892
1893	13.7	27.3	20.3	27.5	29.6	34.9	19.0	19.2	20.9	22.5	24.6	31.1	18.0	25.2	22.1	22.7	19.2	10.2	16.3	10.6	24.1	30.8	33.1	19.3	28.0	29.7	16.8	20.1	19.0	—	1893
1894	12.7	28.0	18.6	27.2	27.9	33.4	17.6	16.6	19.2	21.2	22.3	30.5	18.2	25.0	21.0	20.1	18.5	10.2	16.8	10.3	21.7	31.7	34.0	17.1	28.0	29.0	16.4	20.1	16.8	—	1894
1895	12.5	27.6	19.5	26.2	27.6	31.0	16.9	18.7	17.7	22.2	22.1	29.7	18.5	25.0	22.7	20.2	18.6	9.9	15.3	11.0	20.7	29.6	31.4	18.4	26.0	29.0	15.2	19.2	18.7	—	1895
1896	12.8	26.3	17.5	24.1	25.3	30.0	15.7	17.1	18.5	20.0	20.8	28.9	16.7	24.1	22.1	21.4	17.2	9.1	15.1	11.0	20.7	29.1	32.8	16.6	27.0	29.6	15.6	17.8	16.9	—	1896
1897	12.1	25.6	17.2	25.4	23.7	30.7	16.6	17.4	17.5	19.4	21.3	28.5	18.5	21.9	23.0	20.3	16.9	9.1	15.3	11.7	20.9	29.6	31.4	18.4	26.5	28.4	15.4	17.7	17.6	—	1897
1898	14.1	24.9	17.6	29.0	26.6	28.6	15.5	17.5	17.4	20.9	20.5	28.0	18.2	22.9	21.0	20.4	17.0	9.8	15.2	11.1	20.0	26.5	33.2	18.0	22.9	28.2	15.1	18.3	17.7	—	1898
1899	12.9	25.6	18.8	24.7	30.6	29.0	17.3	18.2	19.9	21.1	21.5	27.2	17.7	21.9	22.8	21.1	17.2	10.2	16.7	12.3	21.4	27.3	31.0	18.1	24.3	28.8	17.7	17.7	18.2	—	1899
1900	11.8	25.4	19.3	22.5	28.7	35.6	16.8	18.2	21.5	21.9	22.1	26.9	19.6	23.8	21.6	20.4	17.9	9.4	15.8	12.2	21.8	24.2	31.1	18.5	23.3	28.9	16.8	19.3	18.4	17.6	1900
1901	12.2	24.0	17.2	23.1	27.6	36.4	15.8	16.9	20.6	20.1	20.7	25.4	17.8	22.0	21.9	20.4	17.2	9.8	14.9	13.0	20.5	26.2	32.1	17.9	21.0	27.7	16.1	18.0	17.1	16.5	1901
1902	12.5	24.7	17.3	23.8	27.5	36.8	16.3	18.4	19.5	19.4	21.7	27.1	17.5	22.2	19.8	20.9	16.3	10.5	14.8	12.1	19.2	27.7	31.5	17.3	22.3	26.0	15.4	17.0	16.5	15.9	1902
1903	12.2	23.8	17.0	22.7	25.9	26.2	14.7	15.5	17.8	19.2	20.0	26.2	17.5	22.4	24.6	20.0	15.6	10.4	13.7	12.9	19.7	24.8	30.0	16.8	23.5	25.0	15.1	17.4	15.8	16.0	1903
1904	11.1	23.8	16.9	21.1	24.9	27.8	14.1	16.3	17.7	19.4	19.6	25.0	18.0	21.2	24.9	21.2	15.9	9.5	14.3	13.4	19.2	24.4	29.9	17.1	21.1	25.7	15.3	17.5	16.6	16.5	1904
1905	10.9	25.1	16.5	21.8	27.7	34.9	15.0	15.3	18.3	19.6	19.8	28.2	17.1	22.0	21.9	22.0	15.3	9.3	14.7	13.5	19.6	24.7	31.1	16.2	24.4	25.8	15.6	17.6	15.6	16.0	1905
1906	10.9	22.6	16.4	22.3	35.1	32.7	13.5	15.3	17.4	19.9	18.2	25.1	16.9	20.9	26.2	19.8	14.8	9.3	13.6	14.1	17.9	23.9	29.8	16.4	24.0	26.1	14.4	16.6	15.7	15.7	1906
1907	11.0	22.7	16.7	24.3	30.7	29.6	14.1	15.1	17.9	20.2	18.0	25.7	17.6	20.9	28.3	20.9	14.6	10.9	14.3	14.3	17.8	26.3	28.1	16.6	22.8	24.5	14.6	16.4	15.5	16.0	1907
1908	11.1	22.5	16.5	24.3	30.1	31.6	14.6	14.8	18.4	18.9	18.1	25.2	17.5	22.8	22.4	21.0	15.0	9.5	14.3	13.8	17.9	27.4	28.0	16.6	23.7	23.8	14.9	15.8	15.3	14.8	1908
1909	10.3	22.9	15.8	26.7	31.0	31.2	13.2	14.6	16.5	19.1	17.2	25.6	17.1	21.7	21.7	21.9	13.6	9.2	13.5	13.7	17.0	27.4	28.9	15.8	29.3	24.0	13.7	16.1	15.0	14.4	1909
1910	10.4	21.2	15.2	25.2	27.3	31.0	12.9	13.5	16.5	17.8	16.2	23.6	17.1	19.9	23.1	21.1	13.6	9.7	13.5	13.9	16.0	24.8	—	15.3	22.1	23.3	14.1	15.0	14.0	15.0	1910
1911	10.7	21.9	16.4	19.2	34.8	31.1	13.6	14.6	16.5	19.6	17.3	25.1	16.5	21.4	22.1	22.1	14.5	9.4	13.2	12.6	17.2	25.3	—	15.1	21.8	23.2	13.8	15.8	14.2	14.2	1911
1912	11.2	20.5	14.8	—	32.4	29.7	12.5	13.7	16.3	17.6	15.6	23.3	16.5	18.2	25.1	25.1	12.3	8.5	13.5	12.4	15.5	25.9	—	15.3	21.1	21.8	14.2	14.1	13.8	13.9	1912
1913	10.8	—	—	—	28.4	—	—	13.7	—	17.7	—	—	17.1	—	21.7	21.7	12.3	9.5	13.2	12.7	—	25.9	—	15.3	—	22.1	13.6	14.1	14.1	14.1	1913

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS.—continued.

NOTE.—The diseases in the following section correspond with those of the same name in the Short Lists of Causes of Death of the International Institute and of the Registrar-General. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—										Year.	
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
AUSTRALIA, COMMONWEALTH OF. (Furnished by the Commonwealth Statistician.)																				
1894	3,394,328	41,250	104,660	42,958	12.2	30.8	12.7	103	997	3	335	214	591	1,028	—	3,587	1,681	1894		
1895	3,459,192	43,128	105,084	43,080	12.5	30.4	12.5	101	1,083	—	6	103	606	666	—	3,511	1,771	1895		
1896	3,522,362	46,136	100,134	45,202	13.1	28.4	12.8	113	1,495	—	8	99	278	546	—	3,403	1,904	1896		
1897	3,585,442	47,878	101,137	43,447	13.4	28.2	12.1	105	1,339	—	11	180	69	647	—	3,322	1,971	1897		
1898	3,641,251	48,944	98,845	51,406	13.4	27.2	14.1	127	1,615	2	1,452	234	572	805	—	3,622	2,145	1898		
1899	3,690,353	51,916	100,638	47,629	14.1	27.3	12.9	117	1,147	1	404	131	1,101	462	—	3,378	2,200	1899		
1900	3,746,665	54,202	102,221	44,060	14.5	27.3	11.8	100	986	—	132	41	311	376	—	3,434	2,341	1900		
1901*	3,790,710	55,506	102,945	46,330	14.6	27.2	12.2	104	839	5	138	24	597	442	—	3,557	2,401	1901*		
1902	3,847,998	55,852	102,776	48,078	14.5	26.7	12.5	107	903	1	416	104	551	309	—	3,552	2,467	1902		
1903	3,893,329	51,954	98,443	47,293	13.3	25.3	12.2	111	1,145	19	89	193	493	403	—	3,526	2,396	1903		
1904	3,942,730	55,364	104,113	43,572	14.0	26.4	11.1	82	671	—	28	100	337	517	—	3,524	2,371	1904		
1905	4,001,117	58,008	104,941	43,514	14.5	26.2	10.9	82	626	—	133	44	42	324	—	3,231	2,539	1905		
1906	4,060,324	60,820	107,890	44,333	15.0	26.6	10.9	83	735	—	41	61	294	340	—	3,174	2,608	1906		
1907	4,123,729	64,940	110,347	45,305	15.7	26.8	11.0	81	564	—	147	37	1,070	403	—	3,166	2,940	1907		
1908	4,194,410	65,102	111,545	46,426	15.5	26.6	11.1	78	736	—	125	63	249	421	—	3,367	2,921	1908		
1909	4,274,617	67,550	114,071	44,172	15.8	26.7	10.3	72	661	1	31	74	257	455	—	3,119	3,092	1909		
1910	4,370,185	73,184	116,801	45,590	16.7	26.7	10.4	75	648	4	124	48	476	555	—	3,059	3,205	1910		
1911*	4,490,366	78,964	122,193	47,869	17.6	27.2	10.7	68	488	1	206	24	291	696	—	3,164	3,321	1911*		
1912	4,644,852	84,294	133,088	52,177	18.1	28.7	11.2	72	619	—	519	41	301	754	—	3,146	3,537	1912		
1913	4,803,661	83,188	135,714	51,789	17.3	28.3	10.8	72	576	1	186	39	560	808	—	3,252	3,603	1913		
AUSTRIA.† (Furnished by the President of the Central Statistical Commission, Austria.)																				
1894	24,349,532	388,466	901,398	682,805	16.0	37.0	28.0	251	9,207	2,512	14,228	12,287	14,621	32,578	8,748	88,539	14,912	1894		
1895	24,731,121	399,522	941,184	682,899	16.2	38.1	27.6	241	8,901	1,164	8,577	13,547	19,016	29,874	459	91,663	16,757	1895		
1896	24,961,694	396,922	948,419	657,011	15.9	38.0	26.3	230	7,851	897	7,923	16,341	18,208	27,401	19	88,278	16,410	1896		
1897	25,212,994	407,686	944,764	646,019	16.2	37.5	25.6	228	7,382	1,450	9,229	14,316	12,956	23,347	—	86,278	17,109	1897		
1898	25,462,769	399,322	923,241	635,115	15.7	36.3	24.9	224	7,127	2,521	13,765	15,009	10,622	19,740	—	83,682	17,667	1898		
1899	25,714,019	427,502	960,205	658,269	16.6	37.3	25.6	219	6,290	1,899	11,556	14,614	12,307	18,198	—	88,251	17,961	1899		
1900*	25,975,976	428,428	967,939	658,680	16.5	37.3	25.4	231	6,229	369	5,731	10,422	13,452	13,723	—	92,196	18,423	1900*		
1901	26,278,933	427,514	961,501	631,377	16.3	36.6	24.0	209	5,878	96	8,166	12,551	12,123	13,152	—	87,897	19,154	1901		
1902	26,535,205	413,154	984,240	656,400	15.6	37.1	24.7	216	4,813	30	17,169	14,930	15,984	11,251	—	89,648	19,685	1902		
1903	26,780,035	418,270	943,953	638,092	15.6	35.3	23.8	215	5,301	17	5,546	15,573	11,911	11,227	—	90,230	19,728	1903		
1904	27,021,055	420,292	961,430	642,333	15.6	35.6	23.8	210	5,237	17	8,260	9,767	9,704	11,961	—	89,830	20,231	1904		
1905	27,228,585	425,854	921,764	634,537	15.6	33.9	25.1	231	4,864	20	6,789	8,099	9,737	10,740	—	98,312	20,744	1905		
1906	27,447,933	434,634	961,258	619,063	15.8	35.0	22.6	202	4,127	39	9,107	10,554	13,255	9,228	—	86,754	21,391	1906		
1907	27,705,717	419,023	942,169	629,913	15.1	34.0	22.7	209	4,165	41	6,805	10,006	10,606	6,893	—	87,627	21,431	1907		
1908	27,949,768	427,340	941,375	627,771	15.3	33.7	22.5	199	4,201	14	7,923	14,965	8,972	8,009	—	84,947	21,788	1908		
1909	28,185,927	426,166	941,239	646,122	15.1	33.4	22.9	209	4,004	13	12,392	16,123	8,569	8,135	—	85,410	22,180	1909		
1910*	28,426,589	429,940	923,545	602,046	15.1	32.5	21.2	189	3,770	5	10,079	13,765	8,515	7,443	6	81,789	22,157	1910*		
1911	28,649,449	434,746	898,702	628,305	15.2	31.4	21.9	207	3,747	31	6,794	8,217	11,811	7,296	39	84,155	23,585	1911		
1912	28,879,295	424,374	903,407	592,426	14.7	31.3	20.5	180	3,516	26	6,865	6,612	9,169	5,956	—	81,825	23,511	1912		
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913		
BELGIUM. (Furnished by the Director-General of the Statistical Department, Belgium.)																				
1894	6,341,958	95,470	181,466	118,213	15.0	29.0	18.6	152	1,775	537	2,766	816	3,071	3,237	1,228	7,478	Not available.	1894		
1895	6,410,783	99,424	183,015	125,148	15.5	28.5	19.5	172	1,843	298	3,535	1,159	3,782	2,383	41	9,698		1895		
1896	6,495,886	105,170	188,533	113,748	16.2	29.0	17.5	142	1,584	130	3,134	1,003	3,290	1,982	27	9,524		1896		
1897	6,586,593	108,396	190,987	113,586	16.5	29.0	17.2	149	1,598	140	2,083	1,019	2,809	1,734	56	9,359		1897		
1898	6,669,732	110,888	190,921	117,457	16.6	28.6	17.6	160	1,491	158	2,364	1,726	2,734	1,682	84	9,311		1898		
1899	6,744,532	111,530	194,268	126,963	16.5	28.8	18.8	167	1,632	257	3,188	2,095	3,633	1,769	32	9,818		1899		
1900*	6,693,548	115,422	193,789	129,046	17.2	28.9	19.3	172	1,702	193	2,610	1,360	3,459	1,828	37	9,117		1900*		
1901	6,799,999	114,262	200,077	116,077	17.4	29.4	17.2	142	1,508	260	2,036	1,409	2,365	1,750	26	9,186	Not available.	1901		
1902	6,896,079	112,314	195,871	119,330	16.2	28.4	17.3	144	1,228	652	3,305	992	2,651	1,817	17	9,077		1902		
1903	6,985,219	109,892	192,301	118,675	15.7	27.5	17.0	155	1,088	1,630	2,309	698	2,734	1,393	9	7,586		1903		
1904	7,074,910	113,480	191,721	119,506	16.0	27.1	16.9	152	1,051	656	2,758	726	2,918	1,289	6	7,716		1904		
1905	7,160,547	113,358	187,437	118,343	15.8	26.1	16.5	146	984	244	2,446	760	2,689	1,253	5	7,701		1905		
1906	7,238,622	116,776	186,271	118,884	16.1	25.7	16.4	153	890	41	2,459	785	2,514	1,198	39	7,647		1906		
1907	7,317,561	117,320	185,138	115,347	16.0	25.3	15.7	132	874	55	2,011	927	2,354	1,141	2	7,377		1907		
1908	7,386,444	115,128	183,834	121,964	15.6	24.9	16.5	147	824	42	2,982	1,203	2,676	1,228	—	7,463		1908		
1909	7,451,903	114,252	176,431	117,571	15.3	23.7	15.8	137	693	40	2,676	1,184	2,089	1,141	10	7,590		1909		
1910*	7,423,784	117,552	176,413	112,826	15.8	23.7	15.2	134	771	68	2,537	1,113	2,446	1,057	10	7,217		1910*		
1911	7,490,411	118,740	171,802	122,843	15.9															

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.				
BULGARIA. (Furnished by the Director of the Statistical Bureau, Bulgaria.)																				
1894	3,387,995	53,280	127,516	92,037	15.8	37.6	27.2	142										1894		
1895	3,440,517	62,460	138,338	90,210	18.2	40.2	26.2	144										1895		
1896	3,493,852	58,398	143,255	84,076	16.8	41.0	24.1	134										1896		
1897	3,548,014	58,454	149,631	90,134	16.4	42.2	25.4	147										1897		
1898	3,603,017	56,464	141,046	82,725	15.6	39.1	23.0	143										1898		
1899	3,658,872	64,154	148,172	90,324	17.6	40.5	24.7	158										1899		
1900*	3,715,593	61,322	156,962	83,667	16.6	42.2	22.5	131										1900*		
1901	3,772,440	65,638	141,373	87,239	17.9	37.5	23.1	143										1901		
1902	3,829,391	72,082	148,719	91,093	18.8	38.8	23.8	143										1902		
1903	3,887,201	73,368	159,164	88,314	18.9	40.9	22.7	154										1903		
1904	3,945,885	89,236	167,263	83,731	22.6	42.4	21.2	142										1904		
1905*	4,005,455	86,482	174,189	87,304	21.6	43.5	21.8	159										1905*		
1906	4,064,797	77,532	178,989	90,870	19.1	44.0	22.3	154										1906		
1907	4,123,878	81,702	180,060	92,193	19.8	43.7	22.4	154										1907		
1908	4,183,819	74,102	169,632	101,804	17.7	40.5	24.3	169										1908		
1909	4,244,632	77,854	172,571	113,203	18.3	40.7	26.7	171										1909		
1910*†	4,306,329	77,834	179,563	99,941	18.1	41.7	23.2	159										1910*†		
1911	4,368,923	—	—	—	—	—	—	—										1911		
1912	4,432,427	—	—	—	—	—	—	—										1912		
1913	—	—	—	—	—	—	—	—										1913		

BULGARIA. (Furnished by the Director of the Statistical Bureau, Bulgaria.)

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

CEYLON. (Furnished by the Registrar-General, Ceylon.)

1894	3,144,561	45,566	104,301	87,784	15.4	33.2	27.9	165		3	188	—	107	13	530	2,512	196	1894	NOTE.—The majority of the causes of death outside the towns is not medically certified.
1895	3,193,821	61,382	101,480	88,301	20.4	31.8	27.6	169		5	372	—	50	7	589	2,445	207	1895	
1896	3,240,501	39,358	103,854	81,898	12.8	32.0	25.3	158		21	384	—	53	11	428	2,873	128	1896	* Census year.
1897	3,315,768	43,638	125,019	78,538	14.0	37.7	23.7	140		25	566	—	61	6	104	2,782	177	1897	
1898	3,395,519	48,508	131,620	90,256	15.3	38.8	26.6	169		13	292	—	43	15	302	2,889	175	1898	† Registration is not essential to validity of marriage except among the Kandyan Sinhalese.
1899	3,423,745	64,988	132,190	104,983	20.1	38.5	30.6	197		96	188	—	65	14	—	3,167	191	1899	
1900	3,520,574	56,384	136,051	100,873	17.2	38.6	28.7	178		41	123	—	111	15	217	3,217	233	1900	
1901*	3,582,697	47,472	134,252	98,813	14.2	37.5	27.6	170	Not available.	80	207	—	53	8	52	3,390	213	1901*	† Excluding acute miliary tuberculosis for years prior to 1911.
1902	3,629,986	55,632	141,893	99,680	16.4	38.5	27.5	173		35	194	—	40	11	139	3,297	219	1902	
1903	3,703,615	47,068	148,027	96,084	13.7	40.0	25.9	164		6	158	—	63	18	6	3,383	212	1903	
1904	3,767,825	43,894	145,253	93,940	12.5	38.5	24.9	174		2	64	—	34	16	4	3,488	190	1904	
1905	3,901,471	42,376	150,785	108,160	11.7	38.7	27.7	176		112	211	—	167	8	1	3,733	207	1905	
1906	3,883,168	36,010	141,847	136,271	9.3	36.5	35.1	198		72	296	—	66	10	204	4,153	182	1906	† Excluding acute miliary tuberculosis for years prior to 1911.
1907	3,885,967	37,966	130,403	119,377	9.8	33.6	30.7	186		27	89	—	34	8	77	4,096	148	1907	
1908	3,923,369	42,104	160,713	117,982	10.7	41.0	30.1	183		303	102	—	108	17	33	4,039	169	1908	
1909	3,969,629	40,242	148,391	122,969	10.9	37.5	31.0	202		82	232	—	82	22	8	4,195	158	1909	
1910	4,035,173	43,954	157,554	110,195	11.7	39.0	27.3	176		29	57	—	62	10	22	3,917	264	1910	
1911*	4,120,813	42,772	156,398	143,380	10.4	37.9	34.8	218		651	89	42	—	72	21	277	4,287	394	1911*
1912	4,151,251	43,466	138,303	134,383	10.5	33.3	32.4	215		461	15	86	—	58	16	12	3,816	406	1912
1913	4,220,458	49,160	162,827	119,956	12.5	38.6	28.4	189		394	1	90	1	36	68	3,843	523	1913	

CHILI. (Furnished by the Director of the General Statistical Office, Chili.)

1894	2,683,105	30,598	109,465	89,799	11.4	40.7	33.4	304	687	2,337	1,138	60	2,847	2,667	—	7,714	546	1894	NOTE.—Complete statistics of causes of death are not available for the years 1897-1902.
1895*	2,712,145	27,572	104,999	84,225	10.0	38.7	31.0	300	859	2,048	852	40	2,689	2,425	—	6,677	426	1895*	
1896	2,753,369	31,426	101,917	82,662	11.4	37.0	30.0	295	882	946	1,535	78	2,604	3,124	—	6,521	554	1896	* Census year.
1897	2,795,220	26,908	109,057	85,956	9.6	39.0	30.7	287	—	—	—	—	—	—	—	—	—	1897	
1898	2,837,207	27,842	104,536	81,419	9.8	36.8	28.6	283	—	—	—	—	—	—	—	—	—	1898	
1899	2,880,332	27,006	106,787	83,778	9.2	37.0	29.0	285	—	—	—	—	—	—	—	—	—	1899	
1900	2,924,404	26,662	110,697	104,312	9.0	37.8	35.6	343	—	—	—	—	—	—	—	—	—	1900	
1901	2,968,854	35,480	115,745	108,199	11.8	38.0	36.4	340	—	—	—	—	—	—	—	—	—	1901	† Excluding acute miliary tuberculosis for years prior to 1911.
1902	3,014,980	33,502	115,813	86,107	11.0	38.4	28.6	270	—	—	—	—	—	—	—	—	—	1902	
1903	3,060,807	31,824	115,524	80,300	10.2	37.7	26.2	264	1,437	445	131	2	1,534	330	—	7,859	894	1903	
1904	3,107,331	32,590	116,950	86,630	10.4	37.6	27.8	286	1,207	1,739	—	4	1,514	463	—	9,035	1,194	1904	
1905	3,154,561	34,440	119,650	110,276	10.8	37.8	34.9	249	2,963	8,786	2,625	184	2,052	495	—	6,904	954	1905	
1906	3,202,510	37,014	117,123	104,890	11.4	36.0	32.7	327	5,620	3,341	2,372	89	3,034	450	—	8,587	1,209	1906	† Excluding acute miliary tuberculosis for years prior to 1911.
1907*	3,249,279	42,542	126,104	96,451	13.0	38.8	29.6	298	4,301	358	174	47	2,475	280	—	8,363	1,251	1907*	
1908	3,297,585	42,982	129,733	104,226	13.0	39.3	31.6	318	3,766	421	1,458	41	2,213	262	—	8,587	1,434	1908	
1909	3,347,124	39,274	129,333	104,707	11.6	38.6	31.2	315	5,719	3,172	1,038	94	2,228	369	—	8,657	1,369	1909	
1910	3,415,060	38,652	130,052	106,073	11.2	38.0	31.0	267	1,812	1,760	2,876	45	1,699	188	—	9,126	1,087	1910	
1911	3,459,951	39,628	133,468	107,816	11.4	38.5	31.1	332	1,444	4,473	1,705	67	1,809	369	—	8,613	1,031	1911	† Excluding acute miliary tuberculosis for years prior to 1911.
1912	3,505,317	42,516	135,373	103,905	12.0	38.7	29.7	—	2,285	1,939	883	25	3,380	135	—	8,587	1,127	1912	
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913	

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	Deaths from certain Diseases with Population of the Area to which they refer.									
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Population.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Group.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.
FRANCE. (Furnished by the Director of the Statistical Bureau, France.)																		
1894	88,420,000	573,824	855,388	815,620	14.9	22.3	21.2	158	12,223,548	3,870	1,155	3,056	647	1,633	4,774	—	81,418	11,607
1895	88,460,000	575,830	834,173	851,986	14.7	21.7	22.2	180	—	3,867	1,082	2,095	675	1,660	2,263	—	83,076	11,955
1896*	88,520,000	580,302	865,586	771,886	15.1	22.5	20.0	148	12,869,412*	2,969	1,076	3,290	744	1,432	2,207	—	82,751	12,212
1897	88,680,000	582,924	859,107	751,019	15.1	22.2	19.4	152	—	3,182	190	2,331	412	1,259	1,550	—	81,816	12,631
1898	88,800,000	574,358	843,933	810,073	14.8	21.8	20.9	169	—	3,400	105	2,328	541	1,581	1,588	—	81,980	12,789
1899	88,900,000	591,504	847,627	816,233	15.3	21.9	21.1	163	—	4,501	670	3,046	796	1,775	1,775	—	83,282	13,161
1900	88,900,000	593,168	827,297	853,285	15.5	21.4	21.9	161	—	4,210	1,783	2,521	574	1,105	1,800	—	84,357	13,392
1901*	88,980,000	606,938	857,274	784,876	15.6	22.0	20.1	142	13,771,440*	2,868	1,017	1,937	550	1,504	2,269	—	87,160	12,385
1902	89,055,000	589,572	845,878	761,434	15.1	21.7	19.5	135	—	2,727	2,553	2,317	511	1,837	2,191	—	87,483	12,463
1903	89,124,000	591,992	826,712	753,606	15.1	21.1	19.2	137	—	2,773	2,350	2,163	496	1,254	1,578	—	87,512	12,912
1904	89,190,000	597,442	818,229	761,203	15.2	20.9	19.4	144	—	2,650	735	2,055	410	1,247	1,264	2	87,613	13,312
1905	89,222,000	605,246	807,291	770,171	15.4	20.6	19.6	136	—	2,168	292	1,783	308	1,053	1,161	—	87,642	13,793
1906*	89,282,000	612,974	806,847	780,196	15.6	20.6	19.9	143	39,282,000*	5,453	631	3,754	907	3,492	3,314	2	71,496	27,306
1907	89,279,000	628,122	772,681	791,752	16.0	19.7	20.2	131	39,279,000	5,133	2,679	3,763	1,623	3,534	3,637	—	74,746	29,284
1908	89,368,000	631,282	792,178	744,135	16.0	20.1	18.9	127	39,368,000	4,855	171	3,222	1,495	3,514	3,470	—	73,827	30,124
1909	89,421,000	615,374	769,565	754,957	15.6	19.5	19.1	118	39,421,000	3,857	87	2,881	1,557	2,619	3,502	—	70,223	30,645
1910	89,528,000	615,420	774,390	702,972	15.6	19.6	17.8	111	39,528,000	3,165	78	3,717	969	3,517	2,830	3	70,679	31,303
1911*	89,610,000	615,576	742,114	776,983	15.5	18.7	19.6	117	39,610,000*	5,283	70	3,997	951	2,915	2,840	271	71,370	31,768
1912	89,650,000	623,858	750,651	692,740	15.8	19.0	17.5	78	39,650,000	—	—	—	—	—	—	—	—	—
1913	89,700,000	597,520	745,539	703,638	15.0	19.0	17.7	—	39,700,000	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled. The deaths from the several diseases relate to 567 towns for the years 1894-95, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to the whole of France for 1906 and subsequent years.

* Census year.

GERMAN EMPIRE. (Furnished by the Presidents of the Statistical Department and the Imperial Health Office, German Empire.)

1894	51,333,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—	48,259,077	6,314	84	16,130	8,884	21,428	63,162	479	113,971	31,137
1895*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—	48,818,672*	6,129	27	9,536	8,538	17,063	37,527	1	112,087	32,071
1896	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—	49,356,136	5,587	10	13,462	8,142	19,495	31,503	—	107,103	33,620
1897	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—	49,893,600	5,771	5	10,793	6,720	21,056	25,788	—	107,089	34,584
1898	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—	50,431,064	5,081	16	12,728	9,031	18,004	23,642	—	100,544	35,504
1899	55,248,225	943,038	1,980,304	1,185,197	17.1	35.8	21.5	—	51,843,158	5,756	27	12,794	13,369	19,015	23,816	—	104,698	38,209
1900*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—	52,624,706*	5,894	49	12,317	13,169	18,445	20,477	—	108,827	37,946
1901	56,874,006	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207	53,406,252	5,691	52	16,334	13,351	19,766	21,142	—	103,154	39,917
1902	57,766,723	914,416	2,024,785	1,122,492	15.8	35.1	19.4	183	54,187,799	3,769	12	14,085	12,949	18,754	17,457	—	101,730	40,613
1903	58,629,496	926,300	1,983,078	1,170,905	15.8	33.8	20.0	204	54,969,346	4,028	13	14,979	14,851	16,797	18,707	—	102,972	42,535
1904	59,474,537	955,644	2,025,847	1,163,183	16.1	34.1	19.6	196	58,433,571	4,115	25	12,389	12,651	17,753	18,982	—	106,709	46,723
1905*	60,314,029	971,312	1,987,153	1,194,314	16.1	32.9	19.3	205	59,413,982*	3,750	27	9,421	9,351	18,856	16,967	77	106,552	48,078
1906	61,153,428	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185	61,153,428	3,478	47	13,340	9,974	17,948	14,692	—	98,152	49,127
1907	62,013,132	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176	62,013,132	3,012	63	11,330	11,151	12,330	14,089	—	97,555	50,930
1908	62,863,076	1,001,240	2,015,052	1,135,490	15.9	32.1	18.1	178	62,863,076	2,979	65	10,612	10,852	16,388	14,958	1	95,402	51,948
1909	63,717,125	988,254	1,978,278	1,094,217	15.5	31.0	17.2	170	63,717,125	2,675	23	10,269	11,082	15,162	15,512	—	90,962	53,214
1910*	64,568,126	992,792	1,924,778	1,045,665	15.4	29.8	16.2	162	64,568,126*	2,585	34	11,245	7,123	14,133	14,888	—	89,327	56,092
1911	65,359,468	1,025,638	1,870,729	1,130,784	15.7	28.6	17.3	192	65,359,468	3,224	37	8,380	6,933	11,990	16,409	—	88,613	57,519
1912	66,145,971	1,046,982	1,869,636	1,029,749	15.8	28.3	15.6	147	66,145,971	2,161	35	9,326	5,811	13,669	13,599	—	85,976	58,937
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—The causes of death for the whole of the German Empire are not available for years prior to 1906. The figures in this table for the years 1894-1903 relate to 10 of the Federated States, those for 1904 and 1905 to 23 States, those since 1906 to all 26 States, with the restrictions, however, that the deaths from measles, whooping cough, pulmonary tuberculosis, and cancer relate only to 24 States (population, 1906, 59,912,782; 1907, 61,260,509; 1908, 62,111,705; 1909, 62,954,673; 1910, 63,824,043; 1911, 64,677,362; 1912, 65,396,000).

* Census year.

† Including Röteln.

‡ Including "New Growths."

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

JAMAICA. (Furnished by the Registrar-General, Jamaica.)

1894	678,786	7,258	25,298	14,321	10·6	37·2	21·0	168	57	—	—	1	202	† 10	—	1,102	102	1894
1895	690,667	6,484	26,842	15,716	9·3	38·8	22·7	178	75	—	9	—	326	16	—	1,182	115	1895
1896	701,181	6,052	27,064	15,585	8·6	38·5	22·1	176	89	—	121	—	495	14	—	1,191	113	1896
1897	713,884	5,322	28,447	16,474	7·4	39·8	23·0	177	117	—	19	—	311	12	—	1,168	97	1897
1898	725,033	6,724	27,648	15,290	9·2	38·1	21·0	176	65	—	4	—	138	9	—	1,166	108	1898
1899	740,171	7,534	31,259	16,880	10·1	42·2	22·8	170	90	—	23	—	25	14	—	1,187	129	1899
1900	751,588	6,442	26,869	16,243	8·5	35·7	21·6	174	55	—	128	—	—	12	—	1,204	124	1900
1901	763,545	6,404	31,268	16,756	8·3	40·9	21·9	163	71	—	33	—	2	7	—	1,148	118	1901
1902	778,120	7,202	30,605	15,413	9·2	39·3	19·8	162	96	—	3	—	—	2	—	1,149	109	1902
1903	794,053	7,152	31,687	19,593	9·0	39·9	24·6	187	89	—	—	1	292	3	—	1,232	125	1903
1904	802,609	5,760	29,025	19,863	7·1	36·1	24·7	193	131	—	3	1	1,546	4	—	1,308	128	1904
1905	814,800	6,232	31,618	17,871	7·6	38·8	21·9	165	69	—	—	—	40	12	—	1,240	153	1905
1906	827,744	11,014	31,547	21,723	13·2	38·1	26·2	197	86	—	97	—	5	6	—	1,328	141	1906
1907	834,012	12,502	29,210	23,672	14·8	35·0	28·3	223	223	—	150	1	2	4	—	1,451	126	1907
1908	843,648	7,052	31,785	18,928	8·3	37·6	22·4	175	243	—	2	—	—	4	—	1,317	136	1908
1909	856,785	7,086	32,402	18,636	8·2	37·8	21·7	174	244	—	—	—	—	5	—	1,232	157	1909
1910	826,371	6,680	31,918	19,119	8·0	38·6	23·1	188	237	—	1	—	619	—	—	1,291	172	1910
1911*	839,247	7,214	32,750	18,631	8·5	39·0	22·1	187	179	—	30	1	869	3	—	1,257	150	1911*
1912	854,136	6,436	33,159	21,460	7·5	38·8	25·1	193	269	—	106	5	17	7	—	1,275	149	1912
1913	863,427	5,366	30,527	18,741	6·2	35·3	21·7	171	295	—	1	—	12	1	—	1,280	153	1913

NOTE.—The figures relate to the year ended 31st March.
* Census year.
† Diphtheria only.

JAPAN. (Furnished by the Director of the General Statistical Bureau, Japan.)

1894	41,813,215	722,638	1,208,983	840,768	17·3	28·9	20·1	144	8,054	3,342	—	—	—	2,903	314	52,888	—	1894
1895	42,270,620	731,266	1,246,427	852,422	17·3	29·5	20·2	141	8,401	268	—	—	—	3,025	40,154	58,992	—	1895
1896	42,708,264	1,008,554	1,282,178	912,822	23·5	30·0	21·4	149	9,174	3,388	—	—	—	3,296	908	62,790	—	1896
1897	43,228,863	730,414	1,334,125	876,837	16·9	30·9	20·3	151	5,870	12,276	—	3	—	5,579	488	65,597	—	1897
1898	43,768,855	942,696	1,369,638	894,524	21·5	31·3	20·4	154	5,697	862	—	7	—	6,453	374	72,708	—	1898
1899	44,260,642	594,856	1,388,185	934,566	13·4	31·4	21·1	154	6,761	223	2,558	7	1,334	7,481	2	55,938	19,382	1899
1900	44,815,980	693,180	1,421,919	914,557	15·4	31·7	20·4	155	5,549	7	1,740	13	1,456	6,017	—	59,525	20,334	1900
1901	45,437,032	757,274	1,503,361	928,578	16·6	32·7	20·4	151	5,882	7	3,643	6	1,450	4,937	—	62,002	22,149	1901
1902	46,022,476	788,756	1,513,090	962,097	17·1	32·9	20·9	161	5,239	24	3,848	17	1,868	4,519	8,164	65,993	24,593	1902
1903	46,732,876	742,374	1,493,547	933,834	15·9	32·0	20·0	157	4,585	25	850	3	2,117	4,271	140	67,722	25,550	1903
1904	47,215,630	798,436	1,444,307	999,621	16·9	30·6	21·2	151	5,100	154	1,434	15	2,533	3,846	51	69,107	25,993	1904
1905	47,674,460	702,520	1,457,039	1,044,355	14·7	30·6	22·0	151	6,291	70	4,129	18	2,773	3,381	34	76,061	26,668	1905
1906	48,450,900	706,548	1,399,203	961,550	14·6	28·9	19·8	153	6,338	99	2,341	36	3,251	4,215	29	75,469	27,863	1906
1907	49,092,000	867,054	1,621,973	1,024,286	17·7	33·0	20·9	151	5,974	211	2,107	70	3,289	4,256	1,702	75,544	28,451	1907
1908*	49,313,300	923,880	1,672,627	1,038,110	18·7	33·9	21·0	157	5,824	4,274	2,742	126	4,044	5,088	297	76,589	30,140	1908*
1909	49,903,700	877,542	1,705,877	1,099,797	17·6	34·2	21·9	166	6,024	36	4,504	339	3,715	5,269	118	82,623	32,543	1909
1910	50,504,000	884,996	1,726,522	1,073,732	17·5	33·9	21·1	160	8,053	15	2,707	488	4,115	5,435	1,656	82,652	32,741	1910
1911	51,119,200	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1911
1912	51,748,600	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1912
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913

* Census year.

THE NETHERLANDS. (Furnished by the Director of The Netherlands Central Statistical Bureau.)

1894	4,764,279	68,940	154,722	87,970	14·4	32·7	18·5	152	496	625	737	128	1,269	1,583	53	9,010	3,859	1894
1895	4,827,549	71,196	153,130	90,007	14·8	32·8	18·6	167	518	79	538	166	1,535	999	—	8,897	4,122	1895
1896	4,894,055	72,980	160,247	84,291	15·0	32·7	17·2	148	481	34	1,171	202	1,477	960	—	8,429	4,329	1896
1897	4,966,431	73,592	161,441	83,856	14·8	32·5	16·9	148	447	1	538	162	1,094	853	—	8,631	4,487	1897
1898	5,039,419	73,634	160,765	85,813	14·6	31·9	17·0	156	507	7	838	106	1,357	721	—	8,027	4,685	1898
1899*	5,039,066	79,415	170,108	83,933	14·9	31·6	15·6	149	583	—	405	206	1,488	694	—	7,937	4,900	1899*
1900	5,141,633	78,338	162,611	92,043	15·2	31·6	17·9	155	544	6	1,326	152	1,180	695	—	8,451	4,733	1900
1901	5,221,180	80,522	168,380	89,967	15·4	32·3	17·2	149	474	7	2,741	101	1,211	931	—	7,171	4,894	1901
1902	5,305,211	79,889	168,728	86,248	15·2	31·8	16·3	130	454	5	2,430	128	1,053	835	—	7,028	5,040	1902
1903	5,389,066	79,415	170,108	83,933	14·9	31·6	15·6	135	457	22	1,223	132	860	633	—	7,225	5,331	1903
1904	5,470,301	80,530	171,495	87,091	14·7	31·4	15·9	137	435	11	2,399	175	1,409	658	1	7,158	5,356	1904
1905	5,550,535	80,766	170,767	85,016	14·6	30·8	15·3	131	461	13	1,182	191	1,226	558	—	7,621	5,618	1905
1906	5,631,821	83,739	170,952	83,259	14·9	30·4	14·8	127	453	6	1,400	155	1,002	470	—	7,617	5,673	1906
1907	5,709,745	85,915	171,506	83,350	15·0	30·0	14·6	112	372	6	1,477	269	1,035	461	—	7,494	5,813	1907
1908	5,786,232	83,066	171,861	86,936	14·4	29·7	15·0	125	363	1	1,576	302	1,325	469	—	7,002	5,947	1908
1909*	5,861,813	82,548	170,766	80,283	14·1	29·1	13·7	99	317	—	968	177	1,002	456	18	7,250	6,012	1909*
1910	5,901,850	84,579	168,894	79,984	14·3	28·6	13·6	108	300	—	1,176	113	1,056	401	—	7,017	6,279	1910
1911	5,984,000	85,583	166,527	86,782	14·3	27·8	14·5	137	317	—	1,243	113	1,104	430	—	7,095	6,501	1911
1912	6,068,389	91,320	170,269	74,647	15·0	28·1	12·3	87	212	1	1,163	201	1,176	449	—	6,695	6,686	1912
1913	6,163,501	95,766	173,541	75,867	15·5	28·1	12·3	91	235	4	1,196	108	828	423	—	6,557	6,747	1913

* Census year.
† The figures for 1902 and subsequent years are exclusive of foreigners.
‡ Including typhus.

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			
NEW ZEALAND. (Furnished by the Government Statistician, New Zealand.)																				
1894	679,196	8,356	18,528	6,918	12.3	27.3	10.2	81	115	—	14	5	190	147	—	576	408	1894		
1895	692,417	8,220	18,546	6,863	11.9	26.8	9.9	88	94	—	—	6	150	121	—	553	383	1895		
1896*	706,846	9,686	18,612	6,432	13.7	26.3	9.1	77	124	—	1	4	24	124	—	523	389	1896*		
1897	721,609	9,856	18,737	6,595	13.7	26.0	9.1	72	106	—	1	2	2	80	—	596	395	1897		
1898	736,260	10,182	18,955	7,244	13.8	25.7	9.8	80	120	—	57	2	6	85	—	597	471	1898		
1899	749,984	10,922	18,835	7,680	14.6	25.1	10.2	96	93	—	137	—	123	95	—	593	468	1899		
1900	763,594	11,720	19,546	7,200	15.3	25.6	9.4	75	68	—	9	10	90	91	—	577	430	1900		
1901*	777,968	12,190	20,491	7,634	15.7	26.3	9.8	71	95	—	7	17	9	72	—	596	515	1901*		
1902	797,793	12,788	20,655	8,375	16.0	25.9	10.5	83	53	—	134	39	83	69	—	617	536	1902		
1903	820,217	13,496	21,829	8,528	16.5	26.6	10.4	81	61	1	143	131	204	40	—	570	582	1903		
1904	845,022	13,966	22,766	8,087	16.5	26.9	9.5	71	73	—	10	13	35	39	—	598	571	1904		
1905	870,000	14,400	23,682	8,061	16.6	27.2	9.3	68	45	—	8	10	3	50	—	496	566	1905		
1906*	895,594	15,184	24,252	8,339	17.0	27.1	9.3	62	48	—	12	18	26	45	—	556	623	1906*		
1907	919,105	16,384	25,094	10,066	18.0	27.3	10.9	89	53	—	101	25	307	75	—	612	674	1907		
1908	945,063	16,678	25,940	9,043	18.0	27.4	9.5	68	90	—	19	60	42	49	—	663	657	1908		
1909	971,784	16,188	26,524	8,959	16.7	27.3	9.2	62	55	—	26	26	41	90	—	624	711	1909		
1910	992,802	16,472	25,984	9,639	16.6	26.2	9.7	68	62	—	1	13	148	82	—	582	742	1910		
1911*	1,014,896	17,650	26,354	9,534	17.4	26.0	9.4	56	67	—	41	9	17	74	—	584	809	1911*		
1912	1,039,016	18,298	27,508	9,214	17.6	26.5	8.9	51	46	—	15	7	10	51	—	567	812	1912		
1913	1,068,644	17,626	27,935	10,119	16.5	26.1	9.5	59	60	—	26	11	128	68	—	656	856	1913		
NORWAY. (Furnished by the Director of the Central Statistical Bureau, Norway.)																				
1894	2,039,800	25,932	60,450	34,355	12.7	29.6	16.8	104	140	1	470	275	436	1,438	—	3,663	1,449	1894		
1895	2,065,900	26,678	62,932	32,189	12.9	30.5	15.5	96	141	3	146	242	462	520	—	3,837	1,464	1895		
1896	2,094,100	27,924	63,308	31,574	13.3	30.2	15.1	96	185	—	185	224	470	356	—	3,892	1,691	1896		
1897	2,123,700	28,440	63,417	32,389	13.4	29.9	15.3	97	145	3	240	162	296	349	—	4,123	1,802	1897		
1898	2,155,400	30,078	64,821	32,693	14.0	30.1	15.2	91	164	6	243	113	369	379	—	4,391	1,802	1898		
1899	2,185,300	31,060	67,013	36,563	14.2	30.7	16.7	105	172	—	214	127	450	233	—	4,773	1,931	1899		
1900*	2,211,300	30,444	66,149	34,932	13.8	29.9	15.8	90	133	—	216	177	365	181	—	4,888	2,008	1900*		
1901	2,235,000	29,520	66,207	33,295	13.2	29.6	14.9	93	174	—	103	118	338	156	—	4,337	2,126	1901		
1902	2,254,600	28,770	65,262	31,163	12.8	28.9	13.8	75	102	—	287	106	461	242	—	4,249	1,964	1902		
1903	2,265,900	27,132	65,155	33,567	12.0	28.8	14.7	79	140	—	300	120	440	334	—	4,488	2,112	1903		
1904	2,274,500	26,962	63,955	32,467	11.9	28.1	14.3	76	99	—	234	72	140	318	—	4,489	2,182	1904		
1905	2,284,400	26,538	62,698	33,793	11.6	27.4	14.7	81	86	6	87	130	468	444	—	4,652	2,248	1905		
1906	2,293,800	27,180	61,316	31,214	11.8	26.7	13.6	69	126	—	42	80	428	477	—	4,539	2,239	1906		
1907	2,302,700	27,906	60,722	32,789	12.1	26.4	14.3	67	78	—	132	59	255	511	—	4,656	2,310	1907		
1908	2,318,400	28,306	60,866	33,181	12.2	26.3	14.3	76	79	19	293	85	225	555	—	4,376	2,252	1908		
1909	2,338,400	28,160	61,407	31,603	12.0	26.3	13.5	72	68	2	118	146	557	497	—	3,997	2,226	1909		
1910*	2,353,300	29,132	61,461	31,856	12.4	26.1	13.5	67	90	—	54	80	309	420	—	4,060	2,186	1910*		
1911	2,370,700	29,652	61,468	31,278	12.5	25.9	13.2	65	56	—	200	74	334	459	—	4,155	2,292	1911		
1912	2,393,300	29,594	61,151	32,219	12.3	25.6	13.5	68	55	—	165	86	132	436	—	4,180	2,509	1912		
1913†	2,416,800	30,400	60,900	31,900	12.6	25.2	13.2	—	—	—	—	—	—	—	—	—	—	1913		
ONTARIO, PROVINCE OF. (Furnished by the Deputy Registrar-General, Ontario.)																				
1894	2,189,116	28,682	41,899	22,538	13.1	19.1	10.3	—	?	?	?	454	?	1,075	—	2,379	?	1894		
1895	2,211,101	27,974	41,474	22,461	12.7	18.8	10.2	—	588	?	?	?	?	942	—	2,472	?	1895		
1896	2,263,492	29,308	46,680	24,857	13.2	20.6	11.0	—	552	—	136	99	187	932	—	2,922	?	1896		
1897	2,257,378	30,586	46,868	26,508	13.5	20.8	11.7	—	355	—	80	169	169	976	—	3,164	927	1897		
1898	2,279,929	30,750	46,067	25,409	13.5	20.2	11.1	—	405	—	115	222	126	634	—	3,291	975	1898		
1899	2,302,705	33,028	44,286	27,747	14.3	19.2	12.3	125	452	7	40	246	124	599	—	3,405	1,041	1899		
1900	2,325,712	34,214	45,549	28,543	14.7	19.6	12.2	138	682	11	143	170	185	738	—	3,484	1,055	1900		
1901*	2,184,144	36,070	45,281	28,500	16.4	20.7	13.0	121	500	7	181	268	166	772	—	3,243	1,094	1901*		
1902	2,205,965	36,144	46,973	26,713	16.4	21.3	12.1	104	392	7	143	346	204	676	—	2,694	1,048	1902		
1903	2,198,692	39,660	47,709	28,399	18.0	21.7	12.9	115	391	21	55	580	204	687	—	2,723	1,156	1903		
1904	2,203,968	39,578	49,158	29,600	17.8	22.3	13.4	107	482	3	30	163	109	608	—	2,877	1,253	1904		
1905	2,208,364	40,852	50,808	29,748	18.4	23.0	13.5	121	446	3	63	72	181	503	—	2,667	1,224	1905		
1906	2,214,116	39,692	50,621	31,244	17.8	22.9	14.1	137	891	4	128	64	240	423	—	2,941	1,411	1906		
1907	2,220,420	43,830	52,289	31,756	19.6	24.1	14.3	121	520	4	166	102	214	380	—	2,530	1,329	1907		
1908	2,226,860	42,116	54,878	30,347	18.0	25.6	13.8	124	662	2	38	163	246	450	—	2,511	1,348	1908		
1909	2,233,264	44,732	53,448	30,792	20.0	24.3	13.7	131	669	3	167	200	262	430	—	2,380	1,597	1909		
1910	2,239,621	48,072	54,755	31,332	21.4	24.9	13.9	123	706	2	304	237	186	435	—	2,287	1,587	1910		
1911*	2,523,274	51,614	56,096	31,878	20.4	22.6	12.6	117	637	3	169	290	169	423	—	2,353	1,602	1911*		
1912	2,532,500	57,690	58,870	32,150	22.2	22.4	12.4	110	483	2	111	152	419	371	—	2,250	1,778	1912		
1913	2,677,600	53,996	64,516	34,317	20.0	24.0	12.7	117	446	2	116	137	272	339	—	1,955	1,806	1913		

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—*continued.*

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—											Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.			

PRUSSIA. (Furnished by the President of the Statistical Department, Prussia.)

1894	31,317,425	501,920	1,143,359	679,936	16.0	36.5	21.7	196	4,772	77	9,706	6,779	14,755	46,026	478	74,656	16,480	1894	* Census year.
1895*	31,696,976	507,458	1,168,253	689,799	16.0	36.9	21.8	212	4,697	24	6,184	7,067	12,329	28,717	—	73,752	16,850	1895*	† Including "typhus" unqualified.
1896	32,160,485	529,644	1,185,538	666,797	16.5	36.9	20.7	191	4,328	7	10,116	6,892	14,846	24,251	—	70,373	17,643	1896	† Including Röteln.
1897	32,683,962	549,386	1,194,126	683,036	16.8	36.5	20.9	205	4,308	5	6,814	5,471	15,142	20,077	—	70,380	18,315	1897	§ Tuberculosis, all forms.
1898	33,207,439	560,788	1,219,607	665,147	16.9	36.7	20.0	193	3,729	12	9,040	7,708	12,748	18,147	—	65,560	18,695	1898	
1899	33,730,916	574,816	1,235,717	720,702	17.0	36.3	21.4	204	4,416	25	9,752	12,136	13,351	18,593	—	68,408	20,011	1899	
1900*	34,264,393	586,128	1,235,988	745,546	17.1	36.1	21.8	212	4,681	46	6,803	12,039	13,313	16,138	—	70,602	20,430	1900*	
1901	34,801,604	577,134	1,260,591	713,794	16.6	36.2	20.5	200	4,420	47	10,744	11,331	13,990	16,809	—	67,445	21,488	1901	
1902	35,365,767	563,064	1,255,940	677,433	15.9	35.5	19.2	172	2,846	13	10,080	11,134	13,284	14,175	—	66,726	21,876	1902	
1903	35,929,930	570,768	1,235,398	708,039	15.9	34.4	19.7	194	2,874	14	9,702	12,427	11,663	14,914	—	70,049	23,420	1903	
1904	36,494,093	589,464	1,264,761	702,260	16.2	34.7	19.2	185	2,867	17	7,367	10,202	12,051	14,162	—	69,326	25,050	1904	
1905*	37,058,256	599,976	1,241,893	726,874	16.2	33.5	19.6	198	2,780	10	6,292	7,446	13,327	12,005	77	70,323	25,704	1905*	
1906	37,628,385	619,844	1,269,815	673,772	16.5	33.7	17.9	177	2,419	31	9,107	7,770	11,749	10,025	—	64,459	26,498	1906	
1907	38,202,776	626,078	1,259,825	681,075	16.4	33.0	17.8	168	2,168	30	6,925	8,484	8,827	9,307	—	65,054	28,034	1907	
1908	38,777,107	622,262	1,269,591	694,154	16.0	32.7	17.9	173	2,065	61	7,379	8,482	10,672	9,797	1	63,320	28,531	1908	
1909	39,351,498	615,808	1,249,222	667,879	15.6	31.7	17.0	164	1,911	18	6,657	8,455	9,875	9,832	9	60,871	29,429	1909	
1910*	39,925,889	620,830	1,219,600	638,053	15.5	30.5	16.0	157	1,889	28	7,310	5,498	9,330	9,683	11	60,479	31,340	1910*	
1911	40,500,280	642,302	1,189,366	696,927	15.9	29.4	17.2	188	2,462	30	5,509	5,114	8,230	10,291	—	61,219	32,660	1911	
1912	41,074,671	656,680	1,186,243	636,303	16.0	28.9	15.5	146	1,580	19	6,011	4,290	9,477	8,367	—	59,911	33,463	1912	
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913	

ROUMANIA. (Furnished by the Director of the Statistical Department, Roumania.)

1894	5,544,706	99,072	226,605	175,877	17.8	40.9	31.7	227	629	26	2,568	3,638	495	1,187	—	—	—	1894	* Census year.
1895	5,635,434	82,964	238,191	155,702	14.8	42.3	27.6	201	573	638	729	2,080	488	1,092	—	—	—	1895	† Deaths from these diseases are verified by doctors in the towns only.
1896	5,709,959	94,648	232,428	166,142	16.6	40.7	29.1	230	407	2,813	361	1,773	623	1,339	—	—	—	1896	
1897	5,795,235	83,216	248,845	171,808	14.4	42.9	29.6	216	972	1,512	452	889	1,178	2,297	—	—	—	1897	
1898	5,863,037	87,522	215,029	155,358	15.0	36.7	26.5	222	712	99	2,026	728	1,482	1,928	—	3,145	—	1898	
1899*	5,956,690	100,280	250,450	163,881	16.8	42.0	27.5	193	819	63	1,954	2,101	706	1,814	—	3,358	—	1899*	
1900	6,045,389	80,814	234,843	146,144	13.4	38.8	24.2	191	496	2	307	2,263	925	1,251	—	3,694	—	1900	
1901	6,125,742	87,500	240,704	160,351	14.2	39.3	26.2	205	671	1	1,176	3,036	600	1,293	—	3,341	—	1901	
1902	6,195,798	110,908	241,884	171,828	18.0	39.0	27.7	221	628	14	2,854	4,189	1,425	981	—	3,360	—	1902	
1903	6,292,032	109,576	252,242	156,008	17.4	40.1	24.8	201	914	2	2,028	3,760	1,358	829	—	3,213	—	1903	
1904	6,392,273	103,624	256,177	155,936	16.2	40.1	24.4	—	813	18	1,671	2,099	618	631	—	3,908	—	1904	
1905	6,480,300	102,382	247,959	159,382	15.8	38.3	24.7	—	932	—	319	1,152	1,013	477	—	4,387	—	1905	
1906	6,585,572	133,726	262,438	157,204	20.3	39.9	23.9	—	1,027	2	224	1,309	1,290	441	—	3,562	788	1906	
1907	6,684,265	140,526	274,487	175,794	21.0	41.1	26.3	—	1,160	—	1,433	2,362	1,102	376	—	3,401	709	1907	
1908	6,771,722	122,998	272,850	185,393	18.2	40.3	27.4	—	1,400	—	1,662	5,260	2,360	303	—	2,967	818	1908	
1909	6,865,739	126,424	282,342	188,325	18.4	41.1	27.4	—	1,982	1	705	7,392	1,081	358	—	3,547	765	1909	
1910	6,966,158	128,572	273,106	172,343	18.5	39.2	24.8	—	1,091	—	1,447	5,349	1,946	678	4	3,384	852	1910	
1911	7,086,952	149,082	299,370	179,076	21.0	42.3	25.3	197	1,489	11	2,022	3,022	1,294	1,025	149	3,282	813	1911	
1912*	7,234,919	124,800	314,090	165,616	17.3	43.4	22.9	186	851	10	642	2,196	1,671	1,134	—	3,023	933	1912*	
1913	7,352,855	134,860	309,625	191,689	18.4	42.1	25.9	202	447	7	265	3,111	1,774	1,169	4362	3,342	928	1913	

RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). (Furnished by the Central Statistical Committee, Ministry of the Interior, Russia.)

1894	93,292,955†	1,696,766	4,391,658	3,062,022	18.8	48.7	34.0	265										1894	* Census year.
1895	—	1,685,262	4,589,176	3,213,841	18.4	49.4	35.0	280										1895	† Estimated to the 1st Jan.
1896	—	1,619,694	4,634,809	3,063,047	17.4	49.7	32.8	274										1896	
1897*	94,494,853	1,714,742	4,692,621	2,976,463	18.2	49.5	31.4	260										1897*	
1898	—	1,651,204	4,625,558	3,156,303	17.4	48.7	33.2	279										1898	
1899	97,143,469	1,796,404	4,764,678	3,013,114	18.4	49.0	31.0	240										1899	
1900	98,379,841	1,746,036	4,853,804	3,055,030	17.6	49.4	31.1	252										1900	
1901	100,172,597	1,724,816	4,801,190	3,218,501	17.2	47.9	32.1	272										1901	
1902	101,634,686	1,755,818	4,993,248	3,204,333	17.2	49.1	31.5	260										1902	
1903	103,423,601	1,838,164	4,978,305	3,103,213	17.8	48.1	30.0	255										1903	
1904	105,650,900†	1,605,050	5,124,544	3,153,146	15.2	48.5	29.9	232										1904	
1905	107,625,800†	1,679,972	4,819,155	3,410,569	15.6	44.8	31.1	258										1905	
1906	109,334,600†	2,096,278	5,116,919	3,253,590	19.2	46.8	29.8	243										1906	
1907	111,279,500†	1,971,398	5,221,369	3,151,738	17.6	46.6	28.1	233										1907	
1908	113,841,000†	1,804,012	5,043,114	3,189,324	15.8	44.3	28.0	247										1908	
1909	116,505,500†	1,834,574	5,123,976	3,374,915	16.8	44.0	28.9	248										1909	
1910	118,690,600†	—	—	—	—	—	—	—										1910	
1911	120,588,000†	—	—	—	—	—	—	—										1911	
1912	122,550,700†	—	—	—	—	—	—	—										1912	
1913	—	—	—	—	—	—	—	—										1913	

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include:—									Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	

SCOTLAND. (Furnished by the Registrar-General, Scotland.)

* Census year.	1894	4,165,606	55,208	124,867	71,113	13·3	29·9	17·1	117	702	129	791	834	2,552	1,828	—	7,108	2,928	1894
	1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133	730	47	2,063	782	1,948	1,260	—	7,688	2,993	1895
† Excluding acute military tuberculosis for years prior to 1911.	1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896
	1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138	655	10	2,056	716	2,377	812	—	7,200	3,212	1897
	1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898
	1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899
	1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900
	1901*	4,479,104	62,774	132,192	80,107	14·0	29·5	17·9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*
	1902	4,507,220	63,826	132,267	77,941	14·2	29·3	17·3	113	552	80	1,388	524	1,765	787	—	6,572	3,711	1902
	1903	4,535,513	64,702	133,525	76,002	14·3	29·4	16·8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903
	1904	4,563,985	64,542	132,603	77,981	14·1	29·1	17·1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904
	1905	4,592,636	62,540	131,410	74,536	13·6	28·6	16·2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905
	1906	4,621,466	66,284	132,005	75,635	14·3	28·6	16·4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906
	1907	4,650,478	66,596	128,840	77,296	14·3	27·7	16·6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907
	1908	4,679,671	63,212	131,362	77,838	13·5	28·1	16·6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908
	1909	4,709,048	60,216	128,669	74,632	12·8	27·3	15·8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909
	1910	4,738,611	61,804	124,059	72,268	13·0	26·2	15·3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910
	1911*	4,751,132	63,622	121,850	71,731	13·4	25·6	15·1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*
	1912	4,741,077	65,032	122,790	72,340	13·7	25·9	15·3	105	196	17	1,983	439	1,427	824	—	5,306	5,195	1912
	1913	4,728,132	67,378	120,549	73,073	14·2	25·5	15·5	110	171	—	1,329	592	1,819	794	—	5,099	5,173	1913

SERVIA. (Furnished by the Director of the State Statistical Bureau, Servia.)

* Census year.	1894	2,272,992	49,926	96,488	63,766	22·0	42·4	28·0	163	3,232	4,233	1,304	4,227	9,934	—	5,482	156	1894
	1895*	2,312,484	41,198	101,676	62,184	17·8	44·0	26·9	158	2,678	2,865	612	5,643	11,653	—	5,055	128	1895*
† Population at the end of each year.	1896	2,345,837	41,682	96,752	63,399	17·8	41·2	27·0	167	2,471	5,567	386	5,174	11,572	—	5,109	154	1896
	1897	2,384,205	42,314	101,605	63,237	17·7	42·6	26·5	167	3,412	1,548	306	5,741	7,663	—	5,413	167	1897
	1898	2,413,694	45,042	84,789	55,300	18·7	35·1	22·9	161	2,726	2,693	420	5,745	3,401	—	5,228	178	1898
	1899	2,450,392	48,912	96,246	59,548	20·0	39·3	24·3	152	2,638	4,203	1,953	5,019	4,241	—	5,811	233	1899
	1900*	2,492,882	62,406	104,772	58,034	25·0	42·0	23·3	150	2,351	1,343	2,074	5,703	3,194	—	6,396	235	1900*
	1901	2,535,956	42,060	96,348	53,274	16·6	38·0	21·0	145	2,432	799	1,799	3,913	1,937	—	6,166	230	1901
	1902	2,576,517	53,086	98,000	57,439	20·6	38·0	22·3	151	2,179	1,654	2,635	5,214	1,875	—	6,843	248	1902
	1903	2,621,576	49,002	105,553	60,494	19·0	40·9	23·5	151	1,834	3,148	2,593	7,544	1,992	—	7,276	238	1903
	1904	2,671,505	61,098	106,259	56,330	22·9	39·8	21·1	155	1,964	1,067	2,498	4,642	1,366	—	7,400	275	1904
	1905*	2,688,747	53,216	104,222	65,276	19·8	37·3	24·4	165	435	2,607	2,418	4,408	1,433	—	8,940	279	1905*
	1906	2,735,147	55,956	112,973	65,851	20·4	41·3	24·0	144	451	4,778	4,696	4,166	1,415	—	7,861	290	1906
	1907	2,784,036	59,180	111,340	62,451	21·2	40·0	22·8	147	367	996	3,974	4,986	1,142	—	8,143	371	1907
	1908	2,821,015	51,780	103,903	66,924	18·4	36·8	23·7	158	371	1,722	3,987	5,856	915	—	8,799	355	1908
	1909	2,847,391	53,282	110,226	83,350	18·7	36·5	29·3	131	3,488	5,735	5,363	4,886	1,115	—	9,789	374	1909
	1910*	2,911,701	53,872	112,215	64,464	20·5	38·5	22·1	138	3,527	1,093	3,412	4,930	1,167	—	9,383	373	1910*
	1911	2,954,515	60,906	107,229	64,415	20·6	36·2	21·3	146	2,569	1,235	3,097	5,143	1,408	—	9,566	399	1911
	1912	3,005,414	26,578	114,257	63,358	8·8	38·0	21·1	—	—	—	—	—	—	—	—	—	1912
	1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913

SPAIN. (Furnished by the Director General of the Geographical and Statistical Institute, Spain.)

* Census year.	1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—	—	§	—	—	—	—	—	—	1894	
	1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—	—	—	—	—	—	—	—	—	1895	
† The figures for the years 1908-13 are provisional.	1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—	—	—	—	—	—	—	—	—	1896	
	1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—	—	—	—	—	—	—	—	—	1897	
	1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—	—	—	—	—	—	—	—	—	1898	
	1899	18,483,700	312,226	632,588	533,109	16·9	34·2	28·8	—	—	—	—	—	—	—	—	—	1899	
‡ Including typhus.	1900*	18,566,200	322,402	627,848	536,716	17·4	33·8	28·9	204	11426‡	6,497	12,010	1,237	4,750	8,489	—	23,026	7,294	1900*
§ Including chicken-pox.	1901	18,657,000	315,624	650,649	517,578	16·9	34·9	27·7	186	9,594	5,250	18,463	1,140	3,889	6,299	—	28,649	7,912	1901
	1902	18,755,000	327,834	666,687	488,289	17·5	35·5	26·0	181	8,587	5,590	10,746	1,184	4,236	5,247	—	27,983	8,117	1902
	1903	18,853,000	308,978	685,265	470,387	16·4	36·3	25·0	162	8,164	4,699	9,989	1,011	4,551	4,751	—	27,096	8,315	1903
	1904	18,951,000	290,916	649,878	486,889	15·3	34·3	25·7	173	8,397	2,859	9,770	978	4,559	3,823	—	28,523	8,825	1904
	1905	19,049,000	273,794	670,651	491,369	14·4	35·2	25·8	161	7,158	2,740	13,763	1,046	4,386	3,524	—	26,827	8,719	1905
	1906	19,147,000	276,968	650,385	499,018	14·5	34·0	26·1	173	8,068	4,342	8,699	1,399	4,434	3,390	—	27,502	9,113	1906
	1907	19,245,000	272,646	646,371	472,007	14·2	33·6	24·5	158	6,826	3,234	6,334	2,357	3,397	3,634	—	27,017	9,172	1907
	1908†	19,343,000	282,092	657,701	460,940	14·6	34·0	23·8	—	6,319	2,802	7,188	2,201	4,837	3,932	—	26,651	9,947	1908†
	1909†	19,442,000	259,056	650,415	466,975	13·3	33·5	24·0	—	5,367	3,965	7,735	1,735	3,537	4,263	—	24,762	9,914	1909†
	1910*†	19,540,000	278,352	646,786	456,127	14·2	33·1	23·3	—	4,639	2,105	6,870	1,622	2,497	4,228	—	24,508	10,093	1910*†
	1911†	19,993,360	284,238	625,172	463,679	14·2	31·2	23·2	—	5,332	1,512	7,498	766	2,549	3,795	43	24,461	10,282	1911†
	1912†	19,562,568	285,794	637,901	426,269	14·6	32·6	21·8	—	4,488	2,515	5,333	669	2,492	5,458	—	23,558	10,899	1912†
	1913†	20,349,803	275,472	618,082	450,003	13·5	30·4	22·1	—	4,649	3,198	6,018	429	2,878	5,038	—	24,408	11,199	1913†

TABLE 42.—POPULATION, MARRIAGES, BIRTHS, AND DEATHS—continued.

Year.	Numbers.				Proportion per 1,000 of the Population.		Deaths of Children under 1 Year to 1,000 Births, exclusive of Still-born.	The Total Deaths include :—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births.	Deaths.	Persons Married.	Births.		Deaths.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.	

SWEDEN. (Furnished by the Director of the Central Statistical Bureau, Sweden.)

1894	4,848,667	55,702	181,409	79,444	11·5	27·1	16·4	101	905	21	302	1,115	874	3,582	5			1894
1895	4,896,221	57,456	184,599	74,368	11·7	27·5	15·2	95	761	—	463	788	577	2,220	—			1895
1896	4,940,914	58,752	184,308	77,259	11·9	27·2	15·6	103	809	2	665	654	1,109	1,871	—			1896
1897	4,986,100	60,442	182,999	76,558	12·1	26·7	15·4	99	752	1	620	415	1,038	1,701	—			1897
1898	5,036,275	61,800	186,523	75,949	12·3	27·1	15·1	91	710	1	324	271	1,047	1,881	—			1898
1899	5,080,160	63,420	183,882	89,678	12·5	26·4	17·7	112	803	1	786	414	1,092	2,974	—			1899
1900*	5,116,922	62,956	188,139	86,146	12·3	27·0	16·8	99	704	2	459	426	626	2,610	—			1900*
1901	5,155,835	62,556	189,370	82,772	12·1	27·0	16·1	103	647	—	378	485	884	2,617	—			1901
1902	5,186,990	61,792	187,364	79,722	11·9	26·5	15·4	86	539	1	638	436	1,084	1,754	—			1902
1903	5,210,022	60,176	183,896	78,610	11·6	25·7	15·1	98	275	2	807	352	953	1,382	—			1903
1904	5,241,051	61,366	184,952	80,152	11·7	25·8	15·3	84	266	1	173	437	885	1,346	—			1904
1905	5,277,848	61,776	185,409	82,448	11·7	25·7	15·6	88	517	3	142	624	765	1,710	—			1905
1906	5,315,970	65,166	186,620	76,366	12·3	25·7	14·4	81	334	—	198	387	881	1,146	—			1906
1907	5,357,884	66,502	186,793	78,149	12·4	25·5	14·6	77	339	—	440	221	680	884	—			1907
1908	5,403,657	66,168	188,874	80,568	12·2	25·7	14·9	85	478	1	490	252	962	643	—			1908
1909	5,453,021	65,092	189,505	74,538	11·9	25·6	13·7	72	239	—	221	270	750	722	—			1909
1910*	5,499,422	66,324	185,625	77,212	12·1	24·7	14·0	75	315	—	558	334	717	796	—			1910*
1911	5,542,101	65,228	182,977	76,462	11·8	24·0	13·8	72	2,002§	—	470	298	697	862	—	8,607	6,105	1911
1912†	5,582,996	65,986	182,150	79,251	11·8	23·7	14·2	—	—	—	—	—	—	—	—	—	—	1912†
1913†	5,621,888	66,312	129,628	76,616	11·8	23·1	13·6	—	—	—	—	—	—	—	—	—	—	1913†

SWITZERLAND. (Furnished by the Director of the Federal Statistical Bureau, Switzerland.)

1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153	302	51	473	58	694	1,980	—	6,222	3,802	1894
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159	305	1	185	62	581	999	—	6,377	3,923	1895
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132	288	8	423	89	511	848	—	6,051	3,916	1896
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141	261	1	272	47	476	760	—	6,106	4,088	1897
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155	308	2	354	34	445	994	—	5,984	4,125	1898
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136	269	3	264	38	601	1,106	—	5,823	4,130	1899
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150	220	30	809	34	695	981	—	6,692	4,285	1900*
1901	3,340,984	50,756	97,028	60,018	15·2	29·0	18·0	137	240	37	829	71	846	1,052	—	6,241	4,271	1901
1902	3,384,769	50,156	96,481	57,702	14·8	28·5	17·0	132	207	2	456	73	512	726	—	6,280	4,258	1902
1903	3,428,554	50,566	93,824	59,626	14·7	27·4	17·4	133	169	4	545	162	561	540	—	6,381	4,447	1903
1904	3,472,339	51,004	94,867	60,859	14·7	27·3	17·5	140	265	4	821	279	836	607	—	6,452	4,464	1904
1905	3,516,124	52,588	94,653	61,800	14·9	26·9	17·6	129	174	36	657	312	654	668	—	6,630	4,555	1905
1906	3,559,909	54,596	95,595	59,204	15·3	26·9	16·6	127	167	14	569	153	649	516	—	6,407	4,593	1906
1907	3,603,694	55,320	94,508	59,252	15·4	26·2	16·4	121	176	8	613	140	433	528	—	6,063	4,414	1907
1908	3,647,479	55,268	96,245	57,697	15·2	26·4	15·8	108	135	2	226	147	489	565	—	6,150	4,669	1908
1909	3,691,264	54,940	94,112	59,416	14·9	25·5	16·1	115	113	3	373	170	846	580	—	6,008	4,676	1909
1910*	3,735,049	54,602	93,514	56,498	14·6	25·0	15·1	105	152	2	352	100	741	455	—	6,011	4,612	1910*
1911	3,781,100	55,618	91,320	59,619	14·8	24·2	15·8	123	181	11	344	129	394	502	—	5,872	4,673	1911
1912	3,831,220	56,686	92,196	54,102	14·5	24·1	14·1	94	133	3	220	102	446	421	—	5,495	4,875	1912
1913	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1913

NOTE.—The tabulated causes of death relate only to those cases which were medically certified (except deaths from violence and deaths of newly-born infants); the proportion of such certified deaths was 93 per cent. in 1893 and 97 per cent. in 1911.

* Census year.

UNITED KINGDOM.

1894	38,859,067	551,310	1,120,010	653,468	14·2	28·8	16·8	131	6,266	1,021	13,763	6,465	16,148	13,268	—	58,375	26,725	1894
1895	39,221,109	559,492	1,154,898	735,244	14·3	29·4	18·7	152	6,816	416	13,855	5,904	12,589	11,556	—	59,946	28,234	1895
1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139	6,503	547	19,649	6,897	16,276	12,442	—	56,195	28,971	1896
1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150	6,504	38	15,837	5,815	16,159	10,355	—	58,590	30,290	1897
1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,306	1898
1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899
1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900
1901*	41,538,211	626,702	1,162,975	710,811	15·1	28·0	17·1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*
1902	41,892,680	633,224	1,174,639	691,155	15·1	28·0	16·5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902
1903	42,246,591	632,892	1,183,627	667,988	15·0	28·0	15·8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903
1904	42,611,375	626,176	1,181,803	707,278	14·7	27·7	16·6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,657	1904
1905	42,980,788	630,180	1,163,535	669,638	14·7	27·1	15·6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905
1906	43,361,077	651,684	1,170,622	681,343	15·0	27·0	15·7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906
1907	43,737,834	664,456	1,148,624	678,851	15·2	26·3	15·5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,032	39,634	1907
1908	44,123,819	638,560	1,173,784	675,185	14·4	26·5	15·3	118	3,271	18	11,372	3,280	12,940	7,158	—	54,089	40,642	1908
1909	44,519,454	626,604	1,145,900	667,608	14·1	25·7	15·0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909
1910	44,915,934	641,470	1,122,984	630,409	14·3	25·0	14·0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,134	1910
1911*	45,298,573	660,454	1,104,746	672,016	14·6	24·4	14·8	125	3,044	28	14,482	2,636	11,006	6,398	—	52,267	44,432	1911*
1912	46,665,423	679,266	1,096,562	631,466	14·8	23·9	13·8	95	2,028	26	15,651	2,742	10,879	5,598	—	50,841	46,254	1912
1913	46,026,483	685,076	1,102,533	652,742	14·9	24·0	14·2	108	1,965	10	12,893	3,050	7,895	5,667	—	49,520	48,012	1913

* Census year.

† Deaths from Asiatic cholera were not separately tabulated in England and Wales for the years 1894-1900.

‡ Excluding acute military tuberculosis for years prior to 1911.

TABLE 42.--POPULATION, MARRIAGES, BIRTHS, AND DEATHS--*continued.*

UNITED STATES OF AMERICA (REGISTRATION AREA). (Furnished by Chief Statistician for Vital Statistics Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900-05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; to which were added, for the years 1906-12, California, Colorado, Maryland, Pennsylvania; 1906-09, South Dakota; 1908-13, Washington and Wisconsin; 1909-13, Ohio; 1910-13, Minnesota, Montana, and Utah; 1911-13, Kentucky, and Missouri; and 1913, Virginia. The District of Columbia (city of Washington) is treated as a separate city, and for 1910-13 all Municipalities of North Carolina of 1,000 population or over in 1900 (in addition to seven cities of 10,000 population and over) are included.

Year.	Estimated Popula- tion in the middle of each year.		The Regis- tration Area includes :—		Deaths, exclud- ing Still- births.	Death- rate per 1,000 persons living.	The Total Deaths include :—										Year.
	Total United States (Conti- nental).	Total Registra- tion Area.	States.	Cities (not in- cluded in pre- ceding column).			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (includ- ing Carcinoma and Sarcoma).		
1900*	75,994,575	30,765,618	10	134	539,939	17.6	11,044	611	3,865	3,135	3,719	13,314	—	55,910	19,381	1900*	
1901	77,747,402	31,870,952	10	126	518,207	16.5	10,127	1,085	2,287	4,113	3,051	10,667	—	55,262	20,171	1901	
1902	79,865,396	32,029,815	10	125	508,640	15.9	10,980	2,111	3,033	4,041	3,854	9,859	—	52,620	20,847	1902	
1903	80,983,390	32,701,083	10	125	524,415	16.0	11,149	1,382	3,221	3,991	5,171	10,363	—	54,449	22,325	1903	
1904	82,601,384	33,345,163	10	124	551,354	16.5	10,557	709	3,659	3,610	2,183	9,444	—	59,333	23,395	1904	
1905	84,219,378	34,052,201	10	124	545,533	16.0	9,479	308	2,557	2,284	3,599	8,039	—	57,380	24,330	1905	
1906	85,837,372	41,983,419	15	78	658,105	15.7	13,160	95	5,087	3,227	6,324	10,793	—	65,986	29,020	1906	
1907	87,455,366	43,016,990	15	77	687,034	16.0	12,670	74	4,302	4,309	4,856	10,154	—	67,064	30,514	1907	
1908	89,073,360	46,789,913	17	75	691,574	14.8	11,375	92	4,611	5,577	4,969	10,052	—	68,074	33,465	1908	
1909	90,691,354	50,870,518	18	55	732,538	14.4	10,722	79	4,860	5,781	4,906	10,358	—	70,844	37,562	1909	
1910*	92,309,348	53,843,896	20	51	805,412	15.0	12,673	202	6,598	6,255	6,146	11,521	—	75,211	41,039	1910*	
1911	93,927,342	59,275,977	22	46	839,284	14.2	12,451	130	5,922	5,243	6,682	11,174	2	81,796	44,024	1911	
1912	95,545,336	60,427,247	22	55	838,251	13.9	9,987	165	4,240	4,038	5,619	11,013	—	78,465	46,531	1912	
1913	97,163,330	63,298,718	23	49	890,848	14.1	11,323	125	8,108	5,498	6,332	11,920	—	80,812	49,928	1913	

* Census year.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.													Civil Marriages in Superintendent Registrar's Office
				With Religious Ceremonial.													
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.							
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Buildings.							
										Roman Catholics.	Before Registrar.	Other Deno- minations. Before Authorized Person.	Quakers.*	Jews.			
ENGLAND AND WALES ...	37,337,537	36,070,492	286,583	34	7,297	163,682	1,333	264	172,640	13,349	22,008	14,233	91	1,934	62,328		
I.—LONDON	74,816	4,521,685	41,409	21	1,001	23,323	4	8	24,357	1,850	1,315	570	10	1,419	11,888		
1. LONDON	74,816	4,521,685	41,409	21	1,001	23,323	4	8	24,357	1,850	1,315	570	10	1,419	11,888		
II.—SOUTH EASTERN DIV.	3,993,763	3,825,464	26,902	2	629	17,246	28	37	17,942	568	1,625	521	8	10	6,228		
2. SURREY	463,553	920,016	6,136	—	140	3,919	3	6	4,068	154	306	87	2	2	1,517		
3. KENT	968,975	1,019,801	7,373	1	136	4,849	7	13	5,006	140	386	224	3	1	1,613		
4. SUSSEX	938,630	666,838	4,343	1	123	2,901	2	3	3,030	103	297	46	3	4	860		
5. HAMPSHIRE	1,048,916	915,404	6,873	—	184	4,087	15	10	4,296	142	517	119	—	3	1,796		
6. BERKSHIRE	573,689	303,405	2,177	—	46	1,490	1	5	1,542	29	119	45	—	—	442		
III.—SOUTH MIDLAND DIV.	3,247,303	2,648,579	18,485	4	378	11,924	5	27	12,338	267	1,260	665	11	17	3,927		
7. MIDDLESEX	178,607	1,144,520	8,222	—	177	4,838	1	2	5,018	170	424	207	4	17	2,382		
8. HERTFORDSHIRE ..	446,424	286,963	1,780	2	26	1,238	1	6	1,273	19	167	41	—	—	280		
9. BUCKINGHAMSHIRE ..	407,046	193,919	1,303	—	26	965	—	1	992	8	121	22	—	—	160		
10. OXFORDSHIRE	491,421	198,491	1,356	2	34	944	—	3	983	23	106	26	2	—	216		
11. NORTHAMPTONSHIRE ..	642,402	363,852	2,613	—	52	1,726	2	5	1,785	24	125	236	—	—	443		
12. HUNTINGDONSHIRE ..	207,572	48,101	300	—	10	224	—	1	235	—	25	6	—	—	34		
13. BEDFORDSHIRE	307,338	197,624	1,421	—	25	926	—	4	955	10	144	86	5	—	221		
14. CAMBRIDGESHIRE ..	566,493	215,109	1,490	—	28	1,063	1	5	1,097	13	148	41	—	—	191		
IV.—EASTERN DIVISION ..	3,126,362	2,200,675	15,947	—	236	10,661	9	26	10,932	285	993	565	—	7	3,165		
15. ESSEX	904,386	1,329,246	9,726	—	138	6,310	1	13	4,462	230	607	335	—	7	2,085		
16. SUFFOLK	930,631	382,732	2,738	—	40	1,923	3	4	1,970	18	232	69	—	—	449		
17. NORFOLK	1,291,345	488,697	3,483	—	58	2,428	5	9	2,500	37	154	161	—	—	631		
V.—SOUTH WESTERN DIV.	5,023,620	2,018,320	14,430	1	599	8,186	17	56	8,859	172	1,954	725	5	3	2,712		
18. WILTSHIRE	809,216	279,340	1,906	—	44	1,213	1	6	1,264	20	216	80	—	—	326		
19. DORSETSHIRE	624,375	220,494	1,491	—	63	996	3	14	1,076	17	128	37	—	—	233		
20. DEVONSHIRE	1,633,467	701,944	5,347	—	248	2,775	8	19	3,050	96	577	245	3	3	1,373		
21. CORNWALL	886,329	325,283	2,325	—	121	992	1	7	1,121	18	564	207	1	—	414		
22. SOMERSETSHIRE	1,070,233	491,259	3,361	1	123	2,210	4	10	2,348	21	469	156	1	—	366		
VI.—WEST MIDLAND DIV.	4,052,121	3,997,571	32,231	4	555	21,515	38	32	22,144	961	1,862	1,193	15	31	6,025		
23. GLOUCESTERSHIRE ..	713,161	672,570	5,135	—	123	3,056	3	6	3,188	107	437	186	1	2	1,214		
24. HEREFORDSHIRE ..	539,230	113,088	744	2	36	487	2	2	529	13	51	11	1	—	139		
25. SHROPSHIRE	958,665	266,052	1,761	1	78	1,141	4	4	1,228	26	173	37	—	—	297		
26. STAFFORDSHIRE ..	784,263	1,379,656	11,547	—	157	8,135	10	6	8,308	437	643	518	—	4	1,637		
27. WORCESTERSHIRE ..	422,683	331,119	2,447	—	40	1,752	5	4	1,801	47	91	125	—	—	383		
28. WARWICKSHIRE ..	634,119	1,235,086	10,597	1	121	6,944	14	10	7,090	331	467	316	13	25	2,355		

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 7, Vol. 2, of the Census of England and Wales, 1911.

† These areas are derived from those published in the Census Report for 1911. They do not include space occupied by foreshore or tidal waters of rivers and creeks.

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.		Men	Women	Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
60,926	65,904	83,636	76,117	253,524	9,847	14,685	8,527	23,212	18,374	12,067	41,210	2,620	2,936	618	4,320	ENGLAND AND WALES.
8,629	9,052	12,798	10,930	36,339	1,604	2,178	1,288	3,466	2,892	1,359	4,865	354	429	102	579	I.—LONDON.
8,629	9,052	12,798	10,930	36,339	1,604	2,178	1,288	3,466	2,892	1,359	4,865	354	429	102	579	1. LONDON.
5,664	6,081	7,663	7,494	23,248	948	1,317	689	2,006	1,637	671	2,989	166	135	34	233	II.—SOUTH EASTERN.
1,234	1,387	1,930	1,585	5,507	180	310	139	449	319	169	648	26	30	8	40	2. SURREY.
1,576	1,606	1,958	2,233	6,629	261	284	199	483	460	201	899	58	54	13	86	3. KENT.
943	995	1,228	1,177	3,819	128	273	123	396	251	101	425	26	9	1	33	4. SUSSEX.
1,436	1,582	1,933	1,922	6,041	319	333	180	513	499	150	821	44	33	11	55	5. HAMPSHIRE.
475	511	614	577	1,952	60	117	48	165	108	50	196	12	9	1	19	6. BERKSHIRE.
3,733	4,036	5,708	5,008	16,608	506	900	471	1,371	977	638	2,101	179	105	22	240	III.—SOUTH MIDLAND.
1,583	1,810	2,738	2,091	7,309	273	431	209	640	482	225	894	46	36	5	72	7. MIDDLESEX.
359	404	546	471	1,601	46	86	47	133	93	52	158	24	14	2	34	8. HERTFORDSHIRE.
301	271	382	349	1,187	36	47	33	80	69	35	155	19	9	2	24	9. BUCKINGHAMSH.
274	314	396	372	1,231	35	63	27	90	62	33	136	21	5	5	16	10. OXFORDSHIRE.
552	558	766	737	2,380	49	112	72	184	121	123	320	27	16	5	33	11. NORTHAMPTONSH.
60	67	78	95	273	3	10	14	24	17	16	31	1	3	—	4	12. HUNTINGDONSH.
306	312	421	382	1,281	26	75	39	114	65	68	187	14	10	2	20	13. BEDFORDSHIRE.
298	300	381	511	1,346	38	76	30	106	68	81	220	27	12	1	37	14. CAMBRIDGESH.
3,240	3,349	4,410	4,948	14,214	478	786	469	1,255	947	553	1,961	152	116	23	222	IV.—EASTERN.
1,968	2,064	2,932	2,762	8,638	325	478	285	763	610	305	1,181	69	71	10	120	15. ESSEX.
590	578	616	954	2,458	76	130	74	204	150	112	358	34	15	5	39	16. SUFFOLK.
682	707	862	1,232	3,118	77	178	110	288	187	136	422	49	30	8	63	17. NORFOLK.
3,270	3,324	3,914	3,922	12,796	412	830	392	1,222	804	404	1,521	153	105	22	214	V.—SOUTH WESTERN.
389	431	537	549	1,701	52	93	60	153	112	48	199	19	14	4	25	18. WILTSHIRE.
346	351	388	406	1,321	49	87	34	121	83	31	140	19	9	2	24	19. DORSETSHIRE.
1,242	1,243	1,483	1,379	4,719	160	323	145	468	305	142	594	32	33	5	55	20. DEVONSHIRE.
527	513	613	672	2,059	68	126	72	198	140	106	315	37	28	6	53	21. CORNWALL.
766	786	893	916	2,996	83	201	81	282	164	77	273	46	21	5	57	22. SOMERSETSHIRE.
6,850	7,107	9,234	8,950	28,726	1,007	1,579	919	2,498	1,926	1,540	4,723	368	378	99	548	VI.—WEST MIDLAND.
1,066	1,172	1,490	1,407	4,530	155	294	156	450	311	122	440	56	51	15	77	23. GLOUCESTERSH.
163	181	215	185	656	17	56	15	71	32	15	79	16	5	2	17	24. HEREFORDSHIRE.
383	516	441	421	1,577	57	91	36	127	93	45	183	22	21	8	27	25. SHROPSHIRE.
2,503	2,480	3,280	3,284	10,311	367	514	355	869	722	688	2,071	155	168	48	227	26. STAFFORDSHIRE
524	546	663	714	2,207	47	140	53	193	100	130	325	29	22	7	37	27. WORCESTERSHIRE.
2,211	2,302	3,145	2,939	9,445	364	484	304	788	668	540	1,625	90	111	19	163	28. WARWICKSHIRE

* Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1911.	TOTAL MARRIAGES.	MARRIAGES.											
				With Religious Ceremonial.											
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.					
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	Total in Established Church.	In Registered Buildings.					Civil Marriages in Superintendent Registrar's Office.
										Roman Catholics.	Before Registrar.	Other Deno- minations. Before Authorized Person.	Quakers.	Jews.	
VII.—NORTH MIDLAND DIV.	3,504,656	2,323,887	18,364	—	436	11,406	25	28	11,895	315	1,250	1,234	1	14	3,655
29 LEICESTERSHIRE ..	550,168	481,061	3,684	—	73	2,177	9	7	2,266	79*	247	256	—	—	836
30. RUTLANDSHIRE ..	108,700	21,167	139	—	1	109	1	—	111	—	12	—	—	—	16
31 LINCOLNSHIRE ..	1,668,603	557,485	4,263	—	95	2,855	3	6	2,959	46	276	327	—	6	649
32. NOTTINGHAMSHIRE ..	616,287	716,519	5,987	—	135	3,684	2	12	3,833	77†	306	331	1	8	1,431
33. DERBYSHIRE ..	560,898	547,655	4,291	—	132	2,581	10	3	2,726	113	409	320	—	—	723
VIII.—NORTH WEST'RN DIV.	1,910,815	5,720,367	46,733	—	1,548	24,906	641	15	27,110	5,039	3,768	4,043	8	258	6,507
34. CHESHIRE‡ ..	611,231	895,226	6,756	—	261	3,991	30	1	4,283	396	588	534	3	3	949
35. LANCASHIRE‡ ..	1,299,584	4,825,141	39,977	—	1,287	20,915	611	14	22,827	4,643	3,130	3,509	5	255	5,558
IX.—YORKSHIRE DIVISION¶	3,720,621	3,968,664	32,512	—	647	19,653	174	18	20,492	1,448	2,132	2,829	18	128	5,465
36. WEST RIDING ..	1,751,064	3,044,608	25,191	—	404	15,328	168	1	15,901	1,060	1,676	2,374	11	114	4,055
37. EAST RIDING (with YORK)	693,171	507,038	4,170	—	106	2,526	2	11	2,645	181	185	275	3	12	889
38. NORTH RIDING¶ ..	1,276,386	417,018	3,151	—	137	1,799	4	6	1,946	207	271	180	4	2	541
X.—NORTHERN DIVISION¶	3,537,147	2,403,239	20,199	—	650	9,549	344	9	10,552	1,793	1,376	1,171	14	28	5,265
39. DURHAM ..	796,591	1,377,025	11,958	—	292	5,609	271	3	6,175	1,115	701	799	6	12	3,150
40. NORTHUMBERLAND ..	1,291,515	696,893	5,851	—	191	2,626	26	5	2,848	512	490	205	1	16	1,779
41. CUMBERLAND ..	973,086	265,746	1,948	—	133	1,904	46	1	1,184	161	137	181	4	—	301
42. WESTMORLAND¶ ..	505,955	63,575	442	—	34	310	1	—	345	5	48	6	3	—	35
XI.—WELSH DIVISION ..	5,146,313	2,442,041	19,371	2	618	5,313	78	8	6,019	651	4,473	717	1	19	7,491
43. MONMOUTHSHIRE ..	395,593	414,666	3,614	—	80	1,376	5	3	1,404	128	857	102	—	1	1,062
44. GLAMORGANSHIRE ..	576,540	1,130,668	9,745	1	251	2,396	32	1	2,681	416	1,655	383	1	14	4,595
45. CARMARTHENSHIRE ..	465,226	151,050	1,128	—	33	204	7	—	244	8	290	75	—	2	509
46. PEMBROKESHIRE ..	357,419	84,874	636	—	40	197	14	—	251	9	141	43	—	—	192
47. CARDIGANSHIRE ..	595,412	80,769	471	—	39	54	9	2	104	—	171	15	—	—	181
48. BRECKNOCKSHIRE ..	473,080	56,370	406	—	19	109	—	1	129	14	209	3	—	2	49
49. RADNORSHIRE ..	238,663	17,505	117	—	5	56	—	—	61	—	36	4	—	—	16
50. MONTGOMERYSHIRE ..	591,999	62,201	396	—	18	123	4	—	145	1	150	16	—	—	84
51. FLINTSHIRE ..	106,878	69,722	458	—	17	213	4	—	234	22	126	6	—	—	70
52. DENBIGHSHIRE ..	378,309	136,810	978	—	37	303	1	—	341	22	298	28	—	—	289
53. MERIONETHSHIRE ..	524,035	60,280	336	—	16	67	—	—	83	—	164	13	—	—	76
54. CARNARVONSHIRE ..	322,742	141,767	855	1	46	186	1	1	235	12	266	25	—	—	317
55. ANGLESEY ..	120,417	35,359	231	—	17	29	1	—	47	19	110	4	—	—	51

* Of these 79 marriages 19 were solemnized before " Authorised person."
† Of these 77 marriages 2 were solemnized before " Authorised person."
‡ The boundary of these counties was altered on 9th Nov., 1913, the marriages are shown in the county in which they were registered
¶ The area of these counties was revised by an award under the Inclosure Acts.

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which		
March.	June	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
3,806	4,376	5,159	5,023	16,331	546	923	564	1,487	1,110	1,131	3,336	170	152	30	282	VII.—NORTH MIDLAND.
826	809	1,109	940	3,291	96	181	116	297	212	222	551	29	27	3	50	29. LEICESTERSHIRE.
25	38	38	38	122	5	10	2	12	7	2	15	2	—	—	2	30. RUTLANDSHIRE.
843	1,174	1,096	1,150	3,755	136	241	131	372	267	204	722	46	34	6	68	31. LINCOLNSHIRE.
1,218	1,396	1,689	1,684	5,333	184	272	198	470	382	472	1,276	58	54	13	86	32. NOTTINGHAMSH.
891	959	1,227	1,211	3,830	125	219	117	336	242	231	772	35	37	8	56	33. DERBYSHIRE.
9,911	11,469	14,468	10,885	41,062	1,648	2,537	1,486	4,023	3,134	2,140	6,271	341	516	111	635	VIII.—N. WESTERN.
1,397	1,655	2,059	1,645	6,040	190	383	143	526	333	246	813	35	54	14	61	34. CHESHIRE.
8,514	9,814	12,409	9,240	35,022	1,458	2,154	1,343	3,497	2,801	1,894	5,458	306	462	97	574	35. LANCASHIRE.
7 79	7,528	9,489	8,416	28,548	1,181	1,677	1,106	2,783	2,287	1,757	5,894	294	430	70	584	IX.—YORKSHIRE.
5,476	5,754	7,518	6,443	22,102	909	1,312	868	2,180	1,777	1,420	4,594	220	345	57	451	36. WEST RIDING.
929	981	1,116	1,144	3,668	168	197	137	334	305	199	734	35	40	5	65	37. EAST RIDING (with YORK).
674	793	855	829	2,778	104	168	101	269	205	138	566	39	45	8	68	38. NORTH RIDING.
4,533	5,034	5,430	5,202	17,933	729	956	581	1,537	1,310	1,071	4,222	210	291	45	411	X.—NORTHERN.
2,712	2,952	3,254	3,040	10,607	441	550	360	910	801	757	2,826	129	185	29	256	39. DURHAM.
1,301	1,503	1,561	1,486	5,167	224	282	178	460	402	219	1,082	62	88	13	124	40. NORTHUMBERLD.
427	479	505	537	1,751	59	99	39	138	98	81	277	17	14	2	27	41. CUMBERLAND.
93	100	110	139	408	5	25	4	29	9	14	37	2	4	1	4	42. WESTMORLAND.
4,211	4,458	5,363	5,339	17,019	788	1,002	562	1,564	1,350	803	3,327	233	279	60	392	XI.—WELSH.
842	756	1,081	935	3,181	172	161	100	261	272	175	751	51	62	14	85	43. MONMOUTHSHIRE
2,111	2,174	2,793	2,667	8,549	453	433	310	743	763	459	1,953	117	153	33	204	44. GLAMORGANSH.
247	265	285	331	1,001	26	72	29	101	55	58	187	5	12	1	15	45. CARMARTHENSH.
116	146	164	210	565	19	42	10	52	29	26	72	6	6	1	10	46. PEMBROKESHIRE.
88	103	116	164	409	7	50	5	55	12	13	26	2	5	1	5	47. CARDIGANSHIRE.
80	99	112	115	369	8	21	8	29	16	7	54	9	6	3	9	48. BRECKNOCKSHIRE.
37	44	18	18	110	1	3	3	6	4	6	18	3	4	2	3	49. RADNORSHIRE.
82	133	92	89	354	9	26	7	33	16	3	26	4	3	—	7	50. MONTGOMERYSH.
86	126	128	118	408	12	29	9	38	21	19	49	4	6	—	10	51. FLINTSHIRE.
215	257	236	270	852	38	61	27	88	65	21	91	15	10	3	19	52. DENBIGHSHIRE.
65	86	85	100	295	7	23	11	34	18	5	23	4	4	—	8	53. MERIONETHSHIRE.
184	216	207	248	732	25	65	33	98	58	9	64	11	7	2	14	54. CARNARVONSH.
58	53	46	74	194	11	16	10	26	21	2	13	2	1	—	3	55. ANGLESEY.

* See note * on page 111.

ENGLAND AND WALES.—AGES and CONDITIONS of

	MINORS.								Age not stated.	FULL						
	14—	15—	16—	17—	18—	19—	20—	21—		22—	23—	24—	25—	30—	35—	
Men	—	—	10	106	834	3,239	7,878	—	19,927	21,905	24,319	25,563	99,025	39,682	17,460	
Bachelors ...	—	—	10	106	834	3,239	7,876	—	19,920	21,879	24,267	25,463	97,851	37,150	13,983	
Widowers ...	—	—	—	—	—	—	2	—	7	26	52	100	1,174	2,532	3,477	
Bachelors who married :—																
Spinsters ...	—	—	10	105	830	3,234	7,844	—	19,812	21,719	24,058	25,206	95,788	34,800	12,066	
Widows ...	—	—	—	1	4	5	32	—	108	160	209	257	2,063	2,350	1,917	
Widowers who married :—																
Spinsters ...	—	—	—	—	—	—	2	—	6	24	47	96	1,068	2,129	2,652	
Widows ...	—	—	—	—	—	—	—	—	1	2	5	4	106	403	825	

ENGLAND and WALES.—AGES and CONDITIONS of

MINORS.									FULL						
								Age not stated.							
14—	15—	16—	17—	18—	19—	20—	21—		22—	23—	24—	25—	30—	35—	
Women ...	1	15	193	1,476	6,634	13,456	19,434	1	30,815	26,237	25,214	24,437	79,614	28,490	12,768
Spinsters ...	1	15	193	1,476	6,633	13,449	19,427	1	30,784	26,163	25,130	24,262	77,748	25,359	9,203
Widows ...	—	—	—	—	1	7	7	—	31	74	114	175	1,866	3,131	3,565
Spinsters who married :—															
Bachelors ...	1	15	189	1,458	6,585	13,313	19,170	1	30,283	25,694	24,600	23,696	74,662	22,610	6,876
Widowers ...	—	—	4	18	48	136	257	—	501	469	530	566	3,086	2,749	2,327
Widows who married :—															
Bachelors ...	—	—	—	—	1	7	6	—	26	69	102	160	1,553	2,345	2,335
Widowers ...	—	—	—	—	—	—	1	—	5	5	12	15	313	786	1,230

the 286,583 MEN who MARRIED in the Year 1913.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
9,023	5,692	3,987	2,689	1,782	1,068	528	170	32	7	1,657	12,067	274,516	286,583	Men.
5,518	2,331	1,089	447	181	93	36	11	—	1	1,086	12,065	251,306	263,371	Bachelors.
3,505	3,361	2,898	2,242	1,601	975	492	159	32	6	571	2	23,210	23,212	Widowers.
														Bachelors who married :—
4,233	1,640	708	285	107	55	24	9	—	1	990	12,023	241,501	253,524	Spinsters.
1,285	691	381	162	74	38	12	2	—	—	96	42	9,805	9,817	Widows.
														Widowers who married :—
2,326	2,011	1,513	1,067	708	405	188	64	15	3	361	2	14,683	14,685	Spinsters.
1,179	1,350	1,385	1,175	893	570	304	95	17	3	210	—	8,527	8,527	Widows.

the 286,583 WOMEN who MARRIED in the Year 1913.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards.	Age not stated.	Minors.	Full Age.	All Ages.	
6,680	4,258	2,301	1,319	714	357	179	37	3	2	1,918	41,210	245,373	286,583	Women.
3,674	1,806	790	339	119	56	22	3	—	—	1,556	41,195	227,014	268,209	Spinsters.
3,006	2,452	1,511	980	595	301	157	34	3	2	362	15	18,359	18,374	Widows.
														Spinsters who married :—
2,042	737	253	92	30	18	11	2	—	—	1,186	40,733	212,792	253,524	Bachelors.
1,632	1,069	537	247	89	38	11	1	—	—	370	463	14,222	14,685	Widowers.
														Widows who married :—
1,481	927	391	169	89	30	13	6	1	—	136	14	9,833	9,847	Bachelors.
1,525	1,525	1,120	811	506	271	144	28	2	2	226	1	8,526	8,527	Widows.

ENGLAND AND WALES.—AGES of the 8,527 WIDOWERS and of the 8,527 Widows who intermarried in 1913.

WIDOWS UNDER AGE.				WIDOWS OF FULL AGE.												Total Widows.					
19—	20—	Not stated.		21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Not stated.	Total Widowers.	
—	—	—	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	21—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	
—	—	—	22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
—	—	—	23—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	
—	—	—	24—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
—	—	—	25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106	
—	—	—	30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	403	
—	—	—	35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	825	
—	—	—	40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,179	
—	—	—	45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,350	
—	—	—	50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,385	
—	—	—	55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,175	
—	—	—	60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	893	
—	—	—	65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	570	
—	—	—	70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	304	
—	—	—	75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	95	
—	—	—	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	
—	—	—	85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
—	—	—	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	210	
																				8,527	8,527

For the method of reading this table, see explanatory note on page 116.

LONDON.—AGES and CONDITIONS of the 41,409

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Men ...	—	—	1	10	118	367	863	—	2,530	2,749	3,151	3,544	14,222	6,128	2,911
Bachelors ...	—	—	1	10	118	367	863	—	2,529	2,747	3,148	3,533	14,082	5,830	2,476
Widowers ...	—	—	—	—	—	—	—	—	1	2	3	11	140	298	435
Bachelors who married :—															
Spinsters ...	—	—	1	10	118	367	860	—	2,513	2,723	3,117	3,506	13,783	5,436	2,175
Widows ...	—	—	—	—	—	—	3	—	16	24	31	27	299	394	301
Widowers who married :—															
Spinsters ...	—	—	—	—	—	—	—	—	1	1	3	11	129	246	327
Widows ...	—	—	—	—	—	—	—	—	—	1	—	—	11	52	108

LONDON.—AGES and CONDITIONS of the 41,409

—	MINORS.								FULL						
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	22—	23—	24—	25—	30—	35—
Women ...	—	1	21	181	726	1,561	2,375	—	4,278	3,800	3,618	3,676	11,783	4,314	2,088
Spinsters ...	—	1	21	181	725	1,560	2,374	—	4,271	3,799	3,606	3,651	11,499	3,837	1,493
Widows ...	—	—	—	—	1	1	1	—	7	10	12	25	284	477	595
Spinsters who married :—															
Bachelors ...	—	1	20	177	721	1,543	2,345	—	4,204	3,733	3,535	3,564	11,047	3,447	1,128
Widowers ...	—	—	1	4	4	17	29	—	67	57	71	87	452	390	365
Widows who married :—															
Bachelors ...	—	—	—	—	1	1	1	—	5	10	11	20	243	365	387
Widowers ...	—	—	—	—	—	—	—	—	2	—	1	5	41	112	208

MEN who MARRIED in the Year 1913.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards	Age not stated.	Minors.	Full Age.	All Ages.	
1,657	1,004	762	492	313	197	81	27	4	2	286	1,359	40,050	41,409	Men.
1,120	475	241	119	39	34	8	3	—	—	205	1,359	36,584	37,943	Bachelors.
537	529	521	373	264	163	73	24	4	2	86	—	3,466	3,466	Widowers.
														Bachelors who married:—
895	350	169	83	26	23	6	3	—	—	180	1,356	34,983	36,339	Spinsters.
235	125	72	31	13	11	2	—	—	—	20	3	1,601	1,604	Widows.
														Widowers who married:—
357	311	283	183	128	82	35	14	1	2	62	—	2,178	2,178	Spinsters.
180	218	238	188	136	81	38	10	3	—	24	—	1,288	1,288	Widows.

WOMEN who MARRIED in the Year 1913.

AGE.											TOTALS.			
40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wards	Age not stated.	Minors.	Full Age.	All Ages.	
1,172	706	368	199	103	48	30	5	2	—	354	4,865	36,544	41,409	Women.
666	298	138	72	19	13	6	2	—	—	294	4,862	33,655	38,517	Spinsters.
506	408	230	127	84	35	24	3	2	—	60	3	2,889	2,892	Widows.
														Spinsters who married:—
411	130	57	32	5	5	4	1	—	—	229	4,807	31,532	36,339	Bachelors.
235	168	81	40	14	8	2	1	—	—	65	55	2,123	2,178	Widowers.
														Widows who married:—
256	160	65	21	16	6	3	1	1	—	31	3	1,601	1,604	Bachelors.
250	248	165	106	68	29	21	2	1	—	29	—	1,288	1,288	Widowers.

LONDON.—AGES of the 41,409 MEN and of the 41,409 WOMEN who intermarried in 1913.

WIVES UNDER AGE.										WIVES OF FULL AGE.										Total Husbands.	Husbands.	Wives.			
14—	15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—				65—	70—	75 and upwards.
HUSBANDS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	16—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	
	17—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	118	
	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	367	
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	863	
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
HUSBANDS OF FULL AGE.	21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,530
	22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,749
	23—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3,151
	24—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3,544
	25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14,222
	30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6,128
	35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,911
	40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,657
	45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,004
	50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	762
	55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	492
	60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	303
	65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	197
	70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	81
	75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	286
Total Wives																				41,409	41,409				

For the method of reading this table, see explanatory note on page 116.

LONDON.—AGES of the 2,178 WIDOWERS and of the 2,178 SPINSTERS who intermarried in 1913.

SPINSTERS OF FULL AGE.													SPINSTERS UNDER AGE.					Total Widowers.	Widowers.	Spinsters.		
15—	16—	17—	18—	19—	20—	Not stated.	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—				60—	65—
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
22—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
23—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
24—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	11	
25—	—	—	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	129	
30—	—	—	—	—	—	—	17	—	—	—	—	—	—	—	—	—	—	—	—	—	246	
35—	—	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	327	
40—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	357	
45—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	311	
50—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	283	
55—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	185	
60—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	128	
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	82	
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	35	
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	62	
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2,178	
Total Spinsters	—	1	4	4	17	29	—	67	57	71	87	452	390	365	255	168	81	40	14	8	3	65

For the method of reading this table, see explanatory note on page 116.

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1913.

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
LONDON.		KENT— <i>cont.</i>		BERKSHIRE.		NORTHAMPTON-SHIRE— <i>cont.</i>	
Paddington ...	1467	Bridge ...	100	Newbury ...	165	Brixworth ...	66
Kensington ...	1685	Canterbury ...	181	Hungerford ...	111	Wellingborough ...	419
Fulham ...	2558	Blean ...	164	Faringdon ...	93	Kettering ...	339
Chelsea ...	665	Faversham ...	206	Abingdon ...	121	Thrapston ...	105
St. George, Hano- ver Square.	1429	Milton ...	229	Wantage... ..	107	Oundle ...	75
St. Martin* ...	806	Sheppey... ..	162	Wallingford ...	97	Peterborough ...	414
St. Marylebone ...	1322	Thanet ...	488	Bradfield ...	101	HUNTINGDON-SHIRE.	
Hampstead ...	643	Eastry ...	226	Reading ...	647	Huntingdon ...	105
St. Pancras ...	2164	Dover ...	420	Wokingham ...	157	St. Ives ...	106
Islington ...	2987	Elham ...	436	Maidenhead ...	193	St. Neots ...	89
Hackney ...	2251	Romney Marsh... ..	41	Easthampstead ...	99	BEDFORDSHIRE.	
St. Giles ...	420	SUSSEX.		Windsor... ..	286	Bedford ...	102
Holborn ...	1072	Rye ...	80	MIDDLESEX.		Biggleswade ...	229
London City ...	434	Hastings ...	370	Staines ...	249	Amphill ...	134
Shoreditch ...	1029	Battle ...	184	Uxbridge ...	382	Leighton Buzzard	128
Bethnal Green ...	1044	Eastbourne ...	381	Brentford ...	1941	Luton ...	528
Whitechapel ...	478	Hailsham ...	117	Willesden ...	1150	CAMBRIDGE-SHIRE.	
St. George in the East.	277	Ticehurst ...	116	Hendon ...	584	Caxton ...	47
Stepney ...	422	Uckfield ...	157	Barnet ...	551	Chesterton ...	231
Mile End Old Town	1322	East Grinstead ...	125	Edmonton ...	3365	Cambridge ...	301
Poplar ...	1498	Cuckfield ...	172	HERTFORDSHIRE.		Linton ...	79
Southwark ...	1942	Lewes ..	165	Ware ...	116	Newmarket ...	213
St. Olave (Ber- mondsey).	1202	Newhaven ...	56	Bishop Stortford	163	Ely ...	158
Lambeth ...	2597	Brighton ...	864	Royston ...	134	North Witchford	159
Wandsworth ...	3752	Steyning ...	596	Hitchin ...	263	Whittlesey ...	40
Camberwell ...	2261	Horsham ...	208	Hertford ...	96	Wisbech... ..	262
Greenwich ...	1451	Petworth ...	59	Hatfield ...	53	ESSEX.	
Lewisham ...	1148	East Preston ...	305	St. Albans ...	259	West Ham ...	5525
Woolwich ...	1083	Westhampnett ...	141	Watford... ..	449	Epping ...	212
SURREY.		Chichester ...	59	Hemel Hempstead	139	Ongar ...	62
Epsom ...	463	Midhurst ...	88	Berkhampstead	108	Romford ...	959
Chertsey ...	307	Westbourne ...	54	BUCKINGHAM-SHIRE.		Orsett ...	320
Guildford ...	507	HAMPSHIRE.		Amersham ...	195	Billericay ...	126
Farnham ...	513	Havant ...	90	Eton ...	260	Chelmsford ...	288
Hambledon ...	164	Portsmouth ...	2023	Wycombe ...	377	Rochford ...	645
Dorking ...	113	Alverstoke ...	241	Aylesbury ...	172	Maldon ...	180
Reigate ...	324	Fareham ...	175	Winslow ...	53	Tendring ...	351
Godstone ...	185	Isle of Wight	584	Newport Pagnell	177	Colchester ...	380
Croydon ...	1922	Lymington ...	110	Buckingham ...	69	Lexden ...	133
Kingston ...	1206	Christchurch ...	639	OXFORDSHIRE.		Halstead ...	114
Richmond ...	432	Ringwood ...	41	Henley ...	148	Braintree ...	214
KENT.		Fordingbridge ...	50	Thame ...	78	Dunmow ...	110
Bromley ...	626	New Forest ...	121	Headington ...	297	Saffron Walden... ..	107
Dartford ...	708	Southampton ...	1032	Oxford ...	200	SUFFOLK.	
Gravesend ...	254	South Stoneham	378	Bicester ...	98	Risbridge ...	109
Strood ...	348	Romsey ...	85	Woodstock ...	82	Sudbury ...	165
Hoo ...	38	Stockbridge ...	39	Witney ...	135	Cosford ...	111
Medway ...	939	Winchester ...	267	Chipping Norton	124	Bury St. Edmunds	193
Malling ...	220	Droxford ...	82	Banbury ...	194	Mildenhall ...	43
Sevenoaks ...	201	Catherington ...	22	NORTHAMPTON-SHIRE.		Stow ...	150
Tonbridge ...	493	Petersfield ...	99	Brackley ...	67	Hartismere ...	153
Maidstone ...	379	Alresford ...	42	Towcester ...	55	Bosmere... ..	89
Hollingbourn ...	106	Alton ...	141	Potterspury ...	95	Samford... ..	92
Cranbrook ...	100	Hartley Wintney	223	Hardingstone ...	105	Ipswich ..	586
Tenterden ...	62	Basingstoke ...	157	Northampton ..	749	Woodbridge ...	171
West Ashford ...	157	Whitchurch ...	51	Daventry ...	124	Plomesgate ...	124
East Ashford ...	89	Andover... ..	143			Blything ...	200
		Kingsclere ...	38			Wangford ...	114
						Mutford... ..	438

* On 1st July, 1913, Westminster and Strand Registration Districts were united and called St. Martin. The marriages are shown as if the change has taken place at the beginning of the year.

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1913—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
NORFOLK.		DEVONSHIRE— <i>cont.</i>		GLOUCESTER- SHIRE— <i>cont.</i>		WARWICKSHIRE.	
Yarmouth ...	475	Plymouth ...	1094	Winchcomb ...	72	Kings Norton ...	1850
Flegg ...	54	East Stonehouse ...	129	Cheltenham ...	389	Birmingham ...	2420
Smallburgh ...	127	Devonport ...	705	Tewkesbury ...	72	Aston ...	3146
Erpingham ...	137	Tavistock ...	157			Meriden ...	87
Aylsham ...	105	Okehampton ...	127			Atherstone ...	177
St. Faith's ...	72	Crediton ...	96	HEREFORDSHIRE.		Nuneaton ...	371
Norwich ...	969	Tiverton ...	177			Foleshill ...	205
Forehoe ...	78	South Molton ...	115	Ledbury... ..	76	Coventry ...	1026
Henstead ...	86	Barnstaple ...	285	Ross	108	Rugby	316
Blofield ...	67	Torrington ...	72	Hereford ...	310	Solihull	95
Loddon ...	87	Bideford ...	147	Weobley ...	39	Warwick ...	412
Depwade ...	133	Holsworthy ...	57	Bromyard ...	69	Stratford on Avon	151
Wayland ...	89			Leominster ...	90	Alcester ...	170
Mitford ...	153	CORNWALL.		Kington ...	52	Shipston on Stour	98
Walsingham ...	125					Southam ...	73
Docking ...	107			SHROPSHIRE.			
Freebridge Lynn	89	Stratton ...	63			LEICESTERSHIRE.	
King's Lynn ...	175	Camelford ...	45	Ludlow	138	Lutterworth ...	66
Downham ...	136	Launceston ...	116	Clun	43	Market ...	144
Swaffham ...	65	St. Germans ...	132	Church Stretton	42	Harborough.	
Thetford ...	154	Liskeard ...	154	Cleobury Mor-	63	Billesdon ...	33
		Bodmin ...	113	timer.		Blaby	178
WILTSHIRE.		St. Columb ...	106	Bridgnorth ...	91	Hinckley ...	216
Swindon ...	478	St. Austell ...	298	Shifnal	75	Market Bosworth	154
Cricklade... ..	74	Truro	193	Madeley	133	Ashby de la Zouch	375
Malmesbury ...	98	Falmouth ...	192	Atcham	339	Loughborough ...	274
Chippenham ...	160	Helston	140	Oswestry ...	202	Barrow upon Soar	204
Calne	57	Redruth ...	431	Ellesmere ...	87	Leicester ...	1901
Marlborough ...	56	Penzance ...	334	Wem	86	Melton Mowbray	139
Devizes	122	Isles of Scilly ...	8	Whitchurch ...	89		
Melksham ...	145	SOMERSETSHIRE.		Market Drayton...	95	RUTLANDSHIRE.	
Bradford on Avon	62			Wellington ...	180		
Westbury ...	59	Williton ...	122	Newport... ..	98	Oakham	81
Warminster ...	74	Dulverton ...	33			Uppingham ...	58
Pewsey	66	Wellington ...	108	STAFFORDSHIRE.			
Amesbury ...	59	Taunton ...	280	Stafford	329		
Salisbury ...	227	Bridgwater ...	244	Stone	142	LINCOLNSHIRE.	
Wilton	82	Langport ...	81	Newcastle under	354	Stamford ...	131
Tisbury	50	Chard	204	Lyme.		Bourne	123
Mera	37	Yeovil	207	Wolstanton ...	978	Spalding ...	181
		Wincanton ...	107	Stoke upon Trent	1493	Holbeach ...	144
DORSETSHIRE.		Frome	165	Leek	321	Boston	308
Shaftesbury ...	91	Shepton Mallet...	95	Cheadle	187	Sleaford ...	187
Sturminster ...	51	Wells	149	Uttoxeter ...	108	Grantham ...	255
Blandford ...	93	Axbridge ...	337	Burton upon Trent	744	Lincoln	682
Wimborne ...	134	Clutton ...	206	Tamworth ...	343	Horncastle ...	125
Poole	328	Bath	608	Lichfield ...	318	Spilsby	171
Wareham ...	103	Keynsham ...	280	Cannock ...	428	Louth	199
Weymouth ...	298	Long Ashton ...	135	Wolverhampton	1504	Grimsby ...	896
Dorchester ...	182			Walsall	1142	Caistor	115
Sherborne ...	64	GLOUCESTER- SHIRE.		West Bromwich	1654	Glanford Brigg...	428
Beaminstor ...	52			Dudley	1502	Gainsborough ...	318
Bridport ...	95	Bristol	2951				
		ChippingSodbury	100	WORCESTER- SHIRE.		NOTTINGHAM- SHIRE.	
		Thornbury ...	120			East Retford ...	205
		Dursley	91	Stourbridge ...	830	Worksop ...	442
		Westbury on Severn.	183	Kidderminster ...	373	Mansfield ...	1151
Axminster ...	113	Newent	46	Tenbury... ..	28	Basford	1470
Honiton	147	Gloucester ...	467	Worcester* ...	431	Nottingham ...	2270
St. Thomas ...	366	Wheatenhurst ...	37	Upton on Severn	163	Southwell ...	125
Exeter	356	Sproud	329	Evesham	149	Newark	256
Newton Abbot ...	623	Tetbury	43	Pershore	88	Bingham	68
Totnes	300	Cirencester ...	130	Droitwich ...	123		
Kingsbridge ...	105	Northleach ...	43	Bromsgrove ...	262		
Plympton St. Mary	176	Stow on the Wold	62				

* On 1st March, 1913, Worcester and Martley Registration Districts were united and called Worcester. The marriages are shown as if the change had taken place at the beginning of the year.

NUMBER of MARRIAGES in each REGISTRATION DISTRICT, 1913—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
DERBYSHIRE.		WEST RIDING— <i>cont.</i>		DURHAM— <i>cont.</i>		CARMARTHEN- SHIRE.	
Shardlow ...	504	Wharfedale ...	401	Auckland ...	916	Llanelly ...	597
Derby ...	1014	Keighley ...	650	Teesdale... ..	128	Llandoverly ...	60
Belper ...	623	Todmorden ...	287	Weardale ...	127	Llandilofawr ...	236
Ashbourne ...	132	Saddleworth ...	114	Lanchester ...	870	Carmarthen ...	235
Chesterfield ...	1247	Huddersfield ...	1457	Durham ...	761		
Bakewell ...	252	Halifax ...	1615	Easington ...	757	PEMBROKESHIRE.	
Chapel en le Frith	212	North Bierley ...	1005	Houghton le	465		
Glossop ...	231	Bradford ...	2088	Spring.		Narberth ...	141
Hayfield ...	76	Bramley ...	556	Chester le Street	616	Pembroke ...	233
		Leeds† ...	2333	Sunderland ...	1813	Haverford west ...	262
		Hunslet ...	710	South Shields	1617		
CHESHIRE.		Holbeck ...	326	Gateshead ...	1732	CARDIGANSHIRE.	
		Dewsbury ...	1465				
Stockport* ...	1396	Wakefield ...	1047			Cardigan ...	102
Macclesfield ...	479	Pontefract ...	772	NORTHUMBER- LAND.		Newcastle in	109
Bucklow ...	593	Hemsworth ...	285			Emlyn.	
Runcorn ...	311	Barnsley ...	1225	Newcastle upon	2337	Lampeter ...	66
Northwich ...	496	Penistone ...	139	Tyne.		Aberayron ...	46
Congleton ...	273	Wortley ...	274	Tynemouth ...	1678	Aberystwith ...	120
Nantwich... ..	567	Ecclesall Bierlow	1534	Castle Ward ...	345	Tregaron ...	28
Chester ...	643	Sheffield ...	2672	Hexham... ..	282		
Wirral ...	400	Rotherham ...	1232	Haltwhistle ...	67	BRECKNOCK- SHIRE.	
Birkenhead ...	1598	Doncaster ...	1192	Bellingham ...	39		
		Thorne ...	130	Morpeth ...	726	Builth ...	50
		Goole ...	227	Alnwick... ..	154	Brecknock ...	86
LANCASHIRE.		Selby ...	142	Belford ...	32	Crickhowell ...	211
		Tadcaster† ...	214	Berwick... ..	119	Hay ...	59
Liverpool ...	1767			Glendale ...	44		
Toxteth Park ...	957	YORKSHIRE, EAST RIDING.		Rothbury ...	28	RADNORSHIRE.	
West Derby ...	4760						
Prescot ...	1338	York ...	758	CUMBERLAND.		Knighton ...	66
Ormskirk ...	745	Pocklington ...	96			Rhayader ...	51
Wigan ...	1770	Howden ...	94	Alston ...	13	MONTGOMERY- SHIRE.	
Warrington ...	927	Beverley ...	183	Penrith ...	149		
Leigh ...	870	Sculcoates ...	1858	Brampton ...	38	Machynlleth ...	44
Bolton ...	2172	Hull ...	781	Longtown ...	32	Newtown ...	135
Bury ...	1246	Patrington ...	53	Carlisle ...	490	Forden ...	112
Barton upon Irwell	1037	Skirlaugh ...	62	Wigton ...	173	Llanfyllin ...	105
Chorlton* ...	3553	Driffield ...	132	Cockermouth ...	535		
Salford ...	2049	Bridlington ...	153	Whitehaven ...	428	FLINTSHIRE.	
Manchester ...	1171			Bootle ...	90		
Prestwich ...	1892	YORKSHIRE, NORTH RIDING.				Holywell ...	294
Ashton under Lyne	1556			WESTMORLAND.		Hawarden ...	164
Oldham ...	1930	Scarborough ...	361			DENBIGHSHIRE.	
Rochdale ...	1023	Malton ...	125	East Ward ...	94		
Haslingden ...	959	Easingwold ...	62	West Ward ...	53	Wrexham ...	585
Burnley ...	1852	Thirsk ...	81	Kendal ...	295	Ruthin ...	69
Clitheroe ...	166	Helmsley ...	63			St. Asaph ...	247
Blackburn ...	1994	Pickering ...	85	MONMOUTHSHIRE.		Llanrwst ...	77
Chorley ...	572	Whitby ...	163				
Preston ...	1248	Guisborough ...	400	Chepstow ...	131	MERIONETH- SHIRE.	
Fylde ...	932	Middlesbrough	1440	Monmouth ...	229		
Garstang ...	78	Stokesley ...	75	Abergavenny ...	222	Corwen ...	104
Lancaster ...	481	Northallerton ...	88	Bedwellty ...	1106	Bala ...	38
Lunesdale ...	34	Bedale ...	48	Pontypool ...	464	Dolgelly... ..	71
Ulverston... ..	314	Leyburn ...	49	Newport ...	1462	Festiniog ...	123
Barrow in Furness	584	Aysgarth ...	30				
		Reeth ...	14	GLAMORGAN- SHIRE.		CARNARVON- SHIRE.	
YORKSHIRE, WEST RIDING.		Richmond ...	67				
				Cardiff ...	2324	Pwllheli... ..	117
Sedbergh ...	23			Pontypridd ...	2540	Carnarvon ...	214
Settle ...	82	DURHAM.		Merthyr Tydfil...	1426	Bangor ...	245
Skipton ...	383			Bridgend ...	810	Conway ...	279
Pateley Bridge ...	52	Darlington ...	550	Neath ...	831		
Ripon ...	96	Stockton ...	606	Pontardawe ...	292	ANGLESEY.	
Great Ouseburn ...	55	Hartlepool ...	776	Swansea... ..	1426		
Knaresborough ...	322	Sedgefield ...	224	Gower ...	96	Anglesey ...	78
Wetherby† ...	86					Holyhead ...	153

* The boundary of these districts was altered on 9th November, 1913. The marriages are shown in the districts in which they were registered.

† The boundary of these registration districts was altered on 1st February, 1913. The marriages are shown in the districts in which they were registered.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS, 1913.

NOTE.—The populations marked * have been adjusted in order to make them comparable with the births and deaths shown in the table, changes in the boundaries of the areas affected having been made during the year. Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths, in this as in other tables, have been transferred to the area of residence in accordance with the rules referred to on page viii of the Annual Report for 1911.

No transference of populations has, however, been made. Where the institutional population in any district, which under the scheme of transference of births and deaths does not contribute to its birth rate or its death rate, amounts to an appreciable proportion of the whole, this fact is signalled by a † in the column showing total deaths.

Summary.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						Deaths (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
All Areas	North ...	12,376,805	152,350	146,783	6,795	6,519	312,447	25.2	187,497	15.1	15.7	39,463	126	10.1
	Midlands ...	11,576,892	133,044	128,836	6,103	5,748	273,731	23.6	147,749	12.8	12.0	27,251	100	10.8
	South ...	10,446,952	111,087	106,670	5,227	4,872	227,856	21.8	135,029	12.9	12.0	20,987	92	8.9
	Wales ...	2,518,690	33,176	32,035	1,377	1,268	67,856	26.9	34,700	13.8	13.7	7,907	117	13.1
	England and Wales.	36,919,339	429,657	414,324	19,502	18,407	881,890	23.9	504,975	13.7	13.3	95,608	108	10.2
London	4,518,191	53,900	52,152	2,325	2,126	110,503	24.5	64,510	14.3	14.3	11,687	106	10.2
County Boroughs.	North ...	6,337,735*	80,291	77,193	3,559	3,409	164,452	25.9	101,905	16.1	17.0	21,593	131	9.8
	Midlands ...	3,559,161	44,539	43,196	1,912	1,850	91,497	25.7	51,410	14.4	14.7	11,124	122	11.3
	South ...	1,304,798*	13,137	12,542	753	689	27,121	20.8	16,679	12.8	11.8	2,548	94	8.0
	Wales ...	477,473	6,227	6,119	265	235	12,846	26.9	6,510	13.6	14.6	1,544	120	13.3
	England and Wales.	11,679,167*	144,194	139,030	6,489	6,183	295,916	25.3	176,504	15.1	15.6	36,809	124	10.2
Other Urban Districts.	North ...	4,332,130*	51,689	50,047	2,242	2,164	106,142	24.5	62,715	14.5	15.0	13,159	124	10.6
	Midlands ...	4,731,295*	53,857	52,273	2,393	2,235	110,758	23.4	56,136	11.9	11.6	10,377	94	11.5
	South ...	2,530,877*	24,066	23,104	1,214	1,149	49,533	19.6	29,681	11.7	10.5	3,937	79	7.9
	Wales ...	1,212,266	16,881	16,490	632	543	34,546	28.5	16,531	13.6	14.3	4,256	123	14.9
	England and Wales.	12,806,568*	146,493	141,914	6,481	6,091	300,979	23.5	165,063	12.9	12.8	31,729	105	10.6
Rural Districts.	North ...	1,706,940*	20,370	19,543	994	946	41,853	24.5	22,877	13.4	12.8	4,711	113	11.1
	Midlands ...	3,286,436*	34,648	33,367	1,798	1,663	71,476	21.7	40,208	12.2	10.0	5,750	80	9.5
	South ...	2,095,085*	19,984	18,872	985	908	40,699	19.4	24,159	11.5	9.4	2,815	69	7.9
	Wales ...	828,951	10,068	9,426	480	490	20,464	24.7	11,659	14.1	12.6	2,107	103	10.6
	England and Wales.	7,915,413*	85,070	81,208	4,207	4,007	174,492	22.0	98,898	12.5	10.7	15,383	88	9.5

County Boroughs.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
Barnsley†... ..	52,897	753	748	53	49	1,603	30.3	855	16.2	1.0490	17.0	233	145	14.1
Barrow in Furness ...	65,252	935	897	34	24	1,890	29.0	960	14.7	1.0683	15.7	223	118	14.3
Bath	69,944	532	519	23	25	1,099	15.7	900	12.9	.8648	11.2	83	76	2.8
Birkenhead	135,557	1,965	1,816	67	57	3,905	28.8	2,037	15.0	1.0324	15.5	463	119	13.8
Birmingham	859,644	11,506	11 105	411	373	23,395	27.2	12,733	14.8	1.0436	15.4	3,019	129	12.4
Blackburn	133,971	1,429	1,359	60	67	2,915	21.8	2,131	15.9	1.0849	17.2	431	148	5.9
Blackpool... ..	61,012	463	477	37	49	1,026	16.8	902	14.8	1.0019	14.8	129	126	2.0
Bolton	183,879	1,949	1,898	74	86	4,007	21.8	2,908	15.8	1.0876	17.2	574	143	6.0
Bootle	72,186	1,060	1,040	33	33	2,166	30.0	1,264	17.5	1.0528	18.4	317	146	12.5
Bournemouth	83,205	609	596	49	47	1,301	15.6	855	10.3	.9142	9.4	82	63	5.3
Bradford	290,540	2,765	2,620	157	154	5,696	19.6	4,386	15.1	1.0550	15.9	728	128	4.5
Brighton	133,096	1,115	1,130	99	84	2,428	18.2	1,878	14.1	.9092	12.8	287	118	4.1
Bristol	361,362	3,903	3,882	145	165	8,095	22.4	4,633	12.8	.9835	12.6	777	96	9.6
Burnley	109,021	1,184	1,161	76	68	2,489	22.8	1,836	16.8	1.1051	18.6	434	174	6.0
Burton upon Trent ...	47,758	518	478	27	17	1,040	21.8	650	13.6	.9911	13.5	96	92	8.2
Bury	59,159	565	578	29	19	1,191	20.1	918	15.5	1.0622	16.5	168	141	4.6
Canterbury	24,561	250	202	19	14	485	19.7	357	14.5	.8764	12.7	62	128	5.2
Chester	39,200	464	423	28	27	942	24.0	625	15.9	.9887	15.7	106	113	8.1
Coventry	115,064	1,506	1,435	45	30	3,016	26.2	1,323	11.5	1.0671	12.3	273	91	14.7
Croydon	178,094	1,869	1,821	105	99	3,894	21.9	2,088	11.7	.9650	11.3	373	96	10.2
Derby	125,462	1,428	1,380	51	58	2,917	23.3	1,569	12.5	1.0078	12.6	296	101	10.8
Devonport	84,371	963	887	23	22	1,895	22.5	1,000	11.9	1.0618	12.6	167	88	10.6
Dewsbury†	53,855	618	588	28	29	1,263	23.5	908	16.9	1.0576	17.9	166	131	6.6
Dudley	51,641	701	725	29	23	1,478	28.6	872	16.9	1.0029	16.9	216	146	11.7
Eastbourne	54,691	425	403	21	26	875	16.0	570	10.4	1.0150	10.6	61	70	5.6
Exeter	50,651 ^c	476	425	35	41	977	19.3	785	15.5	.9062	14.0	99	101	3.8
Gateshead... ..	118,601	1,680	1,648	63	75	3,466	29.2	1,756	14.8	1.0737	15.9	429	124	14.4

† Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
Gloucester ...	50,533	603	556	27	22	1,208	23·9	692	13·7	·9525	13·0	108	89	10·2
Great Yarmouth ...	57,005	602	624	54	34	1,314	23·1	851	14·9	·8703	13·0	143	109	8·2
Grimsby ...	77,420	985	979	68	68	2,100	27·1	1,043	13·5	1·0211	13·8	238	113	13·6
Halifax ...	100,740	880	906	43	57	1,886	18·7	1,559	15·5	1·0239	15·9	191	101	3·2
Hastings ...	60,095	414	396	33	26	869	14·5	794	13·2	·8410	11·1	72	83	1·3
Huddersfield ...	110,882	1,004	1,062	48	53	2,167	19·5	1,637	14·8	1·0493	15·5	225	104	4·7
Ipswich ...	75,682	864	839	53	57	1,813	24·0	1,056	14·0	·9324	13·1	174	96	10·0
Kingston upon Hull ...	287,032	3,926	3,714	204	167	8,011	27·9	4,248	14·8	1·0056	14·9	1,029	128	13·1
Leeds ...	457,295	5,163	4,873	318	251	10,605	23·2	7,089	15·5	1·0593	16·4	1,431	135	7·7
Leicester ...	230,970	2,556	2,461	128	118	5,263	22·8	3,085	13·4	1·0286	13·8	628	119	9·4
Lincoln ...	59,322	670	658	48	41	1,417	23·9	741	12·5	·9787	12·2	149	105	11·4
Liverpool ...	757,552*	11,067	10,746	409	389	22,611	29·8	13,789	18·2	1·0324	18·8	3,005	133	11·6
Manchester ...	730,982*	9,199	8,819	391	382	18,791	25·7	11,521	15·8	1·0799	17·1	2,415	129	9·9
Middlesbrough ...	110,378*	1,659	1,633	66	75	3,433	31·1	1,994	18·1	1·0721	19·4	443	129	13·0
Newcastle upon Tyne ...	271,295	3,525	3,518	156	157	7,356	27·1	4,122	15·2	1·0526	16·0	885	120	11·9
Newport (Mon.) ...	87,626	1,145	1,113	51	37	2,346	26·8	1,133	12·9	1·0635	13·7	271	116	13·9
Northampton ...	90,793	888	859	50	37	1,834	20·2	1,155	12·7	1·0133	12·9	172	94	7·5
Norwich ...	123,288	1,289	1,275	73	74	2,711	22·0	1,713	13·9	·9285	12·9	309	114	8·1
Nottingham ...	264,735	2,806	2,793	195	204	5,998	22·7	3,790	14·3	1·0090	14·4	787	131	8·4
Oldham ...	149,936	1,691	1,599	82	74	3,446	23·0	2,565	17·1	1·0783	18·4	485	141	5·9
Oxford ...	53,937	475	425	19	36	955	17·7	644	11·9	·9322	11·1	80	84	5·8
Plymouth ...	113,083	1,281	1,255	93	61	2,690	23·8	1,804	16·0	·9150	14·6	333	124	7·8
Portsmouth ...	241,256	2,878	2,716	123	130	5,847	24·2	3,032	12·6	·9885	12·5	541	93	11·6
Preston ...	118,070	1,382	1,303	66	76	2,827	23·9	2,016	17·1	1·0584	18·1	451	160	6·8
Reading ...	89,339	931	823	58	59	1,871	20·9	1,039	11·6	·9552	11·1	151	81	9·3
Rochdale ...	93,420	894	932	54	61	1,941	20·8	1,434	15·4	1·0619	16·4	206	106	5·4
Rotherham ...	64,432	963	894	44	42	1,943	30·2	1,007	15·6	1·0267	16·0	277	143	14·6
St. Helens ...	99,460	1,574	1,529	45	51	3,193	32·2	1,888	19·0	1·0785	20·5	500	156	13·2
Salford ...	233,849	3,127	2,997	103	103	6,330	27·1	3,810	16·3	1·0728	17·5	873	138	10·8
Sheffield ...	471,662	6,539	6,144	316	292	13,291	28·2	7,448	15·8	1·0520	16·6	1,705	128	12·4
Smethwick ...	74,565	1,013	985	27	23	2,048	27·5	1,011	13·6	1·0700	14·6	264	129	13·9
Southampton ...	122,412	1,394	1,369	72	55	2,890	23·6	1,577	12·9	·9574	12·4	237	82	10·7
Southport ...	71,092	503	515	30	35	1,083	15·2	926	13·0	·9344	12·1	102	94	2·2
South Shields ...	110,513	1,740	1,574	57	49	3,420	30·9	1,977	17·9	1·0339	18·5	400	117	13·0
Stockport ...	114,170*	1,307	1,222	43	49	2,621	23·0	1,780	15·6	1·0610	16·6	381	145	7·4
Stoke on Trent ...	239,284	3,613	3,516	177	191	7,497	31·3	4,509	18·8	1·0664	20·0	1,280	171	12·5
Sunderland ...	152,377	2,311	2,224	87	86	4,708	30·9	2,695	17·7	1·0108	17·9	626	133	13·2
Tynemouth ...	60,601	863	809	39	37	1,748	28·8	960	15·8	1·0189	16·1	213	122	13·0
Wallasey† ...	84,476	922	873	35	33	1,863	22·1	1,011	12·0	1·0385	12·5	159	85	10·1
Walsall ...	93,477	1,398	1,310	42	51	2,801	30·0	1,605	17·2	1·0294	17·7	439	157	12·8
Warrington ...	74,065	1,020	1,081	25	32	2,158	29·1	1,160	15·7	1·0861	17·1	282	131	13·4
West Bromwich ...	69,088	1,004	978	33	24	2,039	29·5	1,240	17·9	1·0102	18·1	291	143	11·6
West Ham ...	294,223	4,522	4,278	122	118	9,040	30·7	4,274	14·5	1·0259	14·9	968	107	16·2
West Hartlepool ...	64,234	964	892	40	28	1,924	30·0	1,054	16·4	1·0350	17·0	263	137	13·6
Wigan ...	90,763	1,266	1,184	66	36	2,552	28·1	1,694	18·7	1·1149	20·8	460	180	9·4
Wolverhampton ...	95,601	1,210	1,220	51	59	2,540	26·6	1,522	15·9	1·0172	16·2	331	130	10·7
Worcester ...	48,307	479	435	37	27	978	20·2	699	14·5	·9282	13·5	86	88	5·7
York ...	83,329	972	897	53	57	1,979	23·7	1,035	12·4	·9934	12·3	185	93	11·3
Cardiff ...	186,554	2,311	2,278	109	92	4,790	25·7	2,513	13·5	1·0606	14·3	550	115	12·2
Merthyr Tydfil ...	83,808	1,155	1,131	57	44	2,387	28·5	1,140	13·6	1·0586	14·4	300	126	14·9
Swansea ...	119,485	1,616	1,597	48	62	3,323	27·8	1,724	14·4	1·0497	15·1	423	127	13·4

Administrative Counties.

BEDFORDSHIRE.														
Total Urban Districts ...	200,070	2,027	1,932	109	84	4,152	20·8	2,404	12·0	·9064	10·9	354	85	8·8
Total Rural Districts ...	121,942	1,283	1,179	60	54	2,576	21·1	1,411	11·6	·9782	11·3	231	90	9·5
Urban Districts.														
Amphill ...	78,128	744	753	49	30	1,576	20·2	993	12·7	·8150	10·4	123	78	7·5
Bedford M.B. ...	2,292	26	12	2	2	42	18·3	37	16·1	·7229	11·6	8	190	2·2
Biggleswade ...	40,151	335	310	17	19	681	17·0	399	9·9	1·0052	10·0	59	87	7·1
Dunstable M.B. ...	5,436	51	61	6	5	123	22·6	83	15·3	·8323	12·7	13	106	7·3
Kempston ...	8,445	83	76	5	3	167	19·8	116	13·7	·9223	12·6	17	102	6·1
Leighton Buzzard ...	5,498	71	66	3	3	143	26·0	61	11·1	·9982	11·1	15	105	14·9
Luton M.B. ...	6,890	44	58	8	2	112	16·3	72	10·4	·8144	8·5	8	71	5·9
Rural Districts.														
Amphill ...	53,230	673	596	19	20	1,308	24·6	643	12·1	1·0334	12·5	111	85	12·5
Bedford ...	19,634	181	197	11	9	398	20·3	256	13·0	·7919	10·3	32	80	7·3
Biggleswade ...	19,300	159	162	10	4	335	17·4	238	12·3	·8027	9·9	17	51	5·1
Eaton Bray ...	22,014	232	202	15	11	460	20·9	287†	13·0	·8311	10·8	48	104	7·9
Eaton Socon ...	3,842	28	35	4	1	68	17·7	55	14·3	·7925	11·3	9	132	3·4
Luton ...	3,591	28	42	2	1	73	20·3	42	11·7	·7504	8·8	3	41	8·6
† Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.														

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
BERKSHIRE.														
Total Urban Districts ...	196,661	1,842	1,754	107	99	3,802	19·3	2,335	11·9	·8740	10·4	267	70	7·4
Total Rural Districts ...	58,168	549	508	38	34	1,129	19·4	757	13·0	·8778	11·4	85	75	6·4
Urban Districts.	138,493	1,293	1,246	69	65	2,673	19·3	1,578	11·4	·8723	9·9	182	68	7·9
Abingdon M.B. ...	6,888	71	50	6	3	130	18·9	97	14·1	·8773	12·4	7	54	4·8
Maidenhead M.B. ...	15,755	134	132	10	10	286	18·2	188	11·9	·9295	11·1	28	98	6·3
Newbury M.B. ...	12,358	124	107	9	6	246	19·9	155	12·5	·8409	10·5	19	77	7·4
New Windsor M.B. ...	12,334	124	127	7	6	264	21·4	162	13·1	·9517	12·5	15	57	8·3
Wallingford M.B. ...	2,694	24	19	2	1	46	17·1	39	14·5	·7570	11·0	2	43	2·6
Wantage ...	3,595	30	35	3	4	72	20·0	47	13·1	·8363	11·0	9	125	6·9
Wokingham M.B. ...	4,544	42	38	1	4	85	18·7	69	15·2	·7651	11·6	5	59	3·5
Rural Districts.														
Abingdon ...	9,461	86	91	8	7	192	20·3	123	13·0	·8531	11·1	10	52	7·3
Bradfield ...	14,636	124	130	7	1	262	17·9	143	9·8	·8907	8·7	12	46	8·1
Cookham ...	12,727	129	107	8	5	249	19·6	143	11·2	·8956	10·0	21	84	8·4
Easthampstead ...	17,977	143	155	7	3	308	17·1	175†	9·7	·9211	8·9	23	75	7·4
Faringdon (part of)‡	11,226	108	118	5	6	237	21·1	151	13·5	·8271	11·2	19	80	7·6
Hungerford ...	9,136	105	71	4	7	187	20·5	112	12·3	·8222	10·1	11	59	8·2
Newbury ...	10,939	112	75	2	4	193	17·6	126	11·5	·8223	9·5	12	62	6·1
Wallingford ...	7,494	72	70	3	2	147	19·6	85†	11·3	·8651	9·8	7	48	8·3
Wantage ...	12,069	124	125	8	5	262	21·7	143	11·8	·8254	9·7	17	65	9·9
Windsor ...	15,633	131	138	6	12	287	18·4	187	12·0	·9588	11·5	25	87	6·4
Wokingham ...	17,195	159	166	11	13	349	20·3	190	11·0	·8734	9·6	25	72	9·3
BUCKINGHAMSHIRE.														
Total Urban Districts ...	224,944	2,142	2,149	93	85	4,469	19·9	2,464	11·0	·8942	9·8	314	70	8·9
Total Rural Districts ...	82,542	818	815	46	29	1,708	20·7	906	11·0	·9452	10·4	130	76	9·7
Urban Districts.	142,402	1,324	1,334	47	56	2,761	19·4	1,558	10·9	·8680	9·5	184	67	8·5
Aylesbury ...	11,480	122	114	8	6	250	21·8	146	12·7	·8950	11·4	18	72	9·1
Beaconsfield ...	2,736	32	37	—	1	70	25·6	29	10·6	·9881	10·5	4	57	15·0
Bletchley ...	5,254	55	47	1	—	103	19·6	46	8·8	·9535	8·4	4	39	10·8
Buckingham M.B. ...	3,313	19	33	3	5	60	18·1	39	11·8	·8106	9·6	4	67	6·3
Chepping Wycombe M.B. ...	21,035	210	227	15	5	457	21·7	213	10·1	·9968	10·1	38	83	11·6
Chesham ...	8,434	82	73	3	1	159	18·9	97	11·5	·9564	11·0	9	57	7·4
Eton ...	3,166	19	11	2	—	32	10·1	28	8·8	1·3431	11·8	4	125	1·3
Linslade ...	2,287	20	25	1	1	47	20·6	26	11·4	·8655	9·9	5	106	9·2
Marlow ...	4,721	41	59	3	3	106	22·5	60	12·7	·8718	11·1	12	113	9·8
Newport Pagnell ...	4,288	37	32	1	1	71	16·6	52	12·1	·8426	10·2	6	85	4·5
Slough ...	15,828	181	157	9	6	353	22·3	170	10·7	·9315	10·0	26	74	11·6
Rural Districts.														
Amersham ...	19,644	186	199	7	8	400	20·4	202	10·3	·9260	9·5	26	65	10·1
Aylesbury ...	16,119	132	149	3	5	289	17·9	192†	11·9	·7970	9·5	21	73	6·0
Buckingham ...	8,369	74	69	1	3	147	17·6	161	12·1	·7901	9·6	12	82	5·5
Eton ...	24,249	251	261	8	12	532	21·9	266	11·0	·9365	10·3	36	68	10·9
Hambleton ...	1,936	15	15	2	1	33	17·0	19	9·8	·9375	9·2	1	30	7·2
Long Crendon ...	4,198	37	27	1	2	67	16·0	39	9·3	·8122	7·6	3	45	6·7
Newport Pagnell ...	18,988	200	165	7	10	382	20·1	215	11·3	·8757	9·9	25	65	8·8
Stratford and Wolverton	10,916	93	92	2	1	188	17·2	100	9·2	·9669	8·9	6	32	8·0
Wing ...	6,045	44	57	3	3	107	17·7	74	12·2	·8200	10·0	10	93	5·5
Winslow ...	6,986	52	43	4	2	101	14·5	80	11·5	·7842	9·0	13	129	3·0
Wycombe ...	24,952	240	257	9	9	515	20·6	270	10·8	·8588	9·3	31	60	9·8
CAMBRIDGESHIRE.														
Urban District ...	130,252	1,202	1,225	61	60	2,548	19·6	1,683	12·9	·8472	10·9	194	76	6·7
Total Rural Districts ...	57,096	526	537	27	21	1,111	19·5	681	11·9	·9381	11·2	83	75	7·6
Urban District.	73,156	676	688	34	39	1,437	19·6	1,002	13·7	·7889	10·8	111	77	5·9
Cambridge M.B. ...	57,096	526	537	27	21	1,111	19·5	681	11·9	·9381	11·2	83	75	7·6
Rural Districts.														
Caxton and Arrington ...	7,764	56	76	2	4	138	17·8	101	13·0	·7610	9·9	6	43	4·8
Chesterton ...	23,663	218	212	11	5	446	18·8	296†	12·5	·8054	10·1	30	67	6·3
Linton ...	10,528	81	82	4	6	173	16·4	150	14·2	·7811	11·1	20	116	2·2
Melbourn ...	8,534	77	86	7	8	178	20·9	141	16·5	·7441	12·3	19	107	4·4
Newmarket ...	20,055	219	215	9	14	457	22·8	277	13·8	·8246	11·4	32	70	9·0
Swavesey ...	2,612	25	17	1	2	45	17·2	37	14·2	·6959	9·9	4	89	3·0
CHESHIRE.§														
Total Urban Districts§ ...	611,540	6,438	6,186	296	309	13,229	21·6	7,952	13·0	1·0046	13·1	1,406	106	8·6
Total Rural Districts ...	423,491	4,684	4,353	220	225	9,482	22·4	5,860	13·8	1·0173	14·0	1,113	117	8·6
Urban Districts.	188,049	1,754	1,833	76	84	3,747	19·9	2,092	11·1	·9770	10·8	293	78	8·8
Alderley Edge ...	3,203	21	18	1	2	42	13·1	31	9·7	1·0633	10·3	2	48	3·4
Alsager ...	2,778	33	22	—	1	56	20·2	46	16·6	·9178	15·2	8	143	3·6
Altrincham ...	18,048	201	182	6	8	397	22·0	283	15·7	1·0363	16·3	44	111	6·3
Ashton upon Mersey ...	7,634	83	70	10	6	169	22·1	90	11·8	1·0425	12·3	17	101	10·3
Bollington ...	5,219	45	54	6	1	106	20·3	73	14·0	1·0226	14·3	14	132	6·3

† The remainder of Faringdon Rural District is in Gloucestershire; see page 140.

‡ Excluding Wallasey (constituted a County Borough on 1st April, 1913) throughout the whole year.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
CHESHIRE—cont.														
Bowdon	3,105	18	14	—	—	32	10·3	33	10·6	1·0162	10·8	1	31	-0·3
Bredbury and Romiley ...	9,042	78	89	1	1	169	18·7	116	12·8	1·0394	13·3	14	83	5·9
Bromborough	1,994	16	12	—	2	30	15·0	19	9·5	1·0595	10·1	3	100	5·5
Buglawton	1,435	27	18	1	—	46	32·1	27	18·8	·9256	17·4	3	65	13·3
Cheadle and Gatley	10,391	101	81	1	1	184	17·7	122†	11·7	1·0279	12·0	16	87	6·0
Compstall	916	14	5	1	—	20	21·8	13	14·2	1·0068	14·3	3	150	7·6
Congleton, M.B.	11,453	124	132	13	7	276	24·1	183	16·0	·9554	15·3	35	127	8·1
Crewe, M.B.	45,652	508	462	21	20	1,011	22·1	530	11·6	1·0464	12·1	101	100	10·5
Dukinfield, M.B.	19,540	256	241	5	18	520	26·6	318	16·3	1·0787	17·6	77	148	10·3
Ellesmere Port and Whitby	11,825	249	228	8	1	486	41·1	135	11·4	1·0800	12·3	47	97	29·7
Hale	9,259	65	72	2	2	141	15·2	94	10·2	1·0964	11·2	18	128	5·0
Handforth	940	14	11	—	1	26	27·7	15	16·0	·9991	16·0	3	115	11·7
Hazel Grove and Bramhall	10,038	76	85	3	5	169	16·8	126	12·6	1·0548	13·3	25	148	4·2
Higher Bebington	1,725	18	24	1	—	43	24·9	24	13·9	·9329	13·0	4	93	11·0
Hollingworth	2,612	20	32	1	1	54	20·7	37	14·2	·9605	13·6	3	56	6·5
Hoole	6,070	68	64	4	3	139	22·9	66	10·9	1·0376	11·3	15	108	12·0
Hoylake and West Kirby	14,776	122	117	10	5	254	17·2	173	11·7	1·0009	11·7	17	67	5·5
Hyde, M.B.	33,598	362	327	15	22	726	21·6	523	15·6	1·0359	16·2	113	156	6·0
Knutsford	5,900	70	43	1	4	118	20·0	63	10·7	·9743	10·4	9	76	9·3
Lower Bebington	12,121	186	174	4	7	371	30·6	146	12·0	1·0919	13·1	39	105	18·6
Lymm	5,057	49	49	3	4	105	20·8	66	13·1	·9485	12·4	11	105	7·7
Macclesfield, M.B.	34,838	333	311	24	21	689	19·8	517†	14·8	·9558	14·1	81	118	5·0
Marple	6,696	49	41	1	1	92	13·7	63	9·4	1·0059	9·5	12	130	4·3
Middlewich	4,967	50	68	4	7	129	26·0	61	12·3	1·0159	12·5	15	116	13·7
Mottram in Longdendale	3,030	22	26	1	—	49	16·2	52	17·2	1·0292	17·7	5	102	-1·0
Nantwich	7,837	77	73	6	9	165	21·1	125	15·9	·9582	15·2	25	152	5·2
Neston and Parkgate ...	4,702	59	55	2	5	121	25·7	54	11·5	1·0252	11·8	12	99	14·2
Northwich	18,280	239	225	9	10	483	26·4	280	15·3	1·0323	15·8	72	149	11·1
Runcorn	17,560	241	222	9	6	478	27·2	289	16·5	1·0138	16·7	53	111	10·7
Sale	15,752	165	159	12	6	342	21·7	195	12·4	1·0193	12·6	37	108	9·3
Sandbach	5,763	75	53	1	2	131	22·7	83	14·4	·8999	13·0	12	92	8·3
Stalybridge, M.B.	26,235	305	273	18	17	613	23·4	479	18·3	1·0584	19·4	91	148	5·1
Tarporley	2,594	27	27	2	6	62	23·9	36	13·9	·9093	12·6	8	129	10·0
Wilmslow	8,343	77	65	3	3	148	17·7	110	13·2	·9505	12·5	10	68	4·5
Winsford	10,863	129	107	10	10	256	23·6	151	13·9	·9413	13·1	37	145	9·7
Yeardsley cum Whaley ...	1,700	12	22	—	—	34	20·0	13	7·6	1·0040	7·6	1	29	12·4
Rural Districts.														
Bucklow	23,582	180	186	4	9	379	16·1	222†	9·4	1·0372	9·7	36	95	6·7
Chester	12,816	88	117	4	4	213	16·6	117†	9·1	1·0106	9·2	13	61	7·5
Congleton	12,965	157	157	1	4	319	24·6	168	13·0	·8979	11·7	20	63	11·6
Disley	2,989	33	34	—	—	67	22·4	32	10·7	1·0074	10·8	4	60	11·7
Macclesfield	16,841	139	140	9	7	295	17·5	188	11·2	·9983	11·2	18	61	6·3
Malpas	4,680	45	55	6	2	108	23·1	56	12·0	·8871	10·6	8	74	11·1
Nantwich	25,426	242	246	18	16	522	20·5	314	12·3	·9278	11·4	44	84	8·2
Northwich	23,557	262	271	12	11	556	23·6	277	11·8	·9979	11·8	48	86	11·8
Runcorn	29,407	294	293	8	12	607	20·6	318	10·8	·9944	10·7	50	82	9·8
Tarvin	13,324	125	132	7	10	274	20·6	166	12·5	·9214	11·5	22	80	8·1
Tintwistle	2,214	18	21	—	2	41	18·5	33	14·9	·9885	14·7	5	122	3·6
Wirral	20,248	171	181	7	7	366	18·1	201	9·9	1·0203	10·1	25	68	8·2
CORNWALL.														
Total Urban Districts ...	329,479	3,239	2,899	146	165	6,449	19·6	4,570	13·9	·8543	11·9	589	91	5·7
Total Rural Districts ...	146,477*	1,429	1,310	77	76	2,892	19·7	2,089	14·3	·8695	12·4	283	98	5·4
	183,002*	1,810	1,589	69	89	3,557	19·4	2,481	13·6	·8429	11·5	306	86	5·8
Urban Districts.														
Bodmin, M.B.	5,825	40	41	2	1	84	14·4	71†	12·2	·8634	10·5	8	95	2·2
Callington	1,712	11	10	—	1	22	12·9	21	12·3	·9093	11·2	2	91	0·6
Camborne	16,093	170	178	9	10	367	22·8	269	16·7	·9367	15·6	41	112	6·1
Falmouth, M.B.	13,454	113	112	4	6	235	17·5	188	14·0	·8764	12·3	22	94	3·5
Fowey, M.B.†	325*	1	2	—	—	3	9·2	4	12·3	·9657	11·9	—	—	-3·1
Hayle	1,015	7	9	—	—	16	15·8	15	14·8	·8395	12·4	1	63	1·0
Helston M.B.	2,901	31	24	3	5	63	21·7	45	15·5	·7692	11·9	8	127	6·2
Launceston M.B.	4,132	30	31	1	3	65	15·7	43	10·4	·8722	9·1	3	46	5·3
Liskeard M.B.	4,457	32	22	6	2	62	13·9	57	12·8	·7942	10·2	7	113	1·1
Looe	2,759	17	17	1	1	36	13·0	36	13·0	·8443	11·0	3	83	0·0
Lostwithiel M.B.	1,383	13	14	—	2	29	21·0	24	17·4	·6952	12·1	3	103	3·6
Ludgvan	2,198	27	20	3	1	51	23·2	35	15·9	·8846	14·1	5	98	7·3
Madron	3,764	36	32	1	2	71	18·9	41	10·9	·8239	9·0	6	85	8·0
Newquay	4,726	34	32	1	5	72	15·2	52	11·0	·9340	10·3	3	42	4·2
Padstow	2,699	21	24	1	1	47	17·4	35	13·0	·9862	12·8	6	128	4·4
Paul	5,938	67	44	1	1	113	19·0	69	11·6	·8404	9·7	12	106	7·4
Penryn M.B.	3,069	34	33	2	2	71	23·1	54	17·6	·8042	14·2	9	127	5·5
Penzance M.B.	13,560	130	101	7	7	245	18·1	206	15·2	·8649	13·1	29	118	2·9

† Created on 10th November, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
CORNWALL—cont.															
Phillack	3,546	40	41	6	2	89	25.1	63	17.8	.8491	15.1	14	157	7.3	
Redruth	10,901	126	129	8	4	267	24.5	173	15.9	.9131	14.5	19	71	8.6	
St. Austell	3,371	32	27	—	2	61	18.1	58	17.2	.8231	14.2	6	98	0.9	
St. Ives M.B.	7,283	68	75	2	3	148	20.3	87	11.9	.8282	9.9	11	74	8.4	
St. Just	5,779	83	68	4	2	157	27.2	116	20.1	.8567	17.2	22	140	7.1	
Saltash M.B.	4,315	34	33	1	2	70	16.2	45	10.4	.9491	9.9	3	43	5.8	
Stratton and Bude	3,136	34	18	4	4	60	19.1	38	12.1	.9059	11.0	2	33	7.0	
Torpoint	4,492	54	55	2	—	111	24.7	56	12.5	.8592	10.7	10	90	12.2	
Truro M.B.	11,268	116	102	6	5	229	20.3	153	13.6	.8936	12.2	24	105	6.7	
Wadebridge	2,376	28	16	2	2	48	20.2	35	14.7	.7966	11.7	4	83	5.5	
Rural Districts.															
Bodmin	10,348	91	86	4	4	185	17.9	135	13.0	.8337	10.8	11	59	4.9	
Calstock	4,642	34	31	4	3	72	15.5	69	14.9	.8690	12.9	3	42	0.6	
Camelford	7,432	75	64	3	3	145	19.5	88	11.8	.8479	10.0	2	14	7.7	
East Kerrier	7,965	65	62	2	2	131	16.4	94	11.8	.8051	9.5	8	61	4.6	
Helston	17,074	182	138	9	8	337	19.7	232	13.6	.8306	11.3	33	98	6.1	
Holsworthy (part of) ‡ ...	324	—	1	—	—	1	3.1	4	12.3	1.0285	12.7	—	—	9.2	
Launceston	7,483	65	64	3	7	139	18.6	101	13.5	.8215	11.1	16	115	5.1	
Liskeard	15,271	135	138	5	6	284	18.6	202	13.2	.8082	10.7	29	102	5.4	
Redruth	17,911	215	173	3	11	402	22.4	309	17.3	.8711	15.1	45	112	5.1	
St. Austell	33,117*	370	319	13	18	720	21.7	450	13.6	.9049	12.3	61	85	8.1	
St. Columb Major	11,385	94	99	6	10	209	18.4	134	11.8	.8507	10.0	20	96	6.6	
St. Germans	11,767	110	111	4	4	229	19.5	124	10.5	.8509	8.9	19	83	9.0	
Scilly, Isles of	2,098	10	14	—	—	24	11.4	20	9.5	.8775	8.3	—	—	1.9	
Stratton	4,904	58	50	1	2	111	22.6	62	12.6	.8519	10.7	5	45	10.0	
Truro	20,145	190	150	9	9	358	17.8	309	15.3	.7808	11.9	32	89	2.5	
West Penwith	11,136	116	89	3	2	210	18.9	148	13.3	.8494	11.3	22	105	5.6	
CUMBERLAND.															
Total Urban Districts ...	265,461	3,067	2,905	186	187	6,345	23.9	3,795	14.3	.9578	13.7	692	109	9.6	
Total Rural Districts ...	170,509	2,042	1,973	117	107	4,239	24.9	2,530	14.8	.9880	14.6	501	118	10.1	
Urban Districts.															
Arlecdon and Frizington ...	5,145	72	66	5	4	147	28.6	69	13.4	.9306	12.5	13	88	15.2	
Aspatria	3,448	46	39	3	2	90	26.1	49	14.2	.9624	13.7	8	89	11.9	
Carlisle M.B.	52,630	540	565	26	31	1,162	22.1	785	14.9	1.0200	15.2	149	128	7.2	
Cleator Moor	8,344	125	111	6	2	244	29.2	121	14.5	1.0387	15.1	34	139	14.7	
Cockermouth	5,167	53	47	4	1	105	20.3	73	14.1	.9369	13.2	9	86	6.2	
Egremont	6,435	96	83	6	5	190	29.5	106	16.5	.9945	16.4	28	147	13.0	
Harrington	4,496	73	53	2	1	129	28.7	62	13.8	1.0216	14.1	12	93	14.9	
Holme Cultram	4,546	43	42	6	3	94	20.7	64	14.1	.8820	12.4	13	138	6.6	
Keswick	4,391	30	35	1	4	70	15.9	60	13.7	.8929	12.2	3	43	2.2	
Maryport	11,303	167	163	7	6	343	30.3	164	14.5	.9744	14.1	30	87	15.8	
Millom	8,177	84	80	6	6	176	21.5	135	16.5	.9741	16.1	22	125	5.0	
Penrith	8,923	92	74	12	10	188	21.1	135	15.1	.9278	14.0	20	106	6.0	
Whitehaven M.B.	18,978	272	262	13	16	563	29.7	324	17.1	.9813	16.8	70	124	12.6	
Wigton	3,686	34	38	4	5	81	22.0	49	13.3	.8486	11.3	7	86	8.7	
Workington M.B.	24,840	315	315	16	11	657	26.4	334	13.4	1.0528	14.1	83	126	13.0	
Rural Districts.															
Alston with Garrigill ...	3,061	29	23	2	1	55	18.0	49	16.0	.8763	14.0	6	109	2.0	
Bootle	5,626	54	56	3	6	119	21.2	78	13.9	.8934	12.4	8	67	7.3	
Brampton	7,790	44	56	5	4	109	14.0	112	14.4	.8333	12.0	6	55	0.4	
Carlisle	11,836	93	80	5	15	193	16.3	141†	11.9	.8786	10.5	13	67	4.4	
Cockermouth	22,361	299	261	19	18	597	26.7	289	12.9	.9539	12.3	62	104	13.8	
Longtown	6,045	62	57	6	10	135	22.3	98	16.2	.8642	14.0	11	81	6.1	
Penrith	12,435	130	98	7	12	247	19.9	144	11.6	.8975	10.4	18	73	8.3	
Whitehaven	14,431	182	170	10	11	373	25.8	182	12.6	.9963	12.6	38	102	13.2	
Wigton	11,367	132	131	12	3	278	24.5	172	15.1	.8684	13.1	29	104	9.4	
DERBYSHIRE.															
Total Urban Districts ...	578,022	7,074	6,988	315	340	14,717	25.5	7,271	12.6	1.0025	12.6	1,634	111	12.9	
Total Rural Districts ...	296,573	3,648	3,585	166	182	7,581	25.6	3,843	13.0	1.0211	13.3	880	116	12.6	
Urban Districts.															
Alfreton	19,415	275	273	11	10	569	29.3	236	12.2	.9908	12.1	47	83	17.1	
Alvaston and Boulton ...	1,127	21	29	1	—	51	35.7	14	9.8	.8811	8.6	2	39	25.9	
Ashbourne	4,064	31	49	4	3	87	21.4	47	11.6	.9740	11.3	9	103	9.8	
Bakewell	3,126	36	24	1	3	64	20.5	30	9.6	.9204	8.8	3	47	10.9	
Baslow and Bubnell ...	873	7	13	—	—	20	22.9	19	21.8	.8095	17.6	—	—	1.1	
Belper	11,809	139	137	2	7	285	24.1	143	12.1	.9542	11.5	25	88	12.0	
Bolsover	12,261	195	161	12	11	379	30.9	130	10.6	1.0926	11.6	54	142	20.3	
Ponsall	1,221	16	19	—	—	35	28.7	15	12.3	.9293	11.4	—	—	16.4	
Brampton and Walton ...	2,115	19	21	1	1	42	19.9	29	13.7	.8771	12.0	2	48	6.2	
Buxton	9,986	62	70	6	8	146	14.6	111	11.1	1.0415	11.6	15	103	3.5	

† The remainder of Holsworthy Rural District is in Devonshire ; see page 138.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DERBYSHIRE—cont.															
Chesterfield M.B. ...	38,621	524	497	36	33	1,090	28·2	636	16·5	1·0589	17·5	154	141	11·7	
Clay Cross ...	8,367	118	137	7	5	267	31·9	179	21·4	1·0109	21·6	40	150	10·5	
Dronfield ...	3,975	53	57	2	4	116	29·2	55	13·8	·9417	13·0	12	103	15·4	
Fairfield ...	4,388	56	43	1	3	103	23·5	39	8·9	1·0161	9·0	7	68	14·6	
Glossop M.B. ...	21,727	190	186	7	6	389	17·9	313	14·4	1·0130	14·6	51	131	3·5	
Heage ...	3,614	51	42	1	—	94	26·0	38	10·5	·9938	10·4	6	64	15·5	
Heanor ...	20,714	283	250	11	10	554	26·7	257	12·4	1·0277	12·7	62	112	14·3	
Ilkeston M.B. ...	33,160	445	457	16	25	943	28·4	451	13·6	1·0723	14·6	147	156	14·8	
Long Eaton ...	20,683	208	214	6	5	433	20·9	187	9·0	1·1119	10·0	43	99	11·9	
Matlock ...	6,929	62	49	4	2	117	16·9	76	11·0	·9452	10·4	6	51	5·9	
Matlock Bath and Scarthin Nick. ...	1,798	19	15	2	3	39	21·7	26	14·5	·9342	13·5	2	51	7·2	
New Mills ...	9,292	85	92	4	4	185	19·9	107	11·5	1·0223	11·8	19	103	8·4	
North Darley ...	3,451	28	30	2	2	62	18·0	28	8·1	1·0519	8·5	4	65	9·9	
Ripley ...	12,264	157	171	8	8	344	28·1	145	11·8	1·0032	11·8	34	99	16·3	
South Darley ...	814	13	6	—	—	19	23·3	7	8·6	·8970	7·7	—	—	14·7	
Swadlincote District ...	18,832	264	263	12	12	551	29·3	235	12·5	1·0149	12·7	58	105	16·8	
Whittington and Newbold ...	17,740	261	247	5	14	527	29·7	245	13·8	1·0359	14·3	71	135	15·9	
Wirksworth ...	3,907	30	33	4	3	70	17·9	45	11·5	·9030	10·4	7	100	6·4	
Rural Districts.															
Ashbourne ...	10,259	98	121	8	5	232	22·6	112	10·9	·8900	9·7	6	26	11·7	
Bakewell ...	20,643	207	196	11	7	421	20·4	255	12·4	·9010	11·2	26	62	8·0	
Belper ...	23,851	241	230	8	11	490	20·5	245	10·3	·9506	9·8	41	84	10·2	
Blackwell ...	41,835	609	679	31	37	1,356	32·4	521	12·5	1·0515	13·1	172	127	19·9	
Chapel en le Frith ...	17,331	160	169	6	7	342	19·7	189	10·9	·9976	10·9	30	88	8·8	
Chesterfield ...	74,182	1,117	990	47	51	2,205	29·7	1,077	14·5	1·0055	14·6	291	132	15·2	
Clowne ...	19,267	264	294	10	11	579	30·1	245	12·7	1·0469	13·3	68	117	17·4	
Glossop Dale ...	3,975	29	28	—	1	58	14·6	44	11·1	·9620	10·7	6	103	3·5	
Hartshorn and Seals ...	8,167	105	124	8	4	241	29·5	113	13·8	·9518	13·1	26	108	15·7	
Hayfield ...	5,491	34	32	—	2	68	12·4	51	9·3	1·0068	9·4	3	44	3·1	
Norton ...	4,056	31	33	—	1	65	16·0	43	10·6	·9922	10·5	6	92	5·4	
Repton ...	16,338	156	158	6	7	327	20·0	160†	9·8	·9580	9·4	23	70	10·2	
Shardlow ...	31,922	334	320	12	10	676	21·2	329	10·3	·9610	9·9	50	74	10·9	
Sudbury ...	2,716	26	23	1	3	53	19·5	27	9·9	·8821	8·7	3	57	9·6	
Civil Parishes of Codnor Park and Shipley administered by Rural District Council of Basford (Nottinghamshire).	1,416	15	6	1	1	23	16·2	17	12·0	1·0103	12·1	3	130	4·2	
DEVONSHIRE.															
Total Urban Districts ...	460,585*	4,021	3,772	203	191	8,187	17·8	5,932	12·9	·8544	11·0	634	77	4·9	
Total Rural Districts ...	233,299*	1,940	1,834	99	84	3,957	17·0	3,126	13·4	·8599	11·5	344	87	3·6	
Urban Districts.	227,286*	2,081	1,938	104	107	4,230	18·6	2,806	12·3	·8488	10·4	290	69	6·3	
Ashburton ...	2,462	23	16	—	1	40	16·2	49	19·9	·8381	16·7	7	175	—3·7	
Bampton ...	1,552	21	20	1	—	42	27·1	20	12·9	·8559	11·0	2	48	14·2	
Barnstaple M.B. ...	14,567	130	104	6	10	250	17·2	196	13·5	·8453	11·4	23	92	3·7	
Bideford M.B. ...	9,156	99	76	5	7	187	20·4	85	9·3	·8885	8·3	11	59	11·1	
Brixham ...	7,921	105	94	1	4	204	25·8	102	12·9	·8806	11·4	11	54	12·9	
Buckfastleigh ...	2,408	21	19	1	—	41	17·0	30	12·5	·9465	11·8	3	73	4·5	
Budleigh Salterton ...	2,239	13	10	1	2	26	11·6	29	13·0	·7374	9·6	1	38	—1·4	
Crediton ...	3,560	17	31	2	1	51	14·3	65	18·3	·7605	13·9	3	59	—4·0	
Dartmouth M.B. ...	7,107	66	61	4	—	131	18·4	84	11·8	·9807	11·6	14	107	6·6	
Dawlish ...	4,122	29	27	2	2	60	14·6	52	12·6	·7735	9·7	4	67	2·0	
East Stonehouse ...	13,421	197	187	6	5	395	29·4	241	18·0	·9837	17·7	59	149	11·4	
Exmouth ...	12,316	80	88	5	1	174	14·1	137	11·1	·8297	9·2	10	57	3·0	
Great Torrington M.B. ...	2,993	38	20	2	1	61	20·4	69	23·1	·7937	18·3	12	197	—2·7	
Heavitree† ...	10,060*	90	80	1	1	172	17·1	105†	10·4	·9171	9·5	10	58	6·7	
Holsworthy ...	1,530	20	10	1	—	31	20·3	15	9·8	·8592	8·4	2	65	10·5	
Honiton M.B. ...	3,172	31	24	4	—	59	18·6	42	13·2	·8386	11·1	2	34	5·4	
Ilfracombe ...	9,026	52	53	4	2	111	12·3	123	13·6	·8362	11·4	10	90	—1·3	
Lyvybridge ...	1,767	12	15	—	2	29	16·4	20	11·3	·9453	10·7	1	34	5·1	
Kingsbridge ...	3,055	19	22	—	—	41	13·4	47	15·4	·7850	12·1	3	73	—2·0	
Lynton ...	1,801	7	13	1	—	21	11·7	22	12·2	·9777	11·9	3	143	—0·5	
Newton Abbot ...	13,997	109	128	8	6	251	17·9	193	13·8	·8970	12·4	18	72	4·1	
Northam ...	5,535	62	56	—	5	123	22·2	70	12·6	·8499	10·7	6	49	9·6	
Okehampton M.B. ...	3,319	29	27	3	2	61	18·4	35	10·5	·9454	9·9	2	33	7·9	
Ottery St. Mary ...	3,748	38	24	1	—	63	16·8	72	19·2	·7804	15·0	5	79	—2·4	
Paignton ...	11,925	110	96	4	9	219	18·4	167	14·0	·8499	11·9	20	91	4·4	
Salcombe ...	2,109	14	9	2	—	25	11·9	33	15·6	·7996	12·5	2	80	—3·7	
Seaton ...	1,782	10	14	1	1	26	14·6	16	9·0	·8843	8·0	4	154	5·6	

† Abolished on 9th November, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born)						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Inc ease per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DEVONSHIRE—cont.															
Sidmouth	5,950	34	37	2	—	73	12·3	60	10·1	·8567	8·7	2	27	2·2	
South Molton M.B. ...	2,717	23	24	—	1	48	17·7	32	11·8	·7685	9·1	—	—	5·9	
Tavistock	4,311	27	30	3	3	63	14·6	61	14·1	·7886	11·1	7	111	0·5	
Teignmouth	9,354	49	63	9	4	125	13·4	127	13·6	·8072	11·0	13	104	—0·2	
Tiverton M.B.	10,163	77	78	1	—	156	15·3	128	12·6	·8848	11·1	12	77	2·7	
Torquay M.B.	40,004	261	245	17	12	535	13·4	534	13·3	·8730	11·6	58	108	0·1	
Totnes M.B.	4,150	27	33	1	2	63	15·2	65	15·7	·7703	12·1	4	63	—0·5	
Rural Districts.															
Axminster	12,370	107	107	3	9	226	18·3	154	12·4	·8075	10·0	12	53	5·9	
Barnstaple	18,350	182	167	5	10	364	19·8	198	10·8	·8275	8·9	15	41	9·0	
Bideford	6,322	58	57	—	2	117	18·5	83	13·1	·8460	11·1	11	94	5·4	
Broadwood Widger ...	2,373	26	20	3	1	50	21·1	20	8·4	·8986	7·5	3	60	12·7	
Crediton	10,761	99	103	5	3	210	19·5	124	11·5	·8293	9·5	6	29	8·0	
Culmstock	3,348	28	22	—	—	50	14·9	49	14·6	·8429	12·3	4	80	0·3	
Holsworthy (part of)‡	7,030	69	72	5	5	151	21·5	83	11·8	·8554	10·1	7	46	9·7	
Honiton	9,668	87	77	4	4	172	17·8	106	11·0	·8347	9·2	10	58	6·8	
Kingsbridge	11,704	103	93	5	4	205	17·5	142	12·1	·8167	10·9	16	78	5·4	
Newton Abbot	19,652	179	177	9	5	370	18·8	270	13·7	·8579	11·8	34	92	5·1	
Okehampton	13,699	128	102	7	13	250	18·2	208	15·2	·8411	12·8	25	100	3·0	
Plympton St. Mary ...	21,830	219	200	13	10	442	20·2	282	12·9	·8931	11·5	41	93	7·3	
St. Thomas	26,695*	241	241	17	10	509	19·1	316†	11·8	·8414	9·9	42	83	7·3	
South Molton	10,895	80	78	4	2	164	15·1	122	11·2	·8594	9·6	9	55	3·9	
Tavistock	16,210	126	121	8	10	265	16·3	203	12·5	·8763	11·0	14	53	3·8	
Tiverton	15,075	139	129	4	6	278	18·4	183	12·1	·8834	10·7	11	40	6·3	
Torrington	8,901	97	75	4	2	178	20·0	115	12·9	·8442	10·9	14	79	7·1	
Totnes	12,403	113	97	8	11	229	18·5	148†	11·9	·8464	10·1	16	70	6·6	
DORSETSHIRE.															
Total Urban Districts ...	122,723	1,091	1,064	58	59	2,272	18·5	1,380	11·2	·9526	10·7	177	78	7·3	
Total Rural Districts ...	105,623	981	924	43	45	1,993	18·9	1,287	12·2	·8343	10·2	144	72	6·7	
Urban Districts.															
Blandford Forum M.B. ...	3,436	33	34	—	4	71	20·7	47	13·7	·7978	10·9	4	56	7·0	
Bridport M.B.	5,909	47	54	—	4	105	17·8	107	18·1	·7929	14·4	8	76	—0·3	
Dorchester M.B.	9,934	88	96	4	5	193	19·4	143	14·4	·9565	13·8	16	83	5·0	
Lyme Regis M.B.	2,934	16	19	—	2	37	12·6	27	9·2	·9548	8·8	1	27	3·4	
Poole M.B.	41,595	422	400	32	28	882	21·2	443	10·6	·9374	9·9	77	87	10·6	
Portland	17,445	114	102	3	2	221	12·7	123	7·1	1·3272	9·4	14	63	5·6	
Shaftesbury M.B.	1,836	14	11	—	—	25	13·6	23	12·5	·8468	10·6	1	40	1·1	
Sherborne... ..	5,999	43	56	4	2	105	17·5	70	11·7	·9227	10·8	12	114	5·8	
Swanage	4,996	45	29	2	—	76	15·2	42	8·4	·9484	8·0	1	13	6·8	
Wareham M.B.	2,002	15	21	1	1	38	19·0	31	15·5	·7778	12·1	8	211	3·5	
Weymouth and Melcombe Regis M.B.	22,918	216	216	9	8	449	19·6	278	12·1	·9319	11·3	32	71	7·5	
Wimborne Minster	3,715	38	26	3	3	70	18·8	46	12·4	·8439	10·5	3	43	6·4	
Rural Districts.															
Beaminster	9,220	90	74	3	1	168	18·2	130	14·1	·7902	11·1	12	71	4·1	
Blandford	8,760	83	72	3	4	162	18·5	110	12·6	·8284	10·4	10	62	5·9	
Bridport	6,727	65	51	4	3	123	18·3	88	13·1	·8333	10·9	7	57	5·2	
Cerne	4,879	43	46	4	2	95	19·5	67	13·7	·8323	11·4	11	116	5·8	
Dorchester	9,646	72	69	3	6	150	15·6	105†	10·9	·8722	9·5	9	60	4·7	
Poole	6,671	62	84	3	3	152	22·8	65	9·7	·8513	8·3	16	105	13·1	
Shaftesbury	10,906	95	90	3	4	192	17·6	114	10·5	·8014	8·4	17	89	7·1	
Sherborne	5,964	59	46	3	2	110	18·4	87	14·6	·8694	12·7	9	82	3·8	
Sturminster	8,432	78	69	6	4	157	18·6	127	15·1	·8244	12·4	13	83	3·5	
Wareham and Purbeck ...	10,561	106	106	3	5	220	20·8	128	12·1	·8382	10·1	10	45	8·7	
Weymouth	8,521	93	89	2	4	188	22·1	91	10·7	·8737	9·3	9	48	11·4	
Wimborne and Cranborne	15,336	135	128	6	7	276	18·0	175	11·4	·8450	9·6	21	76	6·6	
DURHAM.															
Total Urban Districts ...	967,834	14,543	14,097	567	583	29,790	30·8	14,808	15·3	1·0210	15·6	4,080	137	15·5	
Total Rural Districts ...	547,329*	8,292	7,902	314	333	16,841	30·8	8,541	15·6	1·0249	16·0	2,280	135	15·2	
Total	420,505*	6,251	6,195	253	250	12,949	30·8	6,267	14·9	1·0158	15·1	1,800	139	15·9	
Urban Districts.															
Annfield Plain	17,527	231	255	16	14	516	29·4	273	15·6	1·0287	16·0	77	149	13·8	
Barnard Castle	4,837	45	41	3	3	92	19·0	70	14·5	·9558	13·9	14	152	4·5	
Benfieldside	8,570	112	93	3	5	213	24·9	126	14·7	1·0576	15·5	25	117	10·2	
Bishop Auckland	14,281	176	173	12	9	370	25·9	218	15·3	·9843	15·1	49	132	10·6	
Blaydon	33,857	529	539	24	19	1,111	32·8	441	13·0	1·0608	13·8	163	147	19·8	
Brandon and Byshottles...	18,169	279	295	8	12	594	32·7	302	16·6	1·0434	17·3	77	130	16·1	
Chester le Street	15,421	229	204	9	6	448	29·1	179	11·6	1·0126	11·7	48	107	17·5	
Consett	11,570	156	140	8	13	317	27·4	196	16·9	1·0713	18·1	51	161	10·5	

† The remainder of Holsworthy Rural District is in Cornwall ; see page 136.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
DURHAM—cont.															
Crook	12,509	179	192	5	4	380	30·4	195	15·6	1·0211	15·9	51	134	14·8	
Darlington, M.B. ...	58,295	747	740	34	28	1,549	26·6	804	13·8	1·0066	13·9	144	93	12·8	
Durham, M.B.	17,885	208	205	3	12	428	23·9	297	16·6	·9929	16·5	54	126	7·3	
Felling	25,639	421	329	9	20	779	30·4	399	15·6	1·0135	15·8	109	140	14·8	
Hartlepool, M.B....	20,110	344	283	10	13	650	32·3	397	19·7	1·0206	20·1	95	146	12·6	
Hebburn	21,970	388	405	14	10	817	37·2	360	16·4	1·0470	17·2	99	121	20·8	
Hetton	16,158	311	286	5	11	613	37·9	298	18·4	·9989	18·4	91	148	19·5	
Houghton le Spring ...	10,207	161	159	10	7	337	33·0	173	16·9	·9818	16·6	50	148	16·1	
Jarrow, M.B.	33,590	518	518	22	17	1,075	32·0	587	17·5	1·0180	17·8	135	126	14·5	
Leadgate	5,070	79	90	2	4	175	34·5	92	18·1	1·0039	18·2	17	97	16·4	
Ryton	14,025	206	216	7	12	441	31·4	168	12·0	1·0066	12·1	40	91	19·4	
Seaham Harbour...	17,097	328	277	7	6	618	36·2	283	16·6	1·0277	17·1	101	163	19·6	
Shildon	13,902	203	223	6	6	438	31·5	209	15·0	·9951	14·9	63	144	16·5	
Southwick on Wear ...	14,057	250	197	10	9	466	33·2	245	17·4	1·0324	18·0	81	174	15·8	
Spennymoor	18,208	287	296	12	14	609	33·4	264	14·5	1·0094	14·6	96	158	18·9	
Stanhope	2,021	18	22	1	—	41	20·3	32	15·8	·9280	14·7	3	73	4·5	
Stanley	25,628	425	382	12	15	834	32·5	386	15·1	1·0755	16·2	140	168	17·4	
Stockton on Tees, M.B....	53,296*	791	790	42	39	1,662	31·2	973	18·3	1·0248	18·8	238	143	12·9	
Tanfield	10,538	168	129	5	2	304	28·8	135	12·8	1·0318	13·2	39	128	16·0	
Tow Law	4,313	68	48	6	4	126	29·2	57	13·2	1·0058	13·3	12	95	16·0	
Whickham	19,646	281	262	7	15	565	28·8	267	13·6	1·0637	14·5	85	150	15·2	
Willington	8,933	154	113	2	4	273	30·6	115	12·9	1·0163	13·1	33	121	17·7	
Rural Districts.															
Auckland	59,975	874	864	31	43	1,812	30·2	925	15·4	1·0112	15·6	253	140	14·8	
Barnard Castle	11,862	146	135	14	9	304	25·6	203	17·1	·9499	16·2	38	125	8·5	
Chester le Street...	67,490	1,010	1,069	45	45	2,169	32·1	947	14·0	1·0359	14·5	293	135	18·1	
Darlington	11,231	123	136	5	5	269	24·0	169	15·0	·9084	13·6	25	93	9·0	
Durham	31,701	492	495	21	21	1,029	32·5	510	16·1	·9882	15·9	142	138	16·4	
Easington...	64,706	1,135	1,116	46	42	2,339	36·1	1,095	16·9	1·0477	17·7	352	150	19·2	
Hartlepool	3,468	24	34	2	2	62	17·9	26†	7·5	·9615	7·2	5	81	10·4	
Houghton le Spring ...	27,015	456	427	6	14	903	33·4	404	15·0	·9965	14·9	128	142	18·4	
Lanchester	33,470	497	465	17	21	1,000	29·9	465	13·9	1·0369	14·4	142	142	16·0	
Sedgefield	36,894	534	538	17	11	1,100	29·8	471†	12·8	1·0534	13·5	154	140	17·0	
South Shields	15,365	185	203	20	12	420	27·3	206†	13·4	1·0261	13·7	59	140	13·9	
Stockton	17,200*	235	192	12	9	448	26·0	246	14·3	·9973	14·3	59	132	11·7	
Sunderland	30,491	449	436	12	9	906	29·7	497	16·3	1·0219	16·7	139	153	13·4	
Weardale	9,637	91	85	5	7	188	19·5	103	10·7	·9594	10·3	11	59	8·8	
ELY, ISLE OF.															
Total Urban Districts ...	71,012	829	765	47	40	1,681	23·7	906	12·8	·8385	10·7	159	95	10·9	
Total Rural Districts ...	37,298	394	391	23	27	835	22·4	485	13·0	·8400	10·9	81	97	9·4	
Total Urban Districts ...	33,714	435	374	24	13	846	25·1	421	12·5	·8364	10·5	78	92	12·6	
Urban Districts.															
Chatteris	5,390	59	61	5	2	127	23·6	76	14·1	·8498	12·0	18	142	9·5	
Ely	7,966	91	81	7	7	186	23·3	94	11·8	·8392	9·9	17	91	11·5	
March	8,604	94	94	5	6	199	23·1	97	11·3	·8989	10·2	15	75	11·8	
Whittlesey	4,278	48	58	2	3	111	25·9	71	16·6	·7998	13·3	12	108	9·3	
Wisbech, M.B.	11,060	102	97	4	9	212	19·2	147	13·3	·8130	10·8	19	90	5·9	
Rural Districts.															
Ely	13,043	155	130	9	8	302	23·2	168	12·9	·8233	10·6	24	79	10·3	
North Witchford ...	5,334	61	71	3	4	139	26·1	77	14·4	·8083	11·6	17	122	11·7	
Thorney	1,927	35	27	3	—	65	33·7	15	7·8	·9290	7·2	4	62	25·9	
Whittlesey	3,425	40	33	—	—	73	21·3	39	11·4	·8791	10·0	6	82	9·9	
Wisbech	9,985	144	113	9	1	267	26·7	122	12·2	·8427	10·3	27	101	14·5	
ESSEX.															
Total Urban Districts ...	1,120,605	11,817	11,638	411	366	24,232	21·6	11,986	10·7	·9737	10·4	1,783	74	10·9	
Total Rural Districts ...	855,218*	9,293	9,129	300	260	18,982	22·2	8,930	10·4	1·0233	10·6	1,435	76	11·8	
Total Urban Districts ...	265,387*	2,524	2,509	111	106	5,250	19·8	3,056	11·5	·8464	9·7	348	66	8·3	
Urban Districts.															
Barking Town	33,629	494	505	14	13	1,026	30·5	467	13·9	1·0470	14·6	123	120	16·6	
Braintree	6,369	54	69	6	1	130	20·4	107	16·8	·8898	14·9	7	54	3·6	
Brentwood	7,400	62	53	2	3	120	16·2	70	9·5	1·0142	9·6	6	50	6·7	
Brightlingsea	4,380	30	34	2	4	70	16·0	53	12·1	·8247	10·0	6	86	3·9	
Buckhurst Hill	4,910	49	51	2	3	105	21·4	63	12·8	1·0003	12·8	7	67	8·6	
Burnham on Crouch ...	3,255	24	35	1	—	60	18·4	33	10·1	·8326	8·4	1	17	8·3	
Chelmsford M.B. ...	18,592	182	202	14	4	402	21·6	207	11·1	·9273	10·3	23	57	10·5	
Chingford... ..	9,097	95	99	1	4	199	21·9	84	9·2	1·0334	9·5	17	85	12·7	
Clacton	10,333	90	75	6	4	175	16·9	120	11·6	·9625	11·2	11	63	5·3	
Colchester M.B. ...	44,669	441	404	22	18	885	19·8	499	11·2	1·0097	11·3	53	60	8·6	
East Ham M.B.	142,467	1,847	1,708	42	39	3,636	25·5	1,441	10·1	1·0536	10·6	225	62	15·4	
Epping	4,364	43	33	1	2	79	18·1	45	10·3	·8126	8·4	5	63	7·8	
Frinton on Sea	1,717	13	15	—	1	29	16·9	12	7·0	1·1189	7·8	—	—	9·9	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
ESSEX—cont.														
Grays Thurrock ...	16,517	223	201	11	10	445	26·9	163	9·9	1·0762	10·7	36	81	17·0
Halstead ...	6,310	59	58	4	2	123	19·5	102	16·2	·8697	14·1	8	65	3·3
Harwich M.B. ...	14,473	164	179	8	6	357	24·7	144	9·9	1·1101	11·0	30	84	14·4
Ilford ...	87,040	740	728	17	19	1,504	17·3	739†	8·5	1·0637	9·0	102	68	8·8
Leigh on Sea† ...	7,422*	66	76	4	3	149	20·1	71	9·6	·9580	9·2	6	40	10·5
Leyton ...	130,922	1,433	1,430	27	26	2,916	22·3	1,349	10·3	1·0217	10·5	248	85	12·0
Loughton ...	5,601	45	45	1	1	92	16·4	63	11·2	1·0138	11·4	15	163	5·2
Maldon M.B. ...	6,418	49	65	1	2	117	18·2	73	11·4	·8281	9·4	7	60	6·8
Romford ...	17,764	193	188	10	15	406	22·9	208	11·7	·9491	11·1	23	57	11·2
Saffron Walden M.B. ...	6,410	50	47	1	2	100	15·6	76	11·9	·8063	9·6	5	50	3·7
Shoeburyness ...	5,225	94	71	3	—	168	32·2	62	11·9	1·0398	12·4	19	113	20·3
Southend on Sea M.B. ...	72,126*	619	639	44	34	1,336	18·5	765	10·6	1·0088	10·7	115	86	7·9
Tilbury ...	6,723	117	119	4	—	240	35·7	78	11·6	1·1022	12·8	19	79	24·1
Waltham Holy Cross ...	6,854	67	62	5	2	136	19·8	74	10·8	1·0139	10·9	11	81	9·0
Walthamstow ...	131,636	1,561	1,577	35	34	3,207	24·4	1,316	10·0	1·0646	10·6	249	78	14·4
Walton on the Naze ...	2,211	13	21	2	—	36	16·3	22	10·0	·9139	9·1	2	56	6·3
Wanstead ...	14,944	129	108	4	2	243	16·3	124	8·3	1·0790	9·0	16	66	8·0
Witham ...	3,486	37	29	—	2	68	19·5	57	16·4	·9005	14·8	10	147	3·1
Wivenhoe ...	2,331	15	21	1	—	37	15·9	41	17·6	·8370	14·7	3	81	1·7
Woodford ...	19,623	195	182	5	4	386	19·7	202	10·3	1·0246	10·6	27	70	9·4
Rural Districts.														
Belchamp ...	4,635	33	37	3	3	76	16·4	64	13·8	·7492	10·3	7	92	2·6
Billerica ...	22,525	180	181	7	3	371	16·5	209†	9·3	·9322	8·7	23	62	7·2
Braintree ...	18,548	161	154	9	3	327	17·6	259	14·0	·7900	11·1	21	64	3·6
Bumpstead ...	2,607	30	28	1	1	60	23·0	49	18·8	·7803	14·7	6	100	4·2
Chelmsford ...	23,285	247	255	11	11	524	22·5	256	11·0	·8243	9·1	31	59	11·5
Dunmow ...	16,175	147	141	8	4	300	18·5	199	12·3	·7791	9·6	18	60	6·2
Epping ...	14,241	141	149	1	9	300	21·1	161	11·3	·8920	10·1	16	53	9·8
Halstead ...	10,369	81	86	2	6	175	16·9	115	11·1	·8086	9·0	9	51	5·8
Lexden and Winstree ...	19,950	162	162	12	9	345	17·3	255	12·8	·8150	10·4	29	84	4·5
Maldon ...	16,531	147	154	7	5	313	18·9	186	11·3	·8024	9·1	16	51	7·6
Ongar ...	10,788	113	107	3	4	227	21·0	113	10·5	·8953	9·4	9	40	10·5
Orsett ...	19,338	211	225	7	14	457	23·6	179	9·3	·9601	8·9	29	63	14·3
Rochford ...	19,247*	193	183	15	11	402	20·9	250	13·0	·8740	11·4	32	80	7·9
Romford ...	26,874	283	281	7	8	579	21·5	248	9·2	·9617	8·8	41	71	12·3
Saffron Walden ...	10,821	95	106	5	1	207	19·1	142	13·1	·7812	10·2	15	72	6·0
Stansted ...	7,109	77	55	3	3	138	19·4	94	13·2	·8212	10·8	11	80	6·2
Tendring ...	22,344	223	205	10	11	449	20·1	277	12·4	·8219	10·2	35	78	7·7
GLOUCESTERSHIRE.														
Total Urban Districts ...	330,829	3,214	3,017	154	166	6,551	19·8	4,337	13·1	·8715	11·4	478	73	6·7
Total Rural Districts ...	100,423	906	846	51	59	1,862	18·5	1,415	14·1	·8861	12·5	161	86	4·4
Total Urban Districts ...	230,406	2,308	2,171	103	107	4,689	20·4	2,922	12·7	·8653	11·0	317	68	7·7
Urban Districts.														
Awre ...	1,064	13	14	—	1	28	26·3	13	12·2	·8980	11·0	1	36	14·1
Charlton Kings ...	4,660	41	46	2	2	91	19·5	55	11·8	·8742	10·3	6	66	7·7
Cheltenham M.B. ...	48,823	377	352	26	29	784	16·1	743	15·2	·8709	13·2	67	85	0·9
Cirencester ...	7,654	82	71	1	3	157	20·5	99	12·9	·8979	11·6	10	64	7·6
Coleford ...	2,619	31	32	6	2	71	27·1	41	15·7	·8434	13·2	6	85	11·4
Kingswood ...	12,876	122	132	4	5	263	20·4	146	11·3	1·0765	12·2	22	84	9·1
Nailsworth ...	3,032	31	36	—	1	68	22·4	47	15·5	·8736	13·5	8	118	6·9
Newnham ...	982	13	15	1	—	29	29·5	13	13·2	·8475	11·2	1	34	16·3
Stow on the Wold ...	1,281	12	7	—	—	19	14·8	24	18·7	·8862	16·6	5	263	3·9
Stroud ...	8,675	105	70	2	8	185	21·3	110	12·7	·8831	11·2	14	76	8·6
Tetbury ...	1,703	15	12	1	2	30	17·6	31	18·2	·7901	14·4	4	133	0·6
Tewkesbury M.B. ...	5,255	51	46	8	5	110	20·9	71	13·5	·8710	11·8	16	145	7·4
Westbury on Severn ...	1,799	13	13	—	1	27	15·0	22	12·2	·7039	8·6	1	37	2·8
Rural Districts.														
Campden ...	5,634	56	58	1	3	118	20·9	58	10·3	·8206	8·5	7	59	10·6
Cheltenham ...	5,402	44	41	—	1	86	15·9	77	14·3	·8877	12·7	6	70	1·6
Chipping Sodbury ...	20,680	198	179	2	7	386	18·7	253	12·2	·8568	10·5	28	73	6·5
Cirencester ...	12,905	146	108	7	5	266	20·6	153	11·9	·8488	10·1	18	68	8·7
Dursley ...	12,376	108	141	6	2	257	20·8	165	13·3	·8599	11·4	16	62	7·5
East Dean and United Parishes.	19,938	265	235	13	13	526	26·4	267	13·4	·8938	12·0	50	95	13·0
Faringdon (part of)§ ...	1,164	7	10	2	—	19	16·3	15	12·9	·8522	11·0	1	53	3·4
Gloucester ...	13,055	102	106	4	4	216	16·5	135†	10·3	·8848	9·1	11	51	6·2
Lydney ...	9,090	81	93	5	4	183	20·1	108	11·9	·9236	11·0	10	55	8·2
Marston Sicca ...	1,639	14	8	—	1	23	14·0	18	11·0	·7638	8·4	2	87	3·0
Newent ...	6,939	55	65	5	6	131	18·9	105	15·1	·7778	11·7	10	76	3·8
Northleach ...	8,045	86	74	7	6	173	21·5	114	14·2	·7977	11·3	9	52	7·3
Pebworth ...	3,310	35	33	—	1	69	20·8	35	10·6	·8052	8·5	2	29	10·2

† Abolished on 9th November, 1913.

§ The remainder of Faringdon Rural District is in Berkshire; see page 134.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
GLOUCESTERSHIRE—cont.															
Stow on the Wold (part of)†	6,882	80	61	6	3	150	21·8	114	16·6	·8029	13·3	9	60	5·2	
Stroud ...	28,134	243	236	6	12	497	17·7	378	13·4	·8706	11·7	21	42	4·3	
Tetbury (part of)§	3,940	41	37	2	—	80	20·3	36	9·1	·9331	8·5	1	13	11·2	
Tewkesbury (part of)‡	5,095	46	40	6	3	95	18·6	79	15·5	·7987	12·4	10	105	3·1	
Thornbury ...	19,221	190	165	7	5	367	19·1	247	12·9	·8690	11·2	25	68	6·2	
Warmley ...	17,486	175	158	4	7	344	19·7	202	11·6	·9826	11·4	33	96	8·1	
West Dean ...	13,653	186	184	9	12	391	28·6	164	12·0	·9087	10·9	26	66	16·6	
Wheatenhurst ...	6,090	57	57	6	5	125	20·5	75	12·3	·8055	9·9	6	48	8·2	
Winchcomb (part of)‡	9,728	93	82	5	7	187	19·2	124	12·7	·8344	10·6	16	86	6·5	
HEREFORDSHIRE.															
Total Urban Districts ...	114,303	1,133	1,121	88	77	2,419	21·2	1,612	14·1	·8229	11·6	187	77	7·1	
Total Rural Districts ...	40,174	385	434	34	27	880	21·9	525	13·1	·8701	11·4	64	73	8·8	
Urban Districts.	74,129	748	687	54	50	1,539	20·8	1,087	14·7	·7997	11·8	123	80	6·1	
Bromyard... ..	1,713	15	13	2	1	31	18·1	26	15·2	·8537	13·0	3	97	2·9	
Hereford M.B. ...	22,852	227	254	18	20	519	22·7	287	12·6	·9068	11·4	42	81	10·1	
Kington ...	1,789	13	19	—	—	32	17·9	30	16·8	·7783	13·1	—	—	1·1	
Ledbury ...	3,382	37	37	3	—	77	22·8	45	13·3	·8307	11·0	3	39	9·5	
Leominster M.B. ...	5,715	55	64	6	3	128	22·4	64	11·2	·8494	9·5	15	117	11·2	
Ross ...	4,723	38	47	5	3	93	19·7	73	15·5	·8558	13·3	1	11	4·2	
Rural Districts.															
Bredwardine ...	1,971	19	9	1	1	30	15·2	30	15·2	·8212	12·5	2	67	—	
Bromyard... ..	7,856	75	82	4	5	166	21·1	103	13·1	·7833	10·3	4	24	8·0	
Dore ...	6,431	63	67	4	4	138	21·5	88	13·7	·8095	11·1	4	29	7·8	
Hereford ...	13,675	151	109	16	6	282	20·6	203	14·8	·8143	12·1	29	103	5·8	
Kington ...	4,934	43	43	6	2	94	19·1	73	14·8	·7712	11·4	12	128	4·3	
Ledbury ...	9,057	87	101	7	7	202	22·3	123	13·6	·8473	11·5	20	99	8·7	
Leominster ...	7,916	71	66	3	10	150	18·9	111	14·0	·7792	10·9	8	53	4·9	
Ross ...	10,447	88	103	6	6	203	19·4	152	14·5	·8097	11·7	16	79	4·9	
Weobley ...	6,639	76	65	5	6	152	22·9	119	17·9	·7726	13·8	17	112	5·0	
Whitchurch ...	1,520	24	12	1	1	38	25·0	29	19·1	·7938	15·2	3	79	5·9	
Wigmore ...	3,683	51	30	1	2	84	22·8	56	15·2	·7936	12·1	8	95	7·6	
HERTFORDSHIRE.															
Total Urban Districts ...	323,951	3,176	2,975	118	111	6,380	19·7	3,468	10·7	·9392	10·0	390	61	9·0	
Total Rural Districts ...	205,300*	1,946	1,878	79	89	3,992	19·4	2,238	10·9	·9482	10·3	255	64	8·5	
Urban Districts.	118,651*	1,230	1,097	39	22	2,388	20·1	1,230	10·4	·9237	9·6	135	57	9·7	
Baldock ...	2,295*	21	25	—	2	48	20·9	27	11·8	·8457	10·0	1	21	9·1	
Barnet ...	10,939	102	102	6	3	213	19·5	113	10·3	·9571	9·9	7	33	9·2	
Bishop's Stortford ...	9,058	72	62	5	6	145	16·0	113	12·5	·9018	11·3	13	90	3·5	
Bushey ...	7,556	61	59	1	3	124	16·4	59	7·8	1·0750	8·4	6	48	8·6	
Cheshunt ...	13,113	140	150	5	6	301	23·0	152	11·6	·9712	11·3	22	73	11·4	
Chorleywood‡	1,605*	8	12	—	—	20	12·5	14	8·7	·9571	8·3	—	—	3·8	
East Barnet Valley ...	12,929	115	104	5	5	229	17·7	130	10·1	·9935	10·0	12	52	7·6	
Great Berkhamstead ...	7,525	61	51	2	2	116	15·4	88	11·7	·9772	11·4	11	95	3·7	
Harpenden ...	6,519	50	59	3	1	113	17·3	59	9·1	·9715	8·8	5	44	8·2	
Hemel Hempstead M.B....	13,277	137	143	4	7	291	21·9	146	11·0	·9327	10·3	13	45	10·9	
Hertford M.B. ...	10,637	105	91	9	11	216	20·3	125	11·8	·9594	11·3	12	56	8·5	
Hitchin ...	12,344	121	126	5	2	254	20·6	155	12·6	·8640	10·9	18	71	8·0	
Hoddesdon ...	5,312	54	41	2	2	99	18·6	67	12·6	·8819	11·1	4	40	6·0	
Rickmansworth ...	6,906*	60	59	3	4	126	18·2	63	9·1	1·0111	9·2	9	71	9·1	
Royston ...	4,097	31	35	2	2	70	17·1	39	9·5	·8018	7·6	4	57	7·6	
St. Albans M.B. ...	19,645*	208	155	4	5	372	18·9	219	11·1	·9491	10·5	21	56	7·8	
Sawbridgeworth ...	2,356	23	25	3	—	51	21·6	41	17·4	·8951	15·6	5	98	4·2	
Stevenage... ..	5,071	52	50	4	3	109	21·5	59	11·6	·8984	10·4	9	83	9·9	
Tring ...	4,513	49	42	—	—	91	20·2	67	14·8	·8508	12·6	10	110	5·4	
Ware ...	5,906	53	56	3	3	115	19·5	66	11·2	·9074	10·2	2	17	8·3	
Watford ...	43,697	423	431	13	22	889	20·3	436	10·0	1·0171	10·2	71	80	10·3	
Rural Districts.															
Ashwell ...	3,947	23	35	4	1	63	16·0	47	11·9	·7708	9·2	3	48	4·1	
Barnet ...	5,164	61	53	1	1	116	22·5	49	9·5	·9984	9·5	6	52	13·0	
Berkhamstead ...	4,707	52	41	2	1	96	20·4	82	17·4	·8915	15·5	12	125	3·0	
Buntingford ...	5,019	63	53	1	1	118	23·5	79	15·7	·7709	12·1	9	76	7·8	
Hadham ...	5,935	56	60	4	2	122	20·6	57	9·6	·8083	7·8	3	25	11·0	
Hatfield ...	8,841	99	80	4	3	186	21·0	91	10·3	·9604	9·9	9	48	10·7	
Hemel Hempstead ...	6,698	73	71	—	—	144	21·5	63	9·4	·8694	8·2	4	28	12·1	
Hertford ...	7,678	77	59	3	3	142	18·5	93	12·1	·8637	10·5	11	77	6·4	
Hitchin ...	19,873*	245	246	10	4	505	25·4	228	11·5	·9197	10·6	32	63	13·9	

† The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire; see page 157.

§ The remainder of Tetbury Rural District is in Wiltshire; see page 156.

‡ Created on 1st April, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born)				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
HERTFORDSHIRE—cont.															
St. Albans	20,185*	206	178	5	—	389	19·3	176†	8·7	1·0032	8·7	29	75	10·6	
Ware	11,601	114	97	4	2	217	18·7	113	9·7	·9317	9·0	4	18	9·0	
Watford	16,540*	140	102	1	3	246	14·9	123†	7·4	1·0573	7·8	13	53	7·0	
Welwyn	2,463	21	22	—	1	44	17·9	29	11·8	·9350	11·0	—	—	6·1	
HUNTINGDONSHIRE.															
Total Urban Districts ...	55,926	534	524	28	23	1,109	19·8	721	12·9	·8239	10·6	74	67	6·9	
Total Rural Districts ...	23,934	247	225	15	13	500	20·9	300	12·5	·8799	11·0	37	74	8·4	
Urban Districts.	31,992	287	299	13	10	609	19·0	421	13·2	·7868	10·4	37	61	5·8	
Godmanchester, M.B. ...	2,157	17	21	3	1	42	19·5	32	14·8	·7815	11·6	3	71	4·7	
Huntingdon, M.B. ...	3,941	32	35	2	5	74	18·8	60	15·2	·8284	12·6	6	81	3·6	
Old Fletton	5,106	57	62	4	1	124	24·3	60	11·8	1·0030	11·8	14	113	12·5	
Ramsey	5,449	61	60	4	1	126	23·1	56	10·3	·9043	9·3	6	48	12·8	
St. Ives, M.B.	3,040	32	18	—	2	52	17·1	32	10·5	·8357	8·8	2	38	6·6	
St. Neots	4,241	48	29	2	3	82	19·3	60	14·1	·8573	12·1	6	73	5·2	
Rural Districts.															
Huntingdon	6,925	65	68	4	4	141	20·4	76	11·0	·8057	8·9	7	50	9·4	
Norman Cross	5,635	56	53	3	1	113	20·1	80	14·2	·8500	12·1	11	97	5·9	
Oundle (part of)† ...	1,118	5	10	—	2	17	15·2	11	9·8	·7731	7·6	1	59	5·4	
St. Ives	9,775	88	100	4	2	194	19·8	135	13·8	·7655	10·6	11	57	6·0	
St. Neots	7,224	60	57	1	—	118	16·3	97	13·4	·7623	40·2	6	51	2·9	
Thrapston (part of)‡ ...	882	11	7	1	1	20	22·7	14	15·9	·7124	11·3	1	50	6·8	
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	433	2	4	—	—	6	13·9	8	18·5	·7720	14·3	—	—	—4·6	
KENT.															
Total Urban Districts ...	1,041,264	10,468	10,215	498	511	21,692	20·8	12,155	11·7	·9318	10·9	1,714	79	9·1	
Total Rural Districts ...	725,295*	7,303	7,120	322	343	15,088	20·8	8,402	11·6	·9638	11·2	1,198	79	9·2	
Urban Districts.	315,969*	3,165	3,095	176	168	6,604	20·9	3,753	11·9	·8658	10·3	516	78	9·0	
Ashford	13,874	128	124	8	12	272	19·6	170	12·3	·9066	11·2	23	85	7·3	
Beckenham	32,987	282	280	11	15	588	17·8	324	9·8	1·0056	9·9	42	71	8·0	
Bexley	16,475	172	179	6	10	367	22·3	206	12·5	·9258	11·6	42	114	9·8	
Broadstairs and St. Peter's	9,519	57	65	3	3	128	13·4	97	10·2	1·0183	10·4	6	47	3·2	
Bromley, M.B.	35,143	282	308	15	11	616	17·5	334	9·5	·9926	9·4	51	83	8·0	
Chatham, M.B.	43,494	557	534	21	21	1,133	26·0	574	13·2	1·0055	13·3	120	106	12·8	
Cheriton	7,693	82	98	4	6	190	24·7	67	8·7	1·1890	10·3	16	84	16·0	
Chislehurst	8,962	78	77	4	—	159	17·7	67	7·5	1·0196	7·6	4	25	10·2	
Dartford	24,799	270	278	5	7	560	22·6	264†	10·6	1·0421	11·0	55	98	12·0	
Deal, M.B.	11,466	136	112	9	14	271	23·6	153	13·3	·8885	11·8	21	77	10·3	
Dover, M.B.	43,878	488	420	21	22	951	21·7	548	12·5	·9519	11·9	79	83	9·2	
Erith	28,338	369	380	12	15	776	27·4	296	10·4	1·0028	10·4	60	77	17·0	
Faversham, M.B.	10,458	110	126	10	9	255	24·4	157	15·0	·8612	12·9	16	63	9·4	
Folkestone, M.B.	33,680	305	281	14	16	616	18·3	372	11·0	·9653	10·6	40	65	7·3	
Foots Cray	8,870	71	68	—	1	140	15·8	72	8·1	1·0288	8·3	8	57	7·7	
Gillingham, M.B.	54,530	583	615	16	14	1,228	22·5	537	9·8	1·0620	10·4	90	73	12·7	
Gravesend, M.B.	28,335	336	319	12	7	674	23·8	407	14·4	·9413	13·6	62	92	9·4	
Herne Bay	8,033	48	51	2	9	110	13·7	95	11·8	·9001	10·6	5	45	1·9	
Hythe, M.B.	6,586	65	57	1	6	129	19·6	73	11·1	·9050	10·0	14	109	8·5	
Lydd, M.B.	2,922	26	18	1	1	46	15·7	27	9·2	1·0013	9·2	3	65	6·5	
Maidstone, M.B.	35,944	356	336	18	19	729	20·3	455†	12·7	·9261	11·8	46	63	7·6	
Margate, M.B.	28,248*	221	204	12	16	453	16·0	288	10·2	1·0284	10·5	35	77	5·8	
Milton Regis	7,568	81	74	3	4	162	21·4	84	11·1	·8622	9·6	7	43	10·3	
New Romney, M.B.	1,334	6	10	—	1	17	12·7	13	9·7	·7848	7·6	—	—	3·0	
Northfleet... ..	14,490	221	171	5	5	402	27·7	209	14·4	·9636	13·9	37	92	13·3	
Penge	22,298	188	227	12	14	441	19·8	312	14·0	·9244	12·9	39	88	5·8	
Queenborough, M.B. ...	3,021	49	48	4	—	101	33·4	23	7·6	1·1180	8·5	9	89	25·8	
Ramsgate, M.B.	30,051	273	247	16	8	544	18·1	411	13·7	·8829	12·1	51	94	4·4	
Rochester, M.B.	31,574	353	318	23	18	712	22·6	348	11·0	·9627	10·6	56	79	11·6	
Sandgate§	2,955	12	19	1	1	33	11·2	19	6·4	1·3132	8·4	5	152	4·8	
Sandwich, M.B.	3,009	31	22	1	1	55	18·3	41	13·6	·8396	11·4	4	73	4·7	
Sevenoaks... ..	9,440	87	82	2	6	177	18·8	93	9·9	·9666	9·6	9	51	8·9	
Sheerness	17,321	226	214	4	2	446	25·7	212	12·2	1·0150	12·4	27	61	13·5	
Sittingbourne	8,245	105	97	4	2	208	25·2	109	13·2	·9278	12·2	20	96	12·0	
Southborough	7,007	66	62	7	5	140	20·0	88	12·6	·8225	10·4	9	64	7·4	
Tenterden, M.B.	3,412	22	27	3	1	53	15·5	59	17·3	·7730	13·4	6	113	—1·8	
Tonbridge	15,290	144	145	7	10	306	20·0	155	10·1	·9776	9·9	17	56	9·9	

† The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; see page 149.
‡ Excluding C.P. of Folkestone next Sandgate. § Including C.P. of Folkestone next Sandgate.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
KENT—cont.															
Tunbridge Wells, M.B. ...	36,254	246	270	17	26	559	15·4	440	12·1	·8683	10·5	36	64	3·3	
Walmer	5,283	43	43	1	1	88	16·7	57	10·8	1·0631	11·5	4	45	5·9	
Whitstable	8,197	81	82	6	3	172	21·0	112	13·7	·7899	10·8	22	128	7·1	
Wrotham	4,312	47	32	1	1	81	18·8	34	7·9	·9286	7·3	2	25	10·9	
Rural Districts.															
Blean	7,727	75	68	6	1	150	19·4	98	12·7	·8178	10·4	4	27	6·7	
Bridge	11,247	118	119	7	5	249	22·1	133+	11·8	·8078	9·5	16	64	10·3	
Bromley	22,713	227	215	10	13	465	20·5	288	12·7	·9510	12·1	37	58	7·8	
Cranbrook	13,868	103	127	7	7	244	17·6	151	10·9	·8515	9·3	16	66	6·7	
Dartford	40,478	421	445	29	24	919	22·7	425+	10·5	·9950	10·4	84	91	12·2	
Dover	8,785	75	67	2	4	148	16·8	97	11·0	·9895	10·9	9	61	5·8	
East Ashford	12,737	163	152	7	8	330	24·0	157	11·4	·8111	9·2	20	61	12·6	
Eastry	13,399	129	135	6	8	278	20·7	170	12·7	·8247	10·5	27	97	8·0	
Elham	7,591	48	66	4	2	120	15·8	80	10·5	·7852	8·2	5	42	5·3	
Faversham	13,889	144	140	6	7	297	21·4	173	12·5	·8258	10·3	27	91	8·9	
Hollingbourne	12,917	121	117	6	7	251	19·4	163	12·6	·8106	10·2	12	48	6·8	
Hoo	3,894	46	61	—	1	108	27·7	46	11·8	·8716	10·3	12	111	15·9	
Isle of Thanet	13,145*	98	91	5	6	200	15·2	140	10·7	·9396	10·1	19	95	4·5	
Maidstone... ..	16,596	170	171	9	8	358	21·6	217	13·1	·8443	11·1	33	92	8·5	
Malling	24,115	268	259	25	11	563	23·3	312	12·9	·8608	11·1	58	103	10·4	
Milton	12,523	141	145	8	6	300	24·0	160	12·8	·8618	11·0	16	53	11·2	
Romney Marsh	2,853	20	32	1	—	53	18·6	37	13·0	·8618	11·2	5	94	5·6	
Sevenoaks... ..	24,350	262	178	13	21	474	19·5	287	11·8	·8793	10·4	36	76	7·7	
Sheppey	4,544	46	48	1	2	97	21·3	39	8·6	·8931	7·7	4	41	12·7	
Strood	15,573	188	183	6	8	385	24·7	159	10·2	·9370	9·6	27	70	14·5	
Tenterden	6,116	64	54	4	5	127	20·8	83	13·6	·7798	10·6	11	87	7·2	
Tonbridge	17,894	167	159	14	7	347	19·4	238	13·3	·8864	11·8	31	89	6·1	
West Ashford	8,015	71	63	—	7	141	17·6	100	12·5	·8130	10·2	7	50	5·1	
LANCASHIRE.															
Total Urban Districts ...	1,755,809*	18,799	18,622	725	704	38,850	22·1	24,966	14·2	1·0570	15·0	4,856	125	7·9	
Total Rural Districts ...	1,510,584*	16,375	16,277	643	625	33,920	22·5	21,891	14·5	1·0692	15·5	4,362	129	8·0	
Urban Districts.	245,225	2,424	2,345	82	79	4,930	20·1	3,075	12·5	·9864	12·3	494	100	7·6	
Abram	7,034	117	98	2	1	218	31·0	105	14·9	1·1456	17·1	28	128	16·1	
Accrington M.B.	45,486	430	420	19	25	894	19·7	647	14·2	1·0833	15·4	104	116	5·5	
Adlington	4,441	58	42	1	—	101	22·7	52	11·7	1·0729	12·6	11	109	11·0	
Allerton†	1,166*	17	16	—	—	33	28·3	9	7·7	1·1011	8·5	4	121	20·6	
Ashton in Makerfield ...	22,227	307	364	13	6	690	31·0	368	16·6	1·0937	18·2	122	177	14·4	
Ashton under Lyne M.B. ...	45,479	514	480	33	28	1,055	23·2	768	16·9	1·0765	18·2	174	165	6·3	
Aspull	8,249	131	117	1	6	255	30·9	132	16·0	1·0745	17·2	33	129	14·9	
Atherton	19,645	260	266	6	7	539	27·4	312	15·9	1·1161	17·7	94	174	11·5	
Audenshaw	8,159	99	92	1	1	193	23·7	124	15·2	1·0790	16·4	27	140	8·5	
Bacup M.B.	22,273	185	216	7	6	414	18·6	389	17·5	1·0491	18·4	45	109	1·1	
Barrowford	5,663	53	52	2	2	109	19·2	79	14·0	1·0695	15·0	10	92	5·2	
Billinge	5,064	68	65	2	3	138	27·3	63	12·4	·9812	12·2	17	123	14·9	
Bispham with Norbreck... ..	2,546	11	19	1	1	32	12·6	31	12·2	·9313	11·4	4	125	0·4	
Blackrod	3,901	57	49	3	2	111	28·5	55	14·1	1·0839	15·3	20	180	14·4	
Brierfield	8,492	88	92	3	2	185	21·8	125	14·7	1·1252	16·5	27	146	7·1	
Carnforth	3,165	41	17	—	2	60	19·0	34	10·7	1·0283	11·0	5	83	8·3	
Chadderton	29,115	359	350	10	8	727	25·0	399	13·7	1·0874	14·9	87	120	11·3	
Childwall†	165*	1	—	—	—	1	6·1	7	42·4	1·0025	42·5	—	—	36·3	
Chorley M.B.	31,145	356	352	14	16	738	23·7	445	14·3	1·0919	15·6	83	112	9·4	
Church	6,990	85	72	2	2	161	23·0	95	13·6	1·0956	14·9	13	81	9·4	
Clayton le Moors	9,039	106	93	3	3	205	22·7	143	15·8	1·1069	17·5	35	171	6·9	
Clitheroe M.B.	12,760	152	118	3	3	276	21·6	214	16·8	1·0046	16·9	27	98	4·8	
Colne M.B.	26,333	267	260	14	9	550	20·9	366	13·9	1·1004	15·3	55	100	7·0	
Crompton	15,067	176	169	4	4	353	23·4	254	16·9	1·1075	18·7	48	136	6·5	
Croston	2,026	22	13	1	1	37	18·3	32	15·8	·9598	15·2	5	135	2·5	
Dalton in Furness	10,222	168	156	13	14	351	34·3	154	15·1	·9033	13·6	22	63	19·2	
Darwen M.B.	40,840	369	348	8	14	739	18·1	578	14·2	1·1206	15·9	94	127	3·9	
Denton	17,343	166	178	3	7	354	20·4	254	14·6	1·0659	15·6	52	147	5·8	
Droylsden	13,779	168	129	3	4	304	22·1	184	13·4	1·0881	14·6	35	115	8·7	
Eccles M.B.	43,759	471	469	28	14	982	22·4	560	12·8	1·0766	13·8	95	97	9·6	
Failsworth	16,440	197	195	6	9	407	24·8	233	14·2	1·1011	15·6	44	108	10·6	
Farnworth	28,660	321	304	13	15	653	22·8	465	16·2	1·0926	17·7	146	224	6·6	
Fleetwood	16,784	216	210	10	7	443	26·4	247	14·7	1·0698	15·7	48	108	11·7	
Formby	6,020	48	60	3	1	112	18·6	47	7·8	1·0173	7·9	10	89	10·8	
Fulwood	6,899	37	38	1	—	76	11·0	82	11·9	1·0942	13·0	6	79	—0·9	
Golborne	6,965	104	119	4	3	230	33·0	105	15·1	1·0549	15·9	34	148	17·9	
Grange	2,289	7	10	1	—	18	7·9	21	9·2	·9188	8·5	1	56	—1·3	
Great Crosby	13,403	125	130	2	2	259	19·3	122	9·1	1·0789	9·8	18	69	10·2	

† Abolished on 9th November, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LANCASHIRE—cont.															
Great Harwood ...	14,246	125	134	3	5	267	18·7	168	11·8	1·1492	13·6	26	97	6·9	
Haslingden M.B. ...	18,761	145	148	4	—	297	15·8	286	15·2	1·0978	16·7	38	128	0·6	
Haydock ...	9,906	158	153	6	7	324	32·7	153	15·4	1·0857	16·7	50	154	17·3	
Heaton Norris† ...	9,987 ^a	58	69	1	3	131	13·1	102	10·2	1·0436	10·6	7	53	2·9	
Heysham ...	3,343	17	14	1	—	32	9·6	46	13·8	·8881	12·3	2	63	—4·2	
Heywood M.B. ...	26,994	289	275	13	23	600	22·2	497	18·4	1·0692	19·7	101	168	3·8	
Hindley ...	24,243	343	341	15	11	710	29·3	428	17·7	1·1142	19·7	110	155	11·6	
Horwich ...	16,573	178	182	4	7	371	22·4	196	11·8	1·1400	13·5	44	119	10·6	
Hurst ...	8,029	91	106	5	5	207	25·8	140	17·4	1·0619	18·5	31	150	8·4	
Huyton with Roby ...	4,535	45	36	—	1	82	18·1	48	10·6	1·0573	11·2	5	61	7·5	
Ince in Makerfield ...	22,219	357	399	21	17	794	35·7	453	20·4	1·1021	22·5	141	178	15·3	
Irlam ...	6,781	99	78	5	3	185	27·3	104	15·3	1·0901	16·7	21	114	12·0	
Kearsley ...	9,777	124	101	1	2	228	23·3	128	13·1	1·0952	14·3	37	162	10·2	
Kirkham ...	3,817	38	39	3	3	83	21·7	66	17·3	1·0073	17·4	28	337	4·4	
Lancaster M.B. ...	41,669	332	381	25	20	758	18·2	529†	12·7	1·0442	13·3	73	96	5·5	
Lathom and Burscough ...	7,264	75	100	6	7	188	25·9	100	13·8	·9804	13·5	23	122	12·1	
Lees ...	3,658	41	46	2	3	92	25·2	83	22·7	·9918	22·5	15	163	2·5	
Leigh M.B. ...	45,086	631	581	18	30	1,260	27·9	814	18·1	1·0948	19·8	230	183	9·8	
Leyland ...	8,381	100	90	7	4	201	24·0	141	16·8	1·0510	17·7	25	124	7·2	
Litherland ...	15,802	245	258	7	6	516	32·7	259	16·4	1·0433	17·1	74	143	16·3	
Littleborough ...	11,824	84	94	3	3	184	15·6	148	12·5	1·0582	13·2	14	76	3·1	
Little Crosby ...	911	8	9	—	—	17	18·7	12	13·2	1·1982	15·8	2	118	5·5	
Little Hulton ...	8,297	89	109	4	1	203	24·5	120	14·5	1·0931	15·8	25	123	10·0	
Little Lever ...	5,212	52	56	2	1	111	21·3	71	13·6	1·0436	14·2	16	144	7·7	
Little Woolton† ...	944*	6	—	1	1	8	8·5	16	16·9	1·0595	17·9	—	—	—8·4	
Longridge ...	4,349	37	48	1	2	88	20·2	71	16·3	1·0034	16·4	15	170	3·9	
Lytham ...	10,009	56	74	6	4	140	14·0	124	12·4	·9739	12·1	11	79	1·6	
Middleton M.B. ...	28,651	266	314	7	12	599	20·9	369	12·9	1·0744	13·9	59	98	8·0	
Milnrow ...	8,666	80	83	7	4	174	20·1	124	14·3	1·0179	14·6	13	75	5·8	
Morecambe M.B. ...	12,211	82	93	8	9	192	15·7	173	14·2	·8817	12·5	20	104	1·5	
Mossley M.B. ...	13,146	128	141	10	10	289	22·0	204	15·5	1·0105	15·7	34	118	6·5	
Much Woolton† ...	3,609*	44	34	2	—	80	22·2	61	16·9	1·0269	17·4	12	150	5·3	
Nelson M.B. ...	41,076	359	331	11	18	719	17·5	471	11·5	1·1919	13·7	65	90	6·0	
Newton in Makerfield ...	18,870	251	244	6	10	511	27·1	284	15·1	1·0580	16·0	54	106	12·0	
Norden ...	3,771	37	35	2	1	75	19·9	50	13·3	·9927	13·2	7	93	6·6	
Ormskirk ...	7,539	86	67	5	4	162	21·5	96	12·7	·9886	12·6	17	105	8·8	
Orrell ...	6,529	74	66	3	3	146	22·4	100	15·3	1·0918	16·7	26	178	7·1	
Oswaldtwistle ...	16,079	155	184	14	6	359	22·3	256	15·9	1·0964	17·4	56	156	6·4	
Padiham ...	13,978	153	154	10	7	324	23·2	211	15·1	1·0855	16·4	49	151	8·1	
Poulton le Fylde ...	2,472	23	18	1	1	43	17·4	31	12·5	·9069	11·3	5	116	4·9	
Preesall ...	1,789	17	10	—	1	28	15·7	16	8·9	·9524	8·5	3	107	6·8	
Prescot ...	8,226	115	118	7	3	243	29·5	136	16·5	1·0356	17·1	35	144	13·0	
Prestwich ...	18,256	147	175	6	4	332	18·2	173†	9·5	1·0808	10·3	17	51	8·7	
Radcliffe ...	25,893	256	238	8	7	509	19·7	357	13·8	1·1102	15·3	53	104	5·9	
Rainford ...	3,538	49	48	2	1	100	28·3	56	15·8	1·0021	15·8	15	150	12·5	
Ramsbottom ...	14,961	126	138	2	3	269	18·0	217	14·5	1·0583	15·3	29	108	3·5	
Rawtenstall M.B. ...	30,387	280	294	13	6	593	19·5	423	13·9	1·0705	14·9	59	99	5·6	
Rishton ...	7,539	69	42	3	2	116	15·4	113	15·0	1·1417	17·1	17	147	0·4	
Royton ...	17,593	204	224	14	10	452	25·7	298	16·9	1·0812	18·3	54	119	8·8	
St. Anne's on the Sea ...	10,556	51	66	2	2	121	11·5	106	10·0	1·0508	10·5	6	50	1·5	
Skelmersdale ...	7,091	97	95	3	4	199	28·1	128	18·1	1·0478	19·0	38	191	10·0	
Standish with Langtree ...	7,514	97	76	3	4	180	24·0	102	13·6	1·0778	14·7	23	128	10·4	
Stretford ...	45,386	352	359	7	13	731	16·1	446	9·8	1·1097	10·9	66	90	6·3	
Swinton and Pendlebury ...	31,658	381	351	14	9	755	23·8	479	15·1	1·1332	17·1	109	144	8·7	
Thornton ...	5,043	57	64	—	3	124	24·6	42	8·3	·9558	7·9	8	65	16·3	
Tottington ...	6,925	60	60	1	1	122	17·6	78	11·3	1·0375	11·7	7	57	6·3	
Trawden ...	3,040	31	30	—	—	61	20·1	42	13·8	1·0716	14·8	7	115	6·3	
Turton ...	12,718	111	81	2	5	199	15·6	184	14·5	1·0615	15·4	26	131	1·1	
Tyldesley with Shakerley ...	15,759	192	201	6	11	410	26·0	289	18·3	1·1091	20·3	79	193	7·7	
Ulverston ...	9,429	91	94	6	4	195	20·7	163	17·3	·9271	16·0	26	133	3·4	
Upholland ...	5,343	71	77	1	2	151	28·3	81	15·2	1·0024	15·2	20	132	13·1	
Urmston ...	8,228	89	79	2	2	172	20·9	81	9·8	1·0798	10·6	16	93	11·1	
Walton le Dale ...	12,609	121	146	1	4	272	21·6	168	13·3	1·0469	13·9	40	147	8·3	
Wardle ...	4,790	32	23	3	4	62	12·9	62†	12·9	1·0301	13·3	8	129	—	
Waterloo with Seaforth ...	27,185	313	310	14	7	644	23·7	367	13·5	1·0190	13·8	61	95	10·2	
Westhoughton ...	15,206	202	211	6	9	428	28·1	224	14·7	1·0725	15·8	72	168	13·4	
Whitefield ...	7,058	68	62	2	2	134	19·0	99	14·0	1·0821	15·1	19	142	5·0	
Whitworth ...	8,703	84	68	7	7	166	19·1	148	17·0	1·0520	17·9	19	114	2·1	
Widnes M.B. ...	32,250	512	497	11	9	1,029	31·9	576	17·9	1·0547	18·9	137	133	14·0	
Withnell ...	3,411	33	40	—	—	73	21·4	34	10·0	1·0756	10·8	1	14	11·4	
Worsley ...	14,253	149	137	7	4	297	20·8	170	11·9	1·1100	13·2	28	94	8·9	

† Abolished on 9th November, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
LANCASHIRE—cont.														
Rural Districts.														
Barton upon Irwell ...	9,558	102	96	2	2	202	21.1	119	12.5	1.0196	12.7	22	109	8.6
Blackburn... ..	9,722	84	88	4	4	180	18.5	116	11.9	1.0427	12.4	19	106	6.6
Burnley	20,490	178	171	5	5	359	17.5	275	13.4	1.0724	14.4	42	117	4.1
Bury	9,272	89	89	2	1	181	19.5	112	12.1	1.0430	12.6	13	72	7.4
Chorley	22,016	274	250	5	6	535	24.3	278	12.6	1.0431	13.1	66	123	11.7
Clitheroe	6,463	61	59	3	2	125	19.3	79	12.2	.9672	11.8	10	80	7.1
Fylde	11,900	122	116	4	—	242	20.3	141	11.8	.9949	11.7	19	79	8.5
Garstang	10,752	89	89	6	3	187	17.4	129	12.0	.9072	10.9	6	32	5.4
Lancaster	9,144	89	64	2	3	158	17.3	99	10.8	.8944	9.7	10	63	6.5
Leigh	10,476	132	138	5	1	276	26.3	174	16.6	1.0463	17.4	42	152	9.7
Limehurst	10,620	123	131	2	9	265	25.0	151	14.2	1.0497	14.9	28	106	10.8
Lunesdale... ..	6,866	53	51	2	2	108	15.7	89	13.0	.9317	12.1	8	74	2.7
Preston	21,533	190	183	3	5	381	17.7	246	11.4	.9813	11.2	43	113	6.3
Sefton	5,985	51	51	1	3	106	17.7	69	11.5	1.0126	11.6	8	75	6.2
Ulverston	16,853	162	141	17	10	330	19.6	218	12.9	.8731	11.3	24	73	6.7
Warrington	14,523	129	142	2	3	276	19.0	146	10.1	1.0409	10.5	26	94	8.9
West Lancashire...	20,921	189	204	6	10	409	19.5	261	12.5	.9812	12.3	39	95	7.0
Whiston	21,736	250	210	8	8	476	21.9	289	13.3	1.0010	13.3	53	111	8.6
Wigan	6,395	57	72	3	2	134	21.0	84	13.1	1.0001	13.1	16	119	7.9
LEICESTERSHIRE.														
Total Urban Districts ...	254,943	2,802	2,787	110	117	5,816	22.8	3,146	12.3	.9342	11.5	540	93	10.5
Total Rural Districts ...	101,848*	1,160	1,156	52	53	2,421	23.8	1,283	12.6	.9936	12.5	255	105	11.2
Total	153,095*	1,642	1,631	58	64	3,395	22.2	1,863	12.2	.8987	11.0	285	84	10.0
Urban Districts.														
Ashby de la Zouch ...	4,975	48	56	4	4	112	22.5	67	13.5	.8836	11.9	12	107	9.0
Ashby Woulds	2,779	43	27	1	3	74	26.6	31	11.2	1.0412	11.7	6	81	15.4
Coalville	19,536	254	264	10	8	536	27.4	255	13.1	1.0305	13.5	61	114	14.3
Hinckley	13,204	159	159	5	4	327	24.8	172	13.0	1.0114	13.1	35	107	11.8
Loughborough M.B. ...	23,345	274	248	9	11	542	23.2	334	14.3	1.0032	14.3	72	133	8.9
Market Harborough ...	9,121	82	79	7	9	177	19.4	89	9.8	.9866	9.7	10	56	9.6
Melton Mowbray	9,621	107	121	7	7	242	25.2	112	11.6	.9633	11.2	18	74	13.6
Oadby†	701*	7	9	—	1	17	24.3	10	14.3	.9713	13.9	1	59	10.0
Quorndon	2,409	18	29	2	—	49	20.3	22	9.1	.9299	8.5	5	102	11.2
Shepshed	5,602	70	52	3	4	129	23.0	78	13.9	.9676	13.4	18	140	9.1
Thurmaston	1,846	27	30	1	—	58	31.4	21	11.4	.9114	10.4	6	103	20.0
Wigston Magna	8,709	71	82	3	2	158	18.1	92	10.6	1.0461	11.1	11	70	7.5
Rural Districts.														
Ashby de la Zouch ...	16,483	228	244	4	7	483	29.3	196	11.9	.9399	11.2	39	81	17.4
Barrow upon Soar ...	24,270	267	232	6	10	515	21.2	289	11.9	.9340	11.1	43	83	9.3
Belvoir	3,206	30	19	1	4	54	16.8	53	16.5	.7358	12.1	7	130	0.3
Billesdon	7,091	53	56	4	3	116	16.4	60	8.5	.8404	7.1	10	86	7.9
Blaby	19,041*	165	173	4	2	344	18.1	225	11.8	.9310	11.0	22	64	6.3
Castle Donington ...	6,462	55	66	1	3	125	19.3	84	13.0	.8876	11.5	9	72	6.3
Hallaton	1,853	15	12	2	—	29	15.7	21	11.3	.8057	9.1	—	—	4.4
Hinckley	14,110	153	166	5	8	332	23.5	178	12.6	.9929	12.5	35	105	10.9
Loughborough	4,625	46	48	3	—	97	21.0	57	12.3	.8576	10.5	7	72	8.7
Lutterworth	10,047	100	103	6	3	212	21.1	156	15.5	.7961	12.3	16	75	5.6
Market Bosworth ...	22,631	299	300	13	15	627	27.7	290	12.8	.9363	12.0	66	105	14.9
Market Harborough ...	7,895	75	73	1	1	150	19.0	66	8.4	.8602	7.2	10	67	10.6
Melton Mowbray	15,381	156	139	8	8	311	20.2	188	12.2	.8466	10.3	21	68	8.0
LINCOLNSHIRE														
(PARTS OF HOLLAND).														
Total Urban Districts ...	84,104	994	892	77	51	2,014	23.9	1,120	13.3	.8307	11.0	190	94	10.6
Total Rural Districts ...	37,903	429	387	35	21	872	23.0	526	13.9	.8440	11.7	96	110	9.1
Total	46,201	565	505	42	30	1,142	24.7	594	12.9	.8203	10.6	94	82	11.8
Urban Districts.														
Boston M.B.	16,914	197	179	16	10	402	23.8	245	14.5	.8647	12.5	49	122	9.3
Holbeach	5,380	65	61	6	1	133	24.7	69	12.8	.8480	10.9	12	90	11.9
Long Sutton	2,912	53	30	2	2	87	29.9	32	11.0	.7878	8.7	9	103	18.9
Spalding	10,529	98	98	9	5	210	19.9	141	13.4	.8396	11.3	19	90	6.5
Sutton Bridge	2,168	16	19	2	3	40	18.5	39	18.0	.7891	14.2	7	175	0.5
Rural Districts.														
Boston	21,357	268	223	22	17	530	24.8	264	12.4	.8212	10.2	40	75	12.4
Crowland	2,668	33	33	2	—	68	25.5	50	18.7	.7898	14.8	9	132	6.8
East Elloe... ..	8,801	107	100	9	6	222	25.2	115	13.1	.7990	10.5	18	81	12.1
Spalding	13,375	157	149	9	7	322	24.1	165	12.3	.8409	10.3	27	84	11.8

† Created on 1st October, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
LINCOLNSHIRE—cont.														
(PARTS OF KESTEVEN).	113,088	1,230	1,148	75	65	2,518	22·3	1,515	13·4	·8533	11·4	227	90	8·9
Total Urban Districts ...	45,272	501	463	25	21	1,010	22·3	598	13·2	·9088	12·0	103	102	9·1
Total Rural Districts ...	67,816	729	685	50	44	1,508	22·2	917	13·5	·8205	11·1	124	82	8·8
Urban Districts.														
Bourne ...	4,339	57	36	2	3	98	22·6	63	14·5	·7987	11·6	10	102	8·1
Bracebridge ...	2,408	31	29	1	—	61	25·3	30	12·5	1·0072	12·6	3	49	12·8
Grantham M.B. ...	20,664	244	208	7	12	471	22·8	283	13·7	·9611	13·2	57	121	9·1
Ruskington ...	1,218	10	6	—	1	17	14·0	15	12·3	·7881	9·7	—	—	1·7
Sleaford ...	6,657	67	57	8	2	134	20·1	69	10·4	·8452	8·8	12	90	9·7
Stamford M.B. ...	9,986	92	127	7	3	229	22·9	138	13·8	·9176	12·7	21	92	9·1
Rural Districts.														
Bourne ...	13,434	161	147	11	11	330	24·6	190	14·1	·7915	11·2	26	79	10·5
Branston ...	15,394	165	137	15	10	327	21·2	200	13·0	·8603	11·2	32	98	8·2
Claypole ...	7,927	79	76	5	3	163	20·6	105	13·2	·7665	10·1	7	43	7·4
Grantham...	12,212	123	114	6	4	247	20·2	176	14·4	·8413	12·1	20	81	5·8
Sleaford ...	17,317	181	194	13	15	403	23·3	228	13·2	·8192	10·8	39	97	10·1
Uffington ...	1,532	20	17	—	1	38	24·8	18	11·7	·8986	10·5	—	—	13·1
(PARTS OF LINDSEY).	245,347	2,814	2,611	171	176	5,772	23·5	3,164	12·9	·8628	11·1	578	100	10·6
Total Urban Districts ...	100,900	1,170	1,094	79	81	2,424	24·0	1,319	13·1	·9313	12·2	265	109	10·9
Total Rural Districts ...	144,447	1,644	1,517	92	95	3,348	23·2	1,845	12·8	·8216	10·5	313	93	10·4
Urban Districts.														
Alford ...	2,374	20	21	8	4	53	22·3	47	19·8	·7467	14·8	4	75	2·5
Barton upon Humber ...	6,913	80	83	1	6	170	24·6	78	11·3	·8776	9·9	18	106	13·3
Brigg ...	3,392	38	31	1	5	75	22·1	45	13·3	·8549	11·4	5	67	8·8
Broughton ...	1,400	15	17	—	—	32	22·9	18	12·9	·8493	11·0	2	63	10·0
Brumby and Frodingham	3,089	54	29	5	4	92	29·8	39	12·6	1·0188	12·8	12	130	17·2
Cleethorpe with Thruscoe.	23,535	291	289	19	17	616	26·2	246	10·5	1·0414	10·9	63	102	15·7
Crowle ...	2,873	37	31	—	1	69	24·0	38	13·2	·7670	10·1	4	58	10·8
Gainsborough ...	21,288	263	219	12	12	506	23·8	265	12·4	1·0330	12·8	64	126	11·4
Horncastle ...	3,867	32	42	4	2	80	20·7	54	14·0	·7405	10·4	2	25	6·7
Louth M.B. ...	9,967	84	75	10	11	180	18·1	156	15·7	·7657	12·0	18	100	2·4
Mablethorpe ...	1,303	10	4	1	—	15	11·5	21	16·1	·8317	13·4	4	267	—4·6
Market Rasen ...	2,322	14	28	1	5	48	20·7	63	27·1	·7944	21·5	6	125	—6·4
Roxby cum Risby ...	375	7	11	1	—	19	50·7	7	18·7	·9732	18·2	3	158	32·0
Scunthorpe ...	10,990	159	147	12	10	328	29·8	154	14·0	1·0603	14·8	48	146	15·8
Skegness ...	4,167	36	38	3	4	81	19·4	43	10·3	1·0149	10·5	7	86	9·1
Winterton ...	1,442	14	14	1	—	29	20·1	21	14·6	·7521	11·0	1	34	5·5
Woodhall Spa ...	1,603	16	15	—	—	31	19·3	24	15·0	·9201	13·8	4	129	4·3
Rural Districts.														
Caistor ...	13,112	150	158	10	8	326	24·9	171	13·0	·8039	10·5	19	58	11·9
Gainsborough ...	14,791	152	147	7	9	315	21·3	191	12·9	·8111	10·5	24	76	8·4
Glanford Brigg ...	31,351	387	367	18	21	793	25·3	404	12·9	·8681	11·2	101	127	12·4
Grimsby ...	11,874	141	126	8	5	280	23·6	131	11·0	·9279	10·2	26	93	12·6
Horncastle ...	13,014	165	122	9	4	300	23·1	154	11·8	·8123	9·6	27	90	11·3
Isle of Axholme ...	6,847	72	79	3	7	161	23·5	86	12·6	·7939	10·0	10	62	10·9
Louth ...	18,232	197	172	12	11	392	21·5	246	13·5	·8000	10·8	31	79	8·0
Sibsey ...	3,010	37	41	1	1	80	26·6	40	13·3	·7997	10·6	8	100	13·3
Spilsby ...	21,133	221	199	16	21	457	21·6	273	12·9	·7724	10·0	38	83	8·7
Welton ...	11,083	122	106	8	8	244	22·0	149	13·4	·8241	11·0	29	119	8·6
LONDON.	4,518,191	53,900	52,152	2325	2126	110,503	24·5	64,510	14·3	1·0000	14·3	11687	106	10·2
Metropolitan Boroughs.														
City of London ...	17,916	76	81	1	6	164	9·2	270	15·1	1·0419	15·7	15	91	—5·9
Battersea ...	167,464	2,041	1,976	80	73	4,170	24·9	2,339	14·0	1·0098	14·1	462	111	10·9
Bermondsey ...	124,739	1,875	1,869	40	30	3,814	30·6	2,246	18·0	·9976	18·0	507	133	12·6
Bethnal Green ...	127,824	1,902	1,953	41	32	3,928	30·7	1,973	15·4	1·0397	16·0	463	118	15·3
Camberwell ...	261,805	3,211	3,127	105	122	6,565	25·1	3,602	13·8	·9883	13·6	696	106	11·3
Chelsea ...	64,598	600	531	56	48	1,235	19·1	908	14·1	·9513	13·4	115	93	5·0
Deptford ...	109,280	1,540	1,418	53	41	3,052	27·9	1,697	15·5	·9879	15·3	346	113	12·4
Finsbury ...	84,679	1,197	1,211	46	44	2,498	29·5	1,564	18·5	·9887	18·3	352	141	11·0
Fulham ...	157,117	2,037	1,976	106	109	4,228	26·9	1,984	12·6	1·0340	13·0	402	95	14·3
Greenwich ...	96,015	1,251	1,170	33	29	2,483	25·9	1,371	14·3	·9837	14·1	257	104	11·6
Hackney ...	223,353	2,681	2,549	88	73	5,391	24·1	3,025	13·5	1·0066	13·6	549	102	10·6
Hammersmith ...	123,745	1,402	1,397	100	86	2,985	24·1	1,731	14·0	·9884	13·8	307	103	10·1
Hampstead ...	86,346	637	590	43	34	1,304	15·1	941	10·9	1·0572	11·5	95	73	4·2
Holborn ...	46,949	343	380	24	31	778	16·6	695	14·8	1·0034	14·9	82	105	1·8
Islington ...	325,585	4,083	3,819	157	147	8,206	25·2	4,962	15·2	·9749	14·8	882	107	10·0
Kensington ...	171,284	1,570	1,516	100	103	3,289	19·2	2,375	13·9	·9957	13·8	371	113	5·3
Lambeth ...	297,139	3,323	3,389	196	189	7,097	23·9	4,288	14·4	·9804	14·1	726	102	9·5
Lewisham...	168,822	1,699	1,633	48	72	3,452	20·4	1,811	10·7	·9826	10·5	263	76	9·7

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
LONDON—cont.															
Paddington	142,210	1,423	1,381	105	98	3,007	21.1	1,958	13.8	.9941	13.7	301	100	7.3	
Poplar	160,913	2,466	2,566	55	49	5,136	31.9	2,639	16.4	.9898	16.2	578	113	15.5	
St. Marylebone	114,532	1,030	934	119	76	2,159	18.9	1,630	14.2	1.0198	14.5	196	91	4.7	
St. Pancras	214,330	2,598	2,529	153	132	5,412	25.3	3,279	15.3	.9971	15.3	503	93	10.0	
Shoreditch	109,654	1,723	1,630	51	49	3,453	31.5	2,031	18.5	1.0331	19.1	534	155	13.0	
Southwark	188,487	2,890	2,696	124	102	5,812	30.8	3,309	17.6	1.0060	17.7	669	115	13.2	
Stepney	275,300	3,967	3,907	88	78	8,040	29.2	4,112	14.9	1.0433	15.5	899	112	14.3	
Stoke Newington	50,518	591	511	11	15	1,128	22.3	697	13.8	.9512	13.1	91	81	8.5	
Wandsworth	330,395	3,300	3,103	155	137	6,695	20.3	3,531	10.7	1.0045	10.7	588	88	9.6	
Westminster	154,810	1,011	1,003	91	84	2,189	14.1	1,993	12.9	1.0540	13.6	210	96	1.2	
Woolwich	122,382	1,433	1,307	56	37	2,833	23.1	1,549	12.7	1.0249	13.0	228	80	10.4	
MIDDLESEX.															
Total Urban Districts	1,206,493	13,532	13,183	549	475	27,739	23.0	12,499	10.4	1.0198	10.6	2,322	84	12.6	
Total Rural Districts	1,155,756	12,982	12,663	520	461	26,626	23.0	11,984	10.4	1.0232	10.6	2,239	84	12.6	
Urban Districts.	50,737	550	520	29	14	1,113	21.9	515	10.2	.9580	9.8	83	75	11.7	
Acton	62,230	751	692	45	35	1,523	24.5	701	11.3	1.0464	11.8	131	86	13.2	
Brentford	16,836	237	228	5	11	485	28.8	233	13.8	1.0261	14.2	61	126	15.0	
Chiswick	40,898	397	458	32	18	905	22.1	509	12.4	1.0204	12.7	89	98	9.7	
Ealing M.B.	67,977	625	573	26	23	1,247	18.3	615	9.0	.9933	8.9	89	71	9.3	
Edmonton	69,086	936	863	30	33	1,862	27.0	799	11.6	1.0716	12.4	197	106	15.4	
Enfield	59,597	641	654	18	18	1,331	22.3	578	9.7	1.0348	10.0	115	86	12.6	
Feltham	5,279	61	61	3	2	127	24.1	60	11.4	.9478	10.8	14	110	12.7	
Finchley	43,563	441	473	16	15	945	21.7	395	9.1	1.0160	9.2	61	65	12.6	
Friern Barnet	15,729	154	179	2	2	337	21.4	129	8.2	1.0136	8.3	20	59	13.2	
Greenford	1,123	11	13	1	1	26	23.2	14	12.5	.8979	11.2	2	77	10.7	
Hampton	9,797	82	90	4	6	182	18.6	108	11.0	.9699	10.7	14	77	7.6	
Hampton Wick	2,372	20	18	—	1	39	16.4	33	13.9	.9487	13.2	4	103	2.5	
Hanwell	21,211	223	237	15	9	484	22.8	195	9.2	1.0486	9.6	47	97	13.6	
Harrow on the Hill	18,716	178	175	5	5	363	19.4	135	7.2	1.0655	7.7	18	50	12.2	
Hayes	4,660	60	55	3	3	121	26.0	52	11.2	.9353	10.5	12	99	14.8	
Hendon	42,725	555	496	21	23	1,095	25.6	464	10.9	1.0569	11.5	93	85	14.7	
Heston and Isleworth	46,296	531	533	23	23	1,110	24.0	551	11.9	.9409	11.2	122	110	12.1	
Hornsey M.B.	87,596	692	682	25	23	1,422	16.2	830	9.5	1.0255	9.7	83	58	6.7	
Kingsbury	836	16	13	—	—	29	34.7	16	19.1	1.0659	20.4	1	34	15.6	
Uxbridge Northwood	6,852	66	57	3	1	127	18.5	43	6.3	1.0635	6.7	3	24	12.2	
Uxhall Norwood	29,467	346	344	14	16	720	24.4	301	10.2	1.0370	10.6	68	94	14.2	
Uxgate	38,073	362	340	8	6	716	18.8	303	8.0	1.0288	8.2	44	61	10.8	
Uxstanes	6,771	65	68	4	4	141	20.8	68	10.0	.9626	9.6	13	92	10.8	
Uxbury on Thames	4,622	58	45	3	1	107	23.2	57	12.3	.9343	11.5	10	93	10.9	
Uxbridge	18,759	214	223	12	4	453	24.1	211	11.2	.9593	10.7	37	82	12.9	
Uxtonham	145,736	1,896	1,770	48	50	3,764	25.8	1,623	11.1	1.0227	11.4	338	90	14.7	
Uxtonham	31,374	344	348	23	22	737	23.5	352	11.2	.9839	11.0	58	79	12.3	
Uxbridge	10,803	86	116	7	7	216	20.0	138	12.8	.9391	12.0	18	83	7.2	
Uxbridge	13,366	147	151	5	7	310	23.2	119	8.9	1.0930	9.7	26	84	14.3	
Uxbridge	12,176	162	142	5	4	313	25.7	96	7.9	1.0442	8.2	20	64	17.8	
Villesden	163,655	1,980	1,938	81	65	4,064	24.8	1,687	10.3	1.0500	10.8	331	81	14.5	
Wood Green	52,996	572	563	26	17	1,178	22.2	510	9.6	1.0158	9.8	85	72	12.6	
Uxbridge	4,579	73	65	3	6	147	32.1	59	12.9	1.0037	12.9	15	102	19.2	
Rural Districts.															
Hendon	15,481	153	166	5	2	326	21.1	140	9.0	1.0632	9.6	21	64	12.1	
Uxbridge Mimms	2,837	29	28	2	1	60	21.2	32	11.3	.9183	10.4	9	150	9.9	
Uxstanes	22,845	262	231	14	8	515	22.5	245	10.7	.9293	9.9	38	74	11.8	
Uxbridge	9,574	106	95	8	3	212	22.1	98	10.2	.9181	9.4	15	71	11.9	
MONMOUTHSHIRE.															
Total Urban Districts	331,490	4,853	4,771	155	138	9,917	29.9	4,263	12.9	1.0173	13.1	1,149	116	17.0	
Total Rural Districts	288,258	4,389	4,336	141	120	8,986	31.2	3,702	12.8	1.0412	13.3	1,076	120	18.4	
Urban Districts.	43,232	464	435	14	18	931	21.5	561	13.0	.8862	11.5	73	78	8.5	
Abertarn	17,364	307	303	8	10	628	36.2	203	11.7	1.0851	12.7	66	105	24.5	
Abertarn M.B.	8,683	80	66	5	7	158	18.2	142	16.4	.9079	14.9	15	95	1.8	
Abertarn	26,306	398	386	6	8	798	30.3	279	10.6	1.0527	11.2	97	122	19.7	
Abertarn	38,643	650	709	15	11	1,385	35.8	420	10.9	1.1165	12.2	161	116	24.9	
Abertarn and Machen	5,319	93	79	8	2	182	34.2	75	14.1	1.0064	14.2	28	154	20.1	
Abertarn	25,556	460	436	17	8	921	36.0	323	12.6	1.1001	13.9	121	131	23.4	
Abertarn	12,283	145	146	5	4	300	24.4	198	16.1	1.0141	16.3	29	97	8.3	
Abertarn	2,209	14	15	1	—	30	13.6	27	12.2	.9163	11.2	4	133	1.4	
Abertarn	2,926	22	29	1	1	53	18.1	39	13.3	.7996	10.6	3	57	4.8	
Abertarn Vale	32,829	513	501	11	11	1,036	31.6	449	13.7	1.0590	14.5	125	121	17.9	
Abertarn Upper	4,825	57	70	3	1	131	27.2	56	11.6	1.0457	12.1	14	107	15.6	
Abertarn	7,482	113	105	4	3	225	30.1	98	13.1	1.0095	13.2	31	138	17.0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
MONMOUTHSHIRE—cont.															
Monmouth M.B. ...	5,311	54	51	4	5	114	21·5	77	14·5	·8390	12·2	9	79	7·0	
Mynyddislwyn ...	11,572	198	199	7	5	409	35·3	132	11·4	1·0646	12·1	55	134	23·9	
Nantyglo and Blaina ...	15,852	231	216	12	10	489	30·8	194	12·2	1·0781	13·2	50	102	18·6	
Panteg ...	10,724	131	140	5	5	281	26·2	120	11·2	1·0291	11·5	26	93	15·0	
Pontypool ...	6,530	81	80	7	3	171	26·2	88	13·5	1·0504	14·2	20	117	12·7	
Rhymney ...	12,296	173	161	2	5	341	27·7	160	13·0	1·0624	13·8	50	147	14·7	
Risca ...	15,224	257	237	5	8	507	33·3	205	13·5	1·0698	14·4	49	97	19·8	
Tredegar ...	24,824	384	396	13	11	804	32·4	393	15·8	1·0250	16·2	120	149	16·6	
Usk ...	1,500	8	11	2	2	23	15·3	24	16·0	·8701	13·9	3	130	—0·7	
Rural Districts.															
Abergavenny ...	8,825	82	73	4	6	165	18·7	95	10·8	·8625	9·3	9	55	7·9	
Chepstow ...	8,077	85	97	3	4	189	23·4	116	14·4	·8761	12·6	16	85	9·0	
Magor ...	4,950	56	47	1	—	104	21·0	71	14·3	·8874	12·7	13	125	6·7	
Monmouth ...	6,543	70	76	2	3	151	23·1	92	14·1	·8380	11·8	14	93	9·0	
Pontypool ...	5,171	60	47	1	3	111	21·5	69	13·3	·8415	11·2	8	72	8·2	
St. Mellons ...	9,666	111	95	3	2	211	21·8	118	12·2	1·0093	12·3	13	62	9·6	
NORFOLK.															
Total Urban Districts ...	324,229	3,286	3,098	246	195	6,825	21·0	4,120	12·7	·8020	10·2	564	83	8·3	
Total Rural Districts ...	61,625	629	575	48	39	1,291	20·9	781	12·7	·8574	10·9	112	87	8·2	
Urban Districts.															
Cromer ...	262,604	2,657	2,523	198	156	5,534	21·1	3,339	12·7	·7900	10·0	452	82	8·4	
Diss ...	4,143	36	34	—	1	71	17·1	36	8·7	1·0277	8·9	6	85	8·4	
Downham Market ...	3,775	41	30	5	1	77	20·4	41	10·9	·8419	9·2	6	78	9·5	
East Dereham ...	2,503	18	19	—	—	37	14·8	31	12·4	·7252	9·0	3	81	2·4	
King's Lynn M.B. ...	5,774	58	64	6	2	130	22·5	72	12·5	·8400	10·5	7	54	10·0	
New Hunstanton ...	20,180	232	214	13	20	479	23·7	286	14·2	·8782	12·5	49	102	9·5	
North Walsham ...	2,659	16	14	1	1	32	12·0	29	10·9	1·0144	11·1	2	63	1·1	
Sheringham ...	4,319	57	39	5	4	105	24·3	63	14·6	·8768	12·8	10	95	9·7	
Swaffham ...	3,618	22	27	3	—	52	14·4	29	8·0	·9125	7·3	4	77	6·4	
Thetford M.B. ...	3,201	31	26	7	2	66	20·6	48	15·0	·7477	11·2	7	106	5·6	
Walsoken ...	4,818	46	39	3	3	91	18·9	71	14·7	·8192	12·0	8	88	4·2	
Wells ...	4,053	40	49	4	2	95	23·4	40	9·9	·8682	8·6	6	63	13·5	
Rural Districts.															
Aylsham ...	2,582	32	20	1	3	56	21·7	35	13·6	·7256	9·9	4	71	8·1	
Blofield ...	17,414	156	153	16	10	335	19·2	207	11·9	·7862	9·4	27	81	7·3	
Depwade ...	12,234	120	90	8	3	221	18·1	145	11·9	·8000	9·5	18	81	6·2	
Docking ...	19,888	196	173	16	9	394	19·8	290	14·6	·7704	11·2	31	79	5·2	
Downham ...	17,230	163	163	13	14	353	20·5	227	13·2	·7803	10·3	24	68	7·3	
East and West Flegg ...	15,692	173	155	19	7	354	22·6	215	13·7	·8020	11·0	39	110	8·9	
Erpingham ...	10,106	134	115	7	4	260	25·7	111	11·0	·8018	8·8	22	85	14·7	
Forehoe ...	17,381	176	175	15	14	380	21·9	209	12·0	·8196	9·8	30	79	9·9	
Freebridge Lynn ...	11,396	116	121	6	7	250	21·9	144	12·6	·7709	9·7	13	52	9·3	
Henstead ...	12,168	119	120	10	8	257	21·1	163	13·4	·7906	10·6	19	74	7·7	
King's Lynn ...	10,268	103	99	—	6	208	20·3	123	12·0	·7874	9·4	12	58	8·3	
Loddon and Clavering ...	1,000	11	11	—	—	22	22·0	12	12·0	·9532	11·4	5	227	10·0	
Marshland ...	12,588	134	127	7	7	275	21·8	170	13·5	·7731	10·4	27	98	8·3	
Mitford and Launditch ...	12,629	155	140	6	7	308	24·4	154	12·2	·8311	10·1	23	75	12·2	
St. Faith's ...	18,761	200	168	16	10	394	21·0	239	12·7	·7608	9·7	39	99	8·3	
Smallburgh ...	10,910	109	101	8	12	230	21·1	152	13·9	·8257	11·5	22	96	7·2	
Swaffham ...	13,442	119	142	10	7	278	20·7	191	14·2	·7712	11·0	26	94	6·5	
Thetford ...	7,554	77	71	5	6	159	21·0	96	12·7	·7792	9·9	15	94	8·3	
Walsingham ...	10,088	107	105	11	4	227	22·5	123	12·2	·8151	9·9	25	110	10·3	
Wayland ...	17,279	160	175	14	14	363	21·0	201	11·6	·8425	9·8	20	55	9·4	
NORTHAMPTONSHIRE.															
Total Urban Districts ...	14,576	129	119	11	7	266	18·2	167	11·5	·7491	8·6	15	56	6·7	
Total Rural Districts ...	215,231	2,108	1,948	110	107	4,273	19·9	2,531	11·8	·9042	10·7	365	85	8·1	
Urban Districts.															
Brackley M.B. ...	96,639	983	879	46	54	1,962	20·3	1,013	10·5	1·0200	10·7	179	91	9·8	
Daventry M.B. ...	118,592	1,125	1,069	64	53	2,311	19·5	1,518	12·8	·8276	10·6	186	80	6·7	
Desborough ...	2,673	30	18	1	1	50	18·7	20	7·5	·9301	7·0	1	20	11·2	
Finedon ...	3,453	33	32	2	4	71	20·6	59	17·1	·7843	13·4	9	127	3·5	
Higham Ferrers M.B. ...	4,216	51	37	2	2	92	21·8	56	13·3	1·0140	13·5	9	98	8·5	
Irlingham ...	3,699	40	38	1	4	83	22·4	51	13·8	·9754	13·5	9	108	8·6	
Kettering ...	2,771	26	24	2	2	54	19·5	35	12·6	1·0224	12·9	5	93	6·9	
Oundle ...	4,706	59	46	2	2	109	23·2	38	8·1	1·0560	8·6	5	46	15·1	
Raunds ...	30,288	293	283	19	19	614	20·3	317	10·5	1·0818	11·4	71	116	9·8	
Rothwell ...	2,832	26	16	2	—	44	15·5	36	12·7	·8791	11·2	3	68	2·8	
Rushden ...	3,888	40	40	2	1	83	21·3	51	13·1	·9474	12·4	7	84	8·2	
Wellingborough ...	4,469	46	68	4	2	120	26·9	47	10·5	1·0241	10·8	11	92	16·4	
Rural Districts.															
Brackley M.B. ...	13,570	129	99	3	6	237	17·5	118	8·7	1·1441	10·0	21	89	8·8	
Brackley M.B. ...	20,074	210	178	6	11	405	20·2	185	9·2	·9825	9·0	28	69	11·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population, (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
NORTHAMPTONSHIRE— <i>cont.</i>															
<i>Rural Districts.</i>															
Brackley	7,213	66	59	5	3	133	18.4	67	9.3	.7731	7.2	9	68	9.1	
Brixworth... ..	11,834	116	98	7	5	226	19.1	147	12.4	.8329	10.3	20	88	6.7	
Crick	2,356	24	22	—	1	47	19.9	28	11.9	.7618	9.1	4	85	8.0	
Daventry	13,901	148	128	4	8	288	20.7	197	14.2	.8340	11.8	25	87	6.5	
Easton on the Hill ...	1,561	9	20	1	—	30	19.2	26	16.7	.7887	13.2	5	167	2.5	
Gretton	1,523	13	11	—	—	24	15.8	12	7.9	.8189	6.5	1	42	7.9	
Hardingstone	7,501	73	89	5	2	160	21.3	119	15.9	.8147	13.0	14	88	5.4	
Kettering	13,189	140	138	7	4	289	21.9	145	11.0	.8981	9.9	22	76	10.9	
Middleton Cheney ...	2,612	31	23	3	1	58	22.2	39	14.9	.7931	11.8	3	52	7.3	
Northampton	6,766	64	69	4	3	140	20.7	78†	11.5	.8514	9.8	10	71	9.2	
Oundle (part of)† ...	7,092	78	56	6	9	149	21.0	79	11.1	.7746	8.6	7	47	9.9	
Oxendon	4,294	34	31	1	1	67	15.6	48	11.2	.7816	8.8	5	75	4.4	
Potterspury	5,145	37	51	—	1	89	17.3	62	12.1	.8126	9.8	8	90	5.2	
Thrapston (part of)† ...	10,721	94	97	5	4	200	18.7	162	15.1	.8287	12.5	19	95	3.6	
Towcester	10,425	91	83	8	5	187	17.9	165	15.8	.7933	12.5	18	96	2.1	
Wellingborough	12,459	107	103	8	6	224	18.0	144	11.6	.8990	10.4	16	71	6.4	
NORTHUMBERLAND.															
Total Urban Districts ...	387,467	5,015	4,740	273	219	10,247	26.4	5,292	13.7	.9933	13.6	1,142	111	12.7	
Total Rural Districts ...	284,875*	3,927	3,763	203	158	8,051	28.3	3,945	13.8	1.0180	14.0	936	116	14.5	
	102,592*	1,088	977	70	61	2,196	21.4	1,347	13.1	.9325	12.2	206	94	8.3	
<i>Urban Districts.</i>															
Alnwick	7,119	67	63	10	5	145	20.4	108	15.2	.9064	13.8	10	69	5.2	
Amble	4,990	69	69	2	6	146	29.3	68	13.6	.9807	13.3	10	68	15.7	
Ashington	27,125	505	464	17	21	1,007	37.1	424	15.6	1.1051	17.2	154	153	21.5	
Bedlingtonshire	27,039	394	394	25	14	827	30.6	347	12.8	1.0160	13.0	95	115	17.8	
Berwick upon Tweed M.B.	12,988	135	127	11	15	288	22.2	209	16.1	.9111	14.7	27	94	6.1	
Blyth	31,844	474	467	19	21	981	30.8	502	15.8	1.0343	16.3	106	108	15.0	
Cramlington	8,311	97	120	8	3	228	27.4	115	13.8	1.0060	13.9	35	154	13.6	
Earsdon	10,939	174	168	9	5	356	32.5	157	14.4	1.0083	14.5	46	129	18.1	
Gosforth	16,660	175	175	9	9	368	22.1	170†	10.2	1.0717	10.9	27	73	11.9	
Hexham	8,740	74	68	8	7	157	18.0	108	12.4	.9387	11.6	23	146	5.6	
Longbenton	13,373	202	189	6	7	404	30.2	146	10.9	1.0140	11.1	43	106	19.3	
Morpeth M.B.	7,739	120	85	9	3	217	28.0	134	17.3	.9927	17.2	34	157	10.7	
Newbiggin by the Sea ...	3,975*	67	67	5	—	139	35.0	55	13.8	.9998	13.8	19	137	21.2	
Newburn	18,270	271	249	14	5	539	29.5	255	14.0	1.0571	14.8	63	117	15.5	
Prudhoe	8,498	102	130	8	7	247	29.1	110	12.9	1.0011	12.9	27	109	16.2	
Rothbury	1,110	14	5	—	—	19	17.1	14	12.6	.8180	10.3	—	—	4.5	
Seaton Delaval	7,260	96	89	2	3	190	26.2	82	11.3	.9943	11.2	23	121	14.9	
Seghill	2,010	23	21	—	1	45	22.4	27	13.4	1.0205	13.7	5	111	9.0	
Wallsend M.B.	43,823	637	617	23	19	1,296	29.6	659	15.0	1.0425	15.6	155	120	14.6	
Weetslade... ..	6,999	104	94	6	2	206	29.4	88	12.6	.9786	12.3	22	107	16.8	
Whitley and Monkseaton	16,063	127	102	12	5	246	15.3	167	10.4	1.0497	10.9	12	49	4.9	
<i>Rural Districts.</i>															
Alnwick	12,073	119	111	13	8	251	20.8	167	13.8	.9040	12.5	21	84	7.0	
Belford	4,960	38	42	1	3	84	16.9	66	13.3	.9042	12.0	4	48	3.6	
Bellingham	5,607	59	49	7	3	118	21.0	71	12.7	.8672	11.0	13	110	8.3	
Castle Ward	12,562	142	114	5	5	266	21.2	157	12.5	1.0202	12.8	36	135	8.7	
Glendale	8,533	83	82	9	2	176	20.6	138	16.2	.8799	14.3	13	74	4.4	
Haltwhistle	8,555	125	99	7	3	234	27.4	109	12.7	.9232	11.7	19	81	14.7	
Hexham	22,191	204	179	16	18	417	18.8	293	13.2	.9373	12.4	30	72	5.6	
Moot Hall and precincts	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
Morpeth	17,740*	228	195	8	12	443	25.0	206†	11.6	.9983	11.6	51	115	13.4	
Norham and Islandshires	5,776	49	68	3	7	127	22.0	81	14.0	.8882	12.4	12	94	8.0	
Rothbury... ..	4,586	41	38	1	—	80	17.4	59	12.9	.8913	14.5	7	88	4.5	
NOTTINGHAMSHIRE.															
Total Urban Districts ...	360,842	4,554	4,428	199	240	9,421	26.1	4,430	12.3	.9704	11.9	957	102	13.8	
Total Rural Districts ...	228,987	3,083	2,962	128	178	6,351	27.7	2,884	12.6	1.0233	12.9	704	111	15.1	
	131,855	1,471	1,466	71	62	3,070	23.3	1,546	11.7	.8931	10.4	253	82	11.6	
<i>Urban Districts.</i>															
Arnold	11,718	130	138	7	7	282	24.1	152	13.0	1.0236	13.3	30	106	11.1	
Beeston	11,905	171	136	8	10	325	27.3	125	10.5	1.0225	10.7	35	108	16.8	
Carlton	16,909	213	209	8	8	438	25.9	210	12.4	1.0362	12.8	43	98	13.5	
East Retford M.B. ...	13,635	156	126	10	8	300	22.0	172	12.6	.9335	11.8	23	77	9.4	
Eastwood	4,663	71	65	5	2	143	30.7	66	14.2	1.0182	14.5	15	105	16.5	
Hucknall Torkard ...	16,019	239	193	11	15	458	28.6	230	14.4	1.0163	14.6	56	122	14.2	
Huthwaite	5,508	101	85	5	3	194	35.2	78	14.2	1.0148	14.4	26	134	21.0	
Kirkby in Ashfield ...	16,590	224	259	7	13	503	30.3	197	11.9	1.0447	12.4	62	123	18.4	
Mansfield M.B.	40,588	573	571	24	31	1,199	29.5	563	13.9	1.0721	14.9	152	127	15.6	
Mansfield Woodhouse ...	12,486	207	184	6	5	402	32.2	151	12.1	1.0922	13.2	52	129	20.1	
Newark M.B.	16,747	168	191	8	13	380	22.7	216	12.9	.9441	12.2	33	87	9.8	

† The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; see page 142.
|| Included with the Rural Districts for convenience.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
NOTTINGHAMSHIRE—cont.															
Sutton in Ashfield ...	23,348	359	328	15	31	733	31·4	270	11·6	1·0523	12·2	72	98	19·8	
Warsop ...	4,722	94	100	1	4	199	42·1	77	16·3	·9759	15·9	28	141	25·8	
West Bridgford ...	12,738	100	94	1	1	196	15·4	110	8·6	1·1043	9·5	13	66	6·8	
Worksop ...	21,411	277	283	12	27	599	28·0	267	12·5	1·0158	12·7	64	107	15·5	
Rural Districts.															
Basford ...	42,824	544	536	23	16	1,119	26·1	477	11·1	·9611	10·7	102	91	15·0	
Bingham ...	14,828	124	145	5	5	279	18·8	176+	11·9	·8221	9·8	22	79	6·9	
Blyth and Cuckney ...	5,050	60	46	—	2	108	21·4	66	13·1	·9070	11·9	11	102	8·3	
East Retford ...	14,902	142	129	12	13	296	19·9	181	12·1	·8349	10·1	15	51	7·8	
Leake ...	3,723	34	36	3	—	73	19·6	41	11·0	·8359	9·2	2	27	8·6	
Misterton ...	4,110	49	62	1	2	114	27·7	50	12·2	·8763	10·7	6	53	15·5	
Newark ...	8,478	84	101	7	1	193	22·8	77	9·1	·8642	7·9	14	73	13·7	
Skegby ...	7,352	119	116	4	8	247	33·6	96	13·1	1·0249	13·4	25	101	20·5	
Southwell ...	19,683	183	166	11	12	372	18·9	247	12·5	·8166	10·2	21	56	6·4	
Stapleford ...	10,518	130	122	5	3	260	24·7	131	12·5	·9871	12·3	35	135	12·2	
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	387	2	7	—	—	9	23·3	4	10·3	·9161	9·4	—	—	13·0	
OXFORDSHIRE.															
Total Urban Districts ...	137,828	1,279	1,295	89	86	2,749	19·9	1,637	11·9	·8315	9·9	189	69	8·0	
Total Rural Districts ...	36,682	351	331	30	25	737	20·1	447	12·2	·8552	10·4	47	64	7·9	
Urban Districts.	101,146	923	964	59	61	2,012	19·9	1,190	11·8	·8231	9·7	142	71	8·1	
Rural Districts.															
Banbury M.B. ...	13,576	146	124	10	12	292	21·5	169	12·4	·8927	11·1	22	75	9·1	
Bicester ...	3,472	35	34	6	—	75	21·6	42	12·1	·8123	9·8	7	93	9·5	
Chipping Norton M.B. ...	4,018	36	37	3	—	76	18·9	46	11·4	1·0491	12·0	4	53	7·5	
Henley on Thames M.B. ...	6,569	57	54	9	6	126	19·2	87	13·2	·8748	11·5	7	56	6·0	
Thame ...	2,968	29	25	1	4	59	19·9	36	12·1	·8197	9·9	3	51	7·8	
Wheatley ...	989	8	11	—	—	19	19·2	11	11·1	·7975	8·9	—	—	8·1	
Witney ...	3,518	26	39	—	3	68	19·3	42	11·9	·8468	10·1	3	44	7·4	
Woodstock M.B. ...	1,572	14	7	1	—	22	14·0	14	8·9	·8071	7·2	1	45	5·1	
Rural Districts.															
Banbury ...	11,412	104	109	5	12	230	20·2	163	14·3	·7852	11·2	24	104	5·9	
Bicester ...	9,626	103	110	5	6	224	23·3	117	12·2	·7829	9·6	8	36	11·1	
Chipping Norton ...	11,379	87	100	8	4	199	17·5	121	10·6	·8491	9·0	14	70	6·9	
Crownmarsh ...	5,072	45	36	4	3	88	17·4	76	15·0	·7836	11·8	13	148	2·4	
Culham ...	2,660	22	24	—	3	49	18·4	25	9·4	·9045	8·5	1	20	9·0	
Goring ...	3,256	22	15	1	2	40	12·3	28	8·6	·8959	7·7	1	25	3·7	
Headington ...	13,648	140	142	9	11	302	22·1	120+	8·8	·8965	7·9	22	73	13·3	
Henley ...	10,474	95	97	4	3	199	19·0	122	11·6	·8831	10·2	17	85	7·4	
Thame ...	5,475	54	62	4	5	125	22·8	80	14·6	·7570	11·1	12	96	8·2	
Witney ...	17,355	142	167	12	5	326	18·8	221	12·7	·7954	10·1	15	46	6·1	
Woodstock ...	10,789	114	102	7	7	230	21·3	117	10·8	·8188	8·8	15	65	10·5	
PETERBOROUGH, SOKE OF.															
Urban District ...	45,580	443	434	35	29	941	20·6	591	13·0	·8946	11·6	85	90	7·6	
Total Rural Districts ...	34,222	338	334	26	20	718	21·0	438	12·8	·9292	11·9	67	93	8·2	
Urban District.	11,358	105	100	9	9	223	19·6	153	13·5	·8162	11·0	18	81	6·1	
Peterborough M.B. ...	34,222	338	334	26	20	718	21·0	438	12·8	·9292	11·9	67	93	8·2	
Rural Districts.															
Barnack ...	2,127	23	19	—	1	43	20·2	32	15·0	·8210	12·3	3	70	5·2	
Peterborough ...	9,231	82	81	9	8	180	19·5	121	13·1	·8132	10·7	15	83	6·4	
RUTLANDSHIRE.															
Urban District ...	20,498	188	187	10	6	391	19·1	283	13·8	·8533	11·8	36	92	5·3	
Total Rural Districts ...	3,756	37	45	3	1	86	22·9	42	11·2	·9237	10·3	6	70	11·7	
Urban District.	16,742	151	142	7	5	305	18·2	241	14·4	·8392	12·1	30	98	3·8	
Oakham ...	3,756	37	45	3	1	86	22·9	42	11·2	·9237	10·3	6	70	11·7	
Rural Districts.															
Ketton ...	2,965	27	31	2	2	62	20·9	41	13·8	·8739	12·1	8	129	7·1	
Oakham ...	7,060	65	58	4	1	128	18·1	102	14·4	·8444	12·2	12	94	3·7	
Uppingham ...	6,717	59	53	1	2	115	17·1	98	14·6	·8197	12·0	10	87	2·5	
SHROPSHIRE.															
Total Urban Districts ...	247,870	2,486	2,421	169	156	5,232	21·1	3,010	12·1	·8660	10·5	390	75	9·0	
Total Rural Districts ...	110,419	1,117	1,086	74	83	2,360	21·4	1,404	12·7	·8988	11·4	186	79	8·7	
Urban Districts.	137,451	1,369	1,335	95	73	2,872	20·9	1,606	11·7	·8410	9·8	204	71	9·2	
Bishop's Castle, M.B. ...	1,416	7	13	1	—	21	14·8	27	19·1	·7432	14·2	1	48	—4·3	
Bridgnorth, M.B. ...	5,700	59	50	4	4	117	20·5	71	12·5	·8913	11·1	12	103	8·0	
Church Stretton ...	1,608	13	10	1	—	24	14·9	15	9·3	·9365	8·7	1	42	5·6	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
SHROPSHIRE—cont.														
Dawley ...	7,744	105	110	8	14	237	30.6	83	10.7	.8998	9.6	17	72	19.9
Ellesmere ...	1,946	17	21	2	—	40	20.6	21	10.8	.8303	9.0	—	—	9.8
Ludlow, M.B. ...	5,819	51	46	3	4	104	17.9	85	14.6	.8389	12.2	4	38	3.3
Newport ...	3,252	28	29	—	—	57	17.5	35	10.8	.8526	9.2	2	35	6.7
Oakengates ...	11,945	152	123	5	6	286	23.9	136	11.4	.9330	10.6	27	94	12.5
Oswestry, M.B. ...	10,090	104	95	8	10	217	21.5	153	15.2	.9231	14.0	19	88	6.3
Shrewsbury, M.B. ...	29,627	281	283	23	24	611	20.6	393	13.3	.9381	12.5	47	77	7.3
Wellington ...	7,989	89	77	2	6	174	21.8	105	13.1	.8985	11.8	14	80	8.7
Wem ...	2,303	29	25	2	1	57	24.8	25	10.9	.8719	9.5	4	70	13.9
Wenlock, M.B. ...	15,095	131	152	10	11	304	20.1	185	12.3	.8420	10.4	23	76	7.8
Whitchurch ...	5,885	51	52	5	3	111	18.9	70	11.9	.8851	10.5	15	135	7.0
Rural Districts.														
Atcham ...	21,979	206	197	21	12	436	19.8	239†	10.9	.8224	9.0	31	71	8.9
Bridgnorth ...	9,257	105	102	5	4	216	23.3	103	11.1	.8599	9.5	13	60	12.2
Burford ...	1,326	15	9	1	1	26	19.6	12	9.0	.8110	7.3	1	38	10.6
Chirbury ...	3,248	22	34	1	—	57	17.5	46	14.2	.8004	11.4	4	70	3.3
Church Stretton ...	4,873	38	41	1	4	84	17.2	50	10.3	.7920	8.2	7	83	6.9
Cleobury Mortimer ...	7,037	79	83	5	5	172	24.4	79	11.2	.8615	9.6	11	64	13.2
Clun ...	6,503	65	64	4	6	139	21.4	62	9.5	.7933	7.5	8	58	11.9
Drayton ...	12,491	122	105	9	5	241	19.3	161	12.9	.8512	11.0	18	75	6.4
Ellesmere ...	8,474	82	81	3	3	169	19.9	103	12.2	.8973	10.9	11	65	7.7
Ludlow ...	9,403	96	107	9	2	214	22.8	105	11.2	.8938	10.0	14	65	11.6
Newport ...	5,998	70	52	3	—	125	20.8	78	13.0	.8622	11.2	17	136	7.8
Oswestry ...	15,615	178	165	11	13	367	23.5	195	12.5	.8502	10.6	25	68	11.0
Shifnal ...	8,187	60	76	2	7	145	17.7	94	11.5	.8253	9.5	9	62	6.2
Teme ...	1,596	20	10	2	—	32	20.1	24	15.0	.7828	11.7	3	94	5.1
Wellington ...	11,127	109	105	10	5	229	20.6	122	11.0	.8578	9.4	18	79	9.6
Wem ...	8,399	87	83	6	5	181	21.6	110	13.1	.8335	10.9	13	72	8.5
Whitchurch ...	1,938	15	21	2	1	39	20.1	23	11.9	.8696	10.3	1	26	8.2
SOMERSETSHIRE.														
Total Urban Districts ...	393,611	3,756	3,477	150	124	7,507	19.1	4,910	12.5	.8699	10.9	534	71	6.6
Total Rural Districts ...	160,736	1,516	1,321	62	57	2,956	18.4	2,000	12.4	.9164	11.4	244	83	6.0
Total ...	232,875	2,240	2,156	88	67	4,551	19.5	2,910	12.5	.8408	10.5	290	64	7.0
Urban Districts.														
Bridgwater, M.B. ...	17,184	192	160	10	8	370	21.5	230	13.4	.9164	12.3	37	100	8.1
Burnham ...	4,200	37	29	1	1	68	16.2	38	9.0	.9100	8.2	2	29	7.2
Chard, M.B. ...	4,599	48	46	3	1	98	21.3	64	13.9	.8761	12.2	9	92	7.4
Clevedon ...	6,162	43	42	2	1	88	14.3	86	14.0	.8051	11.3	7	80	0.3
Crewkerne ...	3,870	44	27	—	—	71	18.3	61	15.8	.9262	14.6	13	183	2.5
Frome ...	10,864	83	71	3	3	160	14.7	123	11.3	.8860	10.0	12	75	3.4
Glastonbury, M.B. ...	4,306	45	50	2	1	98	22.8	51	11.8	.8929	10.5	13	133	11.0
Highbridge ...	2,369	36	20	1	1	58	24.5	22	9.3	.9465	8.8	5	86	15.2
Ilminster ...	2,510	22	18	—	—	40	15.9	23	9.2	.8674	8.0	1	25	6.7
Midsomer Norton ...	7,656	107	88	—	3	198	25.9	86	11.2	1.0116	11.3	17	86	14.7
Minehead ...	3,685	34	36	—	1	71	19.3	37	10.0	.9763	9.8	6	85	9.3
Portishead ...	3,517	35	33	1	3	72	20.5	51	14.5	.9434	13.7	4	56	6.0
Radstock ...	3,770	57	35	1	—	93	24.7	48	12.7	.9129	11.6	6	65	12.0
Shepton Mallet ...	4,957	37	46	3	1	87	17.6	58	11.7	.8749	10.2	4	46	5.9
Street ...	4,287	53	37	1	—	91	21.2	36	8.4	.9703	8.2	2	22	12.8
Taunton M.B. ...	22,914	223	173	9	14	419	18.3	328	14.3	.9665	13.8	51	122	4.0
Watchet ...	1,838	14	15	—	2	31	16.9	24	13.1	.8846	11.6	1	32	3.8
Wellington ...	7,717	55	68	3	5	131	17.0	96	12.4	.9023	11.2	7	53	4.6
Wells M.B. ...	4,609	35	39	2	2	78	16.9	60	13.0	.8260	10.7	4	51	3.9
Weston super Mare ...	24,047	147	144	14	10	315	13.1	306	12.7	.8952	11.4	25	79	0.4
Wiveliscombe ...	1,292	13	7	—	—	20	15.5	18	13.9	.8506	11.8	—	—	1.6
Yeovil M.B. ...	14,383	156	137	6	—	299	20.8	154	10.7	.9905	10.6	18	60	10.1
Rural Districts.														
Axbridge ...	23,090	220	232	8	6	466	20.2	306	13.3	.8326	11.1	36	77	6.9
Bath ...	15,123	148	155	9	—	312	20.6	145	9.6	.9124	8.8	16	51	11.0
Bridgwater ...	18,144	167	168	10	5	350	19.3	219	12.1	.8156	9.9	29	83	7.2
Chard ...	13,410	129	142	3	10	284	21.2	170	12.7	.8571	10.9	18	63	8.5
Clutton ...	16,373	159	183	6	7	355	21.7	192	11.7	.8689	10.2	25	70	10.0
Dulverton ...	4,892	47	53	4	—	104	21.3	65	13.3	.8416	11.2	5	48	8.0
Frome ...	11,184	108	122	3	1	234	20.9	152	13.6	.8455	11.5	12	51	7.3
Keynsham ...	10,590	87	88	3	3	181	17.1	112	10.6	.8818	9.3	11	61	6.5
Langport ...	13,320	135	120	4	3	262	19.7	197	14.8	.7991	11.8	15	57	4.9
Long Ashton ...	16,318	139	152	5	3	299	18.3	187	11.5	.8669	10.0	16	54	6.8
Shepton Mallet ...	10,266	103	92	4	2	201	19.6	124	12.1	.8490	10.3	11	55	7.5
Taunton ...	17,898	172	138	8	2	320	17.9	227†	12.7	.8425	10.7	21	66	5.2
Wellington ...	6,025	65	46	2	2	115	19.1	74	12.3	.8187	10.1	2	17	6.8
Wells ...	10,601	104	109	2	9	224	21.1	149†	14.1	.8270	11.7	20	89	7.0
Williton ...	12,680	130	110	5	3	248	19.6	177	14.0	.8071	11.3	18	73	5.6
Wincanton ...	16,449	172	116	6	4	298	18.1	199	12.1	.8388	10.1	17	57	6.0
Yeovil ...	16,512	155	130	6	7	298	18.0	215	13.0	.8302	10.8	18	60	5.0

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SOUTHAMPTON.	450,319	4,617	4,395	205	217	9,434	20.9	4,702	10.4	.9456	9.8	674	71	10.5	
Total Urban Districts ...	213,695	2,295	2,260	103	110	4,768	22.3	2,190	10.2	1.0036	10.2	380	80	12.1	
Total Rural Districts ...	236,624	2,322	2,135	102	107	4,666	19.7	2,512	10.6	.8991	9.5	294	63	9.1	
Urban Districts.															
Aldershot ...	36,182	443	423	18	18	902	24.9	297	8.2	1.2819	10.5	65	72	16.7	
Alton ...	5,573	57	52	1	2	112	20.1	75	13.5	.7953	10.7	8	71	6.6	
Andover M.B. ...	7,856	91	92	5	5	193	24.6	97	12.3	.8585	10.6	7	36	12.3	
Basingstoke M.B. ...	11,959	135	117	6	5	263	22.0	122	10.2	.9653	9.8	18	68	11.8	
Christchurch M.B. ...	6,335	57	69	4	2	132	20.8	69	10.9	.8852	9.6	8	61	9.9	
Eastleigh and Bishopstoke	16,668	159	154	5	6	324	19.4	107	6.4	1.0732	6.9	20	62	13.0	
Fareham ...	10,016	80	98	5	3	186	18.6	91	9.1	.8735	7.9	7	38	9.5	
Farnborough ...	14,846	172	156	4	7	339	22.8	115	7.7	1.3024	10.0	22	65	15.1	
Fleet ...	3,583	36	29	2	1	68	19.0	49	13.7	.8774	12.0	6	88	5.3	
Gosport and Alverstoke...	34,359	388	408	20	23	839	24.4	425	12.4	.9883	12.3	95	113	12.0	
Havant ...	4,199	31	39	4	—	74	17.6	48	11.4	.8562	9.8	5	68	6.2	
Itchen ...	21,014	298	262	12	13	585	27.8	227	10.8	.9816	10.6	53	91	17.0	
Lymington M.B....	4,368	32	42	2	4	80	18.3	64	14.7	.7764	11.4	8	100	3.6	
Petersfield ...	4,110	42	26	1	6	75	18.2	40	9.7	.9295	9.0	7	93	8.5	
Romsey M.B. ...	4,742	46	38	2	2	88	18.6	73	15.4	.8921	13.7	11	125	3.2	
Warblington ...	3,920	45	40	—	1	86	21.9	49	12.5	.8474	10.6	3	35	9.4	
Winchester M.B....	23,965	183	215	12	12	422	17.6	242	10.1	.9567	9.7	37	88	7.5	
Rural Districts.															
Alresford ...	7,662	75	53	1	4	133	17.4	79	10.3	.8556	8.8	5	38	7.1	
Alton ...	20,065	210	189	9	8	416	20.7	184	9.2	1.0149	9.3	29	70	11.5	
Andover ...	15,494	155	133	11	2	301	19.4	144	9.3	1.0510	9.8	10	33	10.1	
Basingstoke ...	12,480	133	109	9	2	253	20.3	153	12.3	.8359	10.3	12	47	8.0	
Catherington ...	3,812	30	34	—	5	69	18.1	42	11.0	.8170	9.0	4	58	7.1	
Christchurch ...	5,857	46	50	—	1	97	16.6	62	10.6	.9056	9.6	10	103	6.0	
Droxford ...	13,176	123	116	6	8	253	19.2	147	11.2	.8175	9.2	13	51	8.0	
Fareham ...	14,713	143	152	6	8	309	21.0	156	10.6	.9484	10.1	24	78	10.4	
Fordingbridge ...	6,518	56	55	5	6	122	18.7	78	12.0	.8309	10.0	6	49	6.7	
Hartley Wintney ...	19,037	185	165	8	7	365	19.2	213	11.2	.8863	9.9	27	74	8.0	
Havant ...	6,131	40	50	2	2	94	15.3	66	10.8	.8489	9.2	4	43	4.5	
Hursley ...	4,564	56	38	2	2	98	21.5	67	14.7	.8838	13.0	6	61	6.8	
Kingsclere ...	8,924	86	84	8	4	182	20.4	102	11.4	.8281	9.4	15	82	9.0	
Lymington ...	12,509	107	97	5	5	214	17.1	119	9.5	.9087	8.6	20	93	7.6	
New Forest ...	16,798	177	150	4	11	342	20.4	193	11.5	.8829	10.2	18	53	8.9	
Petersfield ...	12,685	103	110	4	3	220	17.3	109	8.6	.9894	8.5	10	45	8.7	
Ringwood... ..	7,377	76	77	3	6	162	22.0	77	10.4	.8762	9.1	16	99	11.6	
Romsey ...	6,930	75	56	3	4	138	19.9	72	10.4	.8709	9.1	8	58	9.5	
South Stoneham ...	18,202	207	213	6	12	438	24.1	208	11.4	.9344	10.7	29	66	12.7	
Stockbridge ...	6,569	54	60	3	2	119	18.1	70	10.7	.8326	8.9	12	101	7.4	
Whitchurch ...	6,192	68	64	2	—	134	21.6	46	7.4	.8407	6.2	3	22	14.2	
Winchester ...	10,929	117	80	5	5	207	18.9	125	11.4	.9037	10.3	13	63	7.5	
STAFFORDSHIRE.															
Total Urban Districts ...	682,795	9,321	9,007	409	349	19,086	28.0	9,821	14.4	.9716	14.0	2,258	118	13.6	
Total Rural Districts ...	470,446	6,898	6,647	288	225	14,058	29.9	7,274	15.5	.9934	15.4	1,814	129	14.4	
Urban Districts.	212,349	2,423	2,360	121	124	5,028	23.7	2,547	12.0	.9262	11.1	444	88	11.7	
Amblecote ...	3,161	38	35	3	3	79	25.0	39	12.3	.9881	12.2	4	51	12.7	
Audley ...	15,038	216	213	16	9	454	30.2	202	13.4	1.0133	13.6	37	81	16.8	
Biddulph ...	7,704	88	108	10	6	212	27.5	105	13.6	.9855	13.4	29	137	13.9	
Bilston ...	26,076	450	422	16	12	900	34.5	515	19.8	.9888	19.6	143	159	14.7	
Brierley Hill ...	12,316	167	167	16	1	351	28.5	204	16.6	.9898	16.4	42	120	11.9	
Brownhills ...	17,235	316	297	12	11	636	36.9	177	10.3	1.0174	10.5	49	77	26.6	
Cannock ...	29,691	479	457	21	14	971	32.7	416	14.0	.9913	13.9	123	127	18.7	
Coseley ...	22,981	372	349	14	7	742	32.3	368	16.0	.9886	15.8	88	119	16.3	
Darlaston ...	17,517	296	265	9	7	577	32.9	329	18.8	1.0202	19.2	83	144	14.1	
Heathtown or Wednes- field Heath.	12,955	207	168	4	9	388	29.9	206+	15.9	1.0082	16.0	47	121	14.0	
Kidsgrove... ..	9,178	149	136	4	2	291	31.7	158	17.2	.9970	17.1	35	120	14.5	
Leek ...	16,945	165	139	11	11	326	19.2	275	16.2	1.0028	16.2	53	163	3.0	
Lichfield, M.B. ...	8,787	76	81	7	5	169	19.2	132	15.0	.8873	13.3	16	95	4.2	
Newcastle under Lyme, M.B.	20,270	268	268	13	16	565	27.9	310	15.3	.9887	15.1	64	113	12.6	
Perry Barr ...	2,416	29	32	—	—	61	25.2	19	7.9	1.0642	8.4	3	49	17.3	
Quarry Bank ...	7,508	116	112	2	5	235	31.3	118	15.7	.9991	15.7	24	102	15.6	
Rowley Regis ...	37,558	536	607	18	19	1,180	31.4	534	14.2	1.0209	14.5	136	115	17.2	
Rugeley ...	4,518	70	40	4	—	114	25.2	60	13.3	.9134	12.1	9	79	11.9	
Sedgley ...	16,665	236	206	8	4	454	27.2	232+	13.9	.9906	13.8	60	132	13.3	
Short Heath ...	4,205	68	70	4	—	142	33.8	63	15.0	.9523	14.3	20	141	18.8	
Smallthorne ...	14,178	223	240	8	11	482	34.0	226	15.9	1.0308	16.4	69	143	18.1	
Stafford, M.B. ...	23,979	258	294	18	11	581	24.2	307+	12.8	1.0278	13.1	75	129	11.4	
Stone ...	5,690	68	59	2	3	132	23.2	87	15.3	.8798	13.5	13	98	7.9	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
STAFFORDSHIRE—cont.															
Tamworth, M.B....	7,850	114	75	3	5	197	25.1	119	15.2	.9564	14.5	16	81	9.9	
Tettenhall ...	5,392	64	49	6	2	121	22.4	66	12.2	.9002	11.0	11	91	10.2	
Tipton ...	32,047	536	527	19	14	1,096	34.2	537	16.8	.9735	16.4	164	150	17.4	
Uttoxeter ...	5,857	75	68	6	3	152	26.0	83	14.2	.9543	13.6	15	99	11.8	
Wednesbury, M.B. ...	28,474	426	401	10	12	849	29.8	504	17.7	1.0071	17.8	130	153	12.1	
Wednesfield ...	6,873	93	93	1	3	190	27.6	107	15.6	.9747	15.2	36	189	12.0	
Willenhall ...	18,923	294	300	7	6	607	32.1	369	19.5	1.0304	20.1	102	168	12.6	
Wolstanton United ...	28,459	405	369	16	14	804	28.3	407	14.3	1.0365	14.8	118	147	14.0	
Rural Districts.															
Blore Heath ...	2,322	23	17	3	2	45	19.4	20	8.6	.8432	7.3	—	—	10.8	
Cannock ...	20,247	219	237	9	10	475	23.5	243	12.0	.9419	11.3	42	88	11.5	
Cheadle ...	27,197	312	307	11	10	640	23.5	336+	12.4	.9539	11.8	72	113	11.1	
Dudley ...	12	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gnosall ...	4,781	48	45	4	5	102	21.3	60	12.5	.8188	10.2	3	29	8.8	
Kingswinford ...	21,107	295	284	14	11	604	28.6	307	14.5	.9253	13.4	65	108	14.1	
Leek ...	15,746	197	158	11	17	383	24.3	220	14.0	.9313	13.0	38	99	10.3	
Lichfield ...	29,214	317	356	17	16	706	24.2	303+	10.4	.9706	10.1	62	88	13.8	
Mayfield ...	3,882	46	35	1	2	84	21.6	59	15.2	.8569	13.0	9	107	6.4	
Newcastle under Lyme ...	6,385	64	56	8	7	135	21.1	94	14.7	.9426	13.9	12	89	6.4	
Seisdon ...	15,596	161	150	9	11	331	21.2	168	10.8	.8773	9.5	17	51	10.4	
Stafford ...	12,105	126	123	4	6	259	21.4	118	9.7	.9194	8.9	19	73	11.7	
Stoke upon Trent ...	4,893	72	75	3	3	153	31.3	66	13.5	.9773	13.2	20	131	17.8	
Stone ...	14,490	120	141	10	6	277	19.1	156	10.8	.8990	9.7	17	61	8.3	
Tamworth (part of)† ...	5,188	64	56	1	1	122	23.5	43	8.3	.8927	7.4	3	25	15.2	
Tutbury ...	9,075	97	87	7	3	194	21.4	116	12.8	.9221	11.8	12	62	8.6	
Uttoxeter ...	8,158	70	73	3	7	153	18.8	87	10.7	.9186	9.8	12	78	8.1	
Walsall ...	11,159	185	155	6	7	353	31.6	142	12.7	.9746	12.4	39	110	18.9	
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	792	7	5	—	—	12	15.2	9	11.4	.8190	9.3	2	167	3.8	
SUFFOLK, EAST.															
Total Urban Districts ...	206,590	2,285	2,126	131	138	4,680	22.7	2,510	12.1	.8526	10.3	355	76	10.6	
Total Rural Districts ...	83,147	989	930	54	53	2,026	24.4	996	12.0	.9194	11.0	166	82	12.4	
Urban Districts.	123,443	1,296	1,196	77	85	2,654	21.5	1,514	12.3	.8132	10.0	189	71	9.2	
Aldeburgh, M.B....	2,367	33	17	1	3	54	22.8	29	12.3	.8838	10.9	2	37	10.5	
Beccles, M.B. ...	7,197	71	74	6	4	155	21.5	93	12.9	.9007	11.6	16	103	8.6	
Bungay ...	3,370	28	33	—	3	64	19.0	46	13.6	.8561	11.6	7	109	5.4	
Eye, M.B....	1,999	17	13	1	3	34	17.0	32	16.0	.7098	11.4	4	118	1.0	
Felixstowe and Walton ...	9,349	82	75	5	2	164	17.5	79	8.5	1.0590	9.0	10	61	9.0	
Halesworth ...	2,261	24	14	2	—	40	17.7	26	11.5	.8386	9.6	4	100	6.2	
Leiston cum Sizewell ...	4,623	62	76	3	5	146	31.6	54	11.7	.9897	11.6	11	75	19.9	
Lowestoft, M.B. ...	34,718	486	432	23	22	963	27.7	442	12.7	.9340	11.9	83	86	15.0	
Oulton Broad ...	4,386	63	66	2	3	134	30.6	43	9.8	.9344	9.2	13	97	20.8	
Saxmundham ...	1,392	7	12	3	1	23	16.5	12	8.6	.8497	7.3	—	—	7.9	
Southwold, M.B....	2,620	22	25	—	1	48	18.3	34	13.0	.8544	11.1	2	42	5.3	
Stowmarket ...	4,246	51	51	3	3	108	25.4	46	10.8	.8556	9.2	5	46	14.6	
Woodbridge ...	4,619	43	42	5	3	93	20.1	60	13.0	.8242	10.7	9	97	7.1	
Rural Districts.															
Blything ...	18,409	205	179	15	15	414	22.5	224	12.2	.7799	9.5	27	65	10.3	
Bosmere and Claydon ...	14,064	162	137	13	16	328	23.3	160	11.4	.7889	9.0	19	58	11.9	
East Stow ...	6,293	72	55	—	4	131	20.8	56	8.9	.8248	7.3	6	46	11.9	
Hartismere ...	11,479	129	104	15	9	257	22.4	149	13.0	.8021	10.4	17	66	9.4	
Hoxne ...	10,453	99	107	5	11	222	21.2	150	14.3	.7937	11.3	21	95	6.9	
Mutford and Lothingland ...	11,340	158	141	2	5	306	27.0	155	13.7	.8430	11.5	28	92	13.3	
Plomesgate ...	15,697	153	151	14	9	327	20.8	224	14.3	.8141	11.6	25	76	6.5	
Samford ...	14,255	118	118	3	—	239	16.8	154	10.8	.9033	9.8	16	67	6.0	
Wangford... ..	4,855	55	52	1	4	112	23.1	58	11.9	.7890	9.4	13	116	11.2	
Woodbridge ...	16,598	145	152	9	12	318	19.2	184+	11.1	.8365	9.3	17	53	8.1	
SUFFOLK, WEST.															
Total Urban Districts ...	116,750	1,130	1,076	73	85	2,364	20.2	1,541	13.2	.8262	10.9	177	75	7.0	
Total Rural Districts ...	43,788	409	407	32	40	888	20.3	580	13.2	.8929	11.8	69	78	7.1	
Urban Districts.	72,962	721	669	41	45	1,476	20.2	961	13.2	.7909	10.4	108	73	7.0	
Bury St. Edmunds M.B.	16,911	164	165	8	19	356	21.1	247	14.6	.8865	12.9	35	98	6.5	
Glemsford ...	1,385	12	17	—	—	29	20.9	21	15.2	.7206	11.0	2	69	5.7	
Hadleigh ...	3,189	35	32	3	8	78	24.5	31	9.7	.8281	8.0	4	51	14.8	
Haverhill ...	4,721	48	48	6	1	103	21.8	99	21.0	.9826	20.6	15	146	0.8	
Newmarket ...	10,433	93	93	7	4	197	18.9	104	10.0	.9673	9.7	8	41	8.9	
Sudbury M.B. ...	7,149	57	52	8	8	125	17.5	78	10.9	.8299	9.0	5	40	6.6	

† The remainder of Tamworth Rural District is in Warwickshire; see page 155.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.			Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SUFFOLK, WEST—cont.															
Rural Districts.															
Brandon	5,875	75	56	4	5	140	23·8	83	14·1	·7963	11·2	18	129	9·7	
Clare	8,548	78	69	9	7	163	19·1	118	13·8	·7553	10·4	9	55	5·3	
Cosford	11,854	103	105	2	7	217	18·3	147	12·4	·7905	9·8	12	55	5·9	
Melford	12,715	116	115	10	5	246	19·3	175	13·8	·7803	10·8	15	61	5·5	
Mildenhall	8,316	89	86	4	4	183	22·0	114	13·7	·7925	10·9	7	38	8·3	
Moulton	2,232	24	20	2	—	46	20·6	24	10·8	·8375	9·0	4	87	9·8	
Thedwastre	9,004	85	89	2	7	183	20·3	125	13·9	·7992	11·1	22	120	6·4	
Thingoe	14,418	151	129	8	10	298	20·7	175	12·1	·8081	9·8	21	70	8·6	
SURREY.															
Total Urban Districts ...	713,469	6,767	6,440	312	274	13,793	19·3	7,060	9·9	·9763	9·7	986	71	9·4	
Total Rural Districts ...	479,441*	4,490	4,328	240	198	9,256	19·3	4,864	10·1	·9765	9·9	696	75	9·2	
Urban Districts.	234,028*	2,277	2,112	72	76	4,537	19·4	2,196	9·4	·9760	9·2	290	64	10·0	
Barnes	33,386	368	342	13	13	736	22·0	354	10·6	1·0060	10·7	63	86	11·4	
Carshalton	12,805	129	117	7	5	258	20·1	112†	8·7	1·0190	8·9	19	74	11·4	
Caterham	11,166	114	84	2	5	205	18·4	90†	8·1	·9772	7·9	10	49	10·3	
Chertsey	14,069	138	157	6	5	306	21·7	143	10·2	·9077	9·3	24	78	11·5	
Dorking	7,891	63	66	3	5	137	17·4	78	9·9	·8601	8·5	8	58	7·5	
East and West Molesey...	6,602	64	60	4	3	131	19·8	68	10·3	·9455	9·7	5	38	9·5	
Egham	12,708	113	120	7	11	251	19·8	121†	9·5	·9712	9·2	15	60	10·3	
Epsom	21,131	136	127	16	8	287	13·6	152†	7·2	·9829	7·1	29	101	6·4	
Esher and the Dittons ...	13,244	147	127	4	3	281	21·2	132	10·0	·9945	9·9	13	46	11·2	
Farnham	7,596	54	81	2	—	137	18·0	78	10·3	·8762	9·0	8	58	7·7	
Frimley	14,934	144	118	2	4	268	17·9	110	7·4	1·1354	8·4	20	75	10·5	
Godalming M.B.	8,869	78	81	4	3	166	18·7	100	11·3	1·0384	11·7	14	84	7·4	
Guildford M.B.	24,582	242	217	13	10	482	19·6	276	11·2	·9612	10·8	29	60	8·4	
Ham	1,429	8	14	1	—	23	16·1	21	14·7	·9276	13·6	3	130	1·4	
Haslemere†	2,815*	26	22	1	—	49	17·4	33	11·7	1·0263	12·0	1	20	5·7	
Kingston on Thames M.B.	38,838	432	397	36	21	886	22·8	464	11·9	·9652	11·5	65	73	10·9	
Leatherhead	5,682	47	49	1	—	97	17·1	65	11·4	1·0452	11·9	10	103	5·7	
Merton and Morden§ ...	15,907*	189	202	6	5	402	25·3	153	9·6	1·0272	9·9	27	67	15·7	
Reigate M.B.	29,103	220	220	10	9	459	15·8	281	9·7	·9279	9·0	33	72	6·1	
Richmond M.B.	33,592	295	282	20	18	615	18·3	463	13·8	·9296	12·8	53	86	4·5	
Surbiton	18,363	147	150	9	14	320	17·4	197	10·7	·9826	10·5	16	50	6·7	
Sutton	22,240	193	169	10	5	377	17·0	187†	8·4	·9359	7·9	31	82	8·6	
The Maldens and Coombe	13,552	148	133	6	2	289	21·3	87	6·4	1·0126	6·5	18	62	14·9	
Walton upon Thames ...	13,461	116	126	5	3	250	18·6	131	9·7	1·0108	9·8	15	60	8·9	
Weybridge	6,515	49	52	2	—	103	15·8	59	9·1	1·0062	9·2	10	97	6·7	
Wimbledon M.B.	58,156	532	508	37	39	1,116	19·2	628	10·8	1·0196	11·0	117	105	8·4	
Windlesham	4,449	49	48	4	—	101	22·7	55	12·4	·9548	11·8	6	59	10·3	
Woking	26,356	249	259	9	7	524	19·9	226†	8·6	1·0407	9·0	34	65	11·3	
Rural Districts.															
Chertsey	10,036	88	100	5	6	199	19·8	90	9·0	1·0210	9·2	12	60	10·8	
Croydon	71,722*	806	736	15	20	1,577	22·0	626†	8·7	1·0414	9·1	130	82	13·3	
Dorking	10,772	92	67	3	7	169	15·7	119	11·0	·8958	9·9	6	36	4·7	
Epsom	31,474	296	244	11	13	564	17·9	270†	8·6	1·0386	8·9	28	50	9·3	
Farnham	21,119	211	245	11	6	473	22·4	238	11·3	·9253	10·5	33	70	11·1	
Godstone	24,500	201	216	7	4	428	17·5	219†	8·9	·9427	8·4	21	49	8·6	
Guildford	18,701	165	141	8	8	322	17·2	175	9·4	·9381	8·8	14	43	7·8	
Hambleton	23,443*	204	174	6	7	391	16·7	245	10·5	·9060	9·5	21	54	6·2	
Reigate	22,261	214	189	6	5	414	18·6	214†	9·6	·9551	9·2	25	60	9·0	
SUSSEX, EAST															
Total Urban Districts ...	247,836	2,034	1,985	137	125	4,281	17·3	2,851	11·5	·8980	10·3	294	69	5·8	
Total Rural Districts ...	119,242	944	940	66	70	2,020	16·9	1,478	12·4	·9092	11·3	148	73	4·5	
Urban Districts.	128,594	1,090	1,045	71	55	2,261	17·6	1,373	10·7	·8875	9·5	146	65	6·9	
Battle	2,907	28	24	1	1	54	18·6	29	10·0	·8003	8·0	1	19	8·6	
Bexhill M.B.	16,076	106	114	14	10	244	15·2	167	10·4	·9913	10·3	15	61	4·8	
Burgess Hill	5,181	45	47	6	4	102	19·7	63	12·2	·8460	10·3	4	39	7·5	
Cuckfield	1,920	14	15	1	1	31	16·1	17	8·9	·7713	6·9	1	32	7·2	
East Grinstead	7,327	61	54	1	3	119	16·2	75	10·2	·9331	9·5	8	67	6·0	
Hayward's Heath	5,123	34	39	3	2	78	15·2	49	9·6	·9632	9·2	6	77	5·6	
Hove M.B.	43,524	285	287	21	32	625	14·4	626	14·4	·8784	12·6	60	96	—0·0	
Lewes M.B.	10,905	119	99	3	4	225	20·6	151	13·8	·9127	12·6	16	71	6·8	
Newhaven... ..	6,639	69	69	3	3	144	21·7	77	11·6	·9916	11·5	8	56	10·1	
Portslade by Sea... ..	6,750	73	91	6	5	175	25·9	92	13·6	·9390	12·8	14	80	12·3	
Rye M.B.	4,308	50	36	3	3	92	21·4	50	11·6	·8788	10·2	7	76	9·8	
Seaford	5,130	38	32	1	—	71	13·8	42	8·2	1·0741	8·8	7	99	5·6	
Uckfield	3,452	22	33	3	2	60	17·4	40	11·6	·7999	9·3	1	17	5·8	

† Created on 1st April, 1913.
§ Merton U.D. was extended and renamed Merton and Morden U.D. on 1st April, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
SUSSEX, EAST—cont.															
Rural Districts.															
Battle	6,596	51	59	4	3	117	17·7	67	10·2	·8478	8·6	8	68	7·5	
Chailey	12,901	93	88	6	8	195	15·1	140†	10·9	·8492	9·3	17	87	4·2	
Cuckfield	17,140	142	119	7	6	274	16·0	166	9·7	·9202	8·9	13	47	6·3	
Eastbourne	5,444	51	39	3	3	96	17·6	73	13·4	·9005	12·1	10	104	4·2	
East Grinstead	13,271	130	110	6	5	251	18·9	151	11·4	·8900	10·1	13	52	7·5	
Hailsham	18,600	188	190	18	6	402	21·6	213†	11·5	·8532	9·8	35	87	10·1	
Hastings	1,724	9	18	2	2	31	18·0	25	14·5	·8089	11·7	1	32	3·5	
Newhaven	5,135	31	38	—	2	71	13·8	36	7·0	1·1259	7·9	3	42	6·8	
Rye	7,143	58	52	7	5	122	17·1	81	11·3	·7871	8·9	3	25	5·8	
Steyning East	3,032	13	23	—	—	36	11·9	25	8·2	1·0260	8·4	2	56	3·7	
Ticehurst	13,682	113	105	9	4	231	16·9	153	11·2	·8594	9·6	12	52	5·7	
Uckfield	23,926	211	204	9	11	435	18·2	243	10·2	·9248	9·4	29	67	8·0	
SUSSEX, WEST.															
Total Urban Districts ...	86,793	719	688	56	38	1,501	17·3	1,078	12·4	·8650	10·7	113	75	4·9	
Total Rural Districts ...	95,513	850	781	45	30	1,706	17·9	1,060	11·1	·8521	9·5	110	64	6·8	
Urban Districts.															
Arundel M.B.	2,790	27	13	—	1	41	14·7	21	7·5	·8583	6·4	9	220	7·2	
Bognor	8,612	71	70	4	5	150	17·4	113	13·1	·9492	12·4	15	100	4·3	
Chichester M.B.	12,674	109	100	10	6	225	17·8	165†	13·0	·8740	11·4	11	49	4·8	
Horsham	11,442	116	98	4	6	224	19·6	151	13·2	·8542	11·3	14	63	6·4	
Littlehampton	8,588	70	79	9	2	160	18·6	99	11·5	·9067	10·4	4	25	7·1	
Shoreham by Sea	5,986	55	53	8	2	118	19·7	73†	12·2	·9050	11·0	17	144	7·5	
Southwick	4,542	39	36	2	2	79	17·4	54	11·9	·8499	10·1	9	114	5·5	
Worthing M.B.	32,159	232	239	19	14	504	15·7	402	12·5	·8302	10·4	34	67	3·2	
Rural Districts.															
East Preston	7,074	58	54	3	—	115	16·3	80	11·3	·8337	9·4	18	157	5·0	
Horsham	21,610	174	164	9	5	352	16·3	248	11·5	·9243	10·6	21	60	4·8	
Midhurst	15,680	139	133	3	4	279	17·8	162	10·3	·8819	9·1	16	57	7·5	
Petworth	8,835	97	89	4	3	193	21·8	98	11·1	·8065	9·0	15	78	10·7	
Steyning West	9,103	84	56	2	2	144	15·8	96	10·5	·8551	9·0	6	42	5·3	
Thakeham	8,581	74	72	11	4	161	18·8	89	10·4	·8258	8·6	9	56	8·4	
Westbourne	8,694	80	85	6	6	177	20·4	111	12·8	·7934	10·2	8	45	7·6	
Westhampnett	15,936	144	128	7	6	285	17·9	176	11·0	·8438	9·3	17	60	6·9	
WARWICKSHIRE.															
Total Urban Districts ...	139,527	1,541	1,515	60	58	3,174	22·7	1,745	12·5	·9543	11·9	286	90	10·2	
Total Rural Districts ...	172,564	2,120	2,036	97	92	4,345	25·2	2,085	12·1	·9018	10·9	391	90	13·1	
Urban Districts.															
Bulkington	1,906	41	31	—	1	73	38·3	34	17·8	·8405	15·0	12	164	20·5	
Kenilworth	6,071	67	73	3	4	147	24·2	80	13·2	·8818	11·6	11	75	11·0	
Nuneaton M.B.	39,967	581	556	16	14	1,167	29·2	465	11·6	1·0564	12·3	121	104	17·6	
Royal Leamington Spa M.B.	26,671	222	209	15	17	463	17·4	386	14·5	·8310	12·0	40	86	2·9	
Rugby	22,939	214	246	10	10	480	20·9	245	10·7	1·0690	11·4	39	81	10·2	
Stratford on Avon M.B.	8,584	80	77	—	4	161	18·8	118	13·7	·8709	11·9	7	43	5·1	
Sutton Coldfield M.B. ...	21,538	203	207	2	1	413	19·2	236	11·0	·9984	11·0	30	73	8·2	
Warwick M.B.	11,851	133	116	14	7	270	22·8	181	15·3	·8715	13·3	26	96	7·5	
Rural Districts.															
Alcester	11,980	95	111	11	7	224	18·7	122	10·2	·8632	8·8	17	76	8·5	
Atherstone	19,798	313	283	6	8	610	30·8	239	12·1	·9812	11·9	60	98	18·7	
Brailes	5,979	50	61	8	2	121	20·2	67	11·2	·7491	8·4	6	50	9·0	
Coventry	645	27	26	—	2	55	85·3	13	20·2	1·0914	22·0	6	109	65·1	
Farnborough	1,468	11	11	1	—	23	15·7	14	9·5	·8069	7·7	1	43	6·2	
Foleshill	24,435	418	403	8	11	840	34·4	351	14·4	·9833	14·2	98	117	20·0	
Meriden	15,712	146	139	12	8	305	19·4	207	13·2	·8748	11·5	36	118	6·2	
Monks Kirby	1,548	7	15	—	2	24	15·5	14	9·0	·8056	7·3	—	—	6·5	
Nuneaton	2,728	41	38	1	1	81	29·7	39	14·3	·8974	12·8	15	185	15·4	
Rugby	17,866	247	223	15	13	498	27·9	252	14·1	·9115	12·9	53	106	13·8	
Solihull	19,741	176	192	6	6	380	19·2	197	10·0	·9134	9·1	22	58	9·2	
Southam	10,005	125	118	11	8	262	26·2	130	13·0	·7750	10·1	16	61	13·2	
Stratford on Avon	11,191	94	94	6	12	206	18·4	146	13·0	·8044	10·5	13	63	5·4	
Tamworth (part of)† ...	16,859	261	204	2	9	476	28·2	170	10·1	1·0111	10·2	33	69	18·1	
Warwick	12,609	109	118	10	3	240	19·0	124†	9·8	·8917	8·7	15	62	9·2	
WESTMORLAND.															
Total Urban Districts ...	63,375	550	519	38	43	1,150	18·1	865	13·6	·8970	12·2	125	109	4·5	
Total Rural Districts ...	26,800	229	224	18	22	493	18·4	375	14·0	·9303	13·0	56	114	4·4	
Total Rural Districts ...	36,575	321	295	20	21	657	18·0	490	13·4	·8730	11·7	69	105	4·6	
Urban Districts.															
Ambleside	2,557	16	20	—	2	38	14·9	22	8·6	·9768	8·4	3	79	6·3	
Appleby M.B.	1,729	13	21	1	5	40	23·1	21	12·1	·8761	10·6	2	50	11·0	
Grasmere	899	5	3	1	—	9	10·0	7	7·8	·7920	6·2	—	—	2·2	

† The remainder of Tamworth Rural District is in Staffordshire; see page 153.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
WESTMORLAND—cont.														
Kendal M.B. ...	13,997	140	123	10	15	288	20·6	221	15·8	·9415	14·9	46	160	4·8
Kirkby Lonsdale ...	1,497	12	9	2	—	23	15·4	15	10·0	·9410	9·4	—	—	5·
Shap ...	953	7	14	2	—	23	24·1	16	16·8	·8350	14·0	4	174	7·3
Windermere ...	5,168	36	34	2	—	72	13·9	73	14·1	·9477	13·4	1	14	—0·2
Rural Districts.														
East Westmorland ...	11,078	105	114	11	9	239	21·6	171	15·4	·8440	13·0	24	100	6·2
South Westmorland ...	19,076	152	137	5	6	300	15·7	224	11·7	·9004	10·5	26	87	4·0
West Ward ...	6,421	64	44	4	6	118	18·4	95	14·8	·8497	12·6	19	161	3·6
WIGHT, ISLE OF.														
Total Urban Districts ...	57,910	467	472	30	17	986	17·0	704	12·2	·8544	10·4	53	54	4·8
Rural District ...	31,658	237	219	18	11	485	15·3	310	9·8	·8626	8·5	34	70	5·5
Urban Districts.														
Cowes ...	9,871	89	105	4	3	201	20·4	115	11·7	·9292	10·9	10	50	8·7
East Cowes ...	5,010	51	45	3	—	99	19·8	40	8·0	·9668	7·7	6	61	11·8
Newport M.B. ...	11,211	110	113	9	5	237	21·1	138	12·3	·8802	10·8	19	80	8·8
Ryde M.B. ...	10,504	81	71	7	3	162	15·4	154	14·7	·7655	11·3	10	62	0·7
St. Helens ...	5,061	51	42	1	1	95	18·8	51	10·1	·8409	8·5	2	21	8·7
Sandown ...	5,682	36	51	1	2	90	15·8	69	12·1	·8398	10·2	5	56	3·7
Shanklin ...	4,803	25	15	2	—	42	8·7	74	15·4	·8109	12·5	—	—	—6·7
Ventnor ...	5,768	24	30	3	3	60	10·4	63	10·9	·8593	9·4	1	17	—0·5
Rural District.														
Isle of Wight ...	31,658	237	219	18	11	485	15·3	310†	9·8	·8626	8·5	34	70	5·5
WILTSHIRE.														
Total Urban Districts ...	290,519	2,961	2,891	141	151	6,144	21·1	3,506	12·1	·8841	10·7	429	70	9·0
Total Rural Districts ...	127,098	1,323	1,259	63	63	2,708	21·3	1,613	12·7	·9449	12·0	216	80	8·6
Urban Districts.														
Bradford on Avon ...	163,421	1,638	1,632	78	88	3,436	21·0	1,893	11·6	·8421	9·8	213	62	9·4
Calne M.B. ...	4,498	43	47	5	3	98	21·8	48	10·7	·8368	9·0	—	—	11·1
Chippenham M.B. ...	3,557	24	35	1	3	63	17·7	54	15·2	·7880	12·0	7	111	2·5
Devizes M.B. ...	5,394	46	39	1	5	91	16·9	74	13·7	·9374	12·8	3	33	3·2
Malmesbury M.B. ...	6,789	52	60	4	3	119	17·5	80	11·8	·8624	10·2	11	92	5·7
Marlborough M.B. ...	2,609	11	20	2	2	45	17·2	41	15·7	·8319	13·1	2	44	1·5
Melksham... ..	4,471	33	27	4	1	65	14·5	52	11·6	1·0144	11·8	5	77	2·9
Salisbury M.B. ...	3,257	50	34	—	1	85	26·1	41	12·6	·9365	11·8	6	71	13·5
Swindon M.B. ...	21,464	218	194	21	15	448	20·9	270	12·6	·9547	12·0	31	69	8·3
Trowbridge ...	52,128	605	579	20	22	1,226	23·5	632	12·1	1·0266	12·4	107	87	11·4
Warminster ...	11,883	143	125	3	5	276	23·2	178	15·0	·8628	12·9	31	112	8·2
Westbury ...	5,479	39	43	2	1	85	15·5	67	12·2	·8627	10·5	11	129	3·3
Wilton M.B. ...	3,464	38	30	—	2	70	20·2	44	12·7	·8493	10·8	1	14	7·5
Rural Districts.														
Amesbury ...	2,105	21	16	—	—	37	17·6	32	15·2	·8294	12·6	1	27	2·4
Bradford on Avon ...	11,850	125	122	3	2	252	21·3	99	8·4	1·0071	8·5	16	63	12·9
Calne ...	5,371	53	38	4	2	97	18·1	56	10·4	·8697	9·0	1	10	7·7
Chippenham ...	4,595	37	46	—	2	85	18·5	64	13·9	·8030	11·2	7	82	4·6
Cricklade and Wootton Bassett	18,320	164	171	5	5	345	18·8	199	10·9	·8544	9·3	13	38	7·9
Devizes ...	10,917	124	140	7	11	282	25·8	146	13·4	·8343	11·2	24	85	12·4
Highworth ...	12,802	109	118	8	8	243	19·0	136†	10·6	·8333	8·8	18	74	8·4
Malmesbury ...	15,346	145	159	7	10	321	20·9	193	12·6	·8663	10·9	27	84	8·3
Marlborough ...	9,251	83	97	3	5	188	20·3	113	12·2	·8079	9·9	19	101	8·1
Melksham... ..	4,531	56	55	6	2	119	26·3	54	11·9	·8369	10·0	7	59	14·4
Mere ...	5,108	64	52	4	1	121	23·7	60	11·7	·8403	9·8	5	41	12·0
Pewsey ...	5,164	35	37	3	2	77	14·9	59	11·4	·7994	9·1	1	13	3·5
Ramsbury ...	13,804	161	155	8	16	340	24·6	168	12·2	·8805	10·7	20	59	12·4
Salisbury ...	7,113	74	66	7	2	149	20·9	86	12·1	·7780	9·4	8	54	8·8
Tetbury (part of)†	10,270	101	98	4	7	210	20·4	114	11·1	·8434	9·4	13	62	9·3
Tisbury ...	377	5	7	—	—	12	31·8	5	13·3	·8993	12·0	1	83	18·5
Warminster ...	7,824	83	62	—	5	150	19·2	81	10·4	·8220	8·5	11	73	8·8
Westbury and Whorwells-down.	5,891	55	55	2	1	113	19·2	75	12·7	·7721	9·8	5	44	6·5
Wilton ...	6,661	73	66	2	3	144	21·6	88	13·2	·8104	10·7	7	49	8·4
WORCESTERSHIRE.														
Total Urban Districts ...	8,226	91	88	5	4	188	22·9	97	11·8	·8320	9·8	10	53	11·1
Total Rural Districts ...	293,538	3,244	3,114	157	121	6,636	22·6	3,739	12·7	·9159	11·6	650	98	9·9
Urban Districts.														
Bewdley M.B. ...	159,878	1,794	1,780	92	61	3,727	23·3	2,088	13·1	·9667	12·7	426	114	10·2
Bromsgrove ...	133,660	1,450	1,334	65	60	2,909	21·8	1,651	12·4	·8620	10·7	224	77	9·4
Droitwich M.B. ...	2,716	35	35	1	1	72	26·5	36	13·3	·8615	11·5	6	83	13·2
Evesham M.B. ...	9,048	112	98	12	3	225	24·9	105	11·6	·8839	10·3	18	80	13·3
	4,133	44	35	1	2	82	19·8	59	14·3	·8287	11·9	5	61	5·5
	8,637	79	83	1	6	169	19·6	102	11·8	·9843	11·6	13	77	7·8

‡ The remainder of Tetbury Rural District is in Gloucestershire; see page 141.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
WORCESTERSHIRE—cont.															
Kidderminster M.B. ...	27,571	291	295	11	9	606	22.0	364	13.2	.9688	12.8	75	124	8.8	
Lye and Wollescote ...	11,854	157	174	3	4	338	28.5	163	13.8	1.0113	14.0	44	130	14.7	
Malvern ...	16,528	110	88	13	5	216	13.1	176	10.6	.9297	9.9	16	74	2.5	
North Bromsgrove ...	7,575	78	71	6	3	158	20.9	76	10.0	.9167	9.2	12	76	10.9	
Oldbury ...	33,919	510	495	21	13	1,039	30.6	545	16.1	1.0249	16.5	162	156	14.5	
Redditch ...	15,935	149	158	7	4	318	20.0	174	10.9	1.0257	11.2	27	85	9.1	
Stourbridge ...	17,553	194	200	12	8	414	23.6	232	13.2	.9502	12.5	40	97	10.4	
Stourport ...	4,409	35	48	4	3	90	20.4	56	12.7	.9311	11.8	8	89	7.7	
Rural Districts.															
Bromsgrove ...	15,284	176	135	8	6	325	21.3	174	11.4	.8832	10.1	13	40	9.9	
Droitwich ...	12,994	121	107	11	7	246	18.9	160	12.3	.8295	10.2	17	69	6.6	
Evesham ...	9,457	111	89	3	2	205	21.7	116	12.3	.8602	10.6	17	83	9.4	
Peckham ...	5,438	51	32	2	3	88	16.2	81	14.9	.8553	12.7	12	136	1.3	
Salisbury ...	26,561	384	382	13	8	787	29.6	349	13.1	1.0297	13.5	90	114	16.5	
Kidderminster ...	7,263	79	74	7	2	162	22.3	86	11.8	.8483	10.0	13	80	10.5	
Martley ...	13,092	134	117	5	12	268	20.5	143	10.9	.8220	9.0	12	45	9.6	
Pershore ...	13,335	124	125	6	8	263	19.7	167	12.5	.8209	10.3	18	68	7.2	
Rock ...	2,203	20	22	—	—	42	19.1	26	11.8	.7452	8.8	2	48	7.3	
Shipston on Stour ...	4,713	50	53	1	2	106	22.5	64	13.6	.7317	10.0	5	47	8.9	
Stow on the Wold (part of)†	316	1	—	—	—	1	3.2	5	15.8	.7268	11.5	—	—	12.6	
Tenbury ...	4,700	49	54	6	5	114	24.3	63	13.4	.8538	11.4	7	61	10.9	
Tewkesbury (part of)†	2,320	14	21	—	1	36	15.5	27	11.6	.8128	9.4	2	56	3.9	
Upton on Severn ...	14,674	116	110	3	3	232	15.8	166	11.3	.8169	9.2	16	69	4.5	
Winchcomb (part of)†	116	—	2	—	—	2	17.2	4	34.5	.8009	27.6	—	—	17.3	
Civil Parishes of Redmarley d'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire).	1,194	20	11	—	1	32	26.8	20	16.8	.7482	12.6	—	—	10.0	
YORKSHIRE, EAST RIDING															
Total Urban Districts ...	157,169	1,622	1,431	146	141	3,340	21.3	1,998	12.7	.8660	11.0	290	87	8.6	
Total Rural Districts ...	61,616	582	549	51	47	1,229	19.9	848	13.8	.8757	12.1	114	93	6.1	
	95,553	1,040	882	95	94	2,111	22.1	1,150	12.0	.8598	10.3	176	83	10.1	
Urban Districts.															
Beverley M.B. ...	13,767	144	135	16	8	303	22.0	195	14.2	.8497	12.1	20	66	7.8	
Bridlington M.B. ...	14,778	122	110	7	11	250	16.9	211	14.3	.8883	12.7	19	76	2.6	
Cottingham ...	4,863	54	64	5	2	125	25.7	67	13.8	.9217	12.7	18	144	11.9	
Filey ...	3,282	23	21	2	2	48	14.6	36	11.0	.8883	9.8	2	42	3.6	
Great Driffield ...	5,654	54	51	6	10	121	21.4	93	16.4	.8028	13.2	17	140	5.0	
Hedon M.B. ...	1,210	12	15	2	1	30	24.8	18	14.9	.7802	11.6	—	—	9.9	
Hessle ...	5,694	48	41	3	3	95	16.7	62	10.9	.9360	10.2	8	84	5.8	
Hornsea ...	3,178	27	26	1	2	56	17.6	36	11.3	.9280	10.5	7	125	6.3	
Norton ...	4,025	55	40	5	7	107	26.6	54	13.4	.9239	12.4	11	103	13.2	
Pocklington ...	2,556	25	30	3	—	58	22.7	54	21.1	.8089	17.1	10	172	1.6	
Withernsea ...	2,609	18	16	1	1	36	13.8	22	8.4	.9252	7.8	2	56	5.4	
Rural Districts.															
Beverley ...	11,712	128	94	10	12	244	20.8	120	10.2	.8922	9.1	21	86	10.6	
Bridlington ...	7,742	79	67	12	11	169	21.8	100	12.9	.8863	11.4	15	89	8.9	
Driffield ...	12,139	138	106	16	11	271	22.3	163	13.4	.8535	11.4	32	118	8.9	
Escrick ...	6,030	56	48	5	4	113	18.7	55	9.1	.9159	8.3	6	53	9.6	
Howden ...	12,724	129	113	19	17	278	21.9	159	12.5	.8360	10.5	16	58	9.4	
Norton ...	5,832	57	44	5	7	113	19.4	62	10.6	.8885	9.4	9	80	8.8	
Patlington ...	7,123	78	74	4	4	160	22.5	69	9.7	.7986	7.7	9	56	12.8	
Pocklington ...	11,306	121	106	8	16	251	22.2	149	13.2	.8493	11.2	26	104	9.0	
Riccall ...	3,319	50	44	4	1	99	29.8	44	13.3	.7802	10.4	8	81	16.5	
Sculcoates ...	8,150	94	77	3	3	177	21.7	92	11.3	.9093	10.3	15	85	10.4	
Sherburn ...	2,270	30	28	4	4	66	29.1	42	18.5	.9511	17.6	3	45	10.6	
Skirlaugh ...	7,206	80	81	5	4	170	23.6	95	13.2	.8388	11.1	16	94	10.4	
YORKSHIRE, NORTH RIDING.															
Total Urban Districts ...	319,282*	3,590	3,486	210	219	7,505	23.5	4,490	14.1	.9118	12.9	774	103	9.4	
Total Rural Districts ...	181,827*	2,278	2,224	113	131	4,746	26.1	2,676	14.7	.9526	14.0	561	118	11.4	
	137,455*	1,312	1,262	97	88	2,759	20.1	1,814	13.2	.8630	11.4	213	77	6.9	
Urban Districts.															
Easton ...	12,224	187	183	3	5	378	30.9	213	17.4	1.0043	17.5	34	90	13.5	
Guisborough ...	7,400	96	102	6	7	211	28.5	100	13.5	.9238	12.5	22	104	15.0	
Hinderwell ...	2,624	31	30	2	—	63	24.0	30	11.4	.9389	10.7	7	111	12.6	
Kirklington cum Upsland ...	241	4	—	—	—	4	16.6	3	12.4	.9503	11.8	2	500	4.2	
Loftus ...	9,438	128	139	5	7	279	29.6	131	13.9	1.0072	14.0	37	133	15.7	
Malton ...	4,837	44	42	4	5	95	19.6	53	11.0	.8638	9.5	8	84	8.6	
Masham ...	3,387	22	26	—	1	49	14.5	28	8.3	.9392	7.8	3	61	6.2	

† The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Gloucestershire; see page 141.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, NORTH RIDING—cont.															
Northallerton	4,997	47	58	7	2	114	22·8	60	12·0	·9682	11·6	12	105	10·8	
Ormesby†... ..	13,509*	244	217	10	6	477	35·3	233	17·2	1·0493	18·0	70	147	18·1	
Pickering	3,718	39	31	4	8	82	22·1	53	14·3	·8231	11·8	8	98	7·8	
Redcar	11,182	121	122	10	5	258	23·1	150	13·4	·9817	13·2	28	109	9·7	
Richmond, M.B.	3,957	38	29	5	—	72	18·2	50	12·6	·9396	11·8	3	42	5·6	
Saltburn by the Sea ...	3,500	31	18	1	3	53	15·1	39	11·1	·9612	10·7	5	94	4·0	
Scalby	1,718	7	7	—	—	14	8·1	14	8·1	1·0360	8·4	—	—	—	
Scarborough, M.B. ...	36,971	299	325	25	27	676	18·3	570	15·4	·8864	13·7	75	111	2·9	
Skelton and Brotton ...	15,662	234	209	4	17	464	29·6	196	12·5	·9846	12·3	58	125	17·1	
South Bank in Normanby	16,256	265	244	7	9	525	32·3	278	17·1	1·0696	18·3	73	139	15·2	
Thornaby on Tees, M.B.	19,215	334	315	13	22	684	35·6	331	17·2	1·0370	17·8	104	152	18·4	
Whitby	10,991	107	127	7	7	248	22·6	144	13·1	·8507	11·1	12	48	9·5	
Rural Districts.															
Aysgarth	4,204	39	34	3	4	80	19·0	66	15·7	·8713	13·7	7	88	3·3	
Bedale	6,974	67	57	6	3	133	19·1	95	13·6	·8507	11·6	9	68	5·5	
Croft	2,267	19	20	3	1	43	19·0	25	11·0	·9205	10·1	2	47	8·0	
Easingwold	10,286	98	107	11	15	231	22·5	156	15·2	·8234	12·5	16	69	7·3	
Flaxton	8,839	75	73	4	3	155	17·5	77†	8·7	·9663	8·4	11	71	8·8	
Guisborough	7,871	84	89	6	11	190	24·1	124	15·8	·9065	14·3	17	89	8·3	
Helmsley	5,149	54	48	5	3	110	21·4	87	16·9	·8886	15·0	14	127	4·5	
Kirkby Moorside	4,889	46	43	9	5	103	21·1	58	11·9	·8275	9·8	8	78	9·2	
Leyburn	6,332	56	47	4	2	109	17·2	82	13·0	·8421	10·9	5	46	4·2	
Malton	6,203	45	57	3	4	109	17·6	86	13·9	·8504	11·8	8	73	3·7	
Middlesbrough	2,605*	16	16	2	—	34	13·1	20†	7·7	1·0628	8·2	2	59	5·4	
Northallerton	7,784	71	69	3	4	147	18·9	106	13·6	·8439	11·5	12	82	5·3	
Pickering	6,443	69	53	7	5	134	20·8	92	14·3	·8059	11·5	9	67	6·5	
Reeth	2,366	18	20	5	1	44	18·6	34	14·4	·8290	11·9	2	45	4·2	
Richmond	8,128	92	78	7	5	182	22·4	97	11·9	·8467	10·1	16	88	10·5	
Scarborough	6,277	55	50	4	5	114	18·2	77	12·3	·8712	10·7	14	123	5·9	
Startforth	4,910	50	49	4	3	106	21·6	57	11·6	·9097	10·6	11	104	10·0	
Stokesley	12,321	136	124	4	4	268	21·8	164	13·3	·8855	11·8	21	78	8·5	
Thirsk	12,811	115	139	5	6	265	20·7	172	13·4	·8448	11·3	21	79	7·3	
Wath	2,187	26	18	2	1	47	21·5	24	11·0	·8579	9·4	2	43	10·5	
Whitby	8,609	81	71	—	3	155	18·0	115	13·4	·8353	11·2	6	39	4·6	
YORKSHIRE, WEST RIDINGS															
Total Urban Districts§ ...	1,511,133	18,435	17,604	795	705	37,539	24·8	21,426	14·2	1·0119	14·4	4,505	120	10·6	
Total Rural Districts ...	1,125,099	13,280	12,782	563	516	27,141	24·1	16,049	14·3	1·0267	14·7	3,236	119	9·8	
Urban Districts.	386,034	5,155	4,822	232	189	10,398	26·9	5,377	13·9	·9699	13·5	1,269	122	13·0	
Urban Districts.															
Altofts	4,848	81	87	6	2	176	36·3	63	13·0	1·0219	13·3	29	165	23·3	
Ardley	7,024	108	124	6	2	240	34·2	98	14·0	1·1055	15·5	32	133	20·2	
Ardley East and West ...	8,274	106	111	5	4	226	27·3	94	11·4	1·0688	12·2	28	124	15·9	
Baildon	6,101	53	45	2	—	100	16·4	82	13·4	1·0441	14·0	11	110	3·0	
Balby with Hexthorpe ...	12,717	209	195	3	6	413	32·5	152	12·0	1·0203	12·2	41	99	20·5	
Barkisland	1,605	16	13	—	—	29	18·1	17	10·6	·9628	10·2	2	69	7·5	
Barnoldswick	10,499	104	116	5	7	232	22·1	150	14·3	1·1277	16·1	32	138	7·8	
Batley, M.B.	36,775	394	428	18	26	866	23·5	520	14·1	1·0470	14·8	100	115	9·4	
Bentley with Arksey ...	7,478	207	184	7	5	403	53·9	139	18·6	1·0786	20·1	51	127	35·3	
Bingley	18,834	169	188	10	2	369	19·6	292	15·5	1·0126	15·7	33	89	4·1	
Birkenshaw	2,589	29	23	—	—	52	20·1	33	12·7	·9768	12·4	8	154	7·4	
Birstal	7,249	53	83	2	3	141	19·5	116	16·0	1·0055	16·1	16	113	3·5	
Bolton upon Dearne ...	9,830	209	170	9	7	395	40·2	170	17·3	1·1011	19·0	61	154	22·9	
Brighouse M.B.	20,629	185	176	9	3	373	18·1	284	13·8	1·0446	14·4	25	67	4·3	
Burley in Wharfedale ...	3,868	32	25	—	1	58	15·0	46†	11·9	1·0030	11·9	6	103	3·1	
Calverley	3,074	30	25	—	1	56	18·2	38	12·4	·9836	12·2	2	36	5·8	
Castleford	24,457	365	381	19	18	783	32·0	427	17·5	1·0690	18·7	145	185	14·5	
Clayton	4,802	33	46	2	3	89	18·5	72†	15·0	·9089	13·6	7	79	3·5	
Clayton West	1,954	27	17	—	—	44	22·5	28	14·3	1·0633	15·2	3	68	8·2	
Cleckheaton	12,948	131	128	2	4	265	20·5	172	13·3	1·0621	14·1	22	83	7·2	
Cudworth	7,643	131	135	9	11	286	37·4	112	14·7	1·1039	16·2	34	119	22·7	
Darfield	5,722	82	99	5	4	190	33·2	74	12·9	1·0330	13·3	25	132	20·3	
Darton	9,750	150	159	6	2	317	32·5	144	14·8	1·0000	14·8	29	91	17·7	
Denby and Cumberworth ...	3,776	28	31	1	—	60	15·9	40	10·6	1·0316	10·9	4	67	5·3	
Denholme	2,985	16	24	1	—	41	13·7	44	14·7	·9811	14·4	3	73	—1·0	
Dodworth	3,347	55	42	2	3	102	30·5	40	12·0	1·0180	12·2	11	108	18·5	
Doncaster M.B.	30,896	351	352	21	22	746	24·1	499	16·2	1·0018	16·2	103	138	7·9	
Drighlington	4,104	37	39	—	—	76	18·5	65	15·8	·9964	15·7	8	105	2·7	
Earby	6,490	54	52	4	5	111	17·1	78	12·0	1·1229	13·5	12	108	5·1	
Elland	10,739	96	100	4	4	204	19·0	134	12·5	1·0362	13·0	21	103	6·5	
Emley	1,668	16	21	—	2	39	23·4	22	13·2	·9975	13·2	6	154	10·2	
Farnley Tyas	478	2	4	—	—	6	12·6	5	10·5	·8460	8·9	—	—	2·1	

† Abolished on 9th November, 1913.

§ Excluding Barnsley and Dewsbury (constituted County Boroughs on 1st April, 1913) throughout the whole year.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
YORKSHIRE, WEST RIDING															
—cont.															
Farsley	6,092	59	60	1	—	120	19·7	68	11·2	1·0228	11·5	8	67	8·5	
Featherstone	14,921	241	256	11	6	514	34·4	220	14·7	1·0323	15·2	76	148	19·7	
Flockton	1,410	13	22	1	1	37	26·2	16	11·3	·9928	11·2	3	81	14·9	
Garforth	4,161	60	61	2	4	127	30·5	61	14·7	1·0178	15·0	17	134	15·8	
Gildersome	2,959	22	24	4	1	51	17·2	38	12·8	·9887	12·7	5	98	4·4	
Golcar	10,313	111	92	5	2	210	20·4	150	14·5	1·0613	15·4	13	62	5·9	
Gomersal	3,848	43	40	1	—	84	21·8	51	13·3	1·0011	13·3	8	95	8·5	
Goole	21,232	307	282	11	16	616	29·0	312	14·7	·9867	14·5	95	154	14·3	
Greasbrough	3,135	43	46	1	2	92	29·3	41	13·1	·9637	12·6	8	87	16·2	
Greetland	4,496	31	33	2	2	68	15·1	69	15·3	·9986	15·3	7	103	—0·2	
Guiseley	5,013	61	45	—	1	107	21·3	64	12·8	1·0333	13·2	8	75	8·5	
Gunthwaite and Ingbirch worth.	392	4	2	—	—	6	15·3	—	—	·9783	—	—	—	15·3	
Handsworth	14,388	228	204	10	4	446	31·0	169	11·7	1·0202	11·9	52	117	19·3	
Harrogate M.B.	34,968	276	256	17	31	580	16·6	424	12·1	1·0029	12·1	45	78	4·5	
Haworth	6,269	54	44	3	3	104	16·6	105	16·7	1·0423	17·4	12	115	—·1	
Hebden Bridge	7,085	53	44	1	5	103	14·5	102	14·4	1·0629	15·3	13	126	·1	
Heckmondwike	8,910	100	110	4	4	218	24·5	156	17·5	1·0305	18·0	27	124	7·0	
Hipperholme	4,494	29	45	—	4	78	17·4	48	10·7	1·0452	11·2	1	13	6·7	
Holme	382	6	2	—	—	8	20·9	10	26·2	·8819	23·1	4	500	—5·3	
Holmfirth	10,673	97	77	7	2	183	17·1	130	12·2	·9573	11·7	12	66	4·9	
Honley	4,691	31	50	3	1	85	18·1	58	12·4	1·0168	12·6	7	82	5·7	
Horbury	7,694	93	80	4	4	181	23·5	95	12·3	1·0445	12·8	14	77	11·2	
Horsforth	9,471	89	76	3	3	171	18·1	101	10·7	1·0088	10·8	16	94	7·4	
Hoyland Nether	15,159	231	244	10	18	503	33·2	228	15·0	1·0318	15·5	71	141	18·2	
Hoyland Swaine	608	11	4	—	—	15	24·7	13	21·4	·9190	19·7	—	—	3·3	
Hunsworth	1,321	11	12	—	—	23	17·4	17	12·9	1·0173	13·1	2	87	4·5	
Ilkley	8,121	53	60	—	3	116	14·3	83	10·2	·9854	10·1	6	52	4·1	
Keighley M.B.	43,948	418	393	10	16	837	19·0	644	14·7	1·0759	15·8	103	123	4·3	
Kirkburton	3,513	27	26	2	1	56	15·9	43	12·2	·9752	11·9	5	89	3·7	
Kirkheaton	2,652	30	25	—	—	55	20·7	34	12·8	·9195	11·8	4	73	7·9	
Knaresborough	5,366	53	46	8	8	115	21·4	102	19·0	·8612	16·4	12	104	2·4	
Knottingley	6,889	116	102	8	10	236	34·3	93	13·5	1·0086	13·6	26	110	20·8	
Lepton	3,054	38	32	1	—	71	23·2	38	12·4	1·0260	12·7	4	56	10·8	
Linthwaite	9,460	96	89	5	4	194	20·5	120	12·7	1·0803	13·7	20	103	7·8	
Liversedge	14,820	159	137	1	5	302	20·4	218	14·7	1·0458	15·4	35	116	5·7	
Luddenden Foot	2,793	29	27	—	—	56	20·1	46	16·5	1·0306	17·0	7	125	3·6	
Marsden	6,089	77	55	4	5	141	23·2	77	12·6	1·0945	13·8	7	50	10·6	
Meltham	5,197	42	43	2	1	88	16·9	63	12·1	·9845	11·9	5	57	4·8	
Methley	4,340	58	82	2	3	145	33·4	70	16·1	·9810	15·8	19	131	17·3	
Mexborough	15,352	248	246	12	12	518	33·7	246	16·0	1·0492	16·8	82	158	17·7	
Midgley	2,091	16	15	—	1	32	15·3	28	13·4	1·0078	13·5	2	63	1·9	
Mirfield	11,801	113	115	7	2	237	20·1	149	12·6	1·0367	13·1	21	89	7·5	
Monk Bretton	4,981	75	66	6	2	149	29·9	77	15·5	1·0439	16·2	27	181	14·4	
Morley M.B.	24,437	277	280	10	8	575	23·5	317	13·0	1·0583	13·8	41	71	10·5	
Mytholmroyd	4,149	22	32	3	1	58	14·0	71	17·1	·9482	16·2	3	52	—3·1	
New Mill	4,553	47	40	2	—	89	19·5	45	9·9	1·0310	10·2	2	22	9·6	
Normanton	15,674	243	236	8	3	490	31·3	254	16·2	1·0493	17·0	81	165	15·1	
Oakworth	4,283	26	41	—	2	69	16·1	60	14·0	·9701	13·6	5	72	2·1	
Ossett M.B.	14,360	145	165	4	4	318	22·1	209	14·6	1·0519	15·4	38	119	7·5	
Otley	9,880	89	85	3	2	179	18·1	114	11·5	·9982	11·5	12	67	6·6	
Oxenhope	2,385	15	20	—	—	35	14·7	41	17·2	1·0090	17·4	3	86	—2·5	
Penistone	3,488	39	32	—	1	72	20·6	50	14·3	1·0032	14·3	10	139	6·3	
Pontefract M.B.	16,553	245	246	13	15	519	31·4	236	14·3	·9986	14·3	62	119	17·1	
Pudsey M.B.	13,811	140	124	6	2	272	19·7	220	15·9	·9898	15·7	43	158	3·8	
Queensbury	6,055	44	37	—	—	81	13·4	77	12·7	1·0349	13·1	9	111	0·7	
Rawdon	3,202	32	33	—	—	65	20·3	32	10·0	·9894	9·9	5	77	10·3	
Rawmarsh	17,808	296	289	8	12	605	34·0	296	16·6	1·0355	17·2	99	164	17·4	
Ripon M.B.	8,215	80	67	9	4	160	19·5	110	13·4	·8853	11·9	14	88	6·1	
Rishworth	939	4	10	—	—	14	14·9	8	8·5	1·0998	9·3	—	—	6·4	
Rothwell	14,894	201	201	7	10	419	28·1	214	14·4	1·0352	14·9	59	141	13·7	
Royston	6,678	124	101	4	1	230	34·4	123	18·4	1·0890	20·0	43	187	16·0	
Saddleworth	12,671	114	123	4	—	241	19·0	181	14·3	·9822	14·0	25	104	4·7	
Scammonden	336	3	5	—	—	8	23·8	5	14·9	·8093	12·1	1	125	8·9	
Selby	9,350	140	110	6	5	261	27·9	128	13·7	·9433	12·9	25	96	14·2	
Shelf	2,294	15	17	—	1	33	14·4	34	14·8	·9281	13·7	2	61	—0·4	
Shelley	1,803	27	15	1	—	43	23·8	20	11·1	·9790	10·9	4	93	12·7	
Shepley	1,917	19	11	2	1	33	17·2	24	12·5	1·1106	13·9	6	182	4·7	
Shipley	28,217	279	241	12	14	546	19·4	419	14·8	1·0564	15·6	66	121	4·6	
Silsden	5,117	38	33	—	—	71	13·9	55	10·7	1·0567	11·3	7	99	3·2	
Skelmanthorpe	3,933	59	49	1	2	111	28·2	62	15·8	1·0466	16·5	13	117	12·4	
Skipton	13,214	109	113	5	7	234	17·7	153	11·6	1·0626	12·3	22	94	6·1	
Slaithwaite	5,761	39	38	—	1	78	13·5	72	12·5	1·0277	12·8	5	64	1·0	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	Natural Increase per 1,000 living.
		M.	F.	M.	F.									
YORKSHIRE, WEST RIDING														
—cont.														
South Crosland	3,160	33	18	1	—	52	16·5	39	12·3	·9744	12·0	4	77	4·2
Southowram	2,724	33	26	2	—	61	22·4	38	14·0	1·0450	14·6	9	148	8·4
Sowerby	3,131	26	19	—	1	46	14·7	46	14·7	·9281	13·6	3	65	0·0
Sowerby Bridge	11,320	102	97	5	5	209	18·5	171	15·1	1·0610	16·0	20	96	3·4
Soyland	2,886	22	23	1	—	46	15·9	40	13·9	·9668	13·4	3	65	2·0
Springhead	5,136	69	41	4	—	114	22·2	79	15·4	1·0257	15·8	21	184	6·8
Stainland with Old Lindley	4,433	39	29	—	—	68	15·3	58	13·1	·9808	12·8	6	88	2·2
Stanley	13,897	193	192	10	3	398	28·6	234	16·8	1·0201	17·1	73	183	11·8
Stocksbridge	7,211	118	95	4	5	222	30·8	106	14·7	1·0983	16·1	18	81	16·1
Swinton	13,998	257	196	10	4	467	33·4	227	16·2	1·0355	16·8	74	158	17·2
Thurlstone	2,813	30	21	1	1	53	18·8	40	14·2	·9877	14·0	6	113	4·6
Thurnscoe	4,485	91	68	2	3	164	36·6	50	11·1	1·0934	12·1	21	128	25·5
Thurstonland	2,323	8	5	1	—	14	6·0	18†	7·7	1·0163	7·8	1	71	—1·7
Tickhill	1,864	26	25	—	—	51	27·4	36	19·3	·8140	15·7	8	157	8·1
Todmorden M.B.	25,401	204	208	10	5	427	16·8	398	15·7	1·0230	16·1	31	73	1·1
Wakefield M.B.	52,291	582	569	24	26	1,201	23·0	726†	13·9	1·0460	14·5	131	109	9·1
Wath upon Dearne	12,616	193	202	7	5	407	32·3	229	18·2	1·0728	19·5	53	130	14·1
Wheatley	5,790	59	63	3	4	129	22·3	61	10·5	1·0351	10·9	14	109	11·8
Whitley Upper	846	7	9	—	—	16	18·9	6	7·1	1·0869	7·7	1	63	11·8
Whitwood	5,671	110	133	6	2	251	44·3	135	23·8	1·0158	24·2	49	195	20·5
Wombwell	18,562	352	298	21	14	685	36·9	290	15·6	1·0537	16·4	104	152	21·3
Worsborough	13,328	220	192	12	8	432	32·4	171	12·8	1·0497	13·4	50	116	19·6
Yeadon	7,531	83	66	4	—	153	20·3	94	12·5	1·0632	13·3	12	78	7·8
Rural Districts.														
Barnsley	4,143	47	66	5	1	119	28·7	64	15·4	1·0120	15·6	15	126	13·3
Bishopthorpe	2,122	23	21	—	—	44	20·7	30	14·1	·9538	13·4	5	114	6·6
Bowland	5,386	48	39	1	4	92	17·1	67	12·4	·8932	11·1	6	65	4·7
Doncaster... ..	41,049	760	699	23	26	1,508	36·7	657	16·0	·9995	16·0	230	153	20·7
Goole	8,655	92	100	16	11	219	25·3	141	16·3	·8746	14·3	31	142	9·0
Great Ouseburn	10,929	101	96	5	5	207	18·9	128	11·7	·8754	10·2	14	68	7·2
Halifax	6,146	54	53	—	1	108	17·6	91	14·8	1·0400	15·4	11	102	2·8
Hemsworth	44,111	818	782	35	32	1,667	37·8	684	15·5	1·0378	16·1	224	134	22·3
Hunslet	8,039	96	86	2	1	185	23·0	98	12·2	1·0108	12·3	20	108	10·8
Keighley	6,778	57	43	3	1	104	15·3	75	11·1	1·0079	11·2	6	58	4·2
Kiveton Park	15,041	207	207	6	1	421	28·0	187	12·4	1·0375	12·9	56	133	15·6
Knaresborough	8,422	86	76	1	—	163	19·4	88	10·4	·9449	9·8	9	55	9·0
Pateley Bridge	7,684	70	78	3	8	159	20·7	114	14·8	·9052	13·4	12	75	5·9
Penistone	5,317	67	67	3	3	140	26·3	76	14·3	·9199	13·2	10	71	12·0
Pontefract	15,949	262	224	15	12	513	32·2	248	15·5	·9672	15·0	69	135	16·7
Ripon	5,419	46	48	1	3	98	18·1	83	15·3	·8161	12·5	5	51	2·8
Rotherham	30,453	521	493	25	18	1,057	34·7	497	16·3	1·0468	17·1	171	162	18·4
Sedbergh	3,690	26	34	5	1	66	17·9	53	14·4	·9185	13·2	3	45	3·5
Selby	5,946	79	68	2	2	151	25·4	75	12·6	·8245	10·4	15	99	12·8
Settle	15,040	169	123	9	8	309	20·5	165	11·0	·9447	10·4	31	100	9·5
Skipton	18,600	137	162	7	2	308	16·6	227	12·2	·9433	11·5	24	78	4·4
Tadcaster	27,752	345	326	20	14	705	25·4	365	13·2	·9743	12·9	86	122	12·2
Thorne	9,151	132	103	10	6	251	27·4	157	17·2	·8052	13·8	38	151	10·2
Todmorden	4,509	41	30	—	2	73	16·2	77	17·1	·9411	16·1	6	82	—0·9
Wakefield	17,409	252	231	6	10	499	28·7	230	13·2	1·0152	13·4	60	120	15·5
Wetherby	15,180	115	121	8	7	251	16·5	185	12·2	·8852	10·8	10	40	4·3
Wharfedale	9,559	54	61	—	1	116	12·1	61†	6·4	1·0100	6·5	5	43	5·7
Wortley	33,555	450	385	21	9	865	25·8	454†	13·5	1·0230	13·8	97	112	12·3
ANGLESEY.														
Total Urban Districts ...	51,004	470	466	57	50	1,043	20·4	762	14·9	·8426	12·6	99	95	5·5
Total Rural Districts ...	19,028	173	177	22	13	385	20·2	293	15·4	·9073	14·0	39	101	4·8
	31,976	297	289	35	37	658	20·6	469	14·7	·8090	11·9	60	91	5·9
Urban Districts.														
Amlwch	2,652	20	37	4	3	64	24·1	54	20·4	·7520	15·3	5	78	3·7
Beaumaris M.B.	2,208	18	17	1	—	36	16·3	25	11·3	·9546	10·8	2	56	5·0
Holyhead	10,769	108	105	11	9	233	21·6	150	13·9	·9809	13·6	25	107	7·7
Llangefni	1,776	18	10	4	1	33	18·6	27	15·2	·8407	12·8	5	152	3·4
Menai Bridge	1,623	9	8	2	—	19	11·7	37	22·8	·7874	18·0	2	105	—11·1
Rural Districts.														
Aethwy	8,708	84	83	7	10	184	21·1	126	14·5	·8411	12·2	11	60	6·6
Dwyran	2,974	34	21	4	4	63	21·2	47	15·8	·7557	11·9	8	127	5·4
Twrcelyn	9,294	86	81	11	10	188	20·2	146	15·7	·7839	12·3	16	85	4·5
Valley	11,000	93	104	13	13	223	20·3	150	13·6	·8219	11·2	25	112	6·7

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
BRECKNOCKSHIRE.	60,502	759	704	38	34	1,535	25.4	798	13.2	.9304	12.3	160	104	12.2
Total Urban Districts ...	17,732	207	236	14	6	463	26.1	253	14.3	.9484	13.6	49	106	11.8
Total Rural Districts ...	42,770	552	468	24	28	1,072	25.1	545	12.7	.9233	11.7	111	104	12.4
Urban Districts.														
Brecknock† ...	5,916	59	76	5	3	143	24.2	92	15.6	.9148	14.3	17	119	8.6
Brynmaur ...	7,761	123	120	7	1	251	32.3	104	13.4	1.0694	14.3	29	116	18.9
Builth Wells ...	1,637	7	17	—	1	25	14.8	24	14.2	.8406	11.9	1	40	0.6
Hay ...	1,585	12	17	2	1	32	20.2	26	16.4	.7880	12.9	—	—	3.8
Llanwrtyd ...	783	6	6	—	—	12	15.3	7	8.9	.8410	7.5	2	167	6.4
Rural Districts.														
Brecknock ...	9,011	92	84	3	5	184	20.4	122	13.5	.8428	11.4	14	76	6.9
Builth ...	4,211	42	36	4	2	84	19.9	27	6.4	.8721	5.6	1	12	13.5
Crickhowell ...	7,864	99	87	4	1	191	24.3	99	12.6	.8923	11.2	20	105	11.7
Hay ...	3,656	35	30	3	5	73	20.0	48†	13.1	.8346	10.9	3	41	6.9
Vaynor and Penderyn ...	5,708	76	53	4	2	135	23.7	105	18.4	.9899	18.2	20	148	5.5
Ystradgynlais ...	11,592	194	167	6	12	379	32.7	130	11.2	1.0660	11.9	48	127	21.5
Civil Parish of Llanwrthwl administered by Rural District Council of Rhayader (Radnor).	411§	6	2	—	—	8	19.5	5	12.2	.9755	11.9	4	500	7.3
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.).	646	8	9	—	1	18	27.9	9	13.9	.8985	12.5	1	56	14.0
CARDIGANSHIRE.	59,592	464	455	36	33	983	16.6	977	16.4	.8011	13.1	114	115	0.2
Total Urban Districts ...	16,447	122	129	7	5	263	16.0	260	15.8	.8887	14.0	29	110	0.2
Total Rural Districts ...	43,145	342	326	29	28	725	16.8	717	16.6	.7731	12.8	85	117	0.2
Urban Districts.														
Aberayron ...	1,345	11	9	—	1	21	15.6	32	23.8	.7522	17.9	2	95	-8.2
Aberystwyth M.B. ...	8,506	58	68	4	1	131	15.4	106	12.5	.9835	12.3	19	145	2.9
Cardigan M.B. ...	3,594	30	36	2	1	69	19.2	75	20.9	.8492	17.7	3	43	-1.7
Lampeter M.B. ...	1,821	15	10	1	2	28	15.4	21	11.5	.8690	10.0	3	107	3.9
New Quay ...	1,181	8	6	—	—	14	11.9	26	22.0	.6827	15.0	2	143	-10.1
Rural Districts.														
Aberayron ...	7,623	54	55	8	8	125	16.4	134	17.6	.7407	13.0	12	96	-1.2
Aberystwyth ...	12,979	95	98	5	6	204	15.7	221	17.0	.7768	13.2	18	88	-1.3
Cardigan ...	3,234	32	25	—	2	59	18.2	43	13.3	.8200	10.9	7	119	4.9
Lampeter ...	3,525	27	32	2	2	63	17.9	60	17.0	.7749	13.2	16	254	0.9
Llandyssil... ..	7,938	67	62	8	6	143	18.0	130	16.4	.7947	13.0	17	119	1.6
Tregaron ...	7,419	65	51	6	4	126	17.0	123	16.6	.7556	12.5	14	111	0.4
Civil Parish of Ysgubor y Coed administered by Rural District Council of Machynlleth (Montgomeryshire).	427	2	3	—	—	5	11.7	6	14.1	.7839	11.1	1	200	-2.4
CARMARTHENSHIRE.	166,414	2,253	2,048	83	72	4,456	26.8	2,293	13.8	.9579	13.2	469	105	13.0
Total Urban Districts ...	69,162	938	856	29	24	1,847	26.7	891	12.9	1.0118	13.1	190	103	13.8
Total Rural Districts ...	97,252	1,315	1,192	54	48	2,609	26.8	1,402	14.4	.9238	13.3	279	107	12.4
Urban Districts.														
Ammanford ...	6,797	107	102	4	3	216	31.8	91	13.4	1.0842	14.5	23	106	18.4
Burry Port ...	4,777	71	50	2	2	125	26.2	73	15.3	.9649	14.8	11	88	10.9
Carmarthen M.B. ...	10,268	96	97	6	3	202	19.7	136†	13.2	.9541	12.6	23	114	6.5
Cwmaman ...	5,586	92	87	—	3	182	32.6	66	11.8	1.0865	12.8	25	137	20.8
Kidwelly M.B. ...	3,212	65	48	3	2	118	36.7	34	10.6	.9598	10.2	8	68	26.1
Llandilo ...	1,930	26	18	1	1	46	23.8	31	16.1	.9025	14.5	4	87	7.7
Llandovery M.B. ...	2,037	14	15	1	—	30	14.7	31	15.2	.8930	13.6	5	167	-0.5
Llanelly M.B.‡ ...	33,617	463	435	11	10	919	27.3	415	12.3	1.0530	13.0	90	98	15.0
Newcastle Emlyn. ...	938	4	4	1	—	9	9.6	14	14.9	.7958	11.9	1	111	-5.3
Rural Districts.														
Carmarthen ...	24,406	284	295	11	18	608	24.9	366	15.0	.8813	13.2	60	99	9.9
Llandilo Fawr ...	21,253	324	278	11	9	622	29.3	285	13.4	.9488	12.7	64	103	15.9
Llandovery ...	7,260	59	61	4	4	128	17.6	109	15.0	.8521	12.8	12	94	2.6
Llanelly ...	29,124	482	419	19	8	928	31.9	397	13.6	1.0135	13.8	112	121	18.3
Llanybyther ...	3,552	40	29	—	2	71	20.0	65	18.3	.7678	14.1	9	127	1.7
Newcastle in Emlyn ...	6,440	75	62	7	3	147	22.8	96	14.9	.9.26	13.4	15	102	7.9
Whitland ...	5,217	51	48	2	4	105	20.1	84	16.1	.8817	14.2	7	67	4.0

† Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

§ Enumerated Population 1911. The population in 1901 having been temporarily increased by a large number of workmen engaged in the construction of waterworks an estimate of population based upon the numbers enumerated in 1901 and 1911 would be untrustworthy.

‡ Constituted a Municipal Borough 10th November, 1913.

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.	
		M.	F.	M.	F.									
CARNARVONSHIRE.	124,899	1,107	1,098	77	91	2,373	19.0	1,977	15.8	.8943	14.1	280	118	3.2
Total Urban Districts ...	58,516	494	472	27	35	1,028	17.6	871	14.9	.9384	14.0	125	122	2.7
Total Rural Districts ...	66,383	613	626	50	56	1,345	20.3	1,106	16.7	.8591	14.3	155	115	3.6
Urban Districts.														
Bangor M.B. ...	11,229	97	99	3	6	205	18.3	159	14.2	.9923	14.1	25	122	4.1
Bethesda ...	4,581	44	43	4	3	94	20.5	87	19.0	.7753	14.7	14	149	1.5
Bettws y Coed ...	890	5	2	1	—	8	9.0	5	5.6	.9124	5.1	—	—	3.4
Carnarvon M.B. ...	8,965	78	71	4	4	157	17.5	155	17.3	.9241	16.0	23	146	0.2
Conway M.B. ...	5,376	47	47	2	2	98	18.2	78	14.5	.9818	14.2	15	153	3.7
Criccieth ...	1,369	8	9	2	1	20	14.6	21	15.3	.8394	12.8	—	—	-0.7
Llandudno ...	10,754	84	62	2	6	154	14.3	138	12.8	1.0326	13.2	15	97	1.5
Llanfairfechan ...	3,022	35	26	3	—	64	21.2	55	18.2	.8735	15.9	8	125	3.0
Penmaenmawr ...	4,171	32	33	2	4	71	17.0	51	12.2	.9777	11.9	6	85	4.8
Pwllheli M.B. ...	3,819	28	34	1	5	68	17.8	46	12.0	.9170	11.0	6	88	5.8
Ynyscynhaiarn ...	4,340	36	46	3	4	89	20.5	76	17.5	.8612	15.1	13	146	3.0
Rural Districts.														
Conway ...	7,357	78	88	7	3	176	23.9	94	12.8	.9391	12.0	8	45	11.1
Geirionydd ...	4,386	49	36	3	5	93	21.2	93	21.2	.9082	19.3	11	118	0.0
Glaslyn ...	3,270	29	27	6	3	65	19.9	45	13.8	.8790	12.1	10	154	6.1
Gwyrfai ...	27,848	245	266	18	25	554	19.9	484	17.4	.8813	15.3	75	135	2.5
Lleyn ...	16,845	165	143	14	19	341	20.2	286	17.0	.7837	13.3	42	123	3.2
Ogwen ...	6,677	47	66	2	1	116	17.4	104	15.6	.8553	13.3	9	78	1.8
DENBIGHSHIRE.	147,947	1,645	1,621	95	89	3,450	23.3	2,090	14.1	.9507	13.4	391	113	9.2
Total Urban Districts ...	50,492	450	473	32	26	981	19.4	673	13.3	.9624	12.8	108	110	6.1
Total Rural Districts ...	97,455	1,195	1,148	63	63	2,469	25.3	1,417	14.5	.9447	13.7	283	115	10.8
Urban Districts.														
Abergele and Pensarn ...	2,130	19	24	3	2	48	22.5	38	17.8	.8591	15.3	5	104	4.7
Colwyn Bay and Colwyn	13,574	91	87	6	4	188	13.9	145	10.7	1.0018	10.7	23	122	3.2
Denbigh M.B. ...	7,001	57	57	8	1	123	17.6	92	13.1	.8838	11.6	10	81	4.5
Llangollen ...	3,236	19	35	1	—	55	17.0	34	10.5	.8860	9.3	3	55	6.5
Llanrwst ...	2,489	21	17	1	4	43	17.3	57	22.9	.8599	19.7	12	279	-5.6
Ruthin M.B. ...	2,867	29	29	4	2	64	22.3	47	16.4	.8411	13.8	6	94	5.9
Wrexham M.B. ...	19,195	214	224	9	13	460	24.0	260	13.5	1.0343	14.0	49	107	10.5
Rural Districts.														
Chirk ...	4,572	53	53	5	1	112	24.5	74	16.2	.9805	15.9	14	125	8.3
Llangollen ...	3,629	30	34	4	3	71	19.6	57	15.7	.9104	14.3	7	99	3.9
Llanrwst ...	4,359	54	53	4	2	113	25.9	71	16.3	.8239	13.4	12	106	9.6
Llansilin ...	3,188	37	30	—	2	69	21.6	59	18.5	.8762	16.2	3	43	3.1
Ruthin ...	9,053	75	69	6	9	159	17.6	131	14.5	.8574	12.4	13	82	3.1
St. Asaph (Denbigh) ...	6,663	79	70	2	1	152	22.8	89	13.4	.8894	11.9	12	79	9.4
Uwchaledd ...	2,246	32	35	2	2	71	31.6	36	16.0	.8454	13.5	6	85	15.6
Wrexham ...	61,993	808	786	40	39	1,673	27.0	874	14.1	.9889	13.9	207	124	12.9
Civil Parishes of Llanellian yn Rhôs and Llansantffraid Glan Conway administered by Rural District Council of Conway (Carnarvonshire).	1,752	27	18	—	4	49	28.0	26	14.8	.8279	12.3	9	184	13.2
FLINTSHIRE.	95,394	1,127	1,063	63	42	2,295	24.1	1,467	15.4	.9243	14.2	235	102	8.7
Total Urban Districts ...	35,922	419	427	27	14	887	24.7	612	17.0	.9545	16.2	107	121	7.7
Total Rural Districts ...	59,472	708	636	36	28	1,408	23.7	855	14.4	.9070	13.1	128	91	9.3
Urban Districts.														
Buckley ...	6,466	88	94	4	1	187	28.9	101	15.6	.9478	14.8	17	91	13.3
Connah's Quay ...	4,884	74	79	1	1	155	31.7	79	16.2	1.0282	16.7	27	174	15.5
Flint M.B. ...	5,675	84	90	4	3	181	31.9	114	20.1	.9478	19.1	22	122	11.8
Holywell ...	2,524	31	18	2	1	52	20.6	61	24.2	.9398	22.7	8	154	-3.6
Mold ...	5,019	56	58	6	1	121	24.1	59	11.8	.9370	11.1	12	99	12.3
Prestatyn ...	2,222	15	10	3	1	29	13.1	33	14.9	.8761	13.1	1	34	-1.8
Rhyl ...	9,132	71	78	7	6	162	17.7	165	18.1	.9626	17.4	20	123	-0.4
Rural Districts.														
Hawarden ...	21,709	302	268	11	10	591	27.2	279	12.9	.9832	12.7	57	96	14.3
Holywell ...	25,646	290	267	14	11	582	22.7	402	15.7	.8800	13.8	50	86	7.0
Overton ...	5,205	58	49	4	2	113	21.7	66	12.7	.8975	11.4	15	133	9.0
St. Asaph (Flint) ...	6,912	58	52	7	5	122	17.7	108	15.6	.8176	12.8	6	49	2.1
GLAMORGANSHIRE.	793,594	12,152	11,657	352	340	24,501	30.9	10,385	13.1	1.0659	14.0	3,046	124	17.8
Total Urban Districts ...	572,986	8,865	8,557	273	247	17,942	31.3	7,699	13.4	1.0836	14.5	2,370	132	17.9
Total Rural Districts ...	220,608	3,287	3,100	79	93	6,559	29.7	2,686	12.2	1.0218	12.5	676	103	17.5
Urban Districts.														
Aberavon M.B. ...	11,212	223	218	11	8	460	41.0	163	14.5	1.0603	15.4	52	113	26.5
Aberdare ...	52,619	762	760	22	22	1,566	29.8	869	16.5	1.0580	17.5	272	174	13.3
Barry ...	35,376	416	437	13	14	880	24.9	362	10.2	1.1124	11.3	80	91	14.7

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population. (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate.	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
GLAMORGANSHIRE—cont.															
Bridgend	8,434	100	106	3	1	210	24.9	91	10.8	1.0335	11.2	24	114	14.1	
Briton Ferry	8,831	132	113	3	—	248	28.1	111	12.6	1.0609	13.4	27	109	15.5	
Caerphilly	36,919	613	573	16	23	1,225	33.2	434	11.8	1.1003	13.0	149	122	21.4	
Cowbridge M.B.	1,159	7	6	—	2	15	12.9	12	10.4	.9330	9.7	1	67	2.5	
Gelligaer	39,901	704	660	29	16	1,409	35.3	488	12.2	1.1011	13.4	163	116	23.1	
Glyncorwg	9,224	183	154	6	9	352	38.2	123	13.3	1.1044	14.7	39	111	24.9	
Maesteg	27,365	427	454	16	9	906	33.1	342	12.5	1.0725	13.4	114	126	20.6	
Margam	16,079	242	192	8	6	448	27.9	166	10.3	1.0745	11.1	41	92	17.6	
Mountain Ash	44,918	722	692	24	18	1,456	32.4	621	13.8	1.0948	15.1	217	149	18.6	
Neath M.B.	18,511	259	240	7	5	511	27.6	284	15.3	1.0306	15.8	68	133	12.3	
Ogmore and Garw	28,378	528	468	17	14	1,027	36.2	365	12.9	1.0911	14.1	131	128	23.3	
Oystermouth	6,490	58	65	2	1	126	19.4	77	11.9	.9081	10.8	5	40	7.5	
Penarth	15,790	154	190	4	5	353	22.4	150	9.5	1.0757	10.2	29	82	12.9	
Pontypridd	45,822	653	625	21	17	1,316	28.7	665	14.5	1.0984	15.9	202	153	14.2	
Porthcawl... ..	3,821	37	31	—	2	70	18.3	48	12.6	.9927	12.5	4	57	5.7	
Rhondda	162,137	2,645	2,573	71	75	5,364	33.1	2,328	14.4	1.1005	15.8	752	140	18.7	
Rural Districts.															
Cowbridge	8,199	115	114	3	4	236	28.8	115	14.0	.9329	13.1	21	89	14.8	
Gower	8,947	112	115	6	5	238	26.6	103	11.5	.8934	10.3	26	109	15.1	
Llandaff and Dinas Powis	35,633	428	420	6	9	863	24.2	360+	10.1	1.0145	10.2	69	80	14.1	
Llantrisant and Llantwit-fardre.	18,833	364	309	14	6	693	36.8	276	14.7	1.0198	15.0	82	118	22.1	
Neath	44,807	645	659	15	16	1,335	29.8	599	13.4	1.0514	14.1	159	119	16.4	
Penybont	23,761	358	342	8	14	722	30.4	264+	11.1	1.0067	11.2	57	79	19.3	
Pontardawe	34,029	552	519	9	10	1,090	32.0	424	12.5	1.0486	13.1	115	106	19.5	
Swansea	46,399	713	622	18	29	1,382	29.8	545	11.7	1.0436	12.2	147	106	18.1	
MERIONETHSHIRE.															
Total Urban Districts ...	44,777	367	360	46	41	814	18.2	724	16.2	.8682	14.1	76	93	2.0	
Total Rural Districts ...	19,658	158	156	22	19	355	18.1	307	15.6	.8959	14.0	33	93	2.5	
Total	25,119	209	204	24	22	459	18.3	417	16.6	.8466	14.1	43	94	1.7	
Urban Districts.															
Bala	1,535	10	5	1	2	18	11.7	15	9.8	.8079	7.9	2	111	1.9	
Barmouth... ..	2,080	14	16	3	1	34	16.3	25	12.0	.9037	10.8	2	59	4.3	
Dolgelley	2,094	17	24	2	2	45	21.5	51	24.4	.8162	19.9	7	156	2.9	
Ffestiniog... ..	9,253	90	76	11	8	185	20.0	145	15.7	.9493	14.9	17	92	4.3	
Mallwyd	726	4	6	1	1	12	16.5	22	30.3	.7142	21.6	3	250	13.8	
Towyn	3,970	23	29	4	5	61	15.4	49	12.3	.8868	10.9	2	33	3.1	
Rural Districts.															
Deudraeth	7,734	68	73	6	7	154	19.9	129	16.7	.8628	14.4	17	110	3.2	
Dolgelley	7,798	62	52	5	5	124	15.9	122	15.6	.8471	13.2	12	97	0.3	
Edeirnion... ..	5,132	46	41	5	7	99	19.3	90	17.5	.8501	14.9	6	61	1.8	
Penllyn	4,044	30	31	8	3	72	17.8	70	17.3	.8182	14.2	7	97	0.5	
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire).	411	3	7	—	—	10	24.3	6	14.6	.8165	11.9	1	100	9.7	
MONTGOMERYSHIRE.															
Total Urban Districts ...	52,725	529	474	39	44	1,086	20.6	773	14.7	.8358	12.3	92	85	5.9	
Total Rural Districts ...	18,911	177	177	17	13	384	20.3	298	15.8	.8674	13.7	28	73	4.5	
Total	33,814	352	297	22	31	702	20.8	475	14.0	.8404	11.8	64	91	6.8	
Urban Districts.															
Llanfyllin M.B.	1,633	8	14	3	3	28	17.1	37	22.7	.7976	18.1	6	214	5.6	
Llanidloes M.B.	2,552	27	34	2	2	65	25.5	40	15.7	.8698	13.7	3	46	9.8	
Machynlleth	1,923	15	15	2	—	32	16.6	25	13.0	.9592	12.5	—	—	3.6	
Montgomery M.B.	971	7	4	—	—	11	11.3	17	17.5	.7697	13.5	1	91	6.2	
Newtown and Llanllwchaern.	5,964	64	54	7	5	130	21.8	75	12.6	.9144	11.5	10	77	9.2	
Welshpool M.B.	5,368	56	56	3	3	118	20.1	104	17.7	.8299	14.7	8	68	2.4	
Rural Districts.															
Fordeu	5,726	56	66	2	8	132	23.1	89	15.5	.7879	12.2	11	83	7.6	
Llanfyllin... ..	12,431	139	94	6	10	249	20.0	178	14.3	.8087	11.6	29	116	5.7	
Machynlleth	4,077	27	23	6	5	61	15.0	58	14.2	.8076	11.5	3	49	0.8	
Newtown and Llanidloes	11,580	130	114	8	8	260	22.5	150	13.0	.8366	10.9	21	81	9.5	
PEMBROKESHIRE.															
Total Urban Districts ...	90,455	987	973	54	45	2,059	22.8	1,366	15.1	.8884	13.4	203	99	7.7	
Total Rural Districts ...	39,206	432	439	19	19	909	23.2	588	15.0	.9419	14.1	93	102	8.2	
Total	51,249	555	534	35	26	1,150	22.4	778	15.2	.8519	12.9	110	96	7.2	
Urban Districts.															
Fishguard... ..	3,168	23	30	—	—	53	16.7	29	9.2	.9387	8.6	2	38	7.5	
Haverfordwest M.B.	5,898	56	55	5	6	122	20.7	92	15.6	.8902	13.9	17	139	5.1	
Milford Haven	6,710	119	129	2	4	254	37.9	92	13.7	1.0452	14.3	26	102	24.2	
Narberth	1,113	10	7	—	—	17	15.3	17	15.3	.8742	13.4	—	—	—	

POPULATION, BIRTHS, DEATHS, AND NATURAL INCREASE IN ADMINISTRATIVE AREAS,
1913—continued.

Administrative Area.	Estimated Population, (Middle, 1913.)	BIRTHS (exclusive of Still-born).						DEATHS (exclusive of Still-born).				Deaths under one year.		Natural Increase per 1,000 living.	
		Legitimate.		Illegitimate.		Total.	Rate per 1,000 living.	Total.	Rate per 1,000 living.	Standardizing Factor.	Standardized Death-rate	Number.	Rate per 1,000 Births.		
		M.	F.	M.	F.										
PEMBROKESHIRE—cont.															
Neyland	2,326	27	27	1	1	56	24·1	45	19·3	·9486	18·3	1	18	4·8	
Pembroke M.B.	15,631	175	166	11	7	359	23·0	259	16·6	·9504	15·8	45	125	6·4	
Tenby M.B.	4,360	22	25	—	1	48	11·0	54	12·4	·8800	10·9	2	42	—1·4	
Rural Districts.															
Haverfordwest	21,620	262	275	19	11	567	26·2	311	14·4	·8834	12·7	49	86	11·8	
Llanfyrnach	2,410	29	25	1	—	55	22·8	38	15·8	·8556	13·5	8	145	7·0	
Narberth	10,982	95	93	7	5	200	18·2	180	16·4	·8472	13·9	19	95	1·8	
Pembroke... ..	8,436	90	79	4	8	181	21·5	113	13·4	·8899	11·9	20	110	8·1	
St. Dogmells	7,801	79	62	4	2	147	18·8	136	17·4	·7503	13·1	14	95	1·4	
RADNORSHIRE.															
Total Urban Districts ...	5,948	57	55	2	2	116	19·5	84	14·1	·9260	13·1	9	78	5·4	
Total Rural Districts ...	16,476	179	171	15	12	377	22·9	231	14·0	·8121	11·4	40	106	8·9	
Urban Districts.															
Knighton	1,825	22	17	1	—	40	21·9	34	18·6	·8025	14·9	5	125	3·3	
Llandrindod Wells	3,007	21	25	1	1	48	16·0	23	7·6	1·1257	8·6	2	42	8·4	
Presteigne	1,116	14	13	—	1	28	25·1	27	24·2	·7950	19·2	2	71	0·9	
Rural Districts.															
Colwyn	2,093	22	16	2	2	42	20·1	29	13·9	·9195	12·8	10	238	6·2	
Knighton	4,344	43	51	7	3	104	23·9	60	13·8	·8575	11·8	10	96	10·1	
New Radnor	2,713	26	26	3	3	58	21·4	39	14·4	·8362	12·0	5	86	7·0	
Paincastle	2,332	32	26	1	1	60	25·7	33	14·2	·8299	11·8	6	100	11·5	
Rhayader	4,994	56	52	2	3	113	22·6	70	14·0	·8057	11·3	9	80	8·6	

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS on pages 132-164
—corrected for CHANGES in BOUNDARY to 31st DECEMBER, 1913.

(See page 163 of Annual Report for 1912.)

Date of operation of change.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.	Date of operation of change.	Administrative Area.	Enumerated Population, 1911, as adjusted for Institutions.	Calculated Deaths.
1913.	<i>County Boroughs.</i>			1913.			
9 Nov.	Exeter	59,277	993·1	9 Nov.	KENT :		
"	Liverpool	752,093	11,064·6		Urban Districts ...	708,228	11,161·6
"	Middlesbrough ...	119,997	1,703·9		Rural Districts ...	307,740	5,401·5
"	Stockport	119,462	1,713·4		Margate M.B. ...	28,636	424·2
					Isle of Thanet R.D.	11,128	180·6
1 Apl.	<i>Administrative Counties.</i>			9 Nov.	LANCASHIRE	1,695,737	24,366·0
	CHESHIRE	596,835	9,024·1		Urban Districts ...	1,460,263	20,740·5
10 Nov.	Urban Districts ...	414,255	6,185·6	1 Oct.	LEICESTERSHIRE :		
	CORNWALL :				Urban Districts ...	101,372	1,550·7
	Urban Districts ...	145,863	2,544·2		Rural Districts ...	147,424	2,495·0
	Rural Districts ...	182,235	3,289·3		Oadby U.D. ...	2,609	40·8
	Fowey M.B. ...	2,276	35·8		Blaby R.D. ...	15,845	260·3
	St. Austell R.D. ...	30,423	513·1	1 Apl.	NORTHUMBERLAND :		
9 Nov.	DEVONSHIRE	445,986	7,940·2		Urban Districts ...	270,148	4,031·1
	Urban Districts ...	220,899	3,913·9		Rural Districts ...	100,836	1,642·5
	Rural Districts ...	225,087	4,026·4		Newbiggin by the Sea U.D.	3,719	56·5
	St. Thomas R.D. ...	25,043	450·3		Morpeth R.D. ...	16,252	247·3
9 Nov.	DURHAM :			1 Apl.	SURREY :		
	Urban Districts ...	535,187	7,936·3		Urban Districts ...	446,875	6,951·6
	Rural Districts ...	391,225	5,846·5		Rural Districts ...	211,953	3,298·6
	Stockton on Tees M.B.	58,449	870·9		Haslemere U.D. ...	3,520	52·1
	Stockton R.D. ...	11,163	168·1		Merton and Morden U.D.	14,140	209·1
9 Nov.	ESSEX :				Croydon R.D. ...	60,907	888·4
	Urban Districts ...	799,102	11,872·3		Hambleton R.D. ...	21,849	366·3
	Rural Districts ...	257,333	4,618·4	9 Nov.	YORKSHIRE, NORTH	299,649	5,024·4
	Southend on Sea M.B.	70,857	1,073·5		RIDING :		
	Rochford R.D. ...	17,908	311·4		Urban Districts ...	164,498	2,644·4
1 Apl.	HERTFORDSHIRE :				Rural Districts ...	135,151	2,380·1
	Urban Districts ...	197,838	3,169·4		Middlesbrough R.D.	1,608	22·4
	Rural Districts ...	110,763	1,821·4	1 Apl.	YORKSHIRE WEST	1,466,031	22,007·9
	Baldock U.D. ...	2,305	41·4		RIDING :		
	Chorleywood U.D. ...	1,947	30·9		Urban Districts ...	1,098,346	16,249·5
	Rickmansworth U.D.	6,876	103·3				
	Hitchin R.D. ...	18,455	304·8				
	Watford R.D. ...	13,218	189·9				
9 Nov.	Urban Districts ...	203,825	3,247·7				
	Rural Districts ...	104,776	1,743·1				
	St. Albans M.B. ...	24,120	368·5				
	St. Albans R.D. ...	11,416	185·2				

ENGLAND and WALES—DEATHS at EACH YEAR of AGE REGISTERED in the
YEAR 1913.

Age.	Persons.	Females.					Age.	Persons.	Females.				
		Males.	Total.	Single.	Married.	Widowed.			Males.	Total.	Single.	Married.	Widowed.
All Ages	504,975	261,687	243,288	104,132	70,860	68,296	50	4,921	2,753	2,168	313	1,468	387
0	95,608	53,964	41,644	41,644	—	—	51	4,420	2,448	1,972	296	1,285	391
1	25,440	13,477	11,963	11,963	—	—	52	5,435	2,930	2,505	355	1,667	483
2	9,590	4,989	4,601	4,601	—	—	53	5,321	2,953	2,368	336	1,547	485
3	5,898	3,001	2,897	2,897	—	—	54	5,328	2,851	2,477	330	1,606	541
4	4,421	2,232	2,189	2,189	—	—	55	5,035	2,737	2,298	309	1,446	543
5	3,776	1,892	1,884	1,884	—	—	56	5,855	3,190	2,665	384	1,617	664
6	2,667	1,320	1,347	1,347	—	—	57	5,542	3,035	2,507	350	1,439	718
7	2,139	1,088	1,051	1,051	—	—	58	6,137	3,286	2,851	330	1,675	846
8	1,657	865	792	792	—	—	59	6,202	3,440	2,762	349	1,521	892
9	1,583	792	791	791	—	—	60	6,351	3,509	2,842	339	1,539	964
10	1,409	719	690	690	—	—	61	6,003	3,308	2,695	297	1,457	941
11	1,326	692	634	634	—	—	62	7,193	3,935	3,258	392	1,744	1,222
12	1,317	622	695	695	—	—	63	7,187	3,790	3,397	402	1,682	1,313
13	1,362	658	704	704	—	—	64	7,095	3,811	3,284	365	1,573	1,346
14	1,496	686	810	810	—	—	65	7,367	3,962	3,405	418	1,435	1,552
15	1,566	772	794	794	—	—	66	6,788	3,593	3,195	373	1,336	1,486
16	1,681	848	833	832	1	—	67	7,055	3,683	3,372	405	1,361	1,606
17	1,826	905	921	904	17	—	68	7,979	4,037	3,942	433	1,517	1,992
18	1,931	1,062	869	834	35	—	69	8,123	4,174	3,949	464	1,430	2,055
19	1,971	1,023	948	868	79	1	70	8,170	4,087	4,083	512	1,314	2,257
20	2,058	1,075	983	850	131	2	71	7,708	3,711	3,997	443	1,199	2,355
21	2,147	1,137	1,010	793	215	2	72	8,974	4,353	4,621	532	1,285	2,804
22	2,096	1,021	1,075	746	327	2	73	8,850	4,241	4,609	531	1,205	2,873
23	2,049	1,052	997	618	373	6	74	8,274	3,889	4,385	512	1,026	2,847
24	2,159	1,069	1,090	595	488	7	75	7,880	3,774	4,106	463	898	2,745
25	2,260	1,178	1,082	513	557	12	76	7,589	3,493	4,096	440	829	2,827
26	2,221	1,151	1,070	475	585	10	77	6,966	3,159	3,807	480	685	2,642
27	2,282	1,152	1,130	418	701	11	78	6,495	2,929	3,566	398	532	2,636
28	2,465	1,238	1,227	437	779	11	79	6,009	2,740	3,269	422	504	2,343
29	2,503	1,327	1,176	360	790	26	80	5,772	2,518	3,254	416	442	2,396
30	2,616	1,376	1,240	386	831	23	81	4,669	2,027	2,642	306	274	2,062
31	2,550	1,310	1,240	356	863	21	82	5,015	2,191	2,824	350	317	2,157
32	2,864	1,488	1,376	367	973	36	83	4,411	1,871	2,540	318	224	1,998
33	2,899	1,559	1,340	313	984	43	84	3,974	1,658	2,316	282	192	1,842
34	2,996	1,587	1,409	308	1,063	38	85	3,157	1,289	1,868	218	130	1,520
35	3,113	1,672	1,441	308	1,081	52	86	2,849	1,181	1,668	193	93	1,382
36	3,181	1,676	1,505	290	1,143	72	87	2,381	928	1,453	175	89	1,189
37	3,307	1,818	1,489	278	1,146	65	88	1,882	724	1,158	151	41	966
38	3,611	1,946	1,665	313	1,274	78	89	1,575	562	1,013	157	36	820
39	3,614	1,893	1,721	321	1,313	87	90	1,175	403	772	101	23	648
40	3,799	2,054	1,745	348	1,274	123	91	885	329	556	71	9	476
41	3,484	1,834	1,650	286	1,250	114	92	766	248	518	63	26	429
42	4,077	2,212	1,865	302	1,404	159	93	549	179	370	44	7	319
43	3,713	1,968	1,745	302	1,279	164	94	416	118	298	46	4	248
44	3,825	2,051	1,774	300	1,300	174	95	238	81	157	23	3	131
45	4,183	2,324	1,859	324	1,326	209	96	159	53	106	14	—	92
46	4,093	2,199	1,894	332	1,331	231	97	118	43	75	13	—	62
47	4,121	2,158	1,963	343	1,376	244	98	84	26	58	8	—	50
48	4,658	2,566	2,092	346	1,425	321	99	67	18	49	8	—	41
49	4,921	2,728	2,193	340	1,514	339	100 and over.	52	13	39	10	—	29

NOTE.—The 504,975 deaths at all ages include 1,186 cases (748 males and 438 females) in which only approximate ages were stated; these have been included under the approximate age (*e.g.*, age about 40 under 40). In a few cases the ages were stated to be unknown; these have been distributed with regard as far as possible to the cause of death.

Of the 243,288 deaths of females, 1,252 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 28 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1913.

Age.	Sex.	Barnsley.*	Barrow in Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Boole.	Bourne-month.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages {	M	451	545	413	1116	6618	1123	448	1447	665	416	2216	871	2235	907	336	484
	F	404	415	487	921	6115	1008	454	1461	599	439	2170	1007	2398	929	314	434
Under 1 month {	M	54	49	17	72	569	76	34	94	49	23	160	46	191	59	17	34
	F	37	37	17	53	400	60	14	74	40	15	111	42	137	54	20	22
1-3 months {	M	20	20	5	55	343	44	16	67	33	11	65	34	100	51	14	23
	F	26	15	6	45	248	45	17	44	22	4	53	31	64	48	9	8
3-6 months {	M	20	25	4	54	340	49	10	60	33	9	95	26	67	54	7	16
	F	15	19	5	52	251	37	12	50	32	2	64	28	53	52	3	19
6-12 months {	M	29	33	17	81	475	63	16	84	63	11	105	52	97	64	11	29
	F	32	25	12	51	393	57	10	101	45	7	75	28	68	52	15	17
Total under 1 year {	M	123	127	43	262	1727	232	76	305	178	54	425	158	455	228	49	102
	F	110	96	40	201	1292	199	53	269	139	28	303	129	322	206	47	66
1— {	M	35	40	17	74	419	46	19	118	63	9	75	34	84	55	21	27
	F	36	31	11	62	403	40	11	95	52	13	72	32	85	54	18	19
2— {	M	13	19	11	28	173	10	7	38	18	8	21	15	37	8	7	6
	F	9	13	3	24	172	9	6	33	13	3	22	18	25	26	2	8
3— {	M	10	11	8	17	110	4	6	11	10	2	17	3	30	17	4	5
	F	4	7	4	17	98	10	4	17	15	2	18	10	15	10	5	3
4— {	M	4	6	4	11	67	5	2	16	7	3	8	7	13	13	3	3
	F	6	7	2	10	72	5	4	18	—	1	13	7	16	11	5	3
Total under 5 years {	M	185	203	83	392	2496	297	110	488	276	76	546	217	619	321	84	143
	F	165	154	60	314	2037	263	78	432	219	47	428	196	463	307	77	99
5— {	M	11	18	8	30	179	22	6	30	17	4	42	19	45	21	2	5
	F	15	24	10	29	167	14	5	35	21	4	45	17	53	18	8	4
10— {	M	7	6	3	19	78	12	6	22	9	7	20	10	33	11	2	4
	F	6	7	4	11	75	13	7	21	7	1	24	11	41	10	4	3
15— {	M	10	7	6	22	85	19	9	24	10	8	40	12	46	23	4	7
	F	11	7	5	12	93	11	5	26	8	5	37	15	53	15	5	8
20— {	M	10	16	6	16	124	20	10	28	16	11	34	15	53	12	8	6
	F	6	16	7	19	113	32	6	33	17	15	48	22	71	16	6	16
25— {	M	9	12	4	29	127	26	7	26	16	9	51	25	53	20	9	8
	F	4	5	7	29	135	21	13	27	12	11	49	20	52	28	8	22
30— {	M	8	19	14	44	211	35	11	43	21	7	63	14	53	22	10	10
	F	7	14	12	37	175	30	8	38	16	12	55	29	63	24	9	17
35— {	M	7	18	12	45	259	48	19	59	20	24	92	35	73	25	19	17
	F	11	11	14	43	222	31	11	48	20	12	85	25	90	32	17	12
40— {	M	13	27	13	47	289	48	17	62	22	16	89	31	71	28	18	23
	F	15	13	16	37	271	44	21	55	38	11	90	35	84	37	8	18
45— {	M	17	24	26	60	333	54	31	68	31	20	122	45	96	46	16	25
	F	12	14	16	31	286	52	24	70	27	19	101	34	114	41	14	14
50— {	M	26	29	18	54	373	76	31	77	44	20	143	49	124	64	25	28
	F	15	20	29	36	281	60	26	93	38	22	138	59	98	70	15	31
55— {	M	30	33	20	80	346	93	32	105	47	27	195	57	135	62	20	37
	F	18	13	23	45	329	66	44	88	32	27	163	47	142	59	17	44
60— {	M	29	34	42	68	400	105	39	114	31	33	203	71	173	77	23	42
	F	21	27	35	58	339	93	46	108	32	29	155	64	152	79	19	28
65— {	M	27	39	32	73	393	93	48	98	36	29	192	71	196	71	34	51
	F	21	32	39	40	378	66	34	125	34	50	166	80	176	54	27	35
70— {	M	35	27	44	70	387	89	36	99	39	34	184	61	197	51	26	47
	F	34	22	54	65	436	113	55	126	37	41	242	94	255	66	31	32
75— {	M	15	17	39	39	281	52	25	56	15	36	131	66	125	33	18	18
	F	19	22	48	50	404	45	41	76	23	59	192	119	179	41	30	24
80— {	M	10	8	30	17	156	29	10	36	9	28	42	47	94	13	14	9
	F	13	6	63	37	239	35	22	39	12	47	92	77	164	25	14	19
85— {	M	2	8	13	11	101	5	1	12	6	27	27	26	49	7	4	4
	F	11	8	45	28	135	19	8	21	6	27	60	63	148	7	5	8

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1913—continued.

Age.	Sex.	Canterbury.	Chester.	Coventry.	Croydon.	Derby.	Devonport.	Dewsbury.*	Dudley.	Eastbourne.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.
All Ages	M	169	317	676	1029	830	515	474	467	275	374	923	320	433	589	783	359
	F	188	308	647	1059	739	485	434	405	295	411	833	372	418	454	776	435
Under 1 month	M	18	16	65	85	70	26	37	30	18	20	96	17	31	35	49	18
	F	14	12	57	68	50	27	29	35	6	19	80	29	12	39	36	8
1-3 months	M	4	12	31	45	34	23	18	23	3	13	41	10	21	33	22	9
	F	2	8	25	26	23	16	6	12	2	6	26	8	11	20	16	5
3-6 months	M	6	13	28	42	26	13	10	27	5	4	42	9	21	22	14	10
	F	2	10	13	29	24	17	15	24	4	11	40	9	16	21	9	6
6-12 months	M	9	14	33	41	39	25	28	40	15	17	58	11	15	38	29	8
	F	7	21	21	37	30	20	23	25	8	9	46	15	16	30	16	8
Total under 1 year	M	37	55	157	213	169	87	93	120	41	54	237	47	88	128	114	45
	F	25	51	116	160	127	80	73	96	20	45	192	61	55	110	77	27
1—	M	6	19	24	52	34	20	23	42	13	19	72	25	7	22	31	6
	F	5	19	31	43	25	23	15	38	13	11	64	19	14	20	15	4
2—	M	2	8	23	25	10	9	10	18	3	4	20	9	6	11	7	1
	F	2	9	15	14	8	12	7	10	9	8	10	6	8	9	8	3
3—	M	2	4	11	11	7	5	8	12	1	1	8	6	2	7	5	—
	F	—	2	15	7	8	10	3	7	3	6	8	7	1	4	9	2
4—	M	1	3	7	11	3	6	4	4	—	9	9	4	3	1	4	3
	F	—	3	12	6	5	7	5	5	1	7	10	6	2	3	5	2
Total under 5 years	M	48	89	222	312	223	127	138	196	58	87	346	91	106	169	161	55
	F	32	84	189	230	173	132	103	156	46	77	284	99	80	146	114	38
5—	M	3	7	11	22	21	9	2	10	3	7	25	8	11	13	13	4
	F	3	6	31	28	6	14	8	8	11	7	16	11	9	12	18	2
10—	M	2	5	11	10	13	6	3	6	4	6	14	7	4	9	15	3
	F	3	3	8	16	10	9	6	7	2	4	21	6	8	5	10	4
15—	M	3	4	14	18	12	28	6	8	3	4	17	5	8	13	14	6
	F	3	2	7	14	12	8	2	10	5	4	15	8	6	6	16	4
20—	M	7	5	19	18	16	21	11	6	4	10	18	11	10	11	14	4
	F	3	6	24	20	13	7	9	7	11	3	29	8	11	8	15	5
25—	M	5	6	25	32	18	22	9	8	3	6	5	6	5	16	16	9
	F	2	10	19	29	16	14	8	4	5	8	23	6	12	14	19	10
30—	M	5	12	27	27	22	14	13	16	10	13	26	7	14	19	18	8
	F	6	6	21	20	20	10	21	5	9	4	24	4	15	10	23	11
35—	M	1	15	43	34	30	30	11	14	10	7	26	9	14	32	35	16
	F	7	7	25	51	29	23	20	8	9	16	27	7	14	14	20	15
40—	M	7	13	35	47	26	23	20	25	12	17	42	15	23	30	25	10
	F	4	9	30	31	27	23	20	16	13	14	50	14	10	14	26	16
45—	M	7	18	26	41	42	21	23	13	13	23	42	15	19	23	54	18
	F	5	9	29	49	34	17	24	18	9	21	37	13	11	28	33	20
50—	M	5	19	36	49	46	28	37	20	22	14	43	22	21	37	52	13
	F	10	22	27	47	35	22	25	22	16	19	37	16	25	21	51	22
55—	M	7	21	26	54	53	18	36	21	28	26	56	19	25	29	55	20
	F	12	15	35	46	44	23	20	23	18	27	39	14	22	23	55	40
60—	M	5	16	44	75	68	38	32	34	21	35	58	19	28	53	80	32
	F	13	24	27	74	53	30	35	19	16	33	38	23	26	34	76	27
65—	M	18	23	35	80	83	28	50	21	17	35	56	22	27	40	79	35
	F	12	24	43	76	59	40	42	22	20	29	49	27	28	25	72	33
70—	M	10	38	33	82	70	38	39	34	18	35	69	24	37	39	77	40
	F	15	30	40	101	78	33	35	27	39	40	55	34	46	30	96	42
75—	M	22	10	32	57	52	29	29	20	19	21	49	17	37	24	42	36
	F	22	23	59	102	62	29	28	20	25	45	46	30	35	27	69	53
80—	M	9	8	28	38	26	21	6	10	18	17	21	13	28	18	20	32
	F	22	19	20	64	51	32	19	22	20	36	24	28	32	21	44	50
85—	M	5	8	9	33	9	14	9	5	12	11	10	10	16	14	13	18
	F	14	9	13	61	17	19	9	11	21	24	19	24	28	16	19	43

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1913—continued.

Age.	Sex.	Hudders- field.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middles- brough.	Newcastle upon Tyne.	Newport (Mon.).	Northamp- ton.	Norwich.	Notting- ham.	Oldham.
All Ages {	M	837	572	2292	3675	1643	404	7301	6091	1105	2200	630	584	827	1911	1343
	F	800	484	1956	3414	1442	337	6488	5430	889	1922	503	571	886	1879	1222
Under 1 month {	M	49	46	214	278	116	36	493	485	95	199	71	39	46	143	97
	F	39	36	131	201	104	19	367	342	64	156	37	32	43	132	62
1-3 months {	M	22	24	112	153	75	14	345	270	41	73	25	15	29	92	43
	F	23	12	95	118	46	9	245	192	32	69	21	12	29	62	38
3-6 months {	M	15	20	118	143	70	20	340	271	45	74	21	13	35	79	51
	F	19	8	94	124	59	8	259	193	33	57	27	16	26	80	34
6-12 months {	M	38	20	152	228	92	20	511	350	67	147	42	28	65	92	81
	F	20	8	113	186	66	23	445	312	66	110	27	17	36	107	79
Total under 1 year {	M	124	110	596	802	353	90	1689	1376	248	493	159	95	175	406	272
	F	101	64	433	629	275	59	1316	1039	195	392	112	77	134	381	213
1— {	M	27	21	144	216	77	18	582	404	91	141	28	26	39	97	84
	F	29	17	108	193	44	8	511	360	92	118	29	16	39	83	71
2— {	M	13	6	31	95	22	4	225	127	31	45	16	7	15	34	21
	F	12	5	35	73	20	4	215	134	40	67	13	12	23	38	19
3— {	M	10	10	20	52	15	2	93	99	11	24	5	7	14	20	12
	F	5	6	22	52	13	2	95	69	16	27	10	14	10	17	18
4— {	M	9	9	15	28	9	1	61	75	14	20	5	8	5	17	18
	F	2	2	18	38	6	—	79	63	11	15	4	5	9	8	16
Total under 5 years {	M	183	156	806	1193	476	115	2650	2081	395	723	213	143	248	574	407
	F	149	94	616	985	358	73	2216	1665	354	619	168	124	215	527	337
5— {	M	12	12	40	86	37	7	160	150	41	49	18	20	25	31	38
	F	16	8	60	72	29	8	173	130	34	47	17	17	21	39	37
10— {	M	11	9	35	46	16	1	94	78	19	32	7	7	9	23	11
	F	7	5	37	55	24	5	117	83	15	29	12	7	12	25	18
15— {	M	8	11	34	55	36	8	126	100	21	31	15	13	17	24	24
	F	14	11	44	74	22	5	122	113	10	36	10	21	13	26	23
20— {	M	21	13	46	96	37	10	129	103	29	37	12	26	16	36	26
	F	26	9	39	64	40	1	133	130	26	46	12	21	14	39	31
25— {	M	19	15	58	85	46	12	168	171	35	60	11	15	21	39	32
	F	25	12	69	75	44	8	169	145	33	48	12	25	14	57	26
30— {	M	22	14	63	104	59	21	221	182	48	81	29	13	17	67	40
	F	28	8	66	95	52	10	186	151	36	62	16	17	22	45	32
35— {	M	35	18	92	125	59	20	305	245	38	73	24	15	34	59	54
	F	25	16	67	130	59	18	250	203	33	81	20	10	22	68	42
40— {	M	44	22	94	177	57	11	363	289	64	88	27	19	21	64	68
	F	38	21	67	134	54	11	232	236	37	80	26	19	25	65	56
45— {	M	46	25	102	155	83	12	390	350	60	85	29	19	39	104	92
	F	42	27	82	184	78	20	288	240	50	79	16	28	28	82	65
50— {	M	57	24	110	210	87	19	453	388	62	133	36	38	39	115	91
	F	52	20	75	171	62	13	313	320	38	99	21	26	31	103	62
55— {	M	76	42	130	228	111	19	431	373	56	138	28	29	44	130	104
	F	51	26	93	197	82	18	374	317	34	101	35	31	34	101	95
60— {	M	73	32	145	275	117	34	484	455	63	154	49	41	45	124	91
	F	64	30	118	235	107	25	395	371	40	110	26	31	59	133	88
65— {	M	60	39	165	292	112	33	430	413	64	163	31	37	60	143	101
	F	80	42	118	258	114	22	402	365	36	118	24	41	75	140	101
70— {	M	92	33	156	260	123	34	458	359	62	151	49	46	59	154	75
	F	62	45	144	296	87	25	517	408	53	158	34	52	89	152	94
75— {	M	53	40	116	176	107	23	263	221	37	119	35	53	60	131	51
	F	67	51	124	218	105	32	300	324	34	105	22	47	89	139	64
80— {	M	10	46	62	76	57	16	124	96	7	60	11	34	44	52	30
	F	36	32	86	116	93	23	190	144	12	61	18	27	60	91	36
85— {	M	15	21	38	36	23	9	52	37	4	23	6	16	29	41	8
	F	18	27	51	55	32	20	111	85	14	43	14	24	63	47	15

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1913—continued.

Age.	Sex.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southport.	South Shields.	Stockport.
All Ages {	M	312	887	1622	1030	534	700	552	1010	1988	3979	509	831	431	1060	919
	F	332	917	1410	986	505	734	455	878	1822	3469	502	746	495	917	861
Under 1 month {	M	22	65	133	76	27	45	57	80	159	339	53	58	19	94	70
	F	21	52	88	55	28	44	40	67	107	242	37	49	16	69	45
1-3 months {	M	5	38	56	41	14	19	19	42	105	183	24	28	11	52	44
	F	8	29	40	33	13	15	24	48	56	150	24	16	8	26	23
3-6 months {	M	3	35	56	67	13	19	34	57	86	157	32	19	14	29	50
	F	7	21	38	45	13	20	14	42	82	128	22	20	6	20	41
6-12 months {	M	7	59	75	71	26	23	37	90	147	297	33	27	20	62	53
	F	7	34	55	63	17	21	52	74	131	209	39	20	8	48	55
Total under 1 year {	M	37	197	320	255	80	106	147	269	497	976	142	132	64	237	217
	F	43	136	221	196	71	100	130	231	376	729	122	105	38	163	164
1— {	M	9	42	64	77	13	40	32	120	152	320	40	29	7	80	57
	F	6	31	45	63	6	32	37	125	119	282	33	28	11	65	47
2— {	M	2	16	22	29	7	7	13	43	29	122	15	15	2	25	14
	F	2	23	28	29	3	5	16	48	48	102	15	9	5	25	19
3— {	M	2	9	30	20	5	7	10	32	33	56	8	7	1	16	7
	F	—	14	17	19	2	8	10	20	26	67	15	5	1	27	12
4— {	M	1	9	12	7	—	8	10	7	23	47	4	3	2	13	6
	F	1	9	15	10	2	8	3	19	20	45	12	4	2	11	7
Total under 5 years {	M	51	273	448	388	105	168	212	471	734	1521	209	186	76	371	301
	F	52	213	326	317	84	153	196	443	589	1225	197	151	57	291	249
5— {	M	6	19	49	20	8	9	8	39	50	108	15	26	1	30	24
	F	5	13	59	28	7	15	13	38	46	100	20	20	8	47	19
10— {	M	1	11	23	13	9	8	9	14	20	42	4	11	2	17	7
	F	4	16	17	10	6	8	10	15	35	47	2	15	3	27	12
15— {	M	4	14	36	18	9	9	6	19	33	58	13	9	4	20	12
	F	1	17	31	20	12	16	5	15	42	60	12	8	12	20	14
20— {	M	12	20	40	17	14	11	13	18	33	74	9	23	9	28	17
	F	1	25	36	16	11	19	13	15	46	50	5	10	5	21	23
25— {	M	14	23	34	16	14	14	14	22	41	80	10	25	11	28	22
	F	7	25	43	20	18	14	14	15	50	49	16	28	19	23	21
30— {	M	8	24	53	29	17	16	18	14	74	115	14	32	10	38	30
	F	7	29	35	29	19	20	14	22	43	85	14	16	10	29	32
35— {	M	7	31	74	27	21	22	26	27	93	141	16	33	17	35	25
	F	12	32	43	25	16	27	11	15	57	119	9	25	14	36	32
40— {	M	15	39	80	45	28	40	24	34	91	156	21	34	23	43	43
	F	9	27	58	28	18	23	18	25	78	137	10	29	17	34	30
45— {	M	16	37	69	45	29	27	24	38	92	195	28	42	17	59	54
	F	15	27	58	39	22	44	15	22	95	126	15	31	15	45	35
50— {	M	14	37	81	53	17	50	28	47	119	200	22	43	30	59	49
	F	12	46	80	51	26	34	18	36	102	158	26	36	28	38	46
55— {	M	32	50	93	64	41	88	31	47	133	244	22	66	28	67	61
	F	21	41	65	64	33	63	14	38	102	195	28	48	27	43	50
60— {	M	29	60	127	85	44	58	31	56	144	265	28	70	38	67	68
	F	29	43	90	70	33	77	24	41	117	203	31	44	50	48	56
65— {	M	21	69	121	56	44	53	33	59	129	263	34	52	35	62	62
	F	32	83	101	74	45	59	21	38	124	266	26	67	55	62	55
70— {	M	29	53	97	75	41	62	31	54	98	241	23	53	52	67	74
	F	44	86	132	80	36	71	29	51	147	260	36	65	63	62	73
75— {	M	27	57	103	46	37	41	27	33	58	149	20	68	40	42	40
	F	39	79	94	71	44	57	14	30	82	197	22	58	46	42	67
80— {	M	19	42	60	27	30	19	11	13	34	91	12	38	17	19	18
	F	30	56	79	29	49	26	15	16	44	134	22	52	36	30	29
85— {	M	7	28	34	6	26	5	6	5	12	36	9	20	21	8	12
	F	12	59	63	15	26	8	11	3	23	58	11	43	30	19	18

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1913—*continued.*

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wallasey.*	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Swansea.
All Ages {	M	2323	1429	498	503	885	606	632	2293	568	901	767	353	493	1377	612	909
	F	2186	1266	462	508	720	554	608	1981	486	793	755	346	542	1136	528	815
Under 1 month {	M	214	136	41	29	100	47	46	180	61	76	46	26	43	106	41	66
	F	169	85	45	25	58	39	40	118	39	59	58	16	34	86	43	45
1-3 months {	M	138	54	18	17	53	32	27	103	22	41	42	6	25	72	45	41
	F	115	41	19	9	34	27	21	92	22	34	26	7	11	43	29	46
3-6 months {	M	133	67	20	18	52	33	31	99	15	47	39	5	17	54	35	58
	F	105	54	20	11	27	20	17	97	24	49	21	7	20	59	24	45
6-12 months {	M	199	105	23	27	59	38	56	156	45	77	54	6	21	65	38	65
	F	207	84	27	23	56	46	53	123	35	77	45	13	14	65	45	57
Total under 1 year {	M	684	362	102	91	264	150	160	538	143	241	181	43	106	297	159	230
	F	596	264	111	68	175	132	131	430	120	219	150	43	79	253	141	193
1— {	M	221	107	28	28	79	46	78	144	43	85	61	14	19	53	18	47
	F	200	118	24	15	55	52	73	148	45	93	59	18	21	47	31	48
2— {	M	77	40	12	11	29	16	30	38	14	35	19	11	5	21	17	18
	F	77	32	10	8	31	15	30	49	16	32	25	8	7	15	10	15
3— {	M	31	18	17	6	20	7	16	24	10	15	9	11	2	16	7	12
	F	46	25	10	3	14	13	9	29	10	19	5	3	6	14	10	6
4— {	M	30	13	3	3	5	7	14	20	8	14	8	2	5	18	5	2
	F	31	21	5	3	16	8	13	17	8	13	12	6	5	9	5	5
Total under 5 years {	M	1043	540	162	139	397	226	298	764	218	390	278	81	137	405	206	309
	F	950	460	160	97	291	220	256	673	199	376	251	78	118	338	197	267
5— {	M	66	42	13	13	16	16	11	67	17	21	14	6	12	28	17	12
	F	68	43	14	9	27	18	19	42	13	26	21	5	12	33	15	17
10— {	M	23	23	6	2	12	11	8	30	6	11	7	2	6	19	9	11
	F	36	25	9	4	8	11	6	31	13	11	14	2	4	22	9	5
15— {	M	27	24	11	9	18	22	11	41	18	20	13	7	5	31	11	14
	F	51	15	4	4	18	11	7	44	10	19	8	2	7	21	8	18
20— {	M	47	26	11	15	19	10	10	42	4	15	13	7	10	38	15	21
	F	38	26	13	9	8	12	13	44	10	17	19	12	8	40	13	26
25— {	M	36	39	10	10	18	24	5	60	13	21	18	6	16	38	17	28
	F	49	32	8	14	18	15	9	33	10	10	15	7	13	33	23	26
30— {	M	54	45	7	15	30	30	17	54	20	18	24	10	17	39	22	24
	F	51	38	10	21	16	13	15	53	12	20	19	7	13	27	11	24
35— {	M	69	32	17	26	25	25	17	80	20	37	35	14	15	65	17	43
	F	67	44	19	19	34	18	12	61	13	26	18	11	13	51	19	22
40— {	M	96	43	27	23	26	23	18	103	18	29	25	17	18	59	27	46
	F	86	42	22	21	15	24	16	81	18	16	23	11	21	51	18	30
45— {	M	121	66	22	33	38	38	25	114	23	32	40	17	28	82	25	42
	F	80	61	17	24	31	19	26	81	13	29	31	8	21	45	17	29
50— {	M	118	81	27	31	39	25	24	126	31	51	33	13	31	86	41	59
	F	87	59	23	26	38	22	25	105	19	30	35	16	33	59	21	32
55— {	M	143	74	36	35	44	32	34	123	36	55	47	17	27	101	33	52
	F	107	58	24	27	38	23	26	120	26	30	43	21	27	60	30	36
60— {	M	132	102	31	34	46	28	29	173	34	48	59	33	36	84	43	60
	F	106	73	20	40	24	37	28	99	21	42	50	22	38	70	37	57
65— {	M	114	92	31	36	45	30	32	148	37	48	47	32	41	83	37	60
	F	99	81	28	42	22	28	37	122	26	38	51	25	53	70	32	49
70— {	M	118	89	38	32	55	36	45	148	40	54	41	30	31	102	47	67
	F	142	78	35	68	46	28	28	144	36	50	66	35	54	76	34	73
75— {	M	64	52	22	27	37	11	33	109	19	34	38	29	28	64	24	37
	F	93	59	26	42	44	29	47	121	22	31	49	32	51	75	28	50
80— {	M	40	43	21	14	14	15	9	73	11	11	26	20	23	33	16	15
	F	52	47	18	25	25	16	24	77	19	17	25	31	30	39	11	36
85— {	M	12	16	6	9	6	4	6	38	3	6	9	12	12	20	5	9
	F	24	25	12	16	17	10	14	50	6	5	17	21	26	26	5	18

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1913.

Age.	Sex.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camden.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammer-smith.	Hampstead.	Holborn.
All Ages	M	160	1245	1167	1045	1825	485	887	827	1029	744	1523	929	474	388
	F	110	1094	1079	928	1777	423	810	737	955	627	1502	802	467	307
Under 1 month	M	5	93	71	64	116	28	57	56	90	51	91	55	25	18
	F	2	59	50	54	109	20	36	43	68	36	77	46	17	13
1-3 months	M	2	44	50	42	77	5	45	42	42	27	58	42	16	9
	F	1	38	49	40	66	10	26	28	22	19	51	19	7	8
3-6 months	M	1	49	62	66	72	12	48	37	47	30	55	23	7	6
	F	1	36	49	43	63	10	29	41	40	21	55	25	11	10
6-12 months	M	2	71	82	77	101	18	59	58	49	40	90	64	10	8
	F	1	72	94	77	92	12	46	47	44	33	72	33	2	10
Total under 1 year	M	10	257	265	249	366	63	209	193	228	148	294	184	58	41
	F	5	205	242	214	330	52	137	159	174	109	255	123	37	41
1—	M	2	71	95	60	76	20	50	62	48	38	75	53	18	13
	F	3	63	78	62	86	13	48	41	63	24	68	38	18	8
2—	M	—	31	39	28	32	2	21	15	23	15	32	21	8	2
	F	—	15	29	31	30	3	25	22	20	12	20	17	8	4
3—	M	—	22	22	15	18	2	12	12	15	15	19	6	—	—
	F	1	16	21	13	21	1	14	5	7	6	8	11	2	—
4—	M	—	9	4	11	22	2	6	7	6	6	10	11	4	—
	F	—	5	6	10	14	—	10	7	3	1	11	10	—	2
Total under 5 years	M	12	390	425	363	514	89	298	289	320	222	430	275	88	56
	F	9	304	376	330	481	69	234	234	267	152	362	199	65	55
5—	M	1	35	32	14	40	9	20	22	29	10	34	18	9	12
	F	—	30	20	15	41	7	21	20	18	15	30	22	5	5
10—	M	—	26	14	15	27	2	9	10	12	11	16	7	4	2
	F	—	18	14	16	25	6	9	13	11	21	22	10	5	2
15—	M	1	25	20	22	44	4	22	8	16	19	23	16	8	6
	F	3	18	20	20	22	8	16	9	15	8	30	11	7	3
20—	M	2	27	26	25	42	4	23	13	27	16	22	21	11	9
	F	1	14	22	21	31	10	16	12	19	17	35	15	10	5
25—	M	3	21	20	26	44	15	20	12	38	25	28	23	6	10
	F	4	27	19	22	34	10	16	13	22	5	37	19	11	3
30—	M	4	44	42	43	59	10	32	35	37	17	56	33	16	22
	F	6	28	30	17	43	6	20	21	33	14	50	21	10	8
35—	M	6	39	38	47	61	12	31	32	37	38	54	40	15	23
	F	2	33	37	30	63	10	25	30	40	27	46	30	21	16
40—	M	7	57	63	43	74	26	32	39	49	33	63	38	16	18
	F	3	36	48	35	55	22	28	27	36	19	52	29	19	20
45—	M	10	64	68	50	102	24	36	43	56	32	76	53	33	32
	F	2	62	51	37	75	26	33	31	70	32	72	34	23	15
50—	M	14	77	61	57	113	22	44	53	80	45	93	51	33	29
	F	4	52	50	52	90	20	38	37	51	36	84	31	31	26
55—	M	15	68	55	75	116	38	52	47	66	58	97	61	43	38
	F	11	59	48	45	100	24	42	34	35	40	91	45	35	30
60—	M	16	87	78	58	129	36	44	47	77	39	126	75	41	30
	F	7	69	66	43	95	27	40	47	63	30	91	56	24	30
65—	M	21	81	66	53	132	48	68	60	57	53	117	59	42	28
	F	15	88	72	56	141	32	56	47	65	44	106	60	33	21
70—	M	19	86	58	74	116	47	71	42	56	46	113	52	46	29
	F	16	98	84	79	150	55	75	50	70	58	111	66	45	25
75—	M	14	51	59	44	114	53	40	41	40	33	72	50	22	21
	F	14	67	62	52	132	40	48	53	66	53	131	68	47	19
80—	M	12	44	31	23	65	35	28	24	20	30	54	25	24	13
	F	7	53	34	31	105	31	59	36	45	30	78	53	42	16
85—	M	3	23	11	13	33	11	17	10	12	17	49	32	17	10
	F	6	38	26	27	94	20	34	23	29	26	74	33	34	8

DEATHS AT DIFFERENT AGES IN METROPOLITAN BOROUGH, 1913—*continued.*

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Mary- bone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke New- ington.	Wand- sworth.	West- minster.	Woolwich.
All Ages {	M	2507	1118	2179	882	927	1407	876	1733	1076	1798	2195	344	1703	1068	861
	F	2455	1257	2109	929	1031	1232	754	1546	955	1511	1917	353	1828	925	688
Under 1 month {	M	182	65	116	57	51	107	44	104	82	116	136	20	120	44	49
	F	131	52	111	37	44	81	35	83	54	73	129	17	98	33	44
1-3 months {	M	111	23	80	28	42	63	27	51	70	85	83	14	71	25	31
	F	74	32	63	29	24	50	13	43	41	66	75	11	39	18	16
3-6 months {	M	98	45	96	21	31	53	15	49	60	53	93	6	64	16	20
	F	73	27	66	27	29	49	14	51	48	61	97	2	44	28	8
6-12 months {	M	119	71	98	37	51	91	21	62	104	119	166	11	94	23	37
	F	94	56	96	27	29	84	27	60	75	96	120	10	58	23	23
Total under 1 year {	M	510	204	390	143	175	314	107	266	316	373	478	51	349	108	137
	F	372	167	336	120	126	264	89	237	218	296	421	40	239	102	91
1— {	M	123	65	124	42	50	100	38	88	94	98	139	13	69	21	30
	F	130	66	82	25	51	79	27	62	86	92	107	12	79	24	24
2— {	M	52	26	50	24	16	35	15	41	31	40	49	5	28	7	7
	F	45	16	34	16	16	28	5	18	24	35	37	7	31	7	8
3— {	M	19	21	18	12	7	17	10	12	7	15	14	2	13	4	8
	F	29	11	19	6	13	17	7	19	8	15	24	7	22	9	6
4— {	M	26	10	18	5	5	14	4	12	4	16	16	3	13	5	5
	F	16	6	16	8	12	11	3	12	6	9	18	1	11	5	3
Total under 5 years {	M	730	326	600	226	253	480	174	419	452	542	696	74	472	145	187
	F	592	266	487	175	218	399	131	348	342	447	607	67	382	147	132
5— {	M	54	14	41	28	19	37	15	32	18	43	43	5	32	15	18
	F	52	22	36	18	12	34	20	25	23	29	40	6	33	10	18
10— {	M	23	8	23	15	10	16	9	22	16	21	29	2	24	6	13
	F	33	9	15	12	12	24	5	13	20	23	30	3	31	9	11
15— {	M	38	11	32	14	7	24	11	30	21	22	57	4	23	14	23
	F	50	19	32	22	15	25	7	18	16	26	37	9	35	6	19
20— {	M	31	18	40	22	16	23	9	29	17	43	53	3	31	27	20
	F	57	18	38	21	14	16	9	31	16	29	36	9	28	18	28
25— {	M	57	24	48	29	22	33	28	56	22	39	47	9	37	35	28
	F	47	17	62	19	22	28	16	32	17	25	51	10	44	16	14
30— {	M	75	36	75	24	25	31	24	61	29	54	67	10	43	47	41
	F	75	37	61	32	27	29	22	40	27	44	59	6	41	33	23
35— {	M	86	42	96	24	37	61	49	80	38	81	99	10	81	54	41
	F	73	33	70	25	29	45	22	55	27	53	70	9	73	41	25
40— {	M	111	48	100	34	48	65	40	90	46	103	124	15	73	56	38
	F	100	53	81	35	39	57	34	61	37	65	70	7	80	43	28
45— {	M	155	59	120	40	55	63	56	115	68	97	124	19	98	77	49
	F	123	71	85	49	54	56	41	79	37	79	96	14	81	61	33
50— {	M	160	76	129	52	66	77	68	121	53	137	159	22	98	87	53
	F	135	63	109	52	50	60	35	79	45	77	115	18	97	61	37
55— {	M	154	62	148	63	61	80	55	143	53	109	136	14	103	93	57
	F	121	71	114	47	54	78	50	101	45	84	113	22	110	66	42
60— {	M	175	94	174	52	67	100	78	110	64	150	138	31	125	84	62
	F	164	78	129	59	70	68	63	110	68	97	127	25	119	71	43
65— {	M	197	79	183	67	64	110	85	138	55	131	148	35	133	117	54
	F	176	106	147	56	78	76	63	136	58	118	122	33	134	65	48
70— {	M	194	80	139	71	61	91	77	106	54	100	125	34	124	71	64
	F	197	118	206	87	74	89	82	128	64	124	141	34	183	90	63
75— {	M	136	74	118	64	52	65	48	80	34	74	92	33	97	70	59
	F	203	114	182	86	92	66	59	130	48	84	106	30	137	77	57
80— {	M	88	40	66	38	36	41	31	62	21	36	39	11	67	42	39
	F	142	85	127	76	98	42	44	92	37	79	56	23	117	58	50
85— {	M	43	27	47	19	28	10	19	39	15	16	19	13	42	28	15
	F	115	77	128	58	73	40	51	68	28	28	41	28	103	53	17

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913.

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridge-shire.		Cheshire.		Cornwall.		Cumberland.		Derby-shire.		Devon-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	699	519	377	824	469	785	342	527	3052	1101	1035	1221	1300	685	2011	1819	1524	1428
	F	712	474	380	754	437	773	339	475	2808	991	1054	1260	1230	580	1832	1609	1602	1378
Under 1 month	M	52	36	22	48	34	46	27	28	240	76	78	90	105	38	189	173	80	82
	F	45	29	15	34	30	39	17	24	177	54	46	59	85	45	129	127	57	59
1-3 months	M	32	11	9	15	16	21	4	14	133	29	27	29	52	19	99	67	41	24
	F	22	3	5	13	7	10	5	8	91	23	23	35	36	10	82	49	20	8
3-6 months	M	18	11	6	14	7	16	4	7	113	34	29	28	58	23	92	91	37	29
	F	15	9	7	14	10	13	11	2	81	12	22	19	45	13	73	57	19	30
6-12 months	M	29	18	14	29	13	26	9	17	156	33	32	35	73	22	110	97	50	33
	F	18	6	7	15	13	13	6	11	122	32	26	11	47	21	106	93	40	25
Total under 1 year	M	131	76	51	106	70	109	44	66	642	172	166	182	288	102	490	428	208	168
	F	100	47	34	76	60	75	39	45	471	121	117	124	213	89	390	326	136	122
1—	M	22	14	7	14	18	26	10	12	137	33	22	20	53	24	141	111	33	24
	F	12	9	12	15	11	14	6	12	106	28	21	31	56	9	94	77	34	34
2—	M	11	2	5	6	6	8	3	8	57	12	13	14	22	14	36	46	20	11
	F	11	3	6	10	3	10	2	1	51	13	17	5	17	5	40	42	10	9
3—	M	10	1	1	4	2	5	5	3	38	11	10	4	17	5	21	24	12	9
	F	5	2	1	6	2	2	1	5	29	9	6	8	18	6	18	25	6	9
4—	M	5	—	3	3	—	1	3	8	26	6	6	4	8	4	18	22	11	12
	F	9	1	2	5	2	7	1	1	21	5	8	7	13	2	25	20	10	8
Total under 5 years	M	179	93	67	133	96	149	65	97	900	234	217	224	388	149	706	631	284	224
	F	137	62	55	112	78	108	49	64	678	176	169	175	317	111	567	490	196	182
5—	M	14	5	7	12	8	18	12	18	72	24	20	16	28	15	49	54	19	32
	F	19	9	6	14	7	8	9	14	72	24	18	19	30	12	44	56	28	25
10—	M	12	7	3	16	3	11	6	4	42	12	13	18	21	5	27	29	11	33
	F	9	4	5	10	2	14	6	9	27	17	23	19	14	9	35	24	25	22
15—	M	14	12	8	18	4	12	7	11	40	13	27	24	25	21	32	41	36	22
	F	11	6	6	14	4	8	6	10	43	17	22	22	30	10	37	27	22	28
20—	M	19	13	11	13	7	14	12	8	54	19	22	20	18	9	35	32	48	35
	F	24	9	3	11	11	10	6	4	54	15	24	26	25	14	33	37	36	35
25—	M	17	12	14	20	10	12	10	9	71	14	30	35	33	10	58	36	37	35
	F	25	10	16	17	9	13	10	11	74	24	20	31	32	16	39	34	34	31
30—	M	21	10	10	25	13	17	13	12	72	33	25	35	30	8	62	50	51	41
	F	17	14	8	20	17	23	8	12	66	35	26	30	34	15	56	47	47	44
35—	M	20	16	17	25	17	16	8	14	107	51	42	31	43	24	58	42	57	32
	F	22	14	12	16	9	19	9	8	92	28	22	32	39	14	48	40	39	41
40—	M	23	15	21	22	20	24	14	15	103	43	39	51	47	16	73	56	44	46
	F	25	14	10	18	19	21	11	10	88	40	32	32	40	16	61	43	48	29
45—	M	27	18	13	27	24	26	14	12	152	54	51	51	53	26	89	63	62	52
	F	35	12	17	31	16	25	14	8	116	35	31	60	44	20	76	57	61	40
50—	M	39	22	19	38	28	39	21	23	168	53	66	53	60	30	101	82	77	64
	F	38	20	17	33	19	33	19	24	138	51	50	43	50	25	91	63	76	58
55—	M	42	28	22	40	32	51	25	26	196	69	59	72	88	44	108	84	84	86
	F	42	29	26	38	20	49	23	28	182	61	57	64	80	30	80	75	110	68
60—	M	52	19	29	69	31	56	23	25	235	63	64	79	97	51	125	109	94	103
	F	59	34	41	54	34	45	23	17	190	66	58	69	81	31	116	99	105	103
65—	M	48	42	32	67	43	68	30	51	237	103	84	129	113	76	136	147	125	107
	F	50	32	17	77	34	83	27	41	254	87	87	119	92	56	136	113	134	110
70—	M	65	61	33	89	50	81	33	64	251	115	95	118	114	69	128	140	160	162
	F	67	55	47	77	49	106	33	47	272	124	133	156	131	57	129	124	180	161
75—	M	48	65	31	90	41	82	20	71	178	102	86	127	85	57	123	110	148	152
	F	64	58	41	87	46	83	31	76	235	93	106	136	88	65	142	127	184	144
80—	M	40	45	28	61	29	68	20	45	115	65	56	74	42	50	61	77	113	117
	F	34	55	31	67	37	60	28	40	136	55	95	113	66	40	77	87	143	126
85—	M	19	36	12	59	13	41	9	22	59	34	39	64	15	25	40	36	74	85
	F	34	37	22	58	26	65	27	52	91	43	81	114	37	39	65	66	134	131

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—*continued.*

Age.	Sex.	Dorset-shire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	715	692	4597	3346	268	234	4573	1623	666	1486	263	538	1094	672	148	202	4275	1986
	F	665	595	3944	2921	217	187	4357	1433	749	1436	262	549	1144	558	152	219	4127	1767
Under 1 month {	M	46	58	476	401	20	22	356	85	42	81	12	44	79	48	5	10	269	110
	F	33	27	376	331	13	20	243	65	29	71	15	29	53	25	7	8	263	95
1-3 months {	M	15	18	224	161	8	6	161	35	20	29	7	12	27	17	4	3	130	60
	F	15	8	174	124	6	2	105	22	12	28	8	6	14	8	2	3	70	46
3-6 months {	M	6	8	219	166	6	4	127	20	7	28	4	6	21	8	2	2	118	43
	F	14	5	164	134	5	5	102	28	10	20	8	5	12	9	3	3	78	43
6-12 months {	M	26	12	361	262	13	14	172	54	25	37	5	9	31	12	9	6	140	61
	F	22	8	286	221	10	5	169	39	16	23	5	12	18	8	5	2	130	58
Total under 1 year {	M	93	96	1280	990	47	46	816	194	94	175	28	71	158	85	20	21	657	274
	F	84	48	1000	810	34	32	619	154	67	142	36	52	97	50	17	16	541	242
1— {	M	19	18	361	287	15	2	203	34	33	27	4	8	36	13	4	3	136	61
	F	10	9	322	230	7	5	154	27	12	18	6	7	37	11	3	8	118	56
2— {	M	10	4	125	87	6	2	83	18	13	11	1	5	11	7	4	3	61	16
	F	5	2	122	76	4	2	47	16	8	15	1	3	13	7	6	1	48	13
3— {	M	1	2	87	51	3	1	55	12	3	9	2	4	12	4	1	—	53	14
	F	13	5	63	52	3	1	50	5	4	6	2	4	7	6	—	1	44	11
4— {	M	3	2	49	43	3	—	45	12	5	8	2	2	9	3	—	1	33	15
	F	8	2	51	43	3	—	31	8	4	6	1	3	11	3	—	—	36	13
Total under 5 years {	M	126	122	1902	1458	74	51	1202	270	148	230	37	90	226	112	29	28	940	380
	F	120	66	1558	1211	51	40	901	210	95	187	46	69	165	77	26	26	787	335
5— {	M	21	10	113	75	1	4	116	26	13	35	6	10	20	17	3	7	93	46
	F	27	7	138	103	4	4	112	19	8	31	2	9	16	6	2	3	97	43
10— {	M	7	5	57	49	1	1	69	18	15	17	4	8	14	8	4	2	50	30
	F	4	8	83	58	3	1	74	17	9	22	6	3	17	8	4	5	64	33
15— {	M	19	16	91	80	4	3	98	24	10	27	4	9	20	14	—	1	87	43
	F	10	6	86	60	1	4	80	26	6	25	3	4	19	7	2	2	77	32
20— {	M	14	11	119	82	6	7	122	34	12	26	10	7	22	12	2	4	106	43
	F	10	16	97	85	3	2	102	28	12	38	5	10	27	14	1	1	76	35
25— {	M	22	9	92	64	10	8	127	45	16	33	6	11	21	16	3	5	101	43
	F	13	7	74	62	2	3	137	26	17	26	7	9	20	9	3	3	106	42
30— {	M	22	19	110	82	12	3	118	42	23	30	8	18	29	18	4	1	151	36
	F	9	15	109	79	2	5	139	34	20	40	3	8	36	16	5	7	113	37
35— {	M	16	19	136	78	8	10	192	44	26	40	4	9	42	22	3	9	180	57
	F	18	9	144	96	6	7	152	42	15	41	13	16	35	13	6	5	128	48
40— {	M	30	10	134	84	4	7	178	44	16	37	12	20	28	16	6	4	175	67
	F	18	19	148	94	7	3	167	46	19	50	8	17	40	14	3	7	169	55
45— {	M	29	30	175	94	9	9	217	59	20	57	12	27	48	34	7	8	189	88
	F	20	34	153	102	6	2	184	58	26	60	14	25	39	20	8	4	146	69
50— {	M	31	27	194	122	7	16	250	75	31	87	12	27	58	31	8	9	224	76
	F	44	24	144	107	12	3	218	53	50	69	11	27	64	20	8	9	206	88
55— {	M	40	41	242	155	10	7	270	79	45	82	17	27	68	43	7	14	281	95
	F	47	35	171	109	10	11	233	58	41	63	9	21	60	34	4	6	182	77
60— {	M	65	43	295	185	19	12	314	141	51	134	21	45	102	57	14	13	306	131
	F	46	34	202	137	12	10	269	92	59	113	17	35	77	53	8	19	246	95
65— {	M	64	71	302	218	29	23	342	144	61	131	22	45	95	59	16	18	345	180
	F	39	58	188	158	16	15	331	140	65	109	14	43	95	58	13	26	331	154
70— {	M	72	85	287	201	26	19	360	165	59	174	33	59	108	71	14	21	377	204
	F	62	77	300	189	19	15	403	148	85	176	25	74	135	60	15	26	387	168
75— {	M	51	80	225	155	20	26	283	155	65	153	22	59	87	71	11	29	289	168
	F	55	78	186	124	27	24	394	175	96	152	28	72	106	64	12	25	409	165
80— {	M	49	56	93	100	16	15	192	148	30	120	19	36	71	43	9	13	235	165
	F	69	57	100	87	21	22	256	138	74	131	30	63	102	44	16	23	319	166
85— {	M	37	38	30	64	12	13	123	110	25	73	14	31	35	28	8	16	146	134
	F	54	45	63	60	15	16	205	123	52	103	21	44	91	41	16	22	284	125

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—continued.

Age.	Sex.	Lancashire.		Leicester-shire.		Lincoln-shire, (Parts of Holland).		Lincoln-shire, (Parts of Kesteven).		Lincoln-shire, (Parts of Lindsey).		Middlesex.		Monmouth-shire.		Norfolk.		Northamptonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	11178	1612	649	929	276	308	333	495	687	959	5948	260	2036	300	396	1706	509	802
	F	10713	1463	634	934	250	286	265	422	632	886	6036	255	1666	261	385	1633	504	716
Under 1 month {	M	817	104	59	64	21	17	24	36	59	74	485	21	242	15	28	121	53	48
	F	610	78	51	53	21	14	16	19	38	54	342	22	154	21	21	94	38	42
1-3 months {	M	499	48	24	38	15	9	8	15	29	31	242	8	111	7	15	46	19	23
	F	333	34	16	22	2	5	9	5	22	20	176	9	97	8	9	36	13	10
3-6 months {	M	488	58	26	28	15	10	11	13	24	27	199	7	113	3	10	39	12	5
	F	392	31	16	17	6	8	8	7	23	16	174	3	78	6	7	21	11	16
6-12 months {	M	665	73	36	30	7	17	14	16	36	51	329	6	161	10	11	61	17	23
	F	558	68	27	33	9	14	13	13	34	40	292	7	120	3	11	34	16	19
Total under 1 year {	M	2469	283	145	160	58	53	57	80	148	183	1255	42	627	35	64	267	101	99
	F	1893	211	110	125	38	41	46	44	117	130	984	41	449	38	48	185	78	87
1— {	M	629	68	24	19	9	13	20	15	20	30	313	13	143	12	11	28	13	17
	F	617	61	27	21	10	11	15	13	21	21	266	6	107	6	6	32	16	13
2— {	M	237	26	6	13	3	2	3	5	14	6	106	4	34	2	8	11	11	7
	F	206	31	15	13	3	2	7	2	11	9	120	2	28	4	8	18	5	8
3— {	M	134	20	5	5	1	2	4	2	8	12	73	1	28	1	3	10	4	5
	F	124	25	5	10	1	6	5	3	8	8	70	2	30	4	1	11	2	5
4— {	M	104	10	6	10	5	2	2	2	3	5	69	2	15	2	2	3	5	7
	F	105	12	5	5	2	2	3	1	4	3	53	3	22	1	1	9	3	5
Total under 5 years {	M	3573	407	186	207	76	72	86	104	193	236	1816	62	847	52	88	319	134	135
	F	2945	340	162	174	54	62	76	63	161	171	1493	54	636	53	64	255	104	118
5— {	M	292	41	12	26	8	7	8	13	20	17	160	4	48	4	10	25	12	17
	F	266	30	21	23	6	11	3	9	15	17	162	6	44	4	11	17	13	20
10— {	M	144	26	13	15	3	3	5	7	8	13	82	4	28	5	3	23	8	10
	F	138	20	12	16	5	6	5	4	9	11	91	3	26	1	3	17	22	11
15— {	M	206	27	14	21	4	4	6	8	16	18	91	6	42	5	5	25	4	12
	F	213	23	14	27	4	5	5	7	13	28	104	1	28	8	14	26	18	9
20— {	M	215	28	13	17	5	6	4	8	12	13	107	5	53	3	5	34	12	19
	F	276	33	16	16	1	4	3	9	12	21	118	6	39	9	3	27	16	24
25— {	M	217	32	11	17	4	5	7	9	21	22	150	9	52	4	10	24	15	19
	F	241	35	18	20	7	5	11	9	17	17	149	8	31	6	4	34	10	16
30— {	M	324	42	17	21	9	5	14	11	20	17	170	4	43	4	5	32	19	17
	F	281	36	17	29	7	12	7	11	20	21	154	8	44	5	8	37	16	11
35— {	M	381	50	27	22	10	5	9	9	11	13	228	5	65	8	7	31	14	16
	F	350	45	20	13	1	4	11	12	22	24	204	10	52	5	7	33	14	12
40— {	M	438	53	31	26	8	7	16	10	26	17	245	12	89	9	12	53	16	14
	F	412	54	25	40	6	11	8	11	18	25	243	11	73	6	8	39	18	16
45— {	M	540	65	24	32	12	11	15	13	27	26	294	11	85	16	11	51	25	40
	F	459	80	27	40	10	11	14	21	20	23	272	14	50	5	11	59	21	15
50— {	M	661	82	31	37	8	11	13	15	33	25	318	17	103	18	20	65	21	37
	F	570	74	36	28	8	8	5	11	29	31	291	10	82	5	10	61	15	13
55— {	M	779	109	37	50	15	11	19	20	35	42	341	13	92	18	37	93	27	36
	F	685	88	32	41	11	9	14	19	25	45	346	8	67	16	20	63	23	31
60— {	M	856	133	36	72	13	19	24	27	39	39	412	17	103	28	37	108	35	46
	F	780	115	42	68	24	16	16	27	30	53	358	20	111	26	29	85	33	34
65— {	M	849	125	51	82	25	21	26	50	59	69	458	22	114	23	30	141	39	76
	F	878	109	49	78	17	17	21	35	50	68	417	25	90	21	21	129	31	56
70— {	M	803	154	54	81	20	31	23	50	64	114	395	17	134	31	31	185	46	90
	F	979	111	38	105	29	27	19	55	61	93	507	18	128	31	45	179	51	94
75— {	M	553	109	40	85	30	51	30	55	49	120	331	21	76	28	37	209	37	106
	F	673	132	46	98	21	27	17	43	55	99	464	25	85	25	43	191	44	85
80— {	M	236	87	31	70	20	23	16	55	35	94	200	20	44	23	30	172	31	66
	F	375	78	33	73	18	31	13	34	42	67	374	12	56	21	49	185	34	87
85— {	M	111	42	21	48	6	16	12	31	19	64	150	11	18	21	18	116	14	46
	F	192	60	26	45	21	20	17	42	33	72	289	16	24	14	35	196	21	64

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—*continued.*

Age.	Sex.	North-berland.		Notting-hamshire.		Oxford-shire.		Peter-borough, Soke of.		Rutland-shire.		Shropshire.		Somerset-shire.		South-ampton.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	2068	698	1535	794	220	583	224	80	21	136	767	832	994	1452	1192	1321
	F	1877	649	1349	752	227	607	214	73	21	105	637	774	1006	1458	998	1191
Under 1 month {	M	206	58	143	52	12	41	17	4	2	2	52	50	66	80	88	88
	F	148	28	124	46	8	36	14	4	1	2	31	41	41	68	57	50
1-3 months {	M	86	26	88	26	8	9	10	1	—	7	17	20	25	27	48	20
	F	67	11	63	16	5	10	9	1	1	2	10	14	16	14	29	20
3-6 months {	M	104	17	68	28	4	8	2	2	1	4	15	16	14	25	38	29
	F	75	17	44	31	3	15	6	1	—	2	13	16	20	23	25	23
6-12 months {	M	144	26	100	35	6	14	3	2	—	4	37	26	26	30	55	34
	F	106	23	74	19	1	9	6	3	1	7	11	21	36	23	40	30
Total under 1 year {	M	540	127	399	141	30	72	32	9	3	17	121	112	131	162	229	171
	F	396	79	305	112	17	70	35	9	3	13	65	92	113	128	151	123
1— {	M	130	27	77	14	8	11	6	—	1	3	21	18	31	19	44	21
	F	133	24	73	20	10	7	5	—	—	3	14	13	39	28	43	28
2— {	M	52	10	32	11	2	4	1	—	—	2	13	10	22	11	13	11
	F	52	5	33	6	3	5	3	2	—	—	5	6	17	13	14	10
3— {	M	24	3	14	5	2	3	2	—	—	—	8	6	11	11	15	15
	F	27	7	18	8	4	1	3	—	—	1	1	4	4	6	9	8
4— {	M	18	5	16	4	3	1	—	3	—	—	3	5	8	14	9	3
	F	11	3	19	7	2	1	1	—	—	—	6	4	7	7	9	6
Total under 5 years {	M	764	172	538	175	45	91	41	12	4	22	166	151	203	217	310	221
	F	619	118	448	153	36	84	47	11	3	17	91	119	180	182	226	175
5— {	M	45	7	44	21	3	9	10	2	—	1	16	8	21	21	20	23
	F	75	16	36	24	3	7	6	2	1	2	10	8	23	21	17	22
10— {	M	32	14	24	11	4	3	1	—	—	1	6	6	18	22	5	24
	F	35	8	18	8	1	3	5	—	—	1	4	4	10	17	10	14
15— {	M	48	16	39	15	2	9	1	3	—	2	15	12	19	13	25	27
	F	35	12	21	10	4	7	3	—	—	2	10	18	19	27	14	23
20— {	M	56	16	33	18	1	12	3	2	—	2	16	15	20	31	35	30
	F	48	11	34	14	3	7	—	—	1	2	10	12	20	27	15	24
25— {	M	45	12	42	20	11	15	5	2	—	1	19	17	28	44	45	41
	F	39	19	25	16	9	13	4	—	—	3	17	15	17	27	24	39
30— {	M	67	18	39	21	6	9	7	1	—	3	21	20	21	39	43	39
	F	64	24	46	25	5	11	8	1	—	3	13	19	27	31	36	34
35— {	M	65	26	56	25	6	10	16	2	—	6	19	15	34	39	46	39
	F	73	19	41	28	7	20	3	1	1	6	25	14	30	42	23	28
40— {	M	77	20	54	20	5	18	9	2	—	5	36	21	32	51	57	46
	F	72	16	53	22	5	9	5	1	1	1	19	21	27	38	33	34
45— {	M	73	30	60	23	9	24	14	1	—	3	29	36	53	62	51	40
	F	64	28	48	36	6	23	7	—	1	2	28	26	34	43	48	43
50— {	M	84	37	66	36	9	26	10	4	4	7	45	27	51	67	63	71
	F	74	16	57	31	8	28	19	3	1	1	30	29	45	68	44	60
55— {	M	106	35	67	39	13	26	15	4	1	8	50	40	50	82	58	76
	F	84	44	64	34	16	32	12	2	3	3	26	36	41	76	48	61
60— {	M	104	43	91	49	17	51	18	3	4	12	59	61	77	116	80	111
	F	86	55	87	53	19	34	12	9	—	10	47	56	75	97	59	68
65— {	M	141	66	95	77	19	65	17	6	5	12	75	76	78	130	90	106
	F	135	55	95	51	24	45	10	4	1	7	51	70	74	140	84	111
70— {	M	153	74	113	84	20	70	15	11	3	19	69	99	98	169	82	126
	F	135	65	100	73	19	79	19	8	3	17	73	94	119	184	82	113
75— {	M	117	48	83	71	22	61	21	10	3	13	82	90	98	176	90	140
	F	127	59	79	60	24	78	28	12	3	13	82	90	98	176	90	140
80— {	M	54	39	58	57	18	43	13	8	—	7	46	79	53	122	52	91
	F	72	56	64	64	18	69	12	10	2	9	56	73	77	145	68	113
85— {	M	37	25	33	32	10	41	8	7	—	9	20	43	48	73	37	68
	F	40	28	33	50	20	58	14	9	1	6	45	70	90	117	77	89

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—*continued.*

Age.	Sex.	Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.		Warwick-shire.		Westmor-land.		Wight, Isle of.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	3892	1334	534	747	287	498	2473	1136	721	740	502	576	857	1130	182	254	318	159
	F	3382	1213	462	767	293	463	2391	1060	757	633	576	484	888	955	193	236	386	151
Under 1 month {	M	369	104	42	57	25	29	157	70	26	44	31	40	61	93	13	22	11	10
	F	260	77	29	36	7	28	105	52	25	25	19	23	50	76	9	11	15	7
1-3 months {	M	208	40	16	15	4	3	93	37	20	16	17	7	28	43	5	9	6	3
	F	168	39	16	12	6	7	61	25	9	14	5	7	29	28	6	1	2	5
3-6 months {	M	186	39	21	17	3	8	54	26	14	13	9	9	30	39	5	11	7	1
	F	136	38	15	11	5	9	51	17	15	12	7	9	21	31	2	4	2	2
6-12 months {	M	256	54	14	21	7	10	98	39	25	10	12	11	28	46	8	6	8	3
	F	231	53	13	20	12	14	77	24	14	12	13	4	39	35	8	5	2	3
Total under 1 year {	M	1019	237	93	110	39	50	402	172	85	83	69	67	147	221	31	48	32	17
	F	795	207	73	79	30	58	294	118	63	63	44	43	139	170	25	21	21	17
1— {	M	264	70	18	17	9	9	90	40	18	21	8	13	26	37	6	4	9	3
	F	259	47	8	11	14	8	84	28	19	7	14	6	44	36	8	7	2	4
2— {	M	134	21	5	7	4	1	39	15	10	8	2	3	13	10	2	3	4	—
	F	98	23	4	8	2	6	24	10	8	1	6	5	11	14	3	1	1	1
3— {	M	63	17	2	2	3	—	15	9	4	6	3	3	13	11	1	2	4	—
	F	70	13	4	3	3	3	17	9	5	2	4	2	12	11	1	3	3	1
4— {	M	44	12	5	1	1	3	21	11	9	3	3	3	7	14	—	3	1	—
	F	45	9	5	6	4	1	18	6	5	2	2	1	13	8	4	2	2	—
Total under 5 years {	M	1524	357	123	137	56	63	567	247	126	121	85	89	206	293	40	60	50	20
	F	1267	299	94	107	53	76	437	171	100	75	70	57	219	239	41	34	29	23
5— {	M	126	27	16	12	10	9	48	23	20	4	9	8	25	26	2	6	5	4
	F	94	41	14	15	3	9	41	25	16	11	6	10	25	24	—	7	9	3
10— {	M	40	23	3	7	4	7	34	14	9	8	2	3	12	24	3	2	3	2
	F	46	15	3	21	6	7	31	25	2	7	8	11	9	21	2	6	2	2
15— {	M	63	19	7	20	6	4	36	18	12	12	6	10	16	13	1	5	6	2
	F	72	30	10	14	10	6	43	21	13	11	7	4	18	18	2	1	3	1
20— {	M	64	27	10	19	7	10	49	19	16	15	11	18	21	22	6	5	9	2
	F	63	14	6	11	5	5	49	21	14	13	14	6	11	22	3	5	8	1
25— {	M	78	21	17	18	5	16	57	20	19	17	8	10	16	22	4	2	5	5
	F	67	24	9	19	2	12	49	29	22	15	7	9	13	12	6	6	8	2
30— {	M	83	24	13	9	6	9	82	26	13	15	13	14	16	21	3	6	5	5
	F	80	30	16	16	6	8	56	27	21	11	18	10	20	17	3	3	8	4
35— {	M	95	42	16	17	9	11	94	38	21	20	22	12	25	28	4	6	13	7
	F	87	36	13	13	5	14	65	34	23	12	22	10	26	30	8	7	8	7
40— {	M	124	42	19	16	13	18	108	47	21	29	18	16	40	38	1	5	15	5
	F	116	37	11	24	6	9	94	43	35	28	17	15	26	35	10	4	13	7
45— {	M	142	42	27	15	17	11	126	40	34	31	20	21	37	42	11	7	14	7
	F	90	53	18	27	17	10	108	56	21	29	22	11	29	27	5	6	14	6
50— {	M	167	71	31	30	8	19	149	58	41	28	22	25	33	52	17	16	14	8
	F	156	36	23	36	8	18	105	50	27	29	35	13	27	35	7	18	15	13
55— {	M	198	68	35	34	13	29	148	66	44	51	29	37	58	60	12	11	22	10
	F	151	64	27	33	16	21	129	51	57	35	37	29	52	44	14	13	16	4
60— {	M	261	77	36	54	25	25	193	89	60	57	41	33	52	72	11	18	25	13
	F	210	63	34	40	14	24	167	78	56	46	49	34	59	51	15	15	31	11
65— {	M	241	113	37	59	19	51	179	94	58	72	46	55	68	98	20	19	32	14
	F	197	97	33	67	23	46	201	88	62	65	43	54	65	75	17	25	43	11
70— {	M	304	122	49	81	32	61	201	107	72	72	55	64	75	100	17	36	34	23
	F	293	128	39	92	29	53	229	91	74	66	52	66	89	95	19	18	49	10
75— {	M	196	144	43	89	23	72	172	97	57	66	48	66	76	97	11	24	31	15
	F	208	115	38	98	37	47	239	93	80	64	61	53	88	67	14	28	47	15
80— {	M	130	70	33	79	21	48	137	83	58	66	43	54	49	70	9	15	22	10
	F	107	69	44	76	32	52	211	93	66	61	60	54	60	74	18	19	47	11
85— {	M	56	45	19	51	13	35	93	50	40	56	24	41	32	52	10	11	13	7
	F	78	62	30	58	21	46	137	64	68	55	48	38	52	69	9	21	36	20

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—*continued.*

Age.	Sex.	Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	815	1009	1053	851	412	620	1396	935	8364	2818	137	202	131	285	122	316	461	712
	F	798	884	1035	800	436	530	1280	879	7685	2559	156	267	122	260	138	401	430	690
Under 1 month	M	68	72	85	61	33	47	121	63	717	267	8	20	10	29	4	25	46	70
	F	42	42	53	45	16	33	97	37	526	182	5	13	12	16	5	19	30	46
1-3 months	M	25	19	49	16	18	17	47	25	360	134	4	5	5	11	7	7	19	31
	F	10	16	32	7	15	11	38	10	234	104	3	3	4	14	—	11	19	21
3-6 months	M	18	19	60	17	11	27	63	16	311	134	6	5	5	15	3	7	21	28
	F	7	4	42	18	6	8	58	13	248	94	5	7	3	9	5	4	8	26
6-12 months	M	27	25	58	31	8	19	71	28	473	200	1	5	7	10	4	7	27	34
	F	19	16	47	29	7	14	66	21	367	154	7	2	3	7	1	5	20	23
Total under 1 year	M	138	135	252	125	70	110	302	132	1861	735	19	35	27	65	18	46	113	163
	F	78	78	174	99	44	66	259	81	1375	534	20	25	22	46	11	39	77	116
1—	M	30	30	53	30	19	24	96	16	470	171	10	6	2	5	2	7	20	31
	F	28	33	61	29	13	11	74	18	446	175	4	9	—	9	2	4	14	23
2—	M	11	13	18	11	1	3	28	6	168	56	4	1	2	4	—	—	5	11
	F	20	13	17	11	4	7	33	11	149	54	3	2	2	3	2	5	1	10
3—	M	12	7	14	4	2	5	19	7	105	34	1	—	3	3	1	3	5	6
	F	8	11	12	3	3	2	24	10	111	38	1	2	1	2	—	3	9	8
4—	M	5	7	6	6	3	5	10	8	89	26	1	2	1	—	1	2	3	2
	F	12	6	10	5	—	5	22	5	73	29	1	2	—	3	—	2	2	6
Total under 5 years	M	196	192	343	176	95	147	455	169	2693	1022	35	44	35	77	22	58	146	213
	F	146	141	274	147	64	91	412	125	2154	830	29	40	25	63	15	53	103	163
5—	M	17	20	25	20	11	10	48	15	212	73	6	1	2	8	5	9	11	17
	F	17	23	20	20	5	11	33	19	207	67	2	5	1	4	—	5	9	15
10—	M	9	11	21	16	6	14	17	11	120	42	1	3	1	4	2	4	6	11
	F	14	8	13	10	6	8	16	12	111	45	2	3	1	2	2	9	4	8
15—	M	14	18	23	14	7	8	21	11	158	34	3	6	2	5	1	6	11	23
	F	16	10	13	14	8	11	20	12	141	42	2	1	1	7	1	5	15	18
20—	M	21	15	15	12	2	17	30	18	181	52	4	3	2	5	2	1	11	22
	F	22	20	18	20	5	11	18	16	169	50	2	3	1	6	2	11	13	19
25—	M	16	13	15	21	7	7	28	20	186	56	2	2	4	4	5	8	10	19
	F	20	18	22	19	10	17	35	20	192	50	4	4	1	8	4	10	15	24
30—	M	22	23	17	21	10	12	40	19	188	66	6	3	3	12	1	13	13	19
	F	14	17	25	21	10	15	43	19	197	71	2	9	3	8	3	10	14	19
35—	M	26	19	28	23	10	8	43	29	237	97	2	6	8	6	2	5	17	17
	F	21	24	27	14	12	6	49	29	239	84	3	8	3	9	2	16	19	22
40—	M	31	25	29	36	13	18	38	32	256	89	6	7	5	6	9	2	19	24
	F	25	21	32	25	17	13	50	30	267	91	6	6	6	6	10	8	19	23
45—	M	40	36	56	27	17	18	53	26	376	101	2	6	3	12	4	6	18	23
	F	23	31	47	21	15	19	46	30	297	75	9	12	3	10	5	10	21	17
50—	M	45	35	46	44	20	24	68	42	434	119	6	8	4	10	14	10	32	23
	F	36	38	45	32	16	19	48	42	331	79	10	15	3	10	8	12	15	33
55—	M	39	49	61	45	30	24	83	58	540	170	3	10	12	16	6	24	17	26
	F	42	45	55	33	22	25	58	64	414	124	9	16	8	8	13	16	22	36
60—	M	60	74	69	65	22	41	90	70	627	176	18	18	12	17	11	28	41	41
	F	45	55	59	42	32	27	69	65	549	133	6	17	13	9	10	28	25	45
65—	M	76	99	78	71	46	42	86	75	667	200	12	14	4	28	9	27	26	59
	F	74	89	75	63	36	53	76	70	609	190	22	25	10	22	6	27	30	51
70—	M	64	132	84	78	46	57	136	106	645	176	16	29	9	29	11	38	39	70
	F	83	109	95	94	52	65	95	87	672	209	14	27	19	31	20	51	35	63
75—	M	60	101	83	86	30	84	81	107	458	177	8	18	11	23	7	31	19	49
	F	87	103	88	93	45	47	96	103	581	183	12	31	8	25	13	50	32	56
80—	M	54	88	37	59	21	52	49	68	263	103	5	18	9	15	5	24	18	37
	F	56	58	72	66	47	52	70	71	369	143	11	28	12	16	9	49	24	47
85—	M	25	59	23	37	19	37	30	59	123	65	2	6	5	8	6	22	7	19
	F	57	74	55	66	34	40	46	65	186	93	11	17	4	16	15	31	15	31

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1913—*continued.*

Age,	Sex,	Carnarvon-shire.		Denbigh-shire.		Flintshire.		Glamorgan-shire.		Merioneth-shire.		Montgomery-shire.		Pembroke-shire.		Radnor-shire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages {	M	461	590	349	779	322	434	4209	1434	160	198	142	250	281	383	33	133
	F	410	516	324	638	290	421	3490	1252	147	219	156	225	307	395	51	98
Under 1 month {	M	21	49	27	57	22	34	443	129	4	6	6	20	17	26	3	14
	F	15	23	11	41	9	19	314	112	4	6	5	12	12	24	5	10
1-3 months {	M	20	19	8	37	8	13	263	92	8	9	3	8	16	9	—	6
	F	13	9	7	21	10	9	211	63	4	7	5	6	10	7	1	2
3-6 months {	M	20	14	11	31	16	8	271	73	7	3	2	6	7	11	—	3
	F	9	13	8	20	6	5	199	57	3	3	2	5	6	10	—	2
6-12 months {	M	14	14	20	43	19	26	358	88	—	5	2	3	12	14	—	2
	F	13	14	16	33	17	14	311	62	3	4	3	4	13	9	—	1
Total under 1 year {	M	75	96	66	168	65	81	1335	382	19	23	13	37	52	60	3	25
	F	50	59	42	115	42	47	1035	294	14	20	15	27	41	50	6	15
1— {	M	14	11	10	40	18	14	290	74	2	4	2	4	7	12	2	2
	F	7	9	11	31	17	17	240	64	3	2	2	5	8	7	1	3
2— {	M	4	4	—	16	5	8	105	29	4	2	3	1	5	1	—	—
	F	3	2	4	15	3	5	96	22	—	1	—	—	4	8	—	1
3— {	M	4	3	4	5	2	5	71	23	—	1	1	3	2	4	—	1
	F	5	4	1	11	9	4	65	12	1	—	—	—	2	2	—	1
4— {	M	2	2	1	9	2	5	43	16	3	2	—	2	2	2	1	—
	F	3	—	3	7	—	5	45	15	2	—	—	2	2	1	—	—
Total under 5 years {	M	99	116	81	238	92	113	1844	524	28	32	19	47	68	79	6	28
	F	68	74	61	179	71	78	1481	407	20	23	17	34	57	68	7	20
5— {	M	4	10	10	19	9	8	102	38	—	—	2	3	5	5	—	2
	F	3	11	11	16	11	10	105	42	3	—	1	4	14	8	—	—
10— {	M	7	9	2	16	3	3	62	21	3	5	1	1	3	4	—	1
	F	6	8	4	7	1	4	59	14	4	4	—	2	5	6	1	2
15— {	M	8	11	2	21	3	7	82	29	1	6	—	2	6	4	1	—
	F	5	12	8	11	2	7	78	27	3	5	3	4	3	10	1	—
20— {	M	6	7	9	19	8	4	99	41	4	9	—	—	9	16	—	5
	F	9	8	8	20	3	10	99	28	2	5	3	7	10	8	—	5
25— {	M	13	20	8	15	4	13	120	39	3	7	3	6	12	8	—	1
	F	13	16	8	13	7	11	98	30	3	2	2	6	13	14	2	3
30— {	M	14	13	8	14	13	6	112	35	7	9	3	7	10	8	—	1
	F	16	18	12	15	7	10	124	44	2	7	6	3	8	11	1	2
35— {	M	11	21	8	21	6	13	159	44	5	6	6	7	15	6	2	3
	F	11	13	10	18	8	21	131	59	1	11	3	6	6	12	—	6
40— {	M	25	23	19	18	6	14	177	47	3	3	5	7	8	5	1	4
	F	19	18	21	22	11	14	112	38	4	8	3	11	13	10	—	2
45— {	M	22	18	21	32	8	10	165	53	6	9	6	7	10	9	2	2
	F	10	11	12	18	7	16	141	40	5	11	6	6	12	9	5	2
50— {	M	21	25	24	32	16	23	195	69	8	10	6	6	14	14	2	5
	F	20	29	21	23	11	18	133	60	5	11	7	12	9	21	4	1
55— {	M	29	32	15	32	27	38	216	76	14	11	9	10	6	30	3	11
	F	22	23	24	36	16	20	144	63	9	12	12	9	20	20	2	4
60— {	M	26	52	24	65	29	37	236	88	18	17	9	20	26	24	4	11
	F	33	30	20	33	18	28	166	74	7	14	14	10	18	28	7	3
65— {	M	44	48	34	53	35	42	207	75	14	15	11	31	22	31	—	10
	F	47	53	24	44	19	31	182	83	15	16	11	15	21	21	3	7
70— {	M	56	68	32	78	27	43	224	113	17	22	26	30	23	48	5	19
	F	41	62	29	60	30	46	197	86	25	34	27	24	36	53	6	11
75— {	M	43	57	22	53	24	29	134	66	16	18	15	35	26	43	5	10
	F	38	58	27	50	32	48	117	78	17	25	24	39	24	43	5	12
80— {	M	19	35	20	35	11	15	47	46	8	13	13	19	8	23	1	12
	F	26	42	18	42	14	25	77	54	8	16	10	17	18	25	4	10
85— {	M	14	25	10	18	1	16	28	30	5	6	8	12	10	26	1	8
	F	23	30	6	31	22	24	46	25	14	15	7	16	20	28	3	8

CAUSES OF DEATH.

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.				AGES AT DEATH.									
					All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	{ M F	261,687 243,288	19,935 14,846	10,370 7,561	9,721 7,712	13,938 11,525	53,964 41,644	13,477 11,963	4,989 4,601	3,001 2,897	2,232 2,189
1	Enteric fever	{ M F	907 598	— —	— —	— —	— 1	— 1	3 3	4 4	3 4	7 11
2	Typhus	{ M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3	Relapsing fever	{ M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Relapsing fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Mediterranean fever	{ M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
4	Malaria	{ M F	49 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
5	Small-pox	{ M F	6 4	— —	— —	— —	— —	— —	— —	— —	— —	— 1
6	Measles	{ M F	5,567 5,077	11 7	26 22	79 70	1,011 921	1,127 1,020	2,226 1,883	906 882	505 429	278 321
7	Scarlet fever	{ M F	1,060 1,040	— —	1 1	8 3	37 23	46 27	125 98	157 156	143 163	136 131
8	Whooping cough	{ M F	2,411 3,047	40 44	228 265	262 339	662 717	1,192 1,365	725 942	230 320	123 202	65 120
9	Diphtheria, Croup	{ M F	2,175 2,319	3 4	6 2	14 8	102 76	125 90	245 227	256 214	310 297	288 293
	A. Diphtheria	{ M F	2,150 2,292	3 4	6 2	14 7	99 76	122 89	240 217	251 211	306 294	286 291
	B. Membranous laryngitis.	{ M F	10 5	— —	— —	— —	— —	— —	1 2	2 1	3 —	— —
	C. Croup	{ M F	15 22	— —	— —	— 1	3 —	3 1	4 8	3 2	1 3	2 2
10	Influenza	{ M F	3,362 3,032	23 9	42 14	34 27	62 39	161 89	48 36	22 17	17 16	13 18
11	Miliary fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras	{ M F	14 13	— —	1 1	— —	2 2	3 3	1 —	— 1	— —	— —
14	Dysentery	{ M F	112 117	— —	1 —	1 4	5 2	7 6	1 3	— —	1 —	1 —
15	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy	{ M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas	{ M F	435 367	12 17	38 22	13 15	10 15	73 69	7 4	— 3	— 1	2 3

AT DIFFERENT AGE-PERIODS, 1913.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
77,663 63,294	5,957 5,865	3,377 3,533	4,610 4,365	5,354 5,155	6,046 5,685	7,320 6,605	9,005 7,821	10,119 8,779	11,975 10,001	13,935 11,490	15,688 13,083	18,353 15,476	19,449 17,863	20,281 21,695	16,095 18,844	10,265 13,576	6,195 10,158	All Causes.
17 23	45 43	56 65	88 66	112 73	121 62	112 64	109 66	78 46	55 28	45 20	34 17	21 12	8 6	4 6	1 1	1 —	— —	1
—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	B
—	1 1	1 1	—	2	5	6	5	5	3	5 3	5	4 1	3 3	—	4	—	—	4
— 1	2 —	— —	— —	1 —	1 1	2 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5
5,042 4,535	435 449	49 40	19 15	5 8	5 5	3 4	3 9	1 8	2 3	1 1	1	—	—	—	—	—	1	6
607 575	300 318	64 77	46 23	12 16	10 12	6 9	9 4	2 1	3 3	— 1	1	— 1	—	—	—	—	—	7
2,335 2,949	74 92	2 1	— —	— 1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
1,224 1,121	749 961	126 166	33 18	10 6	6 7	9 9	4 4	4 5	3 5	3 3	1 5	1	1 3	— 3	1 2	—	—	9
1,205 1,102	743 953	126 166	33 18	10 6	6 7	9 9	4 4	4 5	3 5	3 3	1 5	1	1 3	— 3	1 2	—	—	A
6 3	4 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
13 16	2 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
261 176	43 42	35 28	72 56	102 81	131 75	156 91	173 109	181 134	223 139	282 160	301 197	326 290	321 313	310 386	214 333	159 238	72 184	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
4 4	—	—	1	—	1	—	—	1	2	1	1 3	— 2	3 1	—	—	—	—	13
10 9	—	1	2	2	7	7	10	12	11	9	9	8	10	8	2	3	1	14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	17
82 80	4 3	1 3	8 4	9 9	15 7	17 10	19 14	28 16	31 16	45 25	37 35	31 29	32 34	41 37	18 23	12 13	5 9	18

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases { M F	76 67	1 1	3 3	7 4	21 24	32 32	15 13	8 5	2 —	4 7
	A. Mumps ... { M F	19 12	— —	1 1	1 —	2 1	4 2	3 3	1 1	1 —	— 2
	B. German measles ... { M F	13 16	— —	— —	1 —	1 4	2 4	4 5	3 2	— —	— 2
	C. Varicella ... { M F	44 39	1 1	2 2	5 4	18 19	26 26	8 5	4 2	1 —	4 3
	D. Other diseases in- cluded under 19. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Pyæmia, Septicæmia ... { M F	375 206	8 6	7 10	5 7	9 4	29 27	10 6	4 5	4 4	5 2
	A. Pyæmia ... { M F	52 44	2 2	1 5	2 3	3 1	8 11	4 2	1 2	2 —	— —
	B. Septicæmia... { M F	321 160	6 4	5 5	2 3	6 2	19 14	6 4	3 3	2 4	5 2
	C. Vaccinia ... { M F	2 2	— —	1 —	1 1	— 1	2 2	— —	— —	— —	— —
21	Glanders ... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Anthrax (Splenic fever) { M F	8 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
23	Rabies ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus ... { M F	146 43	15 8	1 —	— 1	1 —	17 9	2 1	1 1	2 1	1 1
25	Mycoses ... { M F	28 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Actinomycosis ... { M F	24 13	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other mycoses ... { M F	4 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
26	Pellagra ... { M F	1 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Beri-beri ... { M F	11 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis { M F	19,056 14,363	— 1	12 5	19 17	69 52	100 75	152 122	94 71	42 54	49 43
	A. Pulmonary tuber- culosis. { M F	12,809 9,307	— 1	8 4	14 14	58 45	80 64	131 102	81 58	38 46	38 35
	B. Phthisis (not defined as tuberculous). { M F	6,247 5,056	— —	4 1	5 3	11 7	20 11	21 20	13 13	4 8	11 8
29	Acute phthisis, Acute miliary tuberculosis. { M F	1,978 1,658	1 1	7 5	23 13	50 34	81 53	88 75	48 41	36 34	19 19
	A. Acute phthisis ... { M F	1,545 1,239	— 1	2 —	6 3	25 10	33 14	29 23	18 18	12 9	5 11
	B. Acute miliary tuber- culosis. { M F	433 419	1 —	5 5	17 10	25 24	48 39	59 52	30 23	24 25	14 8
30	Tuberculous meningitis { M F	2,678 2,340	3 6	42 22	128 99	331 270	504 397	543 421	301 247	194 191	166 164

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-
31	Tuberculosis of peri- toneum and intestines.	M	1,973	11	109	220	302	642	404	171	78	57
		F	1,787	6	60	157	241	464	297	132	72	36
	A. Tabes mesenterica	M	338	4	29	66	75	174	90	29	12	5
		F	249	1	14	45	51	111	63	25	12	7
	B. Other peritoneal and intestinal tubercle	M	1,635	7	80	154	227	468	314	142	66	52
		F	1,538	5	46	112	190	353	234	107	60	29
32	Tuberculosis of spinal column.	M	330	—	1	2	5	8	5	2	8	4
		F	300	—	2	3	2	7	5	8	2	9
33	Tuberculosis of joints ...	M	205	—	—	1	2	3	3	2	3	3
		F	154	—	1	—	2	3	1	1	4	1
34	Tuberculosis of other organs.	M	325	2	5	8	16	31	13	6	4	—
		F	301	2	2	8	9	21	8	5	5	1
	A. Lupus ...	M	10	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	—	—	—	—	—
	B. Scrofula ...	M	8	1	—	2	—	3	—	2	—	—
		F	6	—	—	1	—	1	1	—	—	—
	C. Other tuberculosis included under 34.	M	307	1	5	6	16	28	13	4	4	—
		F	261	2	2	7	9	20	7	5	5	1
35	Disseminated tuberculosis	M	1,112	7	25	39	83	154	145	52	37	33
		F	916	—	14	38	77	129	105	48	29	23
28-35	Tuberculosis (all forms)	M	27,657	24	201	440	858	1,523	1,353	676	402	331
		F	21,819	16	111	335	687	1,149	1,034	553	391	296
36	Rickets, Softening of bones.	M	580	3	16	45	173	237	222	59	18	8
		F	416	2	15	32	103	152	159	34	19	2
	A. Rickets ...	M	560	2	16	45	173	236	222	58	18	8
		F	380	1	15	32	103	151	159	34	19	2
	B. Other forms of bone softening.	M	20	1	—	—	—	1	—	1	—	—
		F	36	1	—	—	—	1	—	—	—	—
37	Syphilis ...	M	1,187	240	296	118	73	727	46	9	3	1
		F	882	163	202	121	73	559	43	13	2	2
38	Other venereal diseases...	M	33	5	2	2	1	10	—	—	—	—
		F	38	6	7	3	2	18	2	1	—	—
	A. Soft chancre ...	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Gonococcus infec- tion.	M	22	—	1	—	—	1	—	—	—	—
		F	21	—	3	—	—	3	1	—	—	—
	C. Purulent ophthal- mia.	M	9	5	1	2	1	9	—	—	—	—
		F	17	6	4	3	2	15	1	1	—	—
39	Cancer of the buccal cavity.	M	2,144	—	—	—	—	—	—	1	—	—
		F	327	—	—	—	—	—	—	—	3	—
40	Cancer of the stomach, liver, &c.	M	6,710	1	—	1	—	2	—	1	—	—
		F	6,352	—	—	1	1	2	2	1	—	1
41	Cancer of the peritoneum, intestines and rectum.	M	3,763	—	—	—	—	—	—	2	—	2
		F	4,090	—	—	—	—	—	—	1	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	4,868	—	—	—	—	—	—	1	1	—
43	Cancer of the breast ...	M	22	—	—	—	—	—	—	—	—	—
		F	3,852	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ...	M	571	—	—	—	—	—	—	—	—	—
		F	313	—	—	1	—	1	1	1	—	—
45	Cancer of other or un- specified organs.	M	3,708	—	—	1	3	4	13	25	16	8
		F	2,219	—	2	2	2	6	9	11	10	9

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1,352 1,001	139 172	86 111	97 100	56 91	36 57	43 54	35 51	32 51	25 23	18 27	17 21	22 11	6 11	4 5	4 1	—	1	31
310 218	10 12	6 7	2 3	3 1	2 1	1 2	1 3	1 1	1 —	— 1	— —	1 —	— —	— —	— —	— —	— —	A
1,042 783	129 160	80 104	95 97	53 90	34 56	42 52	34 48	31 50	24 23	18 26	17 21	21 11	6 11	4 5	4 1	—	1	B
27 31	34 19	27 24	24 36	39 28	29 21	26 21	23 18	20 17	16 18	15 18	16 8	10 15	13 12	5 10	4 2	2 1	— 1	32
14 10	18 11	26 14	25 18	20 11	15 12	10 6	13 12	10 13	11 6	8 8	9 7	11 10	6 5	6 6	1 4	1 1	1 —	33
54 40	14 12	18 16	19 15	21 25	28 25	19 18	21 15	23 12	16 25	16 15	22 22	20 16	21 16	5 15	5 11	2 1	1 2	34
— —	— —	— 1	— 1	1 1	1 1	1 —	— 2	1 2	— 3	— 4	2 3	2 3	— 4	— 5	— 4	1 —	1 —	A
5 2	— —	— 1	— —	— 1	— 1	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	B
49 38	14 12	18 14	19 14	20 23	27 23	18 18	21 13	21 10	16 22	16 11	20 18	17 13	21 12	5 10	4 7	1 1	— 2	C
421 334	131 99	81 77	94 87	64 49	60 43	51 42	41 46	48 41	35 25	25 20	28 21	14 11	13 7	6 6	— 7	— 1	— —	35
4,285 3,423	1,116 1,108	781 1217	1502 2038	2199 2196	2,335 2,199	2,662 2,072	2,714 1,899	2,517 1,582	2,246 1,243	1,870 940	1,384 687	1,040 516	604 345	272 225	93 87	29 33	8 9	28-35
544 366 542 365	15 10 14 9	2 2 1 1	6 2 2 1	3 1 — —	2 2 — —	1 4 — —	— 5 — —	— 5 — —	2 5 1 —	1 4 — —	3 1 — —	— 4 — —	1 2 — —	— 1 — —	— — — —	— 2 — —	— — — —	36
2 1	1 1	1 1	4 1	3 1	2 2	1 2	— 5	— 4	1 5	1 3	— 1	— 4	1 2	— 1	— —	— 2	— —	B
786 619	3 3	4 6	4 9	16 14	19 14	37 32	39 31	59 27	46 30	52 29	45 24	37 22	24 12	8 5	8 2	— 2	— 1	37
10 21	— —	— —	— 1	3 4	4 3	— 2	3 4	4 2	1 1	3 —	1 —	3 —	1 —	— —	— —	— —	— —	38
— 1 4 9 17	— — — — —	— — — — —	— — 1 — —	— 3 4 — —	— 4 3 — —	— — 2 — —	— 3 4 — —	1 3 2 — —	— — 1 — —	— 3 — — —	— 1 — — —	— 3 — — —	— 1 — — —	— — — — —	— — — — —	— — — — —	— — — — —	A B C
1 3	1 3	2 2	3 1	5 1	6 2	18 4	30 16	83 19	196 25	265 41	344 38	359 41	331 40	233 44	156 29	72 12	39 6	39
3 6	3 2	3 2	7 7	1 7	27 22	57 53	116 154	267 240	482 431	778 579	972 796	1,194 1,034	1,158 1,058	922 987	484 631	176 250	60 93	40
4 1	4 —	— 2	5 2	11 15	37 29	51 59	83 108	142 154	246 268	326 356	495 459	602 595	660 687	554 651	356 430	145 196	42 78	41
— 2	— 1	— —	— 11	— 12	— 36	— 106	— 264	— 466	— 631	— 735	— 709	— 632	— 530	— 370	— 234	— 93	— 36	42
— —	— —	— —	— 1	— —	— 8	— 73	2 177	— 359	1 432	6 502	4 512	2 450	4 443	1 377	2 264	— 159	— 95	43
— 3	— —	1 —	— 1	— 4	6 2	7 3	11 4	26 10	35 11	35 21	49 22	78 29	68 34	90 62	82 44	48 39	35 24	44
66 45	23 13	26 20	37 41	55 27	58 39	98 53	116 97	208 125	284 167	367 246	478 265	598 297	524 270	389 237	255 174	98 64	28 39	45

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—continued.

Total under 5 years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	1	3	—	1	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	—	—	—	
27	9	9	13	15	14	13	12	10	13	9	11	10	8	4	1	2	—	60
23	7	10	9	7	11	13	9	10	11	7	7	11	6	5	2	1	—	
1,380	246	120	88	58	44	37	45	37	29	46	37	14	20	16	6	1	6	61
1,199	242	138	77	49	33	46	40	43	44	18	26	23	15	13	11	1	3	
30	20	11	6	6	1	3	1	—	1	—	1	—	—	—	—	—	—	A
31	19	11	7	3	3	2	2	2	2	1	—	—	—	—	—	—	—	
73	8	4	2	—	—	1	1	1	—	—	1	—	—	—	—	—	—	B
58	6	3	4	1	—	1	1	—	2	—	—	2	—	—	—	—	—	
1,277	218	105	80	52	43	33	43	36	28	46	35	14	20	16	6	1	6	C
1,110	217	124	66	45	30	43	37	41	40	17	26	21	15	13	11	1	3	
2	—	—	—	—	3	6	38	62	89	111	99	95	68	30	9	3	—	62
—	—	2	1	—	2	4	10	9	17	19	22	9	11	7	4	—	—	
55	31	21	27	17	37	40	50	69	98	116	148	186	206	193	91	38	15	63
58	25	23	30	21	31	48	76	65	73	103	118	138	153	148	87	42	20	
1	—	5	6	3	3	7	4	14	24	30	44	82	117	111	61	25	10	A
4	—	2	6	8	5	—	10	7	9	17	43	71	72	94	49	33	16	
54	31	16	21	14	34	33	46	55	74	86	104	104	89	82	30	13	5	B
54	25	21	24	13	26	48	66	58	64	86	75	67	81	54	38	9	4	
27	8	12	16	13	41	61	136	226	425	696	1,076	1,443	1,743	2,050	1,522	841	370	64
36	10	9	28	28	34	62	141	330	609	923	1,192	1,472	1,903	2,376	1,970	1,220	603	
1	3	4	2	4	14	10	23	55	99	140	220	311	389	470	367	202	66	A
—	1	3	6	5	9	8	28	63	130	167	278	308	418	520	425	287	124	
1	1	—	1	—	1	—	1	2	2	4	7	6	4	7	8	11	3	B
3	—	1	1	3	1	4	1	2	3	5	7	4	9	3	15	15	6	
15	1	1	1	—	2	2	1	3	4	3	2	5	3	4	4	1	3	C
21	1	—	2	1	—	1	5	1	2	6	3	7	9	4	5	2	2	
—	—	—	—	—	—	—	1	1	2	10	16	14	27	36	20	12	11	D
—	—	—	—	—	—	—	1	2	3	6	8	14	18	24	21	21	6	
10	3	7	12	9	24	49	110	165	318	539	831	1,107	1,320	1,533	1,123	615	287	E
12	8	5	19	19	24	49	106	262	471	739	896	1,139	1,449	1,825	1,504	895	465	
—	—	—	2	1	2	3	7	10	12	29	55	103	121	167	117	55	37	65
—	—	—	—	—	3	2	6	10	27	30	60	86	110	163	110	87	47	
6	—	3	2	3	5	5	8	17	41	60	100	140	194	231	190	101	53	66
7	3	1	3	3	5	4	15	26	53	68	97	132	219	259	260	147	89	
4	—	1	1	1	3	4	6	9	32	47	84	119	165	200	161	88	45	A
3	—	—	2	—	4	4	11	23	41	55	79	113	190	226	232	135	83	
—	—	—	—	—	—	—	2	3	1	2	5	8	9	9	10	6	1	B
—	—	—	1	1	—	—	2	3	7	5	7	6	10	9	12	5	1	
2	—	2	1	2	2	1	—	5	8	11	11	13	20	22	19	7	7	C
4	3	1	—	2	1	—	2	—	5	8	11	13	19	24	16	7	5	
—	—	3	7	12	54	173	300	342	293	240	137	89	45	27	7	2	1	67
—	—	1	10	6	15	37	59	70	72	58	34	25	13	5	2	—	1	
—	—	—	3	4	15	14	19	28	26	53	44	54	49	49	19	12	5	68
—	—	1	6	15	19	34	46	46	56	79	72	74	61	54	29	13	7	

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-	2-	3-	4-	
69	Epilepsy {	M	1,439	6	6	9	15	36	13	14	11	13
		F	1,292	2	2	6	11	21	9	9	8	6
70	Convulsions (non-puer- peral; 5 years and over). {	M	53	—	—	—	—	—	—	—	—	—
		F	54	—	—	—	—	—	—	—	—	—
	A. Epileptiform con- vulsions. {	M	13	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
	B. Others included under 70. {	M	40	—	—	—	—	—	—	—	—	—
		F	42	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years). {	M	5,290	1,707	1,080	858	918	4,563	573	101	36	17
		F	4,079	1,189	802	644	773	3,408	504	109	33	25
	A. Convulsions with teething. {	M	775	2	2	107	394	505	247	22	1	—
		F	643	—	7	79	311	397	217	26	3	—
	B. Other infantile con- vulsions. {	M	4,515	1,705	1,078	751	524	4,058	326	79	35	17
		F	3,436	1,189	795	565	462	3,011	287	83	30	25
72	Chorea {	M	33	—	—	—	—	—	—	—	—	—
		F	111	—	—	1	—	1	—	1	2	2
73	Hysteria, Neuralgia, Neuritis. {	M	167	—	—	—	—	—	—	—	—	—
		F	394	—	—	—	—	—	—	—	—	—
	A. Hysteria, Neuralgia, Sciatica. {	M	21	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	—	—	—	—	—
	B. Neuritis {	M	146	—	—	—	—	—	—	—	—	—
		F	358	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system. {	M	924	10	10	9	15	44	18	14	11	12
		F	958	5	2	2	19	28	18	11	13	6
	A. Idiocy, Imbecility {	M	92	1	—	1	5	7	7	7	4	4
		F	91	—	—	2	6	8	8	4	5	—
	B. Cretinism {	M	21	—	1	2	2	5	1	2	1	1
		F	23	1	—	—	1	2	3	—	2	—
	C. Cerebral tumour ... {	M	395	—	—	—	3	3	4	—	3	5
		F	416	—	1	—	4	5	3	4	3	6
	D. Other diseases in- cluded under 74. {	M	416	9	9	6	5	29	6	5	3	2
		F	428	4	1	—	8	13	4	3	3	—
75	Diseases of the eyes and annexa. {	M	28	—	—	1	2	3	2	1	1	—
		F	23	1	1	—	1	3	1	1	2	—
76	Diseases of the ears ... {	M	673	1	10	37	67	115	57	35	21	13
		F	478	1	9	17	53	80	42	18	17	12
	A. Mastoid disease ... {	M	185	—	2	10	13	25	14	9	9	1
		F	139	—	2	8	16	26	13	2	5	1
	B. Other diseases of the ears. {	M	488	1	8	27	54	90	43	26	12	12
		F	339	1	7	9	37	54	29	16	12	11
77	Pericarditis {	M	253	2	4	1	5	12	4	4	3	3
		F	176	1	2	—	3	6	5	5	4	2
78	Acute endocarditis ... {	M	805	—	3	1	1	5	3	1	5	6
		F	939	—	1	2	3	6	5	1	7	5
	A. Acute myocarditis {	M	147	—	—	—	—	—	—	1	—	—
		F	150	—	—	—	1	1	—	—	—	—
	B. Infective endocar- ditis. {	M	284	—	—	—	1	1	—	—	1	1
		F	312	—	—	—	—	—	—	—	—	2
	C. Other acute endo- carditis. {	M	374	—	3	1	—	4	3	—	4	5
		F	477	—	1	2	2	5	5	1	7	3

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
87 53	42 44	65 66	115 67	104 86	119 108	113 113	110 102	117 110	93 103	97 94	92 95	105 79	74 60	49 53	37 39	14 12	6 8	}	69
— —	25 34	9 2	2 1	— 1	— —	1 —	— 4	1 —	3 2	2 —	2 —	— —	3 —	1 2	4 1	— 5	— 2		
— — — —	1 1 24 33	2 — 7 2	1 — 1 1	— — — 1	— — — —	1 — — —	— 2 — 2	1 — — —	1 2 2 —	1 — 1 —	1 — 1 —	— — — —	1 — 2 —	1 2 — —	2 1 2 —	— 3 — 2	— 1 — 1	}	A B
5,290 4,079	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
775 643 4,515 3,436	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	}	A B
— 6	9 19	8 29	8 21	1 6	2 7	— 2	— 2	2 2	— 5	— 2	1 1	— 3	— —	1 1	1 2	— 3	— —		
— —	— —	— —	— 1	— 5	1 8	10 24	13 44	15 67	19 58	32 65	10 39	19 28	25 23	12 18	6 7	2 5	3 2	}	73
— — — —	— — — —	— — — —	— 1 — —	— 3 — 2	— 3 1 5	— 1 10 23	— 3 13 41	1 1 14 66	— 2 19 56	3 3 29 62	— 3 10 36	3 3 16 25	3 2 22 21	5 7 7 11	3 2 3 5	1 — 1 5	2 2 1 —		
99 76	40 52	39 34	31 32	40 37	35 42	49 46	63 45	52 66	63 61	70 82	69 84	82 70	64 79	51 85	39 36	29 15	9 16	}	74
29 25 10 7 15 21 45 23	10 14 2 5 20 24 8 9	11 8 1 — 22 20 5 6	11 8 2 2 12 16 6 6	8 5 — 3 23 22 9 7	2 5 — 1 27 25 6 11	2 4 2 2 35 27 10 13	5 3 — — 39 28 16 14	— 1 — — 34 47 18 18	2 1 1 1 43 36 17 23	3 3 — — 37 44 30 35	2 5 — 1 33 35 34 43	3 4 — — 26 29 53 37	— 1 — 1 13 20 51 57	1 4 — — 13 16 37 65	1 — — — 1 5 37 31	2 — — — 1 1 26 14	— — — — 1 — 8 16		
7 7	1 2	— 1	4 1	— 1	1 —	1 —	1 —	1 —	2 1	— 2	— —	1 1	2 1	4 1	3 2	— 2	— 1	}	75
241 169	65 76	70 67	84 45	48 32	38 12	35 19	20 8	14 15	15 7	19 7	7 10	2 3	5 4	5 1	3 2	1 —	1 1		
58 47 183 122	17 23 48 53	22 14 48 53	28 12 56 33	14 11 34 21	11 5 27 7	5 9 30 10	7 2 13 6	3 5 11 10	3 3 12 4	8 2 11 5	3 3 4 7	1 1 1 2	1 1 4 3	2 1 3 —	1 — 2 2	— — — 1	}	A B	
26 22	22 19	18 12	10 17	15 11	8 8	10 9	11 10	19 6	14 12	22 9	23 4	16 7	14 11	16 5	5 6	3 5			1 3
20 24	37 51	58 68	45 77	46 95	63 81	63 59	58 77	85 78	84 92	93 99	91 97	28 15	23 16	6 6	3 4	2 —	— —	}	78
1 1 3 2 16 21	3 2 11 11 23 38	— 1 24 22 34 45	1 1 20 42 24 34	1 3 24 48 21 44	4 5 38 39 21 37	7 3 36 30 20 26	11 12 23 26 24 39	12 13 21 25 52 40	24 29 18 17 42 46	29 30 17 16 47 53	45 47 19 8 27 42	1 — 17 12 10 3	5 — 12 8 6 8	2 1 — 4 4 1	1 2 1 2 1 —	— — — — 2 —	}		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M 23,343	—	—	—	12	12	23	13	9	7
		F 26,188	—	—	—	4	4	14	8	6	12
	A. Valvular disease ...	M 10,010	—	—	—	5	5	10	2	4	4
		F 11,471	—	—	—	2	2	6	3	2	6
	B. Fatty degeneration of the heart.	M 1,553	—	—	—	1	1	1	—	—	—
		F 1,852	—	—	—	—	—	—	1	—	—
	C. Other organic disease of the heart.	M 11,780	—	—	—	6	6	12	11	5	3
		F 12,865	—	—	—	2	2	8	4	4	6
80	Angina pectoris ...	M 773	—	—	—	—	—	—	—	—	—
		F 352	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M 4,864	—	—	—	—	—	—	—	—	—
		F 2,932	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M 921	—	—	—	—	—	—	—	—	—
		F 234	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M 3,854	—	—	—	—	—	—	—	—	—
		F 2,648	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M 89	—	—	—	—	—	—	—	—	—
		F 50	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M 1,314	4	1	1	1	7	1	3	1	—
		F 1,761	—	1	—	1	2	—	2	—	1
	A. Cerebral embolism and thrombosis.	M 1,159	—	—	1	1	2	—	1	—	—
		F 1,564	—	—	—	—	—	—	2	—	1
	B. Other embolism and thrombosis.	M 155	4	1	—	—	5	1	2	1	—
		F 197	—	1	—	1	2	—	—	—	—
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M 93	1	—	—	—	1	—	—	—	—
		F 229	—	—	1	—	1	—	—	—	—
	A. Phlebitis ...	M 48	1	—	—	—	1	—	—	—	—
		F 111	—	—	1	—	1	—	—	—	—
	B. Varix ...	M 42	—	—	—	—	—	—	—	—	—
		F 117	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M 3	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—
	D. Varicocele ...	M —	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 160	5	20	23	19	67	17	7	3	2
		F 118	13	15	25	13	66	6	2	3	1
	A. Status lymphaticus	M 104	4	13	21	15	53	9	4	3	1
		F 76	11	14	20	7	52	4	2	3	1
	B. Other diseases of the lymphatic system.	M 56	1	7	2	4	14	8	3	—	1
		F 42	2	1	5	6	14	2	—	—	—
85	Hæmorrhage, other dis. of the circulatory system.	M 101	2	1	—	1	4	—	1	—	—
		F 104	1	—	—	1	2	—	—	—	—
	A. Functional disease of the heart.	M 65	—	—	—	—	—	—	—	—	—
		F 66	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 10	2	1	—	1	4	—	1	—	—
		F 13	1	—	—	—	1	—	—	—	—
	C. Other diseases included under 85.	M 26	—	—	—	—	—	—	—	—	—
		F 25	—	—	—	1	1	—	—	—	—
86	Diseases of the nasal fossæ.	M 48	9	6	—	1	16	1	5	1	3
		F 35	1	1	2	3	7	1	1	3	1

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
64 44	137 144	237 318	317 364	314 383	351 464	501 593	747 868	1,025 1,166	1,472 1,486	1,784 1,893	2,341 2,310	3,080 3,009	3,519 3,664	3,506 4,082	2,412 3,032	1,075 1,595	461 773	} 79	
25 19 2 1	87 98 — —	171 242 — —	230 246 1 1	202 279 4 5	218 306 4 18	276 390 19 19	402 499 42 42	572 618 83 83	724 768 89 123	826 882 159 191	1,042 1,017 202 216	1,233 1,281 238 263	1,421 1,463 257 285	1,265 1,511 207 282	834 1,086 158 188	340 537 65 83	142 229 23 51		
37 24	50 46	66 75	86 117	108 99	129 140	206 184	303 327	370 465	659 595	799 820	1,097 1,077	1,609 1,465	1,841 1,916	2,034 2,289	1,420 1,758	670 975	296 493	} C	
— —	— 1	— —	1 —	— 2	4 —	3 4	8 3	29 11	27 11	81 16	99 37	156 58	133 64	112 74	71 47	41 16	8 8		
— —	1 1	— —	3 1	3 2	10 4	34 6	91 20	146 53	219 67	345 111	401 177	598 291	743 416	863 568	712 532	456 379	239 304	} 81	
— — — — — —	— 1 1 — — —	— — — — — —	2 1 — — — —	3 2 — — — —	7 2 3 — — —	25 2 7 2 — —	79 8 12 11 — —	109 26 29 27 8 —	129 19 83 47 7 1	153 20 182 89 10 2	131 33 262 140 8 4	109 31 475 249 14 11	73 37 659 368 11 11	67 23 783 541 13 4	23 16 681 512 8 4	11 8 440 364 5 7	— 5 237 297 2 2		
12 5	4 5	9 4	11 13	7 12	11 24	17 42	25 45	31 49	55 73	76 93	115 124	142 201	206 210	225 313	180 266	120 172	68 110	} 82	
3 3 9 2	4 3 — 2	9 — — 4	8 9 3 4	4 4 3 8	7 14 4 10	13 28 4 14	17 29 8 16	29 36 2 13	43 62 12 11	68 80 8 13	98 108 17 16	125 180 17 21	188 198 18 12	207 287 18 26	164 254 16 12	113 163 7 9	59 106 9 4		
1 1	1 1	1 —	1 1	1 2	— 4	— 9	6 12	5 19	13 18	12 18	8 33	16 23	12 39	5 25	7 17	2 6	2 1	} 83	
1 1	1 1	1 —	— 1	— 2	— 1	— 6	2 3	3 9	8 8	8 6	2 15	9 12	5 23	1 14	6 6	— 3	1 —		
— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	— — — — — —	} 84	
96 78	16 8	19 2	3 3	3 3	1 1	2 2	1 2	1 —	3 2	1 2	2 2	3 3	3 1	3 1	3 5	— 3	— —		
70 62 26 16	12 5 4 3	18 1 1 1	1 2 2 1	2 3 1 —	— — 1 1	— 2 2 —	— — 1 2	— — 1 —	1 — 2 2	— — 1 2	— — 2 2	— 1 3 2	— — 3 1	— — 3 1	— — 3 5	— — — 3	— — — —	} A	
5 2	— —	— 1	2 —	2 —	3 2	5 5	3 2	2 7	6 5	8 7	10 7	8 13	15 12	13 15	6 10	10 8	3 8		
— —	— —	— —	1 —	1 —	— 1	1 2	— 2	1 3	5 3	5 4	7 4	5 9	12 9	9 13	5 6	10 5	3 5	} A	
5 1	— —	— —	1 —	— —	— —	— —	— —	1 —	1 —	— 1	— —	— 3	— 1	2 1	— 1	— 2	— 3		
— 1	— —	— 1	— —	1 —	3 1	4 3	3 —	— 4	— 2	3 2	3 3	3 1	3 2	2 1	1 3	— 1	— —	} C	
26 13	5 5	2 2	2 2	— —	1 2	1 1	1 —	3 —	1 3	3 1	— —	1 2	1 3	1 —	— 1	— —	— —		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.]	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
87	Diseases of the larynx ...	M 612	17	23	38	71	149	106	58	64	48
		F 489	10	9	23	59	101	72	58	63	43
	A. Laryngismus strid- ulus.	M 136	9	10	14	33	66	23	16	12	6
		F 103	6	4	8	23	41	12	14	9	13
	B. Laryngitis ...	M 454	8	13	23	36	80	83	41	51	40
		F 368	4	5	15	35	59	60	44	52	29
	C. Other diseases of larynx.	M 22	—	—	1	2	3	—	1	1	2
		F 18	—	—	—	1	1	—	—	2	1
88	Diseases of the thyroid body.	M 54	—	—	—	2	2	1	—	1	—
		F 240	—	—	—	—	—	—	2	—	—
89 & 90.	Bronchitis ...	M 19,512	484	1,109	998	1,482	4,073	929	244	102	42
		F 19,715	353	830	782	1,123	3,088	884	218	78	62
	A. Bronchiectasis, Bron- chial catarrh, &c.	M 334	9	22	14	8	53	9	2	2	—
		F 297	6	15	11	13	45	13	2	—	1
	B. Other bronchitis ...	M 19,178	475	1,087	984	1,474	4,020	920	242	100	42
		F 19,418	347	815	771	1,110	3,043	871	216	78	61
91	Broncho-pneumonia ...	M 9,401	208	744	989	2,337	4,278	2,212	619	275	148
		F 8,359	166	470	748	1,822	3,206	1,990	606	334	177
92	Pneumonia, lobar and undefined.	M 12,104	87	182	292	653	1,214	782	288	170	168
		F 7,666	62	132	220	494	908	596	246	169	106
	A. Lobar pneumonia...	M 5,075	14	37	68	175	294	221	111	61	59
		F 2,980	16	21	36	118	191	160	80	51	40
	B. Pneumonia (type not stated).	M 7,029	73	145	224	478	920	561	177	109	109
		F 4,686	46	111	184	376	717	436	166	118	66
93	Pleurisy ...	M 792	1	8	3	19	31	38	20	18	12
		F 544	3	4	3	8	18	28	16	12	9
	A. Empyema ...	M 287	—	4	3	14	21	35	14	13	10
		F 147	1	1	2	5	9	23	13	11	8
	B. Other pleurisy ...	M 505	1	4	—	5	10	3	6	5	2
		F 397	2	3	1	3	9	5	3	1	1
94	Pulmonary congestion, Pulmonary apoplexy.	M 838	26	26	22	49	123	27	8	5	2
		F 863	23	19	27	27	96	29	8	2	2
	A. Pulmonary apop- lexy & infarction.	M 12	—	—	—	—	—	—	—	—	—
		F 12	—	—	—	—	—	—	—	—	—
	B. Pulmonary oedema and congestion.	M 711	26	26	17	48	117	27	8	5	2
		F 714	23	19	24	27	93	28	8	2	2
	C. Hypostatic pneu- monia.	M 110	—	—	—	1	1	—	—	—	—
		F 133	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (3 months & over).	M 5	—	—	5	—	5	—	—	—	—
		F 4	—	—	3	—	3	1	—	—	—
95	Gangrene of the lung ...	M 59	—	—	—	—	—	—	1	—	—
		F 31	—	—	—	—	—	—	—	—	—
96	Asthma ...	M 993	—	1	1	—	2	5	—	1	—
		F 700	—	—	—	1	1	—	1	—	2
97	Pulmonary emphysema	M 250	—	1	—	—	1	1	—	1	—
		F 111	—	—	1	1	2	—	—	—	—
98	Other diseases of the respiratory system.	M 385	—	1	5	3	9	3	—	—	1
		F 186	2	—	7	3	12	3	2	1	1
	A. Fibroid disease of lung.	M 252	—	—	—	—	—	1	—	—	—
		F 75	—	—	—	—	—	—	—	—	—
	B. Other diseases in- cluded under 98.	M 133	—	1	5	3	9	2	—	—	1
		F 111	2	—	7	3	12	3	2	1	1

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
425 337	95 87	10 2	2 3	2 4	3 6	5 1	9 4	8 6	11 3	5 4	14 7	4 5	7 2	1 4	3 8	6 3	2 3	}	87
123 89	13 14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
295 244	82 72	10 2	2 3	1 4	3 5	4 1	9 4	7 5	11 2	2 3	10 5	4 3	6 2	1 4	—	5 2	2 3	}	A
7 4	— 1	—	—	1 —	— 1	1 —	—	1 1	— 1	3 1	5 2	3 —	2 —	—	4 —	4 1	—		
4 2	1 —	4 3	8 8	4 4	1 6	2 7	— 11	3 9	3 23	6 17	4 29	4 30	4 31	3 38	3 12	— 7	— 3	}	88
5,390 4,330	93 90	36 21	27 29	49 39	58 51	124 105	203 147	301 256	467 429	741 640	1,161 930	1,726 1,477	2,154 2,059	2,628 2,944	2,190 2,745	1,361 2,021	803 1,402		
66 61	3 1	8 5	4 6	14 3	4 7	10 6	9 3	13 10	24 7	28 12	29 12	25 14	19 19	22 25	16 33	18 33	22 40	}	A
5,324 4,269	90 89	28 16	23 23	35 36	54 44	114 99	194 144	288 246	443 422	713 628	1,132 918	1,701 1,463	2,135 2,040	2,606 2,919	2,174 2,712	1,343 1,988	781 1,362		
7,532 6,313	215 232	31 40	27 22	28 23	31 38	45 41	67 61	112 92	101 80	121 114	150 142	209 176	224 232	209 284	159 228	96 149	44 92	}	91
2,622 2,025	326 304	151 129	313 185	427 218	461 285	651 323	854 396	780 396	918 379	907 379	880 456	884 488	758 519	561 505	361 363	162 203	88 113		
746 522	136 118	74 52	149 93	213 103	246 162	339 160	449 207	412 188	429 191	417 174	393 199	378 213	316 211	193 174	121 134	40 55	24 24	}	A
1,876 1,503	190 186	77 77	164 92	214 115	215 123	312 163	405 189	368 208	489 188	490 205	487 257	506 275	442 308	368 331	240 229	122 148	64 89		
119 83	27 14	10 11	20 18	27 17	24 18	34 26	46 37	56 24	57 31	65 26	72 28	74 49	60 33	44 51	30 44	21 21	6 13	}	93
93 64	20 10	6 5	10 5	12 8	11 5	9 4	20 13	19 2	21 11	21 6	17 5	14 6	7 1	3 1	3 —	1 —	— 1		
26 19	7 4	4 6	10 13	15 9	13 13	25 22	26 24	37 22	36 20	44 20	55 23	60 43	53 32	41 50	27 44	20 21	6 12	}	B
165 137	7 7	4 3	5 3	7 6	7 7	11 10	17 10	18 13	31 22	33 22	41 30	55 43	72 61	101 115	104 123	99 123	61 128		
— —	— —	— —	— —	1 —	— 2	— 1	3 —	— —	1 3	2 —	— 2	4 2	1 —	— —	— 2	— —	— —	}	A
159 133	7 6	4 3	5 3	6 6	7 5	11 9	14 10	18 11	27 19	30 21	35 25	43 32	62 50	86 92	73 88	74 98	50 103		
1 —	— 1	— —	— —	— —	— —	— —	— —	— 2	3 —	1 1	6 3	8 9	9 11	15 23	31 33	25 25	11 25	}	C
5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 —	1 —	1 —	1 —	— 1	1 6	1 2	8 4	6 1	6 3	9 2	6 4	6 2	6 1	5 3	— 2	1 —	— —	}	95
8 4	6 6	2 1	3 2	4 7	20 14	23 21	40 27	54 40	75 45	103 64	118 82	152 109	150 95	125 87	70 51	28 33	12 12		
3 2	— —	— —	3 —	2 —	3 —	2 —	5 2	10 4	15 6	27 8	33 12	38 15	30 22	38 14	27 16	8 5	6 5	}	97
13 19	4 2	3 2	7 2	8 3	11 11	15 7	26 10	32 7	46 14	58 14	53 18	44 9	33 17	16 23	13 15	3 9	— 4		
1 —	1 —	— 2	1 —	— 1	6 3	11 2	16 4	21 2	34 8	43 7	44 8	35 6	18 7	10 10	10 10	1 3	— 2	}	A
12 19	3 2	3 2	6 —	8 2	5 8	4 5	10 6	11 5	12 6	15 7	9 10	9 3	15 10	6 13	3 5	2 6	— 2		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
99	Diseases of the mouth and annexa.	M	293	63	40	15	16	134	19	4	2	4
		F	242	28	39	17	20	104	13	4	6	2
	A. Diseases of the teeth and gums.	M	156	10	8	5	11	34	14	1	1	4
		F	155	4	11	6	16	37	11	3	6	2
	B. Thrush, Aphthous stomatitis.	M	98	51	30	8	5	94	3	—	1	—
		F	65	24	26	9	4	63	1	—	—	—
	C. Parotitis ...	M	20	1	2	2	—	5	1	1	—	—
		F	10	—	—	—	—	—	—	—	—	—
	D. Other diseases of mouth and annexa.	M	19	1	—	—	—	1	1	2	—	—
		F	12	—	2	2	—	4	1	1	—	—
100	Diseases of the pharynx, Tonsillitis.	M	332	6	2	4	15	27	26	17	24	10
		F	282	5	2	3	9	19	18	16	18	25
	A. Tonsillitis ...	M	247	4	1	2	4	11	14	13	22	7
		F	214	—	1	1	6	8	13	9	15	21
	B. Ludwig's angina ...	M	15	—	—	—	2	2	3	—	—	—
		F	7	—	—	—	—	—	—	—	1	1
	C. Other diseases of the pharynx.	M	70	2	1	2	9	14	9	4	2	3
		F	61	5	1	2	3	11	5	7	2	3
	Diseases of the œsophagus	M	25	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	884	—	—	1	4	5	—	—	2	—
		F	914	1	1	1	1	4	—	1	—	—
103	Other diseases of the stomach.	M	1,948	163	303	252	188	906	82	30	23	18
		F	1,905	87	202	186	158	633	86	25	27	23
	A. Inflammation of stomach.	M	1,609	149	278	231	178	836	76	29	22	15
		F	1,594	82	182	175	152	591	81	21	26	17
	B. Other diseases in- cluded under 103.	M	339	14	25	21	10	70	6	1	1	3
		F	311	5	20	11	6	42	5	4	1	6
	Diarrhœa and enteritis ...	M	14,277	626	2,363	3,173	3,470	9,632	2,221	378	111	58
		F	11,750	364	1,641	2,475	2,926	7,406	2,083	395	108	51
104 & 105	A. Infective enteritis...	M	4,926	146	844	1,250	1,385	3,625	951	144	29	16
		F	4,222	87	591	988	1,252	2,918	909	166	26	15
	B. Diarrhœa—not re- turned as infective.	M	3,396	147	548	760	885	2,340	585	85	26	16
		F	2,826	85	427	616	680	1,808	523	80	23	8
	C. Enteritis—not re- turned as infective.	M	2,286	149	381	493	492	1,515	258	71	27	6
		F	1,913	82	248	345	399	1,074	244	71	28	8
	D. Gastro-enteritis—not returned as infective.	M	2,747	146	516	612	674	1,948	412	78	28	19
		F	2,314	86	325	481	566	1,458	393	77	31	20
	E. Dyspepsia—under 2 years.	M	198	28	72	55	29	184	14	—	—	—
		F	132	15	43	38	26	122	10	—	—	—
	F. Colic ...	M	37	10	1	1	1	13	—	—	—	—
		F	44	9	5	5	2	21	—	—	—	—
	G. Ulceration of in- testines.	M	133	—	1	2	3	6	1	—	1	1
		F	157	—	2	2	1	5	4	1	—	—
	H. Duodenal ulcer ...	M	554	—	—	—	1	1	—	—	—	—
		F	142	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis ...	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	6	—	—	—	—	—	—	2	1	1
		F	14	—	—	—	—	—	—	5	2	2
108	Appendicitis ...	M	1,387	1	3	1	—	5	8	10	21	37
		F	1,142	—	—	2	—	2	2	2	16	16

ENGLAND AND WALES.—CAUSES OF DEATH

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
122	Other diseases of the { kidney and annexa. {	M 255 F 244	— —	4 —	4 1	5 3	13 4	3 2	1 2	— —	— 1
	A. Abscess of kidney... {	M 31 F 22	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
	B. Cystic disease ... {	M 12 F 27	— —	— —	— —	— 1	— 1	— —	1 —	— —	— —
	C. Suppression of urine {	M 12 F 6	— —	1 —	— —	1 —	2 —	— —	— —	— —	— —
	D. Other diseases in- { cluded under 122 {	M 200 F 189	— —	3 —	4 1	3 2	10 3	3 2	— 2	— —	1 —
123	Calculi of the urinary { passages. {	M 195 F 73	1 —	— —	— —	— —	1 —	— —	5 —	— —	1 —
124	Diseases of the bladder... {	M 934 F 235	— —	2 —	3 1	— —	5 1	— —	3 1	— 2	1 1
125	Diseases of the urethra, { Urinary abscess, &c. {	M 379 F 5	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
	A. Perineal abscess ... {	M 14 F —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
	B. Other diseases of { urethra, &c. {	M 365 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... {	M 1,441 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { male genital organs. {	M 42 F —	7 —	8 —	2 —	— —	17 —	— —	— —	— —	— —
128	Uterine hæmorrhage { (non-puerperal). {	M — F 27	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Menorrhagia ... {	M — F 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other uterine { hæmorrhage. {	M — F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { cancerous). {	M — F 316	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { uterus. {	M — F 138	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Disorders of men- { struation (except { menorrhagia). {	M — F 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases in- { cluded under 130. {	M — F 124	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { (non-cancerous). {	M — F 270	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
132	Other diseases of the { female genital organs. {	M — F 202	— 1	— —	— —	— —	— 1	3 —	1 —	3 —	2 —
	A. Diseases of ovary (ex- { cluding ovarian { tumour). {	M — F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases in- { cluded under 132. {	M — F 190	— 1	— —	— —	— —	— 1	3 —	1 —	3 —	2 —
133	Non-puerperal diseases of { the breast (non-cancer- { ous). {	M 2 F 29	2 8	— 6	— —	— —	2 14	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
17 9	4 2	3 5	2 5	4 9	7 7	6 19	16 27	20 29	17 21	29 24	17 16	33 14	21 19	19 17	23 9	11 8	6 4	122
1	1	—	2	—	1	1	1	2	5	3	2	6	1	2	1	1	1	A
—	—	2	2	1	—	1	2	4	1	3	1	1	1	1	1	1	—	B
1	—	—	—	—	—	1	1	3	1	—	1	1	2	1	—	—	—	C.
1	—	—	1	—	—	—	4	5	4	3	2	1	3	2	—	—	—	D
2	—	—	—	—	—	—	—	1	1	1	1	—	1	1	1	1	2	
—	—	—	—	1	—	—	—	—	—	1	1	—	—	1	1	—	1	
13 8	3 2	3 3	— 2	4 7	6 7	4 17	14 21	14 20	10 16	25 17	13 12	26 12	17 15	15 13	21 7	9 7	3 3	
7	1	2	2	3	4	6	12	15	18	19	15	22	25	18	14	6	6	123
—	1	1	—	2	1	6	7	7	10	9	6	3	6	5	5	2	2	
9 5	1 1	—	1 1	1 2	3 3	3 4	9 11	19 6	28 7	45 11	68 16	93 26	115 22	170 34	194 29	108 36	67 21	124
1	1	—	—	—	4	10	12	29	49	46	72	55	41	29	22	5	3	125
—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	1	—	—	
1	1	—	—	—	—	—	2	—	2	1	1	2	2	1	—	1	—	A
—	—	—	—	—	4	10	10	29	47	45	71	53	39	28	22	4	3	B
—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	1	—	—	
—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	5	6	16	49	133	237	342	333	228	89	126
17	—	—	—	1	1	1	—	2	4	1	3	2	4	4	—	2	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	2	3	2	3	7	3	2	1	1	—	—	—	—	—	128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	—	2	2	2	3	2	1	1	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	2	1	—	1	4	1	1	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	8	12	34	48	66	37	24	26	19	28	7	4	2	129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	2	3	8	7	18	19	20	16	12	7	7	7	3	5	2	1	130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	1	—	—	1	—	2	5	3	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	2	8	7	17	19	18	11	9	7	7	7	3	5	2	1	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	5	14	9	21	14	34	21	26	33	32	28	21	9	2	131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	2	1	5	15	31	36	33	30	16	7	6	2	1	3	2	2	—	132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	1	3	2	2	1	—	—	—	—	1	—	1	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	2	—	5	15	30	33	31	28	15	7	6	2	1	2	2	1	—	B
2 14	—	—	—	1	—	1	—	2	2	2	—	—	—	3	2	1	1	133

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy { M F	— 377	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abortion ... { M F	— 120	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Hæmorrhage of pregnancy. { M F	— 109	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Uncontrollable vomiting. { M F	— 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
	D. Ectopic gestation ... { M F	— 73	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Other accidents of pregnancy. { M F	— 33	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 507	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 374	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever... { M F	— 1,108	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 755	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal nephritis and uræmia. { M F	— 169	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease. { M F	— 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions. { M F	— 535	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 332	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis. { M F	— 65	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal embolism and sudden death. { M F	— 267	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene ... { M F	797 691	9 3	5 1	— 2	1 3	15 9	5 6	7 10	1 5	5 3
	A. Senile gangrene ... { M F	722 600	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gangrene of mouth. { M F	27 45	3 1	1 —	— —	1 2	5 3	3 5	7 8	1 4	4 2
	C. Noma pudendi ... { M F	22 7	4 1	4 —	— 2	— 1	8 4	— 1	— 1	— —	— 1
	D. Other gangrene ... { M F	26 39	2 1	— 1	— —	— —	2 2	2 —	— 1	— 1	— —
143	Carbuncle, Boil ... { M F	150 73	1 —	2 —	4 1	— —	7 1	2 1	1 —	— —	— 1

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—		
144	Phlegmon, Acute abscess {	M	390	20	29	12	20	81	21	6	3	6	
		F	302	26	31	15	21	93	19	8	4	2	
	A. Phlegmon ... {	M	259	9	18	6	8	41	9	3	3	3	
		F	200	18	18	6	12	54	5	3	4	—	
	B. Acute Abscess ... {	M	131	11	11	6	12	40	12	3	—	3	
		F	102	8	13	9	9	39	14	5	—	2	
145	Diseases of the integu- mentary system. {	M	488	95	73	21	42	231	20	5	1	—	
		F	574	77	35	12	13	137	17	3	1	4	
	A. Ulcer, Bedsore ... {	M	149	—	3	2	—	5	—	1	—	—	
		F	284	1	1	—	—	2	1	1	—	1	
	B. Eczema ... {	M	149	25	33	12	38	108	12	3	1	—	
		F	84	17	17	7	9	50	9	1	—	—	
	C. Pemphigus... {	M	72	43	11	2	1	57	—	—	—	—	
		F	70	39	3	1	2	45	3	1	—	—	
	D. Other dis. of the in- tegumentary sys. {	M	118	27	26	5	3	61	8	1	—	—	
		F	136	20	14	4	2	40	4	—	1	3	
	146	Diseases of the bones ... {	M	320	2	8	11	7	28	10	7	11	12
			F	199	2	4	8	2	16	10	7	5	4
147	Diseases of the joints ... {	M	74	1	2	1	4	8	2	2	1	—	
		F	53	1	5	1	—	7	—	2	2	1	
148	Amputations ... {	M	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
149	Other diseases of loco- motor system. {	M	24	—	—	1	2	3	—	—	—	—	
		F	18	—	—	—	—	—	—	—	—	—	
150	Congenital malformations {	M	2,213	1,193	407	196	143	1,939	87	31	21	19	
		F	1,740	960	276	174	113	1,523	59	26	14	12	
	A. Congenital hydro- cephalus. {	M	216	26	13	42	46	127	36	10	8	8	
		F	135	20	12	22	26	80	25	9	3	2	
	B. Phimosis ... {	M	20	3	8	4	—	15	5	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	
	C. Congenital malfor- mation of heart. {	M	886	547	128	54	51	780	22	11	6	6	
		F	662	369	85	59	38	551	18	8	6	9	
	D. Other congenital malformations. {	M	1,091	617	258	96	46	1,017	24	10	7	5	
		F	943	571	179	93	49	892	16	9	5	1	
151	Premature birth, Infantile debility, Icterus and Sclerema. {	M	16,755	12,565	2,463	1,154	573	16,755	—	—	—	—	
		F	12,861	9,549	1,863	910	539	12,861	—	—	—	—	
	A. Premature birth ... {	M	9,794	8,903	771	100	20	9,794	—	—	—	—	
		F	7,860	7,050	693	91	26	7,860	—	—	—	—	
	B. Infant. atrophy, debi- lity and marasmus. {	M	6,344	3,216	1,571	1,014	543	6,344	—	—	—	—	
		F	4,625	2,242	1,103	783	497	4,625	—	—	—	—	
	C. Icterus neonatorum {	M	467	408	51	7	1	467	—	—	—	—	
		F	270	232	34	4	—	270	—	—	—	—	
	D. Sclerema and oedema neonatorum. {	M	15	12	3	—	—	15	—	—	—	—	
		F	13	10	3	—	—	13	—	—	—	—	
	E. Want of breast milk {	M	135	26	67	33	9	135	—	—	—	—	
		F	93	15	30	32	16	93	—	—	—	—	
152	Other diseases peculiar to early infancy. {	M	1,797	1,706	90	1	—	1,797	—	—	—	—	
		F	1,191	1,131	60	—	—	1,191	—	—	—	—	
	A. Diseases of um- bilicus, &c. {	M	194	162	32	—	—	194	—	—	—	—	
		F	143	129	14	—	—	143	—	—	—	—	
	B. Atelectasis ... {	M	936	890	46	—	—	936	—	—	—	—	
		F	610	574	36	—	—	610	—	—	—	—	
	C. Injuries at birth ... {	M	637	625	11	1	—	637	—	—	—	—	
		F	426	419	7	—	—	426	—	—	—	—	
	D. Cyanosis neona- torum. {	M	30	29	1	—	—	30	—	—	—	—	
		F	12	9	3	—	—	12	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH :

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
95 100	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153	
—	—	—	—	—	—	—	—	—	2	9	36	198	638	2,514	3,453	3,547	2,863		
—	—	—	—	—	—	—	—	1	7	24	40	196	662	2,846	4,182	4,753	4,925		
—	—	—	—	—	—	—	—	—	1	3	18	39	75	123	116	85	45		
—	—	—	—	—	—	—	—	—	2	4	15	35	75	132	137	105	85		
—	—	—	—	—	—	—	—	—	1	6	18	159	563	2,391	3,337	3,462	2,818	} B	
—	—	—	—	—	—	—	—	1	5	20	25	161	587	2,714	4,045	4,648	4,840		
—	—	—	4	19	19	32	42	42	38	27	25	22	14	8	7	2	1	} 155	
—	—	—	22	15	25	22	22	23	29	26	10	9	5	—	1	—	1		
—	—	—	3	6	2	8	14	8	14	17	12	13	10	—	1	—	—	} 156	
—	—	—	—	4	6	6	10	6	5	6	3	2	2	2	—	—	—		
—	—	3	24	30	27	52	69	75	61	101	104	85	51	31	17	8	3	} 157	
—	—	—	1	9	8	13	9	19	29	22	24	15	11	10	2	—	1		
—	—	1	21	33	30	39	43	51	48	59	40	32	31	27	10	4	—	} 158	
—	—	2	39	28	24	26	28	32	24	28	19	18	7	4	4	1	—		
—	—	1	10	29	26	21	31	25	21	26	25	13	10	9	2	—	—	} 159	
—	—	—	3	—	2	1	—	1	1	—	1	1	—	1	—	—	—		
—	—	—	5	12	34	40	48	61	57	62	58	40	37	27	6	4	—	} 160	
—	—	—	3	4	7	14	15	12	17	11	8	7	6	4	3	1	—		
—	—	—	—	3	4	4	5	5	9	1	10	8	3	—	—	1	—	} 161	
—	—	—	—	2	2	5	2	9	4	4	1	2	2	—	1	—	—		
—	—	1	13	18	20	17	20	16	20	15	15	7	4	3	3	—	—	} 162	
—	—	—	3	8	2	3	2	1	2	3	1	2	—	—	—	—	—		
—	—	—	—	1	—	—	—	1	3	1	2	—	1	—	2	—	—	} 163	
—	—	—	1	—	4	1	3	1	—	2	3	—	—	—	—	—	—		
11 4	7 11	2 3	1 —	2 3	6 1	3 2	1 3	2 5	2 5	8 1	4 5	3 3	1 3	— 2	— —	— —	— —	} 164	
11 18	3 3	5 2	4 3	7 6	3 5	6 3	14 16	6 6	10 9	23 7	10 7	9 8	6 4	10 4	3 1	1 1	1 1		
8 5	2 5	— 1	— —	1 1	1 2	2 1	— —	2 2	2 —	2 —	— —	2 2	— 1	2 4	2 2	1 1	— 1	} 166	
614 546	76 201	17 66	14 38	18 19	12 19	9 25	17 23	15 20	25 27	17 27	13 21	6 23	12 39	12 55	18 32	11 28	10 19		
634 606	6 1	1 4	3 2	11 1	14 3	5 1	17 1	11 1	7 2	10 4	5 5	11 1	4 4	5 3	2 9	— 3	1 —	} 168	
197 91	224 34	131 16	119 28	126 26	145 24	134 13	146 30	145 25	142 32	134 21	101 28	86 21	90 18	45 10	24 —	10 3	— 1		
1 —	3 3	6 —	22 1	16 2	5 1	9 3	2 2	9 —	9 1	5 —	4 —	3 —	3 1	2 —	— —	— —	— —	} 170	
7 1	1 —	1 1	3 —	1 —	5 —	1 —	2 —	— —	2 —	2 1	1 —	— —	2 —	— —	— —	1 —	— —		
84 46	54 30	43 8	49 5	64 4	89 10	106 21	138 24	121 37	156 60	135 68	159 57	141 104	133 102	154 197	137 228	99 216	97 220	} 172	
— —	— —	35 —	142 —	141 —	141 —	124 —	128 —	123 —	103 —	95 —	60 —	37 —	20 —	4 —	1 —	— —	— —		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 173	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ... { M F	287 8	— —	— —	— —	— —	— —	— —	— —	2 —	1 1
175	Injury by other crushing (vehicles, railways, landslides, &c.) { M F	2,872 582	— —	2 —	2 3	4 2	8 5	25 32	43 27	40 21	61 25
176	Injury by animals ... { M F	91 5	— —	— —	— —	— —	— —	— —	2 —	1 1	1 —
177	Starvation ... { M F	17 6	— —	— —	1 —	1 —	2 —	— —	— —	— —	— —
178	Excessive cold ... { M F	63 10	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	94 52	2 1	— —	2 1	1 2	5 4	2 3	5 5	3 1	6 1
180	Lightning... { M F	9 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —
181	Electricity (lightning ex- cepted). { M F	22 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	15 24	— —	— —	— —	— —	— —	— 1	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	16 28	— 4	— 1	— —	— 1	— 6	1 1	— 1	— —	— —
184	Homicide by other means { M F	109 128	23 44	4 2	6 3	5 3	38 52	3 2	1 1	1 1	2 3
185	Fractures (cause not specified). { M F	44 21	2 —	— 2	— —	— —	2 2	— —	— —	— —	— —
186	Other violence ... { M F	428 164	7 6	7 7	13 16	13 21	40 50	19 16	3 3	7 6	2 1
187	Dropsy ... { M F	13 23	— —	— —	— —	1 —	1 —	2 1	— —	— —	— —
188	Syncope, Sudden death... { M F	162 101	— —	— —	— —	— —	— —	1 —	— —	— —	— 1
	A. Syncope (aged 1 year and under 70 yrs.) { M F	161 100	— —	— —	— —	— —	— —	1 —	— —	— —	— 1
	B. Sudden death (not otherwise defined.) { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
189	Ill-defined causes ... { M F	1,393 1,076	51 50	9 14	14 14	31 20	105 98	281 258	35 41	17 16	5 5
	A. Heart failure (aged 1 yr. and under 70). { M F	755 488	— —	— —	— —	— —	— —	2 2	— 2	3 1	1 3
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70). { M F	339 351	— —	— —	— —	— —	— —	263 238	34 37	14 12	3 2
	C. Teething ... { M F	35 35	— —	1 1	2 6	21 13	24 20	11 14	— 1	— —	— —
	D. Pyrexia ... { M F	7 4	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
	E. Other ill-defined deaths. { M F	179 136	23 23	7 11	10 6	7 6	47 46	5 3	— 1	— 3	1 —
	F. Cause not specified { M F	78 62	27 27	1 2	2 2	3 1	33 32	— 1	1 —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
3 1	— 2	17 —	41 3	33 —	33 —	24 —	29 —	31 1	26 —	16 —	17 —	7 —	8 1	2 —	— —	— —	— —	} 174	
177 110	256 103	169 39	228 23	190 27	216 13	215 17	226 21	198 25	190 29	190 37	174 21	161 24	112 24	82 37	51 20	25 6	12 6		
4 1	6 —	6 —	8 1	4 —	8 —	2 1	9 —	9 —	5 —	3 —	10 —	6 —	6 1	2 —	2 —	1 1	— —	} 176	
2 —	— —	— —	— —	— —	— —	— —	1 —	1 1	1 —	2 2	2 —	3 —	3 1	2 —	— 1	— 1	— —		
— —	— —	— —	— —	2 —	1 —	— —	2 1	6 1	6 1	7 2	6 —	5 1	10 2	8 1	5 1	4 —	1 —	} 178	
21 14	6 6	4 8	2 2	5 1	5 —	6 1	8 3	3 2	8 5	2 —	5 2	9 —	3 1	3 3	2 1	1 2	1 1		
1 —	— —	1 1	— —	1 —	1 —	— —	2 —	1 —	— —	1 —	— —	— —	— 1	1 —	— —	— —	— —	} 180	
— —	2 —	2 —	3 —	2 —	3 —	5 —	3 —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —		
— 1	1 1	— —	1 3	1 6	3 3	2 3	2 2	1 2	2 1	— 1	— 1	2 —	— —	— —	— —	— —	— —	} 182	
1 8	2 2	— 1	1 1	3 3	3 4	2 2	1 2	1 —	1 4	— —	— —	— 1	— —	— —	— —	1 —	— —		
45 59	3 5	2 3	3 2	9 10	8 15	2 12	7 7	3 7	11 1	7 1	2 1	4 3	2 1	— —	— —	1 1	— —	} 184	
2 2	— —	1 —	2 —	— —	3 1	3 1	7 —	6 1	5 2	4 3	3 2	3 2	— —	3 3	— 4	— —	2 —		
71 76	30 14	26 7	20 4	24 4	29 3	25 6	30 2	22 6	30 6	27 5	26 5	23 8	27 4	11 6	5 3	— 3	2 2	} 186	
3 1	— —	— —	— —	— —	— —	— —	1 —	1 1	2 3	— 2	2 6	— 3	1 2	— 3	3 —	— 2	— —		
1 1	2 1	3 4	4 4	4 1	4 2	6 3	4 6	14 7	13 7	14 7	29 16	29 23	35 18	— —	— 1	— —	— —	} 188	
1 1	2 1	3 4	4 4	4 1	4 2	6 3	4 6	14 7	13 7	14 7	29 16	28 23	35 18	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	} A B	
443 418	15 21	12 11	10 4	11 10	22 17	33 19	43 30	64 58	69 52	100 64	123 102	204 102	211 132	19 14	6 11	4 8	4 3		
6 8	10 8	6 6	7 3	5 6	15 13	24 13	37 23	50 39	58 43	77 48	97 85	170 84	193 109	— —	— —	— —	— —	} A B	
314 289	4 11	— 1	1 1	— 2	1 2	4 2	— 1	— 5	1 1	3 7	1 6	7 9	3 14	— —	— —	— —	— —		
35 35 1	— — —	— — 1	— — 1	— — —	— — 1	— — —	— — —	— — —	— — —	— — 2	— — —	— — 1	— — —	— — —	— — —	— — —	— — —	} C D	
53 53 34 33	1 2 — —	2 3 3 1	— — 1 —	5 — 1 2	2 1 3 1	3 1 2 2	3 4 3 2	9 7 5 6	6 7 4 1	16 7 2 1	20 9 5 2	19 7 7 2	12 9 3 —	16 12 3 2	6 8 — 2	4 4 — 4	2 2 2 1		

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9,547 7,877	699 627	392 422	565 526	650 596	805 662	1,092 863	1,352 1,060	1,549 1,219	1,874 1,522	2,130 1,635	2,160 1,757	2,387 1,979	2,481 2,252	2,246 2,662	1,750 2,323	1,085 1,746	638 1,380	All Causes.
— 3	6 —	4 5	4 4	7 6	6 6	5 8	11 7	4 5	2 3	9 —	1 3	3 1	1 —	— —	— —	— —	— —	1
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3
— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	1 1	— —	— —	1 —	— —	— —	— —	— —	4
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5
766 668	45 51	3 4	— 2	— 3	— 1	1 —	— 1	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	6
69 48	23 22	3 8	2 2	1 —	2 2	— 1	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	7
358 410	11 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8
140 137	62 69	4 10	— 1	— —	1 —	1 —	— 1	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	9 A
2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C
35 21	1 5	6 3	5 10	11 11	15 4	26 13	23 16	22 17	46 30	37 28	54 27	32 33	42 43	38 57	24 54	17 24	6 31	10
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	13
4 1	— —	— —	1 2	— 1	3 —	4 3	6 5	2 2	3 1	2 4	5 3	2 3	4 4	1 3	— 2	— 1	— —	14
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17
17 17	1 —	— —	— 1	3 1	4 2	2 1	1 1	5 1	9 2	6 5	5 4	4 7	5 6	8 5	1 4	— 3	2 1	18
10 7	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19
16 10	5 1	1 2	5 1	— 2	— —	2 6	6 2	7 1	2 3	5 4	2 3	3 3	4 1	3 —	2 —	— —	— 1	20
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	21

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	4	—	1	2	—	4	—	—	—	—	—	—	—	—	1	—	} 24
—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
—	1	—	1	1	1	1	3	3	—	1	—	1	—	—	1	—	—	} 25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
65	27	29	134	252	321	382	418	465	404	338	255	172	109	52	19	11	—	} 28
64	25	54	155	219	211	229	243	225	212	150	99	92	57	37	12	4	1	
17	4	6	11	15	18	23	26	15	8	18	8	5	4	—	2	1	—	} 29A
14	7	9	20	7	13	13	16	12	9	6	6	3	3	2	—	—	—	
51	8	8	8	3	2	4	5	2	2	1	1	1	—	—	—	—	—	} 29B
34	12	10	8	1	2	2	2	1	—	2	—	—	—	—	—	—	—	
268	83	22	6	7	3	4	2	2	—	—	—	—	—	—	—	—	—	} 30
217	73	20	9	2	3	1	2	1	1	—	—	—	—	—	—	—	—	
100	8	8	5	3	1	7	1	—	3	4	1	3	2	2	—	—	—	} 31
63	9	12	3	4	4	4	1	5	4	2	3	1	2	—	1	—	—	
5	2	5	3	2	1	4	3	4	2	2	2	1	—	1	—	1	—	} 32
4	2	4	6	3	1	—	2	1	—	3	—	1	2	2	—	1	1	
1	2	3	3	1	—	—	2	—	—	—	2	2	1	2	—	—	—	} 33
—	—	1	5	—	3	1	1	1	—	3	1	4	1	1	—	1	—	
4	1	—	4	1	3	4	—	2	—	—	4	2	1	—	1	—	—	} 34
5	2	—	1	3	3	3	2	—	2	2	2	2	3	2	1	—	—	
72	24	10	8	7	8	4	4	2	3	3	3	2	—	1	—	—	—	} 35
68	14	10	9	5	4	2	3	2	2	1	2	—	2	—	1	—	—	
583	159	91	182	291	357	432	461	492	422	366	276	188	117	58	22	13	—	} 28-35
469	144	120	216	244	244	255	272	248	230	169	113	103	70	44	15	6	2	
56	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	} 36
30	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
134	1	2	2	2	4	10	4	12	20	7	5	5	2	2	2	—	—	} 37
116	—	1	2	1	3	3	—	5	8	5	6	4	—	—	1	—	—	
2	—	—	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	} 38
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	2	2	3	18	36	46	55	54	55	27	20	4	3	} 39
—	—	1	1	1	—	1	—	1	3	1	4	3	8	2	4	—	—	
—	—	—	2	—	2	8	10	35	74	126	134	160	165	116	45	17	10	} 40
—	—	1	2	1	4	6	17	35	60	63	94	100	118	114	73	37	11	
—	3	—	3	2	7	5	11	14	29	40	61	81	83	67	40	18	9	} 41
—	—	—	1	2	6	7	15	21	38	61	69	86	88	96	58	26	12	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 42
—	—	—	2	3	8	18	31	70	91	103	104	90	69	47	39	19	9	
—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	} 43
—	—	—	1	—	1	11	31	44	52	68	69	64	58	57	36	30	11	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	54 26	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
45	Cancer of other or un- specified organs. { M F	558 328	— —	— —	— —	1 —	1 —	3 1	4 2	2 1	1 1
39-45	Cancer (all sites)... { M F	2,318 2,942	— —	— —	— 1	1 —	1 1	3 1	4 2	2 1	1 1
46	Other tumours (situation undefined). { M F	6 11	— —	— —	— —	— —	— —	— —	— —	— 1	— —
47	Rheumatic fever... { M F	99 112	— —	— —	— —	— —	— —	— —	1 —	1 —	2 2
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	45 143	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	53 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	2 1	— —	— 1	— —	1 —	1 1	— —	1 —	— —	— —
50	Diabetes ... { M F	232 241	— —	— —	1 —	— —	1 —	— —	— —	1 —	— —
51	Exophthalmic goitre ... { M F	9 23	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	11 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	59 36	1 —	— —	1 —	1 1	3 1	1 3	3 —	1 —	5 —
54	Anæmia, Chlorosis ... { M F	82 81	— —	— —	— —	2 1	2 1	1 —	— —	— —	2 —
55	Other general diseases ... { M F	24 34	3 4	2 2	— —	— 1	5 7	1 1	— —	— 2	1 —
56	Alcoholism (acute or chronic). { M F	43 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	9 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	29 25	— —	1 —	— —	1 —	2 —	— —	— 1	1 —	1 1
61A	Cerebro-spinal fever ... { M F	12 12	— —	— —	1 2	3 3	4 5	1 2	1 1	— —	— —
61B	Posterior basal meningitis { M F	11 14	1 —	— —	2 2	2 7	5 9	2 2	— 1	— 1	1 —
61C	Meningitis, other forms { M F	180 158	4 1	5 2	13 17	35 27	57 47	27 19	17 14	8 8	6 5
62	Locomotor ataxy... { M F	97 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	169 139	— —	1 —	— —	— 1	1 1	1 3	— 2	— 2	1 2

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.	
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	— —	— —	— —	— —	1 —	1 —	— —	3 —	3 2	5 1	4 2	9 2	6 6	6 8	9 1	4 1	3 2	}	44
11 5	4 1	7 3	6 8	10 4	11 6	12 8	12 14	24 19	41 30	71 46	76 37	88 39	79 42	50 32	39 24	13 5	4 5		45
11 6	7 1	7 5	11 15	13 11	23 25	28 51	36 108	94 190	183 276	289 343	330 379	393 384	389 389	266 356	153 235	56 118	29 50	}	39-45
— 1	— —	— —	— —	1 1	— —	— 2	1 1	— —	1 1	2 1	— —	— —	— 2	1 1	— —	— —	— 1		46
4 2	13 16	9 22	18 12	10 6	8 7	7 9	3 7	8 6	5 10	3 6	4 3	2 3	4 2	— 1	1 —	— —	— —	}	47
— —	— —	— —	— —	1 —	— —	1 3	— —	2 2	3 4	— 4	1 17	6 18	6 18	11 30	8 18	2 18	4 11		48 A, B
— —	— —	— —	— —	— —	— —	— 1	1 —	1 —	3 1	5 —	5 1	8 2	8 1	11 2	7 5	3 2	1 —	}	48C
2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		49
2 —	3 2	3 6	7 2	5 2	10 6	10 13	9 10	12 8	27 15	22 22	18 24	41 35	29 24	18 37	9 22	7 9	— 4	}	50
— —	— —	— —	— 2	— 3	1 2	2 2	3 3	— 4	1 3	1 2	1 2	— —	— —	— —	— —	— —	— —		51
— —	— —	— 1	1 1	— 2	1 —	1 1	— 1	2 1	— 4	1 —	3 —	2 —	— 1	— —	— —	— —	— —	}	52
13 4	7 2	2 2	2 2	3 4	5 2	2 2	1 2	1 2	3 4	1 3	3 4	5 1	5 2	5 —	— —	1 —	— —		53
5 1	1 4	— 2	1 4	2 2	3 4	5 6	2 6	2 9	6 4	16 8	14 9	13 9	7 5	4 3	— 1	1 3	— 1	}	54
7 10	2 2	1 2	1 1	— 3	1 1	2 1	— 5	1 —	2 1	2 1	1 2	— 1	1 1	1 2	1 1	1 —	— —		55
— —	— —	— —	— —	1 —	2 —	5 2	5 8	9 5	9 5	5 9	3 4	1 5	1 4	1 1	1 —	— —	— —	}	56
— —	— —	— —	— —	— —	— —	— —	— —	3 1	1 —	4 —	1 —	— —	— —	— —	— —	— —	— —		57
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	58
— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		59
4 2	1 1	2 1	4 2	2 1	3 —	1 6	2 1	— 2	5 2	— 2	1 1	1 2	— —	— 2	1 —	2 —	— —	}	60
6 8	4 2	2 —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		61A
8 13	2 —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	61B
115 93	20 12	7 10	9 5	4 5	3 3	3 3	5 3	4 3	3 2	2 —	1 2	1 6	— 5	2 2	1 2	— —	— 2		61C
— —	— —	— —	— —	— —	1 —	2 2	3 —	6 —	13 3	24 2	13 1	16 2	11 2	6 1	1 1	1 —	— —	}	62
3 10	5 2	2 3	2 4	2 2	4 3	7 5	5 3	8 9	7 5	17 13	25 13	17 17	24 14	28 17	6 11	6 7	1 1		63

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
6 9	1 1	1 3	2 4	1 2	5 2	6 6	20 16	33 33	45 75	84 109	117 106	141 129	168 181	169 225	122 169	69 123	35 55	} 64	
— —	— —	— —	— —	— —	— —	— 1	3 1	1 1	2 5	3 4	5 8	5 9	7 16	6 20	12 13	5 7	3 6		
— 2	— —	— —	— 1	— —	1 —	1 —	1 2	1 2	4 5	5 10	11 8	11 14	18 22	21 26	16 33	6 14	4 7	} 66	
— —	— —	— 1	2 1	4 2	12 3	37 2	64 9	61 15	46 10	51 12	28 7	15 5	7 —	3 —	1 1	— —	1 —		
— —	— —	— —	— 3	1 1	— —	3 4	6 5	6 7	2 5	2 7	5 8	5 4	6 2	8 7	2 2	— 1	1 1	} 68	
10 7	7 2	5 5	16 7	10 11	13 13	22 10	11 17	11 12	13 14	14 12	12 10	20 9	8 10	6 9	2 5	3 3	1 —		
— —	— 1	2 —	1 —	— —	— —	— —	— 2	— —	— 1	— —	— —	— —	— —	1 —	— —	— 1	— 1	} 70	
341 250	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	1 2	1 2	1 1	— —	— 1	— —	— —	— —	— 1	— —	1 1	— —	— —	— —	— —	— —	— —	} 72	
— —	— —	— —	— 1	— —	1 1	— 4	1 11	2 12	— 9	3 11	— 3	1 4	1 1	— 4	— 2	— 1	— —		
14 13	6 5	6 6	— 3	7 4	5 9	5 6	6 5	9 9	11 9	9 19	10 15	16 10	14 15	9 18	9 6	6 —	2 5	} 74	
1 1	— 1	— —	1 —	— 1	— —	— —	— —	1 —	1 1	— —	— —	— 1	— —	— —	— —	— —	— —		
18 10	5 6	2 2	3 4	4 —	2 3	2 —	1 1	— 2	— —	— 1	— 1	— —	— 1	— —	— —	— —	1 —	} 76A	
16 13	6 10	8 4	4 7	1 3	3 1	4 2	2 —	2 —	4 1	1 —	1 1	1 —	— —	2 —	— —	— —	— —		
6 6	7 6	8 4	1 3	5 3	2 2	2 1	3 1	3 —	5 2	5 2	4 1	6 —	5 3	3 1	1 1	1 —	— 1	} 77	
7 2	6 9	15 20	8 18	11 21	15 16	15 9	9 8	12 14	17 6	12 9	5 13	5 2	1 1	3 —	1 2	— —	— —		
3 2	9 17	35 52	42 53	26 50	36 47	43 63	69 67	85 88	110 117	114 120	123 128	160 140	152 165	133 177	82 133	34 78	15 37	} 79A	
1 —	— —	— —	— —	1 —	— 7	6 6	8 10	16 20	28 22	28 22	30 31	28 34	45 51	36 60	29 33	10 25	2 17		
5 1	4 9	11 10	14 19	13 13	12 16	35 27	37 48	46 55	90 79	99 97	127 143	160 184	185 215	203 229	124 174	75 124	35 72	} 79C	
— —	— —	— —	— —	— —	1 —	— 1	2 —	3 2	6 —	5 —	5 5	17 2	14 7	18 10	8 7	7 2	1 1		
— —	— 1	— —	— —	— —	2 1	7 —	10 1	26 8	21 5	32 6	31 5	23 4	11 8	8 5	5 8	4 —	— 2	} 81A	
— —	1 —	— —	— —	— —	— —	2 —	3 1	5 3	21 12	28 18	46 18	73 40	92 60	77 87	90 70	65 56	37 66		
— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 1	2 —	— 1	3 2	2 2	2 1	— 2	1 1	— —	} 81C	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 147	—	—	—	—	—	—	—	—	—
	F 211	—	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis. {	M 16	—	—	—	—	—	1	—	—	—
	F 23	—	—	—	—	—	—	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 15	—	—	—	—	—	—	—	—	—
	F 25	—	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ... {	M 21	—	6	5	4	15	1	1	—	—
	F 16	1	5	3	4	13	1	—	1	—	—
84B	Other diseases of the lymphatic system. {	M 4	1	—	—	—	1	1	—	—	—
	F 7	—	—	1	—	1	1	—	—	—	—
85	Hæmorrhage; other diseases of the circulatory system. {	M 7	—	—	—	—	—	—	—	—	—
	F 11	—	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ. {	M 9	3	2	—	—	5	—	1	—	2
	F 3	—	—	—	—	—	—	—	1	—	—
87	Diseases of the larynx ... {	M 39	2	2	2	6	12	12	4	2	1
	F 36	3	—	3	7	13	5	3	4	2	2
88	Diseases of the thyroid body. {	M 2	—	—	—	—	—	—	—	—	—
	F 24	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis ... {	M 2,730	67	133	111	136	447	79	22	7	3
	F 2,939	48	81	84	92	305	75	12	3	5	5
91	Broncho-pneumonia ... {	M 1,400	41	138	143	365	687	297	99	27	13
	F 1,351	41	100	130	257	528	307	91	40	19	19
92A	Lobar pneumonia ... {	M 867	5	10	10	29	54	43	26	8	8
	F 568	4	6	6	18	34	29	12	7	4	4
92B	Pneumonia (type not stated). {	M 948	17	25	34	51	127	72	24	11	18
	F 654	9	19	32	36	96	50	14	8	7	7
93	Pleurisy ... {	M 119	—	5	—	2	7	10	3	5	1
	F 77	—	3	—	1	4	5	5	—	2	2
94	Pulmonary congestion, Pulmonary apoplexy. {	M 102	5	3	5	4	17	1	1	2	1
	F 119	3	3	9	—	15	1	—	—	—	—
95	Gangrene of the lung ... {	M 9	—	—	—	—	—	—	—	—	—
	F 7	—	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 102	—	—	—	—	—	2	—	1	—
	F 95	—	—	—	—	—	—	—	—	—	—
97	Pulmonary emphysema {	M 68	—	1	—	—	1	—	—	—	—
	F 25	—	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung ... {	M 22	—	—	—	—	—	1	—	—	—
	F 14	—	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system. {	M 13	—	—	—	—	—	—	—	—	—
	F 21	—	—	3	1	4	1	—	—	—	—
99A	Diseases of the teeth and gums. {	M 21	1	2	—	—	3	2	1	—	—
	F 24	—	—	1	2	3	3	1	1	—	—
99 B, C, D	Other diseases of the mouth and annexa. {	M 11	3	2	1	—	6	1	1	—	—
	F 6	1	2	—	—	3	—	—	—	—	—
100	Diseases of pharynx, Tonsillitis. {	M 54	1	1	—	1	3	6	3	5	1
	F 32	—	—	1	2	3	2	6	1	1	1

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	1 2	3 —	2 1	— —	2 1	2 5	1 5	5 5	8 11	9 10	15 14	22 30	20 28	29 29	12 33	7 22	9 15	} 82A	
1 —	— —	— —	— —	— 1	— 1	— 2	— 4	— 1	4 2	1 1	1 1	3 1	1 1	2 4	1 3	1 1	1 —		} 82B
— —	— —	— —	— —	1 —	— —	— —	2 4	1 2	2 2	1 4	1 6	2 1	3 3	— 2	1 1	1 —	— —	} 83	
17 15	2 —	1 —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 84A
2 2	1 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— 1	— —	1 —	— 1	— —	} 84B	
— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 2	1 1	2 1	1 1	1 —	— 2	1 —	1 —	— 3		} 85
8 1	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	} 86	
31 27	— 2	— —	— 1	— —	1 1	— —	— —	2 —	1 —	— 1	3 1	— —	— —	— —	— —	1 2	— 1		} 87
— —	— —	— —	1 —	— —	— —	— —	— —	— 1	— 2	— 1	— 2	— 6	1 5	— 3	— 3	— 1	— —	} 88	
558 400	8 16	5 4	2 2	8 4	15 6	24 13	44 28	60 48	82 83	135 109	147 132	258 241	333 321	384 456	335 440	210 367	122 269		} 89 & 90
1,123 985	26 24	6 3	3 1	5 —	5 11	5 8	9 15	17 17	12 18	19 26	22 34	30 30	32 39	33 56	31 40	12 24	10 20	} 91	
139 86	19 14	7 5	24 12	33 19	27 21	63 31	83 43	82 22	76 49	80 30	67 45	61 50	43 57	27 33	24 30	6 15	6 6		} 92A
252 175	20 22	9 16	21 9	21 7	30 15	55 23	49 35	45 31	76 29	56 38	65 35	57 45	67 55	53 39	42 36	20 28	10 16	} 92B	
26 16	3 1	2 —	2 2	5 1	1 3	1 1	4 3	7 3	15 6	10 5	12 5	11 7	9 2	5 6	4 9	2 3	— 4		} 93
22 16	1 2	— —	— —	1 —	— 2	1 3	5 —	3 3	7 3	5 3	4 3	7 6	9 14	7 12	15 12	9 19	6 21	} 94	
— —	1 —	— —	— —	— 1	— 1	— 1	1 —	2 1	1 1	1 1	1 1	1 —	— —	1 —	— —	— —	— —		} 95
3 —	— —	— —	— —	— 1	1 2	1 2	6 3	11 2	9 6	13 10	9 14	12 12	16 13	13 12	6 7	2 7	— 4	} 96	
1 —	— —	— —	1 —	1 —	1 —	1 —	— 1	4 1	8 1	5 2	6 1	8 4	13 5	6 2	8 4	3 2	2 2		} 97
1 —	— —	— —	— 1	— —	— 1	— —	— 1	2 —	3 2	4 —	2 1	3 1	2 —	3 3	1 2	1 1	— 1	} 98A	
— 5	— —	— —	— —	— —	— —	— 1	2 2	4 2	1 1	— 3	3 1	1 1	1 1	— —	— 3	1 —	— 1		} 98B
6 8	3 1	— —	— 4	— 1	— 1	— 2	3 —	— 1	1 3	2 1	— —	1 —	1 2	3 —	1 —	— —	— —	} 99A	
8 3	1 —	— —	— —	— 1	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —		} 99 B, C, D.
18 13	6 5	5 2	1 1	— —	— —	2 —	3 —	4 —	3 1	4 1	2 1	3 1	— 1	1 3	1 1	— 1	1 1	} 100	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	156 134	— —	— —	— —	2 —	2 —	— —	— —	— —	— —
103A	Inflammation of stomach { M F	119 112	10 5	26 13	9 9	6 4	51 31	9 4	3 3	— 1	1 2
103B	Other diseases of the { M F	26 28	— —	3 2	4 —	— 2	7 4	— 1	— 1	— 1	— 1
104 & 105.	Diarrhœa and enteritis ... { M F	1,964 1,636	68 42	319 236	483 372	524 475	1,394 1,125	300 271	51 47	11 15	8 4
106	Ankylostomiasis... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Appendicitis ... { M F	185 158	— —	— —	— —	— —	— —	— —	3 1	3 2	2 5
109A	Hernia ... { M F	104 115	6 —	2 —	1 —	2 —	11 —	1 —	2 —	— —	— —
109B	Intestinal obstruction ... { M F	137 144	2 2	3 —	10 4	16 14	31 20	5 3	1 2	2 2	2 3
110	Other diseases of the { M F	36 30	— —	1 1	1 2	1 1	3 4	— —	— —	— 1	— 1
111	Acute yellow atrophy of { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
112	Hydatid of liver ... { M F	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	355 313	— —	— —	— —	— —	— —	— 1	— —	— —	— —
114	Biliary calculi ... { M F	31 65	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	49 59	— —	— —	— —	— 2	— 2	— 1	1 —	1 —	1 —
116	Diseases of the spleen ... { M F	3 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause un- { M F	41 36	1 2	1 2	2 1	1 —	5 5	— 1	— 1	— 2	— 4
118	Other diseases of the { M F	15 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute nephritis ... { M F	68 77	— —	— —	1 —	— 2	1 2	2 1	2 2	2 1	2 1
120	Bright's disease ... { M F	1,086 923	— —	— —	— —	— —	— —	— —	1 —	— —	— —
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	56 47	— —	3 —	1 —	3 2	7 2	— 1	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	} 101
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
2	—	—	4	1	10	8	22	18	20	13	18	11	13	10	4	2	—	} 102
—	—	—	5	3	8	17	9	13	16	16	17	11	8	6	4	1	—	
64	3	—	1	1	—	—	2	2	1	3	4	9	7	10	7	3	2	} 103A
41	3	—	—	—	—	1	5	3	1	5	5	7	8	11	11	5	6	
7	—	—	—	—	—	—	1	—	3	—	1	—	3	2	6	1	2	} 103B
8	1	1	—	—	—	2	—	1	3	1	—	1	3	4	2	1	—	
1,764	9	3	2	11	11	12	17	11	14	18	19	19	17	13	14	6	4	} 104 & 105.
1,462	13	—	2	7	5	10	5	8	7	11	10	10	16	23	21	15	11	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	29	23	25	11	9	8	10	10	15	9	4	8	9	2	3	1	1	} 108
8	25	15	15	14	9	8	4	6	11	6	8	4	9	8	2	4	2	
14	—	1	3	2	—	3	4	4	6	7	9	10	17	12	8	2	2	} 109A
—	1	—	—	—	1	2	3	6	10	10	17	17	12	12	13	7	4	
41	1	3	6	—	7	1	4	4	2	7	13	15	9	7	7	9	1	} 109B
30	2	1	2	—	5	7	6	5	6	9	14	13	12	12	10	10	—	
3	3	—	—	—	1	1	1	3	1	4	3	6	4	2	—	4	—	} 110
6	—	—	—	2	—	1	2	—	1	1	3	—	2	5	4	1	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 111
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	} 112
—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	4	3	15	31	47	79	57	52	37	21	8	1	—	} 113
1	1	2	—	—	2	11	16	38	44	52	45	41	33	14	10	—	3	
—	—	—	—	—	—	2	—	2	—	5	3	6	6	4	—	1	2	} 114
—	—	—	—	1	—	1	2	1	6	4	9	8	8	7	9	7	2	
3	—	—	—	—	1	2	2	2	5	5	8	5	6	3	3	2	2	} 115
3	1	1	—	1	—	2	2	—	4	7	7	4	5	8	8	5	1	
—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	} 116
—	—	1	—	—	—	—	1	1	1	—	1	—	1	—	—	—	—	
5	4	3	4	2	1	4	—	2	3	1	4	2	—	2	3	—	1	} 117
13	7	2	—	—	1	3	1	3	1	2	1	—	—	2	—	—	—	
—	—	—	1	1	—	1	—	—	2	5	1	1	1	—	2	—	—	} 118
—	—	—	—	1	—	2	1	—	2	1	1	2	3	—	2	—	—	
9	5	2	3	6	1	6	4	2	8	5	2	4	4	2	4	1	—	} 119
7	2	6	3	1	3	4	6	9	4	8	7	8	—	3	4	2	—	
1	—	4	5	17	11	28	64	57	91	138	136	140	164	97	76	41	16	} 120
—	2	6	9	13	12	31	42	67	94	107	111	98	111	99	71	33	17	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	1	—	—	2	1	2	6	5	1	2	2	10	7	3	4	3	—	} 122
3	—	1	—	3	—	5	9	4	5	2	3	2	3	3	3	1	—	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	28 13	— —	— —	— —	— —	— —	— —	— 1	— —	— —
124	Diseases of the bladder... { M F	110 25	— —	— —	— 1	— —	— 1	— —	— 1	— —	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	56 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	163 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	5 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 44	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M F	— 25	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 42	— —	— —	— —	— —	— —	— —	— —	— —	— —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 36	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 32	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 32	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 137	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 60	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	57 67	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	12 11	2 —	3 1	— —	— —	5 1	— 1	— —	— 1	2 —
143	Carbuncle, Boil ... { M F	22 12	— —	— —	— —	— —	— —	— —	— —	— —	— 1
144	Phlegmon, Acute abscess { M F	70 55	2 4	2 3	5 2	5 5	14 14	2 2	2 1	— —	1 —
145	Diseases of the integumentary system. { M F	52 55	9 8	6 1	3 1	3 1	21 11	4 3	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	—	1	1	1	1	—	3	5	2	—	4	—	5	—	2	2	} 123
—	—	—	—	1	—	2	3	2	2	1	—	—	—	1	—	1	—	
1	—	—	1	—	1	—	—	5	2	8	11	13	12	14	24	13	5	} 124
1	—	—	—	—	—	—	2	1	1	2	4	3	1	3	3	1	3	
—	—	—	—	—	—	2	1	5	6	7	13	6	8	1	4	3	—	} 125
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	2	—	3	13	35	39	36	24	10	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	4	7	17	4	4	3	1	3	—	1	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	1	1	2	1	2	2	4	1	2	—	—	1	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	1	2	1	4	3	3	6	2	2	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	3	9	3	12	8	1	2	1	1	—	1	—	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	7	6	15	5	1	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	4	3	10	4	11	—	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	8	13	7	2	—	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	38	27	36	25	9	—	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	8	8	19	14	7	2	2	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	3	4	2	2	1	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	6	7	15	16	11	1	} 142A
—	—	—	—	—	—	—	—	—	—	—	—	5	4	14	11	12	21	
7	—	—	—	—	1	—	—	—	—	1	—	—	1	2	—	—	—	} 142B,
3	—	—	—	1	—	—	—	1	—	—	1	—	—	2	1	2	—	
—	—	1	1	—	—	1	1	3	1	2	3	3	5	—	1	—	—	} 143
1	—	—	—	—	—	1	—	1	—	2	4	—	—	—	2	—	—	
19	—	1	2	2	1	1	3	3	5	7	9	4	3	5	2	2	1	} 144
17	—	—	—	1	1	1	—	3	5	3	4	8	—	7	2	1	2	
26	—	—	—	—	—	—	1	2	3	—	4	3	—	3	6	2	2	} 145
14	1	—	2	—	—	—	4	1	3	—	3	2	6	2	6	3	8	

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... {	51	—	2	3	1	6	2	1	3	1
	F	41	—	1	1	1	3	4	1	2	2
147	Diseases of the joints ... {	12	—	—	—	1	1	1	—	—	—
	F	6	—	2	—	—	2	—	—	—	—
148	Amputations ... {	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of loco- {	2	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
150	Congenital malformations {	242	130	52	13	14	209	9	2	2	2
	F	208	111	38	29	9	187	8	2	1	1
151A	Premature birth ... {	1,031	925	90	14	2	1,031	—	—	—	—
	F	923	799	101	17	6	923	—	—	—	—
151, B-E.	Infantile debility, Icterus {	670	300	196	121	53	670	—	—	—	—
	F	465	193	107	111	54	465	—	—	—	—
152	Other diseases peculiar to {	259	242	17	—	—	259	—	—	—	—
	F	179	165	14	—	—	179	—	—	—	—
153	Lack of care ... {	20	20	—	—	—	20	—	—	—	—
	F	20	20	—	—	—	20	—	—	—	—
154	Old age ... {	994	—	—	—	—	—	—	—	—	—
	F	1,666	—	—	—	—	—	—	—	—	—
155	Suicide by poison ... {	73	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ... {	27	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or {	89	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ... {	50	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ... {	41	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or {	48	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from {	17	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ... {	16	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—
163	Other suicides ... {	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—
164	Poisoning by food ... {	5	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—
165	Other acute poisonings ... {	26	—	—	—	—	—	1	—	—	—
	F	11	1	—	—	—	1	—	—	—	—
166	Conflagration ... {	5	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	—	—	1	—
167	Burns (conflagration ex- {	89	1	1	1	5	8	18	18	14	6
	F	114	—	2	1	3	6	11	8	11	16
168	Absorption of deleterious {	151	36	54	38	7	135	4	—	—	—
	F	167	41	80	28	9	158	1	—	2	—

AT DIFFERENT AGE-PERIODS, 1913—*continued.*

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
13 12	5 3	8 9	7 2	4 2	5 1	1 —	1 2	— —	2 1	— 1	2 —	2 1	1 4	— 2	— —	— 1	— —	} 146	
2 2	1 —	1 —	— —	1 —	— —	— —	1 —	— —	— —	— —	4 —	1 —	— 2	1 2	— —	— —	} 147		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 148	
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	} 149		
224 199	6 3	4 3	3 —	2 —	2 1	— —	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 150	
1,031 923	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151A		
670 465	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 151 B-E.	
259 179	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 152		
20 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		} 153	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	2 1	4 —	14 19	72 54	185 223	240 405	258 456	219 507		} 154
— —	— —	— —	— 3	4 3	4 4	4 4	9 3	10 7	10 7	7 5	7 2	10 —	2 2	2 —	3 —	1 —	— 1	} 155	
— —	— —	— —	1 —	1 2	1 1	1 2	6 4	1 1	1 1	4 3	4 —	3 1	3 1	— 1	1 —	— —	— —		} 156
— —	— —	— —	3 —	5 —	2 2	9 —	10 1	7 2	4 3	10 1	16 1	13 1	5 1	3 —	2 —	— —	— —	} 157	
— —	— —	— —	3 2	4 2	4 2	5 3	3 2	8 3	5 1	9 2	4 2	3 —	— —	1 —	1 —	— —	— —		} 158
— —	— —	— —	1 —	2 —	4 —	5 —	4 —	2 —	3 —	4 —	9 —	2 —	2 —	2 —	1 —	— —	— —	} 159	
— —	— —	— —	— —	2 —	1 1	6 2	3 3	3 1	9 2	8 2	6 2	4 —	2 2	2 —	1 —	1 —	— —		} 160
— —	— —	— —	— —	1 1	1 —	2 3	1 1	2 6	3 —	1 —	4 1	1 —	1 —	— —	— —	— —	— —	} 161	
— —	— —	— —	— —	1 2	1 —	1 —	3 —	3 —	2 1	2 —	1 —	1 —	— —	— —	1 —	— —	— —		} 162
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	} 163	
— —	1 1	1 —	— —	— —	— —	— —	— —	— —	1 —	2 —	— 1	— —	— —	— 1	— —	— —	— —		} 164
1 1	— —	2 —	2 —	2 —	— 1	1 —	4 3	1 1	4 2	5 —	2 —	1 2	1 —	— 1	— —	— —	— —	} 165	
— 1	— 2	— 1	— —	1 1	1 1	1 —	— —	1 1	— —	— —	— —	— 1	— 1	1 1	— —	— —	— —		} 166
64 52	8 10	— 10	— 3	1 2	2 3	— —	2 1	1 2	4 4	— 3	— 2	— 1	— 8	1 5	3 4	— 3	3 1	} 167	
139 161	3 —	— 1	1 —	— —	2 —	— —	2 —	— —	1 —	— —	1 —	— —	1 —	1 2	— 2	— 1	— —		} 168

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	174 35	— —	— —	— 1	1 2	1 3	2 —	1 —	1 —	— 1
170	Injury by firearms ... { M F	5 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or { M piercing instruments. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
172	Injury by fall ... { M F	295 273	— —	— —	— —	5 5	5 5	5 3	8 2	3 3	5 3
173	Injury in mines and { M quarries. { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	24 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
175	Injury by other crushing { M (vehicles, railways, { F landslides, &c.).	415 129	— —	— —	1 1	— 2	1 3	6 2	7 4	8 3	9 1
176	Injury by animals ... { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
177	Starvation ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	9 4	— —	— —	— —	1 —	1 —	— —	— —	1 —	— —
180	Lightning... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- { M cepted). { F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or { M piercing instruments. { F	3 6	— 1	— 1	— —	— —	— 2	1 —	— —	— —	— —
184	Homicide by other means { M F	21 25	5 9	— —	— —	— 1	5 10	1 —	1 1	— —	2 1
185	Fractures (cause not { M specified). { F	5 7	1 —	— 1	— —	— —	1 1	— —	— —	— —	— —
186	Other violence ... { M F	52 30	1 1	— 2	4 3	3 4	8 10	2 3	— —	— 2	— —
187	Dropsy ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and { M under 70). { F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- { M wise defined) { F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year { M and under 70). { F	13 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
189 B-E.	Other ill-defined causes... { M F	33 28	— —	— —	— —	— —	— —	22 20	4 —	2 1	1 —
189F	Cause not specified ... { M F	5 2	5 2	— —	— —	— —	5 2	— —	— —	— —	— —

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
30,434 25,296	2,137 2,187	1142 1255	1564 1514	1848 1857	2,136 2,081	2,735 2,335	3,427 2,940	3,906 3,247	4,521 3,671	5,172 4,221	5,708 4,730	6,446 5,385	6,281 5,808	6,243 6,888	4,363 5,509	2,424 3,572	1,265 2,256	All Causes.	
10 10	19 14	21 23	37 26	41 29	57 31	53 24	38 21	29 13	24 10	15 9	11 5	7 6	5 2	1 1	— 1	— —	— —	1	
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3	
— —	— —	— —	— —	— —	1 —	1 —	1 —	1 —	2 —	1 —	2 —	3 —	— 1	— —	2 —	— —	— —	4	
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5	
2,027 1,849	147 160	3 4	1 3	1 —	3 1	— —	— 2	1 2	— —	— —	— —	— —	— —	— —	— —	— —	1 —	6	
289 249	140 145	22 30	21 7	6 9	6 2	3 4	3 1	1 1	1 1	— —	— —	— 1	— —	— —	— —	— —	— —	7	
879 1,115	31 32	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8	
477 443	252 366	36 53	10 5	5 3	3 1	5 3	2 2	1 1	1 1	— 1	— 4	— —	1 2	— 1	— —	— —	— —	9A	
5 8	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	9 B, C	
75 58	18 12	11 7	22 19	25 25	43 24	50 31	55 38	65 41	56 34	81 40	88 57	91 94	87 78	80 99	36 81	26 60	9 34	10	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	11	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	12	
— 3	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	— 1	— 2	2 —	— —	— —	— —	— —	13	
2 2	— —	— —	— —	1 1	1 3	3 —	2 3	4 4	— 2	3 4	1 4	2 1	1 2	1 4	1 4	— 1	— —	14	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	16	
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	17	
36 32	3 2	1 1	6 2	5 4	3 2	7 2	9 10	14 4	10 8	19 10	14 16	17 10	12 11	14 11	8 7	2 5	1 3	18	
26 24	3 2	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	19	
18 13	3 3	5 1	5 —	5 2	7 2	7 4	6 2	12 4	10 5	5 3	4 5	17 5	7 1	5 4	1 2	1 1	— 1	20	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	21	

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... {	M 168	—	—	—	—	—	—	—	—	—
	F 106	—	—	—	—	—	—	—	—	—	—
45	Cancer of other or un- {	M 1,234	—	—	—	—	—	2	7	6	—
	F 689	—	—	1	1	—	2	2	4	3	3
39-45	Cancer (all sites) ... {	M 5,180	—	—	—	—	—	2	9	6	2
	F 6,865	—	—	1	1	—	2	2	6	4	4
46	Other tumours (situation {	M 21	—	—	—	1	1	—	—	—	—
	F 24	—	—	—	—	—	—	—	—	—	—
47	Rheumatic fever ... {	M 265	—	—	1	1	2	2	—	1	3
	F 336	—	—	—	—	—	—	—	—	2	5
48	Chronic rheumatism, {	M 147	—	—	—	—	—	—	—	—	—
A, B.	Osteo-arthritis. {	F 349	—	—	—	—	—	—	—	—	—
48C	Gout ... {	M 85	—	—	—	—	—	—	—	—	—
	F 23	—	—	—	—	—	—	—	—	—	—
49	Scurvy ... {	M 7	—	—	—	3	3	2	—	1	—
	F 10	—	—	1	—	2	3	3	—	—	—
50	Diabetes ... {	M 654	—	—	—	—	—	3	—	3	1
	F 622	1	—	—	—	—	1	2	—	2	—
51	Exophthalmic goitre ... {	M 9	—	—	—	—	—	—	—	—	—
	F 109	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 27	—	—	—	—	—	—	—	—	—
	F 39	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lympha- {	M 118	—	1	—	1	2	3	5	2	1
	F 95	—	—	—	1	2	3	5	—	1	1
54	Anæmia, Chlorosis ... {	M 308	3	4	3	2	12	1	4	—	1
	F 366	2	—	1	5	8	1	1	3	—	—
55	Other general diseases ... {	M 86	6	3	3	1	13	5	2	2	1
	F 70	8	1	—	2	11	4	1	1	1	1
56	Alcoholism (acute or {	M 171	—	—	—	—	—	—	—	—	—
	F 109	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ... {	M 37	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- {	M —	—	—	—	—	—	—	—	—	—
	F —	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings {	M 1	—	—	—	—	—	—	—	—	—
	F 1	—	—	—	—	—	—	—	—	—	—
60	Encephalitis ... {	M 60	—	—	—	3	3	2	1	3	2
	F 57	1	3	—	2	6	2	1	1	1	1
61A	Cerebro-spinal fever ... {	M 24	—	—	—	5	5	1	—	3	1
	F 28	—	—	1	2	3	3	2	1	—	—
61B	Posterior basal meningitis {	M 37	2	3	8	7	20	8	1	1	3
	F 26	—	5	—	5	10	4	1	—	—	1
61C	Meningitis, other forms {	M 796	12	31	70	124	237	115	74	54	29
	F 749	8	22	51	107	188	136	71	49	33	33
62	Locomotor ataxy... {	M 221	—	—	—	—	—	—	—	—	—
	F 44	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the {	M 404	—	—	1	2	3	3	5	3	2
	F 402	—	—	2	2	4	4	7	3	2	2

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— 1	— 1	4 2	3 2	6 4	12 6	12 4	13 10	15 8	32 14	18 8	28 14	14 17	8 8	3 7	}	44
15 14	4 5	4 4	15 7	13 13	14 12	35 18	50 28	79 45	114 56	135 75	174 81	211 101	166 81	105 73	76 51	20 15	4 10		45
19 18	7 9	5 5	19 14	20 30	44 54	84 126	143 305	273 495	442 660	633 832	787 912	913 975	763 927	549 782	335 446	115 191	29 84	}	39-45
1 —	— —	— —	— —	— —	3 1	— —	2 —	1 3	4 1	1 2	2 2	3 —	3 7	— 4	1 3	— 1	— —		46
8 7	32 24	40 58	43 41	17 39	17 24	13 28	21 16	14 21	17 14	20 14	12 17	6 11	3 12	1 7	— 1	— 1	1 1	}	47
— —	— 1	— —	1 —	— 2	— 2	— 3	4 3	6 9	5 8	12 22	21 36	18 42	25 69	27 68	19 47	7 27	2 10		48 A, B.
— —	— —	— —	— —	— —	— —	1 —	1 —	4 —	2 —	4 2	12 4	17 3	17 2	15 5	7 5	4 1	1 1	}	48C
6 6	— 1	— —	— —	— 1	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —		49
7 5	7 5	8 17	17 10	18 19	27 18	33 23	32 18	31 31	43 46	43 57	68 69	90 87	114 94	64 74	38 33	9 15	5 1	}	50
— —	— —	— —	— 2	2 10	— 11	— 15	3 16	— 12	1 14	2 10	1 7	— 5	— 6	— —	— 1	— —	— —		51
— —	— —	— —	2 1	2 2	— 4	1 6	4 2	6 1	3 2	2 6	4 2	1 4	1 4	1 3	— 2	— —	— —	}	52
13 10	13 9	11 3	14 9	5 7	5 9	4 4	10 6	5 7	3 6	9 7	11 7	6 6	3 5	2 —	3 —	1 —	— —		53
18 13	7 2	2 5	1 13	5 4	7 16	9 17	16 27	15 29	34 36	39 43	50 41	41 49	28 41	26 20	6 8	2 2	2 —	}	54
23 18	6 10	10 5	5 9	1 2	5 2	4 2	3 4	2 5	7 1	1 4	8 1	3 1	2 4	1 2	4 —	1 —	— —		55
— —	— —	— —	1 1	1 —	8 2	11 3	20 16	28 21	26 18	30 19	21 12	8 5	10 8	5 4	1 —	1 —	— —	}	56
— —	— —	— —	— —	1 —	— —	— —	3 —	4 —	7 —	11 —	7 —	1 —	2 —	— —	1 —	— —	— —		57
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —		59
11 11	3 3	5 7	2 1	4 3	6 8	2 3	3 4	6 3	3 4	4 4	5 3	2 1	3 2	1 —	— —	— —	— —	}	60
10 9	2 7	5 3	2 3	1 3	— —	2 1	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —		61A
33 16	1 3	1 3	1 1	— —	— —	— 1	— —	— —	— 1	— —	1 —	— 1	— —	— —	— —	— —	— —	}	61B
509 477	78 80	35 53	26 24	17 10	14 7	9 15	21 13	14 18	8 13	20 5	17 8	5 10	8 5	7 5	4 4	1 1	3 1		61C
— —	— —	— 1	— 1	— —	— —	2 1	16 2	27 5	35 5	32 7	42 10	35 3	22 4	8 3	2 2	— —	— —	}	62
16 20	8 3	5 8	9 12	7 4	12 14	10 15	19 35	20 18	36 29	40 39	47 33	61 45	43 38	43 52	21 23	6 10	1 4		63

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
10 8	2 4	5 2	7 10	6 13	14 14	29 22	59 65	97 146	176 240	279 351	413 450	530 523	592 619	628 770	393 580	194 326	74 128	} 64.
— —	— —	— —	— —	— —	1 1	1 1	— 4	2 4	5 11	6 13	18 21	46 29	43 35	55 42	45 31	19 24	4 15	} 65
2 2	— 1	— —	1 —	1 1	1 3	1 1	1 5	9 9	18 25	28 25	44 41	60 53	71 74	79 80	56 86	17 47	9 22	} 66
— —	— —	— —	2 5	5 3	26 9	63 19	108 27	168 27	109 30	95 23	54 12	37 7	18 4	11 —	— 1	1 —	— —	} 67
— —	— —	1 —	2 2	— 7	5 8	5 10	2 20	12 20	10 18	26 27	19 35	25 26	23 30	21 21	9 10	8 5	— 2	} 68
20 10	12 14	13 23	40 18	32 32	45 38	44 44	36 28	34 39	32 36	31 24	37 35	32 21	26 16	17 16	5 11	2 3	2 —	} 69
— —	14 12	3 —	— 1	— —	— —	1 —	— —	— —	— 1	1 —	— —	— —	2 —	— —	1 1	— 1	— —	} 70
2,005 1,598	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 71
— 3	5 6	2 12	2 7	— 1	— 1	— —	— —	2 1	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	} 72
— —	— —	— —	— —	— 1	— 3	5 10	6 24	4 33	7 25	11 25	4 22	13 14	8 9	5 3	— 1	1 2	1 2	} 73
27 26	10 21	13 9	14 15	12 10	12 15	18 14	24 18	19 33	19 19	23 20	24 23	27 21	14 27	16 31	16 9	8 5	1 3	} 74
3 3	— 1	— —	— 1	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— 1	1 —	— —	— 1	— —	} 75
21 20	2 5	7 4	6 3	7 3	6 —	2 3	3 —	1 1	2 2	5 1	2 1	1 1	1 —	— —	1 —	— —	— —	} 76A
63 50	17 18	19 17	23 14	9 10	10 3	13 2	2 4	2 3	2 1	2 2	— 4	— 1	— 1	— —	1 —	— —	1 —	} 76B
8 4	4 3	7 3	4 5	6 3	2 2	5 6	2 3	7 3	2 7	10 2	5 2	2 2	3 2	5 2	1 1	— 1	— 1	} 77
7 12	9 22	14 21	21 26	13 37	20 35	24 23	20 36	34 34	34 45	38 41	35 43	8 6	7 6	2 3	1 —	— —	— —	} 78
9 10	31 34	67 85	82 89	70 99	93 118	111 142	166 198	228 243	286 309	291 316	382 339	416 445	446 428	350 427	196 269	58 132	20 51	} 79A
1 —	— —	— —	— 1	1 —	1 4	4 7	16 16	32 28	21 42	56 76	72 82	90 81	73 85	52 68	32 39	16 16	4 8	} 79B
12 9	15 18	19 29	25 40	43 30	55 54	72 60	127 123	124 164	219 201	289 314	347 398	506 473	546 594	575 613	337 465	126 227	61 88	} 79C
— —	— —	— —	1 —	— —	2 —	— 3	2 1	12 6	11 4	31 9	31 13	60 20	38 21	28 24	22 10	5 3	1 1	} 80
— —	— —	— —	— 1	1 1	2 —	9 —	34 4	43 8	50 9	51 8	45 8	39 14	21 6	21 9	7 3	2 3	— —	} 81A
— —	— —	— —	— —	— —	— —	3 —	7 4	13 9	32 22	75 29	95 50	162 109	255 152	255 184	213 157	91 96	51 69	} 81B
— —	— —	— —	— —	— —	— —	2 —	— 1	1 —	1 —	5 2	3 —	3 4	4 5	2 1	— 1	2 1	1 1	} 81C

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	{ M F	337 429	— —	— —	— —	— —	— —	— —	— —	1 1	— —
82B	Other embolism and thrombosis.	{ M F	42 55	2 —	— 1	— —	— —	2 1	— —	2 —	1 —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	{ M F	20 64	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
84A	Status lymphaticus ...	{ M F	41 23	— 2	3 2	7 8	6 1	16 13	2 3	3 1	1 —	— 1
84B	Other diseases of the lymphatic system.	{ M F	18 14	— 2	5 —	— 3	— 1	5 6	4 1	— —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system.	{ M F	32 41	1 1	1 —	— —	— 1	2 2	— —	— —	— —	— —
86	Diseases of the nasal fossæ.	{ M F	16 9	4 1	2 —	— —	1 1	7 2	— —	2 1	— —	1 —
87	Diseases of the larynx ...	{ M F	195 163	1 3	9 2	17 9	30 26	57 40	34 28	18 23	23 16	13 14
88	Diseases of the thyroid body.	{ M F	20 61	— —	— —	— —	— —	— —	— —	— 1	— —	— —
89 & 90.	Bronchitis ...	{ M F	7,544 7,590	171 138	437 329	399 320	597 445	1,604 1,232	407 382	82 103	47 25	17 29
91	Brôncho-pneumonia ...	{ M F	3,726 3,252	75 51	243 167	351 258	911 725	1,580 1,201	935 846	262 260	125 147	72 76
92A	Lobar pneumonia ...	{ M F	2,033 1,099	2 6	13 8	22 17	74 46	111 77	91 71	42 40	22 16	28 19
92B	Pneumonia (type not stated).	{ M F	2,719 1,772	28 14	45 41	84 66	180 168	337 289	245 186	74 81	44 53	47 27
93	Pleurisy ...	{ M F	274 200	— 1	1 —	2 3	11 4	14 8	17 7	7 6	8 7	7 3
94	Pulmonary congestion, Pulmonary apoplexy.	{ M F	265 278	11 10	12 10	6 9	17 10	46 39	8 11	5 3	1 2	— 1
95	Gangrene of the lung ...	{ M F	19 5	— —	— —	— —	— —	— —	— —	1 —	— —	— —
96	Asthma ...	{ M F	298 241	— —	— —	— —	— —	— —	1 —	— —	— —	— —
97	Pulmonary emphysema	{ M F	81 38	— —	— —	— —	— —	— —	1 —	— —	— —	— —
98A	Fibroid disease of lung ...	{ M F	60 16	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system.	{ M F	49 38	— —	— —	1 —	— 1	1 1	— 2	— 1	— —	— 1
99A	Diseases of the teeth and gums.	{ M F	50 50	7 3	2 8	1 3	5 5	15 19	4 2	— —	— 3	1 —
99B, C, D.	Other diseases of the mouth and annæa.	{ M F	48 33	19 15	14 9	1 3	3 1	37 28	2 —	— —	1 —	— —
100	Diseases of pharynx, Tonsillitis.	{ M F	110 103	— 3	1 —	1 1	6 3	8 7	11 12	8 5	9 5	1 8

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	5 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	264 295	— —	— 1	— —	1 1	1 2	— —	— —	1 —	— —
103A	Inflammation of stomach { M F	586 585	61 33	116 62	93 77	65 63	335 235	23 34	8 15	12 10	5 7
103B	Other diseases of the { M F	127 119	8 5	11 9	8 8	6 2	33 24	4 2	1 3	1 —	1 2
104 & 105.	Diarrhœa and enteritis ... { M F	6,167 5,031	272 149	973 691	1,393 1,074	1,552 1,300	4,190 3,214	1,073 1,003	184 194	38 43	22 22
106	Ankylostomiasis ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	3 3	— —	— —	— —	— —	— —	— —	1 1	— —	1 —
108	Appendicitis ... { M F	415 326	— —	2 —	— 1	— —	2 1	3 1	3 —	3 5	14 3
109A	Hernia ... { M F	249 301	5 2	11 —	8 4	6 2	30 8	3 —	4 —	1 —	1 —
109B	Intestinal obstruction ... { M F	353 369	6 4	5 8	22 12	36 23	69 47	8 5	11 6	6 4	1 1
110	Other diseases of the { M F	84 78	3 —	3 1	3 2	8 4	17 7	3 —	2 2	1 —	— —
111	Acute yellow atrophy of { M F	5 13	— —	— —	— —	— —	— —	— —	— —	— —	— 1
112	Hydatid of liver ... { M F	4 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	719 612	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —
114	Biliary calculi ... { M F	66 192	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	119 158	— —	1 —	2 4	2 2	5 6	1 —	1 2	2 —	— —
116	Diseases of the spleen ... { M F	4 6	— —	— —	— —	— —	— —	1 —	— —	— —	— —
117	Peritonitis (cause un- { M F	70 110	1 —	2 1	— 1	5 2	8 4	4 4	3 1	2 3	— 3
118	Other diseases of the { M F	50 32	— —	— —	— —	— —	— —	1 —	— —	1 —	1 —
119	Acute nephritis ... { M F	416 378	1 —	7 6	8 2	14 18	30 26	24 25	16 12	9 11	9 14
120	Bright's disease ... { M F	2,504 2,069	— —	1 —	— —	2 2	3 2	1 4	1 3	5 2	4 2
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	69 72	— —	1 —	1 1	— 1	2 2	2 —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 2	1 1	— —	— 2	— —	— 1	1 —	— —	— —	} 101	
2 2	1 2	2 5	3 23	11 29	16 23	26 27	34 29	28 26	31 31	32 30	26 23	22 18	20 15	4 10	4 2	2 —	— —		
383 301	13 14	7 4	2 3	3 5	3 1	10 8	7 14	12 15	13 24	16 24	23 23	26 21	18 22	14 46	18 32	13 12	5 16	} 103A	
40 31	2 1	1 3	2 1	2 3	4 1	5 4	6 2	4 6	10 5	10 11	3 6	6 8	12 9	5 9	6 9	7 6	2 4		
5,507 4,476	54 36	10 10	11 7	18 11	29 16	39 31	47 28	41 20	42 22	49 38	61 39	53 61	59 50	55 82	49 54	28 26	15 24	} 104 & 105	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 1	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	} 107	
25 10	53 44	59 52	68 31	35 25	29 22	28 22	28 28	25 14	14 24	16 13	16 12	5 10	8 7	2 7	4 3	— 1	— 1		
39 8	3 —	— —	1 —	3 —	5 —	1 8	10 5	11 16	15 23	19 40	16 43	24 40	31 38	34 43	27 19	5 12	5 6	} 109A	
95 63	16 8	11 3	11 4	6 6	9 11	15 10	15 18	10 17	16 18	19 21	28 34	24 19	24 40	24 32	19 40	8 16	3 9		
23 9	5 —	1 1	3 —	— 3	2 3	2 3	2 5	7 5	3 3	4 5	8 4	6 5	8 9	5 10	3 8	2 5	— —	} 110	
— 1	— —	— —	— —	1 2	— 3	2 2	— 1	— 1	— —	1 1	— 1	1 1	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— 1	1 1	1 1	1 2	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	} 112	
1 1	1 1	2 1	1 —	1 1	5 5	16 10	39 35	62 68	121 114	113 124	115 99	95 69	81 41	50 23	15 17	1 3	— —		
— —	1 —	— —	— —	— —	1 1	— 2	3 6	6 4	7 13	6 17	6 25	10 46	8 22	6 28	4 14	6 8	2 6	} 114	
9 8	1 2	1 1	1 —	1 —	4 5	3 1	7 8	7 7	6 10	15 13	11 28	12 18	15 19	13 19	8 18	2 —	3 1		
1 —	— —	— —	— —	— —	— —	— —	2 2	1 2	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	} 116	
17 15	6 18	5 4	4 5	2 4	4 4	3 6	2 11	4 7	4 7	3 6	5 4	3 8	2 4	4 3	2 3	— 1	— —		
3 —	— —	— 2	— —	1 2	5 2	3 1	7 1	7 2	2 3	8 3	4 8	4 5	4 2	1 1	1 —	— —	— —	} 118	
88 88	25 30	17 12	14 20	14 13	12 18	29 17	38 19	32 33	38 28	29 30	23 25	25 16	12 13	9 10	9 4	1 1	1 1		
14 13	6 7	27 25	16 22	48 40	54 56	85 66	107 116	179 153	252 199	287 232	302 238	370 255	328 216	248 228	113 136	52 48	16 19	} 120	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4 2	1 —	2 2	1 2	1 1	2 3	1 6	5 8	4 10	6 6	11 11	8 5	9 5	3 2	6 2	4 2	— 3	1 2	} 122	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	69 23	— —	— —	— —	— —	— —	— —	3 —	— —	— —
124	Diseases of the bladder { M F	278 72	— —	1 —	2 —	— —	3 —	— —	2 1	— —	— 1
125	Diseases of the urethra, Urinary abscess, &c. { M F	173 1	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
126	Diseases of the prostate { M F	392 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs. { M F	16 —	— —	5 —	1 —	— —	6 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal). { M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous). { M F	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus. { M F	— 47	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous). { M F	— 85	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs. { M F	— 78	— —	— —	— —	— —	— —	2 —	— —	1 —	2 —
133	Non-puerperal dis. of the breast (non-cancerous). { M F	— 14	— 5	— 2	— —	— —	— 7	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 139	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 191	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth. { M F	— 121	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 413	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions. { M F	— 245	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 111	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	192 183	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	34 37	2 1	1 —	— 1	— 1	3 3	2 3	4 6	1 2	2 2
143	Carbuncle, Boil ... { M F	54 31	— —	— —	1 —	— —	1 —	2 1	— —	— —	— —
144	Phlegmon, Acute abscess { M F	127 102	6 11	15 11	2 4	4 9	27 35	8 9	2 4	2 1	2 1
145	Diseases of the integumentary system. { M F	160 179	34 26	28 15	9 4	19 3	90 48	4 5	2 1	— —	— 1

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
3	—	—	—	2	1	1	6	5	6	9	7	9	8	6	5	1	—	} 123
—	1	—	—	—	—	3	2	3	5	2	1	2	1	—	2	—	1	
5	1	—	—	1	1	2	3	6	9	16	29	38	33	59	42	18	15	} 124
2	1	—	—	—	2	—	5	2	—	4	4	13	8	5	8	11	7	
1	1	—	—	—	1	2	5	11	27	20	35	29	16	15	6	1	3	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
—	—	—	—	—	—	—	1	3	3	6	16	40	72	105	75	49	22	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	—	—	—	1	—	1	2	—	1	1	2	2	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	3	1	1	2	1	1	—	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	2	3	11	13	17	12	8	8	8	7	4	1	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	1	4	3	6	9	6	6	3	1	2	3	—	1	1	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	6	2	7	5	10	8	9	10	8	7	7	3	1	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	—	1	8	14	19	8	12	4	2	2	—	1	—	2	—	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	—	—	1	—	—	—	—	1	1	—	—	—	—	2	1	1	} 133
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	12	17	39	42	22	3	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	17	27	53	58	33	2	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	18	25	32	25	18	2	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	12	79	99	109	84	27	3	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	15	66	55	43	40	23	3	—	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	19	23	21	32	14	1	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	5	1	—	1	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	15	35	56	38	35	13	} 142A
—	—	—	—	—	—	—	—	—	—	—	2	14	31	42	38	35	21	
12	2	—	—	—	1	2	2	—	—	4	4	3	1	2	—	1	—	} 142B, C, D.
16	2	—	1	2	2	1	3	2	—	1	4	2	—	1	—	—	—	
3	—	—	1	2	3	1	4	4	3	7	3	7	6	5	4	1	—	} 143
1	—	—	3	—	1	1	2	—	3	1	5	5	5	2	—	2	—	
41	3	1	3	3	5	7	2	7	4	5	8	8	9	10	10	—	1	} 144
50	2	2	3	1	—	2	2	2	6	3	4	2	10	8	4	1	—	
96	—	—	—	1	—	1	1	6	2	2	4	11	10	8	10	5	3	} 145
55	—	—	—	2	1	4	1	4	8	6	12	21	11	14	18	13	9	

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	105 59	2 2	2 3	1 3	3 1	8 9	4 2	4 2	2 1	6 2
147	Diseases of the joints ... { M F	25 16	1 —	1 2	1 1	1 —	4 3	— —	— —	— 1	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	13 9	— —	— —	— —	2 —	2 —	— —	— —	— —	— —
150	Congenital malformations { M F	741 551	414 321	147 88	54 46	41 38	656 493	31 20	11 7	8 3	3 5
151A	Premature birth ... { M F	3,524 2,893	3,204 2,583	279 268	33 32	8 10	3,524 2,893	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	2,532 1,881	1,246 822	612 461	424 357	250 241	2,532 1,881	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	632 377	596 361	35 16	1 —	— —	632 377	— —	— —	— —	— —
153	Lack of care ... { M F	30 41	30 41	— —	— —	— —	30 41	— —	— —	— —	— —
154	Old age ... { M F	3,686 5,092	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	99 98	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	45 23	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	239 51	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	125 77	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	51 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	178 37	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	14 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	47 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	19 19	— —	— —	— —	— —	— —	— —	2 —	— —	2 —
165	Other acute poisonings ... { M F	45 42	— —	— 1	— —	— —	— 1	1 2	4 3	1 —	— —
166	Conflagration ... { M F	8 11	— —	— —	— —	1 —	1 —	1 1	1 —	1 —	1 —
167	Burns (conflagration ex- cepted). { M F	382 528	— —	1 2	6 3	18 17	25 22	66 62	81 68	41 50	32 51
168	Absorption of deleterious gases (conflagration excepted). { M F	335 281	86 83	122 118	56 48	23 9	287 258	4 1	— —	— 1	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
24 16	11 7	20 9	15 2	2 —	2 3	— 1	2 2	4 —	4 2	4 2	4 2	2 3	4 2	2 6	3 2	1 —	1 —	146
4 4	5 1	2 —	1 1	1 —	— —	1 —	2 —	1 —	1 —	— 1	1 1	2 2	2 1	2 1	— 3	— —	— 1	147
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	148
2 —	— —	— 1	— —	1 —	— —	— —	1 1	— 1	— 1	1 —	2 —	2 1	2 —	— 1	1 2	1 1	— —	149
709 528	17 7	5 1	5 4	3 5	— —	— 3	— —	— —	1 2	1 —	— —	— —	— 1	— —	— —	— —	— —	150
3,524 2,893	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	151A
2,532 1,881	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	151 B-E.
632 377	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	152
30 41	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	153
— —	— —	— —	— —	— —	— —	— —	— —	— 1	2 3	3 11	25 24	97 96	237 267	872 1,043	1,002 1,297	864 1,282	584 1,068	154
— —	— —	— —	— 8	6 4	9 15	12 11	13 13	16 9	15 10	8 14	6 6	5 7	6 1	2 —	1 —	— —	— —	155
— —	— —	— —	1 —	3 —	1 2	4 2	5 5	4 4	3 3	8 3	5 1	7 1	4 1	— 1	— —	— —	— —	156
— —	— —	2 —	6 —	11 6	11 1	19 6	19 4	30 5	21 9	36 9	29 3	25 3	13 2	8 2	4 1	4 —	1 —	157
— —	— —	1 2	6 12	9 9	5 4	10 7	11 10	11 7	18 7	19 6	10 5	10 4	4 1	9 2	1 1	1 —	— —	158
— —	— —	— —	3 —	10 —	4 —	5 1	3 —	7 1	3 1	8 —	4 —	1 —	2 —	1 —	— —	— —	— —	159
— —	— —	— —	2 —	8 1	10 4	16 6	16 5	20 3	20 8	23 3	21 3	13 2	12 1	15 1	2 —	— —	— —	160
— —	— —	— —	— —	— —	1 1	1 —	3 —	1 1	3 4	— 1	1 —	2 1	1 1	— —	— —	1 —	— —	161
— —	— —	— —	2 —	4 —	10 1	5 1	6 —	3 —	3 —	7 —	4 —	3 1	— —	— —	— —	— —	— —	162
— —	— —	— —	1 —	— —	— 2	— —	— 2	1 —	1 —	— 1	— 1	— —	— —	— —	— —	— —	— —	163
2 2	3 4	1 2	1 —	— 1	3 1	— —	1 1	1 1	— 2	3 1	1 —	2 3	1 1	— —	— —	— —	— —	164
6 6	1 1	1 —	1 —	3 2	2 4	2 2	5 6	1 2	2 5	7 4	2 3	3 3	3 1	4 2	1 1	— —	1 —	165
5 1	1 2	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	1 1	— —	1 2	— 2	— —	— 1	166
245 253	34 95	12 22	6 13	8 5	5 7	6 11	10 8	7 11	10 16	11 14	9 8	4 9	4 12	2 27	4 5	3 9	2 3	167
291 260	1 1	— 1	1 1	5 —	5 2	3 —	8 1	4 —	2 1	6 2	1 4	5 —	1 2	1 1	1 3	— 2	— —	168

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	626 140	2 3	— 1	— —	2 2	4 6	6 8	11 7	17 6	15 3
170	Injury by firearms ... { M F	15 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	9 —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
172	Injury by fall ... { M F	766 508	— —	2 1	1 1	2 1	5 3	7 7	4 3	7 1	6 —
173	Injury in mines and quarries. { M F	137 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	131 3	— —	— —	— —	— —	— —	— —	— —	— —	1 —
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	861 170	— —	1 —	— 2	2 —	3 2	8 10	14 5	10 13	17 11
176	Injury by animals ... { M F	19 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —
177	Starvation ... { M F	4 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold ... { M F	9 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	15 11	— —	— —	1 1	— —	1 1	— 1	1 2	— —	— —
180	Lightning... { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	1 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	10 7	— 1	— —	— —	— —	— 1	— —	— —	— —	— —
184	Homicide by other means { M F	32 41	3 8	1 —	1 1	1 2	6 11	— 1	— —	1 —	— 1
185	Fractures (cause not specified). { M F	14 5	— —	— 1	— —	— —	— 1	— —	— —	— —	— —
186	Other violence ... { M F	154 74	4 2	5 2	3 10	4 8	16 22	7 8	2 1	3 2	2 1
187	Dropsy ... { M F	5 14	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	60 41	— —	— —	— —	— —	— —	— —	— —	— —	— 1
188B	Sudden death (not other- wise defined). { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	211 162	— —	— —	— —	— —	— —	2 —	— 1	1 —	— —
189 B-E.	Other ill-defined causes... { M F	260 243	6 8	2 4	5 5	10 7	23 24	145 128	13 28	10 8	— 2
189F	Cause not specified ... { M F	19 14	8 11	1 —	— —	— —	9 11	— —	— —	— —	— —

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
53 30	79 9	46 5	28 9	46 6	37 9	52 1	46 13	56 7	50 14	41 8	26 12	23 6	26 7	9 3	5 —	3 —	— 1	169	
— —	1 —	2 —	5 —	2 1	1 1	— —	— 1	2 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	170	
2 —	— —	— —	1 —	— —	3 —	1 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	171	
29 14	25 9	14 4	24 1	28 1	37 3	42 7	76 14	52 15	64 35	63 38	62 24	46 37	37 44	56 68	47 76	35 63	29 55	172	
— —	— —	5 —	19 —	15 —	15 —	20 —	15 —	9 —	9 —	15 —	9 —	4 —	1 —	1 —	— —	— —	— —	173	
1 —	— —	5 —	18 3	15 —	13 —	12 —	13 —	18 —	12 —	10 —	8 —	4 —	1 —	1 —	— —	— —	— —	174	
52 41	84 39	44 14	58 2	57 7	57 3	77 1	55 4	76 6	65 8	60 9	50 3	45 10	32 7	22 10	16 5	6 1	5 —	175	
1 —	— —	— —	2 1	— —	1 —	— —	6 —	1 —	1 —	1 —	1 —	1 —	2 —	2 —	— —	— —	— —	176	
— —	— —	— —	— —	— —	— —	— —	1 —	1 1	1 —	— 1	— —	— —	1 1	— —	— —	— —	— —	177	
— —	— —	— —	— —	1 —	— —	— —	— —	2 1	1 —	— —	— —	1 —	1 1	3 1	— —	— —	— —	178	
2 4	1 1	1 —	— 1	1 —	2 —	— —	3 1	— 1	1 1	— —	1 1	2 —	— —	— —	— —	1 1	— —	179	
— —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	180	
— —	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	181	
— —	— —	— —	— 1	1 1	1 1	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	182	
— 1	1 —	— —	1 —	3 3	2 1	— —	— —	1 —	1 2	— —	— —	— —	— —	— —	— —	1 —	— —	183	
7 13	1 2	1 1	— 2	3 6	5 6	1 6	3 1	— 2	5 1	3 1	1 —	1 —	— —	— —	— —	1 —	— —	184	
— 1	— —	— —	1 —	— —	1 —	1 1	3 —	1 —	2 —	— 1	1 1	2 1	— —	— —	— —	— —	2 —	185	
30 34	13 5	9 3	5 1	6 1	5 1	8 3	11 1	9 3	11 4	14 3	10 4	10 3	6 2	4 3	2 —	— 2	1 1	186	
1 —	— —	— —	— —	— —	— —	— —	1 —	— 1	1 3	— 2	2 2	— 3	— 1	— —	— —	— 2	— —	187	
— 1	— —	2 3	2 2	1 —	— 1	2 1	2 1	7 5	5 5	8 1	11 8	8 6	12 7	— —	— —	— —	— —	188A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	188B	
3 1	3 2	2 5	3 —	3 1	4 10	11 —	16 15	11 15	16 22	22 15	31 23	43 31	43 22	— —	— —	— —	— —	189A	
191 190	3 8	1 —	2 —	2 —	4 2	4 —	1 1	3 6	4 3	9 8	10 5	12 8	6 7	4 1	1 3	2 —	1 1	189, B-E.	
9 11	— —	2 1	— —	— —	1 —	— —	1 —	1 —	— 1	— —	2 1	2 —	1 —	— —	— —	— —	— —	189F	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	195 97	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
45	Cancer of other or un- specified organs. { M F	1,185 745	— —	— —	— 1	2 1	2 2	7 3	9 5	5 4	4 3
39-45	Cancer (all sites) ... { M F	5,457 7,458	— —	— —	— 2	2 1	2 3	7 5	10 7	5 7	4 3
46	Other tumours (situation undefined). { M F	15 28	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	319 332	— —	— —	— —	2 —	2 —	2 2	2 —	2 6	4 4
48 A,B	Chronic rheumatism, Osteo-arthritis. { M F	165 367	— —	— —	— —	— —	— —	— —	— 1	— —	— —
48C	Gout ... { M F	102 26	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	9 6	— —	1 —	1 1	3 2	5 3	— 1	1 —	— —	— —
50	Diabetes ... { M F	745 834	— —	— —	— 1	— —	— 1	— —	— —	— 1	2 —
51	Exophthalmic goitre ... { M F	18 133	— —	— —	— —	— —	— —	— —	— —	— —	— 1
52	Addison's disease ... { M F	48 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lympha- denoma. { M F	120 102	— —	— —	— —	2 4	2 4	— —	— 1	4 —	3 1
54	Anæmia, Chlorosis ... { M F	341 461	2 1	2 —	5 —	3 3	12 4	3 8	1 1	2 —	2 1
55	Other general diseases ... { M F	97 68	9 4	5 4	1 2	2 3	17 13	4 2	2 3	4 4	6 —
56	Alcoholism (acute or chronic). { M F	131 70	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning... { M F	30 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupa- tional poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	2 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	48 38	— —	— 1	1 1	— 1	1 3	1 3	1 —	— —	— —
61A	Cerebro-spinal fever ... { M F	26 27	1 —	— —	— —	2 6	3 6	1 3	— 2	1 1	1 1
61B	Posterior basal meningitis { M F	28 28	— —	1 1	1 4	5 9	7 14	8 6	4 2	1 —	1 1
61C	Meningitis, other forms { M F	742 653	15 5	33 21	66 48	109 73	223 147	111 104	56 57	33 28	26 32
62	Locomotor ataxy ... { M F	201 36	— —	— —	— —	— —	— —	1 —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	524 430	— —	1 1	— 1	4 3	5 5	8 4	3 4	1 1	6 4

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— 2	— —	— —	— —	— 3	1 —	2 —	3 —	8 1	12 4	12 7	19 7	23 9	27 9	30 19	31 16	12 12	15 8	} 44
27 17	9 3	9 8	8 18	18 8	21 9	38 16	42 40	71 40	85 54	107 80	145 90	195 93	157 94	133 81	74 53	36 29	10 12	
28 25	9 5	10 11	12 23	22 18	42 34	79 115	123 283	230 470	411 649	560 824	772 934	903 1057	893 1027	714 932	408 645	168 276	73 130	} 39-45
— —	— 1	— 1	— —	— —	— 1	1 —	1 —	1 2	— 3	1 8	1 4	2 3	4 1	4 1	— 1	— 1	— 1	
12 12	44 44	45 51	39 26	26 26	17 17	16 21	18 19	14 24	22 22	21 17	22 17	8 19	8 11	5 4	2 1	— 1	— —	} 47
— 1	— 1	1 1	— —	— 2	1 1	— 5	3 5	2 9	3 13	11 24	15 30	27 55	32 62	34 65	25 47	7 34	4 12	
— —	— —	— —	1 —	— —	— —	1 —	— —	2 —	3 1	8 —	12 —	20 4	16 11	19 1	10 4	6 2	4 3	} 48C
6 4	— —	— —	— —	— —	— —	1 1	1 —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	
2 2	10 15	10 17	19 21	27 22	29 30	40 30	25 30	31 33	39 48	63 54	81 93	115 116	107 120	74 107	38 67	19 21	6 8	} 50
— 1	— —	— —	1 5	2 7	1 12	1 11	4 16	1 18	— 26	1 17	4 8	1 5	2 4	— 2	— 1	— —	— —	
— —	— —	— —	4 1	2 3	4 —	2 2	3 6	5 6	9 8	2 4	5 2	5 3	4 3	3 1	— 1	— —	— —	} 52
9 6	9 5	9 4	6 6	5 10	7 6	11 6	10 6	4 7	8 9	9 8	9 8	10 7	4 7	8 4	2 3	— —	— —	
20 14	5 3	1 7	5 15	4 17	3 24	12 23	18 28	20 33	24 45	47 47	55 53	51 54	40 58	23 28	8 9	5 3	— —	} 54
33 22	10 4	3 5	8 1	5 8	7 2	3 2	4 3	7 3	1 2	3 5	1 1	3 1	3 —	4 4	2 2	— 2	— 1	
— —	— —	— —	1 —	2 —	7 2	12 2	19 9	23 7	16 14	18 7	16 10	7 9	8 3	— 5	2 2	— —	— —	} 56
— —	— —	— —	1 —	— —	1 —	2 —	4 1	2 —	7 —	7 1	4 —	1 1	— —	1 —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 58
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— 2	— —	— —	— —	
3 6	3 2	— 1	4 6	6 2	1 1	4 1	1 3	1 3	3 3	4 1	5 2	6 3	4 1	3 1	— 2	— —	— —	} 60
6 13	11 3	1 5	2 1	4 —	— 1	1 —	— 1	— 2	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	
21 23	4 2	— —	— 1	— —	— —	1 —	1 1	1 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	} 61B
449 368	91 85	37 43	27 19	19 23	16 16	17 19	13 13	11 17	11 18	23 8	10 12	3 2	8 4	4 1	1 5	— —	2 —	
1 —	— —	1 —	— —	— —	— 2	— 1	13 4	21 1	31 7	43 4	28 7	29 3	24 4	7 1	2 1	2 —	— —	} 62
23 18	10 7	8 9	12 11	5 11	13 8	14 17	18 22	25 28	33 18	32 32	53 39	70 53	79 61	72 47	37 31	15 7	5 11	

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
8 16	2 2	2 4	2 8	6 7	17 10	13 29	42 45	62 103	135 201	221 312	354 448	530 529	607 686	737 825	537 710	295 420	112 203	64
— —	— —	— —	1 —	1 —	— 1	1 —	4 1	2 2	4 7	16 10	22 23	34 31	41 38	67 63	28 43	16 35	14 10	65
3 2	— —	2 1	1 1	1 2	— 2	2 2	3 4	5 10	11 12	18 24	31 26	38 41	58 69	74 75	54 79	33 42	14 30	66
— —	— —	3 —	1 2	2 1	12 3	43 10	102 17	88 18	101 21	61 17	39 13	26 9	9 6	4 3	2 —	— —	— —	67
— —	— —	— —	1 1	3 3	5 7	3 12	8 13	6 14	8 19	14 23	8 21	16 26	10 15	10 15	4 11	4 6	3 2	68
28 18	11 15	22 25	33 23	38 23	42 40	26 36	34 30	43 36	34 38	35 37	30 28	38 28	24 24	14 17	17 8	2 4	1 5	69
— —	6 12	2 2	1 —	— 1	— —	— —	— —	1 —	2 —	1 —	1 —	— —	1 —	— 1	1 —	— 2	— —	70
1,890 1,382	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	71
— 1	3 5	2 8	2 9	1 3	1 1	— 2	— 1	— —	— 2	— 1	— —	— 3	— —	— 1	— —	— 2	— —	72
— —	— —	— —	— —	— 4	— 3	2 5	4 7	5 17	10 19	11 25	4 12	4 9	9 10	4 7	5 3	— —	— —	73
36 19	16 15	13 13	11 8	13 11	9 13	18 17	25 10	14 13	20 20	24 29	22 27	22 16	20 21	16 19	5 17	8 6	4 6	74
3 1	1 —	— 1	— —	— —	— —	— —	— —	— —	1 —	— 2	— —	1 —	2 —	3 —	3 1	— 1	— 1	75
17 15	8 8	10 7	14 3	2 6	3 2	— 3	2 1	1 2	1 1	1 —	— 1	— —	— —	— —	— —	— —	— —	76A
76 38	19 19	17 20	19 9	17 4	9 1	10 4	6 2	7 5	5 1	5 2	2 1	— —	4 2	— —	— 1	— —	— —	76B
6 7	7 6	2 4	1 6	2 2	4 2	2 2	6 5	6 3	5 3	6 4	7 1	5 3	4 3	7 2	1 2	1 2	1 1	77
5 7	20 12	20 20	14 24	16 25	21 21	19 17	20 24	31 22	23 30	30 31	33 29	9 5	7 6	1 2	— —	1 —	— —	78
9 3	38 36	44 68	75 68	71 94	55 101	86 131	114 163	172 200	212 205	274 277	322 335	391 423	476 468	381 477	257 362	110 149	43 63	79A
— 1	— —	— —	1 —	1 3	2 5	4 5	11 12	28 29	27 42	55 69	65 66	77 89	80 84	69 93	55 60	16 16	9 16	79B
13 7	21 16	23 29	35 43	31 40	42 49	68 67	101 100	152 152	215 202	263 272	391 339	579 502	612 660	673 763	480 563	217 321	98 171	79C
— —	— 1	— —	— —	— —	— —	3 —	4 2	13 2	4 5	33 4	49 11	49 23	52 21	45 22	27 17	16 8	3 4	80
— —	— —	— —	2 —	1 1	3 1	8 2	24 1	31 9	43 5	52 6	34 12	35 9	25 12	24 6	6 2	2 5	— 1	81A
— —	— —	— —	— —	— —	3 1	2 —	2 5	9 8	19 6	60 30	84 50	163 67	193 106	264 177	206 177	135 130	61 97	81B
— —	— —	— —	— —	— —	— —	— 1	— —	2 —	3 —	2 —	4 1	6 4	4 2	8 1	5 1	— 3	— 1	81C

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 391 F 593	— —	— —	— —	1 —	1 —	— —	— 1	— —	— —
82B	Other embolism and thrombosis. {	M 56 F 65	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 36 F 83	— —	— —	— —	— —	— —	— —	— —	— —	— —
84A	Status lymphaticus ... {	M 31 F 25	2 5	3 6	7 5	5 2	17 18	3 —	— —	2 1	— —
84B	Other diseases of the lymphatic system. {	M 25 F 17	— —	— 1	2 —	4 3	6 4	2 —	3 —	— —	— —
85	Hæmorrhage; other diseases of the circulatory system. {	M 34 F 31	1 —	— —	— —	1 —	2 —	— —	1 —	— —	— —
86	Diseases of the nasal fossæ. {	M 14 F 15	1 —	2 1	— 2	— 2	3 5	1 —	1 —	1 1	— 1
87	Diseases of the larynx ... {	M 239 F 190	5 4	7 5	5 8	25 15	42 32	46 30	25 21	23 24	20 21
88	Diseases of the thyroid body. {	M 17 F 85	— —	— —	— —	— —	— —	1 —	— —	— —	— —
89 & 90	Bronchitis ... {	M 5,939 F 6,038	169 111	370 275	323 262	493 419	1,355 1,067	303 296	91 70	38 36	13 21
91	Broncho-pneumonia ... {	M 2,937 F 2,652	60 51	238 138	314 234	734 609	1,346 1,032	718 606	196 185	94 116	47 63
92A	Lobar pneumonia ... {	M 1,506 F 896	5 2	10 5	20 11	49 45	84 63	73 47	27 20	20 23	18 14
92B	Pneumonia (type not stated). {	M 2,198 F 1,479	17 15	49 37	72 53	154 126	292 231	170 137	57 49	40 32	27 24
93	Pleurisy ... {	M 249 F 161	1 2	2 —	— —	5 3	8 5	8 10	8 4	3 4	2 4
94	Pulmonary congestion, Pulmonary apoplexy. {	M 268 F 297	8 5	8 6	8 6	17 12	41 29	11 9	1 3	1 —	— 1
95	Gangrene of the lung ... {	M 17 F 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 364 F 219	— —	1 —	1 —	— 1	2 1	2 —	— 1	— —	— 2
97	Pulmonary emphysema {	M 58 F 31	— —	— —	— —	— —	— —	— —	— —	— —	— —
98A	Fibroid disease of lung... {	M 100 F 26	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 42 F 36	— 2	— —	2 2	1 —	3 4	— —	— —	— 1	1 —
99A	Diseases of the teeth and gums. {	M 58 F 45	2 —	2 2	3 —	5 6	12 8	7 5	— —	— 2	— 1
99B, C, D.	Other diseases of the mouth and annexa. {	M 53 F 30	23 4	9 13	7 5	1 1	40 23	1 2	2 1	— —	— —
100	Diseases of pharynx, Tonsillitis. {	M 108 F 98	3 2	— 2	2 1	5 3	10 8	9 2	4 3	5 8	5 13

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 1	1 —	2 —	1 4	2 3	— 5	4 10	5 11	12 14	18 28	23 33	38 38	36 67	64 70	66 110	62 92	39 57	17 50	}	82A
1 —	— —	— —	3 1	— 1	2 3	2 5	5 5	2 4	3 6	4 8	5 5	9 6	4 4	6 10	5 4	1 2	4 1		
— —	— —	1 —	1 —	— —	— 3	— 5	1 5	4 8	4 6	8 3	3 10	7 10	4 13	1 11	2 5	— 4	— —	}	83
22 19	5 1	4 —	— —	— 2	— —	— 2	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —		
11 4	1 —	1 —	1 —	1 —	1 1	1 —	1 2	— —	1 1	— 1	1 1	2 1	2 —	— 1	1 3	— 2	— —	}	84B
3 —	— —	— 1	— —	— —	2 —	1 2	— —	1 1	2 1	1 2	1 2	3 2	7 7	6 3	1 4	4 3	2 3		
6 7	2 1	1 1	1 —	— —	— 2	1 1	— —	2 —	1 2	— 1	— —	— —	— —	— —	— —	— —	— —	}	86
156 128	46 37	8 1	1 1	1 —	1 2	3 —	3 —	2 4	5 —	2 1	4 2	2 2	2 1	— 3	— 6	2 1	1 1		
1 —	1 —	1 2	2 3	1 —	— 3	1 4	— 4	— 5	— 10	3 6	3 10	1 4	1 13	1 15	1 3	— 2	— 1	}	88
1,800 1,490	37 29	12 7	4 10	7 11	10 16	35 28	43 44	73 63	131 92	197 156	331 258	501 431	625 599	834 918	676 826	387 642	236 418		
2,401 2,002	79 78	6 17	8 10	7 9	9 9	15 19	18 21	28 33	28 20	36 30	38 43	63 52	68 72	58 89	41 65	27 45	7 38	}	91
222 167	48 44	21 16	50 28	66 28	84 54	99 42	142 60	116 63	119 41	108 60	114 49	111 56	99 54	59 65	27 44	13 19	8 6		
586 473	63 62	23 19	56 34	62 41	75 45	96 52	121 50	115 72	133 53	159 57	163 87	154 84	150 94	114 115	70 71	37 45	21 25	}	92B
29 27	7 5	4 4	6 3	7 5	7 8	11 7	15 16	12 6	19 8	25 7	20 9	30 13	19 11	18 9	13 13	5 7	2 3		
54 42	2 —	— 2	3 3	1 3	4 3	4 1	3 5	7 3	9 10	11 6	16 9	22 15	24 16	26 40	32 50	36 43	14 46	}	94
— —	— —	— —	— —	— —	1 2	— —	2 2	2 —	3 1	4 —	1 2	1 1	1 1	1 2	— 1	1 —	— —		
4 4	3 2	1 1	2 1	1 2	6 5	7 5	10 5	20 13	28 16	40 24	40 23	54 38	61 30	39 23	30 14	11 10	7 3	}	96
— —	— —	— —	— —	— —	— —	— —	2 —	1 2	5 3	9 2	13 3	6 2	8 7	6 4	6 6	1 —	1 2		
— —	1 —	— —	— —	— 1	— 1	5 2	7 —	5 1	17 2	22 2	23 3	9 1	6 3	2 4	3 4	— 1	— 1	}	98A
4 5	1 1	1 —	4 —	4 1	— 3	4 3	4 1	— 1	5 1	4 1	3 4	4 2	1 1	2 6	1 1	— 5	— —		
19 16	2 1	— 1	— 1	4 5	1 1	3 —	4 5	7 3	2 1	1 2	4 1	4 2	1 3	1 1	2 —	3 1	— 1	}	99A
43 26	1 —	2 —	— —	— —	— —	1 —	1 —	— —	— 1	1 —	1 1	1 —	1 —	1 —	— 1	— 1	— —		
33 34	20 25	15 5	2 3	8 6	4 2	3 —	3 1	6 3	2 3	4 6	2 2	— 1	2 3	3 3	1 —	— 1	— —	}	100

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	13 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	300 303	— —	— —	— —	— —	— —	— —	— 1	— —	— —
103A	Inflammation of stomach { M F	617 594	59 33	100 85	98 63	87 62	344 243	34 27	11 3	8 9	7 6
103B	Other diseases of the { M F	108 99	4 —	7 7	7 3	2 2	20 12	1 2	— —	— —	2 2
104 & 105.	Diarrhœa and enteritis ... { M F	4,503 3,723	200 119	788 527	959 775	1,070 878	3,017 2,299	650 609	116 116	51 35	23 18
106	Ankylostomiasis ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	— 4	— —	— —	— —	— —	— —	— —	— 1	— 1	— 1
108	Appendicitis ... { M F	509 415	— —	1 —	— —	— —	1 —	2 1	2 1	10 4	13 5
109A	Hernia ... { M F	245 303	5 1	6 1	7 —	11 1	29 3	3 2	3 —	2 —	— 1
109B	Intestinal obstruction ... { M F	398 427	9 5	11 5	29 16	30 16	79 42	13 10	9 2	5 4	5 3
110	Other diseases of the { M F	70 89	1 1	3 3	5 3	— 2	9 9	1 3	— 1	1 —	— 1
111	Acute yellow atrophy of { M F	7 13	— —	— —	— —	— —	— —	— —	— —	— 1	— —
112	Hydatid of liver ... { M F	7 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	772 544	— —	— —	— —	— —	— —	— —	— —	1 —	1 1
114	Biliary calculi ... { M F	80 234	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	129 183	— —	— —	3 2	1 —	4 2	1 2	1 1	1 —	— 2
116	Diseases of the spleen ... { M F	8 7	— —	1 —	— —	— —	1 —	— —	— —	— —	— —
117	Peritonitis (cause un- stated). { M F	63 94	2 4	2 —	1 —	5 5	10 9	— —	3 1	3 —	1 1
118	Other diseases of the { M F	34 44	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute nephritis ... { M F	370 311	2 —	6 5	7 8	13 6	28 19	24 19	14 6	14 8	10 7
120	Bright's disease ... { M F	2,347 1,973	— —	— —	1 —	1 1	2 1	6 4	2 3	2 2	3 —
121	Chyluria ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	72 79	— —	— —	1 —	1 —	2 —	1 1	— 2	— —	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	1	—	4	1	4	—	3	—	—	} 101
—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	
—	2	1	3	11	22	22	33	26	30	31	28	30	29	20	9	3	—	} 102
1	—	2	17	35	22	32	26	33	33	26	18	26	13	11	7	1	—	
404	9	6	1	3	2	7	10	8	12	12	22	26	35	24	18	13	5	} 103A
288	18	4	4	3	3	10	15	14	9	23	26	25	35	42	37	19	19	
23	1	1	1	2	3	4	7	10	5	9	8	11	7	7	4	3	2	} 103B
16	4	1	1	2	—	2	2	5	5	9	4	9	8	12	8	7	4	
3,857	30	12	9	17	26	34	42	29	51	47	64	57	65	70	56	22	15	} 104 & 105.
3,077	62	10	8	23	21	36	27	23	40	38	33	54	62	73	68	44	24	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 107
3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28	70	80	57	45	38	38	21	25	24	20	21	13	10	11	6	1	1	} 108
11	64	49	52	34	30	26	22	22	19	23	15	12	9	11	7	6	3	
37	1	1	3	3	4	1	4	9	12	18	20	17	34	27	26	19	9	} 109A
6	—	1	1	—	1	6	9	17	25	31	36	44	41	36	26	19	4	
111	10	8	15	7	13	8	9	11	14	20	25	28	36	30	24	18	11	} 109B
61	14	8	4	12	6	13	17	13	19	19	23	48	50	45	35	34	6	
11	1	—	1	2	—	4	4	4	5	3	3	7	10	3	5	4	3	} 110
14	1	1	1	1	2	1	3	5	7	6	7	4	8	7	10	7	4	
—	1	—	—	—	—	2	—	1	1	—	—	2	—	—	—	—	—	} 111
1	1	—	—	1	3	1	2	1	1	1	—	1	—	—	—	—	—	
—	—	—	—	—	1	—	—	1	—	1	1	1	1	1	—	—	—	} 112
—	—	—	—	2	—	—	—	4	—	—	—	—	2	—	—	—	—	
2	3	—	—	1	10	10	38	79	95	125	123	117	91	56	14	7	1	} 113
1	—	—	1	3	2	11	24	64	74	79	87	70	55	45	18	9	1	
—	—	—	—	—	—	1	—	4	3	9	9	12	15	10	9	7	1	} 114
—	—	—	—	—	2	4	3	11	13	21	24	37	40	32	26	14	7	
7	3	4	4	3	7	6	3	10	9	12	15	10	10	13	5	5	3	} 115
7	3	—	1	3	1	3	5	9	11	18	11	25	26	25	17	13	5	
1	—	—	—	—	1	—	—	—	1	—	2	—	3	—	—	—	—	} 116
—	—	1	—	—	—	—	1	1	—	—	1	—	1	2	—	—	—	
17	3	3	3	2	2	3	3	2	8	4	3	3	2	3	1	—	1	} 117
11	16	6	4	8	7	8	4	5	7	3	4	1	2	3	2	2	1	
—	—	—	1	1	—	1	1	1	5	7	4	6	3	1	3	—	—	} 118
—	—	1	—	1	1	2	4	5	2	5	6	1	5	3	2	3	3	
90	26	11	16	13	11	24	20	25	27	36	18	15	17	14	4	3	—	} 119
59	30	5	12	14	9	23	22	26	23	15	23	15	18	11	4	1	1	
15	10	21	18	32	41	64	89	137	177	243	297	325	353	285	146	62	32	} 120
10	7	21	18	28	35	64	93	141	151	197	251	240	254	223	146	66	28	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
3	1	—	1	1	2	2	3	6	8	8	4	9	5	4	8	6	1	} 122
3	2	1	3	1	2	6	8	10	5	6	4	5	9	9	3	2	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	{ M F	60 25	— —	— —	— —	— —	— —	— —	1 —	— —	1 —
124	Diseases of the bladder...	{ M F	311 87	— —	— —	— —	— —	— —	— —	— —	— —	1 —
125	Diseases of the urethra, Urinary abscess, &c.	{ M F	101 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate...	{ M F	484 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of male genital organs.	{ M F	11 —	4 —	2 —	1 —	— —	7 —	— —	— —	— —	— —
128	Uterine hæmorrhage (non-puerperal).	{ M F	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non-cancerous).	{ M F	— 114	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the uterus.	{ M F	— 41	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour (non-cancerous)	{ M F	— 94	— —	— —	— —	— —	— —	— —	— —	— —	— —
132	Other diseases of the female genital organs.	{ M F	— 55	— 1	— —	— —	— —	— 1	— 1	— 1	— —	— —
133	Non-puerperal dis. of the breast (non-cancerous).	{ M F	1 11	1 3	— 3	— —	— —	1 6	— —	— —	— —	— —
134	Accidents of pregnancy...	{ M F	— 129	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ...	{ M F	— 157	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child-birth.	{ M F	— 137	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ...	{ M F	— 358	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria and convulsions.	{ M F	— 276	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	{ M F	— 112	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ...	{ M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast.	{ M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ...	{ M F	232 181	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ...	{ M F	19 27	3 —	1 —	— 1	— 2	4 3	3 1	2 4	— 2	1 1
143	Carbuncle, Boil ..	{ M F	43 22	1 —	2 —	2 1	— —	5 1	— —	— —	— —	— —
144	Phlegmon, Acute abscess	{ M F	127 83	10 5	9 11	3 5	6 4	28 25	9 7	1 3	1 1	2 1
145	Diseases of the integumentary system.	{ M F	166 195	38 28	27 12	5 4	14 7	84 51	7 7	2 1	— —	— 2

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
2	1	1	—	—	2	3	4	5	3	6	5	8	6	4	5	2	3	} 123
—	—	1	—	1	1	1	1	2	3	4	4	1	3	2	1	—	—	
1	—	—	—	—	—	1	6	5	12	15	18	28	42	48	75	39	21	} 124
—	—	—	—	1	1	3	4	2	4	3	7	6	10	12	12	17	5	
—	—	—	—	—	1	3	5	8	10	15	17	14	12	7	8	1	—	} 125
—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
—	—	—	—	—	—	1	—	2	—	7	17	50	74	106	125	73	29	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	1	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	—	—	1	3	1	—	1	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	4	6	16	20	21	10	4	11	6	12	—	2	2	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	3	5	7	7	4	4	—	3	1	2	3	—	—	} 130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	5	5	9	6	11	5	7	16	14	11	3	2	—	} 131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	2	1	2	3	8	10	7	4	8	—	3	1	—	2	—	1	—	} 132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	1	—	1	—	1	—	—	—	2	—	—	—	} 133
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	14	26	32	33	22	1	—	—	—	—	—	—	—	—	} 134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	5	17	20	46	47	20	2	—	—	—	—	—	—	—	—	} 135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	6	35	30	35	25	3	—	—	—	—	—	—	—	—	} 136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	12	59	92	91	74	29	1	—	—	—	—	—	—	—	—	} 137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	31	58	64	58	42	18	4	1	—	—	—	—	—	—	—	} 138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	13	24	29	29	15	2	—	—	—	—	—	—	—	—	} 139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	4	3	4	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	20	35	61	53	40	22	} 142A
—	—	—	—	—	—	—	—	—	—	—	4	15	21	26	46	35	34	
10	—	—	—	1	—	—	—	—	—	—	3	3	—	1	1	—	—	} 142B
11	2	—	2	—	1	—	2	1	—	1	4	1	—	2	—	—	—	
5	—	—	1	2	3	2	1	2	1	4	5	3	4	5	2	1	2	} 143
1	—	—	—	—	—	—	—	2	1	2	1	2	2	5	3	—	3	
41	2	7	4	1	4	—	4	8	4	5	12	4	7	12	6	4	2	} 144
37	—	—	—	—	1	3	2	2	3	6	6	5	5	5	6	—	2	
93	1	—	—	—	1	1	2	—	3	4	7	11	7	12	15	4	5	} 145
61	2	—	—	—	1	3	1	4	4	6	6	21	19	18	17	18	14	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	104 58	— —	3 —	4 4	3 —	10 4	3 3	1 4	2 1	— —
147	Diseases of the joints ... { M F	19 17	— —	— 1	— —	1 —	1 1	1 —	— —	1 1	— —
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
150	Congenital malformations { M F	777 617	420 335	141 95	86 62	47 41	694 533	28 18	11 11	6 8	5 2
151A	Premature birth ... { M F	3,373 2,637	3,057 2,362	279 238	34 33	3 4	3,373 2,637	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	2,486 1,808	1,348 983	606 420	352 240	180 165	2,486 1,808	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	564 374	539 353	25 21	— —	— —	564 374	— —	— —	— —	— —
153	Lack of care ... { M F	28 23	28 23	— —	— —	— —	28 23	— —	— —	— —	— —
154	Old age ... { M F	4,326 5,977	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	88 56	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	33 11	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	247 70	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	177 106	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	78 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	163 43	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	15 9	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	70 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	4 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	17 18	— —	— —	— —	— —	— —	1 —	— 2	1 —	1 —
165	Other acute poisonings ... { M F	37 34	— —	— 1	— 1	— —	— 2	— —	1 —	— 1	— 2
166	Conflagration ... { M F	4 3	— —	— —	— —	— —	— —	1 1	— —	— —	— —
167	Burns (conflagration ex- cepted). { M F	298 372	— —	3 1	3 1	13 10	19 12	46 32	81 39	41 39	22 31
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	185 137	52 39	53 46	31 30	13 6	149 121	1 —	— —	— —	— —

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... { M F	731 141	3 3	— —	— —	— 2	3 5	7 5	22 7	21 5	21 5
170	Injury by firearms ... { M F	39 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
171	Injury by cutting or piercing instruments. { M F	8 —	— —	— —	— —	2 —	2 —	— —	— —	— —	— —
172	Injury by fall ... { M F	589 399	— —	— —	1 2	4 3	5 5	9 4	4 1	2 —	2 1
173	Injury in mines and quarries. { M F	644 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	82 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
175	Injury by other crushing (vehicles, railways, land- slides, &c.). { M F	921 163	— —	— —	1 —	2 —	3 —	6 13	15 11	17 4	26 9
176	Injury by animals ... { M F	22 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —
177	Starvation ... { M F	5 1	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
178	Excessive cold ... { M F	23 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	34 22	2 1	— —	1 —	— 1	3 2	2 1	2 3	1 1	5 1
180	Lightning... { M F	4 2	— —	— —	— —	— —	— —	— —	— —	1 —	— —
181	Electricity (lightning ex- cepted). { M F	13 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by firearms ... { M F	7 6	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cutting or piercing instruments. { M F	3 13	— 1	— —	— —	— 1	— 2	— 1	— 1	— —	— —
184	Homicide by other means { M F	34 42	11 14	3 1	2 1	4 —	20 16	1 1	— —	— —	— 1
185	Fractures (cause not specified). { M F	11 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
186	Other violence ... { M F	143 41	1 2	— 2	4 3	6 7	11 14	8 1	1 2	3 2	— —
187	Dropsy ... { M F	3 6	— —	— —	— —	— —	— —	1 1	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	53 30	— —	— —	— —	— —	— —	— —	— —	— —	— —
188B	Sudden death (not other- wise defined). { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	303 171	— —	— —	— —	— —	— —	— 1	— 1	1 1	1 1
189 B-E.	Other ill-defined causes... { M F	174 153	13 7	3 4	3 5	13 7	32 23	80 71	13 6	1 3	3 —
189F	Cause not specified ... { M F	21 15	11 5	— 1	— —	— —	11 6	— —	1 —	— —	— —

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1913—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
74 27	85 11	54 4	55 10	40 12	60 12	40 7	50 7	40 10	55 7	48 6	40 10	26 8	27 5	20 3	11 —	6 2	—	169
—	—	3	10	8	2	5	1	1	3	1	2	1	2	—	—	—	—	170
—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	171
2	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—	172
22 11	13 12	17 2	13 2	19 1	25 3	33 7	33 5	40 10	44 12	36 17	53 15	49 29	40 32	52 58	42 61	31 59	27 63	173
—	—	18	82	80	90	64	65	75	58	47	29	22	12	2	—	—	—	174
1	—	6	11	14	12	6	8	5	8	1	5	2	3	—	—	—	—	175
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	176
67 37	65 27	48 6	73 11	65 6	89 2	64 4	75 7	64 7	65 8	56 12	57 8	50 4	28 3	26 8	16 7	8 5	5 1	177
1	1	3	2	1	1	1	1	4	1	1	2	2	—	—	—	1	—	178
—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	179
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	180
—	—	—	—	1	1	—	1	1	4	2	2	1	2	4	2	2	—	181
13 8	1 4	3 6	2 —	1 —	—	2 1	1 —	1 —	4 1	1 —	1 —	2 —	—	1 —	1 1	—	1	182
1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	183
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	184
—	1	1	2	1	2	2	2	—	—	1	1	—	—	—	—	—	—	185
—	—	—	—	—	2	1	1	1	1	—	—	—	—	—	—	—	—	186
—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	187
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188A
4	2	—	—	—	2	1	2	—	1	—	—	1	—	—	—	—	—	188B
21 18	1 3	—	—	2 2	2 6	—	2 4	2 5	2 —	1 —	—	—	1 1	—	—	—	—	189A
—	—	—	1	—	1	—	2	3	—	1	1	1	—	1	1	—	—	189B
23 19	5 3	8 2	10 1	11 2	9 —	9 1	15 —	9 1	12 2	5 2	7 1	6 2	9 1	4 3	1 —	—	1	190
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	191
1	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	192
—	2	—	1	2	1	2	1	5	4	2	11	10	12	—	—	—	—	193
—	1	—	1	1	—	2	2	2	1	5	2	8	5	—	—	—	—	194
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	195
2 4	4 3	3 —	1 1	1 1	5 1	10 6	13 5	22 14	28 14	32 18	38 33	63 28	81 43	—	—	—	—	196
129 103	1 3	2 3	— 1	1 1	— 1	3 —	1 2	3 3	— 4	7 5	5 5	5 5	8 9	6 6	1 2	2 —	—	197
12 6	—	1	1	—	1 1	1 —	1 2	2 4	—	—	— 1	2 1	—	—	—	—	—	198

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

T DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 5	4 1	3 —	6 1	2 —	2 —	1 —	4 1	2 2	6 —	3 3	2 —	3 2	2 1	1 —	1 —	—	—	}	24
—	—	—	—	1	—	1	1 1	—	1 —	—	—	2	—	—	—	—	—		
—	1	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	}	25
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	}	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
42 39	23 42	54 122	199 273	319 322	331 360	360 331	340 246	287 232	224 144	224 134	181 96	131 74	75 54	40 30	15 14	1 7	— 1	}	28
16 6	8 6	8 12	16 28	22 29	23 22	24 20	15 21	24 7	18 12	11 11	5 4	4 6	4 —	1 1	2 1	— 1	—		
19 9	6 10	7 8	5 9	7 6	3 3	2 5	5 3	3 —	— 2	—	—	1 1	1 —	— 2	—	—	—	}	29B
222 195	68 70	42 38	22 25	13 10	11 7	2 8	3 2	3 3	2 2	2 3	—	3 1	—	—	—	—	—		
191 145	21 40	17 24	23 28	7 21	8 12	7 19	7 17	10 9	4 7	2 7	8 3	7 1	1 3	— 2	1 —	—	—	}	31
4 5	7 2	5 5	4 9	7 5	11 9	4 5	4 3	3 3	5 10	3 2	5 1	3 4	4 2	1 5	3 2	—	—		
2 —	2 1	2 2	7 2	6 2	6 4	6 —	2 3	2 6	2 1	1 —	— 2	1 1	1 —	1 1	— 1	—	—	}	33
9 8	3 2	6 3	4 1	5 6	4 9	4 7	4 3	5 5	4 4	6 2	7 6	7 5	5 1	1 2	— 5	2 —	1 1		
48 33	17 19	13 15	14 14	14 10	23 13	12 16	7 17	12 6	8 5	2 4	8 5	4 2	4 2	3 5	— 2	— 1	—	}	35
553 440	155 192	154 229	294 389	400 411	420 439	421 411	387 315	349 271	267 187	251 163	214 117	161 95	95 62	47 48	21 25	3 9	1 2		}
89 61	2 2	1 —	— —	2 —	1 —	— —	— 3	— 1	1 1	1 1	—	— 1	1 —	— —	— —	— —	—		
60 34	— 1	— 2	— —	— 2	— —	4 2	7 4	4 1	2 6	6 2	4 1	4 —	4 2	1 1	2 —	— 1	—	}	37
— 4	—	—	—	—	—	—	— 2	—	—	1 —	—	—	—	—	—	—	—		
—	—	—	—	2	1	2	6 9	12 1	19 7	37 7	54 8	76 10	68 8	63 11	41 9	31 4	17 4	}	39
3 2	2 —	3 —	2 2	— —	5 4	12 10	25 25	53 50	76 82	129 136	190 187	297 245	298 264	297 259	185 187	66 76	21 33		}
—	—	—	—	1 3	7 2	12 8	11 12	27 27	61 57	70 66	115 89	133 109	194 156	172 158	119 98	50 49	11 18	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	2	2	4	15	33	53	118	129	132	124	115	71	62	22	}	
—	—	—	—	—	3	14	30	63	88	95	98	106	112	1	1 87	— 68	— 44		23

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ... { M F	154 84	— —	— —	— —	— —	— —	— —	— —	— —	— —
45	Cancer of other or unspecified organs. { M F	731 457	— —	— 1	1 —	— 1	1 2	1 3	5 —	3 2	3 2
39-45	Cancer (all sites) ... { M F	3,963 4,756	1 —	— 1	2 —	— 2	3 3	1 4	6 —	3 2	3 2
46	Other tumours (situation undefined). { M F	11 20	— —	— —	— —	— —	— —	— —	— —	— —	— —
47	Rheumatic fever... { M F	157 150	— —	— —	— —	— —	— —	1 1	— 2	1 2	1 1
48 A, B	Chronic rheumatism, Osteo-arthritis. { M F	125 257	— —	— —	— —	— —	— —	— —	— —	— —	— —
48C	Gout ... { M F	64 12	— —	— —	— —	— —	— —	— —	— —	— —	— —
49	Scurvy ... { M F	3 5	— —	— 1	— —	2 2	2 3	— 1	— —	1 —	— —
50	Diabetes ... { M F	491 492	— —	— —	— —	— —	— —	1 —	— 1	1 2	2 3
51	Exophthalmic goitre ... { M F	6 103	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	22 24	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	72 63	— —	— —	— —	1 —	1 —	2 —	— —	— 1	— 1
54	Anæmia, Chlorosis ... { M F	221 327	1 3	— —	1 3	2 3	4 9	1 4	1 2	1 1	— 1
55	Other general diseases ... { M F	74 39	6 7	2 2	2 —	3 —	13 9	2 2	5 1	1 —	1 —
56	Alcoholism (acute or chronic). { M F	61 23	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning ... { M F	11 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occupational poisonings. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	43 29	1 1	1 —	— 1	— 1	2 3	4 —	1 1	1 —	1 —
61A	Cerebro-spinal fever ... { M F	18 16	— —	— —	— —	2 1	2 1	2 —	— —	4 —	— —
61B	Posterior basal meningitis { M F	15 10	— —	1 —	1 3	5 2	7 5	4 —	— 1	— —	— —
61C	Meningitis, other forms { M F	341 300	4 3	10 10	32 23	41 50	87 86	68 39	28 26	13 10	8 11
62	Locomotor ataxy ... { M F	96 23	— —	— —	— —	— —	— —	1 —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	341 288	— —	— —	1 2	2 1	3 3	4 —	3 4	1 1	2 2

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

[illegible]

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
3 3	3 3	4 —	5 6	— 6	5 8	13 5	15 15	34 48	69 93	112 151	192 188	242 291	376 417	516 556	470 511	283 351	149 217	} 64	
— —	— —	— —	1 —	— —	1 1	1 —	— —	5 3	1 4	4 3	10 8	18 17	30 21	39 38	32 23	15 21	16 16		
1 1	— 2	1 —	— 1	1 —	3 —	1 1	3 4	2 5	8 11	9 9	14 22	31 24	47 54	57 78	64 62	45 44	26 30	} 66	
— —	— —	— —	2 2	1 —	4 —	30 6	26 6	25 10	37 11	33 6	16 2	11 4	11 3	9 2	4 —	1 —	— 1		
— —	— —	— —	— —	— 4	5 4	3 8	3 8	4 5	6 14	11 22	12 8	8 18	10 14	10 11	4 6	— 1	1 2	} 68	
29 18	12 13	25 13	26 19	24 20	19 17	21 23	29 27	29 23	14 15	17 21	13 22	15 21	16 10	12 11	13 15	7 2	2 3		
— —	5 9	2 —	— —	— —	— —	— —	— 2	— —	1 —	— —	1 —	— —	— —	— 1	2 —	— 1	— 1	} 70	
1,054 849	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 2	— 6	3 7	3 4	— 2	1 4	— —	— 1	— 1	— 2	— —	— —	— —	— —	— —	1 1	1 1	— —	} 72	
— —	— —	— —	— —	— —	— 1	3 5	2 2	4 5	2 5	7 4	2 2	1 1	7 3	3 4	1 1	1 2	2 —		
22 18	8 11	7 6	6 6	8 12	9 5	8 9	8 12	10 11	13 13	14 14	13 19	17 23	16 16	10 17	9 4	7 4	2 2	} 74	
— 2	— —	— —	3 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —		
2 2	2 4	3 1	5 2	1 2	— —	1 3	1 —	1 —	— —	2 —	1 —	— —	— —	— 2	— —	— —	— —	} 76A	
28 21	6 6	4 12	10 3	7 4	5 2	3 2	3 —	— 2	1 1	3 1	1 1	— 1	— —	— —	1 1	— —	— 1		
6 5	4 4	1 1	4 3	2 3	— 2	1 —	— 1	3 —	2 —	1 1	7 —	3 2	2 3	1 —	2 2	1 2	— —	} 77	
1 3	2 8	9 7	2 9	6 12	7 9	5 10	9 9	8 8	10 11	13 18	18 12	6 2	8 3	— 1	1 2	1 —	— —		
4 4	9 11	25 37	31 36	35 36	34 40	36 54	53 71	87 87	116 137	147 169	215 215	266 273	347 402	401 430	299 322	138 178	64 78	} 79A	
— —	— —	— 1	— —	1 2	1 2	5 1	7 4	7 6	13 17	20 24	35 37	43 59	59 65	50 61	42 56	23 26	8 10		
7 7	10 3	13 7	12 15	21 16	20 21	31 30	38 56	48 94	135 113	148 137	232 197	364 306	498 447	583 684	479 556	252 303	102 162	} 79C	
— —	— —	— —	— —	— 2	1 —	— —	— —	1 1	6 2	12 3	14 8	30 13	29 15	21 18	14 13	13 3	3 2		
— —	— —	— —	— —	1 —	— —	1 —	11 2	9 1	15 —	18 —	21 8	12 4	16 11	14 3	5 3	3 —	— 2	} 81A	
— —	— —	— —	— —	— —	— —	— 2	— 1	2 7	11 7	19 12	37 22	77 33	119 50	187 93	172 108	149 82	88 65		
— —	— —	— —	1 —	— —	— 1	— 1	— —	3 —	1 —	1 —	1 2	2 1	1 2	1 1	3 —	2 2	1 —	} 81C	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH.

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis. {	M 284 F 331	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
82B	Other embolism and thrombosis. {	M 41 F 54	1 —	1 —	— —	— 1	2 1	— —	— —	— —	— —
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). {	M 22 F 57	— —	— —	— 1	— —	— 1	— —	— —	— —	— —
84A	Status lymphaticus {	M 11 F 12	2 3	1 1	2 4	— —	5 8	3 —	— 1	— 1	1 —
84B	Other diseases of the lymphatic system. {	M 9 F 4	— —	2 —	— 1	— 2	2 3	1 —	— —	— —	1 —
85	Hæmorrhage; other diseases of the circulatory system. {	M 28 F 21	— —	— —	— —	— —	— —	— —	— —	— —	— —
86	Diseases of the nasal fossæ. {	M 9 F 8	1 —	— —	— —	— —	1 —	— 1	1 —	— 1	— —
87	Diseases of the larynx ... {	M 139 F 100	9 —	5 2	14 3	10 11	38 16	14 9	11 11	16 19	14 6
88	Diseases of the thyroid body. {	M 15 F 70	— —	— —	— —	2 —	2 —	— —	— 1	1 —	— —
89 & 90	Bronchitis ... {	M 3,299 F 3,148	77 56	169 145	165 116	256 167	667 484	140 131	49 33	10 14	9 7
91	Broncho-pneumonia ... {	M 1,338 F 1,104	32 23	125 65	181 126	327 231	665 445	262 231	62 70	29 31	16 19
92A	Lobar pneumonia ... {	M 669 F 417	2 4	4 2	16 2	23 9	45 17	14 13	16 8	11 5	5 3
92B	Pneumonia (type not stated). {	M 1,164 F 781	11 8	26 14	34 33	93 46	164 101	74 63	22 22	14 25	17 8
93	Pleurisy ... {	M 150 F 106	— —	— 1	1 —	1 —	2 1	3 6	2 1	2 1	2 —
94	Pulmonary congestion, Pulmonary apoplexy. {	M 203 F 169	2 5	3 —	3 3	11 5	19 13	7 8	1 2	1 —	1 —
95	Gangrene of the lung ... {	M 14 F 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
96	Asthma ... {	M 229 F 145	— —	— —	— —	— —	— —	— —	— —	— —	— —
97	Pulmonary emphysema {	M 43 F 17	— —	— —	— 1	— 1	— 2	— —	— —	1 —	— —
98A	Fibroid disease of lung... {	M 70 F 19	— —	— —	— —	— —	— —	— —	— —	— —	— —
98B	Other diseases of the respiratory system. {	M 29 F 16	— —	1 —	2 2	2 1	5 3	2 —	— 1	— —	— —
99A	Diseases of the teeth and gums. {	M 27 F 36	— 1	2 1	1 2	1 3	4 7	1 1	— 2	1 —	3 1
99B C,D	Other diseases of the mouth and annexa. {	M 25 F 18	8 4	7 4	1 3	1 2	17 13	1 —	— —	— —	— —
100	Diseases of pharynx, Tonsillitis. {	M 60 F 49	2 —	— —	1 —	3 1	6 1	— 2	2 2	5 4	3 3

DIFFERENT AGE-PERIODS, 1913—*continued.*

AGES AT DEATH.																			International List Nos.
under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1	1	1	3	—	—	2	7	4	5	14	12	27	50	58	41	35	23	} 82A	
—	—	—	1	—	3	7	2	4	7	17	18	25	37	70	72	43	25		
2	—	—	—	2	2	1	1	—	1	1	1	2	7	8	6	3	4	} 82B	
1	1	—	2	5	1	2	5	6	2	1	4	7	5	5	2	4	1		
—	1	—	—	—	—	—	—	1	—	3	2	3	1	4	1	3	1	} 83	
1	1	—	—	—	—	—	—	4	4	8	7	7	14	3	5	2	1		
9	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	} 84A	
10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	} 84B	
3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	2	2	1	—	1	2	4	6	4	1	3	1	} 85	
—	—	—	—	—	—	1	2	1	—	—	2	5	1	5	4	—	—		
2	2	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	} 86	
2	1	—	1	—	—	—	—	—	—	—	—	1	2	—	1	—	—		
93	27	1	—	—	—	—	—	4	1	1	1	1	4	1	2	2	—	} 87	
61	25	1	1	2	2	—	1	1	—	—	2	1	1	—	2	—	—		
3	—	2	1	—	—	—	—	2	2	1	1	1	—	1	1	—	—	} 88	
1	—	1	3	3	2	3	6	1	9	2	8	6	7	13	3	2	—		
875	15	14	5	7	2	10	14	18	37	75	124	214	301	444	499	383	262	} 89 & 90	
669	12	4	4	6	10	13	18	21	41	63	80	155	288	471	498	430	365		
034	29	5	5	4	3	4	14	12	11	12	24	29	37	31	42	27	15	} 91	
796	29	9	5	2	5	1	4	11	10	11	16	16	37	43	58	33	18		
91	15	14	26	27	26	43	52	45	51	51	40	49	51	38	33	10	7	} 92A	
46	17	6	17	12	18	26	28	25	31	23	28	36	37	31	22	9	5		
291	39	17	21	36	33	41	57	43	60	83	72	83	84	83	62	38	21	} 92B	
219	26	11	14	24	16	29	25	35	30	28	37	46	51	70	63	36	21		
11	2	2	4	9	7	8	9	14	6	9	14	12	16	11	7	5	4	} 93	
9	1	4	4	3	3	9	5	7	5	3	3	8	12	13	9	4	4		
29	1	1	1	3	1	1	3	1	5	5	5	13	14	32	31	30	27	} 94	
23	2	—	—	2	—	1	1	2	1	5	4	13	14	19	25	27	30		
—	—	1	—	—	—	—	4	—	1	2	—	1	2	3	—	—	—	} 95	
—	—	—	—	—	2	1	—	—	—	1	—	1	—	1	1	—	—		
—	2	1	—	2	4	6	5	12	10	13	28	36	38	37	23	9	3	} 96	
—	2	—	1	2	2	4	5	6	6	11	14	22	19	26	14	10	1		
1	—	—	—	—	1	—	—	2	1	2	5	7	3	11	8	1	1	} 97	
2	—	—	—	—	—	—	—	—	—	1	1	3	5	—	3	2	—		
—	—	—	1	—	6	4	5	9	6	5	8	13	5	4	4	—	—	} 98A	
—	—	—	—	—	—	—	2	1	2	5	1	—	4	1	3	—	—		
7	—	—	—	1	1	—	1	2	—	3	—	2	8	2	1	1	—	} 98B	
4	—	—	—	—	1	—	—	—	—	1	2	—	4	3	1	—	—		
9	1	—	1	—	1	—	1	—	2	1	3	2	1	3	1	1	—	} 99A	
11	1	2	2	3	—	—	2	3	2	2	2	2	1	1	—	2	—		
18	—	—	1	—	—	—	—	—	1	—	—	1	1	—	2	1	—	} 99B, C D	
13	1	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—		
16	14	4	3	3	5	2	1	—	7	—	2	—	1	—	1	—	1	} 100	
12	15	6	2	1	1	1	1	1	2	1	—	—	1	3	1	1	—		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ... { M F	3 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Perforating ulcer of { M F	164 182	— 1	— —	1 1	1 —	2 2	— —	— —	1 —	— —
103A	Inflammation of stomach { M F	287 303	19 11	36 22	31 26	20 23	106 82	10 16	7 —	2 6	2 2
103B	Other diseases of the { M F	78 65	2 —	4 2	2 —	2 —	10 2	1 —	— —	— —	— 1
104 & 105.	Diarrhœa and enteritis ... { M F	1,643 1,360	86 54	283 187	338 254	324 273	1,031 768	198 200	27 38	11 15	5 7
106	Ankylostomiasis... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	3 7	— —	— —	— —	— —	— —	— —	1 3	1 1	— 1
108	Appendicitis ... { M F	278 243	1 —	— —	1 1	— —	2 1	3 —	2 —	5 5	8 3
109A	Hernia ... { M F	183 178	2 3	3 —	7 1	5 1	17 5	4 —	1 —	— —	— —
109B	Intestinal obstruction ... { M F	298 244	8 5	3 2	18 4	18 14	47 25	6 3	6 5	1 4	2 1
110	Other diseases of the { M F	55 57	1 —	— 1	— 3	1 1	2 5	— 2	— —	1 —	1 —
111	Acute yellow atrophy of { M F	4 6	— —	— —	— —	— —	— —	— 1	— 1	— —	— —
112	Hydatid of liver ... { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver ... { M F	418 263	— —	— —	— —	— —	— —	1 —	— —	— —	— —
114	Biliary calculi ... { M F	43 135	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver { M F	93 93	— —	— —	— —	2 1	2 1	— 1	— 1	1 2	— —
116	Diseases of the spleen ... { M F	5 7	— —	— —	1 —	1 1	2 1	1 —	— —	— —	— —
117	Peritonitis (cause un- { M F	63 55	4 —	— 1	— —	— —	4 1	3 2	— 1	— 4	2 3
118	Other diseases of the { M F	25 14	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute nephritis ... { M F	177 158	— 2	4 1	2 4	8 10	14 17	8 11	6 4	4 1	5 6
120	Bright's disease ... { M F	1,380 1,106	— —	— —	1 —	— —	1 —	— 3	— —	2 3	2 1
121	Chyluria ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
122	Other diseases of the { M F	58 46	— —	— —	1 —	1 —	2 —	— —	1 —	— —	— 1

AT DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	1 —	— —	1 —	— —	— 1	— 1	1 1	— —	101
3 2	— 2	3 —	4 9	3 13	8 20	8 20	7 20	13 12	15 18	23 18	18 13	20 12	17 14	5 6	11 2	5 1	1 —	102
127 106	6 3	1 3	1 1	2 1	2 1	2 6	6 4	4 3	9 6	6 8	13 12	12 11	16 36	34 35	20 29	14 18	12 20	103A
11 3	— 1	— —	1 1	1 —	1 1	— 1	3 1	2 5	— 3	9 1	3 1	7 3	15 6	11 15	6 9	2 9	6 5	103B
1,272 1,028	19 20	6 5	3 7	9 10	7 7	10 12	16 11	19 13	18 12	22 25	27 19	33 24	46 34	44 30	39 47	31 35	22 21	104 & 105.
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	106
2 5	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	107
20 9	40 25	31 40	33 28	25 19	14 16	13 22	12 11	16 9	14 17	19 10	7 4	12 15	7 9	8 5	4 1	3 1	— 2	108
22 5	— —	— —	2 —	4 —	4 1	2 1	1 3	3 7	5 13	8 10	10 20	18 21	21 28	32 25	29 28	12 10	10 6	109A
62 38	11 4	3 2	5 5	5 4	6 6	3 4	3 4	9 8	10 11	19 9	18 6	27 19	26 25	25 30	31 31	19 24	16 14	109B
4 7	1 —	— 1	— 3	— —	3 1	— —	3 2	3 5	6 1	2 1	5 5	4 7	6 5	3 9	7 5	4 5	4 —	110
— 2	1 1	— —	— —	— 1	— 1	— —	— —	1 —	— 1	2 —	— —	— —	— —	— —	— —	— —	— —	111
— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	112
1 —	1 1	1 2	— —	1 2	2 3	11 7	11 8	37 14	49 23	49 34	61 49	66 34	57 27	39 36	25 16	5 7	2 —	113
— —	— —	1 —	— —	— —	— —	1 1	— 2	2 2	3 6	5 6	4 14	4 16	6 32	7 22	5 20	3 9	2 5	114
3 5	— 2	1 3	2 3	3 2	2 2	5 1	1 2	3 4	7 2	8 3	11 10	9 10	13 10	8 10	8 8	4 13	5 3	115
3 1	— —	— —	— —	— —	— —	— 1	1 1	1 —	— —	— —	— 2	— 1	— —	— —	— 1	— —	— —	116
9 11	5 8	2 2	2 2	1 1	2 4	4 3	2 5	2 4	3 3	6 —	4 2	3 3	5 1	5 3	5 1	3 1	— 1	117
— —	1 —	— —	1 1	1 —	1 1	2 —	1 —	5 —	5 —	— —	1 —	3 3	2 5	1 2	— 1	— 1	1 —	118
37 39	11 7	9 9	11 4	11 4	7 7	3 7	9 11	5 13	6 15	7 12	19 11	13 6	11 10	9 2	5 1	4 —	— —	119
5 7	10 6	8 13	12 16	16 18	24 15	31 27	27 45	58 68	85 77	114 79	154 105	192 115	200 169	222 138	133 122	56 57	33 29	120
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	121
3 1	1 —	1 1	— —	— 4	2 2	1 2	2 2	5 5	2 5	8 5	3 4	5 2	6 5	6 3	7 1	2 2	4 2	122

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages. { M F	38 12	1 —	— —	— —	— —	1 —	— —	— —	— —	— —
124	Diseases of the bladder... { M F	235 51	— —	1 —	1 —	— —	2 —	— —	— —	— 2	— —
125	Diseases of the urethra, { M Urinary abscess, &c. { F	49 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
126	Diseases of the prostate... { M F	402 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
127	Non-venereal diseases of { M male genital organs. { F	10 —	2 —	1 —	— —	— —	3 —	— —	— —	— —	— —
128	Uterine hæmorrhage { M (non-puerperal). { F	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —
129	Uterine tumour (non- { M cancerous). { F	— 63	— —	— —	— —	— —	— —	— —	— —	— —	— —
130	Other diseases of the { M uterus. { F	— 31	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Ovarian cyst, tumour { M (non-cancerous). { F	— 66	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
132	Other diseases of the { M female genital organs. { F	— 27	— —	— —	— —	— —	— —	— —	— —	— 2	— —
133	Non-puerperal dis. of the { M breast (non-cancerous). { F	1 3	1 —	— 1	— —	— —	1 1	— —	— —	— —	— —
134	Accidents of pregnancy... { M F	— 73	— —	— —	— —	— —	— —	— —	— —	— —	— —
135	Puerperal hæmorrhage ... { M F	— 127	— —	— —	— —	— —	— —	— —	— —	— —	— —
136	Other accidents of child- { M birth. { F	— 84	— —	— —	— —	— —	— —	— —	— —	— —	— —
137	Puerperal fever ... { M F	— 200	— —	— —	— —	— —	— —	— —	— —	— —	— —
138	Puerperal albuminuria { M and convulsions. { F	— 174	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegmasia { M alba dolens, embolism { F and sudden death. ...	— 95	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity ... { M F	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the { M breast. { F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —
142A	Senile gangrene ... { M F	241 169	— —	— —	— —	— —	— —	— —	— —	— —	— —
142B, C, D.	Gangrene, other types ... { M F	10 16	2 2	— —	— —	1 —	3 2	— 1	1 —	— —	— —
143	Carbuncle, Boil ... { M F	31 8	— —	— —	1 —	— —	1 —	— —	1 —	— —	— —
144	Phlegmon, Acute abscess { M F	66 62	2 6	3 6	2 4	5 3	12 19	2 1	1 —	— 2	1 —
145	Diseases of the integu- { M mentary system. { F	110 145	14 15	12 7	4 3	6 2	36 27	5 2	— 1	1 1	— 1

AT DIFFERENT AGE-PERIODS, 1913—continued.

Total under 5 Years.	AGES AT DEATH.																	International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	1	1	—	—	1	2	2	4	2	3	1	11	3	4	1	1	123
—	—	—	—	—	—	—	1	—	—	2	1	—	2	2	2	1	1	
2	—	—	—	—	1	—	—	3	5	6	10	14	28	49	53	38	26	124
2	—	—	1	1	—	1	—	1	2	2	1	4	3	14	6	7	6	
—	—	—	—	—	2	3	1	5	6	4	7	6	5	6	4	—	—	125
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	3	13	30	56	92	97	82	28	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	1	—	—	—	1	—	—	—	1	1	2	—	1	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	1	—	1	—	1	—	1	—	—	—	—	—	128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	3	3	8	11	11	8	4	4	6	3	—	—	129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	—	2	—	6	1	6	4	3	2	1	1	1	1	—	1	130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	3	2	2	5	2	11	7	6	4	7	4	9	2	1	131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	1	1	—	4	6	6	3	3	—	—	—	—	—	1	—	132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
—	—	—	1	10	15	19	14	14	—	—	—	—	—	—	—	—	—	134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	3	18	26	25	41	14	—	—	—	—	—	—	—	—	—	135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	8	11	21	27	15	—	—	—	—	—	—	—	—	—	136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	4	28	60	52	41	15	—	—	—	—	—	—	—	—	—	137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	16	35	40	33	35	13	2	—	—	—	—	—	—	—	—	138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	8	22	21	29	13	2	—	—	—	—	—	—	—	—	139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	3	3	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	14	29	39	58	58	43	142A
—	—	—	—	—	—	—	—	—	—	—	1	9	22	31	41	40	24	
4	—	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	142B,
3	1	2	—	—	—	1	1	1	1	—	3	—	1	1	1	—	—	
2	—	1	2	—	3	2	2	—	1	—	3	2	1	4	5	2	1	143
—	—	1	—	—	—	1	1	—	—	1	—	—	3	1	—	—	—	
16	—	1	2	3	—	3	2	3	2	5	4	6	3	4	7	2	3	144
22	—	2	2	1	—	1	1	1	6	2	1	5	6	4	5	2	1	
42	4	1	—	—	1	—	1	3	2	2	4	4	6	15	12	8	5	145
32	1	1	—	1	—	1	1	4	3	1	6	9	14	19	13	22	17	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ... { M F	60 41	— —	1 —	3 —	— —	4 —	1 1	1 —	4 1	5 —
147	Diseases of the joints ... { M F	18 14	— 1	1 —	— —	1 —	2 1	— —	2 2	— —	— 1
148	Amputations ... { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of loco- motor system. { M F	4 5	— —	— —	1 —	— —	1 —	— —	— —	— —	— —
150	Congenital malformations { M F	453 364	229 193	67 55	43 37	41 25	380 310	19 13	7 6	5 2	9 4
151A	Premature birth ... { M F	1,866 1,407	1,717 1,306	123 86	19 9	7 6	1,866 1,407	— —	— —	— —	— —
151 B-E.	Infantile debility, Icterus and Sclerema. { M F	1,273 847	768 501	278 182	157 111	70 53	1,273 847	— —	— —	— —	— —
152	Other diseases peculiar to early infancy. { M F	342 261	329 252	13 9	— —	— —	342 261	— —	— —	— —	— —
153	Lack of care ... { M F	17 16	17 16	— —	— —	— —	17 16	— —	— —	— —	— —
154	Old age ... { M F	4,254 4,901	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison ... { M F	42 15	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia ... { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	166 40	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning ... { M F	117 82	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms ... { M F	79 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	102 17	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	7 4	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing ... { M F	39 7	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	5 2	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food ... { M F	12 11	— —	1 —	— —	— —	1 —	1 —	1 —	1 —	2 —
165	Other acute poisonings ... { M F	24 17	— —	1 —	— —	— 1	1 1	1 1	1 3	— 1	— —
166	Conflagration ... { M F	10 4	— —	— —	— —	— —	— —	1 1	1 —	— 1	— —
167	Burns (conflagration ex- cepted). { M F	147 214	— —	1 —	— 2	5 5	6 7	30 19	15 28	25 18	20 16
168	Absorption of deleterious gases (conflagration ex- cepted). { M F	76 66	22 26	15 21	11 12	6 5	54 64	— —	— —	— —	— —

T DIFFERENT AGE-PERIODS, 1913—continued.

AGES AT DEATH.																			International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
15 2	7 4	11 10	7 1	3 1	1 —	— 1	1 2	1 2	— 1	1 1	— 1	3 2	— 4	2 3	5 2	2 2	1 2	} 146	
4 4	— —	1 1	1 —	1 —	1 —	2 —	— —	— —	1 2	1 1	— 1	1 —	1 1	1 1	3 2	— —	— 1		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 148	
1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	1 2	— 1	1 —	— 1	— —	— —		
420 335	11 9	4 8	3 3	5 2	5 2	2 2	1 —	— —	1 1	— 1	— 1	1 —	— —	— —	— —	— —	— —	} 150	
1,866 1,407	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1,273 847	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 151 B-E.	
342 261	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
17 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 153	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	2 3	2 3	30 24	114 126	588 576	1,063 1,041	1,282 1,428	1,173 1,699		
— —	— —	— —	1 5	4 2	2 1	7 —	7 1	2 2	2 1	3 2	7 1	1 —	2 —	1 —	1 —	1 —	1 —	} 155	
— —	— —	— —	— —	— —	— —	1 —	— 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	4 —	5 1	5 1	8 4	16 1	17 2	14 7	23 4	21 7	16 6	19 4	8 2	6 1	2 —	2 —	} 157	
— —	— —	— —	4 4	5 8	10 8	9 10	9 8	14 8	7 4	12 11	11 4	11 8	12 5	5 —	6 3	2 1	— —		
— —	— —	— —	3 2	6 —	9 1	5 —	12 —	8 —	9 —	11 —	6 1	5 —	1 —	3 —	1 —	— —	— —	} 159	
— —	— —	— —	1 —	— —	10 —	6 2	8 2	14 1	13 3	14 2	8 1	11 1	8 3	5 —	1 2	3 —	— —		
— —	— —	— —	— —	2 —	— 1	1 1	— —	— 1	— —	— —	2 —	1 —	1 —	— —	— 1	— —	— —	} 161	
— —	— —	1 —	6 2	4 1	1 —	5 —	5 2	4 —	7 —	— 1	3 1	— —	1 —	2 —	— —	— —	— —		
— —	— —	— —	— —	1 —	— —	— 1	— —	— —	— 1	— —	1 —	— —	— —	— —	2 —	— —	— —	} 163	
6 —	1 1	— —	— —	1 2	1 —	— 1	— 1	— 2	— 2	1 —	1 —	1 —	— —	— 1	— —	— —	— —		
3 6	1 1	1 —	1 2	1 1	— —	1 —	2 3	1 —	— —	3 1	3 1	2 —	— 1	4 —	— —	1 1	— —	} 165	
2 2	1 1	— —	— —	— —	— —	1 —	— —	1 —	1 —	1 —	— —	1 —	— —	— 1	1 —	1 —	— —		
96 88	8 36	1 11	4 9	— 4	3 2	1 5	4 7	2 3	5 4	2 2	1 7	1 6	3 8	3 4	5 7	4 3	4 8	} 167	
54 64	— —	— —	— 1	4 1	2 —	1 —	3 —	2 —	2 —	1 —	3 —	2 —	— —	1 —	— —	— —	1 —		

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH

International List Nos.	Causes of Death.	AGES AT DEATH.									
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ... {	468	4	—	—	1	5	18	17	12	13
	F	105	1	—	—	1	2	7	15	4	2
170	Injury by firearms ... {	40	—	—	1	—	1	—	—	—	—
	F	5	—	—	—	—	—	—	—	—	—
171	Injury by cutting or {	12	—	—	—	—	—	1	2	—	—
	F	3	—	—	—	—	—	—	1	—	—
172	Injury by fall ... {	309	—	—	—	—	—	2	1	1	3
	F	257	—	—	—	—	—	2	1	2	—
173	Injury in mines and {	373	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ... {	50	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	—	—	—	—	1
175	Injury by other crushing {	675	—	1	—	—	1	5	7	5	9
	F	120	—	—	—	—	—	7	7	1	4
	(vehicles, railways, landslides, &c.)										
176	Injury by animals ... {	47	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	—	1	—
177	Starvation ... {	6	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
178	Excessive cold ... {	31	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	—	—	—	—
179	Effects of heat ... {	36	—	—	—	—	—	—	2	1	1
	F	15	—	—	—	1	1	1	—	—	—
180	Lightning... {	3	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning ex- {	4	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
	cepted).										
182	Homicide by firearms ... {	5	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	1	—	—	—
183	Homicide by cutting or {	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	1	—	—	—	—
184	Homicide by other means {	22	4	—	3	—	7	1	—	—	—
	F	20	13	1	1	—	15	—	—	1	—
185	Fractures (cause not {	14	1	—	—	—	1	—	—	—	—
	F	5	—	—	—	—	—	—	—	—	—
	specified).										
186	Other violence ... {	79	1	2	2	—	5	2	—	1	—
	F	19	1	1	—	2	4	4	—	—	—
187	Dropsy ... {	5	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and {	44	—	—	—	—	—	1	—	—	—
	F	28	—	—	—	—	—	—	—	—	—
188B	Sudden death (not other- {	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—
	wise defined).										
189A	Heart failure (aged 1 year {	228	—	—	—	—	—	—	—	1	—
	F	146	—	—	—	—	—	1	—	—	2
	and under 70).										
189	Other ill-defined causes... {	93	5	3	4	5	17	32	4	1	—
B-E		102	8	4	2	5	19	36	5	3	—
189F	Cause not specified ... {	33	3	—	2	3	8	—	—	—	—
	F	31	9	1	2	1	13	1	—	—	—

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.				ENGLAND AND WALES.					LONDON.				
					Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
	All Causes	{ M F	261,687 243,288	75,403 71,138	63,338 58,405	59,472 53,974	63,474 59,771	33,402 31,108	9,938 9,665	7,885 7,164	7,230 6,550	8,349 7,729
1	Enteric fever	{ M F	907 598	183 141	195 118	186 135	343 204	63 51	11 17	9 11	20 12	23 11
2	Typhus	{ M F	2 —	— —	— —	— —	2 —	— —	— —	— —	— —	— —
3	Relapsing fever	{ M F	3 1	— —	1 1	— —	2 —	— —	— —	— —	— —	— —
4	Malaria	{ M F	49 9	10 3	15 3	10 1	14 2	3 2	2 1	— 1	— —	1 —
5	Small-pox	{ M F	6 4	3 2	— 2	1 —	2 —	— —	— —	— —	— —	— —
6	Measles	{ M F	5,567 5,077	2,627 2,311	1,693 1,618	686 623	561 525	816 731	441 399	283 256	63 57	29 19
7	Scarlet fever	{ M F	1,060 1,040	289 262	209 226	219 221	343 331	101 84	33 17	18 22	26 23	24 22
8	Whooping cough	{ M F	2,411 3,047	803 936	703 933	472 586	433 592	369 424	134 164	114 151	60 62	61 47
9A	Diphtheria	{ M F	2,150 2,292	610 617	398 440	425 482	717 753	209 219	55 55	58 49	36 44	60 71
9 B, C	Croup	{ M F	25 27	9 10	6 7	2 1	8 9	2 1	— —	— 1	— —	2 —
10	Influenza	{ M F	3,362 3,032	1,449 1,389	1,015 923	295 226	603 494	440 427	207 208	123 118	34 19	76 82
11	Miliary fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
12	Asiatic cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Cholera nostras	{ M F	14 13	1 1	1 —	10 10	2 2	2 —	— —	1 —	1 —	— —
14	Dysentery	{ M F	112 117	22 34	31 30	28 25	31 28	37 35	5 9	9 11	14 6	9 9
15	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
16	Yellow fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
17	Leprosy	{ M F	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
18	Erysipelas	{ M F	435 367	115 90	110 82	72 80	138 115	73 61	17 10	14 13	11 12	31 26
19	Other epidemic diseases	{ M F	76 67	24 23	17 19	16 15	19 10	11 8	2 1	3 2	2 2	4 3
20	Pyæmia, Septicæmia	{ M F	375 206	106 56	77 44	83 38	109 68	63 40	18 14	17 9	13 4	15 13
21	Glanders	{ M F	2 —	— —	1 —	1 —	— —	2 —	— —	1 —	1 —	— —

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
22	Anthrax (Splenic fever) { M F	8 2	— 1	4 1	1 —	3 —	— 1	— —	— 1	— —	— —
23	Rabies { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus { M F	146 43	41 11	36 14	34 9	35 9	17 4	5 —	4 3	4 —	4 1
25	Mycoses { M F	28 15	5 6	6 5	9 2	8 2	9 7	2 5	4 2	1 —	2 —
26	Pellagra { M F	1 9	— —	— —	1 6	— 3	— —	— —	— —	— —	— —
27	Beri-beri { M F	11 —	3 —	3 —	3 —	2 —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	19,056 14,363	5,595 4,013	4,818 3,682	3,946 3,152	4,697 3,516	3,453 2,089	1,064 596	795 515	669 459	925 519
29A	Acute phthisis { M F	1,545 1,239	458 313	440 344	341 311	306 271	181 140	46 31	57 35	38 35	40 39
29B	Acute miliary tuberculosis { M F	433 419	112 98	140 136	96 96	85 89	96 74	29 18	30 24	23 17	14 15
30	Tuberculous meningitis { M F	2,678 2,340	710 633	719 697	631 491	618 519	397 329	105 76	111 95	93 80	88 78
31	Tuberculosis of periton- eum and intestines. { M F	1,973 1,787	495 458	484 429	485 430	509 470	148 118	34 33	35 37	37 21	42 27
32	Tuberculosis of spinal column. { M F	330 300	82 83	75 69	82 71	91 77	38 33	8 12	8 7	9 3	13 11
33	Tuberculosis of joints ... { M F	205 154	52 42	58 48	45 31	50 33	19 23	5 9	6 7	4 1	4 6
34	Tuberculosis of other organs. { M F	325 301	98 81	81 77	73 69	73 74	27 33	7 11	6 7	7 5	7 10
35	Disseminated tuberculosis { M F	1,112 916	339 254	297 234	234 212	242 216	151 125	40 29	41 35	32 31	38 30
28-35	Tuberculosis (all forms) { M F	27,657 21,819	7,941 5,975	7,112 5,716	5,933 4,863	6,671 5,265	4,510 2,964	1,338 815	1,089 762	912 652	1,171 735
36	Rickets, Softening of bones. { M F	580 416	179 118	170 117	119 95	112 86	58 32	16 10	17 10	12 10	13 2
37	Syphilis { M F	1,187 882	317 243	286 196	272 195	312 248	214 155	59 34	53 22	52 39	50 60
38	Other venereal diseases... { M F	33 38	10 15	9 9	7 6	7 8	6 2	2 —	2 1	1 —	1 1
39	Cancer of the buccal cavity. { M F	2,144 327	533 65	556 102	520 87	535 73	326 30	86 6	85 9	69 8	86 7
40	Cancer of the stomach, liver, &c. { M F	6,710 6,352	1,642 1,606	1,685 1,489	1,634 1,638	1,749 1,619	904 736	213 185	221 181	229 169	241 201
41	Cancer of the peritoneum, intestines, and rectum. { M F	3,763 4,090	936 961	896 986	941 1,116	990 1,027	473 586	119 137	116 131	113 164	125 154
42	Cancer of the female genital organs { M F	— 4,868	— 1,224	— 1,189	— 1,236	— 1,219	— 703	— 178	— 156	— 202	— 167
43	Cancer of the breast ... { M F	22 3,852	5 930	6 953	6 914	5 1,055	3 533	1 117	1 142	— 124	1 150

IN DIFFERENT CLASSES OF AREA, 1913--continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
3	—	2	—	1	5	—	2	1	2	—	—	—	—	—	22
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	7	8	5	11	49	16	15	11	7	49	13	9	14	13	24
8	1	2	3	2	15	4	3	4	4	16	6	6	2	2	
4	1	1	1	1	11	1	1	6	3	4	1	—	1	2	25
1	—	1	—	—	2	—	—	1	1	5	1	2	1	1	
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	26
2	—	—	—	2	6	—	—	5	1	1	—	—	1	—	
8	2	2	2	2	3	1	1	1	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7,262	2,157	1,908	1,447	1,750	5,495	1,621	1,352	1,179	1,343	2,846	753	763	651	679	28
5,295	1,526	1,305	1,139	1,325	4,458	1,183	1,182	993	1,100	2,521	708	680	561	572	
660	205	183	145	127	503	162	137	102	102	201	45	63	56	37	29A
490	122	138	128	102	422	111	113	108	90	187	49	58	40	40	
139	30	46	35	28	139	33	49	27	30	59	20	15	11	13	29B
150	33	47	35	35	137	32	44	31	30	58	15	21	13	9	
1,029	262	277	243	247	859	236	230	207	186	393	107	101	88	97	30
856	220	276	172	188	791	225	227	164	175	364	112	99	75	78	
823	205	190	198	230	688	182	177	165	164	314	74	82	85	73	31
714	172	159	173	210	617	153	152	161	151	338	100	81	75	82	
114	26	27	27	34	105	29	24	29	23	73	19	16	17	21	32
86	22	17	26	21	109	27	29	24	29	72	22	16	18	16	
82	18	25	17	22	63	18	15	17	13	41	11	12	7	11	33
51	10	16	15	10	54	15	16	10	13	26	8	9	5	4	
115	34	25	33	23	106	32	26	22	26	77	25	24	11	17	34
102	31	26	24	21	96	22	24	22	28	70	17	20	18	15	
424	133	115	87	89	348	99	94	78	77	189	67	47	37	38	35
327	92	72	89	74	295	81	84	55	75	169	52	43	37	37	
10,648	3,070	2,796	2,232	2,550	8,306	2,412	2,104	1,826	1,964	4,193	1,121	1,123	963	986	28-35
8,071	2,228	2,056	1,801	1,986	6,979	1,849	1,871	1,568	1,691	3,805	1,083	1,027	842	853	
240	70	80	44	46	184	61	53	32	38	98	32	20	31	15	36
171	39	43	48	41	143	46	39	23	35	70	23	25	14	8	
501	137	114	111	139	374	99	93	88	94	98	22	26	21	29	37
406	115	92	96	103	262	73	64	51	74	59	21	18	9	11	
16	4	5	4	3	10	3	2	2	3	1	1	—	—	—	38
16	7	4	3	2	14	6	3	2	3	6	2	1	1	2	
755	181	196	204	174	634	154	173	151	156	429	112	102	96	119	39
90	21	28	21	20	129	26	37	40	26	78	12	28	18	20	
1,950	475	503	489	483	2,192	556	555	517	564	1,664	398	406	399	461	40
1,948	510	444	515	479	2,106	525	473	580	528	1,562	386	391	374	411	
1,064	256	251	296	261	1,243	311	307	302	323	983	250	222	230	281	41
1,186	291	270	339	286	1,466	350	369	358	389	852	183	216	255	198	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1,651	415	411	419	406	1,622	408	399	400	415	892	223	223	215	231	
9	2	2	3	2	8	2	3	2	1	2	—	—	1	1	43
1,195	289	289	301	316	1,293	316	317	294	366	831	208	205	195	223	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
44	Cancer of the skin ... {	M 571	143	131	145	152	54	15	16	11	12
	F 313		76	75	76	86	26	5	3	5	13
45	Cancer of other or un- {	M 3,708	880	913	952	963	558	135	128	135	160
	F 2,219		523	554	589	553	328	74	78	88	88
39-45	Cancer (all sites)... {	M 16,918	4,139	4,187	4,198	4,394	2,318	569	567	557	625
	F 22,021		5,385	5,348	5,656	5,632	2,942	702	700	760	780
46	Other tumours (situation {	M 53	18	8	14	13	6	2	—	4	—
	F 83		21	20	20	22	11	2	2	3	4
47	Rheumatic fever... {	M 840	228	218	188	206	99	24	21	21	33
	F 930		264	219	201	246	112	22	30	27	33
48	Chronic rheumatism, {	M 482	130	125	94	133	45	8	10	8	19
A, B	Osteo-arthritis. {	F 1,116	316	269	256	275	143	43	27	39	34
48C	Gout ... {	M 304	89	83	62	70	53	18	14	10	11
	F 76		23	21	16	16	15	3	3	3	6
49	Scurvy ... {	M 21	5	5	7	4	2	—	—	1	1
	F 22		4	7	7	4	1	—	—	—	1
50	Diabetes ... {	M 2,122	590	511	463	558	232	74	49	54	55
	F 2,189		603	523	496	567	241	76	60	50	55
51	Exophthalmic goitre ... {	M 42	13	9	9	11	9	2	1	1	5
	F 368		88	85	94	101	23	7	5	9	2
52	Addison's disease ... {	M 108	24	27	30	27	11	3	2	2	4
	F 115		32	29	27	27	12	4	2	3	3
53	Leucocythæmia, Lympha- {	M 369	85	101	92	91	59	12	20	13	14
	F 296		72	79	59	86	36	9	7	10	10
54	Anæmia, Chlorosis ... {	M 952	229	245	236	242	82	19	24	16	23
	F 1,235		303	322	297	313	81	25	17	19	20
55	Other general diseases ... {	M 281	65	78	71	67	24	2	8	7	7
	F 211		63	41	55	52	34	11	4	10	9
56	Alcoholism (acute or {	M 406	97	86	129	94	43	10	13	12	8
	F 245		53	61	59	72	43	15	10	7	11
57	Chronic lead poisoning... {	M 87	16	28	22	21	9	—	2	3	4
	F 5		1	1	—	3	1	1	—	—	—
58	Other chronic occupa- {	M —	—	—	—	—	—	—	—	—	—
	F —		—	—	—	—	—	—	—	—	—
59	Other chronic poisonings {	M 6	1	2	—	3	2	—	1	—	1
	F 5		1	—	2	2	—	—	—	—	—
60	Encephalitis ... {	M 180	44	46	43	47	29	10	8	5	6
	F 149		34	36	43	36	25	7	4	7	7
61A	Cerebro-spinal fever ... {	M 80	20	25	11	24	12	7	3	1	1
	F 83		16	18	18	31	12	3	2	3	4
61B	Posterior basal meningitis {	M 91	24	21	29	17	11	4	4	3	—
	F 78		24	19	18	17	14	4	4	3	3
61C	Meningitis, other forms {	M 2,059	531	545	510	473	180	35	48	49	48
	F 1,860		464	495	467	434	158	43	31	36	48
62	Locomotor ataxy... {	M 615	166	147	127	175	97	29	29	16	23
	F 117		37	22	29	29	14	4	2	3	5
63	Other diseases of the {	M 1,438	411	332	346	349	169	53	28	47	41
	F 1,259		334	310	286	329	139	39	35	29	36

IN DIFFERENT CLASSES OF AREA, 1913—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
168	38	35	53	42	195	54	44	47	50	154	36	36	34	48	44
106	35	28	19	24	97	17	22	28	30	84	19	22	24	19	
1,234	294	301	311	328	1,185	278	314	316	277	731	173	170	190	198	45
689	177	167	171	174	745	174	191	211	169	457	98	118	119	122	
5,180	1,246	1,288	1,356	1,290	5,457	1,355	1,396	1,335	1,371	3,963	969	936	950	1,108	39-45
6,865	1,738	1,637	1,785	1,705	7,458	1,816	1,808	1,911	1,923	4,756	1,129	1,203	1,200	1,224	
21	6	6	3	6	15	6	—	5	4	11	4	2	2	3	46
24	8	6	5	5	28	2	6	9	10	20	8	6	3	3	
265	60	65	68	72	319	91	89	71	68	157	53	43	28	33	47
336	108	79	64	85	332	92	74	76	90	150	42	36	34	38	
147	39	42	31	35	165	43	43	32	47	125	40	30	23	32	48
349	94	92	72	91	367	98	83	88	98	257	81	67	57	52	
85	29	21	16	19	102	27	32	18	25	64	15	16	18	15	48C
23	6	6	7	4	26	9	8	5	4	12	5	4	1	2	
7	1	2	3	1	9	3	2	3	1	3	1	1	—	1	49
10	—	5	3	2	6	2	2	1	1	5	2	—	3	—	
654	182	148	142	182	745	204	190	158	193	491	130	124	109	128	50
622	177	150	134	161	834	218	189	214	213	492	132	124	98	138	
9	1	1	2	5	18	7	6	4	1	6	3	1	2	—	51
109	24	29	23	33	133	34	28	33	38	103	23	23	29	28	
27	9	3	8	7	48	7	17	14	10	22	5	5	6	6	52
39	13	10	6	10	40	6	12	11	11	24	9	5	7	3	
118	33	29	34	22	120	23	27	31	39	72	17	25	14	16	53
95	22	29	19	25	102	22	30	19	31	63	19	13	11	20	
308	79	80	74	75	341	85	86	85	85	221	46	55	61	59	54
366	78	105	86	97	461	125	112	115	109	327	75	88	77	87	
86	20	22	19	25	97	20	31	26	20	74	23	17	19	15	55
70	23	13	14	20	68	22	11	19	16	39	7	13	12	7	
171	41	33	55	42	131	31	32	40	28	61	15	8	22	16	56
109	22	24	26	37	70	12	20	22	16	23	4	7	4	8	
37	11	9	8	9	30	3	15	5	7	11	2	2	6	1	57
—	—	—	—	—	3	—	1	—	2	1	—	—	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	2	—	1	—	1	1	1	—	—	—	59
1	—	—	—	1	3	1	—	1	1	1	—	—	1	—	
60	15	13	17	15	48	13	9	13	13	43	6	16	8	13	60
57	11	15	18	13	38	9	11	11	7	29	7	6	7	9	
24	5	10	3	6	26	5	5	4	12	18	3	7	3	5	61A
28	6	7	6	9	27	4	6	5	12	16	3	3	4	6	
37	11	11	9	6	28	6	3	13	6	15	3	3	4	5	61B
26	6	6	8	6	28	9	7	5	7	10	5	2	2	1	
796	221	214	189	172	742	193	189	189	171	341	82	94	83	82	61C
749	179	204	194	172	653	172	178	157	146	300	70	82	80	68	
221	57	49	44	71	201	50	42	48	61	96	30	27	19	20	62
44	10	11	10	13	36	14	5	10	7	23	9	4	6	4	
404	112	97	90	105	524	145	128	139	112	341	101	79	70	91	63
402	99	110	84	109	430	112	108	98	112	288	84	57	75	72	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
64	Cerebral hæmorrhage, { Apoplexy. {	M 10,706 F 12,946	3,017 3,599	2,544 3,239	2,414 2,798	2,731 3,310	1,025 1,248	278 365	243 333	242 243	262 307
65	Softening of brain ... { {	M 721 F 741	225 200	200 217	145 154	151 170	52 91	23 27	15 22	6 20	8 22
66	Paralysis without speci- { fied cause. {	M 1,159 F 1,391	346 406	261 372	257 303	295 310	100 146	29 52	20 41	25 25	26 28
67	General paralysis of the { insane. {	M 1,732 F 408	514 105	400 99	339 87	479 117	332 68	106 21	80 17	69 13	77 17
68	Other forms of mental { alienation. {	M 394 F 612	119 178	99 142	76 130	100 162	47 57	13 16	8 9	15 14	11 18
69	Epilepsy ... { {	M 1,439 F 1,292	400 346	367 351	338 262	334 333	184 156	44 43	57 44	40 37	43 32
70	Convulsions (non-puer- { peral; 5 yrs. and over). {	M 53 F 54	13 25	17 7	9 14	14 8	4 6	— 2	2 3	— 1	2 —
71	Infantile convulsions { (under 5 years). {	M 5,290 F 4,079	1,603 1,188	1,284 987	1,175 967	1,228 937	341 250	100 88	92 49	77 58	72 55
72	Chorea ... { {	M 33 F 111	10 37	5 25	7 19	11 30	4 8	1 3	1 —	— 3	2 2
73	Hysteria, Neuralgia, Neu- { ritis. {	M 167 F 394	36 94	44 81	41 93	46 126	9 64	1 13	2 14	4 11	2 26
74	Other diseases of the { nervous system. {	M 924 F 958	269 270	230 211	218 222	207 255	144 157	53 51	31 30	28 32	32 44
75	Diseases of the eyes and { annexa. {	M 28 F 23	7 5	9 1	5 9	7 8	4 5	— —	2 —	1 4	1 1
76A	Mastoid disease ... { {	M 185 F 139	45 37	51 26	40 36	49 40	38 31	6 8	7 5	8 9	17 9
76B	Other diseases of the ears { {	M 488 F 339	121 87	117 107	122 74	128 71	55 42	9 11	12 12	22 6	12 13
77	Pericarditis ... { {	M 253 F 176	69 64	76 41	40 27	68 44	67 37	13 15	19 4	13 8	22 10
78	Acute endocarditis ... { {	M 805 F 939	200 234	219 234	192 232	194 239	142 150	43 33	41 31	28 42	30 44
79A	Valvular disease ... { {	M 10,010 F 11,471	2,820 3,272	2,456 2,804	2,259 2,564	2,475 2,831	1,271 1,534	381 494	305 329	273 324	312 387
79B	Fatty degeneration of the { heart. {	M 1,553 F 1,852	432 509	391 459	351 383	379 501	268 338	80 92	63 85	64 63	61 98
79C	Other organic disease of { the heart. {	M 11,780 F 12,865	3,295 3,780	2,995 3,176	2,694 2,775	2,796 3,134	1,275 1,515	349 435	298 343	290 334	338 403
80	Angina pectoris ... { {	M 773 F 352	217 93	194 106	171 81	191 72	87 37	33 8	18 10	17 12	19 7
81A	Aneurysm ... { {	M 921 F 234	244 62	235 57	215 55	227 60	180 54	65 21	38 13	34 8	43 12
81B	Arterial sclerosis ... { {	M 3,854 F 2,648	1,040 730	941 666	851 603	1,022 649	540 431	148 118	141 104	102 96	149 113
81C	Other diseases of arteries { {	M 89 F 50	31 13	16 11	24 17	18 9	14 10	5 3	3 2	4 4	2 1

IN DIFFERENT CLASSES OF AREA, 1913—continued.

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
3,508 4,271	965 1,183	820 1040	787 916	936 1,132	3,682 4,558	1,058 1,257	891 1,117	826 1,004	907 1,180	2,491 2,869	716 794	590 749	559 635	626 691	64
245 231	71 66	66 68	55 33	53 64	251 264	80 67	68 76	53 66	50 55	173 155	51 40	51 51	31 35	40 29	
398 475	124 139	80 117	89 102	105 117	348 422	97 123	94 113	76 94	81 92	313 348	96 92	67 101	67 82	83 73	66
697 167	197 41	148 44	147 37	205 45	493 120	149 27	115 29	84 24	145 40	210 53	62 16	57 9	39 13	52 15	
167 242	49 73	47 62	30 44	41 63	103 188	35 60	24 43	17 35	27 50	77 125	22 29	20 28	14 37	21 31	68
460 408	136 111	106 107	106 88	112 102	472 435	124 109	114 114	113 91	121 121	323 293	96 83	90 86	79 46	58 78	
22 16	5 8	6 1	4 3	7 4	16 18	5 9	8 2	2 4	1 3	11 14	3 6	1 1	3 6	4 1	70
2,005 1,598	598 476	470 386	464 380	473 356	1,890 1,382	587 398	460 317	416 329	427 338	1,054 849	318 226	262 235	218 200	256 188	
11 33	5 10	— 10	3 3	3 10	9 39	2 14	2 7	— 8	5 10	9 31	2 10	2 8	4 5	1 8	72
65 174	12 39	22 27	11 50	20 58	58 121	16 34	8 32	19 21	15 34	35 35	7 8	12 8	7 11	9 8	
297 319	84 79	78 66	71 80	64 94	296 280	86 82	67 71	74 67	69 60	187 202	46 58	54 44	45 43	42 57	74
6 7	2 3	— —	2 2	2 2	14 7	3 1	5 1	2 1	4 4	4 4	2 1	2 —	— 2	— 1	
67 44	17 13	21 9	12 8	17 14	59 49	19 13	18 9	11 14	11 13	21 15	3 3	5 3	9 5	4 4	76A
164 130	38 24	41 43	38 33	47 30	196 109	55 36	45 32	45 25	51 16	73 58	19 16	19 20	17 10	18 12	
73 52	22 16	22 15	12 7	17 14	73 58	26 21	22 12	8 8	17 17	40 29	8 12	13 10	7 4	12 3	77
287 390	58 101	79 103	72 86	78 100	270 275	74 63	73 73	61 73	62 66	106 124	25 37	26 27	31 31	24 29	
3,302 3,734	916 1,016	818 910	741 869	827 939	3,130 3,623	874 1,040	757 874	727 806	772 903	2,307 2,580	649 722	576 691	518 565	564 602	79A
471 553	127 148	126 140	96 110	122 155	500 590	128 170	119 138	121 127	132 155	314 371	97 99	83 96	70 83	64 93	
3,498 3,900	1,006 1,174	871 946	806 841	815 939	4,014 4,296	1,125 1,242	1,029 1,077	888 925	972 1,052	2,993 3,154	815 929	797 810	710 675	671 740	79C
244 115	57 30	68 30	63 26	56 29	298 120	86 34	69 37	65 28	78 21	144 80	41 21	39 29	26 15	38 15	
325 74	83 20	86 19	79 16	77 19	290 72	67 15	81 18	69 18	73 21	126 34	29 6	30 7	33 13	34 8	81A
1,252 881	322 246	288 210	284 213	358 212	1,201 854	324 230	302 224	279 187	296 213	861 482	246 136	210 128	186 107	219 111	
24 16	12 5	5 2	3 4	4 5	34 14	9 1	5 4	12 6	8 3	17 10	5 4	3 3	5 3	4 —	81C

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.		ENGLAND AND WALES.					LONDON.				
			Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
82A	Cerebral embolism and thrombosis.	{ M F	1,159 1,564	310 388	307 388	250 397	292 391	147 211	36 53	51 55	24 39	36 64
82B	Other embolism and thrombosis.	{ M F	155 197	48 57	28 51	39 39	40 50	16 23	6 7	4 4	2 3	4 9
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	{ M F	93 229	25 51	15 54	25 50	28 74	15 25	3 5	2 6	7 3	3 11
84A	Status lymphaticus ...	{ M F	104 76	26 22	32 23	20 9	26 22	21 16	4 8	6 3	5 —	6 5
84B	Other diseases of the lymphatic system.	{ M F	56 42	13 13	15 6	10 10	18 13	4 7	— 4	2 2	— —	2 1
85	Hæmorrhage; other diseases of the circulatory system.	{ M F	101 104	37 28	27 36	21 19	16 21	7 11	1 5	2 4	2 1	2 1
86	Diseases of the nasal fossæ.	{ M F	48 35	14 9	11 10	4 13	19 3	9 3	3 —	1 2	— 1	5 —
87	Diseases of the larynx ...	{ M F	612 489	216 143	116 119	113 80	167 147	39 36	14 11	11 11	3 3	11 11
88	Diseases of the thyroid body.	{ M F	54 240	18 81	9 59	12 48	15 52	2 24	1 12	— 6	— 2	1 4
89 & 90	Bronchitis ...	{ M F	19,512 19,715	7,918 8,497	4,577 4,395	2,545 2,244	4,472 4,579	2,730 2,939	1,145 1,362	591 599	336 290	658 688
91	Broncho-pneumonia ...	{ M F	9,401 8,359	3,864 3,420	2,099 1,907	1,278 1,094	2,160 1,938	1,400 1,351	551 559	300 291	165 174	384 327
92A	Lobar pneumonia ...	{ M F	5,075 2,980	1,511 971	1,387 776	1,006 502	1,171 731	867 568	251 197	227 132	174 94	215 145
92B	Pneumonia (type not stated).	{ M F	7,029 4,686	2,409 1,690	1,780 1,162	1,288 797	1,552 1,037	948 654	350 261	206 141	162 104	230 148
93	Pleurisy ...	{ M F	792 544	219 164	200 160	177 98	196 122	119 77	33 26	33 22	19 8	34 21
94	Pulmonary congestion, Pulmonary apoplexy.	{ M F	838 863	264 293	220 203	161 161	193 206	102 119	41 42	21 27	20 22	20 28
95	Gangrene of the lung ...	{ M F	59 31	11 5	16 5	15 13	17 8	9 7	1 1	2 —	3 4	3 2
96	Asthma ...	{ M F	993 700	360 276	244 151	153 100	236 173	102 95	46 44	24 24	7 8	25 19
97	Pulmonary emphysema	{ M F	250 111	98 42	64 24	38 15	50 30	68 25	23 7	15 5	10 4	20 9
98A	Fibroid disease of lung...	{ M F	252 75	88 20	61 16	52 11	51 28	22 14	11 5	4 3	2 2	5 4
98B	Other diseases of the respiratory system.	{ M F	133 111	37 27	31 26	33 34	32 24	13 21	1 4	2 4	5 7	5 6
99A	Diseases of the teeth and gums.	{ M F	156 155	38 33	42 35	35 44	41 43	21 24	5 6	8 4	3 7	5 7
99B, C, D.	Other diseases of the mouth and annæa.	{ M F	137 87	32 20	21 13	36 22	48 32	11 6	4 1	1 3	2 1	4 1
100	Diseases of pharynx, Tonsillitis.	{ M F	332 282	74 60	83 71	84 60	91 91	54 32	11 8	12 6	10 7	21 11

IN DIFFERENT CLASSES OF AREA, 1913—*continued.*

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
337 429	91 106	87 111	79 106	80 106	391 593	101 144	96 140	83 166	111 143	284 331	82 85	73 82	64 86	65 78	82A
42 55	13 19	7 11	12 13	10 12	56 65	12 17	12 15	18 12	14 21	41 54	17 14	5 21	7 11	12 8	
20 64	5 13	8 15	4 14	3 22	36 83	12 16	4 19	6 23	14 25	22 57	5 17	1 14	8 10	8 16	83
41 23	11 2	11 12	7 5	12 4	31 25	9 6	11 7	5 3	6 9	11 12	2 6	4 1	3 1	2 4	
18 14	5 3	4 2	3 4	6 5	25 17	7 5	5 2	6 5	7 5	9 4	1 1	4 —	1 1	3 2	84B
32 41	10 8	9 15	7 8	6 10	34 31	13 7	11 11	6 6	4 7	28 21	13 8	5 6	6 4	4 3	
16 9	5 3	4 1	1 4	6 1	14 15	5 4	2 4	1 5	6 2	9 8	1 2	4 3	2 3	2 —	86
195 163	69 45	34 43	35 30	57 45	239 190	87 56	40 38	44 38	68 58	139 100	46 31	31 27	31 9	31 33	
20 61	6 18	4 20	1 13	9 10	17 85	5 28	4 22	6 12	2 23	15 70	6 23	1 11	5 21	3 15	88
7,544 7,590	2,885 3,004	1,746 1,718	1,062 972	1,851 1,896	5,939 6,038	2,528 2,738	1,367 1,261	748 630	1,296 1,409	3,299 3,148	1,360 1,393	873 817	399 352	667 586	
3,726 3,252	1,433 1,252	827 722	530 450	936 828	2,937 2,652	1,303 1,134	651 614	406 331	577 573	1,338 1,104	577 475	321 280	177 139	263 210	91
2,033 1,099	588 319	538 288	410 196	497 296	1,506 896	450 302	432 232	293 157	331 205	669 417	222 153	190 124	129 55	128 85	
2,719 1,772	902 578	652 442	538 318	627 434	2,198 1,479	748 557	588 366	400 241	462 315	1,164 781	409 294	334 213	188 134	233 140	92B
274 200	73 51	84 62	51 35	66 52	249 161	70 56	51 47	65 33	63 25	150 106	43 31	32 29	42 22	33 24	
265 278	76 90	71 70	54 51	64 67	268 297	88 101	70 66	52 54	58 76	203 169	59 60	58 40	35 34	51 35	94
19 5	3 1	3 1	6 2	7 1	17 12	2 3	8 4	4 4	3 1	14 7	5 —	3 —	2 3	4 4	
298 241	102 92	72 56	48 30	76 63	364 219	139 85	82 40	52 44	91 50	229 145	73 55	66 31	46 18	44 41	96
81 38	38 17	19 5	9 5	15 11	58 31	26 14	13 5	13 3	6 9	43 17	11 4	17 9	6 3	9 1	
60 16	21 4	15 —	12 5	12 7	100 26	34 7	18 8	28 4	20 7	70 19	22 4	24 5	10 —	14 10	98A
49 38	15 9	11 9	14 14	9 6	42 36	11 8	10 9	9 12	12 7	29 16	10 6	8 4	5 1	6 5	
50 50	14 5	13 13	10 17	13 15	58 45	14 10	16 12	13 11	15 12	27 36	5 12	5 6	9 9	8 9	99A
48 33	10 9	7 3	17 10	14 11	53 30	11 7	9 5	13 6	20 12	25 18	7 3	4 2	4 5	10 8	
110 103	28 18	26 29	25 22	31 34	108 98	20 24	31 22	28 20	29 32	60 49	15 10	14 14	21 11	10 14	100

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
101	Diseases of œsophagus ... { M F	25 17	6 4	5 1	7 7	7 5	4 3	— 1	2 1	2 1	— —
102	Perforating ulcer of stomach. { M F	884 914	207 275	208 229	232 195	237 215	156 134	38 52	40 35	34 18	44 29
103A	Inflammation of stomach { M F	1,609 1,594	370 382	399 376	421 403	419 433	119 112	21 24	39 25	30 27	29 36
103B	Other diseases of the stomach. { M F	339 311	87 78	92 77	80 72	80 84	26 28	6 7	4 4	5 9	11 8
104 & 105.	Diarrhœa and enteritis ... { M F	14,277 11,750	1,409 1,108	1,559 1,144	7,311 6,011	3,998 3,487	1,964 1,636	199 168	219 155	982 794	564 519
106	Ankylostomiasis... { M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
107	Other intestinal parasites { M F	6 14	2 2	1 2	1 3	2 7	— —	— —	— —	— —	— —
108	Appendicitis ... { M F	1,387 1,142	327 256	349 299	367 315	344 272	185 158	45 40	48 40	44 45	48 33
109A	Hernia ... { M F	781 897	209 244	185 220	177 194	210 239	104 115	31 29	20 24	25 32	28 30
109B	Intestinal obstruction ... { M F	1,186 1,184	280 318	329 290	270 272	307 304	137 144	31 41	38 35	29 25	39 43
110	Other diseases of the intestines. { M F	245 254	70 64	62 51	55 63	58 76	36 30	12 9	7 6	6 8	11 7
111	Acute yellow atrophy of liver. { M F	16 33	3 9	4 5	5 12	4 7	— 1	— —	— —	— —	— 1
112	Hydatid of liver... { M F	12 17	5 6	3 5	2 4	2 2	1 2	— 1	1 1	— —	— —
113	Cirrhosis of the liver ... { M F	2,264 1,732	545 447	553 387	613 442	553 456	355 313	90 84	75 74	99 70	91 85
114	Biliary calculi ... { M F	220 626	61 161	59 158	49 152	51 155	31 65	11 12	12 16	2 21	6 16
115	Other diseases of the liver { M F	390 493	87 110	101 136	115 122	87 125	49 59	13 15	11 16	12 14	13 14
116	Diseases of the spleen ... { M F	20 26	6 3	7 8	4 9	3 6	3 6	1 —	— 2	1 3	1 1
117	Peritonitis (cause un- stated). { M F	237 295	60 71	58 70	65 78	54 76	41 36	13 14	9 8	10 9	9 5
118	Other diseases of the digestive system. { M F	124 105	25 28	31 22	30 27	38 28	15 15	3 4	3 2	1 4	8 5
119	Acute nephritis ... { M F	1,031 924	305 280	238 217	231 197	257 230	63 77	20 26	21 18	10 19	17 14
120	Bright's disease ... { M F	7,317 6,071	1,987 1,674	1,889 1,490	1,698 1,359	1,743 1,548	1,086 923	296 262	274 229	250 197	266 235
121	Chyluria ... { M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
122	Other diseases of the kidney and annexa. { M F	255 244	67 51	59 66	58 55	71 72	56 47	12 8	9 10	15 13	20 16

IN DIFFERENT CLASSES OF AREA, 1913—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
5 6	1 1	1 —	1 2	2 3	13 3	5 1	1 —	2 2	5 —	3 5	— 1	1 —	2 2	— 2	} 101
264 295	53 80	66 78	67 62	78 75	300 303	76 95	69 66	77 78	78 64	164 182	40 48	33 50	54 37	37 47	
586 585	152 136	136 142	164 153	134 154	617 594	138 135	152 141	155 149	172 169	287 303	59 87	72 68	72 74	84 74	} 103A
127 119	29 29	35 32	29 29	34 29	108 99	31 23	30 22	23 21	24 33	78 65	21 19	23 19	23 13	11 14	
6,167 5,031	513 394	581 446	3,453 2,853	1,620 1,338	4,503 3,723	468 369	527 357	2,264 1,866	1,244 1,131	1,643 1,360	229 177	232 186	612 498	570 499	} 104 & 105
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	
3 3	1 —	— 1	1 —	1 2	— 4	— 1	— —	— 2	— 1	3 7	1 1	1 1	— 1	1 4	} 107
415 326	101 78	103 94	99 78	112 76	509 415	106 90	138 112	144 118	121 95	278 243	75 48	60 53	80 74	63 68	
249 301	70 80	49 68	57 65	73 88	245 303	56 85	62 76	61 66	66 76	183 178	52 50	54 52	34 31	43 45	} 109A
353 369	80 97	88 92	86 90	99 90	398 427	95 110	121 107	84 99	98 111	298 244	74 70	82 56	71 58	71 60	
84 78	23 22	21 13	17 18	23 25	70 89	22 20	19 19	15 24	14 26	55 57	13 13	15 13	17 13	10 18	} 110
5 13	1 6	2 1	1 5	1 1	7 13	2 2	1 4	2 4	2 3	4 6	— 1	1 —	2 3	1 2	
4 6	2 4	— 2	1 —	1 —	7 8	3 1	2 2	1 3	1 2	— 1	— —	— —	— 1	— —	} 112
719 612	176 171	180 124	163 168	200 149	772 544	178 128	185 124	236 139	173 153	418 263	101 64	113 65	115 65	89 69	
66 192	20 58	18 54	13 39	15 41	80 234	18 53	19 53	22 59	21 69	43 135	12 38	10 35	12 33	9 29	} 114
119 158	26 38	32 35	37 46	24 39	129 183	23 41	31 52	45 48	30 42	93 93	25 16	27 33	21 14	20 30	
4 6	1 —	2 1	1 4	— 1	8 7	2 2	3 1	1 1	2 3	5 7	2 1	2 4	1 1	— 1	} 116
70 110	16 26	20 26	14 32	20 26	63 94	17 20	12 23	22 24	12 27	63 55	14 11	17 13	19 13	13 18	
50 32	12 9	11 7	12 11	15 5	34 44	5 12	11 9	8 10	10 13	25 14	5 3	6 4	9 2	5 5	} 118
416 378	111 112	97 73	101 82	107 111	370 311	124 93	74 80	85 60	87 78	177 158	50 49	46 46	35 36	46 27	
2,504 2,069	677 597	641 508	599 448	587 516	2,347 1,973	647 521	600 461	550 457	550 534	1,380 1,106	367 294	374 292	299 257	340 263	} 120
— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	
69 72	13 16	19 17	13 12	19 27	72 79	21 19	16 24	20 20	15 16	58 46	16 8	15 15	10 10	17 13	} 122

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
123	Calculi of the urinary passages. { M F	195 73	49 20	56 17	43 24	47 12	28 13	11 4	6 3	5 4	6 2
124	Diseases of the bladder ... { M F	934 235	250 56	237 58	215 57	232 64	110 25	22 6	30 7	26 4	32 8
125	Diseases of the urethra, { M Urinary abscess, &c. { F	379 5	96 2	93 3	101 —	89 —	56 1	11 —	13 1	14 —	18 —
126	Diseases of the prostate ... { M F	1,441 —	372 —	342 —	359 —	368 —	163 —	43 —	39 —	44 —	37 —
127	Non-venereal diseases of male genital organs. { M F	42 —	16 —	10 —	6 —	10 —	5 —	2 —	— —	1 —	2 —
128	Uterine hæmorrhage (non-puerperal). { M F	— 27	— 5	— 5	— 11	— 6	— 3	— 1	— —	— 2	— —
129	Uterine tumour (non-cancerous). { M F	— 316	— 80	— 74	— 80	— 82	— 44	— 10	— 11	— 12	— 11
130	Other diseases of the uterus. { M F	— 138	— 34	— 36	— 30	— 38	— 19	— 5	— 3	— 6	— 5
131	Ovarian cyst, tumour (non-cancerous). { M F	— 270	— 56	— 76	— 77	— 61	— 25	— 4	— 5	— 11	— 5
132	Other diseases of the female genital organs. { M F	— 202	— 45	— 52	— 53	— 52	— 42	— 8	— 11	— 13	— 10
133	Non-puerperal dis. of the breast (non-cancerous). { M F	2 29	— 7	1 6	— 9	1 7	— 1	— —	— —	— 1	— —
134	Accidents of pregnancy... { M F	— 377	— 81	— 92	— 118	— 86	— 36	— 4	— 11	— 17	— 4
135	Puerperal hæmorrhage ... { M F	— 507	— 125	— 130	— 124	— 128	— 32	— 5	— 9	— 9	— 9
136	Other accidents of child-birth. { M F	— 374	— 97	— 95	— 91	— 91	— 32	— 5	— 9	— 12	— 6
137	Puerperal fever ... { M F	— 1,108	— 264	— 274	— 252	— 318	— 137	— 37	— 34	— 33	— 33
138	Puerperal albuminuria and convulsions. { M F	— 755	— 189	— 201	— 184	— 181	— 60	— 17	— 4	— 20	— 9
139	Puerperal phlegmasia alba dolens, embolism and sudden death. { M F	— 332	— 84	— 88	— 69	— 91	— 14	— 9	— 1	— 2	— 2
140	Puerperal insanity ... { M F	— 28	— 13	— 9	— 4	— 2	— 1	— 1	— —	— —	— —
141	Puerperal diseases of the breast. { M F	— 11	— 2	— 1	— 3	— 5	— 1	— —	— —	— 1	— —
142A	Senile gangrene ... { M F	722 600	235 202	205 171	137 108	145 119	57 67	21 29	14 23	9 2	13 13
142B, C, D.	Gangrene, other types ... { M F	75 91	20 26	19 15	12 23	24 27	12 11	5 2	1 1	1 5	5 3
143	Carbuncle, Boil ... { M F	150 73	45 24	45 18	26 16	34 15	22 12	6 5	8 1	5 2	3 4
144	Phlegmon, Acute abscess { M F	390 302	100 77	90 70	90 75	110 80	70 55	19 17	15 11	11 15	25 12
145	Diseases of the integumentary system. { M F	488 574	116 154	111 126	118 124	143 170	52 55	13 15	15 12	13 13	11 15

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
146	Diseases of the bones ... { M 320 96 90 53 81 F 199 42 53 39 65						51 13 14 7 17 41 8 13 6 14				
147	Diseases of the joints ... { M 74 17 19 19 19 F 53 15 16 10 12						12 3 3 3 3 6 3 2 1 —				
148	Amputations ... { M — — — — — F — — — — —						— — — — — — — — — —				
149	Other diseases of loco- motor system. { M 24 9 7 4 4 F 18 5 5 3 5						2 1 1 — — — — — — —				
150	Congenital malformations { M 2,213 598 532 528 555 F 1,740 452 438 424 426						242 64 57 55 66 208 52 46 60 50				
151A	Premature birth ... { M 9,794 2,631 2,485 2,195 2,483 F 7,860 2,148 1,956 1,776 1,980						1,031 288 242 237 264 923 259 222 215 227				
151 B-E.	Infantile debility, Icterus and Sclerema { M 6,961 1,899 1,583 1,671 1,808 F 5,001 1,388 1,099 1,250 1,264						670 196 139 147 188 465 134 84 104 143				
152	Other diseases peculiar to early infancy. { M 1,797 451 494 421 431 F 1,191 303 289 301 298						259 65 69 68 57 179 48 35 52 44				
153	Lack of care ... { M 95 36 19 18 22 F 100 39 23 22 16						20 4 8 3 5 20 7 8 3 2				
154	Old age ... { M 13,260 4,141 3,318 2,708 3,093 F 17,636 5,545 4,452 3,560 4,079						994 360 230 183 221 1,666 562 408 304 392				
155	Suicide by poison ... { M 302 75 83 80 64 F 210 49 58 59 44						73 19 18 16 20 41 11 16 9 5				
156	Suicide by asphyxia ... { M 108 28 30 28 22 F 52 15 12 13 12						27 8 8 9 2 17 5 5 2 5				
157	Suicide by hanging or strangulation. { M 741 182 190 212 157 F 173 40 60 39 34						89 19 23 30 17 12 2 3 4 3				
158	Suicide by drowning ... { M 469 110 135 115 109 F 284 86 74 60 64						50 4 18 14 14 19 5 4 2 8				
159	Suicide by firearms ... { M 249 68 68 56 57 F 11 5 2 3 1						41 9 11 15 6 — — — — —				
160	Suicide by cutting or piercing instruments. { M 491 133 123 121 114 F 112 27 31 30 24						48 9 13 13 13 15 4 6 3 2				
161	Suicide by jumping from high place. { M 53 11 18 11 13 F 34 5 8 10 11						17 — 6 7 4 12 3 — 5 4				
162	Suicide by crushing ... { M 172 35 42 50 45 F 27 7 3 1 16						16 4 4 1 7 3 2 — — 1				
163	Other suicides ... { M 11 5 4 1 1 F 15 3 4 6 2						— — — — — 2 1 — 1 —				
164	Poisoning by food ... { M 53 12 12 19 10 F 51 14 9 19 9						5 2 — 2 1 3 1 — 1 1				
165	Other acute poisonings ... { M 132 24 33 38 37 F 104 25 25 36 18						26 5 7 5 9 11 5 3 1 2				
166	Conflagration ... { M 27 7 3 5 12 F 28 10 4 5 9						5 1 — 1 3 10 7 — 1 2				
167	Burns (conflagration ex- cepted). { M 916 286 194 160 276 F 1,228 438 243 183 364						89 25 16 14 34 114 34 27 18 35				
168	Absorption of deleterious gases (conflagration ex- cepted). { M 747 212 180 174 181 F 651 206 137 119 189						151 44 50 27 30 167 57 37 29 44				

IN DIFFERENT CLASSES OF AREA, 1913—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
105 59	29 17	33 15	18 8	25 19	104 58	34 11	25 10	15 16	30 21	60 41	20 6	18 15	13 9	9 11	146
25 16	5 3	6 7	8 1	6 5	19 17	5 7	4 4	5 3	5 3	18 14	4 2	6 3	3 5	5 4	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	148
13 9	6 2	3 4	2 2	2 1	5 4	2 1	1 1	1 1	1 1	4 5	— 2	2 —	1 —	1 3	
741 551	191 142	183 131	170 139	197 139	777 617	226 165	168 157	199 140	184 155	453 364	117 93	124 104	104 85	108 82	150
3,524 2,893	919 780	891 722	785 647	929 744	3,373 2,637	929 717	858 662	726 573	860 685	1,866 1,407	495 392	494 350	447 341	430 324	
2,532 1,881	685 499	552 395	615 520	680 467	2,486 1,808	660 515	595 407	604 432	627 454	1,273 847	358 240	297 213	305 194	313 200	151 B-E.
632 377	140 96	177 92	147 95	168 94	564 374	152 94	156 97	127 85	129 98	342 261	94 65	92 65	79 69	77 62	
30 41	14 17	4 7	5 11	7 6	28 23	13 6	3 5	9 5	3 7	17 16	5 9	4 3	1 3	7 1	153
3,686 5,092	1,148 1,569	892 1,280	738 1,038	908 1,205	4,326 5,977	1,242 1,876	1,144 1,482	931 1,234	1,009 1,385	4,254 4,901	1,391 1,538	1,052 1,282	856 984	955 1,097	
99 98	25 20	27 25	33 32	14 21	88 56	24 16	27 14	20 12	17 14	42 15	7 2	11 3	11 6	13 4	155
45 23	10 6	13 4	11 9	11 4	33 11	9 4	9 2	7 2	8 3	3 1	1 —	— 1	1 —	1 —	
239 51	55 18	70 15	69 10	45 8	247 70	58 12	56 28	73 14	60 16	166 40	50 8	41 14	40 11	35 7	157
125 77	29 18	34 21	26 19	36 19	177 106	45 41	51 19	45 23	36 23	117 82	32 22	32 30	30 16	23 14	
51 3	17 2	14 1	9 —	11 —	78 4	22 1	20 1	15 2	21 —	79 4	20 2	23 —	17 1	19 1	159
178 37	43 7	48 13	45 10	42 7	163 43	47 13	28 8	47 14	41 8	102 17	34 3	34 4	16 3	18 7	
14 9	5 1	5 4	1 2	3 2	15 9	4 —	4 3	2 2	5 4	7 4	2 1	3 1	1 1	1 1	161
47 3	9 2	13 —	13 —	12 1	70 14	14 1	16 1	21 1	19 11	39 7	8 2	9 2	15 —	7 3	
2 7	1 2	1 3	— 2	— —	4 4	2 —	2 1	— 3	— —	5 2	2 —	1 —	1 —	1 2	163
19 19	3 7	4 3	11 7	1 2	17 18	3 3	5 5	3 6	6 4	12 11	4 3	3 1	3 5	2 2	
45 42	7 11	9 9	14 11	15 11	37 34	9 6	11 10	11 13	6 5	24 17	3 3	6 3	8 11	7 —	165
8 11	3 3	1 —	— 4	4 4	4 3	— —	1 3	1 —	2 —	10 4	3 —	1 1	3 —	3 3	
382 528	123 199	88 90	57 76	114 163	298 372	88 133	57 69	65 58	88 112	147 214	50 72	33 57	24 31	40 54	167
335 281	85 79	86 63	84 56	80 8	185 137	58 40	28 33	51 24	48 40	76 66	25 30	16 4	12 10	23 22	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.	ENGLAND AND WALES.					LONDON.				
		Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.
169	Accidental drowning ... { M F	1,999 421	415 82	623 122	629 124	332 93	174 35	40 7	62 11	38 7	34 10
170	Injury by firearms ... { M F	99 14	28 2	20 4	31 5	20 3	5 2	— 1	— 1	4 —	1 —
171	Injury by cutting or piercing instruments. { M F	29 3	7 2	10 1	11 —	1 —	— —	— —	— —	— —	— —
172	Injury by fall ... { M F	1,959 1,437	465 389	486 320	501 320	507 408	295 273	67 82	75 63	70 50	83 78
173	Injuries in mines and quarries. { M F	1,154 —	265 —	298 —	276 —	315 —	— —	— —	— —	— —	— —
174	Injury by machines ... { M F	287 8	79 2	74 3	75 1	59 2	24 1	8 —	6 —	6 —	4 1
175	Injury by other crushing (vehicles, railways, landslides, &c.). { M F	2,872 582	628 115	696 136	823 166	725 165	415 129	95 30	106 28	111 30	103 41
176	Injury by animals ... { M F	91 5	20 3	20 —	20 1	31 1	3 —	1 —	1 —	1 —	— —
177	Starvation ... { M F	17 6	6 4	3 1	8 —	— 1	2 2	1 2	— —	1 —	— —
178	Excessive cold ... { M F	63 10	32 5	14 2	1 1	16 2	— —	— —	— —	— —	— —
179	Effects of heat ... { M F	94 52	— —	49 35	44 16	1 1	9 4	— —	6 4	3 —	— —
180	Lightning ... { M F	9 2	— —	7 2	2 —	— —	— —	— —	— —	— —	— —
181	Electricity (lightning ex- cepted). { M F	22 —	6 —	4 —	5 —	7 —	2 —	1 —	1 —	— —	— —
182	Homicide by firearms ... { M F	15 24	2 5	8 10	3 4	2 5	2 2	1 —	1 1	— 1	— —
183	Homicide by cutting or piercing instruments. { M F	16 28	5 9	3 9	4 7	4 3	3 6	1 —	— 4	1 1	1 1
184	Homicide by other means { M F	109 128	27 39	28 35	23 24	31 30	21 25	4 7	4 4	5 4	8 10
185	Fractures (cause not specified). { M F	44 21	5 8	11 3	17 6	11 4	5 7	— 3	2 —	2 3	1 1
186	Other violence ... { M F	428 164	104 35	105 40	107 45	112 44	52 30	15 4	7 8	16 14	14 4
187	Dropsy ... { M F	13 23	6 9	4 5	1 2	2 7	— —	— —	— —	— —	— —
188A	Syncope (aged 1 year and under 70). { M F	161 100	46 23	40 24	39 23	36 30	4 1	2 —	— —	2 1	— —
188B	Sudden death (not other- wise defined). { M F	1 1	1 —	— 1	— —	— —	— —	— —	— —	— —	— —
189A	Heart failure (aged 1 year and under 70). { M F	755 488	216 136	167 118	181 106	191 128	13 9	5 2	2 4	2 1	4 2
189 B-E.	Other ill-defined causes { M F	560 526	163 147	124 111	120 123	153 145	33 28	9 9	7 5	7 10	10 4
189F	Cause not specified ... { M F	78 62	18 16	19 14	22 16	19 16	5 2	1 1	1 —	2 —	1 1

IN DIFFERENT CLASSES OF AREA, 1913—continued.

AGGREGATE OF COUNTY BOROUGHES.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	Year.	1st Quar- ter.	2nd Quar- ter.	3rd Quar- ter.	4th Quar- ter.	
626 140	108 21	204 33	207 51	107 35	731 141	152 31	218 49	246 36	115 25	468 105	115 23	139 29	138 30	76 23	} 169
15 3	3 1	4 1	6 1	2 —	39 4	14 —	7 1	9 1	9 2	40 5	11 —	9 1	12 3	8 1	
9 —	2 —	4 —	3 —	— —	8 —	1 —	2 —	5 —	— —	12 3	4 2	4 1	3 —	1 —	} 171
766 508	194 138	188 107	195 125	189 138	589 399	136 109	142 88	155 87	156 115	309 257	68 60	81 62	81 58	79 77	} 172
137 —	26 —	29 —	40 —	42 —	644 —	163 —	175 —	140 —	166 —	373 —	76 —	94 —	96 —	107 —	} 173
131 3	41 —	36 1	27 1	27 1	82 —	19 —	18 —	27 —	18 —	50 4	11 2	14 2	15 —	10 —	} 174
861 170	208 40	201 40	229 47	223 43	921 163	196 29	221 36	274 54	230 44	675 120	129 16	168 32	209 35	169 37	} 175
19 1	7 1	5 —	1 —	6 —	22 1	4 —	3 —	6 1	9 —	47 3	8 2	11 —	12 —	16 1	} 176
4 3	2 2	1 1	1 —	— —	5 1	2 —	2 —	1 —	— 1	6 —	1 —	— —	5 —	— —	} 177
9 3	6 2	1 —	— —	2 1	23 2	9 2	5 —	1 —	8 —	31 5	17 1	8 2	— 1	6 1	} 178
15 11	— —	10 6	5 4	— 1	34 22	— —	17 17	17 5	— —	36 15	— —	16 8	19 7	1 —	} 179
2 —	— —	2 —	— —	— —	4 2	— —	2 2	2 —	— —	3 —	— —	3 —	— —	— —	} 180
3 —	— —	— —	2 —	1 —	13 —	4 —	3 —	2 —	4 —	4 —	1 —	— —	1 —	2 —	} 181
1 5	— 1	— 1	— —	1 3	7 6	— 1	5 4	2 —	— 1	5 11	1 3	2 4	1 3	1 1	} 182
10 7	3 3	3 2	2 2	2 —	3 13	1 5	— 3	1 3	1 2	— 2	— 1	— —	— 1	— —	} 183
32 41	9 8	11 15	6 7	6 11	34 42	8 16	6 11	8 10	12 5	22 20	6 8	7 5	4 3	5 4	} 184
14 5	2 2	4 2	4 1	4 —	11 4	3 1	2 1	4 —	2 2	14 5	— 2	3 —	7 2	4 1	} 185
154 74	43 19	41 14	26 18	44 23	143 41	29 7	38 13	39 8	37 13	79 19	17 5	19 5	26 5	17 4	} 186
5 14	1 5	2 3	— 1	2 5	3 6	1 2	1 2	1 1	— 1	5 3	4 2	1 —	— —	— 1	} 187
60 41	15 7	16 13	16 10	13 11	53 30	16 7	13 7	14 6	10 10	44 28	13 9	11 4	7 6	13 9	} 188A
— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— 1	— —	— 1	— —	— —	} 188B
211 162	63 43	47 41	47 39	54 39	303 171	90 51	75 38	67 33	71 49	228 146	58 40	43 35	65 33	62 38	} 189A
260 243	73 63	61 60	52 49	74 71	174 153	51 47	39 26	40 36	44 44	93 102	30 28	17 20	21 28	25 26	} 189 B-E.
19 14	6 3	4 3	6 4	3 4	21 15	5 6	6 4	4 4	6 1	33 31	6 6	8 7	10 8	9 10	} 189F

ENGLAND AND WALES.—DEATHS TABULATED BY

			AGES AT DEATH.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
ENGLAND AND WALES.	Poor Law Institutions	M	31,992	424	392	517	652	1,985	671	207	98	77
		F	23,067	303	274	449	553	1,579	614	195	107	68
	Lunatic Asylums	M	5,749	2	—	—	—	2	—	—	2	2
		F	5,575	5	—	—	—	5	—	—	2	3
	Hospitals	M	23,687	578	572	804	1,212	3,166	1,476	904	664	539
		F	16,972	414	361	573	905	2,253	1,134	666	587	511
Elsewhere	...	M	200,259	18,931	9,406	8,400	12,074	48,811	11,330	3,878	2,237	1,614
		F	197,674	14,124	6,926	6,690	10,067	37,807	10,215	3,740	2,201	1,607
Total	...	M	261,687	19,935	10,370	9,721	13,938	53,964	13,477	4,989	3,001	2,232
		F	243,288	14,846	7,561	7,712	11,525	41,644	11,963	4,601	2,897	2,189
LONDON.	Poor Law Institutions	M	8,408	113	170	245	286	814	238	74	40	32
		F	6,887	70	108	202	251	631	227	58	39	14
	Lunatic Asylums	M	1,294	—	—	—	—	—	—	—	—	1
		F	1,404	1	—	—	—	1	—	—	—	2
	Hospitals	M	5,826	204	265	305	519	1,293	573	284	148	110
		F	4,443	160	168	278	429	1,035	483	198	143	108
Elsewhere	...	M	17,874	1,796	870	685	1,028	4,379	964	337	149	111
		F	18,374	1,421	702	578	833	3,534	849	307	156	92
Total	...	M	33,402	2,113	1,305	1,235	1,833	6,486	1,775	695	337	254
		F	31,108	1,652	978	1,058	1,513	5,201	1,559	563	338	216
COUNTY BOROUGHES.	Poor Law Institutions	M	12,625	175	119	185	265	744	297	97	39	25
		F	9,012	147	105	158	205	615	276	100	40	38
	Lunatic Asylums	M	1,778	1	—	—	—	1	—	—	—	—
		F	1,625	2	—	—	—	2	—	—	1	—
	Hospitals	M	8,848	235	194	304	427	1,160	593	376	299	222
		F	6,420	174	132	194	307	807	428	301	261	233
Elsewhere	...	M	68,501	6,726	3,680	3,381	4,952	18,739	4,809	1,558	875	600
		F	67,695	5,015	2,752	2,748	4,226	14,741	4,384	1,590	870	609
Total	...	M	91,752	7,137	3,993	3,870	5,644	20,644	5,699	2,031	1,213	847
		F	84,752	5,338	2,989	3,100	4,738	16,165	5,088	1,991	1,172	880
OTHER URBAN DISTRICTS.	Poor Law Institutions	M	7,396	88	82	70	81	321	112	29	15	16
		F	4,996	63	52	73	81	269	84	29	24	10
	Lunatic Asylums	M	1,615	1	—	—	—	1	—	—	1	—
		F	1,519	2	—	—	—	2	—	—	1	1
	Hospitals	M	6,280	100	88	138	207	533	247	196	163	146
		F	4,253	58	50	85	129	322	171	124	137	125
Elsewhere	...	M	69,764	6,687	3,340	2,971	4,184	17,182	3,890	1,395	844	599
		F	69,240	4,905	2,390	2,291	3,513	13,099	3,551	1,286	793	626
Total	...	M	85,055	6,876	3,510	3,179	4,472	18,037	4,249	1,620	1,023	761
		F	80,008	5,028	2,492	2,449	3,723	13,692	3,806	1,439	955	762
RURAL DISTRICTS.	Poor Law Institutions	M	3,563	48	21	17	20	106	24	7	4	4
		F	2,172	23	9	16	16	64	27	8	4	6
	Lunatic Asylums	M	1,062	—	—	—	—	—	—	—	1	1
		F	1,027	—	—	—	—	—	—	—	—	—
	Hospitals	M	2,733	39	25	57	59	180	63	48	54	61
		F	1,856	22	11	16	40	89	52	43	46	45
Elsewhere	...	M	44,120	3,722	1,516	1,363	1,910	8,511	1,667	588	369	304
		F	42,365	2,783	1,082	1,073	1,495	6,433	1,431	557	382	280
Total	...	M	51,478	3,809	1,562	1,437	1,989	8,797	1,754	643	428	370
		F	47,420	2,828	1,102	1,105	1,551	6,586	1,510	608	432	331

AGE AND PLACE OF OCCURRENCE, 1913.

AGES AT DEATH.																		
under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards	
038 563	193 197	192 232	335 356	444 462	657 522	997 648	1,345 925	1,616 1,049	1,983 1,144	2,300 1,354	2,476 1,390	3,427 1,863	3,871 2,248	3,626 2,699	2,791 2,320	1,713 1,787	988 1,308	
6 10	31 13	57 43	115 82	173 149	251 221	406 322	533 363	570 407	517 490	555 493	457 474	559 507	508 556	472 588	302 421	171 281	66 15	
749 151	1,679 1,637	931 845	1,082 739	1,056 764	1,155 815	1,196 928	1,358 940	1,350 902	1,441 933	1,424 862	1,324 765	1,140 642	835 457	525 336	300 156	104 72	38 28	
870 570	4,054 4,018	2,197 2,413	3,078 3,188	3,681 3,780	3,983 4,127	4,721 4,707	5,769 5,593	6,583 6,421	8,034 7,434	9,656 8,781	11,431 10,454	13,227 12,464	14,235 14,602	15,658 18,072	12,702 15,947	8,277 11,436	5,103 8,667	
663 294	5,957 5,865	3,377 3,533	4,610 4,365	5,354 5,155	6,046 5,685	7,320 6,605	9,005 7,821	10,119 8,779	11,975 10,001	13,935 11,490	15,688 13,083	18,353 15,476	19,449 17,863	20,281 21,695	16,095 18,844	10,265 13,576	6,195 10,158	
198 969	55 63	47 54	94 103	124 116	183 136	289 181	414 257	474 328	556 380	662 406	615 413	851 564	903 617	758 770	621 671	374 489	190 370	
1 3	12 3	11 14	22 26	38 32	51 47	92 53	105 80	115 91	107 113	130 100	118 121	123 139	131 154	94 162	79 121	51 91	14 54	
408 967	371 297	181 187	179 163	202 145	184 168	235 201	248 188	287 188	337 181	311 189	297 189	249 133	170 103	86 82	53 36	21 14	7 12	
940 938	261 264	153 167	270 234	286 303	387 311	476 428	585 535	673 612	874 848	1,027 940	1,130 1,034	1,164 1,143	1,277 1,378	1,308 1,648	997 1,495	639 1,152	427 944	
547 877	699 627	392 422	565 526	650 596	805 662	1,092 863	1,352 1,060	1,549 1,219	1,874 1,522	2,130 1,635	2,160 1,757	2,387 1,979	2,481 2,252	2,246 2,662	1,750 2,323	1,085 1,746	638 1,380	
202 069	78 96	84 107	139 171	194 217	310 242	445 288	600 452	728 467	869 472	981 594	1,075 577	1,430 756	1,487 894	1,438 1,015	912 762	458 513	195 320	
1 3	4 1	8 8	30 21	54 46	78 74	137 112	176 124	238 145	156 156	180 157	149 138	192 151	132 158	127 146	74 110	33 55	9 20	
650 030	635 679	353 303	393 264	364 295	432 342	485 349	532 365	493 336	537 328	536 317	474 257	374 229	278 141	182 109	88 48	27 24	15 4	
581 194	1,420 1,411	697 837	1,002 1,058	1,236 1,299	1,316 1,423	1,668 1,586	2,119 1,999	2,447 2,299	2,959 2,715	3,475 3,153	4,010 3,758	4,450 4,249	4,384 4,615	4,496 5,618	3,289 4,589	1,906 2,980	1,046 1,912	
434 296	2,137 2,187	1,142 1,255	1,564 1,514	1,848 1,857	2,136 2,081	2,735 2,335	3,427 2,940	3,906 3,247	4,521 3,671	5,172 4,221	5,708 4,730	6,446 5,385	6,281 5,808	6,243 6,888	4,363 5,509	2,424 3,572	1,265 2,256	
493 416	46 30	47 53	76 64	97 83	130 111	202 133	271 171	318 189	418 208	478 271	590 305	803 402	981 495	915 637	763 616	472 475	296 337	
2 4	10 3	19 10	41 19	55 39	61 65	100 93	173 104	137 103	164 148	152 147	117 130	157 137	149 136	153 159	64 110	40 70	21 42	
285 879	474 475	283 243	321 210	349 230	367 205	335 259	419 260	402 258	391 264	393 246	376 205	329 200	251 135	162 96	99 51	33 25	11 12	
910 355	1,544 1,493	768 856	1,121 1,189	1,324 1,369	1,447 1,512	1,663 1,698	1,991 1,960	2,270 2,332	2,777 2,494	3,348 3,040	3,964 3,644	4,679 4,438	4,985 5,149	5,457 6,336	4,255 5,510	2,700 3,917	1,561 2,948	
690 654	2,074 2,001	1,117 1,162	1,559 1,482	1,825 1,721	2,005 1,893	2,300 2,183	2,854 2,495	3,127 2,882	3,750 3,114	4,371 3,704	5,047 4,284	5,968 5,177	6,366 5,915	6,687 7,228	5,181 6,287	3,245 4,487	1,889 3,339	
145 109	14 8	14 18	26 18	29 46	34 33	61 46	60 45	96 65	140 84	179 83	196 95	343 141	500 242	515 277	495 271	409 310	307 281	
2 —	5 6	19 11	22 16	26 32	61 35	77 64	79 55	80 68	90 73	93 89	73 85	87 80	96 108	98 121	85 80	47 65	22 39	
406 275	199 186	114 112	189 102	141 94	172 100	141 119	159 127	168 120	176 160	184 110	177 114	188 80	136 78	95 49	60 21	23 9	5 —	
439 083	829 850	579 553	685 707	835 809	833 881	914 995	1,074 1,099	1,193 1,178	1,424 1,377	1,806 1,648	2,327 2,018	2,934 2,634	3,589 3,460	4,397 4,470	4,161 4,353	3,032 3,387	2,069 2,863	
992 467	1,047 1,050	726 694	922 843	1,031 981	1,100 1,049	1,193 1,224	1,372 1,326	1,537 1,431	1,830 1,694	2,262 1,930	2,773 2,312	3,552 2,935	4,321 3,888	5,105 4,917	4,801 4,725	3,511 3,771	2,403 3,183	

CAUSES OF DEATH (see page xxxii) AT DIFFERENT PERIODS OF LIFE—1913.
ALL AREAS—ENGLAND AND WALES.

Causes of Death.		Sex.	ENGLAND AND WALES.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES		M	261,687	53,964	13,477	10,222	9,334	9,964	32,490	59,951	72,285
		F	243,288	41,644	11,963	9,687	9,398	9,520	28,890	50,050	82,136
1 Enteric fever		M	907	—	3	14	101	200	420	155	14
		F	598	1	3	19	108	139	238	77	13
2 Small-pox		M	6	—	—	—	2	1	3	—	—
		F	4	—	—	1	—	—	3	—	—
3 Measles		M	5,567	1,127	2,226	1,689	484	24	12	4	1
		F	5,077	1,020	1,883	1,632	489	23	26	4	—
4 Scarlet fever		M	1,060	46	125	436	364	58	27	4	—
		F	1,040	27	98	450	395	39	26	5	—
5 Whooping cough		M	2,411	1,192	725	418	76	—	—	—	—
		F	3,047	1,365	942	642	93	1	1	—	3
6 Diphtheria and croup		M	2,175	125	245	854	875	43	23	8	2
		F	2,319	90	227	804	1,127	24	25	13	9
7 Influenza		M	3,362	161	48	52	78	174	641	1,132	1,076
		F	3,032	89	36	51	70	137	409	786	1,454
8 Erysipelas		M	435	73	7	2	5	17	79	144	108
		F	367	69	4	7	6	13	47	105	116
9 Pulmonary tuberculosis		M	21,034	181	240	288	616	3,100	9,555	6,158	896
		F	16,021	128	197	262	1,134	3,598	7,086	3,043	573
10 Tuberculous meningitis		M	2,678	504	543	661	707	142	90	28	3
		F	2,340	397	421	602	636	176	91	16	1
11 Other tuberculous diseases.		M	3,945	838	570	460	574	459	583	354	107
		F	3,458	624	416	376	555	460	575	327	125
12 Cancer, malignant disease		M	16,918	6	13	55	63	124	1,449	8,196	7,012
		F	22,021	9	12	39	45	130	2,682	10,324	8,780
13 Rheumatic fever		M	840	4	5	18	225	186	190	174	38
		F	930	—	3	24	262	180	231	181	49
14 Meningitis		M	2,230	657	348	375	366	146	163	126	49
		F	2,021	521	318	360	380	126	162	111	43
15 Organic heart disease		M	23,343	12	23	29	374	631	2,624	8,677	10,973
		F	26,188	4	14	26	462	747	3,091	8,698	13,146
16 Bronchitis		M	19,512	4,073	929	388	129	76	686	4,095	9,136
		F	19,715	3,088	884	358	111	68	559	3,476	11,171
17 Pneumonia (all forms)...		M	21,505	5,492	2,994	1,668	723	795	3,001	4,170	2,662
		F	16,025	4,114	2,586	1,638	705	448	1,632	2,214	2,688
18 Other respiratory diseases		M	4,031	333	182	249	182	105	507	1,273	1,200
		F	3,199	237	133	227	145	80	354	782	1,241
19 Diarrhoea, &c.		M	14,277	9,632	2,221	547	143	80	390	594	670
		F	11,750	7,406	2,083	554	156	75	273	443	760
20 Appendicitis and typhlitis		M	1,387	5	8	68	385	299	324	217	81
		F	1,142	2	2	34	314	218	271	203	98
21 Cirrhosis of liver		M	2,264	1	1	2	8	4	373	1,364	511
		F	1,732	—	2	1	8	7	318	1,038	358
21A Alcoholism		M	406	—	—	—	—	6	176	190	34
		F	245	—	—	—	—	1	84	128	32
22 Nephritis and Bright's disease.		M	8,348	79	65	115	192	252	1,284	3,578	2,783
		F	6,995	67	67	89	188	235	1,258	2,795	2,296
23 Puerperal fever... ..		M	—	—	—	—	—	—	—	—	—
		F	1,108	—	—	—	—	234	870	4	—
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—
		F	2,384	—	—	—	—	437	1,915	32	—
25 Congenital debility, &c. {		M	18,968	18,694	87	71	61	33	18	4	—
		F	14,601	14,384	59	52	55	24	18	7	2
26 Violence, apart from suicide.		M	11,182	812	285	797	1,151	1,327	2,927	2,558	1,325
		F	4,967	801	223	565	581	229	495	721	1,352
27 Suicide		M	2,596	—	—	—	6	231	931	1,091	337
		F	918	—	—	—	2	142	366	339	69
28 Other defined diseases ...		M	68,732	9,811	1,300	909	1,412	1,422	5,822	15,072	32,984
		F	68,844	7,103	1,091	811	1,334	1,510	5,641	13,791	37,563
29 Causes ill-defined or unknown.		M	1,568	106	284	57	32	29	192	585	283
		F	1,200	98	259	63	37	19	143	387	194

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
LONDON AND COUNTY BOROUGH.

Causes of Death.	Sex.	LONDON.										AGGREGATE OF COUNTY BOROUGH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	33,402	6486	1775	1286	1091	1215	4798	8551	8200	91,752	20644	5699	4091	3279	3412	12204	21847	20576		
	F	31,108	5201	1559	1117	1049	1122	3804	6893	10363	84,752	16165	5088	4043	3442	3371	10603	18007	24033		
Enteric fever ...	M	63	—	—	—	10	11	26	15	1	368	—	2	8	40	78	177	57	6		
	F	51	—	1	2	5	10	26	7	—	225	—	1	9	37	55	89	30	4		
Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
Measles ...	M	816	171	362	233	48	—	1	1	—	2,184	448	900	679	150	2	4	—	1		
	F	731	159	298	211	55	5	2	1	—	2,021	412	728	709	164	3	5	—	—		
Scarlet fever ...	M	101	8	24	37	26	3	3	—	—	492	19	58	212	162	27	13	1	—		
	F	84	1	11	36	30	2	3	1	—	450	13	48	188	175	16	8	2	—		
Whooping cough ...	M	369	177	118	63	11	—	—	—	—	910	414	289	176	31	—	—	—	—		
	F	424	149	159	102	14	—	—	—	—	1,147	495	355	265	32	—	—	—	—		
Diphtheria and croup ...	M	211	19	34	89	66	—	2	1	—	799	48	100	334	289	15	11	1	1		
	F	220	28	37	73	79	1	1	—	1	898	42	87	322	423	8	7	6	3		
Influenza ...	M	440	26	7	2	7	16	86	169	127	918	48	12	15	29	47	213	316	238		
	F	427	11	5	5	8	21	50	118	209	832	30	11	17	19	44	134	225	352		
Erysipelas ...	M	73	15	2	—	1	3	12	24	16	181	33	1	2	4	11	33	60	37		
	F	61	13	3	1	—	2	5	18	19	140	27	1	4	3	6	18	44	37		
Pulmonary tuberculosis	M	3,730	30	48	55	82	423	1681	1213	198	8,061	67	98	116	233	1108	3647	2484	308		
	F	2,303	29	35	48	117	410	969	579	116	5,935	53	87	109	464	1303	2662	1081	176		
Tuberculous meningitis	M	397	69	84	115	105	13	11	—	—	1,029	207	211	252	262	54	32	10	1		
	F	329	63	60	94	93	11	7	1	—	856	153	161	222	225	62	30	3	—		
Other tuberculous diseases.	M	383	84	51	47	63	37	50	39	12	1,558	348	241	204	235	165	206	127	32		
	F	332	60	40	40	54	39	43	35	21	1,280	260	193	149	212	167	169	95	35		
Cancer, malignant disease	M	2,318	1	3	7	14	24	181	1195	893	5,180	—	2	17	12	39	544	2775	1791		
	F	2,942	1	1	4	6	26	374	1382	1148	6,865	2	2	14	14	44	980	3379	2430		
Rheumatic fever ...	M	99	—	—	4	22	28	26	14	5	265	2	2	4	72	60	65	55	5		
	F	112	—	—	2	38	18	29	22	3	336	—	—	7	82	80	89	56	22		
Meningitis ...	M	203	66	30	33	36	13	15	7	3	857	262	124	166	122	47	61	52	23		
	F	184	61	23	30	24	11	13	11	11	803	201	143	158	149	41	56	39	16		
Organic heart disease ...	M	2,814	2	3	4	59	96	393	1097	1160	7,271	5	10	7	132	221	1029	2975	2892		
	F	3,387	—	2	1	88	135	454	1117	1590	8,187	1	6	12	166	259	1157	3076	3510		
Bronchitis ...	M	2,730	447	79	32	13	10	143	622	1384	7,544	1604	407	146	38	43	338	1863	3105		
	F	2,934	305	75	20	20	6	95	565	1853	7,590	1232	382	157	39	31	251	1635	3863		
Pneumonia (all forms)...	M	3,215	868	412	234	87	107	470	621	416	8,478	2028	1271	716	277	320	1240	1758	868		
	F	2,573	658	386	202	84	48	272	429	494	6,123	1567	1103	719	287	176	617	841	813		
Other respiratory diseases	M	485	42	26	24	7	11	61	166	148	1,277	125	61	86	53	37	180	420	315		
	F	421	36	12	17	6	8	41	114	187	1,049	90	48	79	45	27	125	280	355		
Diarrhoea, &c. ...	M	1,964	1394	300	70	12	13	51	70	54	6,167	4190	1073	244	64	29	156	205	206		
	F	1,636	1125	271	66	13	9	28	38	86	5,031	3214	1003	259	46	18	95	160	236		
Appendicitis and typhlitis	M	185	—	—	8	52	36	37	36	16	415	2	3	20	112	103	110	51	14		
	F	158	—	—	8	40	29	27	29	25	326	1	1	8	96	56	86	59	19		
Cirrhosis of liver ...	M	355	—	—	—	—	—	53	235	67	719	1	—	—	3	2	122	444	147		
	F	313	—	1	—	3	—	67	182	60	612	—	1	—	2	1	118	406	84		
Alcoholism ...	M	43	—	—	—	—	1	21	18	3	171	—	—	—	—	2	67	85	17		
	F	43	—	—	—	—	—	15	23	5	109	—	—	—	—	1	42	54	12		
Nephritis and Bright's disease.	M	1,154	1	2	7	11	31	173	524	405	2,920	33	25	44	75	92	536	1326	789		
	F	1,000	2	1	4	16	26	174	437	340	2,447	28	29	44	74	95	478	1023	676		
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	137	—	—	—	—	40	97	—	—	413	—	—	—	—	91	319	3	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	176	—	—	—	—	26	146	4	—	820	—	—	—	—	158	651	11	—		
Congenital debility, &c.	M	1,943	1910	9	6	10	5	3	—	—	6,797	6712	31	22	22	8	—	2	—		
	F	1,596	1575	8	4	6	—	3	—	—	5,325	5267	20	15	8	9	3	2	1		
Violence, apart from suicide.	M	1,288	165	40	84	157	121	272	283	166	3,597	348	101	277	388	365	920	809	389		
	F	821	199	20	59	75	29	83	100	256	1,855	328	101	231	220	69	176	304	426		
Suicide ...	M	361	—	—	—	—	28	126	170	37	800	—	—	—	3	71	292	342	92		
	F	121	—	—	—	—	15	59	39	8	308	—	—	—	2	41	133	117	15		
Other defined diseases ...	M	7,607	986	119	125	192	184	896	2019	3086	22,239	3667	530	320	458	453	2139	5443	9229		
	F	7,547	724	90	87	175	195	718	1633	392	22,294	2714	449	306	439	507	2046	4929	10904		
Causes ill-defined or unknown.	M	55	5	22	7	—	1	5	12	2	555	33	147	24	13	13	69	186	70		
	F	40	2	20	1	—	—	3	8	6	474	35	128	40	19	3	58	147	44		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
URBAN AND RURAL DISTRICTS—ENGLAND AND WALES.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	85,055 80,008	18037 13692	4249 3806	3404 3156	3191 3163	3384 3203	10286 9453	19136 16279	23368 27256	51,478 47,420	8797 6586	1754 1510	1441 1371	1773 1744	1953 1824	5202 5030	10417 8871	2 2	
1	Enteric fever	M F	317 220	— —	1 1	3 4	29 50	73 48	153 88	56 26	2 3	159 102	— 1	— —	3 4	22 16	38 26	64 35	27 14	
2	Small-pox	M F	4 3	— —	— —	— 1	2 —	— —	2 2	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	
3	Measles	M F	1,794 1,666	377 318	679 640	556 533	168 166	9 4	5 5	— —	— —	773 659	131 131	285 217	221 179	118 104	13 11	2 14	3 3	
4	Scarlet fever	M F	302 325	15 7	27 24	120 154	112 118	21 11	5 10	2 1	— —	165 181	4 6	16 15	67 72	64 72	7 10	6 5	1 1	
5	Whooping cough	M F	745 977	362 443	223 311	137 194	23 29	— —	— —	— —	— —	387 499	239 278	95 117	42 81	11 18	— 1	— 1	— —	
6	Diphtheria and croup	M F	791 799	42 17	84 72	308 291	338 401	13 6	4 5	2 3	— 4	374 402	16 3	27 31	123 118	182 224	15 9	6 12	4 4	
7	Influenza	M F	1,087 1,001	43 19	15 11	17 17	25 22	72 42	214 142	379 272	322 476	917 772	44 29	14 9	18 12	17 21	39 30	128 83	268 171	
8	Erysipelas	M F	116 112	17 23	4 —	— 1	— 3	1 1	23 14	36 27	35 43	65 54	8 6	— —	— 1	— —	2 4	11 10	24 16	
9	Pulmonary tuberculosis	M F	6,137 5,017	57 33	74 57	87 82	195 353	1001 1218	2810 2205	1662 899	251 170	3,106 2,766	27 13	20 18	30 23	106 200	568 667	1417 1250	799 484	
10	Tuberculous meningitis	M F	859 791	151 123	184 147	213 202	230 210	40 68	28 34	11 6	2 1	393 364	77 58	64 53	81 84	110 108	35 35	19 20	7 6	
11	Other tuberculous diseases.	M F	1,310 1,171	290 217	200 137	149 129	183 176	166 156	186 197	101 125	35 34	694 675	116 87	78 46	60 58	93 113	91 98	141 166	87 72	
12	Cancer, malignant disease	M F	5,457 7,458	2 3	7 5	19 17	19 16	34 41	474 902	2646 3464	2256 3010	3,963 4,756	3 3	1 4	12 4	18 9	27 19	250 426	1580 2099	
13	Rheumatic fever	M F	319 332	2 —	2 2	8 10	89 95	65 52	65 81	73 75	15 17	157 150	— —	1 1	2 5	42 47	33 30	34 32	32 28	
14	Meningitis	M F	796 708	233 167	120 113	123 124	144 138	52 44	61 70	48 42	15 10	374 326	96 92	74 39	53 48	64 69	34 30	26 23	19 19	
15	Organic heart disease	M F	7,644 8,509	2 1	6 2	14 8	126 149	214 248	835 1014	2871 2821	3576 4266	5,614 6,105	3 2	4 4	4 5	57 59	100 105	367 466	1734 1684	
16	Bronchitis	M F	5,939 6,038	1355 1067	303 296	142 127	49 36	11 21	161 151	1160 937	2758 3403	3,299 3,148	667 484	140 131	68 54	29 16	12 10	44 62	450 339	
17	Pneumonia (all forms)	M F	6,641 5,027	1722 1326	961 790	526 526	240 236	249 150	918 520	1226 632	799 847	3,171 2,302	874 563	350 307	192 191	119 98	119 74	373 223	565 312	
18	Other respiratory diseases	M F	1,368 1,072	99 76	69 49	86 88	79 57	34 23	152 120	464 246	385 413	901 657	67 35	26 24	53 43	43 37	23 22	114 68	223 142	
19	Diarrhoea, &c.	M F	4,503 3,723	3017 2299	650 609	190 169	42 72	26 31	131 107	219 165	228 271	1,643 1,360	1031 768	198 200	43 60	25 25	12 17	52 43	100 80	
20	Appendicitis and typhlitis	M F	509 415	1 —	2 1	25 10	150 113	102 86	122 100	78 69	29 36	278 243	2 1	3 —	15 8	71 65	58 47	55 58	52 46	
21	Cirrhosis of liver	M F	772 544	— —	— —	2 1	3 —	1 4	137 101	460 310	169 128	418 263	— —	1 —	— —	2 3	1 2	61 32	225 140	
21A	Alcoholism	M F	131 70	— —	— —	— —	— —	3 —	61 20	57 40	10 10	61 23	— —	— —	— —	— —	— —	27 7	30 11	
22	Nephritis and Bright's disease.	M F	2,717 2,284	30 20	30 23	45 26	68 63	79 72	411 413	1138 915	916 752	1,557 1,264	15 17	8 14	19 15	38 35	50 42	164 193	590 420	
23	Puerperal fever	M F	— 358	— —	— —	— —	— —	— 71	— 286	— 1	— —	— 200	— —	— —	— —	— —	— 32	— 168	— —	
24	Parturition, apart from puerperal fever.	M F	— 825	— —	— —	— —	— —	— 149	— 663	— 13	— —	— 563	— —	— —	— —	— —	— 104	— 455	— 4	
25	Congenital debility, &c.	M F	6,636 5,062	6553 4978	28 18	22 21	14 24	12 10	7 8	— 2	— 1	3,592 2,618	3519 2564	19 13	21 12	15 17	8 5	8 4	2 3	
26	Violence, apart from suicide.	M F	3,854 1,405	216 179	82 59	292 168	374 178	525 75	1070 155	870 190	425 401	2,443 886	83 95	62 43	144 107	232 108	316 56	665 81	596 127	
27	Suicide	M F	875 317	— —	— —	— —	2 —	86 61	318 115	357 117	112 24	560 172	— —	— —	— —	1 —	46 25	195 59	222 66	
28	Other defined diseases	M F	22,877 23,404	3408 2347	417 366	300 241	474 448	488 505	1861 1880	5012 4748	10917 12869	16,009 15,599	1750 1318	234 186	164 177	288 272	297 303	926 997	2598 2481	
29	Causes ill-defined or unknown.	M F	555 375	43 29	81 73	20 12	13 10	7 6	72 45	208 133	111 67	403 311	25 32	34 38	6 10	6 8	46 37	179 99		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.

ALL AREAS—NORTH AND MIDLAND.

Causes of Death.		Sex.	AGGREGATE OF NORTHERN COUNTIES.										AGGREGATE OF MIDLAND COUNTIES.																	
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—										
ALL CAUSES	M	98,028	22302	6182	4331	3630	3652	12075	23066	22790	76,089	15328	3575	2886	2803	2830	8837	16386	23444									
			F	89,469	17161	5554	4244	3760	3652	11030	18945	25123	71,660	11923	3122	2757	2741	2720	8117	14095	26185									
1	Enteric fever	M	482	—	2	7	50	103	234	79	7	195	—	—	2	27	44	83	35	4								
			F	292	1	1	11	47	75	107	44	6	133	—	—	4	28	29	55	14	3									
2	Small-pox	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—									
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—									
3	Measles	M	2,165	475	907	635	143	2	3	—	—	1,697	314	643	534	192	9	5	—	—								
			F	1,964	410	740	647	157	4	5	1	—	—	1,560	299	555	508	184	5	8	1	—								
	Scarlet fever	M	516	13	63	216	187	24	10	3	—	286	13	24	124	99	16	9	1	—								
			F	510	15	47	216	203	17	11	1	—	—	273	7	24	115	103	14	8	2	—								
5	Whooping cough	M	932	449	279	174	30	—	—	—	—	721	354	218	129	20	—	—	—	—								
			F	1,190	531	353	273	33	—	—	—	—	—	968	456	291	190	30	—	—	—	1								
6	Diphtheria and croup	M	821	54	114	329	302	13	7	1	1	668	29	51	262	300	12	10	4	—								
			F	862	37	89	325	392	6	10	1	2	715	13	56	222	396	11	10	5	2									
7	Influenza	M	1,082	54	16	11	27	56	223	398	297	1,010	44	15	17	25	59	185	328	337								
			F	921	37	14	10	27	47	138	266	382	890	27	11	18	18	39	117	221	439									
8	Erysipelas	M	169	29	3	2	3	10	31	49	42	122	18	2	—	1	2	25	43	31								
			F	145	29	1	4	1	8	21	38	43	100	18	—	2	3	1	10	28	38									
9	Pulmonary tuberculosis			M	7,308	71	99	121	255	1061	3196	2234	271	5,845	51	59	74	164	969	2683	1616	229								
			F	5,768	51	93	109	513	1317	2502	1029	154	4,569	29	42	76	288	1044	2115	821	154									
10	Tuberculous meningitis			M	1,087	218	239	261	267	58	29	13	2	709	126	142	173	197	29	32	9	1								
			F	900	146	177	245	238	62	26	6	—	652	116	122	169	158	57	26	4	—									
11	Other tuberculous diseases.			M	1,771	388	315	239	262	191	218	125	33	1,075	243	141	119	156	113	175	87	41								
			F	1,532	294	252	183	255	187	217	217	115	29	927	177	82	103	145	135	160	89	36								
12	Cancer, malignant disease			M	5,327	—	3	17	15	39	517	2849	1887	5,243	4	5	17	22	34	405	2441	2315								
			F	6,973	4	4	11	11	39	981	3429	2494	6,965	2	5	16	18	43	761	3208	2912									
13	Rheumatic fever	M	335	2	2	4	81	65	77	88	16	225	2	1	5	69	49	52	41	6								
			F	396	—	—	10	92	89	104	72	29	247	—	2	4	73	45	58	53	12									
14	Meningitis	M	983	300	170	184	139	48	62	54	26	630	184	93	103	117	43	41	39	10								
			F	951	233	171	178	181	57	69	47	15	540	135	78	91	117	33	43	32	11									
15	Organic heart disease	M	7,878	4	9	9	137	242	985	3227	3265	7,035	3	5	9	116	166	705	2450	3581								
			F	8,791	2	5	10	171	279	1260	3354	3710	7,876	—	4	12	121	205	831	2423	4280									
16	Bronchitis	M	7,977	1798	425	185	61	32	309	1920	3247	5,447	1148	275	106	28	25	155	999	2711								
			F	7,789	1385	452	174	48	35	258	1609	3828	5,504	884	236	106	27	17	138	859	3237									
17	Pneumonia (all forms)...			M	9,358	2261	1393	778	335	340	1400	1884	967	5,352	1442	775	412	188	199	694	967	675								
			F	6,660	1697	1198	797	326	208	670	890	874	4,167	1088	644	440	190	108	409	567	721									
18	Other respiratory diseases			M	1,405	146	79	99	72	41	189	439	340	1,177	79	45	58	58	24	133	392	388								
			F	1,143	96	71	99	60	35	140	296	346	883	53	27	53	39	25	94	205	387									
19	Diarrhoea, &c.	M	6,379	4181	1146	260	70	30	169	272	251	3,675	2517	498	150	35	24	98	160	193								
			F	5,215	3200	1052	283	66	29	105	210	270	3,031	1919	491	152	50	18	83	103	215									
20	Appendicitis and typhlitis			M	462	3	6	21	141	97	116	57	21	390	2	1	20	109	84	88	63	23								
			F	376	1	2	9	112	82	88	65	17	354	—	—	9	102	65	88	58	32									
21	Cirrhosis of liver	M	765	1	—	—	2	—	127	478	157	687	—	1	2	3	3	126	388	164								
			F	525	—	1	—	1	—	95	346	82	553	—	—	1	2	5	97	326	122									
21A	Alcoholism	M	176	—	—	—	—	3	65	90	18	123	—	—	—	—	2	60	54	7								
			F	82	—	—	—	—	1	28	42	11	84	—	—	—	—	—	30	43	11									
22	Nephritis and Bright's disease.			M	3,089	36	34	59	96	99	551	1385	829	2,218	25	21	33	45	70	312	928	784								
			F	2,627	33	39	51	81	108	537	1092	686	1,913	22	21	25	54	60	326	739	666									
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
			F	420	—	—	—	—	—	91	326	3	—	321	—	—	—	—	66	254	1	—								
24	Parturition, apart from puerperal fever.			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
			F	1,011	—	—	—	—	183	816	12	—	—	609	—	—	—	—	107	494	8	—								
25	Congenital debility, &c.			M	7,467	7381	34	24	16	7	4	1	—	5,																

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.

ALL AREAS—SOUTH AND WALES.

Causes of Death	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).										AGGREGATE OF WALES AND MONMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	69,182	11841	2830	2312	2246	2696	9293	16610	21354	18,388	4493	890	693	655	786	2285	3889	46		
	F	65,847	9146	2527	2045	2254	2405	7659	13948	25863	16,312	3414	760	641	643	743	2084	3062	49		
1 Enteric fever ...	M	170	—	—	5	18	39	73	34	1	60	—	1	—	6	14	30	7			
	F	128	—	1	3	18	27	63	14	2	45	—	1	1	15	8	13	5			
2 Small-pox ...	M	5	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—			
	F	3	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	1,401	277	559	424	121	12	4	3	1	304	61	117	96	28	1	—	1			
	F	1,284	256	487	396	123	10	11	1	—	269	55	101	81	25	4	2	1			
4 Scarlet fever ...	M	179	12	28	61	55	15	8	—	—	79	8	10	35	23	3	—	—			
	F	160	2	15	71	60	6	4	2	—	97	3	12	48	29	2	3	—			
5 Whooping cough ...	M	613	305	188	97	23	—	—	—	—	145	84	40	18	3	—	—	—			
	F	731	299	252	148	28	1	1	—	2	158	79	46	31	2	—	—	—			
6 Diphtheria and croup ...	M	503	33	53	188	212	11	4	1	1	183	9	27	75	61	7	2	2			
	F	544	32	58	171	264	6	4	5	4	198	8	24	86	75	1	1	2			
7 Influenza ...	M	1,020	46	15	18	24	44	182	332	359	250	17	2	6	2	15	51	74			
	F	1,032	21	10	18	20	41	120	256	546	189	4	1	5	5	10	34	43			
8 Erysipelas ...	M	126	22	2	—	1	5	20	43	33	18	4	—	—	—	—	3	9			
	F	106	18	3	1	2	4	12	35	31	16	4	—	—	—	—	4	4			
9 Pulmonary tuberculosis	M	6,641	46	67	78	157	862	3094	2004	333	1,240	13	15	15	40	208	582	304			
	F	4,522	39	51	66	257	941	1943	990	235	1,162	9	11	11	76	296	526	203			
10 Tuberculous meningitis	M	720	128	140	190	195	40	22	5	—	162	32	22	37	48	15	7	1			
	F	633	108	105	165	190	37	22	5	1	155	27	17	23	50	20	17	1			
11 Other tuberculous dis- eases.	M	852	148	87	89	126	118	150	107	27	247	59	27	13	30	37	40	35			
	F	775	113	62	70	125	102	148	103	52	224	40	20	20	30	36	50	20			
12 Cancer, malignant disease	M	5,305	2	5	13	24	46	421	2421	2373	1,043	—	—	8	2	5	106	485	4		
	F	6,893	3	2	7	16	45	790	3099	2931	1,190	—	1	5	—	3	150	588	4		
13 Rheumatic fever ...	M	205	—	2	9	51	55	48	30	10	75	—	—	—	24	17	13	15			
	F	223	—	—	6	74	35	57	46	5	64	—	1	4	23	11	12	10			
14 Meningitis ...	M	447	112	60	67	86	43	44	24	11	170	61	25	21	24	12	16	9			
	F	383	110	51	65	55	28	29	28	17	147	43	18	26	27	8	21	4			
15 Organic heart disease ...	M	6,770	4	7	8	94	176	781	2352	3348	1,660	1	2	3	27	47	153	648	7		
	F	7,758	—	4	4	130	209	785	2326	4300	1,763	2	1	—	40	54	215	595	8		
16 Bronchitis ...	M	4,846	808	176	68	24	16	190	928	2636	1,242	319	53	29	16	3	32	248	5		
	F	5,281	565	156	49	32	11	131	837	3500	1,141	254	40	29	4	5	32	171	6		
17 Pneumonia (all forms)...	M	5,338	1386	634	373	155	198	731	1034	827	1,457	403	192	105	45	58	176	285	1		
	F	4,191	1011	566	320	147	97	448	650	952	1,007	318	178	81	42	35	105	107	1		
18 Other respiratory diseases	M	1,115	85	40	57	27	33	144	352	377	334	23	18	35	25	7	41	90			
	F	931	70	20	43	31	18	90	231	428	242	18	15	32	15	2	30	50			
19 Diarrhoea, &c. ...	M	3,045	2090	413	99	28	19	94	128	174	1,178	844	164	38	10	7	29	34			
	F	2,533	1650	390	94	24	20	60	95	200	971	637	150	25	16	8	25	35			
20 Appendicitis and typhlitis	M	437	—	—	24	104	94	103	80	32	98	—	1	3	31	24	17	17			
	F	349	1	—	14	83	58	80	72	41	63	—	—	2	17	13	15	8			
21 Cirrhosis of liver ...	M	704	—	—	—	2	1	101	431	169	108	—	—	—	1	—	19	67			
	F	593	—	1	—	5	1	114	329	143	61	—	—	—	—	1	12	37			
21A Alcoholism ...	M	85	—	—	—	—	1	41	35	8	22	—	—	—	—	—	10	11			
	F	69	—	—	—	—	—	21	38	10	10	—	—	—	—	—	5	5			
22 Nephritis and Bright's disease.	M	2,472	11	6	16	34	70	328	1032	975	569	7	4	7	17	13	93	233	1		
	F	2,044	11	5	9	35	52	320	798	814	411	1	2	4	18	15	75	166	1		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	265	—	—	—	—	57	208	—	—	102	—	—	—	—	20	82	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	488	—	—	—	—	91	390	7	—	276	—	—	—	—	56	215	5			
25 Congenital debility, &c.	M	4,118	4045	20	18	18	10	6	1	—	1,469	1448	6	3	8	3	1	—			
	F	3,185	3132	17	11	13	5	7	—	—	1,096	1084	1	4	3	4	—	—			
26 Violence, apart from suicide.	M	2,636	245	64	166	278	289	653	573	368	1,188	23	34	85	99	186	384	278			
	F	1,494	294	44	109	144	67	158	207	471	319	22	18	66	41	23	30	40			
27 Suicide ...	M	764	—	—	—	3	75	266	341	79	125	—	—	—	—	13	53	43			
	F	251	—	—	—	—	32	110	93	16	39	—	—	—	—	3	17	14			
28 Other defined diseases ...	M	18,464	2016	228	233	381	418	1761	4251	9176	4,834	1065	115	58	84	89	406	942	20		
	F	18,824	1392	191	196	376	402	1505	3630	11132	4,821	793	91	57	88	102	387	918	20		
29 Causes ill-defined or un- known.	M	201	20	36	11	3	5	22	68	36	128	12	15	3	1	2	21	51			
	F	174	19	36	8	2	2	26	51	30	76	13	11	—	2	3	6	30			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
COUNTY BOROUGH—NORTH AND MIDLAND.

Causes of Death.		Sex.	AGGREGATE OF COUNTY BOROUGHS (NORTH).										AGGREGATE OF COUNTY BOROUGHS (MIDLAND).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	53,410 48,495	12120 9473	3627 3216	2440 2446	1924 2030	1913 1951	7183 6178	13096 10626	11107 12575	26,519 24,891	6218 4906	1602 1452	1219 1201	948 979	993 966	3371 3001	5954 5047	6214 7339	
1	Enteric fever	M F	237 137	— —	2 1	3 5	24 16	50 31	119 55	34 26	5 3	71 50	— —	— —	1 2	14 15	15 12	28 18	12 2	1 1
2	Small-pox	M F	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	1,214 1,171	259 247	521 437	368 400	63 84	1 2	2 1	— —	— —	761 669	142 126	298 234	250 243	69 64	1 1	1 1	— —	
4	Scarlet fever	M F	280 263	6 11	40 27	121 108	97 105	12 8	4 3	— 1	— —	151 135	9 2	12 18	68 57	46 47	9 6	6 4	1 1	
5	Whooping cough	M F	547 687	252 305	168 199	108 164	19 19	— —	— —	— —	— —	274 356	120 145	89 120	57 81	8 10	— —	— —	— —	
6	Diphtheria and croup	M F	406 441	30 29	64 41	164 174	134 190	7 2	5 3	1 1	1 1	251 302	10 7	23 30	122 95	90 157	1 5	5 2	— 5	
7	Influenza	M F	506 442	32 22	9 7	6 5	14 13	22 23	123 75	176 125	124 172	277 227	7 6	2 2	4 4	12 2	20 11	63 40	100 68	
8	Erysipelas	M F	113 88	19 15	1 1	2 3	3 1	9 5	20 13	35 25	24 25	49 37	10 9	— —	1 1	2 —	10 4	18 11	8 11	
9	Pulmonary tuberculosis	M F	4,583 3,385	45 35	63 56	65 76	149 297	587 732	2049 1460	1456 641	169 88	2,418 1,711	14 14	24 20	37 28	57 106	363 373	1101 828	725 291	
10	Tuberculous meningitis	M F	645 522	131 90	141 98	156 140	157 144	35 33	19 14	6 3	— —	263 231	50 46	52 50	66 62	71 50	9 16	10 7	4 —	
11	Other tuberculous diseases.	M F	984 815	195 161	165 138	143 100	161 152	106 99	120 97	78 52	16 16	406 320	113 75	63 43	46 35	50 43	36 49	51 41	36 22	
12	Cancer, malignant disease	M F	2,848 3,617	— 1	1 2	8 6	7 8	26 23	308 565	1608 1829	890 1183	1,518 2,110	— 1	1 —	5 5	4 4	7 16	142 268	798 1029	
13	Rheumatic fever	M F	148 210	1 —	— —	2 5	40 38	29 54	37 56	37 39	2 18	79 84	1 —	1 —	2 1	18 23	20 20	20 25	15 13	
14	Meningitis	M F	516 528	153 132	81 99	107 101	72 96	23 27	32 32	30 30	18 11	241 200	81 51	34 34	40 38	36 41	16 9	18 17	14 7	
15	Organic heart disease	M F	4,013 4,513	4 1	5 1	5 5	75 101	132 154	593 694	1724 1826	1478 1731	2,129 2,467	1 —	4 3	40 6	66 48	296 80	826 335	893 862	
16	Bronchitis	M F	4,650 4,559	968 742	236 248	93 94	28 24	20 24	221 161	1228 1045	1856 2221	2,099 2,136	453 354	129 102	43 44	8 12	19 6	89 68	481 458	
17	Pneumonia (all forms)...	M F	5,502 3,829	1259 965	838 705	472 459	197 179	192 114	851 398	1178 545	515 464	2,083 1,641	548 420	333 311	176 209	60 83	79 48	280 148	393 212	
18	Other respiratory diseases	M F	709 576	82 58	39 31	49 49	29 28	27 15	105 68	217 159	161 168	375 271	27 17	18 13	19 17	19 5	5 10	52 34	139 76	
19	Diarrhoea, &c.	M F	3,729 3,006	2439 1848	721 650	159 161	43 33	16 11	104 52	129 108	118 143	1,842 1,527	1318 1036	278 276	69 84	14 11	12 2	36 28	56 35	
20	Appendicitis and typhlitis	M F	233 167	1 1	3 1	12 3	67 56	54 28	65 38	22 33	9 7	108 101	1 —	— —	7 4	29 27	28 18	27 32	15 13	
21	Cirrhosis of liver	M F	388 294	1 —	— 1	— —	— 1	— —	66 54	251 206	70 32	226 213	— —	— —	— —	1 1	40 43	134 140	50 29	
21a	Alcoholism	M F	108 62	— —	— —	— —	— —	2 1	41 21	52 32	13 8	45 34	— —	— —	— —	— —	— —	19 16	24 16	
22	Nephritis and Bright's disease.	M F	1,735 1,441	19 16	16 17	26 32	48 41	56 60	345 307	788 613	437 355	769 674	7 10	8 9	13 11	21 28	24 21	133 113	344 278	
23	Puerperal fever...	M F	— 240	— —	— —	— —	— —	— 50	— 187	— 3	— —	120 —	— —	— —	— —	— —	29 91	— —	— —	
24	Parturition, apart from puerperal fever.	M F	— 512	— —	— —	— —	— —	— 92	— 413	— 7	— —	— 192	— —	— —	— —	— —	— 37	— 153	— 2	
25	Congenital debility, &c.	M F	3,793 2,973	3750 2946	15 10	12 5	11 6	4 4	— 1	— 1	— —	2,222 1,748	2193 1724	11 8	6 9	8 1	3 3	— 1	1 1	
26	Violence, apart from suicide.	M F	2,066 1,097	179 177	59 73	150 153	212 138	213 32	580 114	482 193	191 217	1,042 539	147 118	32 17	91 59	125 56	90 27	207 44	210 74	
27	Suicide	M F	436 185	— —	— —	— —	1 2	31 24	152 78	197 72	55 9	265 99	— —	— —	— —	1 —	27 16	100 43	105 34	
28	Other defined diseases	M F	12,651 12,435	2273 1652	344 291	197 172	267 243	251 302	1175 1184	3242 2916	4902 5672	6,401 6,550	958 735	143 116	87 94	140 140	138 149	619 576	1451 1357	
29	Causes ill-defined or unknown.	M F	370 299	22 19	95 79	15 26	6 15	8 1	47 33	124 95	53 31	154 147	8 10	47 46	7 12	6 4	2 2	18 21	52 40	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
COUNTY BOROUGH—SOUTH AND WALES.

Causes of Death.		Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).									AGGREGATE OF COUNTY BOROUGH (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M F	8,295 8,384	1461 1087	324 265	290 280	286 303	349 306	1134 1015	1947 1743	2504 3385	3,528 2,982	845 699	146 155	142 116	121 130	157 148	516 409	850 591	751 734
1 Enteric fever	M F	43 29	— —	— —	4 1	— 3	9 10	21 14	9 1	— —	17 9	— —	— —	— 1	2 3	4 2	9 2	2 1	— —
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles	M F	172 153	40 33	63 46	51 57	16 15	— —	1 2	— —	1 —	37 28	7 6	18 11	10 9	2 1	— —	— 1	— —	— —
4 Scarlet fever	M F	37 28	3 —	2 1	11 15	13 11	5 1	3 —	— —	— —	24 24	1 —	4 2	12 8	6 12	1 1	— 1	— —	— —
5 Whooping cough	M F	69 82	34 39	22 27	9 13	4 3	— —	— —	— —	— —	20 22	8 6	10 9	2 7	— —	— —	— —	— —	— —
6 Diphtheria and croup	M F	99 108	7 2	7 11	29 37	52 55	4 1	— 1	— —	1 —	43 47	1 4	6 5	19 16	13 21	3 —	1 1	— —	— —
7 Influenza	M F	103 142	5 1	1 2	4 6	3 3	3 8	18 16	31 26	38 80	32 21	4 1	— —	1 2	— 1	2 2	9 3	9 6	— —
8 Erysipelas	M F	14 14	2 3	— —	— —	— 1	— 1	2 1	5 7	5 1	5 1	2 —	— —	— —	— —	— —	1 —	2 1	— —
9 Pulmonary tuberculosis	{		M F	750 591	5 1	8 6	11 3	16 40	114 138	360 264	206 109	30 30	310 248	3 3	3 5	3 2	11 21	44 60	137 110	97 40	13 —
10 Tuberculous meningitis			M F	96 75	23 14	16 9	20 18	28 22	8 8	1 4	— —	— —	— —	25 28	3 3	2 4	10 2	6 9	2 5	2 5	— —
11 Other tuberculous dis- eases.	{		M F	126 99	30 9	9 7	13 9	17 12	14 15	26 24	12 18	5 5	42 46	10 15	4 5	2 5	7 5	9 4	9 7	1 3	— —
12 Cancer, malignant disease			M F	632 946	— —	— —	1 1	1 2	6 5	69 110	273 425	282 403	182 192	— —	— —	3 2	— —	— —	— —	25 37	96 96
13 Rheumatic fever	M F	20 25	— —	1 —	— 1	6 13	6 2	5 5	1 4	1 —	18 17	— —	— —	— 8	8 4	5 3	3 3	2 —	— —
14 Meningitis	M F	64 41	11 7	7 7	11 9	11 6	8 4	9 4	4 2	3 2	36 34	17 11	2 3	8 10	3 6	— 1	2 3	4 —	— —
15 Organic heart disease	M F	834 924	— —	1 1	1 1	12 10	16 15	93 85	296 273	415 539	295 283	— —	— 1	1 —	5 7	7 10	47 43	129 115	10 10
16 Bronchitis	M F	533 646	116 78	33 19	6 14	2 3	3 1	18 12	89 90	266 429	262 249	67 58	9 13	4 5	— —	1 —	10 42	65 12	10 12
17 Pneumonia (all forms)...	{		M F	602 460	146 113	72 57	49 37	14 19	32 8	63 55	118 61	108 110	291 193	75 69	28 30	19 14	6 6	17 16	46 23	69 2	2 —
18 Other respiratory diseases			M F	137 159	11 13	2 2	12 6	3 10	5 2	17 16	43 36	44 74	56 43	5 2	2 7	6 2	2 2	— —	6 7	21 9	1 1
19 Diarrhoea, &c.	M F	348 269	242 174	42 37	12 10	6 2	— 2	10 10	15 10	21 24	248 229	191 156	32 40	4 4	1 —	1 3	6 5	5 7	1 —
20 Appendicitis and typhlitis	{		M F	55 47	— —	— —	1 1	13 8	14 7	12 15	12 12	3 4	19 11	— —	— —	— —	3 5	7 3	6 1	2 1	— —
21 Cirrhosis of liver			M F	73 92	— —	— —	— —	2 —	1 1	9 19	41 50	20 22	32 13	— —	— —	— —	— —	— —	— —	7 2	18 10
21A Alcoholism	M F	12 10	— —	— —	— —	— —	— —	4 3	6 5	2 2	6 3	— —	— —	— —	— —	— —	3 2	1 1	— —
22 Nephritis and Bright's disease.	{		M F	320 251	5 2	1 2	3 —	6 1	8 10	42 41	146 93	109 102	96 81	2 —	— 1	2 1	— 4	4 4	16 17	48 39	— —
23 Puerperal fever...			M F	— 34	— —	— —	— —	— —	— 7	— 27	— —	— —	— —	— 19	— —	— —	— —	— —	— 5	— 14	— —
24 Parturition, apart from puerperal fever.	{		M F	— 71	— —	— —	— —	— —	— 17	— 53	— 1	— —	— 45	— —	— —	— —	— —	— 12	— 32	— 1	— —
25 Congenital debility, &c.			M F	507 401	497 395	4 2	3 —	2 1	1 2	— 1	— —	— —	— —	275 203	272 202	1 —	1 1	1 —	— —	— —	— —
26 Violence, apart from suicide.	{		M F	276 151	17 29	6 6	16 10	23 18	33 4	81 13	62 25	38 46	213 68	5 4	4 5	20 9	28 8	29 6	52 5	55 12	— —
27 Suicide			M F	76 22	— —	— —	— —	1 —	8 1	31 11	31 10	5 —	23 2	— —	— —	— —	— —	— —	5 —	9 1	9 1
28 Other defined diseases	M F	2,282 2,498	266 171	23 22	22 29	34 45	49 36	239 206	543 479	1106 1510	905 811	170 156	20 17	14 11	17 11	15 20	106 80	207 177	3 3
29 Causes ill-defined or un- known.	{		M F	15 16	1 3	4 1	1 2	1 —	2 —	— 3	4 6	2 1	16 12	2 3	1 2	1 —	— —	1 —	4 1	6 6	— —

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
URBAN DISTRICTS—NORTH AND MIDLAND.

Causes of Death.	Sex	AGGREGATE OF URBAN DISTRICTS (NORTH).										AGGREGATE OF URBAN DISTRICTS (MIDLAND).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	32,549	7483	1901	1426	1265	1278	3660	7569	7967	28,721	5861	1379	1147	1139	1080	3480	6310	8325		
	F	30,166	5676	1775	1337	1258	1273	3620	6291	8936	27,415	4516	1191	1054	1083	1046	3193	5543	9789		
Enteric fever ...	M	183	—	—	3	16	39	91	33	1	65	—	—	—	5	14	33	12	1		
	F	116	—	—	4	27	31	38	14	2	49	—	—	—	8	9	26	5	1		
Small-pox ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles ...	M	706	171	279	203	52	—	1	—	—	685	128	259	211	81	3	3	—	—		
	F	610	127	229	198	56	—	—	—	—	652	120	252	200	76	1	3	—	—		
Scarlet fever ...	M	160	5	17	62	62	10	2	2	—	82	3	6	38	31	2	2	—	—		
	F	162	1	14	72	63	5	7	—	—	85	3	5	36	33	6	1	1	—		
Whooping cough ...	M	290	139	87	55	9	—	—	—	—	279	125	90	55	9	—	—	—	—		
	F	379	166	116	88	9	—	—	—	—	380	170	124	71	15	—	—	—	—		
Diphtheria and croup ...	M	300	18	37	124	117	3	1	—	—	283	12	24	100	138	5	3	1	—		
	F	297	8	34	110	141	1	2	—	1	263	4	18	90	145	2	3	—	1		
Influenza ...	M	370	11	4	2	8	25	69	150	101	378	17	5	7	8	28	80	124	109		
	F	298	9	5	3	8	15	45	93	120	366	6	4	8	9	16	49	99	175		
Erysipelas ...	M	40	7	2	—	—	—	8	10	13	44	5	2	—	—	—	10	11	16		
	F	42	12	—	1	—	1	4	9	15	44	7	—	—	2	—	4	12	19		
Pulmonary tuberculosis	M	2,119	18	26	44	90	370	877	611	83	2,181	27	30	29	62	355	997	592	89		
	F	1,782	12	30	28	160	447	767	292	46	1,776	10	16	35	108	406	815	330	56		
Tuberculous meningitis	M	323	63	77	71	82	16	6	6	2	325	49	68	87	88	14	16	3	—		
	F	292	40	65	82	71	22	9	3	—	290	49	51	74	76	26	12	2	—		
Other tuberculous dis- eases.	M	582	145	104	69	76	68	72	37	11	402	88	59	49	63	40	63	26	14		
	F	519	93	88	60	74	71	76	47	10	355	75	27	49	54	43	56	41	10		
Cancer, malignant disease	M	1,758	—	2	5	5	9	155	920	662	2,025	2	4	7	11	15	166	967	853		
	F	2,471	3	2	5	3	12	313	1188	945	2,760	—	2	9	9	19	314	1,271	1136		
Rheumatic fever ...	M	137	1	1	2	30	27	28	39	9	102	1	—	3	37	19	21	20	1		
	F	136	—	—	4	36	24	35	28	9	115	—	1	3	35	15	24	2	8		
Meningitis ...	M	352	115	58	60	56	17	21	20	5	263	73	38	44	53	16	17	16	6		
	F	310	66	55	56	65	20	32	14	2	214	54	30	37	43	14	17	14	5		
Organic heart disease ...	M	2,745	—	2	6	45	83	301	1123	1185	2,564	1	—	3	52	61	280	937	1230		
	F	3,113	1	2	4	52	96	440	1151	1367	2,877	—	—	4	53	85	317	910	1508		
Bronchitis ...	M	2,509	623	143	70	22	7	75	548	1021	1,990	441	85	35	11	3	48	366	1001		
	F	2,473	464	158	59	17	10	72	459	1234	2,075	353	88	39	11	6	53	276	1249		
Pneumonia (all forms)...	M	2,922	722	429	240	106	115	424	559	327	2,100	574	318	163	78	71	283	366	247		
	F	2,167	563	375	256	115	76	213	266	303	1,669	445	242	166	72	38	178	236	292		
Other respiratory diseases	M	481	45	28	31	30	11	50	170	116	459	27	20	21	24	11	50	168	138		
	F	402	31	28	33	21	11	52	97	129	367	19	10	24	18	7	35	86	168		
Diarrhoea, &c. ...	M	2,045	1339	323	90	19	12	54	115	93	1,268	857	164	60	10	7	45	58	67		
	F	1,718	1036	316	96	28	14	44	83	101	1,070	659	164	47	24	10	32	38	96		
Appendicitis and typhlitis	M	161	1	2	6	58	27	35	23	9	182	—	—	7	50	37	45	29	14		
	F	152	—	1	6	41	38	37	22	7	156	—	—	2	47	29	35	25	18		
Cirrhosis of liver ...	M	281	—	—	—	1	—	54	175	51	285	—	—	2	1	1	53	165	63		
	F	158	—	—	—	—	—	35	93	30	227	—	—	1	—	3	36	134	53		
Alcoholism ...	M	54	—	—	—	—	1	20	29	4	48	—	—	—	—	2	25	17	4		
	F	16	—	—	—	—	—	5	9	2	36	—	—	—	—	—	10	21	5		
Nephritis and Bright's disease.	M	1,022	12	15	25	35	29	167	462	277	866	9	9	15	16	26	124	363	304		
	F	919	12	17	12	26	42	182	383	245	749	4	6	9	15	20	136	305	254		
Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	138	—	—	—	—	30	108	—	—	123	—	—	—	—	21	101	1	—		
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	336	—	—	—	—	59	273	4	—	227	—	—	—	—	35	187	5	—		
Congenital debility, &c.	M	2,649	2618	14	8	4	2	3	—	—	2,296	2263	9	11	5	6	2	—	—		
	F	2,035	2004	7	10	7	3	3	1	—	1,767	1734	8	6	11	2	4	1	1		
Violence, apart from suicide.	M	1,459	75	29	118	152	201	387	338	159	1,195	86	30	91	126	148	287	280	147		
	F	499	49	25	65	71	29	51	72	137	466	76	18	49	58	23	51	53	138		
Suicide ...	M	316	—	—	—	—	29	115	130	42	334	—	—	—	1	26	114	143	50		
	F	131	—	—	—	—	28	42	51	10	103	—	—	—	—	23	39	35	6		
Other defined diseases ...	M	8,333	1344	187	126	180	175	619	1958	3744	7,834	1058	129	99	177	167	682	1592	3930		
	F	8,331	974	175	76	162	185	711	1857	4191	8,033	715	103	94	158	186	646	1561	4570		
Causes ill-defined or un- known.	M	251	11	35	6	10	2	24	111	52	186	15	30	10	2	3	31	54	41		
	F	164	5	33	9	5	3	24	55	30	121	13	22	1	3	1	9	52	20		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
URBAN DISTRICTS—SOUTH AND WALES.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS. (SOUTH).										AGGREGATE OF URBAN DISTRICTS. (WALES AND MONMOUTH.)									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...		M	14,941	2261	447	463	464	657	1999	3454	5196	8,844	2432	522	368	323	369	1147	1803	1896		
		F	14,740	1676	424	415	503	543	1651	3015	6513	7,687	1824	416	350	319	341	989	1430	2015		
1 Enteric fever ...		M	41	—	—	—	5	16	12	8	—	28	—	1	—	3	4	17	3	—		
		F	29	—	—	—	4	4	16	5	—	26	—	1	—	11	4	8	2	—		
2 Small-pox ...		M	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...		M	249	43	83	93	24	5	1	—	—	154	35	58	49	11	1	—	—	—		
		F	262	42	104	87	24	3	2	—	—	142	29	55	48	10	—	—	—	—		
4 Scarlet fever ...		M	26	—	1	8	9	7	1	—	—	34	7	3	12	10	2	—	—	—		
		F	26	1	—	13	11	—	1	—	—	52	2	5	33	11	—	1	—	—		
5 Whooping cough ...		M	95	49	27	16	3	—	—	—	—	81	49	19	11	2	—	—	—	—		
		F	131	64	42	20	5	—	—	—	—	87	43	29	15	—	—	—	—	—		
6 Diphtheria and croup ...		M	119	5	9	48	53	4	—	—	—	89	7	14	36	30	1	—	1	—		
		F	132	1	6	39	79	3	—	2	2	107	4	14	52	36	—	—	1	—		
7 Influenza ...		M	223	7	4	7	7	14	38	67	79	116	8	2	1	2	5	27	38	3		
		F	250	3	1	5	3	6	31	56	145	87	1	1	1	2	5	17	24	3		
8 Erysipelas ...		M	22	4	—	—	—	1	3	9	5	10	1	—	—	—	—	2	6	—		
		F	16	1	—	—	1	—	4	4	6	10	3	—	—	—	—	2	2	—		
9 Pulmonary tuberculosis		M	1,291	6	8	6	28	180	657	345	61	546	6	10	8	15	96	279	114	1		
		F	933	6	8	12	54	224	392	179	58	526	5	3	7	31	141	231	98	1		
10 Tuberculous meningitis		M	135	21	27	38	38	5	4	2	—	76	18	12	17	22	5	2	—	—		
		F	147	23	23	35	44	11	9	1	1	62	11	8	11	19	9	4	—	—		
11 Other tuberculous diseases.		M	200	21	20	22	28	40	36	26	7	126	36	17	9	16	18	15	12	—		
		F	213	30	11	13	36	28	49	32	14	84	19	11	7	12	14	16	5	—		
12 Cancer, malignant disease		M	1,220	—	1	4	3	9	103	527	573	454	—	—	3	—	1	50	232	16		
		F	1,734	—	1	—	4	8	194	750	777	493	—	—	3	—	2	81	255	15		
13 Rheumatic fever ...		M	54	—	1	3	15	14	11	7	3	26	—	—	—	7	5	5	7	—		
		F	51	—	—	2	13	8	15	13	—	30	—	1	1	11	5	7	5	—		
14 Meningitis ...		M	98	20	11	11	17	13	12	11	3	83	25	13	8	18	6	11	1	—		
		F	109	30	16	20	15	4	9	12	3	75	17	12	11	15	6	12	2	—		
15 Organic heart disease ...		M	1,619	1	3	3	12	43	180	521	856	716	—	1	2	17	27	74	290	30		
		F	1,770	—	—	—	18	36	149	497	1070	749	—	—	—	26	31	108	263	32		
16 Bronchitis ...		M	839	128	43	22	6	—	21	124	495	601	163	32	15	10	1	17	122	24		
		F	970	105	29	11	5	1	15	115	689	520	145	21	18	3	4	11	87	23		
17 Pneumonia (all forms)		M	887	214	94	61	33	38	128	164	155	732	212	120	62	23	25	83	137	7		
		F	668	142	69	56	25	22	72	86	196	523	176	104	48	24	14	57	44	5		
18 Other respiratory diseases		M	254	13	8	10	8	9	32	79	95	174	14	13	24	17	3	20	47	3		
		F	189	12	2	16	11	5	20	44	79	114	14	9	15	7	—	13	19	3		
19 Diarrhoea, &c. ...		M	475	319	45	11	7	2	19	26	46	715	502	118	29	6	5	13	20	2		
		F	385	227	51	10	6	3	18	28	42	550	377	78	16	14	4	13	16	3		
20 Appendicitis and typhlitis		M	116	—	—	9	27	25	34	17	4	50	—	—	3	15	13	8	9	—		
		F	83	—	—	1	21	15	19	20	7	24	—	—	1	4	4	9	2	—		
21 Cirrhosis of liver ...		M	155	—	—	—	—	—	23	86	46	51	—	—	—	1	—	7	34	—		
		F	124	—	—	—	—	—	23	63	38	35	—	—	—	—	1	7	20	—		
21A Alcoholism ...		M	18	—	—	—	—	—	11	5	2	11	—	—	—	—	—	5	6	—		
		F	13	—	—	—	—	—	3	7	3	5	—	—	—	—	—	2	3	—		
22 Nephritis and Bright's disease.		M	575	4	3	3	10	18	66	215	256	254	5	3	2	7	6	54	98	7		
		F	437	4	—	3	12	8	59	149	202	179	—	—	2	10	2	36	78	5		
23 Puerperal fever ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	55	—	—	—	—	8	47	—	—	42	—	—	—	—	12	30	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	118	—	—	—	—	29	87	2	—	144	—	—	—	—	26	116	2	—		
25 Congenital debility, &c.		M	913	903	3	2	3	1	1	—	—	778	769	2	1	2	3	1	—	—		
		F	669	657	2	4	3	2	1	—	—	591	583	1	1	3	3	—	—	—		
26 Violence, apart from suicide.		M	564	46	6	36	47	76	162	113	78	636	9	17	47	49	100	234	139	4		
		F	279	39	8	19	27	11	39	45	91	161	15	8	35	22	12	14	20	3		
27 Suicide ...		M	172	—	—	—	1	24	64	69	14	53	—	—	—	—	7	25	15	—		
		F	63	—	—	—	—	9	24	24	6	20	—	—	—	—	1	10	7	—		
28 Other defined diseases ...		M	4,514	445	43	48	78	112	373	1009	2406	2,196	561	58	27	39	34	187	453	83		
		F	4,826	282	40	46	82	93	341	869	3073	2,214	376	48	25	46	41	182	461	103		
29 Causes ill-defined or unknown.		M	64	12	7	2	—	1	6	24	12	54	5	9	2	1	1	11	19	—		
		F	55	7	11	2	—	2	10	12	11	35	4	7	—	2	—	2	14	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.

RURAL DISTRICTS—NORTH AND MIDLAND.

Causes of Death.	Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).									AGGREGATE OF RURAL DISTRICTS (MIDLAND).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	12,069	2699	654	465	441	461	1232	2401	3716	20,849	3249	594	520	716	757	1986	4122	8905
	F	10,808	2012	563	461	472	428	1232	2028	3612	19,354	2501	479	502	679	708	1923	3505	9057
1 Enteric fever ...	M	62	—	—	1	10	14	24	12	1	59	—	—	1	8	15	22	11	2
	F	39	1	—	2	4	13	14	4	1	34	—	—	2	5	8	11	7	1
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	245	45	107	64	28	1	—	—	—	251	44	86	73	42	5	1	—	—
	F	183	36	74	49	17	2	4	1	—	239	53	69	65	44	3	4	1	—
4 Scarlet fever ...	M	76	2	6	33	28	2	4	1	—	53	1	6	18	22	5	1	—	—
	F	85	3	6	36	35	4	1	—	—	53	2	1	22	23	2	3	—	—
5 Whooping cough ...	M	95	58	24	11	2	—	—	—	—	168	109	39	17	3	—	—	—	—
	F	124	60	38	21	5	—	—	—	—	232	141	47	38	5	—	—	—	1
6 Diphtheria and croup ...	M	115	6	13	41	51	3	1	—	—	134	7	4	40	72	6	2	3	—
	F	124	—	14	41	61	3	5	—	—	150	2	8	37	94	4	5	—	—
7 Influenza ...	M	206	11	3	3	5	9	31	72	72	355	20	8	6	5	11	42	104	159
	F	181	6	2	2	6	9	18	48	90	297	15	5	6	7	12	28	54	170
8 Erysipelas ...	M	16	3	—	—	—	1	3	4	5	29	3	—	—	—	—	5	14	7
	F	15	2	—	—	—	2	4	4	3	19	2	—	1	—	1	2	5	8
9 Pulmonary tuberculosis	M	606	8	10	12	16	104	270	167	19	1,246	10	5	8	45	251	585	299	43
	F	601	4	7	5	56	138	275	96	20	1,082	5	6	13	74	265	472	200	47
0 Tuberculous meningitis	M	119	24	21	34	28	7	4	1	—	121	27	22	20	38	6	6	2	—
	F	86	16	14	23	23	7	3	—	—	131	21	21	33	32	15	7	2	—
1 Other tuberculous diseases.	M	205	48	46	27	25	17	26	10	6	267	42	19	24	43	37	61	25	16
	F	198	40	26	23	29	17	44	16	3	252	27	12	19	48	43	63	26	14
2 Cancer, malignant disease	M	721	—	—	4	3	4	54	321	335	1,700	2	—	5	7	12	97	676	901
	F	885	—	—	—	—	4	103	412	366	2,095	1	3	2	5	8	179	908	989
3 Rheumatic fever ...	M	50	—	1	—	11	9	12	12	5	44	—	—	—	14	10	11	6	3
	F	50	—	—	1	18	11	13	5	2	48	—	1	—	15	10	9	11	2
4 Meningitis ...	M	115	32	31	17	11	8	9	4	3	126	30	21	19	28	11	6	9	2
	F	113	35	17	21	20	10	5	3	2	126	30	14	16	33	10	9	11	3
5 Organic heart disease ...	M	1,120	—	2	1	17	27	91	380	602	2,342	1	1	3	24	39	129	687	1458
	F	1,165	—	2	1	18	29	126	377	612	2,532	—	1	2	20	40	179	651	1639
6 Bronchitis ...	M	818	207	46	22	11	5	13	144	370	1,358	254	61	28	9	3	18	152	833
	F	757	179	46	21	7	1	25	105	373	1,293	177	46	23	4	5	17	125	896
7 Pneumonia (all forms)...	M	934	280	126	66	32	33	125	147	125	1,169	320	124	73	50	49	131	208	214
	F	664	169	118	82	32	18	59	79	107	857	223	91	65	35	22	83	119	219
8 Other respiratory diseases	M	215	19	12	19	13	3	34	52	63	343	25	7	18	15	8	31	85	154
	F	165	7	12	17	11	9	20	40	49	245	17	4	12	16	8	25	43	120
9 Diarrhoea, &c. ...	M	605	403	102	11	8	2	11	28	40	565	342	56	21	11	5	17	46	67
	F	491	316	86	26	5	4	9	19	26	434	224	51	21	15	6	23	30	64
0 Appendicitis and typhlitis	M	68	1	1	3	16	16	16	12	3	100	1	1	6	30	19	16	19	8
	F	57	—	—	—	15	16	13	10	3	97	—	—	3	28	18	21	20	7
1 Cirrhosis of liver ...	M	96	—	—	—	1	—	7	52	36	176	—	1	—	1	1	33	89	51
	F	73	—	—	—	—	—	6	47	20	113	—	—	—	1	2	18	52	40
1A Alcoholism ...	M	14	—	—	—	—	—	4	9	1	30	—	—	—	—	—	16	13	1
	F	4	—	—	—	—	—	2	1	1	14	—	—	—	—	—	4	6	4
2 Nephritis and Bright's disease.	M	332	5	3	8	13	14	39	135	115	583	9	4	5	8	20	55	221	261
	F	267	5	5	7	14	6	48	96	86	490	8	6	5	11	19	77	156	208
3 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	42	—	—	—	—	11	31	—	—	78	—	—	—	—	16	62	—	—
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	163	—	—	—	—	32	130	1	—	190	—	—	—	—	35	154	1	—
5 Congenital debility, &c.	M	1,025	1013	5	4	1	1	1	—	—	1,396	1364	7	9	6	4	5	1	—
	F	716	699	5	3	6	1	2	—	—	1,081	1061	3	4	8	2	—	3	—
6 Violence, apart from suicide.	M	638	14	16	36	52	98	195	149	78	958	43	21	60	107	102	234	248	143
	F	188	17	10	24	30	10	17	34	46	365	48	18	40	43	18	30	48	120
7 Suicide ...	M	119	—	—	—	—	8	50	36	25	237	—	—	—	—	22	81	96	38
	F	44	—	—	—	—	4	14	21	5	66	—	—	—	—	12	23	19	12
8 Other defined diseases ...	M	3,343	519	67	46	58	70	202	589	1792	6,872	578	87	63	125	114	358	1047	4500
	F	3,244	410	66	52	59	64	231	584	1778	6,606	432	55	70	108	120	401	968	4452
9 Causes ill-defined or unknown.	M	111	1	12	2	1	5	6	64	20	167	17	14	3	3	2	23	61	44
	F	84	7	15	4	1	3	10	25	19	135	12	17	3	5	4	14	39	41

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1913.
RURAL DISTRICTS—SOUTH AND WALES.

Causes of Death.		Sex.	AGGREGATE OF RURAL DISTRICTS (SOUTH).										AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	12,544 11,615	1633 1182	284 279	273 233	405 399	475 434	1362 1189	2658 2297	5454 5602	6,016 5,643	1216 891	222 189	183 175	211 194	260 254	622 686	1236 1041	2066 2213	
1 Enteric fever	M F	23 19	— —	— —	1 —	3 6	3 3	14 7	2 1	— 2	15 10	— —	— —	— —	1 1	6 2	4 3	2 2	2 2	
2 Small-pox	M F	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	164 138	23 22	51 39	47 41	33 29	7 2	1 5	2 —	— —	113 99	19 20	41 35	37 24	15 14	— 4	— 1	1 1	— —	
4 Scarlet fever	M F	15 22	1 —	1 3	5 7	7 8	— 3	1 —	— 1	— —	21 21	— 1	3 5	11 7	7 6	— 1	— 1	— —	— —	
5 Whooping cough	M F	80 94	45 47	21 24	9 13	5 6	— 1	— 1	— —	— 2	44 49	27 30	11 8	5 9	1 2	— —	— —	— —	— —	
6 Diphtheria and croup	M F	74 84	2 1	3 4	22 22	41 51	3 1	2 2	— 3	— —	51 44	1 —	7 5	20 18	18 18	3 1	1 —	— 1	— 1	
7 Influenza	M F	254 213	8 6	3 2	5 2	7 6	11 6	40 23	65 56	115 112	102 81	5 2	— —	4 2	— 2	8 3	15 14	27 13	43 45	
8 Erysipelas	M F	17 15	1 1	— —	— —	— —	1 1	3 2	5 6	7 5	3 5	1 1	— —	— —	— —	— 2	— 1	1 1	1 1	
9 Pulmonary tuberculosis	{	M F	870 695	5 3	3 2	6 3	31 46	145 169	396 318	240 123	44 31	384 388	4 1	2 3	4 2	14 24	68 95	166 185	93 65	33 13		
10 Tuberculous meningitis		M F	92 82	15 8	13 13	17 18	24 31	14 7	6 2	3 3	— —	— —	61 65	11 13	8 5	10 10	20 22	8 6	3 8	1 1	— —	
11 Other tuberculous diseases.	{	M F	143 131	13 14	7 4	7 8	18 23	27 20	38 32	30 18	3 12	79 94	13 6	6 4	2 8	7 13	10 18	16 27	22 12	3 6		
12 Cancer, malignant disease		M F	1,135 1,271	1 2	1 —	1 2	6 4	7 6	68 112	426 542	625 603	407 505	— —	— 1	— —	2 —	2 —	4 1	31 32	157 237	211 234	
13 Rheumatic fever	{	M F	32 35	— —	— —	2 1	8 10	7 7	6 8	8 7	1 2	31 17	— —	— —	— 3	9 4	7 2	5 2	6 5	4 1		
14 Meningitis		...	M F	82 49	15 12	12 5	22 6	22 10	9 9	8 3	2 3	2 1	51 38	19 15	10 3	5 5	3 6	6 1	3 6	4 2	1 —	
15 Organic heart disease	{	M F	1,503 1,677	1 —	— 1	— 2	11 14	21 23	115 97	438 439	917 1101	649 731	1 2	1 —	— —	5 7	13 13	32 64	229 217	368 428		
16 Bronchitis		...	M F	744 726	117 77	21 33	8 4	3 4	3 3	8 9	93 67	491 529	379 372	89 51	12 6	10 6	6 1	1 1	5 11	61 42	195 254	
17 Pneumonia (all forms)...	{	M F	634 490	158 98	56 54	29 25	21 19	21 19	70 49	131 74	148 152	434 291	116 73	44 44	24 19	16 12	16 15	47 32	79 40	92 56		
18 Other respiratory diseases		M F	239 162	19 9	4 4	11 4	9 4	8 3	34 13	64 37	90 88	104 85	4 2	3 4	5 10	6 6	4 2	15 10	22 22	45 29		
19 Diarrhoea, &c.	{	M F	258 243	135 124	26 31	6 8	3 3	4 6	14 4	17 19	53 48	215 192	151 104	14 32	5 5	3 2	1 1	10 7	9 12	22 29		
20 Appendicitis and typhlitis		M F	81 61	— 1	— —	6 4	12 14	19 7	20 19	15 11	9 5	29 28	— —	1 —	— 1	13 8	4 6	3 5	6 5	2 3		
21 Cirrhosis of liver	{	M F	121 64	— —	— —	— —	— 2	— —	16 5	69 34	36 23	25 13	— —	— —	— —	— —	— 3	5 7	15 7	5 3		
21A Alcoholism		...	M F	12 3	— —	— —	— —	— —	— —	5 3	6 —	1 3	5 2	— —	— —	— —	— —	— 2	2 1	1 —		
22 Nephritis and Bright's disease.	{	M F	423 356	1 3	— 2	3 2	7 6	13 8	47 46	147 119	205 170	219 151	— 1	1 1	3 1	10 4	3 9	23 22	87 49	92 64		
23 Puerperal fever...		M F	— 39	— —	— —	— —	— —	— 2	— 37	— —	— —	— —	— 41	— —	— —	— —	— 3	— 38	— —	— —		
24 Parturition, apart from puerperal fever.	{	M F	— 123	— —	— —	— —	— —	— 19	— 104	— —	— —	— 87	— —	— —	— —	— 18	— 67	— 2	— —			
25 Congenital debility, &c.		M F	755 519	735 505	4 5	7 3	3 3	3 1	2 —	1 —	— —	— —	416 302	407 299	3 2	1 2	5 —	— 1	— —	— —		
26 Violence, apart from suicide.	{	M F	508 243	17 27	12 10	30 21	51 24	59 23	138 23	115 37	86 78	339 90	9 3	13 5	18 22	22 11	57 5	98 11	84 8	38 25		
27 Suicide		...	M F	155 45	— —	— —	— —	1 —	15 7	45 16	71 20	23 2	49 17	— —	— —	— —	— 2	1 6	19 6	19 6	10 3	
28 Other defined diseases	{	M F	4,061 3,953	319 215	43 39	38 34	77 74	73 78	253 240	680 649	2578 2624	1,733 1,796	334 261	37 26	17 21	28 31	40 41	113 125	282 280	882 1011		
29 Causes ill-defined or unknown.		M F	67 63	2 7	3 4	3 3	2 2	1 2	11 10	28 25	19 12	58 29	5 6	5 2	— —	— —	— 3	6 3	26 10	16 5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN
BOROUGH—1913.

Causes of Death.	Sex.	CITY OF LONDON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	M	160	10	2	—	1	3	20	55	69	
	F	110	5	3	1	—	4	15	24	58	
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	
	F	1	—	—	—	—	—	1	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
3 Measles	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	
6 Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
7 Influenza	M	2	—	—	—	—	—	—	1	1	
	F	1	—	—	—	—	—	1	—	—	
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis	M	13	—	—	—	—	2	5	5	1	
	F	15	—	—	1	—	3	5	4	2	
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
11 Other tuberculous dis- eases.	M	2	1	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	
12 Cancer, malignant disease	M	18	—	—	—	—	—	—	8	10	
	F	10	—	—	—	—	—	—	5	5	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
14 Meningitis	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
15 Organic heart disease ...	M	15	—	—	—	—	—	1	7	7	
	F	14	—	—	—	—	1	1	3	9	
16 Bronchitis	M	11	—	—	—	—	—	1	4	6	
	F	11	—	1	—	—	—	—	1	9	
17 Pneumonia (all forms)	M	6	—	1	—	—	—	1	3	1	
	F	10	—	2	—	—	—	—	1	7	
18 Other respiratory diseases	M	3	—	—	—	—	—	—	1	2	
	F	3	—	—	—	—	—	1	—	2	
19 Diarrhoea, &c.	M	2	1	—	—	—	—	—	1	—	
	F	2	1	—	—	—	—	—	—	1	
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	
21 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	
	F	—	—	—	—	—	—	—	—	—	
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.	M	8	—	—	—	—	—	—	4	4	
	F	4	—	—	—	—	—	1	—	3	
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
25 Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	
	F	3	3	—	—	—	—	—	—	—	
26 Violence, apart from suicide.	M	5	—	—	—	—	—	2	2	1	
	F	2	—	—	—	—	—	1	1	—	
27 Suicide	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	
28 Other defined diseases ...	M	63	3	—	—	—	1	6	17	36	
	F	33	—	—	—	—	—	4	9	20	
29 Causes ill-defined or un- known.	M	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death				Sex.	BATTERSEA.										BERMONDSEY.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,245	257	71	62	61	52	161	296	285	1,167	265	95	65	46	46	163	262	225		
				F	1,094	205	63	36	48	32	124	242	344	1,079	242	78	56	34	42	134	215	278		
1	Enteric fever	M	4	—	—	—	—	1	1	1	1	1	—	—	—	1	—	—	—	—		
				F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	48	7	24	15	2	—	—	—	—	52	9	25	15	3	—	—	—	—		
				F	44	11	18	10	5	—	—	—	—	38	10	13	13	2	—	—	—	—		
4	Scarlet fever	M	5	—	1	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
				F	3	—	—	2	—	—	1	—	—	3	—	—	2	—	—	1	—	—		
5	Whooping cough	M	11	6	—	5	—	—	—	—	—	19	8	5	5	1	—	—	—	—		
				F	17	8	7	2	—	—	—	—	—	27	7	14	6	—	—	—	—	—		
6	Diphtheria and croup	M	14	1	2	6	5	—	—	—	—	7	2	1	3	1	—	—	—	—		
				F	7	—	1	4	2	—	—	—	—	10	2	4	4	—	—	—	—	—		
7	Influenza	M	17	2	—	—	—	—	—	10	5	14	—	—	—	—	1	2	10	1		
				F	14	1	—	—	—	—	1	8	4	9	—	—	—	—	1	1	2	5		
8	Erysipelas	M	3	1	—	—	—	1	—	—	1	3	—	—	—	—	—	1	1	1		
				F	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	2	1	1		
9	Pulmonary tuberculosis	M	119	1	1	1	5	17	48	42	4	121	2	2	2	5	15	56	37	2		
				F	78	2	3	—	7	11	27	21	7	83	—	2	2	6	14	37	19	3		
10	Tuberculous meningitis	M	13	—	1	6	6	—	—	—	—	26	4	5	11	4	1	1	—	—		
				F	16	1	4	3	6	—	2	—	—	14	4	1	2	6	—	1	—	—		
11	Other tuberculous diseases.	M	8	1	1	1	3	—	1	—	1	18	8	3	—	2	1	3	1	—		
				F	14	2	2	1	3	1	3	1	1	16	5	3	1	5	—	—	2	—		
12	Cancer, malignant disease	M	85	—	—	1	1	2	8	47	26	69	—	—	—	—	2	4	37	26		
				F	101	—	—	—	—	1	8	50	42	74	—	—	—	—	2	9	34	29		
13	Rheumatic fever	M	6	—	—	—	1	1	3	1	—	3	—	—	—	—	2	1	—	—		
				F	4	—	—	—	2	—	2	—	—	5	—	—	—	—	3	—	2	—		
14	Meningitis	M	7	2	—	1	3	1	—	—	—	4	1	1	1	1	—	—	—	—		
				F	6	1	1	—	—	2	2	—	—	2	2	—	—	—	—	—	—	—		
15	Organic heart disease	M	124	—	—	1	4	4	12	54	49	93	—	—	—	4	3	17	35	34		
				F	131	—	—	—	5	6	11	43	66	105	—	—	—	3	9	16	34	43		
16	Bronchitis	M	99	29	3	1	—	—	2	16	48	121	30	7	1	1	1	4	21	56		
				F	88	10	3	1	1	—	3	22	48	122	21	3	—	1	—	3	30	64		
17	Pneumonia (all forms)	M	111	36	9	10	5	1	17	19	14	122	33	22	15	6	3	16	18	9		
				F	83	27	14	5	4	1	7	12	13	110	27	20	14	4	1	16	17	11		
18	Other respiratory diseases	M	18	3	—	—	1	2	4	3	5	10	—	—	—	1	—	2	5	2		
				F	18	1	—	1	—	—	—	6	10	6	2	—	—	—	—	2	2	2		
19	Diarrhoea, &c.	M	81	48	20	3	1	1	4	1	3	87	63	18	3	1	—	—	1	1		
				F	63	52	7	1	—	—	1	—	2	90	68	16	4	—	—	—	1	1		
20	Appendicitis and typhlitis	M	6	—	—	—	2	2	1	1	—	5	—	—	1	1	1	—	2	—		
				F	4	—	—	—	—	—	1	1	2	1	—	—	—	—	—	1	—	—		
21	Cirrhosis of liver	M	8	—	—	—	—	—	—	6	2	10	—	—	—	—	—	2	6	2		
				F	5	—	—	—	—	—	2	2	1	11	—	—	—	—	—	3	7	1		
21A	Alcoholism	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	1	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	36	—	—	—	—	1	8	15	12	25	—	—	1	—	—	1	18	5		
				F	32	—	—	—	2	2	7	12	9	30	—	—	—	—	1	9	13	7		
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	6	—	—	—	—	—	6	—	—	3	—	—	—	—	1	2	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	7	—	—	—	—	1	6	—	—	4	—	—	—	—	2	2	—	—		
25	Congenital debility, &c.	M	80	80	—	—	—	—	—	—	—	70	67	—	1	1	1	—	—	—		
				F	60	60	—	—	—	—	—	—	—	58	58	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	M	56	3	—	4	10	11	8	10	10	54	5	3	4	6	9	11	9	7		
				F	29	6	—	—	3	1	5	6	8	22	2	—	4	3	1	2	4	6		
27	Suicide	M	10	—	—	—	—	2	5	2	1	9	—	—	—	—	1	3	2	3		
				F	4	—	—	—	—	—	2	2	—	4	—	—	—	—	—	1	2	1		
28	Other defined diseases	M	274	37	9	3	12	5	39	67	102	220	33	2	1	7	5	38	58	76		
				F	256	23	3	6	8	6	25	56	129	227	34	2	4	4	6	29	44	104		
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—cont.

Causes of Death.	Sex.	BETHNAL GREEN.										CAMBERWELL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1045	249	60	54	29	47	159	240	207	1825	366	76	72	67	86	238	460	460		
	F	928	214	62	54	31	41	104	177	245	1777	330	86	65	66	53	195	360	622		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	32	8	14	10	—	—	—	—	—	35	10	9	11	4	—	1	—	—		
	F	28	6	9	13	—	—	—	—	—	31	8	11	7	5	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	7	—	—	5	2	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	5	—	—	2	2	1	—	—	—		
5 Whooping cough ...	M	13	5	4	2	2	—	—	—	—	27	10	10	6	1	—	—	—	—		
	F	21	11	6	2	2	—	—	—	—	27	9	11	5	2	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	2	2	1	—	1	—	—	6	—	1	3	2	—	—	—	—		
	F	3	1	1	—	1	—	—	—	—	12	2	—	6	4	—	—	—	—		
7 Influenza ...	M	11	1	—	1	—	1	3	1	4	25	—	—	—	1	—	7	11	6		
	F	8	—	—	—	—	—	—	4	4	23	1	1	—	1	1	3	3	13		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	3	1	—	—	—	—	1	—	1		
	F	3	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	138	3	1	2	—	17	68	44	3	196	—	—	3	6	31	80	66	10		
	F	63	1	—	2	1	19	26	14	—	103	—	2	4	8	21	49	15	4		
10 Tuberculous meningitis	M	21	2	5	8	6	—	—	—	—	22	3	2	9	4	2	2	—	—		
	F	14	4	5	4	1	—	—	—	—	28	5	8	5	9	1	—	—	—		
11 Other tuberculous diseases.	M	18	5	2	5	2	—	4	—	—	15	4	2	1	5	—	—	2	1		
	F	14	2	3	3	2	1	1	2	—	12	3	1	3	—	2	2	1	—		
12 Cancer, malignant disease	M	63	—	—	1	1	—	7	32	22	117	—	—	—	2	1	11	68	35		
	F	69	—	—	1	—	—	14	32	22	170	—	—	—	2	1	15	82	70		
13 Rheumatic fever ...	M	7	—	—	—	1	3	1	2	—	6	—	—	—	—	3	1	1	1		
	F	5	—	—	—	4	1	—	—	—	5	—	—	—	1	1	3	—	—		
14 Meningitis ...	M	5	2	1	1	—	—	—	1	—	15	1	5	1	4	1	1	—	2		
	F	11	5	2	1	1	—	1	1	—	18	5	—	1	3	—	—	—	9		
15 Organic heart disease ...	M	65	1	1	—	1	1	10	25	26	162	—	—	—	4	4	19	60	75		
	F	110	—	—	—	5	2	17	41	45	189	—	1	—	6	5	21	65	91		
16 Bronchitis ...	M	90	14	3	2	—	—	9	21	41	163	30	2	2	1	1	5	36	86		
	F	79	9	1	1	—	1	1	18	48	164	25	3	2	1	—	8	23	102		
17 Pneumonia (all forms)	M	106	30	12	9	1	6	18	16	14	174	57	21	14	7	7	22	27	19		
	F	76	20	17	9	2	2	9	6	11	135	37	26	17	3	5	8	18	21		
18 Other respiratory diseases	M	14	1	1	1	—	1	—	4	6	25	2	—	—	—	—	1	14	8		
	F	10	1	2	1	—	1	1	—	4	24	3	—	1	1	1	3	5	10		
19 Diarrhoea, &c. ...	M	96	70	12	4	1	4	2	2	1	99	71	13	5	1	—	4	2	3		
	F	76	60	8	5	1	1	—	—	1	105	78	13	5	1	—	1	1	6		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	10	—	—	—	3	3	4	—	—		
	F	3	—	—	—	2	—	1	—	—	10	—	—	—	1	1	4	1	3		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	3	4	—	22	—	—	—	—	—	—	20	2		
	F	8	—	—	—	—	—	2	5	1	25	—	—	—	—	—	2	13	10		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	47	—	—	—	2	3	5	23	14	81	—	—	—	1	5	15	33	27		
	F	39	—	1	—	—	3	6	15	14	80	—	—	1	1	2	13	28	35		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	5	—	—	—	—	3	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	20	—	—	—	—	2	17	1	—		
25 Congenital debility, &c.	M	48	46	1	1	—	—	—	—	—	108	106	—	1	—	1	—	—	—		
	F	56	54	2	—	—	—	—	—	—	107	106	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	30	10	—	2	3	2	5	5	3	66	4	5	2	11	13	17	11	3		
	F	28	5	1	3	2	1	1	—	15	41	6	2	3	7	1	1	4	17		
27 Suicide ...	M	11	—	—	—	—	—	4	7	—	21	—	—	—	—	2	6	9	4		
	F	3	—	—	—	—	—	2	—	1	5	—	—	—	—	1	1	3	—		
28 Other defined diseases ...	M	209	51	1	2	7	7	18	50	73	416	67	5	9	8	11	40	99	177		
	F	186	34	4	7	6	5	14	39	77	424	42	5	3	8	4	38	95	229		
29 Causes ill-defined or unknown.	M	2	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death	Sex.	CHELSEA.										DEPTFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	485	63	20	6	11	8	63	120	194	887	209	50	39	29	45	115	176	224		
	F	423	52	13	4	13	18	48	97	178	810	137	48	49	30	32	89	153	272		
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	11	1	8	2	—	—	—	—	—	33	7	14	11	1	—	—	—	—		
	F	6	1	3	1	—	1	—	—	—	18	4	4	9	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	3	—	—	1	2	—	—	—	—		
5 Whooping cough ...	M	3	3	—	—	—	—	—	—	—	18	13	5	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	28	9	8	10	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	6	—	1	4	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	12	—	—	4	8	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	1	3	10	1	—	—	1	—	2	3	3		
	F	7	1	—	—	—	—	—	1	5	14	—	1	1	—	1	1	3	7		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	59	—	1	1	3	4	22	20	8	97	1	—	—	—	17	48	28	3		
	F	23	—	1	—	1	4	8	5	4	53	—	1	5	2	9	29	7	—		
10 Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	10	2	3	1	2	—	2	—	—		
	F	5	1	—	2	1	1	—	—	—	8	2	1	3	2	—	—	—	—		
11 Other tuberculous diseases.	M	4	—	1	1	1	—	—	—	1	10	2	1	2	1	1	1	1	1		
	F	3	—	1	—	—	1	—	—	1	12	3	2	1	1	4	1	—	—		
12 Cancer, malignant disease	M	39	—	—	—	—	—	3	13	23	44	—	—	—	1	—	2	15	26		
	F	50	—	—	—	—	2	6	27	15	81	—	—	1	—	3	8	37	32		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	1	2	—		
14 Meningitis ...	M	3	1	1	—	—	1	—	—	—	3	2	—	—	1	—	—	—	—		
	F	4	1	—	—	1	1	—	1	—	3	1	—	1	1	—	—	—	—		
15 Organic heart disease ...	M	43	—	—	—	1	—	3	15	24	56	—	—	—	2	2	6	23	23		
	F	53	—	—	—	2	3	7	9	32	64	—	—	—	—	6	5	17	36		
16 Bronchitis ...	M	37	—	—	—	—	—	—	1	8	28	21	1	1	—	—	—	10	37		
	F	49	3	—	—	—	—	—	11	35	76	7	3	1	—	—	4	21	40		
17 Pneumonia (all forms)	M	43	9	5	—	1	—	5	9	14	103	33	13	7	7	7	13	11	12		
	F	33	8	2	—	—	1	4	5	13	55	13	9	4	2	—	8	11	8		
18 Other respiratory diseases	M	5	—	—	—	1	—	—	—	4	12	—	—	3	—	1	—	4	4		
	F	5	1	—	—	—	—	—	3	1	13	—	1	—	1	1	4	2	4		
19 Diarrhoea, &c. ...	M	19	12	2	—	—	—	1	3	1	64	47	7	5	—	1	1	2	1		
	F	15	10	1	1	—	—	—	—	3	51	29	12	4	—	—	—	2	4		
20 Appendicitis and typhlitis	M	4	—	—	—	—	1	3	—	—	4	—	—	—	1	2	1	—	—		
	F	4	—	—	—	2	—	—	2	—	4	—	—	1	1	—	—	—	2		
21 Cirrhosis of liver ...	M	13	—	—	—	—	—	3	7	3	11	—	—	—	—	—	4	4	3		
	F	8	—	1	—	—	—	3	4	—	7	—	—	—	—	—	3	3	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	4	6	4	18	—	—	—	—	2	2	5	9		
	F	12	—	—	—	—	—	4	4	4	21	1	—	—	1	—	1	11	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	—	1	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	22	22	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	14	2	1	—	1	1	3	4	2	50	7	—	—	5	8	15	11	4		
	F	9	—	—	—	1	—	4	1	3	19	8	1	1	1	—	1	1	6		
27 Suicide ...	M	9	—	—	—	—	—	3	3	3	4	—	—	—	—	—	—	3	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	132	13	1	—	1	1	10	31	75	208	23	5	4	5	3	15	56	97		
	F	110	10	1	—	4	3	8	22	62	218	25	4	2	5	6	17	35	124		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death.	Sex.	FINSBURY.										FULHAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	827	193	62	34	32	21	118	190	177	1,029	228	48	44	41	43	161	279	185		
	F	737	159	41	34	33	21	91	149	209	955	174	63	30	29	34	131	219	275		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	6	—	1	—	1	2	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	18	4	13	1	—	—	—	—	—	23	6	7	8	2	—	—	—	—		
	F	12	3	8	1	—	—	—	—	—	26	3	15	6	1	1	—	—	—		
4 Scarlet fever ...	M	3	1	1	1	—	—	—	—	—	4	—	1	2	1	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	17	8	7	2	—	—	—	—	—	12	8	2	2	—	—	—	—	—		
	F	14	4	7	3	—	—	—	—	—	14	3	8	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	5	2	—	1	2	—	—	—	—	12	2	3	3	4	—	—	—	—		
	F	4	—	2	1	1	—	—	—	—	3	2	—	—	1	—	—	—	—		
7 Influenza ...	M	6	1	1	—	—	—	1	1	2	16	2	—	—	—	2	2	7	3		
	F	5	—	—	—	2	—	1	1	1	11	—	—	—	—	—	2	3	6		
8 Erysipelas ...	M	3	—	—	—	1	—	—	2	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	104	1	1	—	4	8	46	34	10	126	—	2	2	6	13	52	47	4		
	F	71	2	1	4	3	6	35	14	6	88	5	1	1	6	13	35	22	5		
10 Tuberculous meningitis	M	15	3	3	4	5	—	—	—	—	9	1	2	1	4	1	—	—	—		
	F	12	3	—	4	4	1	—	—	—	16	4	2	6	3	—	—	1	—		
11 Other tuberculous diseases.	M	14	4	4	2	—	2	—	2	—	13	3	2	2	3	1	2	—	—		
	F	13	1	2	2	3	1	1	1	2	6	2	1	—	—	1	1	1	—		
12 Cancer, malignant disease	M	40	—	—	—	—	—	1	24	15	72	—	—	—	1	—	10	42	19		
	F	46	—	—	—	1	1	4	25	15	106	—	—	—	—	—	17	47	42		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	2	—	—	—		
	F	4	—	—	—	2	2	—	—	—	3	—	—	—	1	—	—	2	—		
14 Meningitis ...	M	9	2	2	4	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	4	1	1	1	—	—	—	—	1	7	2	—	2	1	1	—	1	—		
15 Organic heart disease ...	M	61	—	—	—	2	4	9	23	23	77	—	—	—	—	1	12	40	24		
	F	62	—	—	—	4	1	8	23	26	99	—	—	—	1	3	18	31	46		
16 Bronchitis ...	M	81	12	2	—	—	—	7	24	36	49	7	1	—	—	—	5	11	25		
	F	92	9	3	2	1	—	7	24	46	85	9	4	—	—	—	3	19	50		
17 Pneumonia (all forms)	M	83	29	15	4	1	2	16	11	5	107	31	14	11	2	4	23	16	6		
	F	67	25	5	10	3	1	8	10	5	87	18	17	7	3	2	12	18	10		
18 Other respiratory diseases	M	7	2	1	—	—	—	—	2	2	20	2	2	2	—	1	3	7	3		
	F	9	3	—	—	—	—	2	1	3	10	—	1	—	—	—	3	2	4		
19 Diarrhoea, &c. ...	M	61	44	9	6	1	—	—	1	—	58	44	7	—	—	1	2	1	3		
	F	48	36	8	—	2	2	—	—	—	50	35	10	1	—	—	2	2	2		
20 Appendicitis and typhlitis	M	2	—	—	—	2	—	—	—	—	8	—	—	—	1	—	1	5	1		
	F	4	—	—	—	2	—	—	2	—	4	—	—	—	1	2	—	1	—		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	2	7	2	10	—	—	—	—	—	3	3	4		
	F	6	—	—	—	—	—	2	2	2	12	—	—	—	1	—	3	4	4		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	24	—	2	1	—	—	2	12	7	32	—	—	—	—	1	—	17	14		
	F	20	—	—	1	—	—	4	10	5	17	—	—	—	1	1	4	5	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	—	7	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c.	M	46	44	—	1	1	—	—	—	—	87	85	—	—	1	1	—	—	—		
	F	40	40	—	—	—	—	—	—	—	62	61	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	34	11	1	4	5	1	5	3	4	43	5	—	4	7	5	12	8	2		
	F	28	12	1	4	1	1	2	3	4	16	1	1	2	4	—	3	2	3		
27 Suicide ...	M	6	—	—	—	—	—	3	1	2	10	—	—	—	—	1	4	5	—		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	1	3	—	—		
28 Other defined diseases ...	M	176	25	—	3	7	4	26	42	69	229	31	5	5	7	7	29	68	77		
	F	163	20	2	1	4	4	7	32	93	213	29	2	3	3	6	19	54	97		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	2	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—cont.

Causes of Death.	Sex.	GREENWICH.										HACKNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	744	148	38	36	21	35	113	174	179	1,523	294	75	61	50	45	201	392	405		
	F	627	109	24	19	36	25	65	138	211	1,502	255	68	39	52	65	185	338	500		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	19	4	8	7	—	—	—	—	—	32	5	11	15	1	—	—	—	—		
	F	20	4	7	6	3	—	—	—	—	35	4	17	10	3	1	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	5	—	4	—	1	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	7	—	2	2	2	—	1	—	—		
5 Whooping cough ...	M	15	10	2	3	—	—	—	—	—	13	5	5	3	—	—	—	—	—		
	F	8	5	2	1	—	—	—	—	—	10	6	3	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	6	—	1	2	3	—	—	—	—	5	—	1	1	3	—	—	—	—		
	F	5	—	—	—	5	—	—	—	—	6	—	1	2	3	—	—	—	—		
7 Influenza ...	M	12	1	1	—	—	—	2	3	5	21	2	1	—	—	—	3	6	9		
	F	5	—	—	—	—	—	—	2	3	15	—	—	1	1	—	2	4	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—	1	2	—		
	F	1	—	1	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	72	—	1	4	3	9	35	18	2	143	1	1	5	—	21	72	37	6		
	F	41	2	2	—	3	12	11	9	2	120	3	1	—	7	28	56	20	5		
10 Tuberculous meningitis	M	9	2	2	3	2	—	—	—	—	16	5	6	2	2	—	1	—	—		
	F	3	—	—	1	2	—	—	—	—	9	1	2	3	1	1	1	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	—	2	2	—	1	22	9	4	2	3	—	—	4	—		
	F	6	—	—	—	5	—	—	1	—	24	9	3	—	5	3	3	1	—		
12 Cancer, malignant disease	M	56	—	—	—	—	1	6	34	15	121	—	—	1	—	—	9	69	42		
	F	87	—	—	—	—	1	12	39	35	135	—	—	—	—	—	11	75	49		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	4	—	—	—	2	1	1	—	—		
	F	3	—	—	—	2	1	—	—	—	4	—	—	—	1	1	1	1	—		
14 Meningitis ...	M	4	1	—	1	2	—	—	—	—	12	5	—	3	3	—	1	—	—		
	F	2	—	—	1	1	—	—	—	—	14	6	3	1	2	—	1	1	—		
15 Organic heart disease ...	M	52	—	—	—	2	—	13	23	14	136	—	—	—	3	6	15	57	55		
	F	75	—	—	—	4	5	10	26	30	168	—	—	—	6	3	21	62	76		
16 Bronchitis ...	M	59	11	1	1	—	—	3	13	30	110	23	2	—	2	—	4	19	60		
	F	50	5	3	—	2	—	1	9	30	151	12	2	1	2	—	2	25	107		
17 Pneumonia (all forms)	M	79	26	9	2	2	3	13	16	8	153	45	16	11	5	4	17	31	24		
	F	46	19	4	5	3	1	4	8	2	120	32	15	8	4	6	12	25	18		
18 Other respiratory diseases	M	11	1	1	1	1	1	1	2	3	25	4	3	—	—	—	4	5	9		
	F	5	—	2	1	—	—	—	1	1	18	2	—	2	—	—	3	7	4		
19 Diarrhoea, &c. ...	M	35	22	9	2	—	—	—	1	1	83	60	15	2	—	—	1	5	—		
	F	28	19	2	1	—	—	3	1	2	79	55	11	1	1	—	2	4	5		
20 Appendicitis and typhlitis	M	4	—	—	1	—	2	—	—	1	14	—	—	1	3	2	4	3	—		
	F	5	—	—	1	1	—	1	—	2	7	—	—	1	1	1	3	1	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	21	—	—	—	—	—	4	16	1		
	F	5	—	—	—	—	—	2	3	—	19	—	—	—	—	—	3	11	5		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	1	6	8	2	52	—	—	1	1	1	9	27	13		
	F	7	—	—	—	1	1	1	3	1	46	—	—	—	—	3	7	20	16		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	11	—	—	—	—	2	9	—	—		
25 Congenital debility, &c.	M	39	38	—	—	—	1	—	—	—	87	85	—	—	2	—	—	—	—		
	F	34	33	1	—	—	—	—	—	—	78	77	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	35	5	2	5	2	6	6	3	6	64	6	1	8	8	5	11	14	11		
	F	10	4	—	2	1	—	—	—	3	44	12	3	2	4	1	2	9	11		
27 Suicide ...	M	3	—	—	—	—	—	1	1	1	19	—	—	—	—	—	9	7	3		
	F	1	—	—	—	—	—	1	—	—	8	—	—	—	—	1	3	3	1		
28 Other defined diseases ...	M	201	26	1	4	4	7	24	47	88	352	39	3	4	9	5	34	88	170		
	F	171	18	—	—	1	2	14	36	100	361	35	4	4	8	11	37	68	194		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	7	—	1	2	—	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—cont.

Causes of Death.				Sex.	HAMMERSMITH.										HAMPS TEAD.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {				M	929	184	53	38	25	37	134	240	218	474	58	18	12	13	19	53	150	151		
				F	802	123	38	38	32	26	99	166	280	467	37	18	10	10	17	61	113	201		
1 Enteric fever ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
2 Small-pox ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ... {				M	23	8	8	7	—	—	—	—	—	9	—	4	3	2	—	—	—	—		
				F	23	4	11	6	2	—	—	—	—	12	1	7	3	—	—	—	1	—		
4 Scarlet fever ... {				M	3	—	3	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
				F	4	—	1	—	3	—	—	—	—	3	—	—	2	—	1	—	—	—		
5 Whooping cough ... {				M	20	9	7	4	—	—	—	—	—	5	4	1	—	—	—	—	—	—		
				F	25	9	5	9	2	—	—	—	—	6	1	4	1	—	—	—	—	—		
6 Diphtheria and croup ... {				M	9	—	1	4	4	—	—	—	—	3	—	—	3	—	—	—	—	—		
				F	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ... {				M	8	—	—	—	—	—	3	2	3	3	—	—	—	—	—	—	2	1		
				F	6	—	—	—	—	—	—	1	5	17	—	—	—	—	2	2	7	6		
8 Erysipelas ... {				M	3	—	—	—	—	—	—	2	1	1	1	—	—	—	—	—	1	—		
				F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis {				M	87	—	2	1	1	12	35	30	6	31	—	—	—	—	1	16	13	1		
				F	62	1	—	1	2	11	33	13	1	21	—	—	—	1	4	10	4	2		
10 Tuberculous meningitis {				M	13	4	4	1	3	1	—	—	—	3	1	1	—	1	—	—	—	—		
				F	11	1	1	5	4	—	—	—	—	3	—	1	—	2	—	—	—	—		
11 Other tuberculous diseases. {				M	4	—	—	—	1	1	2	—	—	2	—	1	—	—	1	—	—	—		
				F	4	—	—	—	2	—	2	—	—	1	—	—	—	1	—	—	—	—		
12 Cancer, malignant disease {				M	74	—	—	—	—	—	3	41	30	43	—	—	1	—	1	2	15	24		
				F	77	—	—	—	—	—	11	39	27	57	—	—	—	—	1	6	30	20		
13 Rheumatic fever ... {				M	3	—	—	—	—	1	2	—	—	3	—	—	1	1	—	1	—	—		
				F	3	—	—	—	2	—	1	—	—	3	—	—	—	—	2	1	—	—		
14 Meningitis ... {				M	3	1	1	1	—	—	—	—	—	3	2	—	—	1	—	—	—	—		
				F	6	1	1	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ... {				M	87	—	—	—	1	5	13	37	31	55	—	1	—	2	—	5	19	28		
				F	90	—	—	—	1	5	14	34	36	47	—	—	—	—	1	6	11	29		
16 Bronchitis ... {				M	72	5	2	3	—	1	4	17	40	26	1	1	—	—	—	2	10	12		
				F	63	4	4	—	—	1	—	9	45	32	2	1	—	1	1	—	1	26		
17 Pneumonia (all forms) {				M	120	39	14	10	2	3	19	21	12	32	1	5	1	1	3	4	10	7		
				F	62	14	12	4	3	1	9	6	13	29	1	3	3	—	—	4	3	15		
18 Other respiratory diseases {				M	13	1	—	—	—	—	2	6	4	8	—	2	—	—	—	—	4	2		
				F	7	—	—	—	—	—	—	1	6	8	—	—	—	—	—	1	4	3		
19 Diarrhoea, &c. ... {				M	44	35	5	3	—	—	—	1	—	12	8	—	1	—	—	—	2	1		
				F	32	21	2	3	2	—	1	—	3	15	9	1	—	—	—	4	1	—		
20 Appendicitis and typhlitis {				M	2	—	—	—	1	—	1	—	—	4	—	—	—	—	1	1	—	2		
				F	4	—	—	—	2	—	1	—	1	7	—	—	—	1	2	1	2	1		
21 Cirrhosis of liver ... {				M	4	—	—	—	—	—	2	2	—	9	—	—	—	—	1	3	5	—		
				F	2	—	—	—	—	—	—	1	1	6	—	—	—	1	—	4	1	—		
21A Alcoholism ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease. {				M	31	—	—	—	1	2	5	12	11	22	—	—	—	—	1	4	12	5		
				F	23	—	—	—	—	1	2	11	9	20	—	—	—	—	—	3	7	10		
23 Puerperal fever ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever. {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c. {				M	53	53	—	—	—	—	—	—	—	25	24	1	—	—	—	—	—	—		
				F	43	42	—	—	1	—	—	—	16	16	—	—	—	—	—	—	—	—		
26 Violence, apart from suicide. {				M	28	1	—	2	5	2	6	5	7	15	1	—	—	1	3	2	7	1		
				F	18	1	—	4	3	2	1	1	6	8	1	—	—	—	—	2	1	4		
27 Suicide ... {				M	9	—	—	—	—	4	1	4	—	11	—	—	—	—	—	3	7	1		
				F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ... {				M	216	28	6	2	6	5	36	60	73	148	16	1	2	4	7	12	45	61		
				F	220	23	1	5	2	3	15	47	124	149	6	1	—	3	3	17	35	84		
29 Causes ill-defined or unknown. {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death.	Sex.	HOLBORN.										ISLINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	388	41	13	2	14	15	73	129	101	2,507	510	123	97	77	69	329	644	658		
	F	307	41	8	6	7	8	47	101	89	2,455	372	130	90	85	107	295	543	833		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	1	—	—	—	—	—	—	52	5	24	17	6	—	—	—	—		
	F	7	4	2	1	—	—	—	—	—	54	12	23	18	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	11	2	2	4	2	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	3	2	—	—	—	—		
5 Whooping cough ...	M	3	1	2	—	—	—	—	—	—	33	15	8	5	5	—	—	—	—		
	F	3	2	—	1	—	—	—	—	—	28	7	13	8	—	—	—	—	—		
6 Diphtheria and croup	M	2	—	—	—	1	—	—	1	—	11	—	2	6	3	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	21	2	2	7	10	—	—	—	—		
7 Influenza ...	M	7	1	—	—	—	—	4	2	—	30	2	—	1	—	—	3	15	9		
	F	2	—	—	—	—	—	—	1	1	38	—	1	1	—	2	10	7	17		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	1	1	1		
	F	1	1	—	—	—	—	—	—	—	5	—	1	—	—	—	1	—	3		
9 Pulmonary tuberculosis	M	67	—	—	—	—	6	31	27	3	263	—	4	3	6	27	121	89	13		
	F	23	—	—	—	1	3	14	5	—	177	2	6	2	8	35	77	36	11		
10 Tuberculous meningitis	M	4	1	1	—	2	—	—	—	—	30	5	6	8	10	1	—	—	—		
	F	4	—	—	2	2	—	—	—	—	24	4	7	6	5	2	—	—	—		
11 Other tuberculous diseases.	M	2	1	—	1	—	—	—	—	—	27	6	2	5	7	1	5	1	—		
	F	—	—	—	—	—	—	—	—	—	33	3	2	7	3	6	4	7	1		
12 Cancer, malignant disease	M	30	—	—	—	—	—	—	20	10	176	—	1	—	—	5	12	90	68		
	F	19	—	—	—	1	—	4	9	5	231	—	—	—	—	2	31	96	102		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	—	1	3	—	—	—	—	1	1	—	1		
	F	—	—	—	—	—	—	—	—	—	10	—	—	—	4	1	4	1	—		
14 Meningitis ...	M	2	—	1	—	—	—	1	—	—	13	6	1	2	1	1	1	1	—		
	F	2	1	—	—	1	—	—	—	—	13	5	—	4	2	1	1	—	—		
15 Organic heart disease ...	M	33	—	—	—	—	2	5	18	8	222	1	—	—	2	4	27	88	100		
	F	39	—	—	—	1	—	4	22	12	375	—	—	1	8	19	42	124	181		
16 Bronchitis ...	M	33	4	1	—	—	—	1	9	18	271	50	8	2	2	1	15	53	140		
	F	35	4	—	—	—	—	2	13	16	217	19	2	3	1	—	2	44	146		
17 Pneumonia (all forms)	M	34	5	3	—	—	2	6	11	7	223	66	35	16	7	4	28	43	24		
	F	23	5	1	1	—	1	4	5	6	181	42	37	9	8	3	10	40	32		
18 Other respiratory diseases	M	8	—	1	—	—	—	3	2	2	28	3	2	2	—	2	4	9	6		
	F	4	—	—	—	—	—	—	2	2	23	2	1	1	—	1	3	3	12		
19 Diarrhoea, &c. ...	M	10	5	3	—	—	—	—	—	2	138	100	17	6	2	1	6	3	3		
	F	10	5	2	1	—	—	2	—	—	118	75	26	4	—	—	2	3	8		
20 Appendicitis and typhlitis	M	3	—	—	—	2	1	—	—	—	7	—	—	—	1	3	2	1	—		
	F	2	—	—	—	—	—	2	—	—	15	—	—	—	4	4	3	1	3		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	25	—	—	—	—	—	1	15	9		
	F	9	—	—	—	—	—	2	5	2	23	—	—	—	—	—	10	11	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	2	—		
22 Nephritis and Bright's disease.	M	16	—	—	—	1	—	4	3	8	91	—	—	—	—	—	12	38	41		
	F	10	—	—	—	—	—	1	7	2	87	—	—	1	4	1	13	43	25		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	2	—	—	—	12	—	—	—	—	4	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	15	—	—	—	—	2	12	1	—		
25 Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	168	167	—	—	—	—	1	—	—		
	F	12	12	—	—	—	—	—	—	—	132	131	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	1	—	1	2	1	1	2	2	92	16	2	9	8	7	17	20	13		
	F	9	3	—	—	—	—	2	1	3	63	22	2	5	8	1	9	3	13		
27 Suicide ...	M	6	—	—	—	—	1	1	4	—	30	—	—	—	—	1	9	16	4		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	2	—	—		
28 Other defined diseases ...	M	95	6	—	—	6	1	14	28	40	554	65	8	11	15	10	61	158	226		
	F	86	4	2	—	—	2	9	29	49	544	46	3	10	17	22	48	121	277		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death.	Sex.	KENSINGTON.									LAMBETH.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,118	204	65	57	22	29	150	291	300	2,179	390	124	86	64	72	319	571	553
	F	1,257	167	66	33	31	37	140	283	500	2,109	336	82	69	51	70	274	437	790
1 Enteric fever ...	M	4	—	—	—	—	1	2	1	—	3	—	—	—	—	—	2	1	—
	F	2	—	—	—	—	—	1	1	—	5	—	—	—	1	1	3	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	44	10	12	21	1	—	—	—	—	60	10	33	13	4	—	—	—	—
	F	38	7	17	12	2	—	—	—	—	39	13	12	14	—	—	—	—	—
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	9	—	2	3	3	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	4	—	—	4	—	—	—	—	—
5 Whooping cough ...	M	11	3	4	4	—	—	—	—	—	20	13	4	2	1	—	—	—	—
	F	18	8	4	5	1	—	—	—	—	27	8	12	6	1	—	—	—	—
6 Diphtheria and croup ...	M	2	1	—	1	—	—	—	—	—	23	3	3	12	5	—	—	—	—
	F	5	—	1	—	4	—	—	—	—	14	1	4	4	4	—	—	—	1
7 Influenza ...	M	16	1	—	—	—	—	2	5	8	32	1	—	—	1	1	6	12	11
	F	33	—	1	—	—	—	2	12	18	41	1	—	1	2	4	3	10	20
8 Erysipelas ...	M	4	1	—	—	—	—	1	1	1	5	—	—	—	—	—	—	2	3
	F	5	—	1	—	—	1	—	1	2	3	—	—	—	—	—	1	2	—
9 Pulmonary tuberculosis	M	106	1	2	—	3	6	53	35	6	232	2	—	3	6	24	116	74	7
	F	86	2	—	—	5	11	34	29	5	168	1	2	2	6	31	78	36	12
10 Tuberculous meningitis	M	9	1	2	5	—	1	—	—	—	27	5	7	8	5	—	2	—	—
	F	13	3	3	3	4	—	—	—	—	20	5	3	8	3	1	—	—	—
11 Other tuberculous diseases.	M	15	5	3	1	—	3	3	—	—	28	4	4	3	2	2	10	2	1
	F	12	3	1	1	—	3	—	2	2	16	3	2	—	2	2	3	3	1
12 Cancer, malignant disease	M	81	—	—	—	1	1	3	42	34	161	—	—	—	—	—	9	82	70
	F	113	—	—	1	—	1	13	46	52	222	—	—	—	—	3	35	90	94
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	4	—	—	—	1	1	1	1	—
	F	2	—	—	—	—	—	—	2	—	8	—	—	—	1	—	2	5	—
14 Meningitis ...	M	6	3	—	1	1	1	—	—	—	14	4	2	3	2	1	1	1	—
	F	8	1	1	2	1	2	—	1	—	10	2	2	2	3	—	—	1	—
15 Organic heart disease ...	M	114	—	—	—	1	6	13	40	54	159	—	—	1	1	5	26	52	74
	F	136	—	—	—	2	2	21	25	86	182	—	—	—	4	6	27	57	88
16 Bronchitis ...	M	94	15	6	2	—	—	5	25	41	152	23	6	3	—	2	10	26	82
	F	124	12	6	1	1	1	3	23	77	211	27	4	2	2	—	10	31	135
17 Pneumonia (all forms)	M	105	31	18	13	1	3	16	14	9	197	44	26	11	2	6	31	39	38
	F	104	24	16	5	2	1	9	18	29	166	50	16	9	5	4	23	22	37
18 Other respiratory diseases	M	23	2	1	2	—	—	2	8	8	34	3	2	2	—	1	1	14	11
	F	27	2	—	2	—	—	—	5	18	35	3	—	3	2	1	2	12	12
19 Diarrhoea, &c. ...	M	57	35	11	—	—	1	4	2	4	128	97	17	3	—	1	3	4	3
	F	50	28	8	—	1	2	1	4	6	104	69	17	7	1	—	—	3	7
20 Appendicitis and typhlitis	M	9	—	—	1	—	3	—	2	3	15	—	—	1	6	2	4	2	—
	F	10	—	—	—	—	2	3	2	3	8	—	—	—	2	2	—	1	3
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	2	11	2	32	—	—	—	—	—	3	25	4
	F	19	—	—	—	—	—	3	9	7	16	—	—	—	—	—	4	9	3
22 Alcoholism ...	M	3	—	—	—	—	—	3	—	—	5	—	—	—	—	—	2	3	—
	F	3	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	3	—
23 Nephritis and Bright's disease.	M	35	—	—	—	2	1	3	13	16	89	1	—	2	—	3	15	40	28
	F	39	—	—	—	—	—	8	12	19	72	—	—	—	—	2	10	36	24
24 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	12	—	—	—	—	2	10	—	—
25 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	8	—	—	—	—	—	8	—	—
26 Congenital debility, &c.	M	64	64	—	—	—	—	—	—	—	109	107	2	—	—	—	—	—	—
	F	50	50	—	—	—	—	—	—	—	109	106	1	1	1	—	—	—	—
27 Violence, apart from suicide.	M	37	7	—	2	5	—	5	12	6	85	5	4	7	11	8	19	20	11
	F	28	3	1	—	2	1	3	6	12	51	8	2	4	4	1	4	4	24
28 Suicide ...	M	8	—	—	—	—	—	2	6	—	27	—	—	—	—	—	7	19	1
	F	8	—	—	—	—	1	3	3	1	10	—	—	—	—	—	6	3	1
29 Other defined diseases ...	M	248	24	3	3	5	2	31	72	108	521	66	10	9	14	14	51	148	209
	F	312	24	6	1	5	6	29	79	162	542	38	3	2	7	10	45	109	328
30 Causes ill-defined or unknown.	M	4	—	3	—	—	—	—	1	—	8	2	2	—	—	—	—	4	—
	F	1	—	—	—	—	—	—	1	—	3	1	2	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHs -1913—cont.

Causes of Death.	Sex.	POPLAR.										ST. MARYLEBONE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,407	314	100	66	53	47	190	320	317	876	107	38	29	24	20	141	257	260		
	F	1,232	264	79	56	58	41	159	262	313	754	89	27	15	25	16	94	189	299		
1 Enteric fever ...	M	3	—	—	—	—	2	—	1	—	3	—	—	—	—	—	3	—	—		
	F	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	40	5	22	12	1	—	—	—	—	21	6	9	4	2	—	—	—	—		
	F	28	6	12	9	—	—	1	—	—	12	4	4	4	—	—	—	—	—		
4 Scarlet fever ...	M	8	—	4	4	—	—	—	—	—	6	2	—	3	1	—	—	—	—		
	F	4	—	1	1	2	—	—	—	—	4	—	—	—	4	—	—	—	—		
5 Whooping cough ...	M	17	8	8	—	1	—	—	—	—	3	1	2	—	—	—	—	—	—		
	F	21	8	5	7	1	—	—	—	—	7	2	3	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	16	1	1	7	7	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	18	5	5	4	4	—	—	—	—	5	1	3	—	1	—	—	—	—		
7 Influenza ...	M	13	—	—	—	2	2	3	6	—	14	4	—	—	—	1	2	4	3		
	F	8	—	—	—	2	—	—	2	4	8	1	—	—	—	—	1	3	3		
8 Erysipelas ...	M	2	1	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	2		
	F	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	141	2	5	2	4	19	63	36	10	109	1	4	4	2	4	50	32	12		
	F	99	—	1	2	8	19	41	25	3	53	1	—	1	1	6	25	13	6		
10 Tuberculous meningitis	M	19	5	3	6	4	—	1	—	—	12	3	3	1	4	1	—	—	—		
	F	14	4	1	5	4	—	—	—	—	9	2	2	3	2	—	—	—	—		
11 Other tuberculous diseases.	M	23	3	8	2	3	1	1	4	1	9	1	—	2	2	1	2	—	1		
	F	18	3	2	5	2	3	2	—	1	5	—	—	—	—	1	—	1	3		
12 Cancer, malignant disease	M	85	1	—	—	1	1	6	43	33	73	—	—	1	—	1	3	37	31		
	F	76	—	—	—	1	—	8	35	32	93	—	—	1	—	—	12	43	37		
13 Rheumatic fever ...	M	3	—	—	—	—	2	1	—	—	2	—	—	1	—	—	—	1	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	1		
14 Meningitis ...	M	11	6	1	1	2	—	1	—	—	5	—	2	—	1	—	1	—	1		
	F	9	5	1	2	1	—	—	—	—	4	2	1	—	—	—	1	—	—		
15 Organic heart disease ...	M	118	—	—	—	2	6	19	46	45	88	—	—	—	2	4	9	36	37		
	F	152	—	—	—	5	6	27	54	60	95	—	—	—	2	3	5	35	50		
16 Bronchitis ...	M	143	22	4	2	1	—	8	34	72	89	5	2	1	—	—	6	23	52		
	F	117	11	1	—	—	—	9	30	66	91	6	1	1	1	—	5	16	61		
17 Pneumonia (all forms)	M	116	28	13	12	5	2	23	22	11	68	7	4	4	—	3	10	19	21		
	F	100	24	14	12	6	3	12	15	14	54	14	7	—	5	—	6	9	13		
18 Other respiratory diseases	M	16	2	2	1	—	—	3	4	4	15	—	1	1	—	—	3	5	5		
	F	12	4	—	1	—	—	1	5	1	18	1	—	—	—	—	1	5	11		
19 Diarrhoea, &c. ...	M	90	63	14	4	—	—	2	3	4	27	14	8	1	1	—	—	1	2		
	F	92	60	22	3	—	—	1	1	5	23	11	5	1	—	1	2	—	3		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	5	—	—	—	1	—	2	—	2		
	F	5	—	—	—	—	—	1	4	—	3	—	—	—	2	1	—	—	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	3	8	1	10	—	—	—	—	—	—	10	—		
	F	17	—	—	—	1	—	3	13	—	9	—	—	—	—	—	2	4	3		
22 Alcoholism ...	M	3	—	—	—	—	—	2	1	—	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
23 Nephritis and Bright's disease.	M	35	—	—	1	—	1	6	12	15	35	—	—	—	—	—	6	16	13		
	F	26	—	—	—	—	2	8	13	3	28	—	—	—	—	—	7	10	11		
24 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	2	4	—	—	3	—	—	—	—	—	3	—	—		
25 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	2	—	—	—	—	—	2	—	—		
26 Congenital debility, &c.	M	116	116	—	—	—	—	—	—	—	40	38	—	—	1	1	—	—	—		
	F	76	74	—	—	2	—	—	—	—	32	32	—	—	—	—	—	—	—		
27 Violence, apart from suicide.	M	67	4	3	6	11	3	11	22	7	35	3	1	1	3	1	10	10	6		
	F	34	15	—	2	5	—	1	3	8	12	1	—	2	2	—	1	2	4		
28 Suicide ...	M	14	—	—	—	—	1	6	6	1	11	—	—	—	—	1	4	5	1		
	F	3	—	—	—	—	1	1	1	—	5	—	—	—	—	1	2	2	—		
29 Other defined diseases ...	M	289	47	9	6	8	7	29	70	113	187	22	2	3	4	2	29	55	70		
	F	280	44	12	2	12	3	33	59	115	175	11	1	—	3	3	18	46	93		
30 Causes ill-defined or unknown.	M	4	—	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1		
	F	5	—	2	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH--1913--con

Causes of Death.		Sex.	ST. PANCRAS.										SHOREDITCH.																
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—									
ALL CAUSES ...		M	1,733	266	88	65	54	59	287	489	425	1,076	316	94	42	34	38	135	238	179	955	218	86	38	43	32	108	195	233
		F	1,546	237	62	49	38	49	188	369	554	955	218	86	38	43	32	108	195	233	955	218	86	38	43	32	108	195	233
1 Enteric fever ...		M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ...		M	22	6	11	5	—	—	—	—	25	6	15	4	—	—	—	—	—	25	6	15	4	—	—	—	—	—	
		F	19	6	4	5	3	—	1	—	22	7	9	5	1	—	—	—	—	22	7	9	5	1	—	—	—	—	
4 Scarlet fever ...		M	3	1	—	—	2	—	—	—	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	3	—	—	2	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
5 Whooping cough ...		M	24	9	7	8	—	—	—	—	11	7	1	3	—	—	—	—	—	18	4	8	6	—	—	—	—	—	
		F	9	3	4	1	1	—	—	—	18	4	8	6	—	—	—	—	—	9	3	4	1	1	—	—	—	—	
6 Diphtheria and croup ...		M	6	—	—	2	4	—	—	—	8	2	2	4	—	—	—	—	—	6	—	2	2	2	—	—	—	—	
		F	9	—	2	5	2	—	—	—	6	—	2	2	2	—	—	—	—	9	—	2	2	2	—	—	—	—	
7 Influenza ...		M	21	1	—	—	—	—	5	8	12	2	2	—	—	2	1	4	1	24	3	—	—	—	—	1	5	1	
		F	24	—	—	—	—	2	4	7	10	3	—	—	—	—	—	—	—	24	—	—	—	—	—	—	—	—	
8 Erysipelas ...		M	3	1	—	—	—	—	—	—	4	2	—	—	—	1	—	1	—	6	3	—	—	—	—	—	1	—	
		F	6	1	—	—	—	—	—	4	6	3	—	1	—	1	—	1	—	6	3	—	—	—	—	—	1	—	
9 Pulmonary tuberculosis		M	227	2	2	4	3	18	107	80	127	3	2	3	3	4	53	51	8	103	2	2	4	3	3	4	53	51	
		F	103	2	3	2	1	16	35	38	71	1	1	4	5	11	24	22	3	103	2	3	2	1	16	35	38	71	
10 Tuberculous meningitis		M	17	2	5	3	6	1	—	—	19	5	4	4	6	—	—	—	—	17	3	2	5	6	—	—	—	—	
		F	17	3	2	5	6	—	1	—	12	3	4	1	4	—	—	—	—	17	3	2	5	6	—	—	—	—	
11 Other tuberculous diseases.		M	22	5	3	2	6	2	—	3	11	6	1	—	—	1	2	1	—	12	4	3	1	4	—	1	1	—	
		F	12	1	2	1	3	1	1	2	14	4	3	1	4	—	1	1	—	12	4	3	1	4	—	1	1	—	
12 Cancer, malignant disease		M	132	—	—	—	—	2	14	66	39	—	—	1	3	—	4	19	12	132	—	—	—	—	—	—	—	—	
		F	165	1	1	—	—	—	12	74	41	—	—	—	—	1	7	27	6	165	1	1	—	—	—	—	—	—	
13 Rheumatic fever ...		M	3	—	—	1	1	—	—	1	3	—	—	—	1	—	2	—	—	6	—	—	—	—	—	—	—	—	
		F	6	—	—	—	1	1	2	2	5	—	—	—	2	1	1	1	—	6	—	—	—	—	—	—	—	—	
14 Meningitis ...		M	12	4	—	4	2	—	2	—	12	4	3	1	1	1	1	1	—	10	4	—	1	1	—	—	—	—	
		F	10	4	1	1	—	1	2	1	2	—	—	1	1	—	—	—	—	10	4	—	1	1	—	—	—	—	
15 Organic heart disease ...		M	155	—	—	1	1	7	18	57	68	—	—	1	2	8	8	23	26	178	—	—	—	—	—	—	—	—	
		F	178	—	—	—	3	8	25	58	62	—	—	—	2	4	14	23	19	178	—	—	—	—	—	—	—	—	
16 Bronchitis ...		M	155	11	7	2	1	1	11	48	94	21	5	1	1	—	3	24	39	169	15	4	—	—	5	24	61		
		F	169	15	4	—	—	1	3	26	116	16	9	—	1	—	5	24	61	169	15	4	—	—	5	24	61		
17 Pneumonia (all forms)		M	190	43	25	12	6	5	27	42	112	41	16	9	1	11	12	15	7	169	46	25	12	4	—	6	9		
		F	169	46	25	12	4	—	19	25	81	28	13	6	4	1	6	9	14	169	46	25	12	4	—	6	9		
18 Other respiratory diseases		M	23	1	—	1	—	1	3	11	21	2	1	1	—	—	6	8	3	20	2	1	—	—	—	4	5		
		F	20	2	1	1	—	—	2	7	10	—	—	—	1	—	—	—	—	20	2	1	—	—	—	4	5		
19 Diarrhoea, &c. ...		M	83	49	12	7	—	2	3	8	124	86	30	4	2	—	1	—	1	69	45	9	3	—	—	1	2		
		F	69	45	9	3	—	1	2	2	100	57	31	4	—	—	1	—	—	69	45	9	3	—	—	1	2		
20 Appendicitis and typhlitis		M	7	—	—	1	1	—	1	2	5	—	—	—	1	1	2	1	—	9	—	—	—	—	—	—	—		
		F	9	—	—	—	1	2	2	4	2	—	—	—	2	—	—	—	—	9	—	—	—	—	—	—	—	—	
21 Cirrhosis of liver ...		M	13	—	—	—	—	—	4	6	13	—	—	—	—	—	2	10	1	20	—	—	—	—	—	—	—	—	
		F	20	—	—	—	—	—	4	13	11	—	—	—	—	—	2	9	—	20	—	—	—	—	—	—	—	—	
21a Alcoholism ...		M	2	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	
22 Nephritis and Bright's disease.		M	62	—	—	—	—	—	10	29	35	—	—	—	1	—	7	14	14	45	—	—	—	—	—	—	—	—	
		F	45	—	—	—	—	3	5	21	39	—	—	—	—	1	13	17	8	45	—	—	—	—	—	—	—	—	
23 Puerperal fever ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	—	—	3	3	—	3	—	—	—	—	—	3	—	—	6	—	—	—	—	—	—	—	—	
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	10	—	—	—	—	—	10	—	8	—	—	—	—	2	6	—	—	10	—	—	—	—	—	—	—	—	
25 Congenital debility, &c.		M	84	82	1	—	1	—	—	—	87	86	—	—	1	—	—	—	—	74	72	1	—	—	—	—	—	—	
		F	74	72	1	—	—	—	1	—	55	54	—	1	—	—	—	—	—	74	72	1	—	—	—	—	—	—	
26 Violence, apart from suicide.		M	69	8	6	2	11	6	14	12	38	11	4	2	2	2	11	4	4	50	14	—	2	5	1	3	3	10	
		F	50	14	—	2	2	1	7	5	45	20	—	3	5	1	3	3	10	50	14	—	2	5	1	3	3	10	
27 Suicide ...		M	16	—	—	—	—	1	7	8	12	—	—	—	—	2	3	6	1	7	—	—	—	—	—	—	—	—	
		F	7	—	—	—	—	1	4	2	2	—	—	—	—	1	1	—	—	7	—	—	—	—	—	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—*cont.*

Causes of Death.				Sex.	SOUTHWARK.										STEPNEY.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	1,798	373	98	71	64	65	277	493	357	2,195	478	139	79	72	110	337	557	423		
			{	F	1,511	296	92	59	52	55	187	337	433	1,917	421	107	79	70	73	250	451	466		
1	Enteric fever	...	{	M	4	—	—	—	—	—	2	2	—	6	—	—	—	1	1	2	2	—		
			{	F	2	—	—	—	—	—	1	1	—	5	—	—	—	1	—	4	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	49	16	17	13	3	—	—	—	—	53	11	24	15	3	—	—	—	—		
			{	F	55	10	28	12	5	—	—	—	—	38	10	15	11	2	—	—	—	—		
4	Scarlet fever	...	{	M	3	—	—	1	2	—	—	—	—	5	—	—	1	4	—	—	—	—		
			{	F	7	—	2	4	1	—	—	—	—	3	—	—	3	—	—	—	—	—		
5	Whooping cough	...	{	M	16	7	6	3	—	—	—	—	—	13	4	6	3	—	—	—	—	—		
			{	F	21	7	7	6	1	—	—	—	—	12	4	4	4	—	—	—	—	—		
6	Diphtheria and croup		{	M	9	2	3	1	3	—	—	—	—	10	1	8	1	—	—	—	—	—		
			{	F	10	—	2	5	2	1	—	—	—	14	7	5	2	—	—	—	—	—		
7	Influenza	...	{	M	22	—	—	—	—	2	12	6	2	17	1	—	—	—	1	5	8	2		
			{	F	11	—	—	—	—	1	2	2	6	13	2	—	—	—	—	3	3	5		
8	Erysipelas	...	{	M	6	2	—	—	—	—	2	1	1	5	2	—	—	—	—	2	1	—		
			{	F	2	1	—	—	—	—	—	1	—	6	3	—	—	—	—	—	1	2		
9	Pulmonary tuberculosis		{	M	224	5	6	3	4	27	97	72	10	304	1	3	3	6	40	124	104	23		
			{	F	129	2	—	4	8	26	54	32	3	165	1	4	4	7	25	61	55	8		
10	Tuberculous meningitis		{	M	22	3	6	5	7	1	—	—	—	23	5	5	7	4	2	—	—	—		
			{	F	11	4	1	1	5	—	—	—	—	15	2	4	3	5	—	1	—	—		
11	Other tuberculous diseases.		{	M	12	3	—	—	6	—	—	2	1	48	10	3	10	5	10	2	7	1		
			{	F	17	4	2	4	3	1	3	—	—	26	7	5	4	2	1	4	2	1		
12	Cancer, malignant disease		{	M	101	—	—	—	1	2	7	65	26	113	—	1	—	—	2	18	55	37		
			{	F	115	—	—	—	—	1	20	54	40	129	—	—	—	—	2	17	75	35		
13	Rheumatic fever	...	{	M	6	—	—	—	1	2	2	—	1	9	—	—	—	1	3	3	1	1		
			{	F	4	—	—	—	3	—	—	—	1	12	—	—	1	7	2	1	—	1		
14	Meningitis	...	{	M	14	6	1	3	3	—	1	—	—	15	3	1	2	5	3	1	—	—		
			{	F	12	8	1	1	—	—	1	1	—	13	5	1	2	2	1	2	—	—		
15	Organic heart disease	...	{	M	151	—	—	—	4	3	36	67	41	137	—	—	—	8	7	23	53	46		
			{	F	125	—	—	—	4	7	22	46	46	204	—	—	—	4	10	33	75	82		
16	Bronchitis	...	{	M	169	30	3	2	2	2	12	37	81	156	18	1	—	1	1	7	59	69		
			{	F	161	13	6	—	1	—	8	41	92	186	27	3	1	1	—	10	46	98		
17	Pneumonia (all forms)		{	M	171	39	28	16	9	1	22	39	17	264	62	40	15	5	11	37	57	37		
			{	F	162	45	31	12	3	3	22	25	21	199	48	31	21	4	3	19	38	35		
18	Other respiratory diseases		{	M	37	4	1	6	1	—	4	14	7	24	6	1	—	—	—	4	12	1		
			{	F	13	2	—	1	—	—	2	2	6	19	2	2	1	—	—	3	5	6		
19	Diarrhoea, &c.	...	{	M	113	86	17	2	1	—	2	3	2	185	138	29	3	—	—	4	6	5		
			{	F	89	71	9	3	1	—	1	2	2	132	98	20	5	2	1	2	2	2		
20	Appendicitis and typhlitis		{	M	3	—	—	—	—	1	1	—	1	12	—	—	2	6	1	—	3	—		
			{	F	4	—	—	—	1	1	—	2	—	9	—	—	—	5	3	—	—	1		
21	Cirrhosis of liver	...	{	M	11	—	—	—	—	—	2	8	1	13	—	—	—	—	—	5	8	—		
			{	F	10	—	—	—	—	—	2	7	1	9	—	—	—	—	—	2	6	1		
21A	Alcoholism	...	{	M	4	—	—	—	—	—	2	2	—	4	—	—	—	—	—	2	2	—		
			{	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	2	2	—		
22	Nephritis and Bright's disease.		{	M	64	—	—	—	—	2	6	38	18	79	—	—	—	1	—	13	45	20		
			{	F	66	1	—	—	1	1	7	33	23	69	—	—	—	2	1	15	35	16		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	2	—	—	—	—	1	1	—	—	11	—	—	—	—	2	9	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	5	—	—	—	—	1	4	—	—	10	—	—	—	—	2	8	—	—		
25	Congenital debility, &c.		{	M	96	94	1	—	1	—	—	—	—	128	124	2	1	—	—	1	—	—		
			{	F	74	73	—	—	—	—	1	—	—	111	111	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	69	15	—	5	6	5	15	14	9	97	15	1	4	8	9	20	24	16		
			{	F	42	12	—	4	4	1	2	4	15	79	20	3	7	8	4	4	10	23		
27	Suicide	...	{	M	16	—	—	—	—	2	7	5	2	22	—	—	—	—	4	5	13	—		
			{	F	4	—	—	—	—	—	3	1	—	3	—	—	—	—	—	1	2	—		
28	Other defined diseases		{	M	406	61	9	11	10	15	45	118	187	450	77	12	12	14	15	59	96	165		
			{	F	356	43	3	2	9	10	31	81	177	415	74	6	10	18	16	49	92	150		
29	Causes ill-defined or unknown.		{	M	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	—		
			{	F	1	—	—	—	—	—	—	1	—	6	—	4	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHES - 1913—cont.

Causes of Death.	Sex.	STOKE NEWINGTON.										WANDSWORTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	344	51	13	10	7	7	44	86	126	1,703	349	69	54	56	54	234	424	463		
	F	353	40	12	15	9	18	32	79	148	1,828	239	79	64	64	63	238	407	674		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	7	—	5	—	2	—	—	—	—	57	14	22	14	6	—	—	1	—		
	F	5	1	2	1	—	1	—	—	—	59	9	21	19	10	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	8	1	3	1	2	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—		
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	9	8	1	—	—	—	—	—	—		
	F	4	2	—	2	—	—	—	—	—	14	4	8	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	6	—	1	4	1	—	—	—	—		
	F	4	—	—	1	3	—	—	—	—	9	1	—	2	6	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	1	1	1	29	1	—	—	—	1	6	9	12		
	F	4	—	—	—	—	1	—	—	3	35	1	—	1	—	2	5	11	15		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	4	1	—	—	—	—	2	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	32	—	—	2	2	1	15	11	1	167	1	1	3	3	23	74	54	8		
	F	18	—	2	—	—	4	8	3	1	126	—	1	3	5	24	47	39	7		
10 Tuberculous meningitis	M	3	—	—	2	1	—	—	—	—	16	2	3	6	4	1	—	—	—		
	F	3	—	—	2	—	1	—	—	—	13	—	3	6	4	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	1	—	—	—	—	—	—	16	1	2	1	7	1	2	2	—		
	F	5	—	—	2	2	—	1	—	—	15	—	2	2	2	2	3	3	1		
12 Cancer, malignant disease	M	36	—	—	1	—	—	2	13	20	139	—	—	—	2	—	10	65	62		
	F	41	—	—	—	—	—	3	20	18	211	—	—	—	1	1	29	93	87		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	11	—	—	—	3	2	3	3	—		
	F	1	—	—	—	—	1	—	—	—	8	—	—	1	1	—	3	3	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	13	5	3	—	—	1	2	2	—		
	F	3	1	1	1	—	—	—	—	—	8	2	1	2	—	—	2	1	—		
15 Organic heart disease ...	M	28	—	—	—	—	—	3	11	14	141	—	—	—	4	4	19	47	67		
	F	37	—	—	—	2	1	3	7	24	216	—	—	—	6	4	27	63	116		
16 Bronchitis ...	M	19	2	—	—	—	—	1	4	12	99	31	4	3	—	—	7	12	42		
	F	39	—	—	—	—	—	1	4	34	105	13	3	1	—	—	2	16	70		
17 Pneumonia (all forms)	M	31	10	4	3	—	1	3	3	7	152	45	11	11	2	3	23	38	19		
	F	21	5	5	2	1	—	2	3	3	157	27	17	15	7	2	19	30	40		
18 Other respiratory diseases	M	11	—	—	—	—	—	2	4	5	27	2	3	—	1	—	2	6	13		
	F	9	—	—	—	—	—	—	5	4	29	3	—	—	—	1	5	8	12		
19 Diarrhoea, &c. ...	M	12	8	1	1	—	—	1	—	1	97	76	9	1	—	—	7	3	1		
	F	9	6	1	1	—	—	—	1	—	69	50	13	1	—	—	1	2	2		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	15	—	—	—	5	3	3	3	1		
	F	1	—	—	1	—	—	—	—	—	12	—	—	1	5	3	1	2	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	1	5	3	19	—	—	—	—	—	3	10	6		
	F	6	—	—	—	—	—	—	6	—	12	—	—	—	—	—	1	7	4		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	—	1	2	6	6	50	—	—	—	—	5	4	19	22		
	F	13	—	—	—	1	—	1	6	5	43	—	—	—	1	—	6	18	18		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	3	2	—	—	12	—	—	—	—	2	10	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	15	—	—	—	—	1	14	—	—		
25 Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	104	104	—	—	—	—	—	—	—		
	F	19	18	—	1	—	—	—	—	—	83	83	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	9	2	—	—	—	—	6	1	—	48	2	1	1	9	4	10	15	6		
	F	11	4	1	—	—	2	—	2	2	34	3	1	3	2	1	6	8	10		
27 Suicide ...	M	2	—	—	—	—	1	—	1	—	16	—	—	—	—	—	6	8	2		
	F	3	—	—	—	—	—	2	1	—	15	—	—	—	—	3	7	4	1		
28 Other defined diseases ...	M	96	7	—	—	—	2	6	26	55	450	54	5	9	7	6	47	122	200		
	F	86	3	—	1	—	3	5	20	54	516	42	7	4	13	17	45	98	290		
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	4	1	—	—	—	—	2	—	1		
	F	—	—	—	—	—	—	—	—	—	4	1	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1913—cont.

Causes of Death.		Sex.	WESTMINSTER.										WOOLWICH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,068	108	21	16	21	41	192	341	328	861	137	30	20	31	43	148	221	231		
		F	925	102	24	21	19	24	133	259	343	688	91	24	17	29	47	90	155	235		
1 Enteric fever	...	M	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	7	2	2	2	1	—	—	—	—	4	1	1	2	—	—	—	—	—		
		F	15	3	7	2	2	1	—	—	—	5	1	—	2	2	—	—	—	—		
4 Scarlet fever	...	M	5	1	1	1	—	1	1	—	—	2	—	1	1	—	—	—	—	—		
		F	2	—	—	1	—	—	—	1	—	6	1	1	2	2	—	—	—	—		
5 Whooping cough	...	M	3	1	2	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
		F	4	2	—	2	—	—	—	—	—	7	3	3	1	—	—	—	—	—		
6 Diphtheria and croup	...	M	3	—	—	1	2	—	—	—	—	6	—	—	2	4	—	—	—	—		
		F	4	1	1	1	1	—	—	—	—	11	—	—	5	6	—	—	—	—		
7 Influenza	...	M	21	2	—	—	—	—	2	9	8	25	—	2	—	1	—	4	12	6		
		F	13	—	—	—	—	—	1	4	8	16	—	1	—	—	—	1	5	9		
8 Erysipelas	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	{	M	143	1	3	—	1	14	61	53	10	115	—	1	—	3	21	59	27	4		
		F	67	1	—	—	2	3	30	30	1	69	—	—	—	5	22	23	18	1		
10 Tuberculous meningitis	{	M	8	—	1	5	2	—	—	—	—	8	1	1	2	4	—	—	—	—		
		F	9	2	—	6	1	—	—	—	—	7	1	1	1	4	—	—	—	—		
11 Other tuberculous diseases.	{	M	8	—	—	—	2	2	—	4	—	12	2	2	2	1	3	2	—	—		
		F	10	2	1	—	1	1	2	2	1	7	—	—	—	1	3	2	1	—		
12 Cancer, malignant disease	{	M	114	—	—	—	—	3	10	55	46	54	—	—	—	—	—	4	30	20		
		F	112	—	—	—	—	1	24	54	33	70	—	—	—	—	1	11	28	30		
13 Rheumatic fever	...	M	3	—	—	—	2	1	—	—	—	1	—	—	—	1	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	4	—	—		
14 Meningitis	...	M	5	2	—	—	1	1	1	—	—	3	—	2	—	—	1	—	—	—		
		F	2	—	1	—	1	—	—	—	—	6	—	3	2	—	1	—	—	—		
15 Organic heart disease	...	M	112	—	—	—	2	2	16	38	54	92	—	—	—	1	3	12	36	40		
		F	75	—	1	—	2	—	9	26	37	78	—	—	—	1	7	13	29	28		
16 Bronchitis	...	M	73	3	1	—	1	—	4	19	45	65	11	2	1	—	—	3	13	35		
		F	86	4	—	1	1	1	1	9	69	50	6	2	—	1	—	—	7	34		
17 Pneumonia (all forms)	{	M	93	16	5	2	1	4	20	28	17	62	14	6	4	2	3	10	12	11		
		F	75	14	4	3	1	3	7	20	23	44	12	6	1	2	2	4	8	9		
18 Other respiratory diseases	{	M	21	—	1	1	1	—	3	6	9	5	—	—	—	—	—	1	1	3		
		F	20	1	—	—	—	—	1	8	10	6	—	—	—	—	—	1	2	3		
19 Diarrhoea, &c.	...	M	35	21	3	1	—	—	2	5	3	38	29	4	—	—	—	—	4	1		
		F	33	23	5	2	—	1	—	1	1	18	12	3	1	—	—	—	1	1		
20 Appendicitis and typhlitis	{	M	6	—	—	—	—	2	—	4	—	6	—	—	—	4	2	—	—	—		
		F	5	—	—	—	1	1	1	—	2	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver	...	M	17	—	—	—	—	—	—	12	5	9	—	—	—	—	—	1	6	2		
		F	15	—	—	—	—	—	1	13	1	1	—	—	—	—	—	—	1	—		
21A Alcoholism	...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	36	—	—	—	—	—	4	23	9	33	—	—	1	1	1	10	7	13		
		F	34	—	—	—	—	1	5	14	14	17	—	—	—	—	—	3	8	6		
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	2	1	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	—	5	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	{	M	42	40	1	1	—	—	—	—	—	46	46	—	—	—	—	—	—	—		
		F	30	29	—	—	1	—	—	—	—	37	36	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	{	M	40	3	1	1	3	3	16	8	5	27	4	3	3	2	1	6	5	3		
		F	33	3	1	2	—	2	9	6	10	12	2	—	—	1	2	1	1	5		
27 Suicide	...	M	17	—	—	—	—	1	9	6	1	17	—	—	—	—	1	11	5	—		
		F	5	—	—	—	—	2	2	—	1	3	—	—	—	—	—	2	1	—		
28 Other defined diseases	...	M	250	16	—	1	2	6	40	69	116	227	27	4	2	7	7	24	63	93		
		F	260	16	2	1	5	5	33	67	131	204	17	2	2	2	7	21	44	109		
29 Causes ill-defined or unknown.	{	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	1	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913.

Causes of Death.			Sex.	BARNSELEY*										BARROW IN FURNESS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	451	123	35	27	18	20	37	102	89	545	127	40	36	24	23	76	120	99		
			F	404	110	36	19	21	17	37	66	98	415	96	31	27	31	23	43	74	90		
1	Enteric fever	...	M	2	—	—	—	1	1	—	—	—	2	—	—	—	1	—	1	—	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	13	4	2	7	—	—	—	—	—	28	5	12	11	—	—	—	—	—		
			F	9	5	3	—	1	—	—	—	—	12	1	5	4	2	—	—	—	—		
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
			F	3	—	2	—	1	—	—	—	—	3	—	—	—	3	—	—	—	—		
5	Whooping cough	...	M	6	1	4	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
			F	5	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	Diphtheria and croup	...	M	4	—	1	2	1	—	—	—	—	13	—	1	3	9	—	—	—	—		
			F	4	1	—	2	1	—	—	—	—	16	—	1	10	5	—	—	—	—		
7	Influenza	...	M	14	4	1	—	—	2	2	4	1	7	—	—	—	—	—	3	4	—		
			F	18	3	3	2	1	2	2	1	4	2	—	—	—	—	—	2	—	—		
8	Erysipelas	...	M	2	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
9	Pulmonary tuberculosis	...	M	24	—	1	1	2	6	5	8	1	28	—	2	—	2	5	12	7	—		
			F	22	—	1	2	3	4	8	4	—	30	1	—	—	4	8	10	4	3		
10	Tuberculous meningitis	...	M	8	—	3	2	3	—	—	—	—	6	—	1	2	1	2	—	—	—		
			F	3	—	1	—	1	—	1	—	—	3	—	—	1	1	—	1	—	—		
11	Other tuberculous diseases.	...	M	14	3	3	3	3	—	—	2	—	11	2	—	3	—	2	3	1	—		
			F	9	2	3	1	2	1	—	—	—	8	—	—	1	3	2	—	2	—		
12	Cancer, malignant disease	...	M	27	—	—	—	—	—	1	19	7	27	—	—	—	—	—	2	16	9		
			F	27	—	—	—	—	—	5	13	9	27	—	—	—	—	2	4	17	4		
13	Rheumatic fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
14	Meningitis	...	M	1	—	1	—	—	—	—	—	—	9	2	3	3	1	—	—	—	—		
			F	2	—	1	—	1	—	—	—	—	6	3	2	—	1	—	—	—	—		
15	Organic heart disease	...	M	31	—	—	—	1	—	5	10	15	31	—	—	—	1	2	6	11	11		
			F	46	—	—	—	1	2	6	12	25	26	—	—	—	3	1	3	7	12		
16	Bronchitis	...	M	40	16	2	1	2	1	1	7	10	39	10	2	—	—	—	2	17	8		
			F	29	10	—	—	1	—	—	6	12	38	7	4	1	—	—	1	9	16		
17	Pneumonia (all forms)	...	M	38	11	6	2	2	2	8	5	2	49	8	8	4	2	2	9	12	4		
			F	36	11	7	9	3	2	1	2	1	40	15	9	4	3	—	3	5	1		
18	Other respiratory diseases	...	M	7	1	—	1	—	—	1	2	2	12	2	1	—	—	—	1	6	2		
			F	3	—	—	—	—	1	1	—	1	2	—	—	—	—	1	—	—	1		
19	Diarrhoea, &c.	...	M	41	29	8	1	—	—	1	2	—	35	27	3	—	—	—	—	—	5		
			F	32	19	9	—	—	—	—	2	2	18	12	5	—	—	—	—	—	1		
20	Appendicitis and typhlitis	...	M	—	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—		
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
21	Cirrhosis of liver	...	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	2	—		
			F	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	2	—		
21A	Alcoholism	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	...	M	22	—	—	—	—	1	3	8	10	19	—	1	—	1	—	5	8	4		
			F	17	—	1	—	1	1	1	8	5	8	—	—	1	2	—	1	4	—		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—		
24	Parturition, apart from puerperal fever.	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	7	—	—	—	—	2	5	—	—	9	—	—	—	—	4	5	—	—		
25	Congenital debility, &c.	...	M	35	34	1	—	—	—	—	—	—	39	38	—	—	1	—	—	—	—		
			F	34	34	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—		
26	Violence, apart from suicide.	...	M	23	—	1	5	2	4	3	6	2	23	1	—	1	—	6	10	4	1		
			F	6	3	—	—	2	1	—	—	—	8	4	—	2	—	—	1	—	1		
27	Suicide	...	M	4	—	—	—	—	—	—	3	1	6	—	—	—	—	—	1	4	1		
			F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
28	Other defined diseases	...	M	91	20	1	1	3	6	23	36	—	145	30	5	7	3	3	19	25	53		
			F	82	20	3	2	—	1	15	39	—	114	21	4	3	3	3	9	20	51		
29	Causes ill-defined or unknown.	...	M	—	—	—	—	—	—	—	—	—	6	—	—	1	—	—	1	3	1		
			F	—	—	—	—	—	—	—	—	—	7	2	1	—	—	—	1	3	—		

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	BATH.										BIRKENHEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	413	43	17	23	11	12	43	106	158	1,116	262	74	56	49	38	165	262	210		
	F	487	40	11	9	14	12	49	103	249	921	201	62	51	40	31	146	170	220		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	22	5	7	8	2	—	—	—	—	3	—	1	1	1	—	—	—	—		
	F	10	2	2	4	1	—	1	—	—	5	2	—	3	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	—	—	3	1	1	—	—	—		
5 Whooping cough ...	M	4	2	—	2	—	—	—	—	—	20	7	5	7	1	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	21	8	8	5	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	13	4	1	4	4	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	11	1	—	3	7	—	—	—	—		
7 Influenza ...	M	7	—	—	—	—	—	2	2	3	10	—	—	—	—	—	2	4	4		
	F	3	—	—	—	—	1	—	—	2	4	—	—	—	—	—	—	2	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2		
9 Pulmonary tuberculosis	M	37	—	2	—	1	5	20	9	—	100	—	2	1	5	13	51	26	2		
	F	18	—	—	—	1	4	9	3	1	66	—	1	5	7	10	32	11	—		
10 Tuberculous meningitis	M	6	1	2	1	2	—	—	—	—	14	3	4	3	3	—	1	—	—		
	F	3	3	—	—	—	—	—	—	—	11	2	1	4	4	—	—	—	—		
11 Other tuberculous diseases.	M	5	—	—	2	—	2	1	—	—	25	6	4	4	4	2	4	1	—		
	F	3	—	—	—	1	—	1	1	—	16	1	5	2	4	2	1	1	—		
12 Cancer, malignant disease	M	43	—	—	—	—	—	1	22	20	60	—	—	—	1	—	4	37	18		
	F	51	—	—	—	1	1	4	17	28	51	—	—	—	—	—	12	25	14		
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	13	1	2	4	—	1	4	—	1		
	F	3	2	—	—	—	—	1	—	—	5	1	—	2	—	2	—	—	—		
15 Organic heart disease ...	M	64	—	—	—	—	—	3	23	38	81	—	1	1	5	1	8	38	27		
	F	66	—	—	—	—	—	3	18	45	82	—	—	—	—	4	18	31	29		
16 Bronchitis ...	M	19	2	—	—	—	—	—	4	13	89	18	2	—	—	—	9	31	29		
	F	43	—	1	—	—	—	1	5	36	63	12	5	3	1	—	6	10	26		
17 Pneumonia (all forms)	M	23	4	3	4	1	1	4	2	4	125	18	16	12	3	5	23	32	16		
	F	28	8	3	—	—	3	3	4	7	60	19	14	7	1	—	8	6	5		
18 Other respiratory diseases	M	8	—	—	2	—	1	—	2	3	14	1	1	3	—	1	2	2	4		
	F	12	—	—	—	1	—	—	—	11	16	—	2	3	1	—	4	2	4		
19 Diarrhoea, &c. ...	M	3	1	—	—	—	—	—	1	1	122	87	24	4	2	—	3	1	1		
	F	11	4	1	1	—	—	2	1	2	89	58	20	3	—	—	3	2	3		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	6	—	—	—	3	3	—	—	—		
	F	3	—	—	1	1	—	—	1	—	3	—	—	—	—	1	1	1	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	5	1	10	—	—	—	—	—	2	6	2		
	F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1		
22 Nephritis and Bright's disease.	M	21	—	—	—	1	—	5	5	10	37	1	—	—	—	2	6	16	12		
	F	14	—	—	—	—	1	—	6	7	39	1	—	2	—	4	9	17	6		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	—	6	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1	7	—	—		
25 Congenital debility, &c.	M	18	17	1	—	—	—	—	—	—	64	63	—	—	—	1	—	—	—		
	F	16	16	—	—	—	—	—	—	—	61	61	—	—	—	—	—	—	—		
26 Violence, apart from suicide	M	9	—	—	1	—	2	1	3	2	53	5	4	5	5	6	18	6	4		
	F	7	—	—	1	1	—	3	—	2	29	5	2	4	6	1	5	1	5		
27 Suicide ...	M	3	—	—	—	1	—	—	2	—	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	4	1	—		
28 Other defined diseases ...	M	108	11	2	2	1	1	3	25	63	244	48	6	7	10	3	27	56	87		
	F	182	5	3	—	5	2	17	42	108	247	30	2	1	5	4	28	56	121		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—		
	F	2	—	—	—	—	—	—	2	—	5	—	2	1	1	—	1	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	BIRMINGHAM.										BLACKBURN.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
ALL CAUSES	M	6,618	1727	419	350	257	209	886	1452	1318	1,123	232	46	19	34	39	157	328	268

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	BLACKPOOL.									BOLTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES ...		M	448	76	19	15	12	19	54	133	120	1,447	305	118	65	52	52	190	364	301	
		F	454	53	11	14	12	11	53	140	160	1,461	269	95	68	56	59	168	359	387	
1	Enteric fever ...	M	1	—	—	—	1	—	—	—	—	11	—	1	—	2	2	5	1	—	
		F	—	—	—	—	—	—	—	—	—	6	—	—	1	1	1	2	1	—	
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ...	M	7	2	4	1	—	—	—	—	—	48	3	30	12	3	—	—	—	—	
		F	6	1	1	4	—	—	—	—	—	37	13	13	11	—	—	—	—	—	
4	Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
5	Whooping cough ...	M	3	2	—	1	—	—	—	—	—	18	5	6	5	2	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	36	17	10	9	—	—	—	—	—	
6	Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	15	2	3	6	4	—	—	—	—	
		F	3	—	—	2	1	—	—	—	—	16	1	—	6	9	—	—	—	—	
7	Influenza ...	M	7	1	—	—	—	—	2	2	2	17	2	—	1	—	—	3	6	5	
		F	6	1	—	—	—	—	1	3	1	10	1	1	1	1	—	2	2	2	
8	Erysipelas ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
9	Pulmonary tuberculosis	M	34	—	—	—	—	11	12	10	1	93	—	—	—	6	9	49	26	3	
		F	17	—	—	1	2	3	7	3	1	61	—	1	1	5	13	31	8	2	
10	Tuberculous meningitis	M	5	—	1	2	1	1	—	—	—	17	3	6	4	1	—	3	—	—	
		F	3	—	1	1	—	—	1	—	—	11	4	2	2	3	—	—	—	—	
11	Other tuberculous diseases.	M	8	1	—	1	1	—	2	3	—	20	5	2	3	3	2	2	2	1	
		F	5	—	1	1	—	2	1	—	—	19	6	4	—	—	5	2	1	1	
12	Cancer, malignant disease	M	37	—	—	—	—	—	2	17	18	78	—	—	1	—	1	12	48	16	
		F	59	—	—	—	—	—	5	31	23	111	—	—	—	1	1	12	66	31	
13	Rheumatic fever ...	M	4	—	—	—	2	—	1	1	—	3	—	—	—	1	1	—	—	—	
		F	3	—	—	—	—	—	1	—	2	12	—	—	—	2	3	5	2	—	
	Meningitis ...	M	1	1	—	—	—	—	—	—	—	18	10	—	5	2	—	—	1	—	
		F	6	1	1	1	2	—	—	—	1	18	5	3	3	4	—	1	2	—	
15	Organic heart disease ...	M	41	—	—	—	—	—	4	22	15	82	—	—	—	3	3	12	38	26	
		F	49	—	—	—	—	1	6	22	20	117	1	—	1	4	6	19	49	37	
16	Bronchitis ...	M	31	3	2	1	—	—	1	6	18	178	17	6	1	1	—	10	54	89	
		F	33	3	1	—	—	1	—	8	20	210	25	5	1	—	1	11	66	101	
17	Pneumonia (all forms)	M	31	7	4	2	1	4	5	6	2	153	35	20	11	5	11	28	27	16	
		F	20	4	1	3	—	1	5	3	3	114	30	18	14	7	5	12	14	14	
18	Other respiratory diseases	M	8	—	—	1	—	—	2	1	4	22	2	—	1	2	—	4	11	2	
		F	6	—	—	—	—	—	—	5	1	21	2	—	3	2	1	3	5	5	
19	Diarrhoea, &c. ...	M	29	17	4	1	—	—	2	2	3	127	74	26	4	1	—	6	13	3	
		F	15	11	1	—	—	—	—	1	2	111	56	21	5	—	4	3	9	13	
20	Appendicitis and typhlitis	M	4	—	—	1	2	1	—	—	—	8	—	—	—	3	—	5	—	—	
		F	3	—	—	—	2	1	—	—	—	8	—	—	1	3	—	2	1	1	
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	11	—	—	—	—	—	1	8	2	
		F	6	—	—	—	—	—	—	6	—	5	—	—	—	—	—	1	4	—	
21A	Alcoholism ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	
22	Nephritis and Bright's disease.	M	18	—	—	1	1	—	2	11	3	63	—	—	—	—	5	6	35	17	
		F	21	—	—	—	2	1	3	10	5	58	1	3	1	2	2	12	25	12	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	4	—	—	9	—	—	—	—	1	7	1	—	
25	Congenital debility, &c.	M	27	27	—	—	—	—	—	—	—	87	85	1	1	—	—	—	—	—	
		F	19	18	1	—	—	—	—	—	—	60	60	—	—	—	—	—	—	—	
26	Violence, apart from suicide.	M	11	1	1	—	—	—	4	5	—	48	3	2	2	7	7	10	13	4	
		F	3	—	—	—	—	—	2	1	—	25	2	—	3	6	1	1	4	8	
27	Suicide ...	M	3	—	—	—	—	—	1	2	—	6	—	—	—	—	—	3	2	1	
		F	2	—	—	—	—	—	1	1	—	6	—	—	—	—	1	3	2	—	
28	Other defined diseases ...	M	117	14	2	1	2	2	10	35	51	315	59	14	7	5	11	28	76	115	
		F	156	13	3	1	2	1	15	41	80	369	45	13	5	6	14	35	92	159	
29	Causes ill-defined or unknown.	M	12	—	1	—	—	—	4	5	2	2	—	1	—	—	—	—	1	—	
		F	6	—	—	—	—	—	—	5	1	2	—	—	—	—	—	—	2	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	BOOTLE.									BOURNEMOUTH.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES		M	665	178	63	35	26	26	79	153	105	416	54	9	13	11	19	56	100	154
		F	599	139	52	28	28	25	86	129	112	439	28	13	6	5	20	46	97	224
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	19	4	8	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	1	6	6	1	—	—	—	—	2	—	1	1	—	—	—	—	—
4	Scarlet fever	M	3	—	—	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	12	4	4	3	1	—	—	—	—	5	3	1	1	—	—	—	—	—
		F	25	11	7	6	1	—	—	—	—	7	2	4	1	—	—	—	—	—
6	Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	3	1	—	1	1	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—
7	Influenza	M	6	1	—	—	—	—	1	4	—	8	2	—	—	—	—	1	5	—
		F	—	—	—	—	—	—	—	—	—	19	—	1	1	—	1	1	15	—
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	47	—	—	—	2	7	21	14	3	46	—	—	—	—	8	28	9	1
		F	44	1	—	—	3	11	19	9	1	43	—	1	—	1	11	20	8	2
10	Tuberculous meningitis	M	12	—	2	5	3	1	1	—	—	5	—	—	1	4	—	—	—	—
		F	4	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	4	—	2	—	2	—	—	—	—	5	—	1	—	—	2	1	—	1
		F	10	1	1	—	4	2	—	1	1	5	1	—	—	—	2	2	—	—
12	Cancer, malignant disease	M	29	—	—	—	—	1	2	15	11	37	—	—	—	—	—	5	11	21
		F	35	—	—	—	—	—	7	19	9	57	—	—	—	—	—	8	23	26
13	Rheumatic fever	M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	10	5	1	1	2	1	—	—	—	4	—	—	2	—	—	1	1	—
		F	8	4	1	1	—	1	—	1	—	2	—	1	—	1	—	—	—	—
15	Organic heart disease	M	39	—	—	1	3	2	7	15	11	32	—	—	—	—	1	5	10	16
		F	49	—	—	—	2	1	9	20	17	58	—	—	—	—	2	3	15	38
16	Bronchitis	M	54	13	3	2	—	—	1	13	22	20	2	—	—	—	—	1	4	13
		F	58	8	4	—	1	—	6	18	21	25	1	—	—	—	—	—	5	19
17	Pneumonia (all forms)	M	80	21	14	6	1	4	9	19	6	24	8	4	2	—	2	—	3	5
		F	79	17	19	9	3	4	8	12	7	16	5	1	—	—	1	2	2	5
18	Other respiratory diseases	M	12	2	2	2	—	1	—	2	3	6	1	—	—	—	—	1	3	1
		F	4	2	—	1	—	—	—	1	—	8	1	—	—	—	—	—	3	4
19	Diarrhoea, &c.	M	68	48	16	1	1	—	—	2	—	9	4	2	—	1	—	—	2	—
		F	39	28	8	1	—	—	1	1	—	3	1	1	—	—	—	—	—	1
20	Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	5	—	—	1	1	—	—	3	—
		F	1	—	—	—	1	—	—	—	—	5	—	—	—	1	—	1	2	1
21	Cirrhosis of liver	M	4	—	—	—	—	—	1	3	—	5	—	—	—	—	—	—	4	1
		F	5	—	—	—	—	—	1	3	1	8	—	—	—	—	—	1	2	5
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	23	1	—	—	—	—	7	10	5	17	—	—	—	—	1	—	10	6
		F	9	—	—	—	1	1	3	3	1	10	—	—	—	—	—	1	4	5
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	3	—	—	—	—	1	2	—	—
25	Congenital debility, &c.	M	47	46	1	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
		F	42	42	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	31	1	1	2	3	6	9	8	1	12	2	—	—	—	—	4	4	2
		F	12	1	1	2	2	—	2	1	3	3	—	—	—	—	—	1	1	1
27	Suicide	M	1	—	—	—	—	—	—	1	—	8	—	—	—	—	1	1	6	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
28	Other defined diseases	M	137	29	6	3	3	1	15	39	41	138	9	1	4	4	3	8	27	82
		F	129	16	3	1	4	4	18	34	49	151	8	3	2	2	4	3	28	101
29	Causes ill-defined or unknown.	M	17	3	3	—	—	—	3	7	1	2	—	—	—	—	—	—	2	—
		F	17	5	—	1	1	—	3	5	2	2	—	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	BRADFORD.										BRIGHTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	2,216	425	75	46	62	74	295	663	576	871	158	34	25	29	27	105	222	271		
	F	2,170	303	72	53	69	85	279	557	752	1,007	129	32	35	28	37	109	204	433		
1 Enteric fever ...	M	8	—	—	—	—	—	7	1	—	2	—	—	—	—	—	—	2	—		
	F	7	—	—	—	1	1	1	3	1	4	—	—	—	—	2	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	20	10	5	4	1	—	—	—	—	14	5	3	3	3	—	—	—	—		
	F	15	3	3	7	2	—	—	—	—	19	3	6	8	2	—	—	—	—		
4 Scarlet fever ...	M	4	—	1	2	—	—	1	—	—	7	1	—	2	3	—	1	—	—		
	F	6	—	—	1	5	—	—	—	—	5	—	—	3	1	1	—	—	—		
5 Whooping cough ...	M	4	3	1	—	—	—	—	—	—	20	8	8	3	1	—	—	—	—		
	F	18	12	1	5	—	—	—	—	—	26	10	8	6	2	—	—	—	—		
6 Diphtheria and croup ...	M	30	4	1	7	18	—	—	—	—	3	1	1	—	1	—	—	—	—		
	F	25	—	1	11	12	—	—	—	1	4	—	—	1	2	—	1	—	—		
7 Influenza...	M	17	1	1	—	—	—	3	3	9	16	1	—	1	—	1	1	5	7		
	F	27	1	—	—	—	1	1	8	16	14	1	—	2	1	1	2	2	5		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	7	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	176	3	1	—	—	12	86	63	11	82	—	—	1	3	10	37	27	4		
	F	144	2	2	—	5	34	67	30	4	72	—	2	—	5	13	27	17	8		
10 Tuberculous meningitis	M	27	6	3	3	13	2	—	—	—	7	—	—	4	3	—	—	—	—		
	F	18	4	5	5	2	2	—	—	—	9	1	1	—	4	3	—	—	—		
11 Other tuberculous diseases.	M	38	7	5	5	3	6	8	2	2	19	4	2	2	3	1	3	1	3		
	F	31	6	7	1	5	4	5	3	—	8	—	1	1	2	1	2	—	1		
12 Cancer, malignant disease	M	147	—	—	—	—	—	13	90	44	80	—	—	—	—	1	7	37	35		
	F	209	—	—	1	1	2	36	104	65	121	—	—	—	—	—	9	54	58		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	2	—	—	—	1	1	—	—	—		
	F	13	—	—	—	3	3	4	2	1	2	—	—	—	—	1	1	—	—		
14 Meningitis ...	M	12	2	3	3	1	1	1	1	—	6	2	—	—	1	—	1	1	1		
	F	21	7	1	2	3	1	2	5	—	3	1	1	—	—	1	—	—	—		
15 Organic heart disease ...	M	220	—	1	—	2	10	29	110	68	83	—	—	—	1	2	9	29	42		
	F	252	—	—	1	4	4	43	86	114	107	—	—	—	—	—	16	29	62		
16 Bronchitis ...	M	172	22	2	—	—	2	8	56	82	40	8	4	—	—	—	1	2	25		
	F	205	14	4	1	1	1	5	55	124	86	6	1	4	—	—	1	7	67		
17 Pneumonia (all forms)	M	131	38	16	5	2	6	17	27	20	69	25	9	5	—	1	7	10	12		
	F	106	24	11	8	4	2	8	23	26	62	17	6	7	4	1	7	9	11		
18 Other respiratory diseases	M	31	1	1	1	—	—	6	12	10	15	2	—	—	—	—	2	5	6		
	F	19	4	1	1	2	—	2	3	6	21	2	—	—	1	—	2	4	12		
19 Diarrhoea, &c. ...	M	124	87	16	—	—	1	3	11	6	37	23	3	—	2	—	1	4	4		
	F	90	56	16	2	1	—	2	5	8	29	23	3	—	—	1	—	1	1		
20 Appendicitis and typhlitis	M	11	—	—	—	4	2	4	1	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	4	2	4	3	—	7	—	—	—	—	1	2	3	1		
21 Cirrhosis of liver ...	M	19	—	—	—	—	—	2	15	2	12	—	—	—	—	—	2	5	5		
	F	12	—	—	—	—	—	1	8	3	19	—	—	—	—	—	2	11	6		
21A Alcoholism ...	M	5	—	—	—	—	—	4	1	—	3	—	—	—	—	—	1	2	—		
	F	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	1	1	—		
22 Nephritis and Bright's disease.	M	79	—	—	1	1	3	19	31	24	34	—	—	1	2	1	2	18	10		
	F	76	—	—	1	1	2	13	36	23	31	—	—	—	—	1	6	11	13		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	3	6	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	28	—	—	—	—	6	22	—	—	7	—	—	—	—	2	5	—	—		
25 Congenital debility, &c.	M	168	163	2	2	—	1	—	—	—	54	53	—	—	1	—	—	—	—		
	F	110	109	—	—	—	1	—	—	—	43	43	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	67	—	1	4	9	15	13	15	10	25	—	1	1	2	2	4	6	9		
	F	27	—	3	2	1	2	4	4	11	18	4	—	—	1	—	—	5	8		
27 Suicide ...	M	18	—	—	—	—	—	4	11	3	8	—	—	—	—	—	2	5	1		
	F	10	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	667	78	12	9	8	11	64	202	283	230	25	3	2	2	6	24	63	105		
	F	658	61	15	4	10	14	46	166	342	284	18	2	3	3	7	21	50	180		
29 Causes ill-defined or unknown.	M	18	—	3	—	—	1	3	9	2	2	—	—	—	—	1	—	—	1		
	F	10	—	2	—	2	—	—	3	3	1	—	1	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	BRISTOL.										BURNLEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	2,235	455	84	80	78	99	250	528	661	907	228	55	38	32	35	95	249	175		
	F	2,398	322	85	56	94	124	289	506	922	929	206	54	47	28	31	121	249	193		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	4	—	—	—	—	1	1	2	—		
	F	5	—	—	—	1	1	1	1	1	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	29	4	11	10	4	—	—	—	—	32	10	14	7	1	—	—	—	—		
	F	19	6	9	3	1	—	—	—	—	25	4	8	13	—	—	—	—	—		
4 Scarlet fever ...	M	5	—	—	1	2	1	—	1	—	3	1	—	2	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	4	—	1	1	1	—	—	—	—		
5 Whooping cough ...	M	24	12	5	6	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	30	11	10	8	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	16	—	3	9	4	—	—	—	—	10	—	—	6	4	—	—	—	—		
	F	10	1	1	1	7	—	—	—	—	10	1	3	4	2	—	—	—	—		
7 Influenza ...	M	27	—	—	—	2	—	2	10	13	8	—	—	—	1	—	1	4	2		
	F	32	—	—	—	—	—	2	9	21	5	1	—	—	—	—	1	3	—		
8 Erysipelas ...	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1		
	F	2	1	—	—	—	—	—	—	1	2	1	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	189	1	3	5	5	41	75	50	9	58	—	1	—	2	6	23	24	2		
	F	203	1	1	2	18	53	86	35	7	52	—	—	1	4	12	21	12	2		
10 Tuberculous meningitis	M	22	3	4	3	7	2	2	—	1	5	—	—	—	3	2	—	—	—		
	F	21	3	2	5	5	6	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	19	2	2	1	2	4	4	4	—	22	12	4	2	1	1	—	—	1		
	F	34	2	3	5	7	7	5	3	2	13	4	1	1	2	2	1	1	1		
12 Cancer, malignant disease	M	157	—	—	2	—	1	10	80	64	33	—	—	—	—	—	2	20	11		
	F	227	—	—	—	1	2	24	100	100	69	—	—	—	1	1	11	37	19		
13 Rheumatic fever ...	M	6	—	—	—	1	2	1	2	—	6	—	—	1	—	3	—	2	—		
	F	10	—	—	—	4	2	2	2	—	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	26	7	2	3	5	1	5	3	—	7	1	3	—	1	1	—	1	—		
	F	16	3	1	1	8	2	—	1	—	4	2	1	—	1	—	—	—	—		
15 Organic heart disease ...	M	217	—	—	—	2	5	23	77	110	66	—	1	—	1	—	10	33	21		
	F	285	—	1	1	5	11	33	96	138	109	—	—	—	2	3	13	62	29		
16 Bronchitis ...	M	144	27	8	3	—	1	3	32	70	98	20	5	2	—	—	5	27	39		
	F	198	11	3	4	2	—	6	40	132	71	15	4	3	—	2	4	15	28		
17 Pneumonia (all forms)...	M	130	42	22	10	2	2	17	17	18	102	14	6	10	5	7	16	37	7		
	F	128	26	27	8	4	6	19	19	19	73	22	12	12	2	1	8	13	3		
18 Other respiratory diseases	M	37	2	2	1	1	—	3	13	15	12	1	1	—	2	—	4	4	—		
	F	31	1	4	—	1	2	4	12	7	8	2	1	—	—	—	1	4	—		
19 Diarrhoea, &c. ...	M	117	88	5	5	2	—	4	7	6	84	65	11	4	1	1	—	1	1		
	F	84	58	10	3	—	—	3	3	7	85	59	18	3	1	—	—	3	1		
20 Appendicitis and typhlitis	M	13	1	—	1	3	3	3	2	—	6	—	—	—	—	3	1	2	—		
	F	10	—	—	—	5	2	2	—	1	5	—	—	—	3	1	1	—	—		
21 Cirrhosis of liver ...	M	23	—	—	—	—	—	2	10	11	6	—	—	—	—	—	—	5	1		
	F	16	—	—	—	—	—	5	8	3	3	—	—	—	—	—	—	3	—		
21A Alcoholism ...	M	5	—	—	—	—	—	1	4	—	4	—	—	—	—	—	1	2	1		
	F	4	—	—	—	—	—	—	4	—	2	—	—	—	—	—	—	1	1		
22 Nephritis and Bright's disease.	M	76	—	—	2	2	5	9	28	30	27	—	2	—	—	2	5	16	2		
	F	67	2	—	1	1	—	11	33	19	30	1	—	1	1	1	8	12	6		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	4	3	—	—	4	—	—	—	—	4	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	27	—	—	—	—	7	20	—	—	14	—	—	—	—	1	13	—	—		
25 Congenital debility, &c.	M	179	177	—	1	1	—	—	—	—	60	60	—	—	—	—	—	—	—		
	F	137	137	—	—	—	—	—	—	—	58	58	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	99	6	2	9	17	10	19	20	16	30	6	1	3	6	3	4	5	2		
	F	55	3	1	8	5	3	5	9	21	27	2	1	4	3	2	3	5	7		
27 Suicide ...	M	19	—	—	—	—	1	6	10	2	7	—	—	—	—	—	2	5	—		
	F	9	—	—	—	—	—	4	5	—	6	—	—	—	—	1	3	2	—		
28 Other defined diseases ...	M	648	83	15	6	14	20	59	156	295	203	37	5	1	3	5	19	51	82		
	F	727	56	11	6	18	16	54	125	441	231	33	3	3	4	3	25	65	95		
29 Causes ill-defined or unknown.	M	3	—	—	2	—	—	—	1	—	12	—	1	—	1	—	—	8	2		
	F	3	—	1	—	—	—	—	—	2	14	—	—	1	1	—	1	10	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	BURTON UPON TRENT.									BURY.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	336	49	21	14	4	12	56	84	96	484	102	27	14	9	13	58	132	129
	F	314	47	18	12	12	11	42	65	107	434	66	19	14	7	24	69	117	118
1 Enteric fever ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	3	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	16	3	8	3	2	—	—	—	—	18	5	10	3	—	—	—	—	—
	F	5	—	4	1	—	—	—	—	—	7	1	3	3	—	—	—	—	—
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—
5 Whooping cough ...	M	7	2	5	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	4	—	—	3	1	—	—	—	—
7 Influenza ...	M	2	—	—	—	—	1	—	—	1	5	—	—	—	—	—	—	1	4
	F	1	—	—	—	—	1	—	—	—	7	—	—	—	—	—	2	1	4
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	38	1	1	—	—	4	20	9	3	29	1	—	—	—	1	15	11	1
	F	17	—	1	1	—	1	12	2	—	35	—	—	3	1	9	16	4	2
10 Tuberculous meningitis	M	4	1	—	2	1	—	—	—	—	2	—	1	1	—	—	—	—	—
	F	4	1	2	—	1	—	—	—	—	6	1	1	—	1	2	1	—	—
11 Other tuberculous diseases.	M	2	—	—	—	—	—	2	—	—	4	1	1	—	1	—	—	1	—
	F	6	—	1	1	1	1	2	—	—	4	1	—	—	—	—	2	1	—
12 Cancer, malignant disease	M	23	—	—	—	—	—	3	12	8	26	—	—	—	—	—	3	18	5
	F	31	—	—	—	—	1	3	12	15	30	—	—	—	—	—	4	20	6
13 Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	1	1
14 Meningitis ...	M	2	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—
	F	6	2	2	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—
15 Organic heart disease ...	M	32	—	—	1	—	—	5	16	10	55	—	—	—	—	—	9	18	28
	F	46	—	—	1	1	1	7	12	24	73	—	—	—	—	4	9	35	25
16 Bronchitis ...	M	30	8	1	—	—	—	1	3	17	50	9	5	—	—	—	2	14	20
	F	23	6	1	2	—	—	—	2	12	29	2	1	—	—	—	3	6	17
17 Pneumonia (all forms)	M	23	2	2	3	—	2	6	6	2	49	9	3	2	2	4	8	15	6
	F	19	—	3	3	4	—	1	4	4	33	8	6	—	1	1	5	10	2
18 Other respiratory diseases	M	7	1	—	—	—	—	3	1	2	3	1	—	—	—	—	—	2	—
	F	3	—	—	—	—	—	—	2	1	4	—	1	—	—	—	—	1	2
19 Diarrhoea, &c. ...	M	12	4	1	1	—	—	2	3	1	29	22	2	1	—	—	1	1	2
	F	9	4	2	—	—	—	—	2	1	32	19	3	1	1	—	2	3	3
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	3	—	—	—	1	1	—	—	—
	F	4	—	—	—	1	1	2	—	—	3	—	—	—	—	—	—	2	1
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	5	—	—	—	—	—	—	3	2
	F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	9	—	—	—	—	—	3	4	2	15	—	—	—	1	2	1	7	4
	F	3	—	—	—	—	—	2	1	—	5	—	—	—	—	1	2	1	1
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	—	6	—	—
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—
	F	22	22	—	—	—	—	—	—	—	22	21	—	—	—	1	—	—	—
26 Violence, apart from suicide.	M	13	1	—	1	—	1	1	6	3	15	3	—	1	—	3	2	5	1
	F	7	—	—	—	1	1	1	2	2	8	—	1	—	—	—	—	5	2
27 Suicide ...	M	2	—	—	—	—	1	1	—	—	8	—	—	—	—	1	2	3	2
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	80	6	1	2	1	—	6	18	46	119	19	3	2	3	1	7	32	52
	F	89	6	2	—	1	3	7	22	48	110	13	3	1	1	4	12	25	51
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	1	2
	F	2	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	CANTERBURY.										CHESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	169	37	6	5	5	10	18	24	64	317	55	19	15	12	9	46	74	87		
	F	188	25	5	2	6	6	19	40	85	308	51	19	14	9	8	32	70	105		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	—	1	1	—	—	—	—	10	1	5	4	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	14	4	7	3	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	7	2	2	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
7 Influenza ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	5	—	—	—	—	—	1	—	4	6	—	—	—	—	—	—	3	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	20	—	—	1	—	3	10	6	—	32	1	1	1	—	3	12	13	1		
	F	12	—	—	—	3	5	1	2	1	17	1	—	—	1	3	10	2	—		
10 Tuberculous meningitis	M	3	2	—	1	—	—	—	—	—	7	2	2	1	2	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	4	2	1	1	—	—	—	—	—	6	—	—	1	2	1	1	1	—		
	F	1	1	—	—	—	—	—	—	—	3	1	—	—	—	1	1	—	—		
12 Cancer, malignant disease	M	7	—	—	—	—	1	—	—	6	24	—	—	—	—	—	2	10	12		
	F	28	—	—	—	—	—	6	15	7	36	—	—	—	1	—	3	18	14		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
14 Meningitis ...	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—		
15 Organic heart disease ...	M	18	—	—	—	—	—	1	3	14	32	—	—	—	1	1	5	13	12		
	F	16	—	—	—	—	1	1	4	10	37	—	—	—	—	1	5	14	17		
16 Bronchitis ...	M	6	2	—	—	—	1	—	—	3	27	—	2	1	—	—	1	8	15		
	F	21	3	1	—	—	—	—	5	12	18	2	—	1	—	—	1	4	10		
17 Pneumonia (all forms)	M	18	7	2	—	1	1	2	2	3	14	2	—	2	—	1	4	2	3		
	F	12	3	2	1	1	—	1	2	2	12	4	2	—	—	1	1	2	3		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	1	1	6	—	—	2	—	—	1	1	2		
	F	6	—	—	—	—	—	2	3	1	5	—	—	3	1	—	1	—	—		
19 Diarrhoea, &c. ...	M	8	4	2	—	—	—	1	—	1	28	20	2	2	—	—	3	—	1		
	F	4	2	1	—	—	—	—	—	1	14	11	3	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	2	—	12	—	—	—	1	2	4	2	3		
	F	4	—	—	—	—	—	2	1	1	8	—	—	1	—	1	—	2	4		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
	F	14	14	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	3	1	—	—	—	—	—	1	1	8	1	1	1	1	1	2	—	—		
	F	1	—	1	—	—	—	—	—	—	7	1	1	—	1	—	1	1	—		
27 Suicide ...	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	54	6	—	1	—	2	4	8	33	79	10	4	—	3	—	7	20	31		
	F	58	2	—	—	—	—	2	8	46	91	10	2	2	—	1	2	22	51		
29 Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	COVENTRY.										CROYDON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	676	157	24	41	22	33	130	132	137	1,029	213	52	47	32	36	140	219	290		
	F	647	116	31	42	39	31	95	118	175	1,059	160	43	27	44	34	131	216	404		
1 Enteric fever ...	M	2	—	—	—	1	—	1	—	—	5	—	—	1	—	—	1	3	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	4	—	2	2	—	—	—	—	—	33	2	11	16	4	—	—	—	—		
	F	6	—	2	3	1	—	—	—	—	28	6	10	5	6	—	1	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	12	5	3	4	—	—	—	—	—	11	4	6	—	1	—	—	—	—		
	F	12	4	7	1	—	—	—	—	—	14	10	2	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	13	—	1	11	1	—	—	—	—	12	1	2	3	6	—	—	—	—		
	F	21	—	1	7	12	—	1	—	—	4	—	1	—	2	—	—	—	1		
7 Influenza ...	M	3	—	—	—	—	—	1	1	1	10	—	—	—	—	1	2	4	3		
	F	2	—	—	—	—	—	1	1	—	17	—	—	—	1	1	1	4	10		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	1	—	—	5	1	—	—	1	1	1	1	—		
9 Pulmonary tuberculosis	M	94	—	—	3	2	8	57	23	1	85	2	2	1	—	9	42	20	9		
	F	53	—	1	4	—	15	26	5	2	73	—	1	—	7	19	30	15	1		
10 Tuberculous meningitis	M	6	—	2	2	2	—	—	—	—	12	2	4	2	1	2	1	—	—		
	F	12	2	2	4	4	—	—	—	—	10	2	3	3	2	—	—	—	—		
11 Other tuberculous diseases.	M	8	3	1	1	1	2	—	—	—	13	4	—	3	3	2	—	1	—		
	F	7	2	—	2	1	1	—	1	—	16	2	—	3	3	1	2	4	1		
12 Cancer, malignant disease	M	38	—	—	—	—	—	5	21	12	75	—	—	—	—	2	10	33	30		
	F	50	—	—	—	—	1	4	25	20	139	—	—	—	—	—	14	69	56		
13 Rheumatic fever ...	M	4	—	—	—	1	2	1	—	—	1	—	—	—	—	—	1	—	—		
	F	5	—	—	—	—	2	2	1	—	6	—	—	—	4	—	2	—	—		
14 Meningitis ...	M	11	5	2	1	1	—	—	2	—	10	2	1	4	1	—	1	1	—		
	F	6	1	1	3	1	—	—	—	—	8	—	1	2	2	1	1	—	1		
15 Organic heart disease ...	M	40	—	—	—	1	2	2	21	14	88	—	—	—	1	3	5	30	49		
	F	68	—	—	—	3	4	11	22	28	108	—	1	—	2	1	14	27	63		
16 Bronchitis ...	M	50	21	2	1	—	1	1	5	19	73	11	1	—	1	—	4	11	45		
	F	50	12	3	3	2	—	1	11	18	66	8	1	3	1	1	1	6	45		
17 Pneumonia (all forms)	M	61	8	5	7	2	3	16	10	10	79	15	11	4	—	8	10	14	17		
	F	41	9	7	6	3	1	7	2	6	64	16	12	4	3	1	4	8	16		
18 Other respiratory diseases	M	11	1	—	—	1	—	3	2	4	12	—	1	—	—	—	3	3	5		
	F	4	—	—	1	1	—	1	1	—	8	3	—	1	—	—	1	—	3		
19 Diarrhoea, &c. ...	M	27	18	2	2	—	1	1	1	2	62	45	8	2	1	—	1	1	4		
	F	26	13	4	2	—	—	3	2	2	32	22	5	—	—	—	1	2	2		
20 Appendicitis and typhlitis	M	7	—	—	1	1	2	3	—	—	6	—	—	—	1	—	2	3	—		
	F	5	—	—	—	3	—	1	1	—	8	—	—	—	1	—	6	1	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	4	1	5	—	—	—	—	—	1	2	2		
	F	10	—	—	—	—	—	3	5	2	16	—	—	—	—	—	3	11	2		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	21	—	1	—	1	2	7	3	7	36	1	—	1	—	—	6	14	14		
	F	16	—	—	—	1	1	4	7	3	28	—	—	—	1	1	2	6	18		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	13	—	—	—	—	1	12	—	—		
25 Congenital debility, &c.	M	70	70	—	—	—	—	—	—	—	73	71	—	2	—	—	—	—	—		
	F	57	57	—	—	—	—	—	—	—	58	56	2	—	—	—	—	—	—		
26 Violence, apart from suicide	M	26	5	1	4	1	3	4	3	5	41	4	2	4	5	5	8	8	5		
	F	11	4	—	1	2	—	—	1	3	25	7	1	—	1	—	1	5	10		
27 Suicide ...	M	2	—	—	—	—	1	1	—	—	8	—	—	—	—	1	5	2	—		
	F	3	—	—	—	—	1	1	1	—	4	—	—	—	—	1	2	1	—		
28 Other defined diseases ...	M	150	21	1	1	6	6	23	31	61	273	49	1	3	7	3	37	67	106		
	F	163	12	2	5	4	2	18	31	89	302	27	3	3	7	3	28	56	175		
29 Causes ill-defined or unknown.	M	6	—	1	—	—	—	1	4	—	3	—	1	—	—	—	—	2	—		
	F	4	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	DERBY.										DEVONPORT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	830	169	34	20	34	28	96	209	240	515	87	20	20	15	49	89	105	130		
		F	739	127	25	21	16	25	92	166	267	485	80	23	29	23	15	70	92	153		
1 Enteric fever	...	M	3	—	—	—	1	—	1	1	—	11	—	—	2	—	3	6	—	—		
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—			
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles	...	M	7	1	2	3	1	—	—	—	—	4	1	1	2	—	—	—	—			
		F	6	2	1	2	1	—	—	—	—	6	1	1	4	—	—	—	—			
4 Scarlet fever	...	M	1	—	—	1	—	—	—	—	—	8	—	—	1	1	5	1	—			
		F	1	—	—	—	1	—	—	—	—	3	—	—	1	2	—	—	—			
5 Whooping cough	...	M	1	—	—	1	—	—	—	—	—	5	3	—	2	—	—	—	—			
		F	4	1	1	2	—	—	—	—	—	7	3	4	—	—	—	—	—			
6 Diphtheria and croup	...	M	3	—	—	2	1	—	—	—	—	10	—	—	5	4	1	—	—			
		F	4	—	—	1	3	—	—	—	—	12	2	2	3	5	—	—	—			
7 Influenza	...	M	17	—	—	—	2	—	5	5	5	5	—	—	—	—	1	1	3			
		F	13	—	—	—	1	—	2	5	5	9	—	—	1	—	2	1	5			
8 Erysipelas	...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1			
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—			
9 Pulmonary tuberculosis		M	66	—	—	1	2	10	29	19	5	29	1	—	—	—	8	9	10			
		F	49	1	—	—	1	13	25	7	2	33	—	—	—	1	8	17	6			
10 Tuberculous meningitis		M	8	1	4	1	2	—	—	—	—	4	1	—	1	2	—	—	—			
		F	11	5	3	2	—	1	—	—	—	8	2	—	1	4	—	1	—			
11 Other tuberculous diseases.		M	17	5	4	3	3	—	2	—	—	12	3	1	—	2	1	4	1			
		F	11	2	2	1	1	—	2	1	2	5	—	1	—	1	1	2	—			
12 Cancer, malignant disease		M	53	—	—	—	—	—	4	26	23	30	—	—	—	—	—	2	13			
		F	81	—	—	1	—	1	12	37	30	43	—	—	—	—	2	4	25			
13 Rheumatic fever	...	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	1	—	—	3	—	—	1	2	—	—	—			
14 Meningitis	...	M	4	1	—	1	1	1	—	—	—	7	—	—	2	1	2	2	—			
		F	5	1	—	—	—	—	4	—	—	4	—	1	1	1	1	—	—			
15 Organic heart disease	...	M	71	—	—	—	4	1	9	25	32	47	—	—	—	1	5	11	11			
		F	75	—	—	—	2	4	10	25	34	50	—	—	—	1	1	7	14			
16 Bronchitis	...	M	91	14	3	—	—	2	1	20	51	30	5	7	—	—	—	1	5			
		F	78	9	2	1	—	—	3	15	48	31	5	1	—	—	—	1	6			
17 Pneumonia (all forms)		M	54	16	4	4	2	5	6	14	3	32	5	4	2	3	8	4	4			
		F	36	7	6	2	1	1	4	10	5	31	11	5	5	2	—	1	3			
18 Other respiratory diseases		M	12	—	1	—	—	—	2	3	5	12	2	—	2	—	—	1	5			
		F	9	1	—	—	—	—	—	2	6	12	3	—	2	—	—	4	—			
19 Diarrhoea, &c.	...	M	38	27	7	1	—	—	—	1	2	30	25	2	—	—	—	1	1			
		F	33	21	6	1	—	—	2	—	3	22	12	4	2	—	—	2	1			
20 Appendicitis and typhlitis		M	3	—	—	1	—	—	2	—	—	5	—	—	—	—	3	2	—			
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	1	—	1	—			
21 Cirrhosis of liver	...	M	13	—	—	—	—	—	3	6	4	3	—	—	—	1	1	—	—			
		F	7	—	—	—	—	—	1	4	2	7	—	—	—	—	3	4	—			
21A Alcoholism	...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—			
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—			
22 Nephritis and Bright's disease.		M	35	—	—	—	2	1	2	19	11	21	—	1	—	—	—	5	11			
		F	23	—	—	—	1	—	1	12	9	13	—	—	—	—	—	4	5			
23 Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—			
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	9	—	—	—	—	1	8	—	—	6	—	—	—	—	2	4	—			
25 Congenital debility, &c.		M	71	71	—	—	—	—	—	—	—	23	22	1	—	—	—	—	—			
		F	55	55	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—			
26 Violence, apart from suicide.		M	24	2	—	1	5	2	4	5	5	24	—	—	—	—	8	8	6			
		F	18	2	—	2	1	—	1	2	10	6	2	—	1	—	—	2	1			
27 Suicide	...	M	4	—	—	—	—	—	1	2	1	8	—	—	—	—	1	4	2			
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
28 Other defined diseases	...	M	226	31	7	—	7	6	22	61	92	153	19	3	1	—	3	26	34			
		F	200	19	3	6	3	3	13	43	110	145	20	4	7	2	—	11	23			
29 Causes ill-defined or unknown.		M	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	5	1	1	—	—	1	—	1	1	1	—	—	—	—	—	—	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	DEWSBURY*									DUDLEY.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...		M	474	93	23	22	5	17	53	128	133	467	120	42	34	16	14	63	88	90
		F	434	73	15	15	14	11	69	104	133	405	96	38	22	15	17	33	82	102
1	Enteric fever ...	M	2	—	—	—	—	1	1	—	—	5	—	—	—	1	1	3	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—
2	Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ...	M	9	2	2	5	—	—	—	—	—	21	5	7	8	1	—	—	—	—
		F	4	1	—	3	—	—	—	—	—	20	3	4	12	1	—	—	—	—
4	Scarlet fever ...	M	2	—	—	—	1	1	—	—	—	3	—	—	3	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	3	—	1	1	—	—	—	—	—
5	Whooping cough ...	M	3	2	1	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	7	3	3	1	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza ...	M	6	—	—	—	—	—	—	3	3	5	—	—	—	2	1	1	—	1
		F	3	—	—	—	—	—	2	—	1	5	—	—	—	1	1	2	1	1
8	Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
9	Pulmonary tuberculosis	M	35	—	1	1	1	2	22	7	1	29	—	—	1	1	2	19	6	—
		F	24	2	—	1	3	2	13	2	1	19	—	—	—	5	12	2	—	—
10	Tuberculous meningitis	M	3	—	2	1	—	—	—	—	—	4	—	1	—	2	—	—	1	—
		F	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	2	—	1	—	—	1	—	—	—	13	6	5	2	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	6	1	2	1	1	—	—	—	—
12	Cancer, malignant disease	M	40	—	—	—	—	1	2	20	17	13	—	—	—	—	—	1	10	2
		F	38	—	—	—	—	—	5	20	13	25	—	—	—	—	—	3	16	6
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—
14	Meningitis ...	M	6	2	—	1	—	1	1	1	—	8	3	—	—	2	3	—	—	—
		F	4	—	2	1	1	—	—	—	—	3	1	1	—	1	—	—	—	—
15	Organic heart disease ...	M	44	—	—	—	—	2	2	22	18	24	—	—	—	1	—	3	12	8
		F	39	—	—	—	1	1	3	17	17	33	—	—	—	—	1	2	20	10
16	Bronchitis ...	M	29	8	—	—	—	1	—	8	12	29	7	1	—	—	—	1	7	13
		F	36	5	3	—	1	—	2	7	18	31	3	2	1	—	—	—	6	19
17	Pneumonia (all forms)	M	46	13	8	10	—	2	2	4	7	54	19	10	7	2	2	6	8	—
		F	30	13	3	2	—	—	2	5	5	36	7	11	2	5	2	—	6	3
18	Other respiratory diseases	M	3	—	—	—	—	—	—	1	2	6	2	—	—	—	—	1	2	1
		F	5	—	—	—	—	—	—	3	2	5	—	—	—	1	—	1	3	—
19	Diarrhoea, &c. ...	M	28	18	6	1	—	—	1	1	1	36	21	11	3	1	—	—	—	—
		F	21	16	3	—	—	—	1	—	1	28	21	5	2	—	—	—	—	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	3	—	—	—	1	1	1	—	—	3	—	—	—	1	—	2	—	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	3	3	—	9	—	—	—	—	—	5	3	1
		F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—
21A	Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	31	—	1	1	—	—	3	18	8	13	—	1	2	—	—	5	4	1
		F	23	—	—	—	—	2	7	7	7	9	—	—	—	—	2	1	5	1
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	8	—	—	3	—	—	—	—	1	2	—	—
25	Congenital debility, &c.	M	31	30	—	1	—	—	—	—	—	34	33	—	—	—	1	—	—	—
		F	24	22	1	1	—	—	—	—	—	41	40	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	14	—	—	—	1	3	5	3	2	15	1	—	2	1	2	3	3	3
		F	6	—	—	1	3	—	1	1	—	4	—	1	—	1	—	1	1	1
27	Suicide ...	M	7	—	—	—	—	—	1	5	1	5	—	—	—	—	—	5	—	—
		F	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	2	1	—
27	Other defined diseases ...	M	126	18	1	1	2	2	9	32	61	125	17	4	4	1	2	8	30	59
		F	145	12	2	3	2	3	15	41	67	111	17	7	—	2	2	6	17	60
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	4	1	1	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	1

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	EASTBOURNE.									EXETER.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	...	M	275	41	13	4	7	7	35	84	84	374	54	19	14	13	14	43	98	119
	...	F	295	20	13	13	13	16	36	59	125	411	45	11	21	11	7	42	100	174
1 Enteric fever	...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—
	...	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	M	9	2	5	—	2	—	—	—	—	22	5	9	5	2	—	1	—	—
	...	F	15	3	6	5	1	—	—	—	—	22	5	6	9	2	—	—	—	—
4 Scarlet fever	...	M	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—
	...	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
6 Diphtheria and croup	...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	...	F	11	—	—	4	7	—	—	—	—	1	—	—	1	—	—	—	—	—
7 Influenza	...	M	10	1	—	2	—	1	2	2	2	1	—	—	—	—	—	1	—	—
	...	F	11	—	1	1	—	1	1	2	5	9	—	—	—	—	—	2	7	—
8 Erysipelas	...	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	{	M	24	1	1	—	—	3	11	7	1	27	—	—	2	1	5	11	8	—
		F	17	—	—	—	—	7	9	—	1	25	1	—	—	2	4	10	7	—
10 Tuberculous meningitis	{	M	4	1	2	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	—	—
11 Other tuberculous diseases.	{	M	6	—	1	1	—	1	2	1	—	5	1	—	—	1	—	2	1	—
		F	4	—	—	—	1	1	—	2	—	7	—	—	—	1	—	2	4	—
12 Cancer, malignant disease	{	M	25	—	—	—	1	—	1	11	12	27	—	—	—	—	—	2	12	18
		F	44	—	—	—	—	—	6	17	21	42	—	—	—	—	—	4	14	24
13 Rheumatic fever	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	{	M	2	—	2	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
		F	3	1	2	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—
15 Organic heart disease	{	M	27	—	—	—	1	—	4	10	12	40	—	—	—	—	—	5	14	21
		F	37	—	—	—	—	3	3	7	24	32	—	—	—	—	—	2	15	15
16 Bronchitis	{	M	10	2	1	—	—	—	—	4	3	33	6	5	—	—	—	—	9	13
		F	22	1	1	—	1	—	2	3	14	42	5	2	—	—	—	—	6	29
17 Pneumonia (all forms)	{	M	17	4	1	—	—	—	3	4	5	29	6	1	1	1	—	6	7	7
		F	11	2	2	—	1	—	—	2	4	29	5	2	3	2	—	4	1	12
18 Other respiratory diseases	{	M	6	—	—	—	—	—	1	1	4	6	1	—	1	—	1	1	—	2
		F	6	—	—	—	—	—	—	1	5	12	—	—	1	1	—	1	3	6
19 Diarrhoea, &c.	{	M	7	5	—	—	—	—	—	1	1	8	5	—	—	—	—	—	2	1
		F	3	3	—	—	—	—	—	—	—	8	6	—	—	1	—	—	—	1
20 Appendicitis and typhlitis	{	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	1	1	1	2	—	—	—	—	—	—	2	—
21 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2
		F	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	6	—
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	{	M	16	1	—	—	—	—	1	9	5	27	—	—	1	1	1	3	11	10
		F	10	1	—	—	—	—	2	4	3	24	—	—	—	—	1	6	4	13
23 Puerperal fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	{	M	15	15	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—
26 Violence, apart from suicide.	{	M	6	—	—	—	—	1	1	1	3	15	—	—	2	2	2	2	4	3
		F	3	1	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—
27 Suicide	{	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	1	—	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases	{	M	80	8	—	—	1	1	7	27	36	95	9	4	1	—	2	6	28	45
		F	78	2	1	1	—	1	11	16	46	123	8	—	3	2	1	10	33	66
29 Causes ill-defined or unknown.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—cont.

Causes of Death.	Sex.	GATESHEAD.										GLOUCESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	923	237	72	37	39	35	99	199	205	320	47	25	19	15	16	37	75	86		
	F	833	192	64	28	37	44	124	151	193	372	61	19	19	17	16	31	66	143		
1 Enteric fever ...	M	7	—	—	—	—	3	3	1	—	2	—	—	—	—	1	—	1	—		
	F	7	—	—	—	—	2	3	2	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	1	1	3	—	—	—	—	—	17	4	8	4	1	—	—	—	—		
	F	8	—	2	6	—	—	—	—	—	14	4	5	3	2	—	—	—	—		
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	3	—	1	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	11	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	4	4	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	1	1	—	—	—	—	—	—	5	—	—	3	2	—	—	—	—		
	F	8	2	2	2	2	—	—	—	—	9	—	—	4	5	—	—	—	—		
7 Influenza ...	M	2	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—		
	F	5	—	—	—	—	1	3	—	1	4	—	—	—	—	—	1	1	2		
8 Erysipelas ...	M	2	—	—	1	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	74	—	1	—	7	11	26	23	6	26	1	—	1	1	4	12	7	—		
	F	72	—	—	1	12	18	27	14	—	20	—	—	1	3	7	8	1	—		
10 Tuberculous meningitis	M	10	1	—	—	8	1	—	—	—	5	—	1	2	2	—	—	—	—		
	F	11	3	2	1	3	2	—	—	—	1	—	—	—	—	1	—	—	—		
11 Other tuberculous diseases.	M	21	2	7	5	5	—	1	1	—	1	—	—	—	1	—	—	—	—		
	F	12	3	3	—	4	—	1	—	1	6	1	—	2	—	1	1	1	—		
12 Cancer, malignant disease	M	48	—	—	—	—	2	4	28	14	14	—	—	—	—	—	—	7	7		
	F	66	—	—	—	—	1	10	33	22	29	—	—	—	—	—	—	12	17		
13 Rheumatic fever ...	M	5	—	—	—	1	2	—	2	—	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	9	3	3	1	1	—	—	1	—	3	—	1	—	—	—	—	1	—		
	F	8	2	1	1	4	—	—	—	—	2	1	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	83	—	1	—	1	3	7	33	38	28	—	—	—	—	3	6	11	8		
	F	83	—	—	—	2	2	16	32	31	43	—	—	—	1	1	2	18	21		
16 Bronchitis ...	M	75	26	5	2	1	1	3	12	25	21	1	4	—	—	—	—	2	14		
	F	69	21	7	1	—	—	2	2	36	25	2	—	1	—	—	—	7	15		
17 Pneumonia (all forms)	M	81	16	16	8	3	2	13	17	6	29	3	7	7	1	2	6	2	1		
	F	36	9	10	2	2	—	7	3	3	21	4	5	1	2	1	3	2	3		
18 Other respiratory diseases	M	10	1	—	2	—	2	—	3	2	3	—	—	1	—	—	—	1	1		
	F	7	—	—	—	—	—	2	5	—	4	—	—	1	—	—	—	—	3		
19 Diarrhoea, &c. ...	M	73	42	16	5	2	—	1	4	3	13	6	2	—	—	—	1	1	3		
	F	58	27	19	5	1	—	1	2	3	21	11	8	1	—	—	—	—	1		
20 Appendicitis and typhlitis	M	5	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	1	5	5	3	—	—	—	—	—	—	3	—		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	1	1	—	—	—	6	10	7	15	1	—	—	—	—	2	7	5		
	F	20	—	—	1	—	3	3	8	5	10	—	—	—	1	1	2	1	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	4	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	3	12	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	76	75	1	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—		
	F	68	68	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	36	2	2	6	3	4	7	9	3	16	2	—	1	2	4	1	5	1		
	F	28	6	3	3	2	—	3	3	8	7	1	1	—	—	—	3	2	—		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	4	—	—	—	—	—	2	2	—	3	—	—	—	—	1	1	1	—		
28 Other defined diseases ...	M	240	58	10	3	4	3	22	46	94	80	2	1	—	4	1	7	21	44		
	F	217	47	9	3	3	8	27	38	82	120	9	—	2	3	3	8	20	75		
29 Causes ill-defined or unknown.	M	7	1	2	—	—	—	1	2	1	3	—	—	—	—	—	1	1	1		
	F	5	—	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	GREAT YARMOUTH. *										GRIMSBY.									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	433	88	7	11	15	18	56	93	145	589	128	22	19	22	24	97	142	135	
			F	418	55	14	11	17	17	51	84	169	454	110	20	16	17	14	52	106	119	
1	Enteric fever	M	1	—	—	—	1	—	—	—	3	—	—	—	1	—	1	—	—	
			F	3	—	—	—	—	1	2	—	—	4	—	—	—	1	—	3	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	4	1	2	1	—	—	—	—	9	1	5	2	1	—	—	—	—	
			F	4	2	—	2	—	—	—	—	—	7	2	4	1	—	—	—	—	—	
4	Scarlet fever	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	M	4	4	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
6	Diphtheria and croup	M	5	—	—	1	4	—	—	—	7	—	—	3	4	—	—	—	—	
			F	7	—	—	2	5	—	—	—	—	4	—	—	3	1	—	—	—	—	
7	Influenza	M	10	—	—	—	—	1	1	1	5	—	—	—	1	—	—	3	1	
			F	6	—	—	—	—	—	—	2	4	2	—	—	—	—	—	1	—	—	
8	Erysipelas	M	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	M	26	—	—	1	1	5	9	10	38	—	2	—	4	10	16	6	—	
			F	38	—	—	—	1	11	21	4	1	28	—	—	1	6	10	11	—	—	
10	Tuberculous meningitis	M	5	2	—	3	—	—	—	—	8	1	2	2	1	1	1	—	—	
			F	—	—	—	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—	
11	Other tuberculous diseases.	M	7	3	1	1	1	—	1	—	9	4	1	—	1	—	3	—	—	
			F	9	3	—	—	2	—	2	2	—	7	4	—	—	—	—	1	2	—	
12	Cancer, malignant disease	M	27	—	—	—	—	—	3	14	36	—	—	—	2	—	4	19	11	
			F	41	—	—	—	—	—	—	6	20	47	1	—	—	—	—	3	30	13	
13	Rheumatic fever	M	1	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	
14	Meningitis	M	3	—	—	—	2	—	—	1	5	1	1	—	1	—	—	2	—	
			F	3	1	—	—	—	—	—	2	—	7	2	2	2	—	—	1	—	—	
15	Organic heart disease	M	40	—	—	—	1	1	5	11	71	—	—	—	1	1	11	29	29	
			F	49	—	—	—	—	—	—	4	17	33	—	—	—	—	—	3	13	17	
16	Bronchitis	M	19	3	1	—	—	—	2	13	34	12	—	1	—	—	—	7	14	
			F	25	1	2	1	—	1	—	4	16	22	6	1	—	—	—	—	3	12	
17	Pneumonia (all forms)	M	18	5	—	1	—	—	5	7	32	7	2	6	—	2	9	4	3	
			F	16	3	3	2	—	—	2	2	4	24	7	4	3	—	—	3	4	3	
18	Other respiratory diseases	M	10	2	—	—	1	—	1	5	8	1	—	—	—	—	1	5	1	
			F	11	1	—	—	—	—	—	—	10	5	1	1	—	—	—	—	2	1	
19	Diarrhoea, &c.	M	20	17	—	1	—	—	—	1	42	32	5	1	—	—	2	1	1	
			F	28	16	7	2	—	—	1	2	—	30	23	4	1	—	—	—	1	—	
20	Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	3	—	—	—	1	—	1	1	—	
			F	5	—	—	—	3	1	1	—	—	2	—	—	—	—	—	1	1	—	
21	Cirrhosis of liver	M	11	—	—	—	—	—	3	6	5	—	—	—	1	—	1	2	1	
			F	5	—	—	—	—	—	—	2	3	6	—	—	—	—	—	1	4	1	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
22	Nephritis and Bright's disease.	M	8	—	—	—	—	—	3	5	14	—	—	—	1	1	5	4	3	
			F	6	—	—	—	1	—	1	3	1	16	—	—	—	—	—	3	7	6	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	2	5	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	
25	Congenital debility, &c.	M	30	30	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—	
			F	12	12	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—	
26	Violence, apart from suicide.	M	24	4	—	—	2	7	6	2	32	—	1	1	1	6	12	9	2	
			F	11	3	—	—	2	1	—	2	3	9	1	—	—	2	1	2	2	1	
27	Suicide	M	2	—	—	—	—	—	2	—	4	—	—	—	—	—	1	2	1	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
28	Other defined diseases	M	155	17	3	2	1	2	25	31	179	28	1	2	1	3	28	47	69	
			F	132	12	1	—	2	2	9	22	84	138	20	2	3	5	1	11	34	62	
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	HUDDERSFIELD.										IPSWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	837	124	27	32	23	29	120	252	230	572	110	21	25	21	24	69	123	179		
	F	800	101	29	19	23	40	116	209	263	484	64	17	13	13	20	57	103	197		
1 Enteric fever ...	M	4	—	—	—	—	2	2	—	—	1	—	—	—	—	1	—	—	—		
	F	4	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	14	3	5	6	—	—	—	—	—	5	1	—	4	—	—	—	—	—		
	F	10	1	5	4	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	5	—	—	3	1	—	1	—	—	5	—	—	1	1	2	1	—	—		
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	10	3	4	3	—	—	—	—	—		
	F	7	4	3	—	—	—	—	—	—	5	—	4	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	4	1	—	3	—	—	—	—	—	7	—	—	6	—	1	—	—	—		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	2	1	—	—	1		
7 Influenza ...	M	8	—	—	—	1	1	4	2	—	7	1	—	—	1	1	1	2	1		
	F	3	—	—	—	—	1	1	—	1	5	—	—	—	—	1	1	1	3		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	56	—	—	—	1	8	29	16	2	59	1	—	1	1	4	23	23	6		
	F	46	—	—	1	6	13	18	8	—	33	—	1	—	3	7	12	9	1		
10 Tuberculous meningitis	M	9	—	4	2	2	—	1	—	—	6	3	1	—	2	—	—	—	—		
	F	8	2	1	1	2	2	—	—	—	5	3	—	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	11	—	1	3	1	2	2	2	—	7	—	3	1	—	—	1	1	1		
	F	13	1	—	3	4	2	2	—	1	13	2	1	—	—	3	3	2	2		
12 Cancer, malignant disease	M	66	—	—	1	—	—	4	43	18	45	—	—	1	—	—	4	18	22		
	F	82	—	—	—	—	—	8	49	25	56	—	—	—	—	5	29	22	22		
13 Rheumatic fever ...	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	3	1	1	—	1	—	—	—	1	—	—	—	—		
14 Meningitis ...	M	6	3	—	—	1	—	1	1	—	9	5	—	1	2	1	—	—	—		
	F	4	—	—	—	1	1	2	—	—	8	1	2	4	1	—	—	—	—		
15 Organic heart disease ...	M	57	—	—	—	3	1	7	23	23	39	—	—	—	1	2	6	14	16		
	F	100	—	—	—	2	3	12	38	45	41	—	—	—	1	2	3	11	24		
16 Bronchitis ...	M	91	18	3	—	1	1	3	22	43	43	5	6	1	—	—	1	6	24		
	F	79	10	3	—	1	—	4	8	53	39	4	—	1	—	—	3	1	30		
17 Pneumonia (all forms)	M	75	22	7	7	4	—	9	21	5	35	3	2	2	2	3	6	8	9		
	F	60	11	9	4	3	—	8	14	11	22	5	—	3	1	1	2	3	7		
18 Other respiratory diseases	M	11	1	—	1	—	—	—	1	8	12	1	—	—	—	—	1	6	4		
	F	9	—	—	—	—	—	2	4	3	3	—	—	—	—	—	—	—	3		
19 Diarrhoea, &c. ...	M	30	16	3	1	—	—	4	3	3	28	18	2	1	1	—	—	3	3		
	F	27	18	4	—	—	—	—	2	3	11	3	6	—	—	1	—	1	—		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	3	—	—	—	—	1	—	2	—	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	1	2	3	4	—	—	—	—	—	1	3	—		
	F	5	—	—	—	—	—	—	5	—	3	—	—	—	—	—	—	1	2		
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	—	2	—	3	—	—	—	—	—	1	2	—		
22 Nephritis and Bright's disease.	M	53	—	—	1	1	2	16	23	10	13	—	—	1	—	—	2	8	2		
	F	35	—	—	—	—	1	10	14	10	10	—	—	—	—	—	2	4	4		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	7	—	—	—	—	7	—	—	—		
25 Congenital debility, &c.	M	31	31	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—		
	F	28	28	—	—	—	—	—	—	—	41	38	—	1	—	1	—	—	1		
26 Violence, apart from suicide.	M	30	—	—	2	2	5	10	8	3	23	4	—	1	5	2	5	2	4		
	F	13	2	1	2	1	1	2	2	2	13	2	—	—	—	—	1	4	6		
27 Suicide ...	M	15	—	—	—	—	1	4	7	3	7	—	—	—	—	2	2	2	1		
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	242	28	2	2	4	5	22	71	108	145	9	3	—	4	5	13	25	86		
	F	226	23	2	1	—	7	29	60	104	151	3	3	2	2	3	14	34	90		
29 Causes ill-defined or unknown.	M	4	—	2	—	—	1	—	—	1	4	—	—	1	—	—	1	2	—		
	F	7	1	1	2	—	—	—	—	3	5	2	—	—	—	—	2	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	KINGSTON UPON HULL.										LEEDS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	2,292	596	144	66	75	80	307	487	537	3,675	802	216	175	132	151	491	868	840		
	F	1,956	433	108	75	97	83	269	368	523	3,414	629	193	163	127	138	434	787	943		
1 Enteric fever ...	M	22	—	1	1	3	3	10	4	—	11	—	—	—	—	2	7	1	1		
	F	20	—	—	—	4	3	11	2	—	7	—	—	—	—	—	4	3	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	6	1	4	1	—	—	—	—	—	50	15	18	14	3	—	—	—	—		
	F	7	1	2	3	1	—	—	—	—	55	10	22	21	2	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	8	—	1	3	3	1	—	—	—		
	F	1	—	—	1	—	—	—	—	—	7	—	2	4	1	—	—	—	—		
5 Whooping cough ...	M	44	21	8	11	4	—	—	—	—	44	14	17	11	2	—	—	—	—		
	F	36	16	12	7	1	—	—	—	—	49	21	13	12	3	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	1	5	4	—	—	—	—	47	1	6	22	15	1	1	1	—		
	F	24	1	—	9	13	—	1	—	—	41	4	4	13	19	1	—	—	—		
7 Influenza ...	M	24	1	—	—	—	1	8	9	5	28	2	—	—	1	2	8	7	8		
	F	18	2	—	—	—	—	4	5	7	37	2	—	—	3	1	1	11	19		
8 Erysipelas ...	M	4	1	—	1	—	—	2	—	—	13	3	—	—	—	1	1	6	2		
	F	2	2	—	—	—	—	—	—	—	6	1	—	1	—	1	2	—	1		
9 Pulmonary tuberculosis	M	168	1	3	—	7	29	89	38	1	365	7	4	12	17	53	153	100	19		
	F	146	1	1	1	23	36	67	16	1	249	6	8	8	17	57	100	44	9		
10 Tuberculous meningitis	M	31	5	10	5	8	3	—	—	—	42	7	8	14	10	1	1	1	—		
	F	21	—	4	5	10	2	—	—	—	39	7	6	8	14	3	1	—	—		
11 Other tuberculous diseases.	M	36	3	9	4	8	3	3	5	1	79	18	15	11	14	4	10	7	—		
	F	30	5	4	4	7	4	6	—	—	68	11	10	13	11	11	7	3	2		
12 Cancer, malignant disease	M	121	—	—	—	—	—	13	69	39	212	—	—	—	—	4	22	110	76		
	F	142	—	—	—	—	—	25	70	47	319	—	—	—	1	3	58	152	105		
13 Rheumatic fever ...	M	6	—	—	—	2	1	1	2	—	12	—	—	—	1	6	1	4	—		
	F	10	—	—	—	1	4	3	1	1	22	—	—	1	4	6	6	4	1		
14 Meningitis ...	M	17	4	1	4	2	—	1	5	—	45	9	2	8	3	1	2	4	16		
	F	17	2	2	4	4	1	2	1	1	49	9	13	7	3	2	2	5	8		
15 Organic heart disease ...	M	195	—	—	—	5	7	35	80	68	313	—	—	—	7	13	43	130	120		
	F	154	—	—	—	1	7	28	57	61	353	—	—	—	8	10	43	150	142		
16 Bronchitis ...	M	190	37	10	4	2	—	12	33	92	287	68	19	6	1	3	18	64	108		
	F	176	28	9	3	1	1	5	32	97	292	40	18	4	5	3	9	66	147		
17 Pneumonia (all forms)	M	187	71	36	10	3	4	26	21	16	347	94	55	32	9	11	43	75	28		
	F	131	46	28	13	7	5	9	15	8	234	56	41	33	7	4	27	33	33		
18 Other respiratory diseases	M	47	6	3	1	1	2	8	17	9	58	4	—	5	4	3	9	23	10		
	F	24	4	—	1	1	1	3	7	7	32	2	1	1	—	1	2	8	17		
19 Diarrhoea, &c. ...	M	203	138	44	3	2	—	2	5	9	203	137	35	10	—	2	6	6	7		
	F	170	119	27	9	2	—	3	5	5	200	137	30	15	1	—	3	6	8		
20 Appendicitis and typhlitis	M	9	—	—	2	3	—	2	2	—	10	—	—	—	4	2	2	1	1		
	F	6	—	—	—	3	—	1	2	—	3	—	—	—	1	1	—	—	1		
21 Cirrhosis of liver ...	M	13	—	—	—	—	—	—	8	5	26	—	—	—	—	—	3	18	5		
	F	10	—	1	—	—	—	2	7	—	22	—	—	—	—	—	4	15	3		
21A Alcoholism ...	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—		
22 Nephritis and Bright's disease.	M	45	—	—	2	2	1	9	18	13	124	—	2	1	2	1	30	52	36		
	F	43	—	—	1	—	3	9	17	13	104	—	1	2	2	3	28	42	26		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	29	—	—	—	—	9	20	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	17	—	—	—	—	2	15	—	—	32	—	—	—	—	5	27	—	—		
25 Congenital debility, &c.	M	188	187	—	—	1	—	—	—	—	236	234	1	—	—	1	—	—	—		
	F	126	125	1	—	—	—	—	—	—	194	190	1	1	1	1	—	—	—		
26 Violence, apart from suicide.	M	106	6	2	2	11	11	37	28	9	145	9	4	13	12	10	42	28	27		
	F	50	10	6	7	11	1	3	4	8	68	9	2	11	6	1	8	15	16		
27 Suicide ...	M	18	—	—	—	—	—	9	8	1	40	—	—	—	—	3	19	15	3		
	F	12	—	—	—	—	1	7	4	—	13	—	—	—	—	3	4	5	1		
28 Other defined diseases ...	M	594	114	10	10	6	15	39	134	266	916	180	23	12	24	26	70	212	369		
	F	548	71	10	5	7	11	57	120	267	882	124	18	7	18	12	76	223	404		
29 Causes ill-defined or unknown.	M	5	—	2	—	—	—	—	1	2	11	—	6	1	—	—	—	1	3		
	F	5	—	1	2	—	—	—	2	—	5	—	3	1	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	LEICESTER.										LINCOLN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,643	353	77	46	53	73	221	398	422	404	90	18	7	8	18	64	84	115		
	F	1,442	275	44	39	53	62	209	329	431	337	59	8	6	13	6	47	76	122		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	19	3	10	6	—	—	—	—	—	3	1	—	1	1	—	—	—	—		
	F	13	4	2	4	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	2	—	—	—	—	1	—	—	—		
	F	5	—	1	—	3	1	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough	M	6	2	4	—	—	—	—	—	—	5	1	1	2	1	—	—	—	—		
	F	6	2	1	2	1	—	—	—	—	7	4	3	—	—	—	—	—	—		
6 Diphtheria and croup	M	9	1	—	6	2	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	11	—	4	2	5	—	—	—	—	2	—	—	—	2	—	—	—	—		
7 Influenza	M	17	—	—	—	—	1	2	8	6	5	1	—	—	—	—	2	1	1		
	F	10	—	—	—	—	—	2	5	3	7	—	—	—	—	—	2	3	2		
8 Erysipelas	M	4	1	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	186	2	2	3	1	33	85	56	4	43	2	—	1	2	10	21	7	—		
	F	136	1	1	3	7	30	74	18	2	20	—	—	1	3	2	10	3	1		
10 Tuberculous meningitis	M	17	3	3	3	7	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	19	3	4	6	3	3	—	—	—	2	—	1	—	—	—	1	—	—		
11 Other tuberculous diseases.	M	28	6	5	3	1	3	6	4	—	8	4	1	—	—	1	2	—	—		
	F	10	—	1	1	1	6	1	—	—	6	2	1	—	1	—	—	1	1		
12 Cancer, malignant disease	M	122	—	—	—	—	—	11	62	49	24	—	—	—	—	—	6	12	6		
	F	139	—	—	—	—	—	21	74	44	41	—	—	—	—	1	3	22	15		
13 Rheumatic fever	M	5	—	—	—	2	2	—	1	—	1	—	—	—	1	—	—	—	—		
	F	6	—	—	—	3	3	—	—	—	1	—	—	—	—	—	—	—	—		
14 Meningitis	M	12	4	2	1	2	2	1	—	—	3	1	1	—	—	—	1	—	—		
	F	5	3	—	1	1	—	—	—	—	3	2	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	150	—	—	—	6	6	25	57	56	35	—	—	—	—	—	2	18	15		
	F	159	—	—	1	5	3	15	66	69	30	—	—	—	1	—	4	6	19		
16 Bronchitis	M	116	30	5	2	1	—	3	25	50	25	9	1	1	—	—	2	1	11		
	F	122	24	8	—	1	—	3	22	64	26	4	1	2	—	—	—	3	16		
17 Pneumonia (all forms)	M	147	24	20	6	8	7	24	44	14	29	6	7	2	—	—	—	—	8		
	F	86	20	8	10	5	3	8	20	12	14	5	—	2	—	1	—	2	2		
18 Other respiratory diseases	M	25	1	2	4	1	—	2	6	9	5	—	—	—	—	—	1	3	1		
	F	17	2	—	—	—	1	4	2	8	6	1	—	—	—	—	—	2	3		
19 Diarrhoea, &c.	M	98	77	9	1	—	—	2	4	5	21	17	2	—	—	—	1	1	—		
	F	81	61	7	2	2	—	1	3	5	13	12	—	—	1	—	—	—	—		
20 Appendicitis and typhlitis	M	6	—	—	—	2	1	2	—	1	1	—	—	—	—	—	1	—	—		
	F	8	—	—	—	—	—	6	2	—	2	—	—	—	2	—	—	—	—		
21 Cirrhosis of liver	M	12	—	—	—	—	—	—	9	3	2	—	—	—	—	—	1	1	—		
	F	11	—	—	—	—	—	1	9	1	6	—	—	—	—	—	2	3	1		
21A Alcoholism	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	56	—	—	1	3	2	6	22	22	11	—	—	—	—	—	1	4	6		
	F	53	1	—	—	2	3	6	24	17	6	—	—	—	1	—	2	3	—		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	1	6	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	14	—	—	—	—	—	14	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	120	119	—	—	1	—	—	—	—	33	32	1	—	—	—	—	—	—		
	F	95	95	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	56	4	3	6	7	4	5	13	14	11	1	—	—	—	1	5	3	1		
	F	24	6	3	1	1	2	1	3	7	3	—	—	—	—	1	1	—	1		
27 Suicide	M	19	—	—	—	—	2	8	7	2	7	—	—	—	—	—	1	5	1		
	F	4	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	401	76	10	3	7	9	37	73	186	124	15	3	—	2	4	12	23	65		
	F	392	53	3	6	10	4	42	76	198	117	9	2	—	—	19	26	61	61		
29 Causes ill-defined or unknown.	M	6	—	2	1	—	—	—	3	—	1	—	1	—	—	—	—	—	—		
	F	3	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	LIVERPOOL.										MANCHESTER.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	7,301	1689	582	379	254	255	1057	1758	1327	6,091	1376	404	301	228	203	887	1566	1126		
	F	6,488	1316	511	389	290	255	837	1370	1520	5,430	1039	360	266	213	243	735	1248	1326		
1 Enteric fever ...	M	21	—	—	—	4	6	8	3	—	34	—	—	—	1	9	20	4	—		
	F	11	—	—	1	2	3	4	1	—	14	—	—	1	1	2	5	4	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	157	30	57	56	14	—	—	—	—	122	26	53	32	11	—	—	—	—		
	F	161	41	59	49	12	—	—	—	—	142	43	47	46	6	—	—	—	—		
4 Scarlet fever ...	M	29	2	4	11	9	3	—	—	—	50	1	9	22	14	4	—	—	—		
	F	28	6	2	11	9	—	—	—	—	43	1	4	21	15	1	1	—	—		
5 Whooping cough ...	M	109	54	31	22	2	—	—	—	—	62	28	22	10	2	—	—	—	—		
	F	124	46	35	38	5	—	—	—	—	75	35	17	22	1	—	—	—	—		
6 Diphtheria and croup ...	M	41	1	12	14	14	—	—	—	—	43	4	6	20	9	3	—	—	1		
	F	38	1	2	17	18	—	—	—	—	56	4	9	25	17	—	1	—	—		
7 Influenza ...	M	34	1	—	1	—	1	9	17	5	73	5	3	1	2	5	15	24	18		
	F	26	—	—	1	1	—	8	6	10	59	1	—	—	—	7	9	19	23		
8 Erysipelas ...	M	17	2	—	—	2	2	4	4	3	14	4	—	—	1	2	2	2	3		
	F	17	2	—	1	1	1	5	5	2	9	1	—	—	—	1	—	4	3		
9 Pulmonary tuberculosis	M	766	7	16	9	26	104	355	229	20	642	8	10	7	11	58	286	227	35		
	F	536	5	11	15	54	90	237	112	12	440	3	11	8	33	95	193	84	13		
10 Tuberculous meningitis	M	87	21	20	26	14	5	1	—	—	89	25	15	22	21	2	2	2	—		
	F	73	13	10	21	23	4	2	—	—	53	8	10	12	13	6	1	3	—		
11 Other tuberculous diseases.	M	92	17	13	19	12	8	17	6	—	113	23	12	16	24	16	9	12	1		
	F	95	15	7	15	17	17	12	10	2	72	18	10	7	12	9	9	7	—		
12 Cancer, malignant disease	M	370	—	—	—	2	4	59	198	107	322	—	—	—	—	3	40	197	82		
	F	382	—	—	1	—	3	67	199	112	403	—	—	1	1	3	65	190	143		
13 Rheumatic fever ...	M	10	—	—	—	3	1	3	3	—	17	1	—	—	4	1	6	5	—		
	F	26	—	—	2	3	9	6	6	—	25	—	—	—	5	7	7	5	1		
14 Meningitis ...	M	73	31	14	14	7	1	5	1	—	54	12	8	15	9	1	5	4	—		
	F	82	25	17	17	17	3	2	1	—	58	18	8	9	10	5	6	2	—		
15 Organic heart disease ...	M	515	1	—	—	8	18	73	217	198	381	—	—	—	5	17	63	178	118		
	F	528	—	—	1	13	14	93	206	201	461	—	—	—	15	15	72	205	154		
16 Bronchitis ...	M	635	127	36	15	4	3	24	188	238	552	81	18	10	4	3	35	175	226		
	F	641	108	37	18	3	2	20	154	299	593	73	25	6	2	1	24	167	295		
17 Pneumonia (all forms)	M	826	170	135	84	38	23	132	160	84	703	155	97	73	29	19	107	155	68		
	F	606	131	109	88	37	17	68	82	74	470	106	103	42	20	15	49	73	62		
18 Other respiratory diseases	M	82	11	5	9	5	2	10	29	11	61	7	5	4	3	3	10	13	16		
	F	79	4	7	6	4	2	10	19	27	54	11	—	4	1	1	4	18	15		
19 Diarrhoea, &c. ...	M	600	360	147	35	6	2	17	15	18	423	264	96	16	3	1	13	16	14		
	F	464	254	125	32	6	3	5	15	24	303	197	65	16	3	2	3	9	8		
20 Appendicitis and typhlitis	M	23	1	1	—	7	4	5	2	3	31	—	1	—	10	9	5	4	2		
	F	16	—	1	—	4	2	4	5	—	18	—	—	1	5	6	3	3	—		
21 Cirrhosis of liver ...	M	53	1	—	—	—	—	7	40	5	52	—	—	—	—	—	10	28	14		
	F	36	—	—	—	—	—	8	23	5	53	—	—	—	—	—	13	38	2		
21A Alcoholism ...	M	32	—	—	—	—	1	12	17	2	6	—	—	—	—	—	3	2	1		
	F	18	—	—	—	—	—	4	11	3	10	—	—	—	—	—	5	3	2		
22 Nephritis and Bright's disease.	M	228	6	2	5	10	5	39	114	47	154	2	2	3	5	5	25	79	33		
	F	175	1	1	2	1	9	23	90	48	142	2	1	2	6	5	38	47	41		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	29	—	—	—	—	8	21	—	—	22	—	—	—	—	2	20	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	43	—	—	—	—	9	34	—	—	50	—	—	—	—	7	42	1	—		
25 Congenital debility, &c.	M	507	502	2	2	1	—	—	—	—	434	428	—	3	2	—	—	1	—		
	F	382	378	2	1	—	1	—	—	—	307	303	2	1	1	—	—	—	—		
26 Violence, apart from suicide	M	287	38	10	24	31	22	67	71	24	260	51	7	17	28	16	60	63	18		
	F	168	23	9	24	27	4	23	29	29	165	53	8	19	20	4	13	22	26		
27 Suicide ...	M	38	—	—	—	—	4	18	12	4	50	—	—	—	—	3	19	23	5		
	F	16	—	—	—	—	—	7	9	—	16	—	—	—	1	4	6	5	—		
28 Other defined diseases ...	M	1,617	301	61	28	34	33	183	427	550	1,333	250	30	29	30	23	150	351	470		
	F	1,635	262	54	26	30	54	165	376	668	1,301	161	32	21	23	45	145	336	538		
29 Causes ill-defined or unknown.	M	52	5	16	5	1	3	9	5	8	16	1	10	1	—	—	2	1	1		
	F	52	1	23	2	3	—	8	11	4	16	1	8	2	2	—	1	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death		Sex.	MIDDLESBROUGH.										NEWCASTLE UPON TYNE.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	1,105	248	91	56	60	50	185	241	174	2,200	493	141	89	81	68	302	510	510		
		F	889	195	92	67	49	36	139	162	149	1,922	392	118	109	76	82	271	389	488		
1 Enteric fever	...	M	2	—	—	—	—	—	2	—	—	7	—	—	1	2	3	1	—	—		
		F	—	—	—	—	—	—	—	—	—	8	—	—	—	3	1	3	1	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	28	5	12	10	1	—	—	—	—	31	9	15	6	1	—	—	—	—		
		F	24	2	12	8	2	—	—	—	—	33	8	9	15	1	—	—	—	—		
4 Scarlet fever	...	M	12	—	3	6	3	—	—	—	—	10	—	—	5	5	—	—	—	—		
		F	9	—	1	3	5	—	—	—	—	9	—	2	3	4	—	—	—	—		
5 Whooping cough	...	M	11	4	6	1	—	—	—	—	—	46	20	15	9	2	—	—	—	—		
		F	13	5	2	3	3	—	—	—	—	53	22	16	15	—	—	—	—	—		
6 Diphtheria and croup	...	M	9	—	1	4	4	—	—	—	—	15	—	6	7	2	—	—	—	—		
		F	13	2	—	4	7	—	—	—	—	12	2	2	2	5	1	—	—	—		
7 Influenza	...	M	10	—	—	—	1	2	1	4	2	11	1	—	—	—	1	3	3	3		
		F	2	—	—	—	—	—	2	—	—	9	1	—	—	—	4	1	3	3		
8 Erysipelas	...	M	1	—	—	—	—	—	1	—	—	4	2	—	—	—	—	1	1	—		
		F	2	—	—	—	—	—	—	—	2	5	—	—	—	—	—	4	1	—		
9 Pulmonary tuberculosis	{	M	77	1	1	1	7	10	37	19	1	181	1	2	5	9	20	86	52	6		
		F	68	—	3	1	6	10	37	9	2	142	—	1	3	14	32	68	23	1		
10 Tuberculous meningitis	{	M	10	2	1	3	1	2	1	—	—	37	7	10	8	7	1	4	—	—		
		F	11	3	1	5	2	—	—	—	—	31	8	2	10	10	—	1	—	—		
11 Other tuberculous diseases.	{	M	17	—	3	3	4	1	4	2	—	52	9	7	5	10	6	7	4	14		
		F	13	3	3	—	6	—	1	—	—	42	7	8	7	7	3	9	1	—		
12 Cancer, malignant disease	{	M	42	—	1	—	—	—	7	22	12	121	—	—	1	1	—	14	67	38		
		F	58	—	—	—	—	—	13	35	10	140	—	—	—	—	3	25	70	42		
13 Rheumatic fever	...	M	5	—	—	—	3	—	2	—	—	8	—	—	—	2	1	2	3	—		
		F	2	—	—	1	—	—	1	—	—	8	—	—	—	2	—	1	1	—		
14 Meningitis	...	M	14	1	1	2	6	1	1	2	—	19	7	4	4	1	1	1	1	—		
		F	17	1	1	6	3	1	3	2	—	27	10	6	5	3	1	2	—	—		
15 Organic heart disease	...	M	66	—	—	—	1	4	14	23	24	149	1	—	—	—	7	30	55	56		
		F	58	—	—	—	—	3	14	24	17	153	—	—	—	1	7	27	66	52		
16 Bronchitis	...	M	82	20	4	3	1	1	5	19	29	201	43	9	4	3	—	7	45	90		
		F	64	12	6	3	—	1	3	13	26	149	29	13	2	1	5	5	30	64		
17 Pneumonia (all forms)	{	M	186	27	26	13	7	11	44	45	13	177	54	31	13	7	3	19	33	17		
		F	115	31	29	16	4	3	11	11	10	154	43	28	22	5	7	15	15	19		
18 Other respiratory diseases	{	M	16	3	1	1	2	1	—	4	4	39	2	1	1	—	—	5	19	11		
		F	12	1	—	—	—	1	4	3	3	23	—	2	—	1	2	3	8	7		
19 Diarrhoea, &c.	...	M	66	43	13	2	2	—	2	3	1	99	52	22	8	4	2	7	1	3		
		F	56	31	18	4	1	—	—	1	1	80	44	15	8	4	—	3	2	4		
20 Appendicitis and typhlitis	{	M	5	—	—	—	1	2	2	—	—	12	—	—	—	2	3	5	1	—		
		F	2	—	—	—	—	1	1	—	—	5	—	—	—	3	1	1	—	—		
21 Cirrhosis of liver	...	M	6	—	—	—	—	—	—	6	—	20	—	—	—	—	4	14	2	—		
		F	7	—	—	—	—	—	—	6	1	10	—	—	—	1	—	8	1	—		
21A Alcoholism	...	M	1	—	—	—	—	—	—	1	—	10	—	—	—	—	—	7	3	—		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
22 Nephritis and Bright's disease.	{	M	36	—	2	1	2	1	9	16	5	77	—	—	1	—	3	20	29	24		
		F	25	—	—	1	3	—	9	10	2	81	—	1	2	—	1	27	28	22		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	1	8	—	—	6	—	—	—	—	1	5	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	10	—	—	—	—	1	9	—	—	19	—	—	—	—	4	15	—	—		
25 Congenital debility, &c.	{	M	76	75	1	—	—	—	—	—	—	176	175	—	—	1	—	—	—	—		
		F	78	77	—	—	1	—	—	—	—	137	135	1	—	—	—	—	1	—		
26 Violence, apart from suicide.	{	M	52	2	2	2	5	7	18	11	5	74	3	2	4	4	5	29	19	8		
		F	23	2	4	2	2	4	3	4	2	28	1	2	5	4	—	3	9	4		
27 Suicide	...	M	10	—	—	—	—	2	4	3	1	20	—	—	—	1	2	7	6	4		
		F	4	—	—	—	—	2	—	2	—	5	—	—	—	—	1	1	2	1		
28 Other defined diseases	...	M	261	65	11	4	9	5	31	60	76	589	107	12	6	17	10	47	145	245		
		F	184	25	6	8	4	8	20	41	72	535	82	6	7	7	12	50	112	259		
29 Causes ill-defined or unknown.	{	M	4	—	2	—	—	—	—	1	1	15	—	5	1	—	—	3	5	1		
		F	10	—	6	2	—	—	—	—	1	1	15	—	4	3	—	3	5	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	NEWPORT (MON.).										NORTHAMPTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	630	159	28	26	25	27	91	142	132	584	95	26	22	27	39	62	127	186		
	...	F	503	112	29	27	29	22	74	98	112	571	77	16	31	24	42	71	116	194		
1 Enteric fever	...	M	4	—	—	—	—	1	2	1	—	1	—	—	—	1	—	—	—	—		
	...	F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	3	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	15	2	8	4	1	—	—	—	—	15	5	6	3	1	—	—	—	—		
	...	F	19	3	9	6	—	—	1	—	—	15	3	3	7	2	—	—	—	—		
4 Scarlet fever	...	M	11	—	3	5	2	1	—	—	—	5	—	—	3	2	—	—	—	—		
	...	F	12	—	1	3	7	1	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough	...	M	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—		
6 Diphtheria and croup	...	M	6	—	—	3	1	1	1	—	—	13	—	1	6	6	—	—	—	—		
	...	F	4	—	1	1	2	—	—	—	—	13	1	1	3	8	—	—	—	—		
7 Influenza	...	M	9	2	—	—	—	—	3	1	3	4	—	—	—	1	1	—	2	—		
	...	F	6	—	—	—	1	1	—	2	2	6	—	—	1	—	—	1	3	1		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	...	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	{	M	33	—	1	—	2	4	16	9	1	54	—	1	1	—	22	20	10	—		
		F	38	1	2	—	4	11	15	5	—	46	—	—	—	3	15	22	5	1		
10 Tuberculous meningitis	{	M	1	1	—	—	—	—	—	—	—	6	—	1	2	3	—	—	—	—		
		F	6	1	1	—	2	2	—	—	—	7	—	—	2	3	1	1	—	—		
11 Other tuberculous diseases.	{	M	9	3	1	1	2	2	—	—	—	5	1	1	—	—	2	1	—	—		
		F	11	3	2	1	2	1	2	—	—	6	—	—	—	1	3	2	—	—		
12 Cancer, malignant disease	{	M	38	—	—	—	—	—	6	20	12	47	—	—	—	—	—	2	25	20		
		F	36	—	—	—	—	—	7	21	8	47	—	—	—	—	—	3	23	21		
13 Rheumatic fever	...	M	3	—	—	—	1	—	1	1	—	5	—	—	1	—	2	—	—	—		
	...	F	4	—	—	—	3	—	1	—	—	2	—	—	—	1	1	—	—	—		
14 Meningitis	...	M	7	5	—	—	—	—	—	2	—	6	—	—	1	4	—	—	1	—		
	...	F	9	1	1	4	1	—	2	—	—	3	—	—	2	1	—	—	—	—		
15 Organic heart disease	...	M	74	—	—	—	2	3	9	34	26	57	—	—	1	1	2	5	17	31		
	...	F	48	—	—	—	—	—	6	20	22	67	—	—	—	—	4	9	22	32		
16 Bronchitis	...	M	32	5	1	1	—	—	3	11	11	41	4	6	1	—	1	—	7	22		
	...	F	41	8	2	3	—	—	3	7	18	55	6	1	2	—	—	4	11	31		
17 Pneumonia (all forms)	{	M	50	10	5	3	2	3	8	12	7	26	8	3	1	—	3	2	7	2		
		F	26	8	4	3	1	—	4	1	5	29	3	3	6	1	4	3	5	4		
18 Other respiratory diseases	{	M	9	1	1	1	1	—	1	3	1	2	—	—	—	—	1	1	—	—		
		F	4	—	1	—	—	—	3	—	—	6	—	—	1	—	—	—	3	2		
19 Diarrhoea, &c.	...	M	40	33	4	—	—	—	2	1	—	25	19	4	—	—	1	—	—	1		
	...	F	29	22	2	2	—	—	1	2	—	19	15	4	—	—	—	—	—	—		
20 Appendicitis and typhlitis	{	M	4	—	—	—	1	1	1	1	—	2	—	—	—	1	1	—	—	—		
		F	3	—	—	—	1	—	—	—	1	1	1	—	—	—	1	—	—	—		
21 Cirrhosis of liver	...	M	6	—	—	—	—	—	2	4	—	4	—	—	—	—	—	2	2	—		
	...	F	3	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism	...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	...	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	{	M	20	1	—	—	—	1	4	7	7	22	—	—	—	—	—	4	14	4		
		F	20	—	—	—	1	—	8	8	3	12	—	—	—	—	2	3	4	3		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	...	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	8	—	—	—	—	3	5	—	—	—	5	—	—	—	1	4	—	—		
25 Congenital debility, &c.	{	M	64	—	—	—	—	—	—	—	—	42	41	—	—	—	—	—	1	—		
		F	36	36	—	—	—	—	—	—	—	—	36	32	1	2	1	—	—	—	—	
26 Violence, apart from suicide.	{	M	35	1	—	4	7	7	9	5	2	18	4	1	—	1	—	4	3	5		
		F	15	2	2	1	3	—	1	3	3	9	1	2	1	—	1	—	1	3		
27 Suicide	...	M	3	—	—	—	—	—	2	1	—	12	—	—	—	—	1	5	4	2		
	...	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	3	2	—		
28 Other defined diseases	...	M	150	30	3	3	3	2	19	28	62	170	12	2	2	5	3	16	33	97		
	...	F	113	25	—	3	—	3	11	21	50	167	13	1	3	2	6	17	32	93		
29 Causes ill-defined or unknown.	{	M	4	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—		
		F	7	2	1	—	—	—	1	—	3	—	2	—	—	—	—	—	2	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	NORWICH.										NOTTINGHAM.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	827	175	39	34	34	33	93	167	252	1,911	406	97	71	54	60	229	473	521		
		F	886	134	39	42	33	27	83	152	376	1,879	381	83	63	64	65	235	419	569		
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	5	—	—	—	1	1	2	1	—		
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	1	—	—		
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	M	25	6	7	7	5	—	—	—	—	11	2	4	5	—	—	—	—	—		
		F	27	4	9	12	2	—	—	—	—	8	1	1	4	2	—	—	—	—		
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	6	—	—	2	2	1	1	—	—		
		F	6	—	1	—	5	—	—	—	—	11	2	1	4	3	1	—	—	—		
5	Whooping cough	M	9	5	2	2	—	—	—	—	—	18	7	6	5	—	—	—	—	—		
		F	27	13	10	4	—	—	—	—	—	24	11	4	8	1	—	—	—	—		
6	Diphtheria and croup	M	10	—	—	3	7	—	—	—	—	16	—	2	4	9	—	1	—	—		
		F	5	—	—	1	4	—	—	—	—	23	—	3	6	13	—	—	1	—		
7	Influenza	M	10	—	—	—	—	—	6	—	4	15	—	—	—	—	—	4	8	3		
		F	9	—	—	—	—	1	—	3	5	11	—	—	—	—	1	5	1	4		
8	Erysipelas	M	2	1	—	—	—	—	—	1	—	6	—	—	—	—	—	2	2	2		
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9	Pulmonary tuberculosis	M	82	—	2	—	2	16	34	22	6	177	1	1	1	3	28	75	61	7		
		F	59	1	—	3	5	10	30	8	2	125	1	4	1	4	24	60	27	4		
10	Tuberculous meningitis	M	12	3	1	6	1	—	—	1	—	25	2	10	8	4	—	1	—	—		
		F	6	—	1	2	3	—	—	—	—	13	5	1	6	1	—	—	—	—		
11	Other tuberculous diseases.	M	16	7	1	1	2	2	—	3	—	22	2	4	2	5	1	3	4	1		
		F	8	3	—	1	1	1	—	1	1	15	4	3	1	3	2	—	1	1		
12	Cancer, malignant disease	M	53	—	—	1	—	1	2	27	22	121	—	—	—	—	1	8	61	51		
		F	79	—	—	—	—	—	10	37	32	196	—	—	—	1	1	22	100	72		
13	Rheumatic fever	M	3	—	—	—	—	2	1	—	—	5	—	—	1	1	—	—	3	—		
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	3	—	—		
14	Meningitis	M	4	2	2	—	—	—	—	—	—	10	2	—	3	2	2	—	1	—		
		F	2	—	—	1	—	—	—	—	1	7	3	—	2	1	—	—	1	—		
15	Organic heart disease	M	77	—	—	—	1	—	9	30	37	217	—	—	—	2	5	31	66	113		
		F	98	—	—	1	—	1	6	25	65	223	—	—	—	2	5	28	76	112		
16	Bronchitis	M	64	16	2	1	1	—	1	10	33	132	16	9	3	1	1	6	30	66		
		F	78	9	4	2	—	—	1	10	52	162	11	8	3	—	3	2	33	102		
17	Pneumonia (all forms)	M	65	21	6	4	1	1	4	17	11	142	43	25	12	3	5	10	32	12		
		F	39	12	3	6	3	—	2	8	5	149	53	25	16	7	4	13	12	19		
18	Other respiratory diseases	M	11	—	1	—	1	1	2	3	3	30	2	3	3	1	—	4	11	6		
		F	9	—	1	—	—	1	1	4	2	21	2	—	2	—	1	4	3	9		
19	Diarrhoea, &c.	M	50	34	8	2	1	1	1	2	1	127	96	15	4	—	—	4	5	3		
		F	40	27	3	4	—	—	3	1	2	106	80	18	3	—	—	2	—	3		
20	Appendicitis and typhlitis	M	5	—	—	—	1	1	3	—	—	5	—	—	1	1	—	1	2	—		
		F	5	—	—	—	—	1	3	—	1	6	—	—	—	1	—	2	1	2		
21	Cirrhosis of liver	M	5	—	—	—	—	—	1	1	3	17	—	—	—	—	1	2	13	1		
		F	2	—	—	—	—	—	—	2	—	11	—	—	—	—	—	8	—	1		
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	3	—		
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	M	16	1	—	—	—	2	2	5	6	61	1	—	1	2	2	12	29	14		
		F	15	—	—	1	—	—	4	5	5	59	3	1	2	6	—	10	19	18		
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	5	—	—	—	—	1	4	—	—	12	—	—	—	—	3	9	—	—		
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	2	—	—	—	—	1	1	—	—	11	—	—	—	—	3	8	—	—		
25	Congenital debility, &c.	M	51	51	—	—	—	—	—	—	—	143	139	2	—	2	—	—	—	—		
		F	42	40	—	—	—	2	—	—	—	145	142	2	1	—	—	—	—	—		
26	Violence, apart from suicide.	M	22	3	1	2	4	3	3	3	3	79	20	1	10	5	3	14	19	7		
		F	20	4	—	1	4	—	—	1	10	32	8	—	—	2	1	6	9	6		
27	Suicide	M	8	—	—	—	—	1	2	3	2	19	—	—	—	—	—	10	7	2		
		F	7	—	—	—	—	3	3	1	—	11	—	—	—	—	2	5	4	—		
28	Other defined diseases	M	222	25	5	4	6	2	22	37	121	490	73	10	6	8	9	37	114	233		
		F	290	21	5	3	6	5	14	44	192	485	54	10	4	15	13	52	122	215		
29	Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	8	—	5	—	2	—	—	1	—		
		F	3	—	2	—	—	—	—	1	—	4	1	2	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,343	272	84	51	49	50	194	378	265	312	37	9	5	7	16	44	91	103		
	F	1,222	213	71	53	55	54	156	310	310	332	43	6	3	9	2	35	77	157		
1 Enteric fever ...	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	24	6	12	6	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	15	4	1	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	11	—	1	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	1	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	11	7	1	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	26	14	8	4	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	1	5	4	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	9	—	1	1	7	—	—	—	—	2	—	—	—	1	—	—	1	—		
7 Influenza ...	M	15	—	—	—	1	—	5	7	2	5	—	—	—	—	1	—	2	2		
	F	15	1	1	—	—	3	—	8	2	10	—	—	—	—	—	1	1	8		
8 Erysipelas ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	121	—	—	—	2	15	54	47	3	30	—	—	—	—	5	14	11	—		
	F	81	—	—	1	3	12	41	23	1	23	—	—	—	1	2	12	6	2		
10 Tuberculous meningitis	M	18	4	6	1	5	1	—	1	—	5	—	2	1	1	—	—	1	—		
	F	17	3	3	6	5	—	—	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	24	3	4	1	3	5	6	2	—	2	—	1	—	—	—	—	—	—		
	F	19	2	1	3	2	6	3	2	—	2	—	—	—	—	—	—	1	1		
12 Cancer, malignant disease	M	67	—	—	—	—	1	6	35	25	29	—	—	—	—	—	1	20	8		
	F	86	—	—	—	—	—	8	45	33	52	—	—	—	—	—	5	27	20		
13 Rheumatic fever ...	M	9	—	—	—	2	4	3	—	—	1	—	—	—	—	—	1	—	—		
	F	17	—	—	—	5	5	4	—	3	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	11	5	1	1	3	—	—	1	—	2	—	—	1	—	—	1	—	—		
	F	12	3	—	—	5	1	—	3	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	123	—	—	—	3	3	22	52	43	45	—	—	—	—	—	3	13	29		
	F	135	—	—	1	4	8	27	49	46	44	—	—	—	—	—	4	9	31		
16 Bronchitis ...	M	163	42	11	3	—	—	9	45	53	13	2	1	1	—	—	1	1	7		
	F	124	23	7	2	—	1	6	27	58	19	1	—	—	—	—	1	2	15		
17 Pneumonia (all forms)	M	120	27	17	13	5	2	20	25	11	10	5	—	—	—	1	1	1	2		
	F	90	29	20	7	3	—	—	16	15	16	3	1	2	2	—	1	2	5		
18 Other respiratory diseases	M	15	5	3	1	—	—	2	3	1	7	—	1	—	—	—	2	2	2		
	F	14	1	1	1	—	—	4	4	3	5	—	—	—	—	—	1	2	2		
19 Diarrhoea, &c. ...	M	69	42	15	3	2	—	1	3	3	10	4	3	—	—	1	1	—	1		
	F	64	35	14	4	3	—	1	1	6	15	12	2	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	7	—	—	2	1	2	2	—	—	3	—	—	—	—	2	1	—	—		
	F	3	—	—	—	—	1	—	1	1	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	18	—	—	—	—	—	5	13	—	2	—	—	—	—	—	1	1	—		
	F	8	—	—	—	—	—	1	6	1	3	—	—	—	—	—	—	2	1		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	53	1	—	—	3	1	16	21	11	10	—	—	—	—	—	2	2	6		
	F	49	1	1	1	2	3	10	23	8	7	—	—	—	—	—	—	3	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	2	6	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	—	—	—	—	4	11	—	—	1	—	—	—	—	—	1	—	—		
25 Congenital debility, &c.	M	73	72	1	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—		
	F	56	56	—	—	—	—	—	—	—	20	19	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	39	6	1	6	4	7	6	8	1	16	—	1	—	3	1	5	6	—		
	F	24	8	—	5	2	1	1	5	2	5	1	—	1	—	—	—	1	2		
27 Suicide ...	M	12	—	—	—	—	—	3	6	3	5	—	—	—	—	1	1	3	—		
	F	6	—	—	—	—	1	1	2	2	1	—	—	—	—	—	—	—	1		
28 Other defined diseases ...	M	294	46	8	1	6	7	30	91	105	92	6	—	—	2	3	9	26	46		
	F	299	30	11	3	8	6	30	87	124	99	4	1	—	2	—	8	20	64		
29 Causes ill-defined or unknown.	M	29	6	2	—	—	1	1	15	4	1	—	—	—	—	—	—	1	—		
	F	19	3	—	2	1	—	1	7	5	2	1	—	—	1	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—cont.

Causes of Death.	Sex.	PRESTON.										READING.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,030	255	77	56	33	35	117	247	210	534	80	13	12	17	23	80	131	178		
	F	986	196	63	58	38	36	102	224	269	505	71	6	7	13	23	71	114	200		
1 Enteric fever ...	M	6	—	—	1	—	1	3	—	1	2	—	—	—	—	1	1	—	—		
	F	4	—	—	1	—	1	2	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	41	9	22	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	27	5	13	9	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever ...	M	15	1	3	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	15	1	1	8	5	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—		
	F	5	2	3	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	14	1	1	8	4	—	—	—	—	3	1	—	1	—	1	—	—	—		
	F	18	1	1	11	5	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	12	—	—	—	—	—	3	3	6	13	—	—	—	—	—	3	4	6		
	F	15	—	—	—	—	—	1	6	8	9	—	—	—	—	—	1	3	5		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
9 Pulmonary tuberculosis	M	68	1	2	3	2	9	21	28	2	52	1	1	—	3	5	25	13	4		
	F	67	1	2	3	5	18	21	17	—	45	—	—	—	4	9	22	6	4		
10 Tuberculous meningitis	M	9	2	2	3	2	—	—	—	—	11	5	2	3	—	1	—	—	—		
	F	7	2	—	3	1	1	—	—	—	7	1	—	—	2	1	3	—	—		
11 Other tuberculous diseases.	M	22	6	1	3	3	6	1	2	—	4	—	—	—	2	—	2	—	—		
	F	18	6	3	2	2	1	3	—	1	3	—	—	—	—	1	1	1	—		
12 Cancer, malignant disease	M	40	—	—	—	—	—	7	25	8	45	—	—	—	—	1	5	19	20		
	F	69	—	—	—	—	1	10	33	25	69	—	—	—	—	—	7	31	31		
13 Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	4	—	1	—	1	1	1	—	—		
	F	5	—	—	—	—	1	1	2	1	5	—	—	—	3	—	2	—	—		
14 Meningitis ...	M	7	1	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	3	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	66	1	—	—	2	1	14	29	19	55	—	—	—	4	1	5	21	24		
	F	92	—	—	—	3	—	11	42	36	58	—	—	—	—	1	7	14	36		
16 Bronchitis ...	M	97	20	3	2	—	—	5	27	40	32	7	—	—	—	—	—	4	21		
	F	91	10	6	1	—	—	5	22	47	45	6	—	2	—	—	1	6	30		
17 Pneumonia (all forms)	M	120	35	19	7	2	4	18	27	8	40	10	5	3	1	2	4	10	5		
	F	76	25	12	9	4	1	6	14	5	32	9	3	1	—	1	7	5	6		
18 Other respiratory diseases	M	11	—	1	1	2	—	2	—	5	7	—	—	1	—	1	1	1	3		
	F	8	—	—	1	—	—	2	4	1	11	1	—	—	—	—	—	5	5		
19 Diarrhoea, &c. ...	M	87	69	12	3	—	1	1	1	—	12	10	—	—	—	—	1	1	—		
	F	72	47	14	3	2	—	3	—	3	14	12	—	—	—	—	—	1	1		
20 Appendicitis and typhlitis	M	3	—	—	1	—	1	—	1	—	4	—	—	—	1	2	—	1	—		
	F	4	—	—	—	—	1	—	1	2	2	—	—	—	—	1	1	—	—		
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	2	5	—	3	—	—	—	1	—	—	2	—		
	F	4	—	—	—	—	—	—	4	—	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	30	—	—	2	—	—	3	23	2	21	—	—	—	1	1	2	12	5		
	F	21	1	—	—	1	1	3	7	8	17	—	—	—	—	1	4	8	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	10	—	—	—	—	3	7	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	66	65	—	—	—	1	—	—	—	24	22	1	—	1	—	—	—	—		
	F	61	61	—	—	—	—	—	—	—	30	28	—	—	—	2	—	—	—		
26 Violence, apart from suicide.	M	24	2	1	—	3	2	6	5	5	23	2	—	1	1	3	10	5	1		
	F	11	2	1	1	—	1	3	1	2	10	1	—	1	—	—	—	5	3		
27 Suicide ...	M	8	—	—	—	—	2	3	3	1	6	—	—	—	—	1	2	2	1		
	F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	259	42	7	4	2	7	24	60	113	163	17	1	2	1	1	18	35	88		
	F	264	31	4	5	8	6	15	67	128	127	11	1	2	3	4	6	25	75		
29 Causes ill-defined or unknown.	M	14	—	1	1	1	—	4	7	—	3	—	1	1	—	1	—	—	—		
	F	4	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—cont.

Causes of Death.		Sex.	ROCHDALE.										ROTHERHAM.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	700	106	40	22	17	20	92	223	180	552	147	32	33	17	19	82	114	108	
			F	734	100	32	21	23	35	84	218	221	455	130	37	29	23	18	57	71	90	
1	Enteric fever	M	3	—	—	—	1	—	1	1	—	2	—	—	—	—	—	2	—	
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	3	—	2	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
			F	5	—	2	2	1	—	—	—	—	6	—	2	4	—	—	—	—	—	
4	Scarlet fever	M	1	—	—	1	—	—	—	—	4	—	—	4	—	—	—	—	—	
			F	6	—	—	2	4	—	—	—	—	3	1	—	1	1	—	—	—	—	
5	Whooping cough	M	—	—	—	—	—	—	—	—	15	11	2	2	—	—	—	—	—	
			F	3	2	1	—	—	—	—	—	—	14	9	3	2	—	—	—	—	—	
6	Diphtheria and croup	M	3	1	1	—	1	—	—	—	5	1	1	2	1	—	—	—	—	
			F	6	1	1	4	—	—	—	—	—	7	1	1	1	4	—	—	—	—	
7	Influenza	M	9	—	—	—	—	2	4	3	6	—	1	—	1	1	1	2	—	
			F	8	—	—	—	—	—	—	4	4	6	1	—	—	1	1	1	1	—	
8	Erysipelas	M	1	—	—	—	—	—	—	1	2	1	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis	M	47	1	—	—	1	6	18	19	43	—	—	2	2	4	24	10	1	
			F	60	—	—	—	4	15	24	13	4	31	—	1	—	1	8	17	4	—	
10	Tuberculous meningitis	M	6	1	2	1	2	—	—	—	5	2	2	1	—	—	—	—	—	
			F	9	—	1	4	3	1	—	—	—	7	1	3	1	1	1	—	—	—	
11	Other tuberculous diseases.	M	15	2	2	1	1	1	3	4	11	1	1	1	3	3	2	—	—	
			F	15	2	6	2	2	1	—	1	1	9	1	1	1	1	2	2	—	—	
12	Cancer, malignant disease	M	39	—	—	—	—	2	20	17	24	—	—	—	—	—	3	14	7	
			F	83	—	—	—	—	—	3	52	28	29	—	—	—	—	—	6	15	8	
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	
			F	4	—	—	—	1	2	1	—	—	2	—	—	—	2	—	—	—	—	
14	Meningitis	M	8	2	—	2	—	2	1	1	3	—	—	1	2	—	—	—	—	
			F	4	—	1	1	1	—	1	—	—	2	1	1	—	—	—	—	—	—	
15	Organic heart disease	M	61	—	—	—	1	2	12	21	42	—	—	—	1	—	6	19	16	
			F	91	—	—	—	—	2	15	45	29	33	—	1	—	—	—	6	14	12	
16	Bronchitis	M	82	3	4	1	—	—	5	30	40	10	—	—	—	—	1	10	19	
			F	85	8	3	1	—	1	—	21	51	36	11	4	—	—	—	2	7	12	
17	Pneumonia (all forms)	M	61	10	19	5	1	1	6	12	56	18	6	10	1	2	4	11	4	
			F	31	7	5	—	1	1	3	8	6	40	17	2	9	1	1	3	3	4	
18	Other respiratory diseases	M	8	—	2	—	—	—	2	2	8	—	—	1	1	—	2	1	3	
			F	3	—	—	—	—	—	—	1	2	7	—	—	2	2	—	—	1	2	
19	Diarrhoea, &c.	M	36	24	6	3	—	—	1	2	40	24	10	2	—	—	1	2	1	
			F	37	17	7	—	—	1	—	7	5	35	18	11	2	1	—	1	—	2	
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	1	—	2	—	—	1	—	—	1	—	—	
			F	4	—	—	—	3	—	—	1	—	1	—	—	—	1	—	—	—	—	
21	Cirrhosis of liver	M	5	—	—	—	—	—	2	3	2	—	—	—	—	—	—	2	—	
			F	4	—	—	—	—	—	—	1	2	3	—	—	—	—	1	2	—	—	
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	M	29	—	—	—	—	—	8	17	16	—	—	—	—	1	6	8	1	
			F	17	—	—	1	—	—	—	2	7	8	—	—	1	—	3	3	—	—	
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	11	—	—	—	—	2	9	—	—	5	—	—	—	—	—	5	—	—	
25	Congenital debility, &c.	M	45	44	—	—	1	—	—	—	50	50	—	—	—	—	—	—	—	
			F	43	43	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	
26	Violence, apart from suicide	M	25	—	—	4	1	2	9	6	42	3	—	3	1	5	19	5	6	
			F	11	—	—	3	1	1	1	2	3	13	1	1	3	1	—	1	2	4	
27	Suicide	M	9	—	—	—	—	4	2	3	6	—	—	—	—	1	2	3	—	
			F	3	—	—	—	—	1	1	1	—	2	—	—	—	1	—	—	1	—	
28	Other defined diseases	M	196	18	1	3	4	6	15	77	121	26	3	3	4	2	9	24	50	
			F	183	20	5	1	1	6	19	52	79	111	36	1	2	5	4	8	18	43	
29	Causes ill-defined or unknown.	M	4	—	1	—	—	—	2	1	5	—	5	—	—	—	—	—	—	
			F	3	—	—	—	1	—	—	1	1	5	—	5	—	—	—	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	ST. HELENS.										SALFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,010	269	120	82	53	37	97	188	164	1,988	497	152	85	70	66	299	488	331		
	F	878	231	125	87	53	30	77	137	138	1,822	376	119	94	81	88	228	416	420		
1 Enteric fever ...	M	3	—	—	—	—	—	2	1	—	17	—	—	—	1	5	9	2	—		
	F	1	—	—	—	—	—	1	—	—	9	—	1	—	2	4	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	91	17	40	31	3	—	—	—	—	64	17	34	11	1	—	1	—	—		
	F	101	12	40	41	8	—	—	—	—	63	15	25	18	5	—	—	—	—		
4 Scarlet fever ...	M	13	—	3	4	6	—	—	—	—	12	—	1	3	7	1	—	—	—		
	F	14	—	3	5	6	—	—	—	—	16	—	1	6	6	2	1	—	—		
5 Whooping cough ...	M	10	2	7	—	1	—	—	—	—	13	9	2	2	—	—	—	—	—		
	F	9	4	4	1	—	—	—	—	—	27	13	10	4	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	5	2	2	1	—	—	—	—	15	—	3	6	4	1	1	—	—		
	F	6	—	—	4	2	—	—	—	—	14	3	1	6	4	—	—	—	—		
7 Influenza ...	M	13	1	—	1	1	—	2	3	5	12	1	—	—	—	1	2	5	3		
	F	9	—	1	—	2	1	1	2	2	19	1	—	—	—	—	4	6	8		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	—		
	F	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1		
9 Pulmonary tuberculosis	M	58	2	—	2	3	7	23	20	1	186	3	4	7	2	18	104	43	5		
	F	51	1	2	1	7	11	21	7	1	144	1	2	4	10	36	50	38	3		
10 Tuberculous meningitis	M	21	6	5	7	2	1	—	—	—	22	4	3	5	7	2	—	1	—		
	F	13	3	5	3	1	1	—	—	—	25	2	9	8	6	—	—	—	—		
11 Other tuberculous diseases.	M	34	7	6	7	6	6	2	—	—	42	11	6	4	8	4	6	3	—		
	F	22	5	6	2	5	2	2	—	—	41	12	6	6	5	6	2	2	2		
12 Cancer, malignant disease	M	38	—	—	—	—	1	3	23	11	118	—	—	—	—	—	12	71	35		
	F	35	—	—	—	—	—	6	15	14	119	—	—	1	1	—	23	67	27		
13 Rheumatic fever ...	M	5	—	—	—	1	2	2	—	—	4	—	—	—	2	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	1	1	1		
14 Meningitis ...	M	15	4	3	3	4	1	—	—	—	16	7	3	2	1	1	2	—	—		
	F	18	5	6	3	2	1	1	—	—	16	5	1	3	3	3	—	1	—		
15 Organic heart disease ...	M	60	—	1	—	2	2	7	26	22	127	1	—	—	1	4	26	66	29		
	F	63	—	—	—	3	1	6	35	18	166	—	—	1	8	7	36	62	52		
16 Bronchitis ...	M	87	23	2	—	—	—	2	26	34	182	40	3	4	—	2	13	51	69		
	F	70	19	8	5	2	—	1	16	19	188	28	6	1	1	—	9	51	92		
17 Pneumonia (all forms)	M	103	27	22	10	4	5	17	12	6	223	57	42	19	12	7	34	36	16		
	F	73	24	19	8	5	3	4	5	5	140	43	21	16	9	5	12	19	15		
18 Other respiratory diseases	M	18	8	4	1	1	—	2	1	1	25	3	1	—	1	1	4	9	6		
	F	20	8	3	—	2	—	3	2	2	31	3	4	5	—	1	4	6	8		
19 Diarrhoea, &c. ...	M	73	45	15	5	2	—	—	4	2	138	95	28	4	1	1	1	4	4		
	F	61	34	17	4	—	—	2	1	3	97	70	19	4	—	—	2	1	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	8	—	—	—	2	2	3	1	—		
	F	3	—	—	—	—	1	1	1	—	9	—	—	—	3	1	1	4	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	15	—	—	—	—	—	3	10	2		
	F	3	—	—	—	—	—	—	3	—	13	—	—	—	—	—	1	10	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	23	1	—	1	1	—	3	9	8	54	—	—	1	1	1	15	30	6		
	F	17	1	1	1	—	2	5	6	1	39	3	1	—	—	—	9	19	7		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	9	—	—	—	—	3	5	1	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	—	6	—	—	24	—	—	—	—	5	18	1	—		
25 Congenital debility, &c.	M	76	76	—	—	—	—	—	—	—	150	150	—	—	—	—	—	—	—		
	F	65	65	—	—	—	—	—	—	—	114	113	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	33	—	1	3	7	3	9	9	1	73	5	4	9	8	4	20	20	3		
	F	16	—	4	4	3	—	2	1	2	61	11	1	7	6	3	4	14	15		
27 Suicide ...	M	4	—	—	—	—	—	2	2	—	9	—	—	—	—	1	2	5	1		
	F	3	—	—	—	—	2	—	—	1	3	—	—	—	—	—	2	1	—		
28 Other defined diseases ...	M	205	45	9	4	7	8	18	45	69	426	89	15	7	10	10	35	116	144		
	F	189	48	6	3	5	4	13	40	70	411	49	10	4	11	11	40	102	184		
29 Causes ill-defined or unknown.	M	11	—	—	1	1	—	1	5	3	32	3	3	1	1	—	4	12	8		
	F	5	1	—	2	—	—	—	2	—	16	3	1	—	—	—	3	7	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	SHEFFIELD.										SMETHWICK.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	3,979 3,469	976 729	320 282	225 214	150 147	132 110	492 390	904 682	780 915	509 502	142 122	40 33	27 42	19 22	22 17	61 49	100 100	98 117	
1	Enteric fever	M F	13 6	— —	— —	1 1	2 3	10 2	— —	— —	1 1	— —	— —	— —	— —	— —	1 —	— 1	— —	
2	Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3	Measles	M F	187 178	41 35	81 75	57 50	7 18	1 —	— —	— —	11 24	2 6	4 5	2 9	3 4	— —	— —	— —	— —	
4	Scarlet fever	M F	42 32	1 —	9 3	18 15	13 12	1 2	— —	— —	9 5	— —	— —	3 3	4 2	1 —	1 —	— —	— —	
5	Whooping cough	M F	33 35	16 16	8 12	8 5	1 2	— —	— —	— —	6 9	3 5	2 2	1 2	— —	— —	— —	— —	— —	
6	Diphtheria and croup			M F	31 26	1 —	7 6	13 10	9 9	— —	1 —	— 1	5 4	— —	1 —	2 —	2 3	— —	— —	— 1	— —	
7	Influenza	M F	42 28	6 4	1 1	— —	— —	15 7	14 5	6 11	2 —	— —	— —	— —	— —	— —	— —	— —	— —	
8	Erysipelas	M F	17 8	3 1	1 —	— —	1 —	3 2	5 1	4 4	3 —	1 —	— —	— —	— —	— —	— —	2 —	— —	
9	Pulmonary tuberculosis			M F	386 198	2 2	4 3	3 7	10 20	38 33	139 73	172 48	18 12	41 29	— —	— —	1 1	7 6	25 16	6 5	2 1	
10	Tuberculous meningitis			M F	42 28	7 5	8 5	9 7	10 8	6 2	2 1	— —	4 5	2 —	— 1	1 1	— 1	— —	1 2	— —	— —	
11	Other tuberculous diseases.			M F	70 55	21 14	12 7	5 7	7 14	11 2	6 4	6 6	2 1	7 4	1 1	2 —	1 1	1 —	— —	1 1	— —	
12	Cancer, malignant disease			M F	176 249	— —	— 1	2 —	— —	2 2	20 27	104 121	48 98	25 32	— —	— —	— 1	— —	3 1	11 16	11 14	
13	Rheumatic fever	...		M F	16 8	— —	— —	1 —	4 —	1 2	7 2	3 3	— 1	3 2	— —	— —	1 —	2 —	— 2	— —	— —	
14	Meningitis	M F	34 31	8 6	7 5	10 9	5 6	3 4	1 —	— 1	4 7	1 2	2 1	1 1	— 1	— 1	— —	1 1	— —	
15	Organic heart disease	...		M F	262 318	— —	— —	— —	8 8	10 11	36 53	92 115	116 131	36 48	— —	— —	— 1	3 5	3 24	19 17	11 17	
16	Bronchitis	M F	329 334	83 70	20 25	14 15	1 1	13 2	77 6	120 58	120 157	42 43	9 5	1 1	— —	2 —	3 1	11 13	15 23	
17	Pneumonia (all forms)			M F	472 306	117 68	90 65	37 46	17 16	16 5	68 36	89 31	38 39	56 61	20 15	9 13	5 14	— 4	1 1	8 3	10 5	
18	Other respiratory diseases			M F	54 45	6 3	2 4	2 6	2 3	4 1	9 5	18 8	11 15	5 9	2 2	— 1	2 —	— 1	— 1	— 1	— 2	
19	Diarrhoea, &c.	M F	272 218	200 142	39 40	10 13	3 2	— 1	10 2	3 8	7 10	45 40	25 30	10 6	6 3	1 —	— —	— —	2 1	
20	Appendicitis and typhlitis			M F	17 15	— —	— —	3 1	6 8	4 1	2 3	2 2	— —	2 —	— —	— —	— —	1 —	— —	1 —	— —	
21	Cirrhosis of liver	...		M F	20 22	— —	— —	— —	— —	7 7	11 12	2 3	4 8	— —	— —	— —	— —	— —	1 2	2 6	1 —	
21A	Alcoholism	M F	1 2	— —	— —	— —	— —	— —	1 1	— 1	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	
22	Nephritis and Bright's disease.			M F	124 108	1 —	1 —	1 3	4 4	5 2	26 27	53 47	33 25	11 11	— 1	— —	2 1	— 1	2 2	3 4	4 2	
23	Puerperal fever...	...		M F	— 16	— —	— —	— —	— —	— 3	— 13	— —	— —	— 5	— —	— —	— —	— 1	— 4	— —	— —	
24	Parturition, apart from puerperal fever.			M F	— 37	— —	— —	— —	— —	— 10	— 25	— 2	— —	— 5	— —	— —	— —	— 1	— 3	— 1	— —	
25	Congenital debility, &c.			M F	284 221	279 221	2 —	1 —	2 —	— —	— —	— —	— —	50 38	48 37	— —	1 1	1 —	— —	— —	— —	
26	Violence, apart from suicide.			M F	138 78	13 16	2 7	14 9	14 5	12 1	37 6	35 18	11 16	13 10	4 2	— 1	— 3	2 1	— 1	3 1	2 1	
27	Suicide	M F	34 14	— —	— —	— —	— 2	4 6	10 6	15 4	5 2	9 —	— —	— —	— —	— —	3 —	5 —	1 —	
28	Other defined diseases	...		M F	874 845	169 126	25 19	15 11	26 10	10 21	69 81	202 188	358 389	110 101	23 17	7 —	— 1	1 2	3 4	8 7	24 20	
29	Causes ill-defined or unknown.			M F	9 8	2 —	1 4	2 —	— —	— —	— 1	3 2	1 1	3 1	1 —	2 1	— —	— —	— —	— —	— —	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	SOUTHAMPTON.										SOUTHPORT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	831	132	29	25	37	32	124	221	231	431	64	7	5	3	13	61	113	165		
	F	746	105	28	18	35	18	98	159	285	495	38	11	8	11	17	60	120	230		
1 Enteric fever ...	M	4	—	—	—	—	2	2	—	—	1	—	—	—	—	1	—	—			
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	17	6	6	5	—	—	—	—	—	2	2	—	—	—	—	—	—			
	F	13	4	4	3	2	—	—	—	—	2	—	—	1	—	1	—	—			
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	2	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—			
5 Whooping cough ...	M	4	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—			
	F	6	4	2	—	—	—	—	—	—	5	2	1	2	—	—	—	—			
6 Diphtheria and croup ...	M	14	—	2	2	9	1	—	—	—	1	—	—	—	—	1	—	—			
	F	15	—	2	4	9	—	—	—	—	1	—	—	—	1	—	—	—			
7 Influenza ...	M	6	—	1	—	—	—	1	3	1	2	—	—	1	—	—	1	—			
	F	14	—	—	—	1	—	4	3	6	6	—	—	—	—	1	2	3			
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Pulmonary tuberculosis	M	87	—	—	2	1	13	44	25	2	39	—	—	—	—	4	19	13			
	F	57	—	1	1	5	9	21	16	4	26	—	—	—	—	8	12	6			
10 Tuberculous meningitis	M	12	1	2	2	6	1	—	—	—	7	2	2	2	1	—	—	—			
	F	5	—	2	2	1	—	—	—	—	5	1	1	1	—	1	—	—			
11 Other tuberculous diseases.	M	14	3	—	1	2	—	5	2	1	4	1	1	—	—	—	1	1			
	F	4	—	1	—	1	—	1	—	1	7	1	2	—	1	1	1	—			
12 Cancer, malignant disease	M	51	—	—	—	—	—	4	27	20	38	—	—	—	—	3	15	20			
	F	84	—	—	—	1	—	10	40	33	62	—	—	—	—	6	21	35			
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—			
	F	3	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—			
14 Meningitis ...	M	8	—	1	1	2	1	1	1	1	4	3	—	—	—	—	1	—			
	F	6	3	1	1	1	—	—	—	—	3	—	—	1	1	—	1	—			
15 Organic heart disease ...	M	84	—	—	1	—	—	12	35	36	51	—	—	—	—	6	16	29			
	F	90	—	—	—	2	1	7	22	58	59	—	—	—	2	2	4	22			
16 Bronchitis ...	M	62	9	1	1	—	—	1	15	35	26	3	1	—	2	—	—	7			
	F	58	14	2	1	—	—	1	7	33	41	4	—	—	—	—	6	31			
17 Pneumonia (all forms)	M	47	12	5	3	2	1	4	14	6	37	3	—	1	—	1	8	12			
	F	33	7	1	2	—	—	10	5	8	36	1	3	2	2	2	3	10			
18 Other respiratory diseases	M	20	1	—	1	1	1	1	7	8	6	—	—	—	—	1	1	—			
	F	20	1	—	—	2	1	1	7	8	7	—	—	—	—	—	2	4			
19 Diarrhoea, &c. ...	M	34	18	7	3	—	—	—	2	4	29	22	—	—	—	—	1	—			
	F	21	12	7	—	—	—	1	—	1	14	8	1	—	—	—	1	3			
20 Appendicitis and typhlitis	M	9	—	—	—	2	4	1	1	1	1	—	—	—	—	—	1	—			
	F	3	—	—	—	—	1	1	—	1	2	—	—	—	—	—	1	—			
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	1	—	—	—	—	—	1	—			
	F	9	—	—	—	—	—	3	3	3	4	—	—	—	—	—	3	1			
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	29	—	—	—	—	1	3	9	16	22	1	—	1	—	1	2	7			
	F	22	—	—	—	—	1	4	8	9	14	—	1	—	—	—	8	4			
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	8	—	—	—	—	1	7	—	—	2	—	—	—	—	2	—	—			
25 Congenital debility, &c.	M	55	53	1	—	—	1	—	—	—	17	17	—	—	—	—	—	—			
	F	42	42	—	—	—	—	—	—	—	15	14	—	—	—	—	1	—			
26 Violence, apart from suicide.	M	37	2	1	—	5	2	12	12	3	14	—	—	—	—	2	6	4			
	F	16	3	—	—	4	—	2	1	6	4	—	—	—	1	—	—	2			
27 Suicide ...	M	4	—	—	—	—	—	3	1	—	7	—	—	—	—	3	2	1			
	F	3	—	—	—	—	—	—	3	—	5	—	—	—	—	—	3	—			
28 Other defined diseases ...	M	225	25	—	2	6	4	30	62	96	113	10	2	—	—	1	8	29			
	F	205	15	4	2	5	3	20	42	114	171	7	2	1	1	2	21	30			
29 Causes ill-defined or unknown.	M	2	—	2	—	—	—	—	—	—	6	—	1	—	—	—	1	3			
	F	2	—	—	1	—	—	1	—	—	2	—	—	—	—	—	1	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death	Sex.	SOUTH SHIELDS.										STOCKPORT.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,060	237	80	54	47	48	144	252	198	919	217	57	27	31	29	120	232	206		
	F	917	163	65	63	74	41	122	174	215	861	164	47	38	31	37	115	187	242		
1 Enteric fever ...	M	5	—	—	—	1	3	1	—	—	9	—	—	—	—	—	5	4	—		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	24	3	8	9	3	—	1	—	—	20	4	9	5	2	—	—	—	—		
	F	29	5	9	11	4	—	—	—	—	13	2	7	1	3	—	—	—	—		
4 Scarlet fever ...	M	18	—	2	8	7	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	12	1	1	5	5	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	5	1	3	1	—	—	—	—	—	5	4	1	—	—	—	—	—	—		
	F	6	2	3	1	—	—	—	—	—	9	2	4	2	1	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	1	1	—	—	1	—	—	7	—	—	3	3	1	—	—	—		
	F	5	—	—	1	4	—	—	—	—	7	1	1	2	3	—	—	—	—		
7 Influenza ...	M	26	—	1	—	1	—	8	9	7	9	1	—	—	—	1	4	1	2		
	F	14	—	—	1	1	1	6	1	4	11	—	—	—	1	1	—	6	3		
8 Erysipelas ...	M	5	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	76	1	1	1	1	17	28	27	—	86	—	—	1	1	12	41	30	1		
	F	71	—	—	1	7	18	31	13	1	73	1	1	—	8	20	30	12	1		
10 Tuberculous meningitis	M	10	—	3	3	4	—	—	—	—	13	1	3	4	5	—	—	—	—		
	F	17	1	—	6	9	—	1	—	—	13	5	1	7	—	—	—	—	—		
11 Other tuberculous diseases.	M	19	—	4	5	6	1	2	—	1	15	3	5	1	3	1	—	2	—		
	F	28	1	10	4	7	2	3	1	—	13	2	4	3	—	—	2	2	—		
12 Cancer, malignant disease	M	51	—	—	2	1	—	7	28	13	51	—	—	—	1	—	6	19	25		
	F	50	1	—	—	—	—	10	20	19	66	—	—	—	—	—	13	33	20		
13 Rheumatic fever ...	M	3	—	—	—	1	1	1	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	—	—	1	1	1	—	2	—	—	—	2	—	—	—	—		
14 Meningitis ...	M	9	1	1	3	2	1	—	—	1	7	—	3	2	2	—	—	—	—		
	F	9	—	3	1	5	—	—	—	—	7	1	2	1	2	—	1	—	—		
15 Organic heart disease ...	M	89	—	—	—	—	2	14	39	34	87	—	—	—	1	—	7	44	35		
	F	84	—	—	—	3	4	14	34	29	101	—	—	—	2	6	12	43	38		
16 Bronchitis ...	M	93	32	15	3	—	—	3	19	21	52	12	4	—	—	1	—	13	22		
	F	74	18	8	5	1	—	—	15	27	84	10	1	2	—	1	3	21	46		
17 Pneumonia (all forms)	M	90	12	22	8	2	5	16	20	5	90	13	9	4	6	1	16	28	13		
	F	52	8	5	12	3	4	7	7	6	58	7	5	5	3	2	8	14	14		
18 Other respiratory diseases	M	13	3	—	3	1	—	3	1	2	13	—	1	1	—	1	—	4	6		
	F	9	2	1	—	1	—	—	3	2	10	2	—	1	2	—	1	2	2		
19 Diarrhoea, &c ...	M	45	30	4	4	3	—	1	2	1	79	56	12	3	1	2	2	3	—		
	F	40	19	12	2	2	—	1	2	2	60	41	13	2	—	—	—	2	2		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	4	—	—	—	—	1	3	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	10	—	—	—	—	—	2	5	3		
	F	6	—	—	—	—	—	2	3	1	7	—	—	—	—	—	2	4	1		
21A Alcoholism ...	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1	—	1		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	37	1	—	1	4	2	2	17	10	32	1	—	—	1	4	6	11	9		
	F	39	1	1	2	5	1	7	19	3	21	2	1	—	—	2	4	5	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	11	—	—	—	—	2	9	—	—	14	—	—	—	—	2	12	—	—		
25 Congenital debility, &c.	M	93	91	—	1	1	—	—	—	—	87	87	—	—	—	—	—	—	—		
	F	70	70	—	—	—	—	—	—	—	65	65	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	52	4	—	—	3	11	22	7	5	28	2	—	1	3	2	8	6	6		
	F	20	1	1	3	2	—	2	5	6	20	2	2	6	1	—	1	3	5		
27 Suicide ...	M	8	—	—	—	—	—	2	5	1	4	—	—	—	—	—	3	1	—		
	F	—3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	1	—		
28 Other defined diseases ...	M	270	58	13	1	5	4	30	66	93	202	33	4	2	1	2	16	61	83		
	F	247	32	9	7	15	5	20	46	113	193	21	4	5	3	2	20	35	103		
29 Causes ill-defined or unknown.	M	8	—	2	—	—	—	1	3	2	6	—	6	—	—	—	—	—	—		
	F	9	1	2	1	—	—	1	2	2	2	—	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	STOKE ON TRENT.										SUNDERLAND.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	2,323	684	221	138	89	74	255	514	348	1,429	362	107	71	65	50	159	323	292		
	F	2,186	596	200	154	104	89	253	380	410	1,266	264	118	78	68	41	156	251	290		
1 Enteric fever	M	13	—	—	—	4	4	3	2	—	1	—	—	—	1	—	—	—	—		
	F	10	—	—	—	5	3	2	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	123	21	56	35	11	—	—	—	—	40	5	19	13	3	—	—	—	—		
	F	108	23	36	40	9	—	—	—	—	40	7	16	14	3	—	—	—	—		
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	9	—	—	4	5	—	—	—	—		
	F	2	—	1	—	1	—	—	—	—	9	—	1	4	3	—	1	—	—		
5 Whooping cough	M	52	25	16	10	1	—	—	—	—	9	5	1	3	—	—	—	—	—		
	F	63	26	23	14	—	—	—	—	—	10	6	—	3	1	—	—	—	—		
6 Diphtheria and croup	M	45	—	6	23	15	—	1	—	—	11	2	1	4	4	—	—	—	—		
	F	49	—	4	23	22	—	—	—	—	11	—	—	5	6	—	—	—	—		
7 Influenza	M	17	2	—	1	—	2	2	9	1	4	—	—	—	—	—	—	4	—		
	F	18	—	—	—	—	1	7	7	3	3	—	—	—	—	—	—	1	2		
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	170	1	2	2	5	18	69	67	6	89	1	3	1	6	13	39	24	2		
	F	133	3	1	3	15	35	60	14	2	89	1	1	1	14	17	38	16	1		
10 Tuberculous meningitis {	M	20	8	1	5	4	2	—	—	—	14	3	2	2	6	1	—	—	—		
	F	18	2	5	2	8	1	—	—	—	15	3	3	2	5	1	1	—	—		
11 Other tuberculous dis- {	M	49	18	7	4	8	4	3	5	—	28	3	5	7	5	1	5	1	1		
eases. {	F	42	17	5	3	7	4	3	2	1	23	4	7	2	5	—	3	1	1		
12 Cancer, malignant disease {	M	65	—	—	—	—	—	8	39	18	72	—	—	—	—	—	7	39	26		
	F	113	—	—	—	—	2	22	59	30	89	—	—	1	—	—	17	50	21		
13 Rheumatic fever	M	7	—	—	—	3	1	2	1	—	3	—	—	—	1	1	—	1	—		
	F	5	—	—	—	2	1	1	1	—	3	—	—	—	—	—	1	2	—		
14 Meningitis	M	33	9	6	10	3	1	4	—	—	17	6	2	3	4	—	2	—	—		
	F	26	7	4	5	5	3	2	—	—	21	8	3	5	2	—	3	—	—		
15 Organic heart disease	M	168	—	—	—	1	8	27	86	46	105	—	—	—	1	5	10	50	39		
	F	163	—	—	1	4	4	29	67	58	83	—	—	—	2	3	8	34	36		
16 Bronchitis	M	228	52	20	4	—	1	16	73	62	134	41	9	6	2	—	5	22	49		
	F	206	50	14	8	—	—	11	48	75	107	32	11	4	—	—	5	18	37		
17 Pneumonia (all forms) {	M	185	63	45	21	3	2	23	19	9	155	33	16	14	7	9	21	40	15		
	F	171	59	48	22	7	6	8	15	6	118	32	29	16	6	6	8	10	11		
18 Other respiratory diseases {	M	40	2	1	—	2	1	6	21	7	8	—	—	—	—	—	2	4	2		
	F	20	3	2	3	—	2	3	5	2	10	1	—	—	—	—	2	5	2		
19 Diarrhoea, &c.	M	180	126	37	4	—	1	4	4	4	105	62	29	3	4	—	1	4	2		
	F	155	105	32	10	1	1	3	1	2	99	58	27	6	1	—	3	2	2		
20 Appendicitis and typhlitis {	M	8	—	—	—	2	3	2	1	—	7	—	—	—	2	1	3	1	—		
	F	3	—	—	1	1	—	1	—	—	3	—	—	—	1	1	1	—	—		
21 Cirrhosis of liver	M	17	—	—	—	—	—	1	12	4	11	—	—	—	—	—	2	7	2		
	F	13	—	—	—	—	—	4	8	1	9	—	—	—	—	—	2	5	2		
21A Alcoholism	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	52	2	1	—	3	1	8	29	8	42	—	1	1	1	—	6	15	18		
disease. {	F	60	3	2	1	—	3	17	27	7	39	—	3	2	2	1	8	20	3		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	2	5	—	—	8	—	—	—	—	4	4	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever. {	F	19	—	—	—	—	1	17	1	—	19	—	—	—	—	4	14	1	—		
25 Congenital debility, &c. {	M	249	242	4	1	1	1	—	—	—	127	127	—	—	—	—	—	—	—		
	F	185	185	—	—	—	—	—	—	—	84	83	1	—	—	—	—	—	—		
26 Violence, apart from {	M	87	9	3	11	12	12	16	19	5	73	7	3	3	10	9	22	16	3		
suicide. {	F	46	8	1	9	6	2	5	7	8	28	3	5	7	3	—	2	4	4		
27 Suicide	M	20	—	—	—	—	2	10	6	2	10	—	—	—	—	1	3	6	—		
	F	7	—	—	—	—	2	3	2	—	6	—	—	—	—	—	3	3	—		
28 Other defined diseases	M	477	103	11	6	10	9	47	117	174	345	67	11	7	3	9	30	89	129		
	F	521	102	11	8	10	15	50	112	213	330	26	9	3	13	4	31	76	168		
29 Causes ill-defined or un- {	M	13	—	5	—	—	1	2	3	2	7	—	5	—	—	—	1	—	1		
known. {	F	20	3	11	1	1	1	—	2	1	9	—	2	3	1	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	TYNEMOUTH.									WALLASEY.*								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	498	102	28	32	19	22	61	116	118	503	91	28	20	15	24	74	133	118
	F	462	111	24	25	23	17	59	84	119	508	68	15	14	13	13	75	117	193
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
	F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	3	—	3	—	—	—	—	—	—	5	—	3	2	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	8	1	3	2	1	1	—	—	—
4 Scarlet fever ...	M	6	—	1	3	1	—	1	—	—	2	—	—	1	—	1	—	—	—
	F	7	1	—	3	3	—	—	—	—	4	—	—	—	3	—	1	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	10	5	3	1	1	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6 Diphtheria and croup ...	M	7	—	1	3	3	—	—	—	—	3	—	1	1	1	—	—	—	—
	F	4	—	—	2	2	—	—	—	—	3	—	—	1	1	—	1	—	—
7 Influenza ...	M	4	—	—	1	—	—	—	2	1	8	1	1	—	—	—	—	4	2
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	3	—	—
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	33	—	—	—	10	14	9	—	—	38	—	—	1	1	7	14	15	—
	F	26	—	—	1	7	14	1	1	—	33	1	1	1	1	2	15	8	4
10 Tuberculous meningitis	M	3	2	—	—	1	—	—	—	—	10	3	1	4	2	—	—	—	—
	F	6	1	—	3	2	—	—	—	—	5	2	2	1	—	—	—	—	—
11 Other tuberculous diseases.	M	14	3	5	4	1	1	—	—	—	8	2	2	3	—	1	—	—	—
	F	16	7	3	1	3	1	—	1	—	3	—	—	1	—	1	1	—	—
12 Cancer, malignant disease	M	26	—	—	1	—	—	3	10	12	30	—	—	—	1	—	2	11	16
	F	38	—	—	—	—	—	10	15	13	62	—	—	—	—	1	6	27	28
13 Rheumatic fever ...	M	3	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
14 Meningitis ...	M	6	4	—	2	—	—	—	—	—	9	2	2	2	—	1	2	—	—
	F	6	3	1	—	2	—	—	—	—	4	1	—	1	—	—	1	1	—
15 Organic heart disease ...	M	41	—	—	—	3	—	6	20	12	54	—	—	—	—	1	8	24	21
	F	36	—	—	—	2	3	4	17	10	62	—	—	—	—	1	10	14	37
16 Bronchitis ...	M	42	7	4	3	—	—	3	6	19	22	7	—	—	—	—	1	6	8
	F	44	7	2	—	—	—	1	7	27	46	2	3	—	—	—	1	9	31
17 Pneumonia (all forms)	M	35	5	4	6	1	2	3	10	4	54	7	7	2	3	3	9	17	6
	F	26	6	2	4	1	1	4	4	4	31	10	2	—	1	2	6	6	4
18 Other respiratory diseases	M	7	—	—	—	1	1	2	3	—	4	—	—	—	—	1	1	1	1
	F	6	—	—	1	—	—	2	2	—	8	2	—	—	2	—	1	1	2
19 Diarrhoea, &c. ...	M	32	17	5	5	1	2	1	—	1	30	23	4	—	1	—	2	—	—
	F	33	21	7	2	—	—	1	1	1	16	12	—	3	—	—	—	—	1
20 Appendicitis and typhlitis	M	5	—	1	—	—	1	3	—	—	4	—	—	—	—	—	3	—	1
	F	1	—	—	—	1	—	—	—	—	5	1	—	—	—	—	4	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	12	—	—	—	—	—	2	5	5
	F	6	—	—	—	—	—	1	5	—	2	—	—	—	—	—	—	2	—
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	12	—	—	—	—	—	2	5	5	19	—	—	—	—	—	1	8	10
	F	9	—	—	1	—	—	2	3	3	17	—	—	—	—	—	1	11	5
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	1	6	—	—	—	—	—	—	—	1	7	—	—
	F	7	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	M	36	36	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
	F	38	28	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	24	1	—	2	2	2	7	8	2	21	1	—	2	2	4	10	2	—
	F	14	4	3	2	2	1	—	—	2	10	2	—	1	—	—	2	2	3
27 Suicide ...	M	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	3	1
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
28 Other defined diseases ...	M	139	26	2	2	5	2	13	34	55	128	17	3	1	3	5	18	34	47
	F	123	22	3	3	3	1	10	25	56	141	10	3	2	4	2	12	32	76
29 Causes ill-defined or unknown.	M	8	—	2	—	—	1	2	3	—	2	—	1	—	—	—	—	1	—
	F	6	—	2	—	—	—	2	2	—	1	—	1	—	—	—	—	—	—

* Constituted a County Borough on 1st April, 1913. The figures shown above relate to the whole year.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	WALSALL.										WARRINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	885	264	79	54	28	37	99	167	157	606	150	46	30	27	32	102	123	96		
	F	720	175	55	61	35	26	83	131	154	554	132	52	36	29	23	70	101	111		
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	6	—	—	—	1	—	5	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	1	—	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	62	10	29	19	4	—	—	—	—	11	1	5	4	1	—	—	—	—		
	F	52	11	16	19	6	—	—	—	—	14	4	2	5	2	—	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ...	M	7	4	1	2	—	—	—	—	—	12	4	6	2	—	—	—	—	—		
	F	10	3	5	2	—	—	—	—	—	12	5	4	3	—	—	—	—	—		
6 Diphtheria and croup	M	5	—	—	5	—	—	—	—	—	3	—	—	3	—	—	—	—	—		
	F	9	1	1	4	3	—	—	—	—	6	2	1	3	—	—	—	—	—		
7 Influenza ...	M	7	—	—	—	—	1	—	5	1	9	—	—	—	2	—	3	3	1		
	F	3	—	—	—	—	—	1	—	2	6	—	—	—	1	1	1	1	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
	F	1	—	—	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—		
9 Pulmonary tuberculosis	M	78	—	2	1	6	10	31	24	4	75	1	—	1	2	12	31	25	3		
	F	46	1	1	1	5	13	20	3	2	36	1	—	3	3	9	15	5	—		
10 Tuberculous meningitis	M	4	2	1	—	—	—	1	—	—	4	2	1	—	—	—	—	1	—		
	F	8	2	1	3	2	—	—	—	—	7	2	3	1	1	—	—	—	—		
11 Other tuberculous diseases.	M	14	1	3	3	2	3	1	—	1	14	4	4	1	3	2	—	—	—		
	F	9	1	—	1	2	3	1	1	—	14	3	3	1	5	—	1	1	—		
12 Cancer, malignant disease	M	25	—	—	—	—	2	2	13	8	36	—	—	—	—	3	4	22	7		
	F	47	—	—	—	—	—	12	23	12	33	—	1	—	—	—	7	14	11		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	2	—	—	—	1	—	1	—	—		
	F	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	7	2	2	—	—	2	—	1	—	11	5	1	3	1	1	—	—	—		
	F	7	—	3	2	—	—	2	—	—	7	2	3	2	—	—	—	—	—		
15 Organic heart disease ...	M	43	—	—	—	1	3	9	13	17	33	—	—	—	1	3	8	11	10		
	F	41	—	—	—	1	3	7	16	14	44	—	—	—	1	5	7	16	15		
16 Bronchitis ...	M	65	15	7	1	—	—	2	16	24	36	17	4	—	—	—	1	5	9		
	F	47	13	2	1	1	—	—	15	15	42	13	2	—	—	—	3	10	14		
17 Pneumonia (all forms)	M	93	21	8	8	3	7	14	22	10	60	17	8	4	—	1	13	8	9		
	F	65	13	15	11	8	1	7	5	5	53	11	9	5	4	4	9	10	1		
18 Other respiratory diseases	M	11	—	—	—	1	1	1	6	2	5	—	—	1	—	1	3	—	—		
	F	8	—	—	1	—	—	1	1	5	4	—	—	—	1	—	—	1	2		
19 Diarrhoea, &c. ...	M	95	68	11	8	1	—	2	1	4	49	32	12	4	—	—	—	—	1		
	F	61	41	6	7	—	—	—	7	—	44	22	17	1	—	—	—	1	3		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	8	—	—	—	2	2	4	—	—		
	F	5	—	—	—	3	1	1	—	—	3	—	—	—	1	1	—	1	—		
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	2	—		
	F	8	—	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	5	—	—	—	—	—	4	1	—		
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	14	1	—	—	1	—	3	7	2	12	—	—	—	1	—	4	4	3		
	F	17	—	1	1	1	—	5	7	2	6	—	—	1	—	—	1	4	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	7	—	—	—	—	—	7	—	—		
25 Congenital debility, &c.	M	86	86	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—		
	F	58	58	—	—	—	—	—	—	—	37	36	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	36	5	2	5	5	2	7	5	5	30	—	2	3	5	3	6	10	1		
	F	16	4	1	4	1	—	—	—	6	16	—	2	4	2	—	2	4	2		
27 Suicide ...	M	9	—	—	—	—	1	3	5	—	8	—	—	—	—	1	5	1	1		
	F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases	M	205	49	7	2	2	4	20	43	78	116	22	2	2	4	1	8	26	51		
	F	183	27	2	4	—	3	14	43	90	141	30	5	4	5	3	7	27	60		
29 Causes ill-defined or unknown.	M	7	—	6	—	—	—	—	—	1	6	—	—	—	1	1	—	4	—		
	F	3	—	1	—	1	—	—	1	—	10	—	—	—	1	—	2	6	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	632	160	78	60	19	21	57	112	125	2,293	538	144	82	97	83	297	536	51		
	F	608	131	73	52	25	20	52	105	150	1,981	430	148	95	73	88	228	405	51		
1 Enteric fever ...	M	2	—	—	—	—	—	1	—	1	3	—	—	1	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	8	—	—	1	4	—	3	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	90	15	32	36	7	—	—	—	—	32	8	14	8	2	—	—	—	—		
	F	74	11	28	27	8	—	—	—	—	34	5	17	8	4	—	—	—	—		
4 Scarlet fever ...	M	1	—	1	—	—	—	—	—	—	7	1	1	1	4	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	9	—	2	3	3	1	—	—	—		
5 Whooping cough ...	M	5	1	3	1	—	—	—	—	—	28	9	13	4	2	—	—	—	—		
	F	6	4	2	—	—	—	—	—	—	24	7	12	4	1	—	—	—	—		
6 Diphtheria and croup ...	M	2	1	—	1	—	—	—	—	—	8	2	3	1	2	—	—	—	—		
	F	5	—	1	3	1	—	—	—	—	20	1	1	8	9	—	1	—	—		
7 Influenza ...	M	5	—	—	—	—	—	1	4	—	38	1	1	1	1	3	6	15	10		
	F	3	—	—	1	—	—	2	—	—	27	3	1	2	—	2	2	7	10		
8 Erysipelas ...	M	2	—	—	—	—	—	—	1	1	6	1	—	—	—	1	1	2	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
9 Pulmonary tuberculosis	M	42	—	—	—	1	8	22	10	1	205	3	3	3	9	23	86	67	17		
	F	26	—	1	1	—	5	10	9	—	136	1	1	1	6	32	65	24	6		
10 Tuberculous meningitis	M	4	—	1	1	1	—	—	1	—	36	4	6	10	16	—	—	—	—		
	F	6	2	1	2	—	—	1	—	—	31	7	7	11	4	1	1	—	—		
11 Other tuberculous diseases.	M	7	3	1	1	—	—	1	1	—	34	9	4	3	5	4	5	2	2		
	F	6	1	1	2	1	1	—	—	—	20	3	5	3	3	2	3	1	—		
12 Cancer, malignant disease	M	28	—	—	—	—	—	3	14	11	115	—	—	1	—	—	11	62	41		
	F	38	—	—	—	—	1	4	20	13	135	—	—	1	—	—	19	64	51		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	11	1	—	—	1	1	4	3	1		
	F	2	—	—	—	—	—	1	1	—	12	—	—	—	3	4	4	1	—		
14 Meningitis ...	M	7	3	2	1	—	—	—	—	1	9	5	—	1	2	1	—	—	—		
	F	6	1	2	—	1	—	1	1	—	10	2	1	2	3	—	2	—	—		
15 Organic heart disease ...	M	27	—	—	—	3	1	6	7	10	174	—	2	—	3	9	22	78	60		
	F	38	—	—	—	2	3	6	15	12	181	—	1	—	3	9	31	70	67		
16 Bronchitis ...	M	62	17	3	3	—	—	2	17	20	232	43	13	6	1	2	12	50	105		
	F	52	9	5	—	1	—	2	10	25	198	31	8	2	1	1	7	53	95		
17 Pneumonia (all forms)...	M	43	7	11	7	1	4	2	7	4	208	58	32	20	9	9	29	31	20		
	F	35	9	11	3	2	—	3	2	5	150	47	29	23	5	2	11	22	11		
18 Other respiratory diseases	M	5	—	—	—	—	—	2	2	1	25	—	1	1	3	2	2	11	5		
	F	5	—	—	1	1	1	1	—	1	23	1	—	2	—	—	1	11	8		
19 Diarrhoea, &c. ...	M	54	36	14	2	—	1	—	—	1	207	146	37	8	3	—	3	5	5		
	F	44	25	10	7	—	—	—	—	2	176	118	42	10	1	—	2	1	2		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	7	—	—	—	2	1	2	—	—		
	F	2	—	—	—	1	—	—	1	—	8	—	—	—	—	3	2	2	1		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	22	—	—	—	—	—	4	13	5		
	F	6	—	—	—	—	—	—	6	—	19	—	—	—	1	—	4	12	2		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
22 Nephritis and Bright's disease.	M	17	1	1	—	—	2	1	6	6	62	—	—	—	1	1	9	35	16		
	F	20	—	1	—	1	—	2	7	9	62	—	1	—	3	5	9	25	19		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	7	—	—	—	—	3	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	10	—	—	—	—	3	7	—	—		
25 Congenital debility, &c.	M	57	56	—	1	—	—	—	—	—	184	180	2	—	1	1	—	—	—		
	F	42	42	—	—	—	—	—	—	—	145	144	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	22	1	—	2	3	3	6	5	2	116	13	2	4	16	9	29	23	20		
	F	12	—	1	2	3	1	—	3	2	55	15	2	2	4	4	6	6	16		
27 Suicide ...	M	5	—	—	—	1	1	1	1	1	21	—	—	—	—	4	9	6	2		
	F	4	—	—	—	—	2	—	2	—	5	—	—	—	—	—	3	2	—		
28 Other defined diseases ...	M	133	18	8	4	1	1	8	29	64	500	54	9	9	14	10	63	129	212		
	F	161	27	6	1	3	5	13	26	80	466	45	14	11	15	16	36	103	226		
29 Causes ill-defined or unknown.	M	5	1	1	—	1	—	—	2	—	2	—	1	—	—	—	—	1	—		
	F	6	—	3	1	—	—	—	1	1	5	—	3	1	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	WEST HARTLEPOOL.									WIGAN.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	
ALL CAUSES	...	M	568	143	43	32	23	22	71	124	110	901	241	85	64	32	35	105	186	153	
		F	486	120	45	34	26	20	53	79	109	793	219	93	64	37	36	72	131	141	
1. Enteric fever	...	M	6	—	—	—	—	2	1	3	—	9	—	—	—	3	1	2	2	1	
		F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	2	1	1	
2. Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Measles	...	M	14	4	4	6	—	—	—	—	—	52	10	15	23	4	—	—	—	—	
		F	6	—	3	2	1	—	—	—	—	66	14	25	21	6	—	—	—	—	
4. Scarlet fever	...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—	
5. Whooping cough	...	M	4	3	—	1	—	—	—	—	—	6	2	2	2	—	—	—	—	—	
		F	11	7	4	—	—	—	—	—	—	15	4	6	4	1	—	—	—	—	
6. Diphtheria and croup	...	M	2	—	1	1	—	—	—	—	—	3	—	1	—	1	1	—	—	—	
		F	4	—	1	2	1	—	—	—	—	3	—	—	2	1	—	—	—	—	
7. Influenza	...	M	8	1	—	—	—	1	1	—	5	7	1	—	—	—	—	2	3	1	
		F	7	1	—	—	—	—	1	3	2	4	1	—	—	1	—	1	1	1	
8. Erysipelas	...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
		F	1	1	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	—	
9. Pulmonary tuberculosis		M	33	1	2	2	3	4	13	8	—	47	—	—	1	2	11	19	14	—	
		F	38	1	1	—	3	13	17	3	—	39	1	—	1	4	11	17	4	1	
10. Tuberculous meningitis		M	7	—	1	4	2	—	—	—	—	15	5	4	3	1	1	1	—	—	
		F	11	2	3	3	3	—	—	—	—	11	—	3	4	3	—	1	—	—	
11. Other tuberculous diseases.		M	22	2	7	6	5	1	1	—	—	18	7	5	3	—	1	2	—	—	
		F	18	3	6	2	5	—	2	—	—	14	3	3	4	1	2	1	—	—	
12. Cancer, malignant disease		M	31	—	—	—	—	2	2	14	13	27	—	—	—	—	—	2	17	8	
		F	27	—	—	—	1	—	6	10	10	26	—	—	—	—	—	4	15	7	
13. Rheumatic fever	...	M	2	—	—	—	2	—	—	—	—	3	—	—	—	—	2	—	1	—	
		F	3	—	—	—	2	1	—	—	—	1	—	—	1	—	—	—	—	—	
14. Meningitis	...	M	7	—	3	2	2	—	—	—	—	10	3	2	2	3	—	—	—	—	
		F	8	—	2	4	1	—	—	—	1	7	1	2	1	2	—	1	—	—	
15. Organic heart disease	...	M	55	—	—	—	—	1	7	27	20	58	—	—	—	1	2	14	26	15	
		F	42	—	—	—	—	2	6	17	17	40	—	—	—	2	3	8	16	11	
16. Bronchitis	...	M	49	19	6	1	—	—	1	7	15	102	25	6	2	1	—	5	23	40	
		F	47	16	5	1	1	1	1	3	19	104	17	4	4	—	—	4	36	39	
17. Pneumonia (all forms)		M	57	11	10	1	2	3	11	13	6	121	34	14	16	3	4	21	26	3	
		F	47	13	8	10	1	—	4	7	4	95	32	22	10	5	5	8	9	4	
18. Other respiratory diseases		M	9	1	—	—	—	—	—	3	5	9	3	2	1	1	—	—	2	—	
		F	10	—	1	3	—	—	—	4	2	10	1	—	3	1	—	—	4	1	
19. Diarrhoea, &c.	...	M	30	15	5	5	—	—	2	2	1	71	47	19	3	—	—	1	1	—	
		F	26	15	8	3	—	—	—	—	—	60	40	16	1	—	—	2	1	—	
20. Appendicitis and typhlitis		M	1	—	—	—	—	1	—	—	—	5	—	—	1	—	2	1	1	—	
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1	
21. Cirrhosis of liver	...	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	1	1	
		F	1	—	—	—	—	—	—	1	—	6	—	—	—	—	—	2	4	—	
21A. Alcoholism	...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	1	1	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22. Nephritis and Bright's disease.		M	14	—	—	—	—	1	4	3	6	23	1	1	—	2	2	6	5	6	
		F	12	—	—	—	2	1	2	4	3	12	1	—	1	1	2	2	2	3	
23. Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
24. Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	4	—	—	10	—	—	—	—	3	7	—	—	
25. Congenital debility, &c.		M	60	59	1	—	—	—	—	—	—	78	77	—	1	—	—	—	—	—	
		F	52	52	—	—	—	—	—	—	—	77	77	—	—	—	—	—	—	—	
26. Violence, apart from suicide.		M	29	1	1	1	3	3	12	7	1	49	—	1	4	8	3	11	14	8	
		F	5	1	—	—	1	—	1	—	2	15	—	—	3	4	1	—	6	1	
27. Suicide	...	M	9	—	—	—	—	—	2	7	—	6	—	—	—	—	1	2	1	2	
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	—	1	—	
28. Other defined diseases	...	M	110	26	1	2	3	3	13	25	37	161	26	7	1	2	3	13	44	65	
		F	97	8	3	3	2	1	7	25	48	157	26	7	3	4	2	15	30	70	
29. Causes ill-defined or unknown.		M	3	—	1	—	—	—	—	2	—	15	—	6	1	—	—	1	4	3	
		F	1	—	—	—	—	—	—	—	1	7	—	5	1	—	1	—	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.	Sex.	YORK.										CARDIFF.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	493	106	19	12	18	15	66	122	135	1,377	297	53	55	47	69	201	353	302		
	F	542	79	21	18	16	15	60	119	214	1,136	253	47	38	55	61	162	234	286		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	4	—	—	—	—	1	3	—	—		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	8	1	5	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	7	1	1	4	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	9	—	1	5	3	—	—	—	—		
5 Whooping cough ...	M	4	1	2	1	—	—	—	—	—	8	5	3	—	—	—	—	—	—		
	F	7	3	3	1	—	—	—	—	—	9	4	2	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	22	1	4	9	6	2	—	—	—		
	F	7	—	2	1	4	—	—	—	—	18	—	1	7	10	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	2	1	2	14	2	—	1	—	1	3	4	3		
	F	18	—	—	—	—	1	2	3	12	5	1	—	—	—	1	—	2	1		
8 Erysipelas ...	M	2	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	43	1	—	—	4	7	22	7	2	131	1	2	1	4	19	58	41	5		
	F	31	1	1	—	—	5	15	6	3	107	1	—	—	10	25	51	19	1		
10 Tuberculous meningitis	M	3	—	1	2	—	—	—	—	—	13	1	1	5	3	2	1	—	—		
	F	5	1	—	1	2	1	—	—	—	14	2	2	1	4	1	4	—	—		
11 Other tuberculous diseases.	M	7	1	1	1	1	1	2	—	—	27	6	3	1	3	5	8	1	—		
	F	6	—	—	1	2	1	2	—	—	20	9	3	3	1	2	1	1	—		
12 Cancer, malignant disease	M	27	—	—	—	—	—	2	16	9	75	—	—	—	—	—	13	40	22		
	F	52	—	—	—	—	—	3	22	27	86	—	—	—	—	—	16	40	30		
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	6	—	—	—	2	3	1	—	—		
	F	4	—	—	—	3	—	—	1	—	9	—	—	—	4	4	—	—	1		
14 Meningitis ...	M	7	3	3	1	—	—	—	—	—	12	4	2	5	—	—	—	1	—		
	F	4	1	1	1	—	—	—	1	—	11	4	1	2	3	—	1	—	—		
15 Organic heart disease ...	M	51	—	—	—	1	—	5	23	22	119	—	—	1	3	4	16	56	39		
	F	65	—	—	—	—	1	3	18	43	110	—	—	—	4	2	17	44	43		
16 Bronchitis ...	M	27	7	2	—	1	—	—	5	12	107	23	2	—	—	1	4	23	54		
	F	33	6	—	1	—	—	—	5	21	90	16	4	1	—	—	2	14	53		
17 Pneumonia (all forms)	M	30	10	3	3	1	—	5	8	—	100	22	10	8	3	2	22	25	8		
	F	27	12	5	2	—	1	3	2	2	58	20	7	4	3	4	5	8	7		
18 Other respiratory diseases	M	11	2	1	1	—	—	—	4	3	21	3	—	1	1	—	1	9	6		
	F	16	1	—	2	—	1	1	4	7	17	—	1	1	—	—	2	5	8		
19 Diarrhoea, &c. ...	M	24	18	1	—	—	—	3	1	1	91	64	14	1	1	1	2	2	6		
	F	26	13	7	1	—	—	2	—	3	96	69	13	—	—	1	4	2	7		
20 Appendicitis and typhlitis	M	4	—	—	—	3	—	—	1	—	11	—	—	—	1	6	2	1	1		
	F	3	—	—	—	—	—	2	1	—	4	—	—	—	1	2	1	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	15	—	—	—	—	—	3	8	4		
	F	3	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	5	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	13	—	—	—	—	1	3	2	7	38	1	—	1	—	3	8	16	9		
	F	22	—	—	—	—	—	4	10	8	25	—	—	—	—	3	5	12	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	4	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	—	4	—	—	12	—	—	—	—	1	11	—	—		
25 Congenital debility, &c.	M	45	44	1	—	—	—	—	—	—	104	103	1	—	—	—	—	—	—		
	F	26	25	—	1	—	—	—	—	—	78	77	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	18	1	1	1	4	2	6	2	1	94	3	3	8	11	13	16	27	13		
	F	18	—	1	3	2	1	3	4	4	29	1	1	5	4	3	4	3	8		
27 Suicide ...	M	7	—	—	—	—	1	2	3	1	10	—	—	—	—	3	4	3	—		
	F	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases	M	157	18	3	2	1	2	10	46	75	333	54	2	8	7	3	33	94	132		
	F	157	16	1	3	3	3	13	35	83	309	48	9	5	8	8	34	76	121		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	2	—	—	3	1	—	—	—	—	2	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN COUNTY BOROUGH—1913—*cont.*

Causes of Death.		Sex.	MERTHYR TYDFIL.										SWANSEA.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	{	M	612	159	18	29	26	26	83	142	129	909	230	47	32	23	35	141	213	188	
			F	528	141	31	25	24	21	71	105	110	815	193	48	26	22	44	102	154	226	
1 Enteric fever	...	{	M	4	—	—	—	2	1	1	—	—	5	—	—	—	—	1	3	1	—	
			F	4	—	—	1	1	1	1	—	—	2	—	—	—	1	1	—	—	—	
2 Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	...	{	M	5	1	1	3	—	—	—	—	—	9	3	4	2	—	—	—	—	—	
			F	2	1	—	1	—	—	—	—	—	4	1	—	2	1	—	—	—	—	
4 Scarlet fever	...	{	M	4	—	—	1	3	—	—	—	—	2	—	—	2	—	—	—	—	—	
			F	2	—	—	—	2	—	—	—	—	1	—	—	—	—	1	—	—	—	
5 Whooping cough	...	{	M	3	2	—	1	—	—	—	—	—	8	1	6	1	—	—	—	—	—	
			F	6	1	2	3	—	—	—	—	—	7	1	5	1	—	—	—	—	—	
6 Diphtheria and croup	...	{	M	5	—	—	3	2	—	—	—	—	10	—	2	4	4	—	—	—	—	
			F	9	—	—	4	5	—	—	—	—	16	4	3	4	4	—	1	—	—	
7 Influenza	...	{	M	4	—	—	—	—	1	3	—	—	5	—	—	—	—	—	—	4	1	
			F	3	—	—	1	—	—	1	—	1	7	—	—	1	—	—	2	2	2	
8 Erysipelas	...	{	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Pulmonary tuberculosis		{	M	43	—	—	1	4	6	18	13	1	103	2	—	1	1	15	45	34	5	
			F	41	1	—	1	4	12	17	3	3	62	—	3	1	3	12	27	13	3	
10 Tuberculous meningitis		{	M	3	—	—	1	2	—	—	—	—	8	1	1	4	1	—	1	—	—	
			F	4	—	—	—	2	1	1	—	—	4	—	1	1	1	1	—	—	—	
11 Other tuberculous diseases.		{	M	2	—	—	—	1	—	1	—	—	4	1	—	—	1	2	—	—	—	
			F	6	—	—	1	1	—	2	1	1	9	3	—	—	1	1	2	1	1	
12 Cancer, malignant disease		{	M	20	—	—	1	—	—	4	11	4	49	—	—	2	—	—	2	25	20	
			F	24	—	—	2	—	—	5	13	4	46	—	—	—	—	—	9	22	15	
13 Rheumatic fever	...	{	M	3	—	—	—	2	1	—	—	—	6	—	—	—	3	1	1	1	—	
			F	2	—	—	—	1	—	1	—	—	2	—	—	—	—	1	—	—	1	
14 Meningitis	...	{	M	11	6	—	2	2	—	—	1	—	6	2	—	1	1	—	2	—	—	
			F	7	4	1	1	1	—	—	—	—	7	2	—	3	1	1	—	—	—	
15 Organic heart disease	...	{	M	43	—	—	—	—	—	11	13	19	59	—	—	—	—	—	11	26	22	
			F	53	—	1	—	1	2	8	27	14	72	—	—	—	2	6	12	24	28	
16 Bronchitis	...	{	M	55	22	2	2	—	—	2	12	15	68	17	4	1	—	—	1	19	26	
			F	41	9	2	1	—	—	3	7	19	77	25	5	—	—	—	2	14	31	
17 Pneumonia (all forms)		{	M	61	18	5	4	—	4	6	14	10	80	25	8	4	1	8	10	18	6	
			F	46	22	6	3	—	—	3	5	7	63	19	13	4	2	2	4	9	10	
18 Other respiratory diseases		{	M	10	1	—	1	—	—	1	4	3	16	—	1	3	—	—	3	5	4	
			F	12	2	—	2	2	—	—	3	3	10	—	—	4	—	—	2	1	3	
19 Diarrhoea, &c.	...	{	M	45	33	4	3	—	—	1	2	2	72	61	10	—	—	—	1	—	—	
			F	46	30	12	1	—	1	—	2	—	58	35	13	1	—	1	—	1	7	
20 Appendicitis and typhlitis		{	M	3	—	—	—	1	—	2	—	—	1	—	—	—	—	—	1	—	—	
			F	1	—	—	—	1	—	—	—	—	3	—	—	—	2	1	—	—	—	
21 Cirrhosis of liver	...	{	M	7	—	—	—	—	—	1	5	1	4	—	—	—	—	—	1	1	2	
			F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	
21A Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	
			F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	
22 Nephritis and Bright's disease.		{	M	15	—	—	—	—	—	1	11	3	23	—	—	1	—	—	3	14	5	
			F	15	—	1	1	2	—	2	5	4	21	—	—	—	1	1	2	14	3	
23 Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	1	3	—	—	
24 Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	9	—	—	—	—	2	7	—	—	16	—	—	—	—	6	9	1	—	
25 Congenital debility, &c.		{	M	44	42	—	1	1	—	—	—	—	63	63	—	—	—	—	—	—	—	
			F	39	39	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—	
26 Violence, apart from suicide.		{	M	39	1	1	5	4	6	9	11	2	45	—	—	3	6	3	18	12	3	
			F	5	—	2	—	1	—	—	2	—	19	1	—	3	—	3	—	4	8	
27 Suicide	...	{	M	5	—	—	—	—	1	—	4	—	5	—	—	—	—	1	3	1	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
28 Other defined diseases	...	{	M	172	33	5	—	2	6	21	37	68	250	53	10	3	5	4	33	48	94	
			F	142	31	4	2	—	2	14	35	54	247	52	4	1	3	7	21	45	114	
29 Causes ill-defined or unknown.		{	M	5	—	—	—	—	—	1	3	1	4	—	1	—	—	—	1	2	—	
			F	1	1	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BEDFORDSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	699	131	22	26	26	33	81	160	220	519	76	14	3	12	25	53	87	249		
	F	712	100	12	25	28	35	89	174	249	474	47	9	6	13	15	52	95	237		
1 Enteric fever ...	M	4	—	—	—	1	1	1	—	1	2	—	—	—	—	1	1	—	—		
	F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	1	2	—	—	—	—	—	4	—	3	—	1	—	—	—	—		
	F	6	—	2	3	1	—	—	—	—	4	1	—	2	1	—	—	—	—		
4 Scarlet fever ...	M	4	—	1	1	2	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	2	1	—	1	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
	F	6	4	1	1	—	—	—	—	—	8	5	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	10	—	1	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	16	—	1	6	9	—	—	—	—	5	—	—	1	4	—	—	—	—		
7 Influenza ...	M	12	—	—	1	—	1	2	5	3	8	—	1	—	—	—	2	2	3		
	F	6	—	—	—	—	1	—	2	3	5	—	—	—	—	—	1	4	—		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	56	—	—	1	1	9	29	15	1	45	1	—	—	1	11	20	10	2		
	F	53	—	—	—	4	15	24	8	2	34	1	—	—	1	9	19	4	—		
10 Tuberculous meningitis	M	9	—	3	4	2	—	—	—	—	3	1	—	1	—	—	1	—	—		
	F	9	1	1	2	4	1	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	9	1	2	1	—	3	1	1	—	6	—	—	—	3	3	—	—	—		
	F	10	1	—	1	2	2	1	2	1	8	2	—	—	1	1	2	2	—		
12 Cancer, malignant disease	M	68	—	—	—	—	—	4	31	33	40	—	—	—	—	1	—	18	21		
	F	102	—	—	—	1	—	5	49	47	57	—	—	—	—	7	28	22	—		
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	1	—	1	1	—	1	—	—	—	—	1	—	—	—		
14 Meningitis ...	M	6	3	1	—	—	1	1	—	—	5	1	2	—	1	—	—	1	—		
	F	3	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	69	—	—	1	3	3	11	26	25	54	—	—	1	—	2	2	13	36		
	F	86	—	—	—	—	3	11	25	47	55	—	—	1	1	—	8	13	32		
16 Bronchitis ...	M	54	13	2	2	—	—	—	9	28	33	8	2	—	—	—	—	2	21		
	F	56	9	3	1	—	—	2	8	33	32	2	—	—	—	—	—	7	23		
17 Pneumonia (all forms)	M	54	15	5	5	1	6	5	10	7	25	8	1	—	1	—	3	6	6		
	F	25	7	2	3	1	1	4	5	2	13	2	2	—	1	—	1	3	4		
18 Other respiratory diseases	M	6	1	—	—	—	1	1	2	1	6	1	—	—	—	—	—	1	4		
	F	12	—	—	—	—	—	1	4	7	4	—	—	—	—	—	—	—	4		
19 Diarrhoea, &c. ...	M	22	16	2	—	—	—	—	1	3	12	6	—	—	1	—	1	2	2		
	F	17	11	—	—	—	1	—	3	2	5	1	—	—	—	—	1	1	3		
20 Appendicitis and typhlitis	M	7	—	—	—	1	1	3	1	1	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	6	—	—	—	—	—	—	6	—	8	—	—	—	—	—	3	1	4		
	F	8	—	—	—	—	—	2	4	2	2	—	—	—	—	—	—	2	—		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	16	1	—	1	2	—	2	8	2	14	—	—	—	—	1	2	6	5		
	F	12	—	—	—	—	—	1	6	5	13	—	—	—	—	3	6	—	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	2	5	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	48	48	—	—	—	—	—	—	—	34	33	—	—	—	—	—	—	—		
	F	42	41	—	—	—	—	1	—	—	22	22	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	22	1	3	1	2	3	5	5	2	21	1	—	1	3	3	7	4	2		
	F	12	3	—	3	—	1	1	3	1	7	1	2	1	—	—	—	—	3		
27 Suicide ...	M	8	—	—	—	—	1	3	1	3	4	—	—	—	—	—	2	2	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	194	31	1	1	5	3	10	34	109	182	11	5	—	4	2	3	16	141		
	F	203	23	2	1	3	4	21	52	97	189	10	2	—	2	4	8	25	138		
29 Causes ill-defined or unknown.	M	6	—	—	1	—	—	1	3	1	5	1	—	—	—	—	1	1	2		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	3	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BERKSHIRE—1913.

Causes of Death.		Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	377	51	7	9	10	19	62	83	136	824	106	14	13	28	31	92	174	366		
		F	380	34	12	9	11	9	46	101	158	754	76	15	21	24	25	71	156	366		
1 Enteric fever	...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	4	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	3	1	1	1	—	—	—	—	—	11	3	4	1	1	2	—	—	—		
		F	10	1	6	2	1	—	—	—	—	5	3	—	1	1	—	—	—	—		
4 Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough	...	M	3	2	—	1	—	—	—	—	—	8	5	—	1	2	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	2	1	—	1	—	—	—	—	—	4	1	—	—	3	—	—	—	—		
		F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza	...	M	4	—	—	—	1	1	1	2	—	14	—	—	—	2	—	2	5	—		
		F	6	—	—	—	1	—	1	2	2	8	—	—	—	1	—	2	3	—		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis		M	32	—	1	—	1	4	18	8	—	62	1	1	—	2	9	35	12	—		
		F	24	—	1	—	1	4	13	4	1	41	1	1	1	3	10	16	8	—		
10 Tuberculous meningitis		M	7	2	2	—	2	—	1	—	—	7	2	—	2	1	—	2	—	—		
		F	3	—	—	1	1	1	—	—	—	3	—	1	2	—	—	—	—	—		
11 Other tuberculous diseases.		M	6	1	—	1	1	2	—	—	1	7	—	—	2	—	—	4	1	—		
		F	9	—	—	1	2	—	3	2	1	7	1	—	1	1	1	1	1	—		
12 Cancer, malignant disease		M	32	—	—	1	—	—	4	13	14	69	—	—	—	2	1	3	33	3		
		F	49	—	—	—	—	—	3	21	25	93	—	—	—	1	1	4	45	4		
13 Rheumatic fever	...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—		
		F	1	—	—	—	1	—	—	—	—	5	—	—	—	2	2	—	1	—		
14 Meningitis	...	M	2	—	—	—	—	—	1	1	—	6	2	1	1	2	—	—	—	—		
		F	4	1	—	1	—	—	1	1	—	1	—	—	1	—	—	—	—	—		
15 Organic heart disease	...	M	51	—	—	—	—	3	8	9	31	86	—	—	—	1	—	8	28	4		
		F	52	—	—	—	—	1	5	14	32	109	—	—	2	—	2	7	26	7		
16 Bronchitis	...	M	31	6	2	2	—	—	—	4	17	46	7	1	—	—	1	—	6	3		
		F	22	3	—	—	—	—	1	5	13	49	10	3	—	—	—	2	5	2		
17 Pneumonia (all forms)		M	20	3	1	2	—	1	4	4	5	41	13	3	1	4	—	3	5	1		
		F	20	2	1	2	—	1	2	3	9	34	2	1	3	3	—	7	3	1		
18 Other respiratory diseases		M	7	—	—	—	1	—	—	3	3	20	1	—	3	—	—	2	3	1		
		F	4	—	—	1	—	—	—	2	1	9	—	—	1	—	—	—	4	—		
19 Diarrhoea, &c.	...	M	10	4	—	—	2	—	—	3	1	13	5	—	—	1	2	—	1	—		
		F	9	5	1	—	—	—	—	2	1	14	7	2	—	—	—	1	1	—		
20 Appendicitis and typhlitis		M	3	—	—	—	1	1	1	—	—	2	—	—	—	—	—	2	—	—		
		F	1	—	—	—	—	—	—	1	—	6	—	—	1	—	—	4	1	—		
21 Cirrhosis of liver	...	M	5	—	—	—	—	—	2	2	1	10	—	—	—	—	—	—	7	—		
		F	4	—	—	—	—	—	—	2	2	5	—	—	—	—	—	—	4	—		
21A Alcoholism	...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.		M	13	—	—	—	—	—	4	4	5	29	—	—	—	1	—	4	10	1		
		F	14	—	—	—	—	—	1	7	6	22	—	—	—	—	—	2	8	1		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	1	2	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	3	—	—	9	—	—	—	—	1	8	—	—		
25 Congenital debility, &c.		M	19	19	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
		F	15	15	—	—	—	—	—	—	—	33	32	—	—	—	1	—	—	—		
26 Violence, apart from suicide.		M	14	2	—	—	2	1	4	5	—	33	1	3	2	4	3	3	9	—		
		F	15	1	1	—	—	2	—	4	7	9	3	1	1	1	1	1	—	—		
27 Suicide	...	M	5	—	—	—	—	1	2	2	—	7	—	—	—	—	1	1	4	—		
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases	...	M	102	10	—	—	1	4	11	20	56	294	24	—	—	4	11	21	44	19		
		F	104	5	1	—	3	—	9	28	58	269	11	5	6	7	5	14	39	18		
29 Causes ill-defined or unknown.		M	2	—	—	—	—	—	—	1	1	11	—	1	—	1	—	1	3	—		
		F	3	—	1	—	—	—	1	1	—	7	1	—	1	—	—	—	4	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BUCKINGHAMSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	469	70	18	8	11	11	60	115	176	785	109	26	14	29	26	69	172	340		
	F	437	60	11	7	9	15	54	89	192	773	75	14	19	22	18	76	152	397		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	1	—	1	1	—	1	—	—	13	2	6	4	1	—	—	—	—		
	F	2	1	—	1	—	—	—	—	—	13	2	2	3	4	2	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—		
5 Whooping cough ...	M	3	—	1	1	1	—	—	—	—	7	4	2	1	—	—	—	—	—		
	F	8	3	3	1	1	—	—	—	—	11	7	2	2	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	4	—	—	1	3	—	—	—	—		
	F	3	—	—	1	1	—	1	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	10	1	—	—	—	3	1	4	1	24	3	2	—	—	1	1	8	9		
	F	8	1	—	—	—	—	2	1	4	14	—	—	1	—	—	2	2	9		
8 Erysipelas ...	M	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	39	—	—	—	1	1	25	12	—	49	1	—	—	2	9	19	15	3		
	F	29	—	—	1	2	5	16	5	—	47	—	—	1	3	6	19	14	4		
10 Tuberculous meningitis	M	3	1	1	—	—	—	—	1	—	5	—	2	1	2	—	—	—	—		
	F	3	—	2	—	—	—	1	—	—	2	—	1	—	1	—	—	—	—		
11 Other tuberculous diseases.	M	5	1	2	—	1	—	—	1	—	12	1	1	2	4	1	—	2	1		
	F	2	—	1	—	1	—	—	—	—	5	1	—	1	1	2	—	—	—		
12 Cancer, malignant disease	M	45	—	—	—	1	1	5	15	23	65	—	—	—	—	—	5	27	33		
	F	45	—	1	—	—	—	4	15	25	93	—	—	—	2	—	7	42	42		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—		
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
Meningitis ...	M	2	1	—	—	—	1	—	—	—	3	—	—	—	2	1	—	—	—		
	F	4	1	—	—	—	1	—	2	—	6	—	1	1	2	—	1	1	—		
15 Organic heart disease ...	M	48	—	—	—	1	1	2	16	28	95	—	—	—	—	1	6	28	60		
	F	50	—	—	—	1	3	5	11	30	107	—	—	—	—	—	4	25	78		
16 Bronchitis ...	M	39	5	5	—	—	—	—	8	21	47	4	3	—	—	—	1	6	33		
	F	32	6	1	—	—	1	—	6	18	49	3	1	1	—	—	2	8	34		
17 Pneumonia (all forms)	M	22	4	4	1	—	1	4	7	1	33	10	3	—	2	1	3	8	6		
	F	15	5	1	1	—	—	—	5	3	23	5	2	3	—	—	3	3	7		
18 Other respiratory diseases	M	10	1	—	—	—	—	2	4	3	10	—	—	—	—	—	—	4	6		
	F	5	—	—	—	1	—	—	—	4	6	—	—	—	1	—	—	1	4		
19 Diarrhoea, &c. ...	M	14	8	1	2	—	—	—	2	1	14	11	—	—	—	—	1	—	2		
	F	9	5	2	—	—	—	1	1	—	19	8	2	2	—	—	—	3	4		
20 Appendicitis and typhlitis	M	3	—	—	—	—	1	—	1	1	6	—	—	—	4	—	1	—	1		
	F	2	—	—	—	—	—	—	1	1	2	—	—	—	2	—	—	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	5	—	—	—	—	—	1	1	3		
	F	1	—	—	—	—	—	—	1	—	9	—	—	—	—	—	1	4	4		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	2	8	8	29	—	—	—	—	3	3	17	6		
	F	15	—	—	—	—	1	4	4	6	19	—	—	1	—	1	6	6	5		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	31	30	1	—	—	—	—	—	—	57	56	1	—	—	—	—	—	—		
	F	32	31	—	—	1	—	—	—	—	36	35	—	—	—	—	—	1	—		
26 Violence, apart from suicide.	M	15	1	—	3	1	—	2	7	1	35	1	1	3	3	2	8	11	6		
	F	9	1	—	2	—	—	1	2	3	12	2	2	—	2	1	1	—	4		
27 Suicide ...	M	9	—	—	—	—	1	5	2	1	8	—	—	—	—	2	4	2	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
28 Other defined diseases ...	M	140	15	3	—	3	1	10	23	85	254	14	4	2	4	5	13	42	170		
	F	152	6	—	—	1	3	14	31	97	275	9	—	1	3	4	18	39	201		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	1		
	F	3	—	—	—	—	—	—	3	—	7	3	—	—	—	—	—	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CAMBRIDGESHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	342	44	10	11	18	19	45	83	112	527	66	12	19	22	19	50	86	253		
	F	339	39	6	4	15	12	38	79	146	475	45	12	7	23	14	41	77	256		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	1	—	—	—	1	—	—	—	—	5	1	2	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
4 Scarlet fever	M	3	—	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
5 Whooping cough	M	7	1	4	2	—	—	—	—	—	5	2	2	—	1	—	—	—	—		
	F	5	2	3	—	—	—	—	—	—	13	9	2	1	1	—	—	—	—		
6 Diphtheria and croup	M	11	1	—	1	7	2	—	—	—	11	—	—	3	6	1	1	—	—		
	F	10	—	—	3	7	—	—	—	—	10	—	—	1	6	—	3	—	—		
7 Influenza	M	6	1	—	—	—	1	1	2	1	5	—	—	1	—	—	2	1	1		
	F	6	—	—	—	—	—	—	2	4	5	—	—	—	—	—	1	1	3		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	32	—	1	1	—	7	19	4	—	36	—	—	—	2	10	15	7	2		
	F	19	—	—	—	—	5	8	4	2	25	—	—	—	4	4	11	5	1		
10 Tuberculous meningitis	M	3	—	1	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	2	—	1	—	—		
11 Other tuberculous diseases.	M	5	—	1	—	1	—	—	1	2	7	1	—	1	1	—	4	—	—		
	F	4	1	—	—	—	—	3	—	—	5	—	—	—	1	—	3	1	—		
12 Cancer, malignant disease	M	34	—	—	—	—	—	1	17	16	51	—	—	1	—	—	3	20	27		
	F	38	—	—	—	—	1	4	19	14	52	—	—	—	—	—	1	23	28		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
14 Meningitis	M	2	—	—	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—		
	F	4	1	—	—	1	1	—	1	—	5	—	1	—	3	—	—	—	1		
15 Organic heart disease	M	31	—	—	—	—	—	2	13	16	59	—	—	—	—	—	3	16	40		
	F	41	—	—	—	—	—	2	15	24	73	—	—	—	—	—	—	15	58		
16 Bronchitis	M	17	1	1	—	—	—	1	4	10	35	5	2	—	—	—	—	4	24		
	F	23	1	—	—	—	1	—	5	16	33	2	2	1	—	—	—	3	25		
17 Pneumonia (all forms)	M	7	3	—	—	—	—	2	2	—	28	8	2	2	1	1	4	3	7		
	F	18	4	1	—	1	1	3	3	5	16	3	2	2	—	—	—	2	7		
18 Other respiratory diseases	M	8	—	1	—	1	1	—	2	3	9	1	—	—	—	1	—	2	5		
	F	6	—	—	—	—	1	—	5	—	5	—	—	—	—	1	2	—	2		
19 Diarrhoea, &c.	M	9	5	1	—	—	—	2	—	1	10	5	—	2	—	—	—	2	1		
	F	9	5	—	—	—	—	1	2	1	6	1	—	—	1	—	—	—	4		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	4	—	—	—	1	1	1	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
21 Cirrhosis of liver	M	7	—	—	—	—	—	3	4	—	4	—	—	—	—	—	—	1	3		
	F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2		
21A Alcoholism	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	1	—	1	—	4	4	12	—	—	—	—	1	4	2	5		
	F	12	—	—	—	—	—	3	5	4	12	—	—	—	—	2	3	1	6		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	2	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	M	19	19	—	—	—	—	—	—	—	29	28	—	1	—	—	—	—	—		
	F	20	20	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	1	—	—	1	3	2	2	1	16	1	—	1	2	2	1	4	5		
	F	7	1	—	—	1	1	1	3	—	11	1	2	1	—	1	1	—	5		
27 Suicide	M	6	—	—	—	—	—	1	5	—	4	—	—	—	—	—	1	3	—		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	1	1		
28 Other defined diseases ...	M	111	12	—	3	4	3	8	23	58	185	14	3	4	4	2	8	18	132		
	F	103	4	1	1	2	1	6	17	71	153	3	2	1	1	3	9	21	113		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—		
	F	1	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CHESHIRE—1913.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...			M	3,052	642	137	121	114	94	353	751	840	1,101	172	33	29	36	32	141	239	419		
			F	2,808	471	106	101	99	97	320	626	988	991	121	28	27	41	32	127	213	402		
1	Enteric fever ...	M	11	—	—	—	2	1	7	1	—	2	—	—	—	1	—	1	—	—			
			F	11	—	—	1	3	—	5	2	—	—	—	—	—	—	—	—	—			
2	Small-pox ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles ...	M	52	12	22	16	2	—	—	—	—	9	2	2	3	2	—	—	—	—			
			F	37	9	10	16	2	—	—	—	6	1	2	2	4	—	—	—	—			
4	Scarlet fever ...	M	13	1	2	5	4	1	—	—	—	5	—	1	1	1	—	2	—	—			
			F	14	1	2	6	4	1	—	—	6	—	1	1	3	—	1	—	—			
5	Whooping cough ...	M	43	17	16	9	1	—	—	—	—	13	8	3	1	1	—	—	—	—			
			F	36	19	10	6	1	—	—	—	6	2	3	1	—	—	—	—	—			
6	Diphtheria and croup ...	M	36	1	5	10	19	1	—	—	—	8	1	1	4	2	—	—	—	—			
			F	32	1	1	12	16	1	1	—	6	—	—	1	5	—	—	—	—			
7	Influenza ...	M	34	2	—	—	1	1	5	15	10	14	—	—	—	—	1	3	7	3			
			F	28	—	1	—	—	1	4	9	20	2	—	—	3	—	1	6	8			
8	Erysipelas ...	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1			
			F	4	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis	M	206	1	3	3	3	23	94	72	7	58	—	—	—	3	5	30	16	4			
			F	152	—	3	2	9	30	72	30	6	56	—	1	—	3	11	29	9			
10	Tuberculous meningitis	M	25	2	7	8	5	1	2	—	—	6	1	1	—	3	1	—	—	—			
			F	36	5	6	7	10	5	3	—	12	2	—	5	2	2	1	—	—			
11	Other tuberculous diseases.	M	42	10	7	2	8	3	8	3	1	14	2	1	2	3	2	2	1	1			
			F	45	6	7	5	5	1	11	8	2	22	2	3	3	1	2	9	2			
12	Cancer, malignant disease	M	206	—	—	—	1	2	19	108	76	83	—	—	—	—	—	8	31	44			
			F	252	—	—	—	—	1	25	119	107	106	—	—	—	—	—	16	43			
13	Rheumatic fever ...	M	15	1	—	1	1	4	3	4	1	7	—	—	—	—	1	1	4	1			
			F	8	—	—	—	2	2	1	3	5	—	—	—	3	1	—	—	1			
14	Meningitis ...	M	30	7	7	5	8	1	1	1	—	9	3	3	1	—	—	1	1	—			
			F	25	5	3	4	6	5	2	—	7	2	1	1	2	1	—	—	—			
15	Organic heart disease ...	M	277	—	—	—	5	6	30	118	118	146	—	—	—	2	5	14	40	85			
			F	338	1	—	1	4	8	41	115	168	136	—	—	1	—	2	9	35			
16	Bronchitis ...	M	235	50	13	4	2	1	4	52	109	57	9	1	3	1	—	—	7	36			
			F	236	38	13	3	—	1	12	40	129	61	11	6	1	—	—	2	5			
17	Pneumonia (all forms)	M	205	47	25	16	12	10	37	37	21	98	18	9	4	3	3	21	17	23			
			F	148	36	13	16	7	8	13	20	35	46	6	4	2	4	3	5	13			
18	Other respiratory diseases	M	37	4	1	2	1	1	4	14	10	27	4	—	1	1	—	4	9	8			
			F	33	3	2	—	1	—	9	7	11	16	1	—	1	1	—	1	5			
19	Diarrhoea, &c.	M	166	113	12	9	1	2	9	14	6	33	21	2	—	2	—	—	3	5			
			F	117	74	18	5	3	—	3	9	5	15	10	1	—	1	—	—	2			
20	Appendicitis and typhlitis	M	14	—	—	—	6	—	4	3	1	10	—	—	—	2	1	4	2	1			
			F	24	—	—	2	7	3	6	3	8	—	—	—	—	1	4	1	—			
21	Cirrhosis of liver ...	M	31	—	—	—	—	—	3	25	3	11	—	—	—	—	—	—	8	3			
			F	27	—	—	—	—	—	4	17	6	10	—	—	—	—	—	6	4			
21A	Alcoholism ...	M	5	—	—	—	—	—	1	3	1	5	—	—	—	—	—	1	3	1			
			F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—			
22	Nephritis and Bright's disease.	M	96	1	—	2	4	11	16	42	20	29	—	—	—	—	—	4	13	12			
			F	62	—	2	—	—	4	10	29	17	19	—	—	—	1	—	1	6			
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	16	—	—	—	—	3	13	—	—	6	—	—	—	—	1	5	—			
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	29	—	—	—	—	7	21	1	13	—	—	—	—	—	2	11	—			
25	Congenital debility, &c.	M	239	232	3	2	—	1	1	—	—	76	75	—	1	—	—	—	—	—			
			F	187	182	1	2	—	1	1	—	54	51	—	1	1	—	1	—	—			
26	Violence, apart from suicide.	M	140	7	1	15	16	11	28	36	26	51	2	1	5	4	7	14	8	10			
			F	54	8	2	6	4	1	5	7	21	20	1	—	1	4	—	1	6			
27	Suicide	M	27	—	—	—	—	2	15	7	3	14	—	—	—	—	—	7	4	3			
			F	8	—	—	—	—	1	2	4	3	3	—	—	—	—	—	1	2			
28	Other defined diseases ...	M	857	134	10	12	12	11	60	192	426	307	26	6	3	5	5	24	60	178			
			F	842	81	12	6	15	55	201	459	328	30	6	5	4	6	29	72	176			
29	Causes ill-defined or unknown.	M	7	—	3	—	—	—	1	2	1	8	—	2	—	—	1	—	5	—			
			F	5	1	—	1	—	—	1	—	2	3	—	—	1	—	—	1	1			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CORNWALL—1913.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,035	166	22	29	33	49	136	240	360	1,221	182	20	22	34	44	152	255	512		
			F	1,054	117	21	31	41	46	100	196	502	1,260	124	31	20	38	48	125	236	638		
1	Enteric fever	...	M	3	—	—	—	—	—	2	1	—	2	—	—	—	—	—	2	—	—		
			F	3	—	—	—	1	—	2	—	—	1	—	—	—	1	—	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	17	5	4	6	1	1	—	—	—	6	1	2	2	1	—	—	—	—		
			F	17	3	5	6	2	—	1	—	—	5	—	3	1	—	—	1	—	—		
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
5	Whooping cough	...	M	3	3	—	—	—	—	—	—	—	6	3	1	1	1	—	—	—	—		
			F	6	1	2	1	2	—	—	—	—	5	2	2	—	1	—	—	—	—		
6	Diphtheria and croup	...	M	17	—	1	6	10	—	—	—	—	7	—	—	1	5	1	—	—	—		
			F	13	—	—	4	8	1	—	—	—	10	—	2	2	6	—	—	—	—		
7	Influenza	...	M	10	—	1	—	1	—	1	2	5	26	3	—	2	—	1	4	6	10		
			F	10	—	—	—	—	—	1	4	5	14	1	—	—	1	—	2	1	9		
8	Erysipelas	...	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
			F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1		
9	Pulmonary tuberculosis		M	113	—	1	—	2	15	52	39	4	114	—	—	—	3	10	53	40	8		
			F	78	—	—	—	4	27	25	15	7	78	—	—	—	5	21	36	12	4		
10	Tuberculous meningitis		M	12	—	4	3	3	2	—	—	—	11	1	—	2	6	2	—	—	—		
			F	10	2	1	2	3	—	1	1	—	8	—	3	3	2	—	—	—	—		
11	Other tuberculous diseases.		M	4	—	—	—	—	3	1	—	—	13	2	1	1	2	1	5	—	—		
			F	17	3	—	1	2	3	3	5	—	18	1	—	—	3	4	5	4	1		
12	Cancer, malignant disease		M	69	—	—	—	1	1	4	29	34	80	—	—	—	—	—	5	30	45		
			F	103	—	—	—	—	—	10	47	46	148	—	—	—	—	—	12	63	73		
13	Rheumatic fever	...	M	4	—	—	—	—	2	—	2	—	3	—	—	—	—	—	1	2	—		
			F	6	—	—	—	2	1	2	1	—	4	—	—	—	1	—	2	1	—		
14	Meningitis	...	M	5	—	1	1	—	1	—	2	—	6	3	—	1	—	—	2	—	—		
			F	8	2	—	2	1	—	1	1	1	3	—	—	—	—	1	—	1	1		
15	Organic heart disease	...	M	119	—	—	—	1	5	9	34	70	142	—	—	—	1	1	8	37	95		
			F	139	—	—	—	—	2	7	34	96	161	—	1	—	1	3	7	42	107		
16	Bronchitis	...	M	47	6	1	—	—	—	4	8	28	67	11	2	1	—	1	1	9	42		
			F	62	3	2	2	1	—	1	10	43	77	7	7	—	1	—	—	6	56		
17	Pneumonia (all forms)		M	41	13	2	3	1	—	3	9	10	59	20	11	2	1	5	3	7	10		
			F	34	8	3	4	2	1	4	3	9	47	8	4	3	—	1	3	7	21		
18	Other respiratory diseases		M	39	—	2	—	1	1	8	22	5	46	1	—	—	—	2	15	19	9		
			F	12	—	—	1	—	1	2	3	5	8	—	—	1	—	—	1	1	5		
19	Diarrhoea, &c.	...	M	38	26	3	2	—	—	1	1	5	22	13	—	1	—	1	2	2	3		
			F	27	19	3	—	—	—	1	—	4	24	14	1	1	1	—	1	2	4		
20	Appendicitis and typhlitis		M	5	—	—	—	2	1	1	—	1	6	—	—	—	—	3	2	—	—		
			F	4	—	—	—	2	1	—	1	—	2	—	—	—	—	1	1	—	—		
21	Cirrhosis of liver	...	M	9	—	—	—	—	—	2	4	3	5	—	—	—	—	—	1	2	2		
			F	7	—	—	—	—	—	1	5	1	2	—	—	—	1	—	—	1	—		
21A	Alcoholism	...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—		
			F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		M	46	—	—	—	1	3	5	13	24	37	—	—	2	—	1	7	8	19		
			F	31	—	—	1	1	1	5	11	12	41	—	—	—	1	2	8	13	17		
23	Puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	2	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	6	—	—	—	—	3	3	—	—	13	—	—	—	—	5	8	—	—		
25	Congenital debility, &c.		M	75	74	—	—	—	1	—	—	—	81	80	—	—	—	—	1	—	—		
			F	52	49	—	1	1	—	1	—	—	69	67	—	2	—	—	—	—	—		
26	Violence, apart from suicide.		M	44	1	—	3	4	8	19	4	5	54	1	—	1	6	7	22	15	2		
			F	9	1	—	—	1	—	1	1	5	23	1	—	4	2	—	1	8	7		
27	Suicide	...	M	6	—	—	—	—	—	2	2	2	9	—	—	—	—	3	1	3	2		
			F	6	—	—	—	—	—	3	2	1	4	—	—	—	—	1	1	2	—		
28	Other defined diseases	...	M	393	36	2	5	5	5	20	66	164	406	43	2	4	7	4	19	67	260		
			F	380	24	4	5	8	5	21	50	263	482	23	8	2	9	9	32	69	330		
29	Causes ill-defined or unknown.		M	3	1	—	—	—	—	1	1	—	8	—	1	—	—	—	1	2	4		
			F	8	2	1	1	—	—	1	—	3	6	—	—	1	1	—	1	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF CUMBERLAND—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,300	288	53	47	49	43	153	298	369	685	102	24	23	20	30	58	151	277		
	F	1,230	213	56	48	44	55	145	255	414	580	89	9	13	21	24	61	106	257		
1 Enteric fever ...	M	5	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	17	2	7	7	1	—	—	—	—	14	4	4	4	2	—	—	—	—		
	F	20	5	3	7	5	—	—	—	—	7	1	1	3	2	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	5	3	—	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	10	6	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	2	2	4	3	—	—	—	—	5	—	1	2	2	—	—	—	—		
	F	13	1	4	1	7	—	—	—	—	3	—	—	1	2	—	—	—	—		
7 Influenza ...	M	23	—	—	—	1	1	6	7	8	13	—	—	—	—	—	—	6	7		
	F	19	1	—	—	—	—	1	4	13	13	—	—	—	—	—	3	3	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	104	3	3	5	4	21	39	25	4	39	1	—	1	1	9	15	11	1		
	F	94	3	3	2	7	29	38	10	2	37	—	—	—	5	8	19	5	—		
10 Tuberculous meningitis	M	16	5	5	1	5	—	—	—	—	8	—	2	4	2	—	—	—	—		
	F	13	2	3	7	1	—	—	—	—	2	1	—	—	1	—	—	—	—		
11 Other tuberculous dis- eases.	M	27	11	3	4	3	1	2	2	1	5	2	—	—	1	1	—	1	—		
	F	22	4	4	3	—	3	2	6	—	8	2	—	—	—	1	1	4	—		
12 Cancer, malignant disease	M	89	—	1	1	2	—	6	43	36	60	—	—	1	—	1	2	19	37		
	F	105	—	1	1	—	—	10	54	39	60	—	—	—	—	1	2	26	31		
13 Rheumatic fever ...	M	4	—	—	—	2	—	1	1	—	3	—	—	—	—	1	—	1	1		
	F	10	—	—	—	2	3	2	2	1	3	—	—	—	2	1	—	—	—		
14 Meningitis ...	M	15	5	2	2	1	1	3	1	—	9	2	1	2	1	2	—	1	—		
	F	12	2	3	2	2	—	1	2	—	5	2	—	—	1	1	1	—	—		
15 Organic heart disease ...	M	122	—	—	—	2	—	10	49	61	74	—	—	—	—	—	5	18	51		
	F	135	—	—	—	3	4	18	39	71	61	—	—	—	—	1	6	19	35		
16 Bronchitis ...	M	74	26	4	—	—	—	1	15	28	42	5	3	1	—	—	1	14	18		
	F	90	16	5	1	—	—	4	14	50	31	12	—	—	1	—	—	3	15		
17 Pneumonia (all forms)...	M	92	33	7	4	1	5	10	18	14	43	12	5	3	1	4	5	7	6		
	F	63	14	9	9	1	—	9	10	11	27	8	4	3	1	1	2	3	5		
18 Other respiratory diseases	M	31	4	—	—	3	—	8	10	6	19	2	2	2	2	—	2	3	6		
	F	21	3	2	3	2	—	3	3	5	12	1	—	—	—	—	1	5	5		
19 Diarrhoea, &c. ...	M	45	33	6	2	—	—	1	1	2	16	12	1	—	—	—	—	—	3		
	F	46	29	6	3	1	1	2	4	—	13	9	2	—	—	1	1	—	—		
20 Appendicitis and typhlitis	M	5	—	—	—	—	2	—	2	1	6	—	—	—	—	2	1	3	—		
	F	6	—	—	—	1	2	1	1	1	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	1	6	5	4	—	—	—	—	—	—	3	1		
	F	4	—	—	—	—	—	—	4	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	32	2	3	—	—	—	8	11	8	16	—	1	1	—	—	2	5	7		
	F	24	1	—	1	1	—	7	10	4	16	1	—	—	1	—	3	9	2		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	17	—	—	—	—	3	14	—	—	10	—	—	—	—	1	9	—	—		
25 Congenital debility, &c.	M	100	99	1	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—		
	F	82	80	—	1	—	—	—	1	—	35	34	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	83	2	2	8	12	5	28	20	6	37	—	2	1	4	2	7	15	6		
	F	26	3	—	3	5	—	2	5	8	7	1	—	1	—	1	—	—	4		
27 Suicide ...	M	4	—	—	—	—	—	1	3	—	10	—	—	—	—	—	3	2	5		
	F	4	—	—	—	—	1	1	2	—	4	—	—	—	—	—	1	2	1		
28 Other defined diseases ...	M	364	58	7	8	6	6	26	68	185	210	24	1	1	3	8	13	35	125		
	F	375	41	10	3	6	7	23	81	204	213	16	1	5	3	4	9	25	150		
29 Causes ill-defined or un- known.	M	17	—	—	—	—	—	—	13	4	11	—	—	—	—	—	1	7	3		
	F	7	2	—	—	—	—	—	2	3	7	—	1	—	—	1	2	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DERBYSHIRE—1913.

Causes of Death,	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES'	M	2,011	490	141	75	76	67	251	423	488	1,819	428	111	92	83	73	184	338	510		
	F	1,832	390	94	83	79	70	204	363	549	1,609	326	77	87	80	64	164	294	517		
1 Enteric fever	M	7	—	—	—	—	1	3	3	—	9	—	—	—	3	1	3	2	—		
	F	7	—	—	—	—	1	5	1	—	1	—	—	—	—	1	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	48	9	20	13	6	—	—	—	—	52	10	17	18	6	1	—	—	—		
	F	46	9	19	17	1	—	—	—	—	51	12	13	18	8	—	—	—	—		
4 Scarlet fever	M	8	1	—	5	2	—	—	—	—	10	—	1	2	6	1	—	—	—		
	F	4	—	—	2	2	—	—	—	—	10	1	—	6	2	—	1	—	—		
5 Whooping cough	M	21	15	5	1	—	—	—	—	—	15	8	4	3	—	—	—	—	—		
	F	30	16	3	10	1	—	—	—	—	22	16	3	3	—	—	—	—	—		
6 Diphtheria and croup	M	22	2	3	5	11	—	1	—	—	19	1	—	5	11	1	—	1	—		
	F	21	—	2	4	15	—	—	—	—	24	—	2	8	14	—	—	—	—		
7 Influenza	M	21	2	1	1	—	3	4	6	4	12	—	—	—	1	1	2	3	5		
	F	19	1	—	2	1	2	1	4	8	20	3	1	1	—	3	1	5	6		
8 Erysipelas	M	3	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1		
	F	4	2	—	—	—	—	—	1	1	4	1	—	—	—	1	—	—	2		
9 Pulmonary tuberculosis	M	147	2	3	1	6	22	70	40	3	101	1	1	1	4	18	45	27	4		
	F	90	—	—	2	10	24	41	11	2	73	—	1	1	6	20	27	15	3		
10 Tuberculous meningitis	M	16	2	2	6	5	1	—	—	—	19	3	6	4	5	1	—	—	—		
	F	12	2	1	3	2	4	—	—	—	18	3	3	6	5	1	—	—	—		
11 Other tuberculous dis- eases.	M	35	11	6	5	4	4	3	2	—	26	7	3	4	3	5	3	1	—		
	F	25	7	4	4	3	2	3	2	—	25	7	2	2	4	2	7	1	—		
12 Cancer, malignant disease	M	101	—	—	1	1	1	11	51	36	97	—	—	—	—	1	6	47	43		
	F	146	—	—	—	1	1	15	74	55	131	—	—	—	—	—	12	72	47		
13 Rheumatic fever	M	12	—	—	—	4	2	3	3	—	3	—	—	—	—	1	2	—	—		
	F	7	—	—	—	1	1	2	2	1	6	—	—	—	3	2	—	1	—		
14 Meningitis	M	17	3	6	1	4	—	3	—	—	17	4	4	4	4	—	—	1	—		
	F	14	2	4	3	2	—	1	2	—	19	5	2	5	3	—	1	3	—		
15 Organic heart disease	M	157	—	—	1	2	3	19	68	64	151	—	—	1	5	4	12	54	75		
	F	171	—	—	—	4	2	30	63	72	151	—	—	—	—	5	23	41	82		
16 Bronchitis	M	173	36	14	4	—	—	5	29	85	115	32	7	6	—	—	4	22	44		
	F	142	33	4	3	4	—	—	31	67	108	27	4	5	1	1	1	14	55		
17 Pneumonia (all forms)	M	142	34	24	8	6	3	27	29	11	149	44	28	13	5	10	15	20	14		
	F	127	31	28	18	5	1	10	18	16	107	32	16	13	6	3	13	14	10		
18 Other respiratory diseases	M	29	1	4	1	1	2	2	7	11	37	2	1	6	1	1	3	11	12		
	F	19	1	—	1	2	—	3	6	6	22	2	2	2	3	3	1	1	8		
19 Diarrhoea, &c.	M	121	74	25	3	1	1	3	8	6	86	60	12	3	2	—	2	3	4		
	F	97	64	15	4	2	1	3	—	8	72	43	15	1	2	—	3	4	4		
20 Appendicitis and typhlitis	M	10	—	—	—	2	3	3	1	1	5	—	—	—	—	1	3	1	—		
	F	5	—	—	—	3	—	2	—	—	6	—	—	—	4	—	1	1	—		
21 Cirrhosis of liver	M	9	—	—	—	—	—	2	5	2	17	—	—	—	—	—	3	12	2		
	F	8	—	—	—	—	—	1	7	—	8	—	—	—	—	—	2	3	3		
21A Alcoholism	M	5	—	—	—	—	—	2	3	—	2	—	—	—	—	—	1	1	—		
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	52	1	—	2	3	1	9	26	10	42	3	1	1	—	2	5	14	16		
	F	50	—	—	1	2	—	12	21	14	37	—	2	—	2	3	8	15	7		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	2	7	—	—	9	—	—	—	—	2	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	25	—	—	—	—	4	21	—	—	23	—	—	—	—	6	17	—	—		
25 Congenital debility, &c.	M	186	183	2	1	—	—	—	—	—	164	159	1	2	2	—	—	—	—		
	F	138	135	1	1	1	—	—	—	—	114	113	—	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	86	2	1	10	6	10	30	18	9	110	3	4	9	13	14	23	27	17		
	F	28	1	2	3	4	2	4	1	11	30	3	1	7	5	1	1	3	9		
27 Suicide	M	16	—	—	—	—	2	2	10	2	18	—	—	—	—	—	12	3	3		
	F	6	—	—	—	—	4	2	—	—	6	—	—	—	—	—	2	1	3		
28 Other defined diseases	M	536	111	20	6	11	7	46	102	233	520	91	18	9	12	9	36	81	264		
	F	563	83	10	5	13	19	41	109	283	489	58	7	9	10	9	33	90	273		
29 Causes ill-defined or un- known.	M	31	—	5	—	1	1	3	12	9	21	—	3	1	—	1	4	6	6		
	F	15	3	1	—	—	—	—	7	4	23	—	3	—	2	1	2	10	5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DEVONSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,524	208	33	43	30	84	189	317	620	1,428	168	24	32	65	57	154	305	623		
	F	1,602	136	34	26	53	58	168	352	775	1,378	122	34	26	47	63	145	269	672		
1 Enteric fever ...	M	9	—	—	—	1	5	2	1	—	6	—	—	—	2	—	4	—	—		
	F	2	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	14	2	4	6	—	2	—	—	—	8	—	3	2	3	—	—	—	—		
	F	14	3	6	4	1	—	—	—	—	6	1	3	1	1	—	—	—	—		
4 Scarlet fever ...	M	6	—	—	1	1	4	—	—	—	2	—	1	1	—	—	—	—	—		
	F	3	—	—	2	1	—	—	—	—	3	—	—	1	—	2	—	—	—		
5 Whooping cough ...	M	7	5	1	1	—	—	—	—	—	10	7	1	1	1	—	—	—	—		
	F	12	7	4	1	—	—	—	—	—	12	4	4	3	—	1	—	—	—		
6 Diphtheria and croup ...	M	8	1	—	2	4	1	—	—	—	12	—	—	4	8	—	—	—	—		
	F	18	—	2	2	12	—	—	1	1	10	—	—	1	8	1	—	—	—		
7 Influenza ...	M	16	—	—	—	—	1	2	5	8	28	2	2	—	—	1	3	9	11		
	F	40	—	—	1	—	—	5	10	24	41	—	—	—	3	—	4	13	21		
8 Erysipelas ...	M	1	—	—	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	—		
9 Pulmonary tuberculosis	M	124	—	—	—	3	24	68	22	7	112	—	—	—	6	30	41	24	11		
	F	121	—	—	1	10	21	60	26	3	91	1	—	—	9	27	38	13	3		
10 Tuberculous meningitis	M	11	2	—	4	4	1	—	—	—	7	—	—	1	4	2	—	—	—		
	F	16	1	6	2	2	2	3	—	—	11	—	1	3	5	1	—	1	—		
11 Other tuberculous diseases.	M	26	2	3	1	4	4	4	7	1	22	3	—	—	3	3	8	4	1		
	F	18	—	—	—	2	4	4	7	1	19	—	—	2	2	4	6	5	—		
12 Cancer, malignant disease	M	105	—	—	—	—	1	10	35	59	117	—	1	—	—	—	11	44	61		
	F	175	—	—	—	—	1	13	76	85	118	—	—	—	—	1	12	54	51		
13 Rheumatic fever ...	M	3	—	—	—	1	1	—	—	1	6	—	—	—	2	1	1	2	—		
	F	5	—	—	—	2	1	1	1	—	3	—	—	—	1	1	—	1	—		
14 Meningitis ...	M	11	1	—	3	2	1	1	2	1	6	1	—	1	3	—	—	—	1		
	F	11	2	1	2	3	—	1	2	—	6	—	1	2	2	—	—	1	—		
15 Organic heart disease ...	M	181	—	—	2	2	6	18	57	96	164	1	—	—	1	3	16	47	96		
	F	187	—	—	—	1	3	14	55	114	185	—	—	—	1	3	18	47	116		
16 Bronchitis ...	M	98	10	2	2	—	—	1	12	71	90	10	2	1	—	1	—	12	64		
	F	116	13	—	—	—	—	—	15	88	83	6	8	—	—	1	1	10	57		
17 Pneumonia (all forms)	M	78	18	8	11	2	2	13	10	14	72	19	3	2	1	—	8	22	17		
	F	71	14	6	5	1	2	5	8	30	58	8	5	5	3	3	5	13	16		
18 Other respiratory diseases	M	27	1	2	2	—	1	3	6	12	28	—	1	2	2	1	6	8	8		
	F	31	—	1	3	2	—	3	7	15	22	3	1	—	—	—	2	3	13		
19 Diarrhoea, &c. ...	M	50	36	5	—	—	1	1	2	5	25	13	2	—	—	—	3	3	4		
	F	30	22	1	—	—	—	1	2	4	20	13	1	—	—	1	—	—	5		
20 Appendicitis and typhlitis	M	10	—	—	—	1	3	3	3	—	11	—	—	1	4	2	3	—	1		
	F	13	—	—	—	4	3	—	4	2	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver ...	M	12	—	—	—	—	—	1	5	6	8	—	—	—	—	—	5	3	—		
	F	10	—	—	—	—	—	1	4	5	4	—	—	—	—	—	1	2	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease	M	58	1	1	—	—	1	9	23	23	46	—	—	—	2	2	2	17	23		
	F	46	—	—	—	—	1	4	22	19	52	—	—	2	1	1	7	13	28		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	21	—	—	—	—	4	17	—	—	18	—	—	—	—	1	17	—	—		
25 Congenital debility, &c.	M	72	70	1	1	—	—	—	—	—	78	74	—	2	1	—	1	—	—		
	F	49	48	—	1	—	—	—	—	—	49	49	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	48	4	—	3	1	9	17	4	10	63	1	—	7	4	6	16	18	11		
	F	20	4	1	—	2	2	2	5	4	40	4	4	2	1	6	1	4	18		
27 Suicide ...	M	14	—	—	—	—	4	3	6	1	25	—	—	—	1	—	7	15	2		
	F	5	—	—	—	—	1	1	3	—	5	—	—	—	—	—	3	2	—		
28 Other defined diseases ...	M	523	52	6	4	4	12	32	111	302	472	36	8	7	17	5	21	70	308		
	F	558	22	4	2	9	9	30	103	379	509	33	4	4	10	7	26	83	342		
29 Causes ill-defined or unknown.	M	12	3	—	—	—	—	—	6	3	8	—	—	—	—	—	3	4	1		
	F	4	—	2	—	—	—	—	1	1	8	—	2	—	—	—	2	3	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DORSETSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	715	93	19	14	28	33	90	165	273	692	96	18	8	15	27	57	141	330
	F	665	84	10	26	31	20	58	157	279	595	48	9	9	15	22	50	127	315
1 Enteric fever ...	M	6	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	9	7	1	1	—	—	—	—	—	5	3	2	—	—	—	—	—	—
	F	11	8	2	1	—	—	—	—	—	4	2	—	1	—	—	—	—	1
6 Diphtheria and croup ...	M	12	—	—	3	9	—	—	—	—	3	—	—	1	2	—	—	—	—
	F	21	—	—	7	13	—	—	1	—	2	—	—	—	1	—	1	—	—
7 Influenza ...	M	14	—	—	2	1	—	3	4	4	20	—	—	—	—	3	3	6	8
	F	9	—	—	—	—	—	1	2	6	18	—	—	—	—	—	—	5	13
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	49	—	—	—	—	4	29	15	1	47	—	—	1	—	8	23	15	—
	F	36	—	—	—	3	9	13	8	3	27	—	—	—	—	8	11	5	3
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	5	—	—	4	1	—	—	—	—	6	—	—	2	3	—	1	—	—
11 Other tuberculous diseases.	M	2	—	—	—	1	1	—	—	—	7	—	—	—	1	3	—	3	—
	F	6	—	—	—	2	—	2	2	—	9	1	—	2	1	1	—	2	2
12 Cancer, malignant disease	M	65	—	—	—	—	1	5	32	27	69	—	—	1	1	—	3	21	43
	F	83	—	—	—	—	—	10	38	35	61	—	—	—	—	—	10	25	26
13 Rheumatic fever ...	M	5	—	1	—	1	2	—	1	—	5	—	—	—	—	1	1	2	1
	F	4	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	5	—	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	1	—	—	1	2	—	5	—	1	2	2	—	—	—	—
15 Organic heart disease ...	M	77	—	—	1	1	1	4	23	47	82	—	—	—	1	1	2	22	56
	F	87	—	—	—	1	—	2	30	54	104	—	—	—	—	—	3	32	69
16 Bronchitis ...	M	54	15	1	—	1	—	1	7	29	47	8	3	1	1	—	—	7	27
	F	32	4	1	1	—	—	1	1	24	40	6	1	—	—	1	—	1	31
17 Pneumonia (all forms)	M	37	5	3	2	—	1	11	9	6	25	4	5	1	2	1	1	4	7
	F	28	11	2	2	2	—	2	4	5	19	6	3	—	—	1	1	2	6
18 Other respiratory diseases	M	16	2	1	1	3	—	—	5	4	12	1	1	—	1	—	1	3	5
	F	10	1	—	—	2	—	—	4	3	7	—	—	—	—	1	1	1	4
19 Diarrhoea, &c. ...	M	12	6	2	—	—	1	1	1	1	9	3	—	1	1	—	—	—	4
	F	13	8	1	—	—	—	—	2	2	9	2	—	—	1	1	—	2	3
20 Appendicitis and typhlitis	M	4	—	—	—	—	2	2	—	—	3	—	—	—	1	—	—	1	1
	F	3	—	—	—	1	—	—	2	—	5	—	—	—	1	—	4	—	—
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	—	5	3	4	—	—	—	—	—	—	2	2
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
21A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	28	1	—	—	—	1	1	15	10	23	—	—	—	—	1	4	9	9
	F	19	—	—	—	—	—	2	7	10	10	—	—	—	—	—	1	3	6
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	3	1	—	—	11	—	—	—	—	3	8	—	—
25 Congenital debility, &c.	M	37	—	—	—	—	—	—	—	—	55	55	—	—	—	—	—	—	—
	F	30	29	1	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	32	2	1	1	5	7	9	3	4	27	3	—	1	2	3	7	5	6
	F	13	2	—	1	1	1	1	3	4	17	—	—	1	3	2	1	2	8
27 Suicide ...	M	4	—	—	—	—	1	1	2	—	10	—	—	—	—	1	3	5	1
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...	M	231	17	4	1	5	7	19	41	137	230	19	7	1	2	4	6	33	158
	F	236	20	3	5	3	6	18	50	131	208	8	3	1	1	4	7	43	141
29 Causes ill-defined or unknown.	M	3	1	—	—	—	—	1	1	—	7	—	—	—	—	1	1	3	2
	F	3	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF DURHAM—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.																
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—									
ALL CAUSES ...	M	4,597	1280	361	261	170	210	472	906	937	3,346	990	287	181	124	162	308	556	738									
	F	3,944	1000	322	236	221	183	475	670	837	2,921	810	230	171	161	145	331	455	618									
1 Enteric fever ...	M	18	—	—	1	2	6	4	5	—	20	—	—	1	3	4	8	4	—									
	F	14	—	—	—	4	7	2	1	—	13	—	—	1	3	6	2	1	—									
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
3 Measles ...	M	126	27	54	35	10	—	—	—	—	112	22	53	31	5	1	—	—	—									
	F	83	17	28	28	10	—	—	—	—	75	17	32	20	5	—	1	—	—									
4 Scarlet fever ...	M	28	1	2	15	8	1	—	1	—	39	1	4	19	14	—	1	—	—									
	F	34	—	—	20	12	—	2	—	—	48	2	2	21	21	2	—	—	—									
5 Whooping cough ...	M	44	28	6	9	1	—	—	—	—	33	22	7	4	—	—	—	—	—									
	F	59	27	17	14	1	—	—	—	—	40	20	7	10	3	—	—	—	—									
6 Diphtheria and croup ...	M	55	7	4	28	15	—	1	—	—	36	2	4	13	15	2	—	—	—									
	F	47	1	10	17	19	—	—	—	—	44	—	6	13	21	1	3	—	—									
7 Influenza ...	M	60	—	2	—	—	9	13	23	13	47	3	1	—	2	4	7	18	12									
	F	32	1	—	1	1	—	3	13	13	30	1	1	1	1	—	3	9	14									
8 Erysipelas ...	M	5	—	1	—	—	—	3	—	1	5	2	—	—	—	—	—	1	2									
	F	6	2	—	—	—	—	1	1	2	5	1	—	—	—	—	1	2	1									
9 Pulmonary tuberculosis	M	292	—	4	5	14	67	114	78	10	141	2	2	1	6	34	66	29	1									
	F	247	—	3	5	30	60	111	35	3	156	2	3	2	19	41	70	18	1									
10 Tuberculous meningitis	M	66	14	17	19	13	2	—	1	—	50	14	9	12	9	2	3	1	—									
	F	44	5	16	12	10	—	—	1	—	29	4	7	7	9	2	—	—	—									
11 Other tuberculous diseases.	M	114	32	27	17	12	17	5	3	1	92	20	27	16	8	9	11	1	—									
	F	97	19	21	14	14	16	9	2	2	76	20	11	13	12	7	13	—	—									
12 Cancer, malignant disease	M	189	—	—	—	—	2	23	89	75	141	—	—	1	—	1	14	79	46									
	F	246	—	1	1	1	1	43	118	81	150	—	—	—	—	1	23	78	48									
13 Rheumatic fever ...	M	14	—	—	1	1	6	4	1	1	15	—	—	—	5	1	5	4	—									
	F	13	—	—	2	2	3	4	2	—	13	—	—	—	3	3	5	2	—									
14 Meningitis ...	M	53	21	6	12	8	1	3	1	1	42	13	9	7	5	4	2	1	1									
	F	57	14	8	9	13	3	8	2	—	39	15	6	8	6	4	—	—	—									
15 Organic heart disease ...	M	315	—	1	—	3	12	38	143	118	225	—	—	1	3	10	20	86	105									
	F	310	—	—	1	15	14	53	118	109	220	—	1	—	7	9	38	80	85									
16 Bronchitis ...	M	320	97	25	7	2	1	10	58	120	243	87	19	4	1	3	4	38	87									
	F	290	80	29	5	4	2	8	44	118	216	68	18	7	3	1	7	38	74									
17 Pneumonia (all forms)	M	467	141	90	48	14	19	44	75	36	276	77	55	26	8	16	37	35	22									
	F	333	98	66	49	23	8	32	26	31	219	61	49	28	9	6	17	20	29									
18 Other respiratory diseases	M	70	6	4	5	3	1	6	24	21	48	5	4	6	2	—	7	10	14									
	F	43	7	5	5	4	1	5	7	9	43	2	7	5	5	5	7	8	4									
19 Diarrhoea, &c. ...	M	308	195	60	10	3	2	8	16	14	214	145	47	3	2	1	2	7	7									
	F	277	152	65	20	7	3	5	11	14	207	139	41	10	2	1	2	8	4									
20 Appendicitis and typhlitis	M	14	—	1	—	4	4	2	3	—	16	—	—	1	3	8	2	2	—									
	F	12	—	1	—	3	2	3	3	—	9	—	—	—	4	3	1	1	—									
21 Cirrhosis of liver ...	M	28	—	—	—	—	—	4	17	7	17	—	—	—	—	—	1	13	3									
	F	15	—	—	—	—	—	6	8	1	12	—	—	—	—	—	2	9	1									
21A Alcoholism ...	M	16	—	—	—	—	1	11	3	1	2	—	—	—	—	—	—	2	—									
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—									
22 Nephritis and Bright's disease.	M	101	—	1	7	5	3	14	41	30	86	3	1	2	2	5	9	32	32									
	F	112	1	4	2	6	7	26	44	22	81	2	3	2	6	3	15	29	21									
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	20	—	—	—	—	9	11	—	—	12	—	—	—	—	5	7	—	—									
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—									
	F	48	—	—	—	—	12	36	—	—	64	—	—	—	—	20	44	—	—									
25 Congenital debility, &c.	M	458	456	2	—	—	—	—	—	—	385	381	1	2	—	—	1	—	—									
	F	398	395	3	—	—	—	—	—	—	299	296	1	1	1	—	—	—	—									
26 Violence, apart from suicide.	M	210	13	5	15	19	34	57	41	26	192	3	8	14	17	38	55	34	23									
	F	64	6	6	11	12	6	6	6	11	47	3	4	8	8	4	2	6	12									
27 Suicide ...	M	37	—	—	—	—	5	12	13	7	28	—	—	—	—	3	8	9	8									
	F	16	—	—	—	—	4	5	5	2	10	—	—	—	—	2	2	4	2									
28 Other defined diseases ...	M	1,129	239	38	26	28	17	91	245	445	819	187	32	15	14	15	44	140	372									
	F	993	174	28	18	30	24	91	213	415	731	153	24	12	12	19	62	133	316									

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ELY, ISLE OF—1913.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	268	47	15	12	2	10	34	45	103	234	46	2	3	5	10	28	44	96		
				F	217	34	7	10	7	4	17	40	98	187	32	5	3	5	6	18	26	92		
1	Enteric fever	...	{	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	{	M	8	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	6	—	2	3	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
4	Scarlet fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	Whooping cough	...	{	M	6	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	1	1	2	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
6	Diphtheria and croup	...	{	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	Influenza	...	{	M	4	—	—	—	—	—	2	1	1	7	1	—	—	—	—	—	2	4		
				F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2		
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
9	Pulmonary tuberculosis		{	M	20	—	—	—	—	3	10	5	2	19	—	—	—	—	4	9	6	—		
				F	13	—	—	—	1	3	5	4	—	6	—	—	—	—	1	4	1	—		
10	Tuberculous meningitis		{	M	5	1	1	1	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
				F	1	—	1	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—		
11	Other tuberculous diseases.		{	M	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
				F	4	1	1	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—		
12	Cancer, malignant disease		{	M	20	—	—	—	—	1	1	4	14	24	—	—	—	—	—	2	7	15		
				F	30	—	—	—	—	—	2	14	14	23	—	—	—	—	—	3	8	12		
13	Rheumatic fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
14	Meningitis	...	{	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	1	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—		
15	Organic heart disease	...	{	M	16	—	—	—	—	—	3	6	7	17	—	—	—	—	—	3	3	11		
				F	19	—	—	—	—	—	—	4	15	21	—	—	—	—	—	1	5	15		
16	Bronchitis	...	{	M	19	3	2	—	—	—	1	2	11	14	4	—	—	—	—	—	1	9		
				F	20	8	—	—	—	—	—	1	11	11	3	1	—	—	—	—	—	7		
17	Pneumonia (all forms)		{	M	12	3	1	1	—	1	1	1	4	16	8	2	—	—	—	2	1	3		
				F	4	—	—	—	—	—	—	1	3	9	1	1	1	1	—	2	—	3		
18	Other respiratory diseases		{	M	3	—	—	—	—	1	—	2	—	6	—	—	—	1	—	1	2	2		
				F	4	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—		
19	Diarrhoea, &c.	...	{	M	5	4	1	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
				F	4	3	—	—	—	—	1	—	—	4	4	—	—	—	—	—	—	—		
20	Appendicitis and typhlitis		{	M	3	—	—	—	—	1	2	—	—	2	—	—	—	—	2	—	—	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
21	Cirrhosis of liver	...	{	M	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1		
21A	Alcoholism	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		{	M	11	—	—	—	—	—	—	3	8	8	1	—	—	—	—	2	—	5		
				F	5	—	—	—	—	—	—	2	3	3	—	—	1	—	1	1	—	—		
23	Puerperal fever...	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—		
24	Parturition, apart from puerperal fever.		{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
25	Congenital debility, &c.		{	M	19	19	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
				F	16	16	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		{	M	24	2	1	3	1	1	10	6	—	14	—	—	3	2	3	2	4	—		
				F	2	—	—	2	—	—	—	—	—	5	1	—	—	—	—	1	3	—		
27	Suicide	...	{	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	2	—		
28	Other defined diseases	...	{	M	79	10	1	2	1	1	1	10	53	72	6	—	—	2	1	6	12	45		
				F	74	4	2	—	2	1	6	11	48	65	—	—	1	2	2	3	9	48		
29	Causes ill-defined or unknown.		{	M	3	—	—	—	—	—	1	1	1	4	2	—	—	—	—	—	1	1		
				F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
ESSEX—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,573	816	203	183	185	220	615	1051	1300	1,623	194	34	42	44	58	175	354	722		
	F	4,357	619	154	128	186	182	595	904	1589	1,433	154	27	29	36	54	148	261	724		
1 Enteric fever ...	M	10	—	—	—	1	2	6	1	—	4	—	—	—	—	3	—	1			
	F	10	—	—	—	1	3	6	—	—	3	—	—	—	1	1	—	1			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	103	15	41	35	12	—	—	—	—	16	3	3	6	3	1	—	—			
	F	78	19	24	20	15	—	—	—	—	11	1	5	2	1	—	1	—			
4 Scarlet fever ...	M	11	1	2	4	4	—	—	—	—	2	—	1	—	—	—	—	—			
	F	6	1	—	3	2	—	—	—	—	1	—	—	1	—	—	—	—			
5 Whooping cough ...	M	37	13	14	9	1	—	—	—	—	21	13	6	2	—	—	—	—			
	F	60	25	22	10	3	—	—	—	—	17	7	4	5	—	—	—	1			
6 Diphtheria and croup ...	M	53	2	5	24	20	1	1	—	—	7	—	—	1	5	—	1	—			
	F	32	1	2	8	21	—	—	—	—	6	—	—	1	3	1	—	—			
7 Influenza ...	M	62	2	1	1	2	8	9	22	17	24	1	—	2	—	2	2	8			
	F	57	—	1	—	—	3	5	25	23	22	2	—	1	—	1	4	14			
8 Erysipelas ...	M	8	—	—	—	—	—	2	3	3	2	—	—	—	—	—	1	1			
	F	12	2	—	—	2	—	1	2	5	2	—	—	—	—	—	1	1			
9 Pulmonary tuberculosis	M	404	5	4	4	10	83	169	112	17	101	—	—	1	6	19	50	18			
	F	323	3	4	6	20	73	154	53	10	72	—	2	—	4	18	29	15			
0 Tuberculous meningitis	M	78	8	23	25	15	3	4	—	—	7	1	—	4	2	—	—	—			
	F	65	12	15	15	14	5	4	—	—	12	3	—	6	2	—	1	—			
1 Other tuberculous diseases.	M	69	8	9	11	13	6	13	6	3	22	1	—	5	3	3	7	3			
	F	52	6	3	7	11	8	7	9	1	18	1	1	—	5	3	7	—			
2 Cancer, malignant disease	M	327	1	—	1	4	2	29	165	125	176	—	—	—	1	1	11	70			
	F	423	—	1	1	3	2	54	191	171	167	1	1	—	—	1	14	74			
3 Rheumatic fever ...	M	21	—	—	—	11	2	4	3	1	3	—	—	—	—	3	—	—			
	F	28	—	—	2	8	2	7	9	—	—	—	—	—	—	—	—	—			
4 Meningitis ...	M	32	11	5	7	6	1	—	2	—	8	2	—	1	3	—	1	1			
	F	39	7	5	7	15	3	2	—	—	4	—	—	2	1	—	1	—			
5 Organic heart disease ...	M	424	—	—	—	11	14	44	144	211	186	—	—	—	—	3	16	63			
	F	487	—	—	—	11	22	57	153	244	184	—	—	—	1	2	15	54			
6 Bronchitis ...	M	283	49	9	1	1	1	14	56	152	117	20	6	2	—	—	3	11			
	F	326	35	12	7	2	2	8	40	220	109	11	4	—	—	1	1	11			
7 Pneumonia (all forms)	M	333	76	37	27	12	15	58	65	43	71	21	3	3	4	4	8	19			
	F	258	57	32	19	8	3	49	41	49	45	11	2	3	2	—	9	4			
8 Other respiratory diseases	M	70	9	2	1	3	1	12	25	17	32	2	1	2	—	—	5	9			
	F	56	1	1	3	2	—	7	15	27	25	1	—	—	—	2	3	15			
9 Diarrhoea, &c. ...	M	167	116	23	3	1	—	8	10	6	25	11	5	1	—	1	2	1			
	F	141	89	19	6	2	—	8	6	11	25	12	3	2	—	1	4	3			
0 Appendicitis and typhlitis	M	31	—	—	—	11	8	7	5	—	6	—	—	1	2	—	1	2			
	F	24	—	—	—	8	4	3	7	2	4	—	—	—	1	2	—	1			
1 Cirrhosis of liver ...	M	43	—	—	—	1	—	6	28	8	13	—	—	—	—	3	8	2			
	F	48	—	—	—	—	1	5	35	7	11	—	—	—	—	1	2	4			
1A Alcoholism ...	M	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	3	2			
	F	8	—	—	—	—	—	3	3	2	1	—	—	—	—	—	—	1			
2 Nephritis and Bright's disease.	M	147	1	—	3	3	5	27	62	46	51	1	1	—	—	2	4	22			
	F	146	—	—	—	3	8	40	50	45	35	1	—	—	1	3	6	11			
3 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	23	—	—	—	—	4	19	—	—	3	—	—	—	—	—	3	—			
4 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	35	—	—	—	—	3	30	2	—	11	—	—	—	—	4	7	—			
5 Congenital debility, &c.	M	331	330	1	—	—	—	—	—	—	80	79	1	—	—	—	—	—			
	F	273	268	—	1	3	—	1	—	—	68	67	—	—	1	—	—	—			
6 Violence, apart from suicide.	M	187	14	3	9	12	28	46	46	29	58	4	2	2	6	7	12	17			
	F	73	16	2	4	5	2	9	11	24	26	2	1	2	5	3	—	3			
7 Suicide ...	M	50	—	—	—	—	4	14	25	7	14	—	—	—	—	—	9	4			
	F	14	—	—	—	—	3	7	4	—	4	—	—	—	—	—	2	2			
8 Other defined diseases ...	M	1,275	154	21	18	31	35	136	268	612	564	34	5	9	8	12	34	93			
	F	1,250	76	8	9	27	31	108	244	747	541	34	4	5	8	13	38	67			
9 Causes ill-defined or unknown.	M	15	1	3	—	—	1	4	3	3	8	1	—	—	—	—	1	5			
	F	10	1	3	—	—	—	1	4	1	6	—	—	—	—	—	1	4			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
GLOUCESTERSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All	0—	1—	2—	5—	15—	25—	45—	65—	All	0—	1—	2—	5—	15—	25—	45—	65—		
		Ages.									Ages.										
ALL CAUSES	M	666	94	33	21	28	22	81	147	240	1,486	175	27	28	52	53	140	360	651		
	F	749	67	12	16	17	18	71	176	372	1,436	142	18	27	53	63	157	305	671		
1 Enteric fever	M	3	—	—	—	—	—	2	1	—	5	—	—	—	—	—	4	1	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	14	—	9	3	1	—	1	—	—	17	4	4	3	4	1	1	—	—		
	F	13	3	4	2	4	—	—	—	—	14	—	5	5	4	—	—	—	—		
4 Scarlet fever	M	3	—	—	1	2	—	—	—	—	5	—	—	5	—	—	—	—	—		
	F	2	—	—	—	1	—	—	1	—	4	—	—	3	1	—	—	—	—		
5 Whooping cough	M	4	1	2	—	1	—	—	—	—	6	3	3	—	—	—	—	—	—		
	F	4	2	2	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—		
6 Diphtheria and croup	M	6	—	1	2	3	—	—	—	—	9	—	—	2	7	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	14	1	—	2	11	—	—	—	—		
7 Influenza	M	11	1	—	—	—	—	—	2	8	28	3	1	—	—	2	3	8	11		
	F	18	—	—	—	—	1	1	6	10	20	2	—	—	—	1	1	8	8		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	1		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
9 Pulmonary tuberculosis	M	55	—	4	—	1	12	26	9	3	96	—	—	—	4	26	39	23	4		
	F	49	—	1	4	3	6	28	5	2	91	1	—	—	4	24	41	19	2		
10 Tuberculous meningitis	M	3	—	1	—	2	—	—	—	—	8	2	—	—	5	—	1	—	—		
	F	4	—	1	—	1	2	—	—	—	9	—	2	2	3	—	1	1	—		
11 Other tuberculous dis- eases.	M	6	1	—	—	3	—	2	—	—	22	2	—	1	5	4	5	2	3		
	F	10	1	—	1	1	3	2	2	—	20	—	—	—	5	7	4	1	3		
12 Cancer, malignant disease	M	51	—	—	—	—	—	2	29	20	133	1	—	—	—	—	7	57	68		
	F	89	—	—	1	—	—	3	43	42	160	—	—	—	—	2	20	66	72		
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	4	—	—	—	3	—	1	—	—		
	F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	2	1	—	1		
14 Meningitis	M	8	—	2	1	2	—	—	2	1	5	1	—	—	2	1	—	1	—		
	F	3	2	—	—	1	—	—	—	—	12	4	—	1	2	1	3	1	—		
15 Organic heart disease	M	61	—	—	—	1	—	4	21	35	198	—	—	1	2	1	13	59	122		
	F	100	—	—	—	2	1	3	33	61	240	—	1	—	1	7	12	69	150		
16 Bronchitis	M	33	7	—	—	1	—	1	3	21	87	13	2	—	—	—	1	15	56		
	F	32	3	—	—	—	—	1	5	23	101	11	2	1	—	1	—	7	79		
17 Pneumonia (all forms)...	M	42	10	7	5	1	1	7	3	8	69	13	7	7	4	3	6	14	15		
	F	33	6	2	2	1	—	1	8	13	54	13	3	4	1	1	5	14	13		
18 Other respiratory diseases	M	18	—	—	—	—	1	3	10	4	26	1	—	—	2	—	3	8	12		
	F	7	—	—	—	—	—	—	3	4	14	4	1	—	2	—	1	2	4		
19 Diarrhoea, &c.	M	22	13	2	3	—	—	1	1	2	34	19	1	1	—	1	1	4	7		
	F	16	11	2	2	—	—	—	—	1	27	12	—	1	1	1	2	5	5		
20 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	9	—	1	—	1	—	3	3	1		
	F	4	—	—	—	1	—	—	2	1	10	—	—	—	3	2	2	3	—		
21 Cirrhosis of liver	M	8	—	—	—	—	—	3	2	3	14	—	—	—	—	—	3	7	4		
	F	6	—	—	—	—	—	2	1	3	6	—	—	—	—	—	1	4	1		
21A Alcoholism	M	4	—	—	—	—	1	—	2	1	3	—	—	—	—	—	1	2	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	1	—	—	2	9	13	40	—	—	—	—	4	3	17	16		
	F	23	—	—	—	—	—	3	10	10	37	—	—	—	2	4	7	8	16		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	18	—	—	—	—	3	15	—	—		
25 Congenital debility, &c.	M	43	40	—	2	1	—	—	—	—	87	85	1	1	—	—	—	—	—		
	F	28	26	—	—	—	—	1	—	1	59	57	1	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	29	1	2	1	3	4	11	2	5	64	2	3	5	6	4	16	22	6		
	F	6	—	—	—	—	—	—	4	2	26	3	1	3	2	—	1	9	7		
27 Suicide	M	5	—	—	—	1	—	3	1	—	14	—	—	—	—	1	4	7	2		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1		
28 Other defined diseases	M	206	19	3	2	4	2	11	50	115	492	25	3	1	7	5	25	105	321		
	F	289	13	—	3	2	2	19	53	197	474	28	1	4	10	6	35	83	307		
29 Causes ill-defined or un- known.	M	2	1	—	—	—	—	—	—	1	9	1	1	1	—	—	—	4	2		
	F	1	—	—	—	—	—	—	—	1	4	—	1	—	—	—	—	2	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HEREFORDSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	263	28	4	5	10	14	30	62	110	538	71	8	11	18	16	58	126	230
	F	262	36	6	4	8	8	31	51	118	549	52	7	10	12	14	50	108	296
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	1	—	—	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	4	3	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	3	—	—	—	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—
7 Influenza ...	M	2	—	—	—	1	—	1	—	—	9	1	1	—	—	—	1	2	4
	F	1	—	1	—	—	—	—	—	—	11	1	—	—	—	—	2	3	5
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	22	—	—	—	2	8	8	3	1	45	—	—	1	—	8	25	10	1
	F	20	—	1	1	—	6	7	5	—	32	—	1	—	1	5	14	7	4
10 Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	4	1	2	—	1	—	—	—	—
11 Other tuberculous diseases.	M	1	—	—	—	1	—	—	—	—	4	—	—	—	1	—	1	1	1
	F	7	1	—	1	—	1	2	2	—	4	—	—	1	—	1	1	1	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	10	7	34	—	—	—	—	—	—	16	18
	F	26	—	—	—	—	—	5	5	16	60	—	—	—	—	—	8	21	31
13 Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
14 Meningitis ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
15 Organic heart disease ...	M	40	—	—	—	—	1	6	9	24	70	—	—	—	—	—	1	24	45
	F	35	—	—	—	—	—	2	10	23	91	—	—	—	—	1	4	22	64
16 Bronchitis ...	M	9	2	1	—	—	—	—	1	5	31	6	1	1	—	—	—	1	22
	F	16	1	1	—	—	—	—	2	12	33	2	—	1	—	—	1	2	27
17 Pneumonia (all forms)...	M	13	4	1	—	2	—	4	1	1	27	4	4	2	—	—	5	8	4
	F	11	3	—	—	1	—	2	4	1	26	6	2	—	1	1	1	7	8
18 Other respiratory diseases	M	7	—	—	—	—	—	—	5	2	9	—	—	—	—	—	2	1	6
	F	4	—	—	—	—	—	—	2	2	4	—	—	—	—	—	—	2	2
19 Diarrhoea, &c. ...	M	2	2	—	—	—	—	—	—	—	8	3	—	—	1	—	1	2	1
	F	9	4	1	—	—	—	—	2	2	11	2	—	1	—	—	—	3	5
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	1	—	2	1	1
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	1	—	—	1	1
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	10	—	—	—	—	—	1	4	5	17	—	—	—	—	—	—	9	8
	F	6	—	—	—	—	—	1	1	4	14	—	—	—	—	—	1	6	7
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	4	—	—	—	—	—	4	—	—
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—
	F	14	14	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	13	—	1	2	—	1	2	2	5	25	—	1	3	3	1	4	8	5
	F	4	2	—	1	1	—	—	—	—	6	1	—	2	—	—	1	—	2
27 Suicide ...	M	3	—	—	—	—	—	1	1	1	8	—	—	—	—	2	1	4	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	98	6	—	2	1	4	5	23	57	194	18	—	2	6	4	13	38	113
	F	92	11	1	1	1	—	6	14	58	199	13	1	1	5	4	8	28	139
29 Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1
	F	2	—	—	—	—	—	—	2	—	5	1	—	—	—	—	2	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
HERTFORDSHIRE—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M F	1,094 1,144	158 97	36 37	32 31	34 33	42 46	120 131	276 240	396 529	672 558	85 50	13 11	14 16	25 14	26 21	72 52	165 127	272 267	
1 Enteric fever	M F	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	
2 Small-pox	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	14 10	2 2	7 4	4 3	1 1	— —	— —	— —	— —	7 5	1 —	— 1	1 2	5 2	— —	— —	— —	— —	
4 Scarlet fever	M F	1 1	— —	— —	— —	1 —	— 1	— —	— —	— —	2 —	— —	1 —	— —	1 —	— —	— —	— —	— —	
5 Whooping cough	M F	9 9	2 3	4 4	2 1	1 1	— —	— —	— —	— —	4 8	3 3	— 4	1 1	— —	— —	— —	— —	— —	
6 Diphtheria and croup	M F	6 5	— 1	— —	1 3	5 1	— —	— —	— —	— —	1 3	— —	— —	1 2	— —	— —	— —	— —	— —	
7 Influenza	M F	19 31	1 —	— —	— —	— 2	— —	4 8	6 4	8 17	12 11	1 1	— —	— —	— —	2 1	2 1	1 1	6 7	
8 Erysipelas	M F	1 2	— —	— —	— —	— —	— —	— —	1 2	— —	2 —	— —	— —	— —	— —	— —	— —	2 —	— —	
9 Pulmonary tuberculosis	{		M F	82 79	— —	1 —	— 1	3 —	14 19	36 36	19 22	9 1	52 27	— —	— —	— —	1 4	7 11	27 8	17 2	— —	
10 Tuberculous meningitis			{	M F	9 8	2 —	2 1	2 4	3 2	— —	— —	— 1	— —	5 3	— 1	2 1	— —	3 1	— —	— —	— —	— —
11 Other tuberculous diseases.	{		M F	16 11	3 1	3 1	3 2	4 3	1 1	— 2	2 —	— 1	5 8	— —	— —	— —	1 1	1 2	3 3	— 2	— —	
12 Cancer, malignant disease			{	M F	119 145	— —	— —	1 —	— —	1 —	4 16	58 62	55 67	64 87	— —	— —	— —	1 1	2 —	3 7	29 44	29 35
13 Rheumatic fever	M F	6 10	— —	— —	— —	1 1	1 1	2 3	2 4	— 1	1 2	— —	— —	— —	1 —	— 1	— 1	— —	— —	
14 Meningitis	M F	7 8	1 —	1 2	3 2	2 2	— 1	— 1	1 1	— —	1 2	— 1	1 —	— 1	— —	— —	— —	— —	— —	
15 Organic heart disease	M F	143 145	— —	— —	— —	1 4	2 5	16 9	49 33	75 94	82 79	— —	— —	— —	1 —	4 5	5 21	29 53	43 53	
16 Bronchitis	M F	68 88	9 8	— 2	1 2	1 —	— —	1 —	9 7	47 69	42 39	3 5	— 1	1 —	— —	— —	— 1	6 3	32 25	
17 Pneumonia (all forms)	{		M F	62 54	20 12	7 9	7 2	1 2	1 1	9 8	9 7	8 13	47 24	6 5	4 1	8 1	1 —	2 1	7 3	11 3	8 10	
18 Other respiratory diseases			{	M F	12 17	1 —	— —	— —	— 1	1 1	1 —	4 3	5 4	5 8	3 6	— —	— —	— —	— —	— —	1 3	2 —
19 Diarrhoea, &c.	M F	23 17	16 6	— 6	— —	— 2	1 —	2 —	2 —	2 3	23 10	16 4	3 2	— 1	— —	— 1	— 1	— 1	— —	
20 Appendicitis and typhlitis	{		M F	8 10	— —	— —	1 2	1 3	4 1	1 1	— 2	1 1	3 4	— —	— —	— —	2 1	— 1	1 —	— 2	— —	
21 Cirrhosis of liver			{	M F	19 7	— —	— —	1 —	— —	— —	— —	2 —	12 5	4 2	6 3	— —	— —	— —	— —	— 1	6 1	— —
21A Alcoholism	M F	— 2	— —	— —	— —	— —	— —	— —	— 2	— —	2 —	— —	— —	— —	— —	— —	1 —	1 —	— —	
22 Nephritis and Bright's disease.	{		M F	34 30	— —	— —	— —	— —	1 1	2 6	14 10	17 13	20 17	— —	— —	— —	— —	1 —	2 2	10 9	7 6	
23 Puerperal fever...			{	M F	— 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— 3	— —	— —	— —	— —	— 3	— —	— —
24 Parturition, apart from puerperal fever.	{		M F	— 7	— —	— —	— —	— —	— 1	— 6	— —	— —	— 6	— —	— —	— —	— —	— —	— 6	— —	— —	
25 Congenital debility, &c.			{	M F	73 45	— 45	— —	1 —	— —	— —	1 —	1 —	— —	— —	48 25	47 24	1 —	— 1	— —	— —	— —	— —
26 Violence, apart from suicide.	{		M F	44 23	3 1	2 2	1 2	4 2	3 1	14 2	11 4	6 9	27 9	1 —	— —	2 1	5 —	2 —	7 1	6 2	4 5	
27 Suicide			M F	10 6	— —	— —	— —	— —	2 1	1 3	5 2	2 —	11 2	— —	— —	— —	— —	1 1	1 —	7 1
28 Other defined diseases	M F	291 369	27 18	6 5	4 6	6 6	8 12	21 26	66 66	153 230	195 168	7 4	1 1	1 5	3 2	3 2	14 9	35 31	131 114	
29 Causes ill-defined or unknown.	{		M F	17 3	1 —	3 1	— —	— —	— —	3 —	6 2	4 —	7 6	— 2	— —	— 1	— —	1 —	1 —	1 1	4 2	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF HUNTINGDONSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	148	20	4	5	7	2	16	36	58	202	21	3	4	9	5	19	44	97		
	F	152	17	3	6	6	3	17	28	72	219	16	8	2	8	3	22	38	122		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	5	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	4	—	1	1	1	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
7 Influenza ...	M	4	—	—	1	1	—	—	—	2	7	—	1	—	—	—	1	3	2		
	F	5	—	—	—	—	—	2	1	2	2	—	—	—	1	—	—	—	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	7	—	—	—	—	—	2	5	—	9	—	—	—	1	2	2	4	—		
	F	3	—	—	—	1	—	1	—	1	11	—	—	—	1	7	1	—	2		
10 Tuberculous meningitis	M	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—		
	F	4	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	11	—	—	—	—	—	1	5	5	21	—	—	—	—	—	—	9	12		
	F	10	—	—	—	—	—	2	2	6	30	—	—	—	—	3	10	17	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	2	1	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	—	2	4	6	20	—	—	—	—	—	1	4	15		
	F	22	—	—	—	—	—	3	8	11	32	—	—	—	1	1	4	6	20		
16 Bronchitis ...	M	14	3	—	—	—	—	—	2	9	9	2	—	—	—	—	—	1	6		
	F	11	2	—	1	—	—	—	1	7	17	—	2	—	—	—	—	—	15		
17 Pneumonia (all forms)...	M	8	2	1	—	2	—	1	1	1	11	2	—	2	—	—	1	1	5		
	F	6	1	—	1	—	—	1	—	3	8	4	2	—	—	—	1	1	—		
18 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	3		
	F	3	—	—	—	—	—	—	—	3	4	—	—	—	—	—	1	—	3		
19 Diarrhoea, &c. ...	M	3	1	—	—	—	—	1	—	1	5	4	—	—	—	—	—	1	—		
	F	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	2	1		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	—	1	—	7	—	—	—	1	—	—	3	3		
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	—	1	2	—	1		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
25 Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	11	10	—	—	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	7	6	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	8	—	—	—	2	—	3	2	1	10	—	—	1	—	—	3	4	2		
	F	5	—	1	—	1	1	—	2	—	5	1	—	—	1	—	—	1	2		
27 Suicide ...	M	7	—	—	—	—	—	3	4	—	4	—	—	—	—	—	3	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	49	4	—	—	1	1	2	10	31	64	1	1	1	2	1	2	11	45		
	F	62	3	2	1	2	—	7	9	38	85	3	1	—	2	—	2	17	60		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	1	1	2		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF KENT—1913.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	4,275	657	136	147	143	193	607	1000	1392	1,986	274	61	45	76	86	203	390	851		
			F	4,127	541	118	128	161	153	516	780	1730	1,767	242	56	37	76	67	182	329	778		
1	Enteric fever	...	M	12	—	—	—	1	6	4	1	—	4	—	—	—	1	1	1	1	—		
			F	10	—	—	—	2	1	6	1	—	4	—	—	—	1	2	1	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	57	10	22	18	7	—	—	—	—	27	7	9	8	2	—	—	1	—		
			F	58	12	18	23	3	1	1	—	—	30	7	12	6	4	—	1	—	—		
4	Scarlet fever	...	M	9	—	1	2	5	1	—	—	—	4	—	—	1	3	—	—	—	—		
			F	8	1	—	6	—	—	1	—	—	6	—	1	2	3	—	—	—	—		
5	Whooping cough	...	M	28	12	9	7	—	—	—	—	—	15	6	8	1	—	—	—	—	—		
			F	43	18	15	10	—	—	—	—	—	17	6	5	2	3	—	—	—	1		
6	Diphtheria and croup	...	M	36	2	4	15	13	2	—	—	—	14	1	1	3	9	—	—	—	—		
			F	39	—	1	11	26	1	—	—	—	14	—	—	6	8	—	—	—	—		
7	Influenza	...	M	71	2	—	4	2	3	15	19	26	37	1	—	1	4	2	5	8	16		
			F	72	3	—	2	1	2	9	18	37	29	1	—	—	—	1	4	9	14		
8	Erysipelas	...	M	10	1	—	—	—	1	2	4	2	2	—	—	—	—	—	—	1	1		
			F	3	—	—	—	—	—	1	—	2	4	1	—	—	—	1	—	2	—		
9	Pulmonary tuberculosis	{	M	357	3	2	4	8	52	189	84	15	144	2	1	2	8	30	62	34	5		
			F	271	2	4	6	14	67	112	47	19	121	1	—	2	14	25	55	20	4		
10	Tuberculous meningitis	{	M	45	6	8	15	14	—	—	2	—	22	7	6	4	2	2	—	1	—		
			F	37	5	3	9	16	2	2	—	—	17	5	2	2	6	2	—	—	—		
11	Other tuberculous diseases.	{	M	66	2	9	8	10	11	13	10	3	28	3	2	2	2	7	7	5	—		
			F	61	6	4	4	20	8	9	4	6	19	6	2	—	6	—	4	1	—		
12	Cancer, malignant disease	{	M	357	—	—	—	1	1	27	164	164	197	—	—	—	1	3	11	64	118		
			F	448	—	—	—	—	—	2	63	186	197	170	—	—	—	—	1	18	69	82	
13	Rheumatic fever	...	M	17	—	—	2	7	4	3	1	—	5	—	—	1	—	3	1	—	—		
		F	15	—	—	—	2	2	5	6	—	—	6	—	—	—	2	3	—	1	—		
14	Meningitis	...	M	24	5	3	2	3	6	4	—	1	15	2	2	—	6	3	1	—	1		
		F	31	10	8	5	5	1	—	—	2	—	13	5	1	—	4	2	1	—	—		
15	Organic heart disease	...	M	467	—	—	—	1	14	72	164	216	230	—	—	—	3	3	21	71	132		
		F	480	—	—	—	6	9	56	123	286	231	231	—	—	—	3	2	16	56	154		
16	Bronchitis	...	M	220	32	12	9	3	—	6	33	125	99	21	—	1	—	—	2	11	64		
		F	288	31	11	3	2	1	9	32	199	117	117	14	4	1	—	1	1	9	87		
17	Pneumonia (all forms)	{	M	283	70	28	21	13	20	36	50	45	110	25	8	7	4	5	12	23	26		
			F	188	33	18	19	11	7	24	26	50	81	24	12	1	5	6	9	10	14		
18	Other respiratory diseases	{	M	59	1	2	2	2	3	9	15	25	35	6	—	1	—	3	1	10	14		
			F	40	1	—	4	2	—	6	8	19	25	1	—	—	1	—	4	7	12		
19	Diarrhoea, &c.	...	M	140	100	12	5	2	—	4	8	9	60	35	11	—	—	—	4	4	6		
		F	126	75	18	1	4	3	7	10	8	64	35	12	2	—	—	—	1	5	9		
20	Appendicitis and typhlitis	{	M	34	—	—	6	10	4	9	5	—	9	—	—	—	3	3	1	2	—		
			F	21	—	—	1	7	4	6	2	1	12	1	—	1	2	—	3	4	1		
21	Cirrhosis of liver	...	M	43	—	—	—	—	—	8	26	9	21	—	—	—	—	—	3	12	6		
		F	42	—	—	—	—	—	—	8	24	10	12	—	—	—	1	—	1	8	2		
21A	Alcoholism	...	M	4	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—		
		F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.	{	M	160	—	—	1	4	4	24	58	69	66	1	—	—	3	1	6	20	35		
			F	110	1	—	1	4	—	—	21	35	48	51	1	—	—	2	6	22	20		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	18	—	—	—	—	2	16	—	—	—	4	—	—	—	—	4	—	—	—		
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	34	—	—	—	—	5	29	—	—	—	18	—	—	—	2	16	—	—	—	
25	Congenital debility, &c.	{	M	265	261	2	1	—	—	1	—	—	112	109	1	—	1	1	—	—	—		
			F	233	231	1	1	—	—	—	—	—	—	94	92	1	—	1	—	—	—	—	
26	Violence, apart from suicide.	{	M	160	9	1	10	18	19	42	40	21	80	3	4	6	11	12	17	17	10		
			F	91	15	3	9	6	3	3	17	10	28	36	6	—	5	3	2	3	6	11	
27	Suicide	...	M	50	—	—	—	—	8	18	21	3	29	—	—	—	—	2	8	13	6		
		F	15	—	—	—	—	3	5	6	1	7	—	—	—	—	2	1	4	—	—		
28	Other defined diseases	...	M	1,285	140	19	14	19	34	117	287	655	608	45	8	7	12	4	37	86	409		
		F	1,323	94	10	13	30	28	98	233	817	555	34	4	6	8	13	32	94	364	—		
29	Causes ill-defined or unknown.	{	M	16	1	2	1	—	—	1	7	4	10	—	—	—	1	—	2	5	2		
			F	18	3	4	—	—	1	3	5	2	10	2	—	1	1	—	1	2	3	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LANCASHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	11,178	2469	629	475	436	421	1360	2836	2552	1,612	283	68	56	67	55	177	389	517		
	F	10,713	1893	617	435	404	489	1284	2494	3097	1,463	211	61	68	50	56	170	357	490		
1 Enteric fever ...	M	94	—	—	1	7	15	55	15	1	18	—	—	—	3	4	5	6	—		
	F	54	—	—	2	8	17	17	9	1	14	1	—	—	—	2	8	3	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	261	67	96	76	22	—	—	—	—	36	4	18	9	5	—	—	—	—		
	F	255	52	106	78	19	—	—	—	—	30	3	15	10	2	—	—	—	—		
4 Scarlet fever ...	M	38	—	6	12	15	4	—	1	—	11	—	—	7	4	—	—	—	—		
	F	39	—	3	17	16	2	1	—	—	10	—	2	4	4	—	—	—	—		
5 Whooping cough ...	M	95	43	34	16	2	—	—	—	—	8	6	2	—	—	—	—	—	—		
	F	127	49	41	34	3	—	—	—	—	11	6	4	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	89	3	16	37	33	—	—	—	—	12	1	1	2	8	—	—	—	—		
	F	88	4	11	39	33	—	1	—	—	25	—	3	8	13	1	—	—	—		
7 Influenza ...	M	111	6	1	2	2	1	17	52	30	23	4	—	—	1	—	6	7	5		
	F	102	5	1	2	1	6	22	30	35	30	—	—	1	—	3	5	8	13		
8 Erysipelas ...	M	13	1	1	—	—	—	3	3	5	1	—	—	—	—	1	—	—	—		
	F	14	2	—	1	—	—	2	4	5	2	—	—	—	—	1	1	—	—		
9 Pulmonary tuberculosis	M	717	2	4	7	31	121	311	212	29	96	—	2	1	2	12	45	30	4		
	F	619	4	9	6	56	178	241	111	14	75	2	—	1	5	20	28	16	3		
10 Tuberculous meningitis	M	87	19	19	11	28	5	—	5	—	13	4	—	4	3	2	—	—	—		
	F	73	9	16	19	16	9	3	1	—	8	1	1	4	1	1	—	—	—		
11 Other tuberculous diseases.	M	168	33	27	23	25	21	18	18	3	20	3	3	3	1	3	3	3	1		
	F	150	28	14	14	28	24	22	15	5	12	1	2	1	1	1	3	3	—		
12 Cancer, malignant disease	M	569	—	—	4	—	3	63	311	188	104	—	—	1	—	1	7	42	53		
	F	873	1	—	2	1	6	119	446	298	140	—	—	—	—	1	17	66	56		
13 Rheumatic fever ..	M	52	—	1	—	8	8	11	21	3	8	—	1	—	3	—	2	1	1		
	F	55	—	—	1	14	7	11	16	6	10	—	—	—	2	3	2	3	—		
14 Meningitis ...	M	144	45	20	22	24	8	9	12	4	12	3	5	2	—	—	1	—	1		
	F	99	22	19	20	20	4	12	2	—	16	6	1	4	1	1	1	1	1		
15 Organic heart disease ...	M	847	—	1	2	16	25	120	360	323	155	—	1	—	3	4	14	64	69		
	F	1,035	—	—	—	10	43	155	416	411	156	—	1	—	3	4	19	69	60		
16 Bronchitis ...	M	1,024	219	54	33	10	3	41	258	406	116	20	5	4	1	—	2	28	56		
	F	979	145	50	20	8	5	29	234	488	112	17	4	4	—	—	5	22	60		
17 Pneumonia (all forms)...	M	1,075	247	138	85	40	39	182	225	119	134	40	10	4	8	5	15	30	22		
	F	810	197	135	73	45	32	79	128	121	102	24	11	12	5	2	14	14	20		
18 Other respiratory diseases	M	159	17	9	9	12	7	17	63	25	28	2	2	2	2	2	7	1	10		
	F	145	7	11	14	8	8	13	38	46	24	2	2	3	—	—	4	5	8		
19 Diarrhoea, &c. ...	M	821	548	117	38	9	6	22	44	37	77	51	9	1	3	—	—	4	9		
	F	715	457	118	31	9	7	19	28	46	49	33	5	2	—	1	2	3	3		
20 Appendicitis and typhlitis	M	60	1	1	3	26	6	15	4	4	7	—	—	1	4	—	2	—	—		
	F	54	—	—	2	15	18	10	7	2	9	—	—	—	4	1	2	2	—		
21 Cirrhosis of liver ...	M	93	—	—	—	—	—	16	62	15	18	—	—	—	—	—	1	10	7		
	F	57	—	—	—	—	—	10	32	15	14	—	—	—	—	—	—	11	3		
21a Alcoholism ...	M	17	—	—	—	—	—	5	10	2	3	—	—	—	—	—	1	2	—		
	F	6	—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	402	4	5	9	12	10	67	200	95	54	—	—	3	2	2	7	21	19		
	F	331	5	5	4	10	11	67	156	73	34	—	—	—	1	1	4	14	14		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	55	—	—	—	—	8	47	—	—	7	—	—	—	—	1	6	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	108	—	—	—	—	12	95	1	—	23	—	—	—	—	2	20	1	—		
25 Congenital debility, &c.	M	825	816	2	4	1	—	2	—	—	86	86	—	—	—	—	—	—	—		
	F	590	588	—	—	1	1	—	—	—	68	67	1	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	460	18	10	42	52	62	125	108	43	77	1	1	3	7	8	28	21	8		
	F	195	19	12	29	24	13	19	34	45	29	2	3	5	3	—	—	10	6		
27 Suicide ...	M	121	—	—	—	—	8	45	55	13	13	—	—	—	—	1	3	4	5		
	F	59	—	—	—	—	15	17	23	4	13	—	—	—	—	1	5	7	—		
28 Other defined diseases ...	M	2,722	373	55	34	56	68	207	741	1188	447	58	7	9	7	9	28	87	242		
	F	2,948	298	54	24	54	62	260	726	1470	423	46	4	8	5	7	21	94	238		
29 Causes ill-defined or unknown.	M	114	7	12	5	5	1	9	56	19	35	—	1	—	—	1	—	28	5		
	F	78	1	12	3	5	1	12	32	12	17	—	2	—	—	2	3	5	5		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LEICESTERSHIRE—1913.

Causes of Death		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	649	145	24	17	25	27	86	128	197	929	160	19	28	41	38	86	191	366	
			F	634	110	27	25	33	30	80	137	192	934	125	21	28	39	43	102	177	399	
1	Enteric fever	M	2	—	—	—	—	1	1	—	2	—	—	—	—	2	—	—	—	
			F	2	—	—	—	2	—	—	—	—	2	—	—	—	1	—	—	1	—	
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	7	—	5	1	1	—	—	—	10	2	1	3	4	—	—	—	—	
			F	6	—	2	3	1	—	—	—	—	12	3	5	2	1	—	1	—	—	
4	Scarlet fever	M	1	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	
			F	1	—	—	1	—	—	—	—	—	4	1	—	2	1	—	—	—	—	
5	Whooping cough	M	5	2	2	1	—	—	—	—	6	4	1	1	—	—	—	—	—	
			F	9	3	4	2	—	—	—	—	—	6	5	—	1	—	—	—	—	—	
6	Diphtheria and croup	M	7	—	1	2	3	—	1	—	8	1	—	3	4	—	—	—	—	
			F	8	—	1	2	5	—	—	—	—	7	—	1	3	3	—	—	—	—	
7	Influenza	M	10	—	—	—	—	1	5	4	14	—	—	—	—	—	2	3	9	
			F	10	—	1	1	—	—	2	5	1	21	—	—	1	2	1	—	3	14	
8	Erysipelas	M	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
			F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—	
9	Pulmonary tuberculosis	{	M	57	2	—	—	2	13	24	14	2	75	1	1	—	2	19	40	12	—	
			F	47	—	—	—	2	14	23	8	—	74	1	—	4	5	23	32	9	—	
10	Tuberculous meningitis	{	M	7	1	3	—	2	—	1	—	—	5	3	—	—	2	—	—	—	—	
			F	9	1	2	1	2	1	2	—	—	7	1	—	2	2	2	—	—	—	
11	Other tuberculous diseases.	{	M	12	3	3	1	2	—	2	1	—	10	2	—	1	3	2	1	1	—	
			F	7	3	—	1	3	—	—	—	—	11	1	1	1	1	2	3	2	—	
12	Cancer, malignant disease	{	M	44	—	—	—	—	—	2	16	26	63	—	—	—	1	1	1	27	33	
			F	57	—	—	—	—	—	—	4	31	22	106	—	—	1	—	6	50	49	
13	Rheumatic fever	M	2	—	—	—	1	—	1	—	5	—	—	—	1	1	1	2	—	
			F	3	—	—	—	—	—	2	1	—	3	—	—	—	1	1	—	—	1	
14	Meningitis	M	4	1	—	—	1	2	—	—	8	—	4	—	1	1	1	1	—	
			F	5	—	—	3	1	—	—	—	1	5	2	—	—	3	—	—	—	—	
15	Organic heart disease	M	71	—	—	—	1	1	9	28	32	91	—	—	—	1	—	2	29	59
			F	63	—	—	—	3	3	8	26	23	125	—	—	—	5	3	11	38	68	
16	Bronchitis	M	38	12	2	1	—	2	8	13	63	13	2	6	—	—	1	6	35	
			F	42	9	3	1	—	—	1	6	22	63	12	2	—	—	—	1	5	43	
17	Pneumonia (all forms)	{	M	43	16	3	5	1	1	8	3	6	65	17	7	3	2	1	6	13	16	
			F	38	5	6	6	4	1	4	9	3	40	10	7	1	3	2	2	4	11	
18	Other respiratory diseases	{	M	11	—	—	1	—	1	3	4	2	18	1	—	4	2	—	1	2	8	
			F	4	—	1	1	1	—	1	—	—	9	1	—	4	1	—	—	1	2	
19	Diarrhoea, &c.	M	22	19	—	—	—	—	—	3	28	21	1	—	—	—	5	1		
			F	22	12	2	1	1	—	2	1	3	25	16	1	1	—	1	1	2	3	
20	Appendicitis and typhlitis	{	M	7	—	—	—	4	1	1	1	—	7	1	—	—	3	1	—	2	—	
			F	2	—	—	—	2	—	—	—	—	3	—	—	—	—	—	—	3	—	
21	Cirrhosis of liver	M	8	—	—	—	—	2	4	2	13	—	—	—	—	—	3	6	4	
			F	7	—	—	—	—	—	2	5	—	4	—	—	—	—	—	2	2	—	
21A	Alcoholism	M	3	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	
22	Nephritis and Bright's disease.	{	M	23	—	—	—	3	—	5	5	10	21	1	—	—	1	—	2	7	10	
			F	14	—	—	—	—	2	5	2	5	21	—	—	—	—	3	9	9	—	
23	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	3	—	—	—	—	—	3	—	—	6	—	—	—	—	6	—	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	9	—	—	—	—	1	8	—	—	—	11	—	—	—	1	10	—	—	—
25	Congenital debility, &c.	{	M	61	60	1	—	—	—	—	—	—	54	53	—	1	—	—	—	—	—	
			F	51	51	—	—	—	—	—	—	—	—	48	46	1	—	1	—	—	—	—
26	Violence, apart from suicide.	{	M	18	1	—	2	—	4	3	8	—	37	2	—	4	4	2	11	9	5	
			F	11	3	1	—	2	—	—	2	3	—	15	6	—	1	1	—	1	3	3
27	Suicide	M	7	—	—	—	2	3	1	1	14	—	—	—	—	1	4	7	2	
			F	4	—	—	—	—	1	1	2	—	3	—	—	—	—	1	2	—	—	
28	Other defined diseases	M	173	28	3	2	6	1	11	26	96	297	37	1	1	9	7	8	55	179
			F	194	23	3	2	4	7	12	35	108	299	20	2	4	8	6	23	44	192	
29	Causes ill-defined or unknown.	{	M	6	—	1	—	—	1	3	1	—	11	1	1	—	—	—	1	3	5	
			F	4	—	1	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF HOLLAND)—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	276	58	9	9	11	9	31	48	101	308	53	13	6	10	10	22	52	142		
	F	250	38	10	6	11	5	21	53	106	286	41	11	10	17	9	32	44	122		
1 Enteric fever ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	1	1	2	—	—	—	—	—	4	1	3	—	—	—	—	—	—		
	F	8	3	3	1	1	—	—	—	—	5	1	1	2	1	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	6	4	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	4	—	—	—	2	1	1	—	—		
	F	5	—	—	—	5	—	—	—	—	2	—	—	1	1	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	3		
	F	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	1	—	1		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	15	—	—	—	—	4	5	3	3	11	—	—	—	—	4	5	2	—		
	F	9	—	—	—	1	1	5	2	—	21	—	—	—	3	3	14	1	—		
10 Tuberculous meningitis	M	3	—	—	—	1	1	1	—	—	2	2	—	—	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	3	—	1	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	7	—	—	—	1	1	2	3	—	6	1	1	1	—	2	—	—	—		
	F	3	—	—	—	—	—	3	—	—	5	—	—	1	1	—	1	1	1		
12 Cancer, malignant disease	M	16	—	—	—	—	—	2	8	6	28	—	—	—	—	—	2	8	18		
	F	27	—	—	—	—	—	1	16	10	20	—	—	—	—	—	2	8	10		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	4	—	1	—	—	1	2	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	30	—	—	—	1	1	3	5	20	32	—	—	—	—	—	—	14	18		
	F	37	—	—	—	1	1	3	11	21	37	—	—	—	1	2	2	6	26		
16 Bronchitis ...	M	15	4	3	—	—	—	—	2	6	17	4	5	—	—	—	—	—	8		
	F	14	2	2	1	—	—	—	—	9	20	3	1	—	—	—	—	—	16		
17 Pneumonia (all forms)...	M	17	2	2	1	1	—	3	3	5	21	8	2	2	—	—	2	3	4		
	F	10	1	1	1	—	—	1	4	2	20	6	2	3	2	—	1	2	4		
18 Other respiratory diseases	M	5	—	—	—	—	—	1	1	3	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	—	—	—	1	5	—	—	—	1	—	—	1	3		
19 Diarrhoea, &c. ...	M	10	8	1	—	—	—	—	1	—	11	9	—	—	—	—	—	1	1		
	F	7	3	2	—	—	—	1	1	—	6	2	1	—	—	—	—	3	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	2	—	—	—		
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—		
21 Cirrhosis of liver ...	M	5	—	—	—	—	1	—	2	2	3	—	—	—	—	—	—	2	1		
	F	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	1	2	—		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	9	—	—	—	—	—	—	4	5	10	—	—	—	1	—	2	—	7		
	F	7	—	—	—	—	—	1	3	3	7	—	—	—	1	—	—	2	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	21	20	—	1	—	—	—	—	—	16	16	—	—	—	—	—	—	—		
	F	22	22	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	10	—	—	2	4	—	1	2	1	19	—	—	2	3	3	2	6	3		
	F	3	—	—	—	1	—	—	1	1	5	—	1	1	2	—	—	—	1		
27 Suicide ...	M	1	—	—	—	—	—	—	1	—	7	—	—	—	—	1	1	4	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—		
28 Other defined diseases ...	M	88	17	—	—	1	—	8	13	49	105	11	1	—	—	1	4	11	77		
	F	83	5	—	2	—	2	3	15	56	94	13	2	1	1	2	6	14	55		
29 Causes ill-defined or unknown.	M	3	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	5	—	2	1	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF KESTEVEN)—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	333	57	20	9	13	10	46	71	107	495	80	15	9	20	16	39	75	241		
	F	265	46	15	15	8	8	37	49	87	422	44	13	6	13	16	43	78	209		
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	2	1	1	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	10	2	5	3	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
	F	12	2	5	5	—	—	—	—	—	3	—	2	1	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	12	5	5	2	—	—	—	—	—	9	6	2	1	—	—	—	—	—		
	F	13	6	4	3	—	—	—	—	—	8	3	4	1	—	—	—	—	—		
6 Diphtheria and croup	M	4	—	—	1	3	—	—	—	—	6	—	—	—	5	1	—	—	—		
	F	3	—	—	2	1	—	—	—	—	3	—	—	—	2	1	—	—	—		
7 Influenza	M	11	—	—	—	—	—	3	5	3	7	—	—	—	—	—	—	2	5		
	F	2	—	—	—	—	—	2	—	—	10	—	—	—	—	—	—	4	6		
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	18	—	—	—	—	4	10	4	—	24	2	—	1	2	6	7	6	—		
	F	14	—	—	1	1	3	6	3	—	27	—	—	—	1	2	17	4	3		
10 Tuberculous meningitis	M	3	—	—	1	1	—	1	—	—	2	—	1	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	5	1	—	1	2	1	—	—	—		
11 Other tuberculous diseases.	M	8	1	1	—	—	3	3	—	—	8	2	—	1	—	1	2	1	1		
	F	3	1	—	—	1	—	—	—	1	6	1	—	—	2	—	2	1	—		
12 Cancer, malignant disease	M	21	—	—	—	1	—	1	8	11	46	—	—	—	—	—	2	13	31		
	F	18	—	—	—	—	—	5	7	6	47	—	—	—	—	—	7	18	22		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	4	2	1	—	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease	M	30	—	—	—	—	1	6	10	13	48	—	—	—	—	—	1	10	37		
	F	22	—	—	—	—	—	6	3	13	48	—	—	—	—	2	1	17	28		
16 Bronchitis	M	16	2	—	—	—	—	—	6	8	34	6	1	1	—	1	—	4	21		
	F	18	2	2	—	—	—	2	2	10	31	6	4	—	—	—	—	1	20		
17 Pneumonia (all forms)...	M	21	3	3	1	1	—	4	6	3	29	5	5	1	3	1	5	4	5		
	F	18	7	1	2	2	1	2	2	1	14	3	1	1	1	—	—	3	5		
18 Other respiratory diseases	M	5	—	1	1	—	—	—	2	1	7	—	—	—	1	—	—	1	5		
	F	5	1	—	—	—	—	—	1	3	7	1	—	—	—	—	1	3	2		
19 Diarrhoea, &c.	M	10	8	—	—	—	—	1	—	1	12	10	—	—	—	—	—	—	2		
	F	6	3	2	—	—	—	—	1	—	7	2	1	—	1	—	—	1	2		
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1		
21 Cirrhosis of liver	M	7	—	—	—	—	—	1	5	1	1	—	—	—	—	—	—	—	1		
	F	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
22 Nephritis and Bright's disease.	M	14	—	—	—	1	—	2	4	7	18	1	—	—	—	—	3	6	8		
	F	7	—	—	—	—	—	1	4	2	15	1	—	—	—	—	2	5	7		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	2	3	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	23	23	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—		
	F	20	20	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	12	1	—	—	2	1	4	2	2	20	2	1	1	2	2	6	4	2		
	F	1	—	—	—	—	—	—	—	1	5	1	—	—	2	—	1	—	1		
27 Suicide	M	4	—	—	—	—	—	2	2	—	7	—	—	—	—	—	3	3	1		
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—		
28 Other defined diseases	M	95	10	4	—	2	1	7	16	55	169	10	3	1	4	2	9	18	122		
	F	85	4	1	1	2	1	9	19	48	155	8	1	2	2	6	6	19	111		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	2	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
LINCOLNSHIRE (PARTS OF LINDSEY)—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	687	148	20	25	28	28	78	134	226	959	183	30	23	30	31	69	132	461		
	F	632	117	21	23	24	25	77	104	241	886	130	21	20	28	49	87	152	399		
1 Enteric fever ...	M	2	—	—	—	—	1	1	—	—	3	—	—	1	1	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	1	—	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	10	2	1	5	2	—	—	—	—	14	1	5	4	4	—	—	—	—		
	F	7	1	4	2	—	—	—	—	—	9	3	4	2	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
5 Whooping cough ...	M	6	2	2	1	1	—	—	—	—	6	5	1	—	—	—	—	—	—		
	F	3	2	—	1	—	—	—	—	—	6	3	2	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	11	—	—	3	7	—	—	1	—	4	—	—	3	1	—	—	—	—		
	F	5	—	—	3	1	—	1	—	—	7	—	—	2	5	—	—	—	—		
7 Influenza ...	M	9	—	—	—	—	—	3	2	4	33	2	—	—	—	1	5	6	19		
	F	14	—	—	1	—	1	2	4	6	21	1	1	—	—	—	1	4	14		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	49	1	1	1	2	7	22	11	4	37	—	—	1	2	10	16	8	—		
	F	39	—	—	—	4	12	17	6	—	56	—	—	—	2	22	24	6	2		
10 Tuberculous meningitis	M	8	—	1	3	3	1	—	—	—	5	1	2	1	1	—	—	—	—		
	F	5	2	—	2	1	—	—	—	—	6	2	—	1	1	—	—	1	—		
11 Other tuberculous diseases.	M	16	2	1	5	4	1	2	1	—	14	3	2	—	1	1	6	1	—		
	F	19	2	1	2	4	2	7	—	1	9	1	—	3	2	2	1	—	—		
12 Cancer, malignant disease	M	41	—	—	—	—	—	9	14	18	69	—	—	1	1	1	6	24	36		
	F	61	—	—	1	—	1	7	26	26	97	—	—	—	—	—	7	48	42		
13 Rheumatic fever ...	M	2	—	—	—	—	1	—	1	—	3	—	—	—	1	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
14 Meningitis ...	M	4	2	1	—	1	—	—	—	—	11	2	2	1	3	1	—	2	—		
	F	5	2	1	—	1	—	—	—	1	12	4	2	1	3	2	—	—	—		
15 Organic heart disease ...	M	55	—	—	—	1	2	8	20	24	103	—	—	—	—	2	3	22	76		
	F	58	—	—	—	—	2	8	11	37	89	—	—	—	1	1	9	19	59		
16 Bronchitis ...	M	43	4	1	2	—	—	1	10	25	56	10	3	2	3	—	1	1	36		
	F	38	9	1	2	—	—	2	6	18	50	8	1	2	—	—	1	8	30		
17 Pneumonia (all forms)	M	57	18	7	3	1	1	4	12	11	49	18	5	2	3	2	4	3	12		
	F	45	9	4	1	3	2	6	7	13	50	14	5	2	2	4	2	10	11		
18 Other respiratory diseases	M	14	1	—	—	—	—	1	8	4	18	3	—	—	—	1	—	3	11		
	F	7	—	—	2	1	—	—	1	3	11	1	—	—	—	—	2	2	6		
19 Diarrhoea, &c. ...	M	32	26	1	1	1	—	1	1	1	28	13	4	1	1	1	1	3	4		
	F	33	17	3	1	1	1	—	2	8	20	13	1	1	—	—	1	—	4		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	3	—	—	—	—	1	1	1	—		
	F	5	—	—	—	2	—	2	1	—	9	—	—	—	1	3	1	1	3		
21 Cirrhosis of liver ...	M	5	—	—	—	—	—	1	2	2	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	—	5	9	15	—	—	—	1	—	1	5	8		
	F	12	—	—	—	—	—	3	5	4	23	2	—	—	1	1	4	6	9		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	5	—	—	—	—	3	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	12	—	—	—	—	1	10	1	—		
25 Congenital debility, &c.	M	61	61	—	—	—	—	—	—	—	83	83	—	—	—	—	—	—	—		
	F	39	38	—	1	—	—	—	—	—	51	50	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	18	3	—	—	1	5	1	6	2	34	1	2	2	3	5	11	8	2		
	F	8	3	—	—	—	1	1	1	2	14	4	—	2	—	2	—	—	6		
27 Suicide ...	M	13	—	—	—	—	1	5	5	2	6	—	—	—	—	—	1	5	—		
	F	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	1	2		
28 Other defined diseases ...	M	209	25	3	1	3	8	17	32	120	349	40	3	3	3	4	12	34	250		
	F	215	32	7	4	4	3	11	33	121	309	23	5	2	6	7	17	42	207		
29 Causes ill-defined or unknown.	M	4	1	1	—	—	—	—	2	—	7	1	1	—	—	—	—	1	4		
	F	1	—	—	—	—	—	—	—	1	4	1	—	—	—	—	—	1	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MIDDLESEX—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	5,948	1255	313	248	242	198	793	1365	1534	260	42	13	7	8	11	30	58	91		
	F	6,036	984	266	243	253	222	750	1267	2051	255	41	6	7	9	7	37	52	96		
1 Enteric fever	M	10	—	—	—	1	3	5	1	—	1	—	—	—	—	—	—	1	—		
	F	9	—	—	—	3	1	4	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	188	42	69	54	22	—	1	—	—	9	—	8	1	—	—	—	—	—		
	F	181	26	78	47	27	1	2	—	—	4	—	2	1	1	—	—	—	—		
4 Scarlet fever	M	13	—	—	7	5	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	13	1	2	4	4	1	1	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	65	26	25	13	1	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	83	35	21	22	5	—	—	—	—	4	4	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	53	2	6	20	25	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	63	1	4	29	27	1	—	—	1	4	—	1	1	2	—	—	—	—		
7 Influenza	M	96	5	2	—	1	4	31	28	25	6	—	—	—	—	—	3	2	1		
	F	85	3	1	1	3	2	14	22	39	7	—	—	—	1	—	2	—	4		
8 Erysipelas	M	12	—	1	—	—	—	5	2	4	—	—	—	—	—	—	—	—	—		
	F	9	1	—	—	—	—	—	2	6	1	1	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	507	7	6	9	10	61	231	156	27	17	—	—	—	—	2	12	3	—		
	F	425	1	3	5	25	74	205	91	21	20	—	—	—	—	5	12	3	—		
10 Tuberculous meningitis	M	79	15	18	19	22	3	2	—	—	2	—	—	1	1	—	—	—	—		
	F	73	14	10	22	22	5	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	64	18	6	7	5	9	14	1	4	4	—	—	1	1	1	1	—	—		
	F	70	22	4	10	10	7	6	8	3	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	465	—	3	2	3	3	46	214	194	21	—	—	—	—	1	—	9	11		
	F	669	—	—	2	3	5	97	309	253	24	—	—	—	—	—	4	9	11		
13 Rheumatic fever	M	20	1	—	1	7	2	5	4	—	—	—	—	—	—	—	—	—	—		
	F	25	—	—	—	7	4	5	7	2	2	—	—	—	1	—	—	1	—		
14 Meningitis	M	53	14	9	9	12	—	6	1	2	—	—	—	—	—	—	—	—	—		
	F	42	11	5	7	12	1	3	3	—	2	—	—	1	—	—	1	—	—		
15 Organic heart disease	M	533	1	—	—	15	12	54	195	256	32	—	—	—	2	1	—	11	18		
	F	632	—	—	1	6	17	63	213	332	23	—	—	1	—	—	1	10	11		
16 Bronchitis	M	374	88	13	6	2	—	9	65	191	20	3	1	—	—	1	—	5	10		
	F	503	82	11	8	1	1	18	60	322	16	—	1	1	—	—	—	2	12		
17 Pneumonia (all forms)	M	533	154	90	38	18	11	63	104	55	11	4	1	—	—	—	—	5	1		
	F	427	127	53	40	12	11	44	57	83	11	4	1	—	—	—	2	1	3		
18 Other respiratory diseases	M	95	5	3	5	6	—	10	35	31	5	1	—	—	1	—	—	—	3		
	F	96	12	2	3	5	1	7	19	47	2	—	—	—	—	—	1	—	1		
19 Diarrhoea, &c.	M	302	225	29	8	—	4	11	15	10	11	7	—	1	1	—	1	1	—		
	F	229	147	39	5	3	4	7	4	20	8	2	1	—	1	—	2	—	2		
20 Appendicitis and typhlitis	M	39	—	—	2	11	6	8	8	4	—	—	—	—	—	—	—	—	—		
	F	57	—	—	—	14	13	10	7	13	2	—	—	1	—	—	—	1	—		
21 Cirrhosis of liver	M	67	—	—	—	—	—	13	37	17	1	—	—	—	—	—	—	1	—		
	F	61	—	—	1	—	2	12	32	14	3	—	—	—	—	—	—	2	1		
21A Alcoholism	M	13	—	—	—	—	—	8	4	1	1	—	—	—	—	—	1	—	—		
	F	7	—	—	—	—	—	2	4	1	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	185	—	1	2	1	1	33	84	63	11	—	—	—	1	—	5	3	2		
	F	156	1	—	1	4	2	20	76	52	8	—	—	—	—	—	1	4	3		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	32	—	—	—	—	5	26	1	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	41	—	—	—	—	5	33	3	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c. .	M	435	427	1	3	1	3	—	—	—	15	15	—	—	—	—	—	—	—		
	F	330	322	2	2	2	1	—	1	—	20	20	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	233	23	7	18	33	28	42	55	27	11	—	—	1	1	2	1	5	1		
	F	120	22	4	12	16	11	17	7	31	7	1	—	—	—	—	1	—	5		
27 Suicide	M	61	—	—	—	—	—	30	16	10	—	—	—	—	—	—	—	—	—		
	F	30	—	—	—	—	7	9	12	2	3	—	—	—	—	1	2	—	—		
28 Other defined diseases	M	1,441	199	22	24	41	43	163	338	611	79	11	2	1	—	3	6	12	44		
	F	1,556	156	23	21	41	40	143	324	808	79	9	—	—	—	—	6	18	43		
29 Causes ill-defined or unknown.	M	12	3	2	1	—	—	2	2	2	—	—	—	—	—	—	—	—	—		
	F	12	—	4	—	1	—	2	4	1	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MONMOUTHSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	2,036	627	143	77	76	95	249	383	386	300	35	12	5	9	8	25	80	126
	F	1,666	449	107	80	70	67	200	310	383	261	38	6	9	5	17	22	52	112
1 Enteric fever ...	M	11	—	—	—	2	2	6	1	—	2	—	—	—	—	1	1	—	—
	F	6	—	—	—	3	1	1	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	7	1	4	2	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	11	3	6	1	1	—	—	—	—	3	—	—	—	1	2	—	—	—
4 Scarlet fever ...	M	12	4	—	5	2	1	—	—	—	2	—	1	1	—	—	—	—	—
	F	14	—	1	11	1	—	1	—	—	5	1	1	2	1	—	—	—	—
5 Whooping cough ...	M	34	22	6	5	1	—	—	—	—	2	—	1	1	—	—	—	—	—
	F	35	17	11	7	—	—	—	—	—	2	2	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	11	1	5	—	4	1	—	—	—	1	—	1	—	—	—	—	—	—
	F	17	1	3	6	6	—	—	1	—	2	—	—	2	—	—	—	—	—
7 Influenza ...	M	22	3	—	1	1	1	3	9	4	9	—	—	—	—	—	1	5	3
	F	22	1	—	—	—	1	6	8	6	4	—	—	—	—	—	1	1	2
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	101	3	2	3	4	16	49	22	2	10	—	—	—	1	1	8	—	—
	F	82	2	1	1	6	24	27	19	2	14	—	—	1	—	6	6	1	—
10 Tuberculous meningitis	M	13	2	5	1	5	—	—	—	—	—	—	—	—	—	1	1	—	—
	F	9	2	—	3	3	1	—	—	—	2	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	29	6	4	4	4	7	2	2	—	4	—	—	—	1	1	1	1	—
	F	22	3	4	2	4	4	4	1	—	2	—	—	—	—	—	2	—	—
12 Cancer, malignant disease	M	74	—	—	—	—	—	12	38	24	17	—	—	—	1	1	1	6	8
	F	79	—	—	—	—	—	14	43	22	19	—	—	—	—	—	2	10	7
13 Rheumatic fever ...	M	6	—	—	—	1	3	1	1	—	1	—	—	—	—	1	—	—	—
	F	6	—	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	22	7	5	—	6	2	2	—	—	2	1	—	—	—	1	—	—	—
	F	25	7	5	2	4	3	3	1	—	1	1	—	—	—	—	—	—	—
15 Organic heart disease ...	M	144	—	—	—	3	5	14	63	59	45	—	—	—	—	—	1	17	27
	F	134	—	—	—	2	5	30	59	38	42	—	—	—	—	1	1	15	25
16 Bronchitis ...	M	154	47	13	2	6	—	6	34	46	17	1	—	—	—	1	—	5	10
	F	130	42	8	5	1	1	3	16	54	20	—	—	—	—	—	—	5	15
17 Pneumonia (all forms)...	M	196	53	34	16	2	6	28	40	17	31	6	4	—	1	—	3	7	10
	F	127	42	30	13	4	2	11	12	13	13	4	1	—	—	1	2	2	3
18 Other respiratory diseases	M	60	8	4	14	3	1	8	14	8	1	—	—	—	—	—	—	—	1
	F	30	5	3	3	3	—	3	5	8	5	—	—	1	1	—	—	1	2
19 Diarrhoea, &c. ...	M	155	102	34	7	—	3	1	2	6	11	7	2	—	—	—	—	1	1
	F	111	72	17	3	5	1	3	3	7	9	5	1	—	—	1	—	—	2
20 Appendicitis and typhlitis	M	17	—	—	—	6	6	2	3	—	1	—	—	—	—	—	—	1	—
	F	5	—	—	—	2	—	2	—	1	2	—	—	—	2	—	—	—	—
21 Cirrhosis of liver ...	M	12	—	—	—	1	—	—	8	3	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	1	4	1	2	—	—	—	—	—	—	1	1
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	29	—	—	—	2	2	5	10	10	16	—	—	—	2	—	2	7	5
	F	25	—	—	—	2	—	6	13	4	13	—	—	—	—	2	3	5	3
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	1	—	—	—	—	—	1	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	—	8	22	1	—	1	—	—	—	—	1	—	—	—
25 Congenital debility, &c.	M	245	241	1	—	—	2	1	—	—	13	13	—	—	—	—	—	—	—
	F	168	166	1	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	156	4	5	10	11	29	54	35	8	15	1	2	2	1	—	2	6	1
	F	49	3	3	16	6	2	5	4	10	6	—	2	1	—	1	—	1	1
27 Suicide ...	M	16	—	—	—	—	2	9	5	—	6	—	—	—	—	1	1	2	2
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	498	122	20	6	11	6	41	94	198	92	6	1	1	2	—	4	20	58
	F	498	82	12	7	14	9	46	116	212	72	5	1	2	—	1	2	10	51
29 Causes ill-defined or unknown.	M	10	1	1	1	1	—	4	2	—	1	—	—	—	—	—	—	1	—
	F	9	1	1	—	1	—	—	2	4	1	—	—	—	—	—	1	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORFOLK—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	M	396	64	11	13	13	10	34	105	146	1,706	267	28	24	48	59	140	317	823		
		F	385	48	6	10	14	17	27	70	193	1,633	185	32	38	34	53	143	268	880		
1 Enteric fever	...	M	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	4	—	—		
		F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	2	1	3	—		
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	2	1	—	1	—	—	—	—	—	6	1	—	2	3	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	6	—	1	3	2	—	—	—	—		
4 Scarlet fever	...	M	1	—	—	—	1	—	—	—	—	3	—	—	1	1	1	—	—	—		
		F	3	—	—	—	2	1	—	—	—	4	—	—	—	4	—	—	—	—		
5 Whooping cough	...	M	4	1	1	2	—	—	—	—	—	19	12	5	2	—	—	—	—	—		
		F	3	1	—	2	—	—	—	—	—	22	14	4	4	—	—	—	—	—		
6 Diphtheria and croup	...	M	1	1	—	—	—	—	—	—	—	4	—	—	1	2	1	—	—	—		
		F	1	—	—	—	1	—	—	—	—	5	—	—	1	3	1	—	—	—		
7 Influenza	...	M	8	1	—	—	—	1	2	1	3	26	1	—	—	1	2	1	5	16		
		F	11	—	—	1	—	—	—	2	8	30	2	1	—	1	1	3	5	17		
8 Erysipelas	...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis		M	27	1	—	—	1	2	10	11	2	100	1	—	2	4	19	45	25	4		
		F	26	—	2	—	1	6	8	8	1	83	1	—	—	5	20	35	20	2		
10 Tuberculous meningitis		M	7	—	1	4	1	—	1	—	—	8	3	—	2	2	1	—	—	—		
		F	6	—	—	2	4	—	—	—	—	9	1	4	2	—	1	1	—	—		
11 Other tuberculous diseases.		M	4	1	1	—	1	1	—	—	—	23	3	1	1	2	2	8	2	4		
		F	4	1	1	1	—	—	—	—	1	17	1	1	2	3	1	7	—	2		
12 Cancer, malignant disease		M	29	—	—	—	—	1	1	15	12	153	—	—	1	—	—	11	58	83		
		F	54	—	—	—	—	1	4	21	28	189	—	—	—	—	—	15	76	98		
13 Rheumatic fever	...	M	1	—	—	—	1	—	—	—	—	3	—	—	—	1	—	2	—	—		
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
14 Meningitis	...	M	3	1	1	—	—	1	—	—	—	5	1	1	—	1	1	—	1	—		
		F	3	1	1	—	—	1	—	—	—	7	2	—	2	1	1	—	1	—		
15 Organic heart disease	...	M	39	—	—	—	—	—	1	13	25	213	—	—	—	2	3	4	50	154		
		F	39	—	—	—	—	1	2	10	26	230	—	—	—	1	2	9	40	178		
16 Bronchitis	...	M	24	5	1	—	—	—	—	5	13	120	28	6	1	1	—	—	7	77		
		F	18	3	1	—	—	—	1	3	10	99	19	6	2	—	1	—	9	62		
17 Pneumonia (all forms)		M	23	7	2	2	—	—	4	4	4	75	33	4	3	3	—	6	11	15		
		F	18	6	—	1	3	2	—	—	6	57	7	6	5	1	2	2	8	26		
18 Other respiratory diseases		M	6	—	—	—	1	—	—	1	4	25	3	—	—	1	—	5	5	11		
		F	6	—	—	—	—	—	—	1	5	26	1	—	—	—	—	2	7	16		
19 Diarrhoea, &c.	...	M	9	6	—	1	—	—	—	2	—	26	15	4	—	—	—	1	1	5		
		F	10	5	1	1	1	—	—	—	2	15	6	—	3	—	—	2	1	3		
20 Appendicitis and typhlitis		M	1	—	—	—	—	—	—	1	—	6	—	—	—	1	2	1	1	1		
		F	4	—	—	—	1	1	1	1	—	13	—	—	1	4	4	2	2	—		
21 Cirrhosis of liver	...	M	4	—	—	—	—	—	—	3	1	12	—	—	—	1	—	2	5	4		
		F	2	—	—	—	—	—	1	1	—	7	—	—	—	—	—	—	3	4		
21A Alcoholism	...	M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	2	—	—		
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1		
22 Nephritis and Bright's disease.		M	7	—	—	—	1	—	1	4	1	42	—	—	—	1	1	—	17	23		
		F	3	—	—	—	—	—	—	1	2	30	1	—	1	—	1	4	8	15		
23 Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	1	6	—	—		
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	1	2	—	—	12	—	—	—	—	2	10	—	—		
25 Congenital debility, &c.		M	33	31	1	—	1	—	—	—	—	123	120	—	—	2	1	—	—	—		
		F	26	25	—	—	—	1	—	—	—	93	91	1	1	—	—	—	—	—		
26 Violence, apart from suicide.		M	16	1	—	2	1	1	4	3	4	76	—	—	5	7	9	17	25	13		
		F	4	—	—	1	—	—	—	1	2	28	1	2	3	2	1	4	5	10		
27 Suicide	...	M	5	—	—	—	—	—	1	3	1	19	—	—	—	—	2	7	9	1		
		F	2	—	—	—	—	—	—	1	1	4	—	—	—	—	1	2	1	—		
28 Other defined diseases	...	M	138	7	3	1	4	3	8	37	75	597	41	7	3	12	12	23	87	412		
		F	135	5	—	1	1	2	5	20	101	611	36	3	8	7	11	35	74	437		
29 Causes ill-defined or unknown.		M	1	—	—	—	—	—	1	—	—	13	5	—	—	—	—	1	7	—		
		F	1	1	—	—	—	—	—	—	—	18	2	3	—	—	—	2	3	8		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
NORTHAMPTONSHIRE—1913.

Causes of Death.	Sex	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	509	101	13	20	20	16	64	108	167	802	99	17	19	27	31	66	159	384
	F	504	78	16	10	35	34	58	92	181	716	87	13	18	31	33	55	93	386
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	1	—	1	—
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	5	1	1	1	2	—	—	—	—	6	2	2	1	1	—	—	—	—
	F	10	2	6	2	—	—	—	—	—	4	2	—	—	2	—	—	—	—
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	2	—	—	1	—	—	1	—	—
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	11	5	4	2	—	—	—	—	—
6 Diphtheria and croup ...	M	9	1	1	4	3	—	—	—	—	11	1	—	4	6	—	—	—	—
	F	5	—	—	—	5	—	—	—	—	6	—	—	1	5	—	—	—	—
7 Influenza ...	M	4	—	—	—	—	—	1	2	1	11	1	—	1	—	—	—	4	5
	F	5	—	—	—	—	1	—	—	4	8	—	—	—	—	1	—	1	6
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	52	—	—	—	3	10	25	14	—	52	—	—	1	1	11	25	13	1
	F	50	—	—	—	5	20	15	10	—	48	—	—	1	7	18	15	5	2
10 Tuberculous meningitis	M	7	2	1	2	2	—	—	—	—	6	1	—	1	—	2	2	—	—
	F	7	1	—	—	6	—	—	—	—	3	—	—	1	—	1	1	—	—
11 Other tuberculous diseases.	M	8	3	1	—	—	—	4	—	—	9	1	1	—	3	—	2	1	1
	F	8	2	—	—	1	2	1	2	—	9	2	—	1	1	2	1	2	—
12 Cancer, malignant disease	M	40	1	—	—	—	—	1	23	15	68	—	—	—	—	1	2	26	39
	F	51	—	—	—	—	1	7	17	26	67	—	—	—	1	—	1	27	38
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	3	—	—	—	1	1	1	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	4	1	—	2	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	F	3	1	—	1	—	—	1	—	—	3	—	1	—	2	—	—	—	—
15 Organic heart disease ...	M	36	—	—	—	2	—	5	13	16	98	—	—	—	1	4	7	34	52
	F	54	—	—	—	2	1	8	17	26	87	—	—	—	3	1	4	22	57
16 Bronchitis ...	M	36	5	2	3	—	—	—	3	23	61	10	4	1	—	—	1	6	39
	F	31	5	2	1	—	—	—	1	22	53	5	2	1	—	—	—	2	43
17 Pneumonia (all forms)	M	22	8	1	1	3	—	2	2	5	42	10	3	5	3	2	1	10	8
	F	22	8	1	3	—	1	2	4	3	24	5	3	3	1	—	3	1	8
18 Other respiratory diseases	M	11	—	—	1	—	—	—	5	5	8	—	—	—	1	—	—	2	5
	F	14	—	—	1	—	1	1	7	4	12	1	1	2	1	—	—	1	6
19 Diarrhoea, &c. ...	M	10	6	1	2	—	—	—	—	1	20	11	4	—	—	—	1	2	2
	F	13	8	1	—	1	—	3	—	—	14	8	—	1	—	—	3	1	1
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	—	1	3	—	—	2	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	2	2	11	—	—	—	—	—	2	8	1
	F	6	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—	2
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	14	—	1	1	—	1	2	5	4	24	—	—	—	1	1	1	10	11
	F	10	—	—	—	1	1	1	5	2	16	1	—	—	—	—	3	4	8
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	1	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	10	—	—	—	—	1	9	—	—
25 Congenital debility, &c.	M	55	55	—	—	—	—	—	—	—	39	—	—	—	—	—	—	—	—
	F	44	42	1	—	1	—	—	—	—	42	38	—	—	—	—	1	—	—
26 Violence, apart from suicide.	M	19	—	1	1	1	1	4	6	5	29	1	1	—	5	5	7	3	7
	F	9	2	—	—	2	—	1	—	4	8	3	—	1	—	—	1	—	3
27 Suicide ...	M	17	—	—	—	—	2	4	9	2	10	—	—	—	—	—	1	5	4
	F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
28 Other defined diseases ...	M	144	15	3	2	2	2	12	21	87	275	20	1	3	2	3	9	29	208
	F	138	7	2	—	5	4	10	22	88	277	13	2	3	8	7	9	26	209
29 Causes ill-defined or unknown.	M	5	2	—	—	—	—	2	1	—	7	—	—	—	—	—	2	4	1
	F	3	—	1	—	1	—	—	1	—	3	—	—	—	—	—	—	—	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF NORTHUMBERLAND—1913.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.								AGGREGATE OF RURAL DISTRICTS.									
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	2,068	540	130	94	77	104	254	367	502	698	127	27	18	21	32	76	145	252
			F	1,877	396	133	90	110	83	248	308	509	649	79	24	15	24	23	78	143	263
1	Enteric fever	...	M	16	—	—	—	2	4	6	4	—	4	—	—	—	1	—	1	2	—
			F	12	—	—	1	5	3	3	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	...	M	45	12	14	16	3	—	—	—	—	8	—	6	—	2	—	—	—	—
			F	32	9	13	8	2	—	—	—	—	9	2	4	1	1	1	—	—	—
4	Scarlet fever	...	M	21	—	1	7	8	3	2	—	—	3	—	1	—	1	—	—	1	—
			F	16	—	2	6	7	—	1	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	...	M	29	13	9	5	2	—	—	—	—	4	2	—	2	—	—	—	—	—
			F	43	18	12	9	4	—	—	—	—	13	7	5	1	—	—	—	—	—
6	Diphtheria and croup	...	M	19	1	3	7	8	—	—	—	—	5	—	—	1	4	—	—	—	—
			F	25	—	2	7	16	—	—	—	—	8	—	1	5	2	—	—	—	—
7	Influenza	...	M	18	—	—	—	1	2	1	9	5	16	2	—	1	—	—	2	5	6
			F	12	—	1	—	1	2	2	3	3	5	—	—	—	—	1	3	1	—
8	Erysipelas	...	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
			F	2	1	—	—	—	—	—	1	—	3	1	—	—	—	—	1	1	—
9	Pulmonary tuberculosis	{	M	148	2	2	7	3	33	61	30	10	50	1	2	—	—	11	26	10	—
			F	138	1	2	2	17	35	58	21	2	43	—	—	—	5	7	18	10	3
10	Tuberculous meningitis	{	M	23	4	3	9	5	—	2	—	—	4	—	1	2	1	—	—	—	—
			F	26	3	5	9	8	—	1	—	—	4	1	1	1	1	—	—	—	—
11	Other tuberculous diseases.	{	M	43	12	11	5	3	6	6	—	—	7	2	2	—	1	—	1	—	1
			F	42	11	12	3	4	3	8	1	—	14	3	—	1	1	2	4	2	1
12	Cancer, malignant disease	{	M	118	—	—	—	—	—	5	62	51	46	—	—	—	—	—	4	23	19
			F	144	—	—	—	—	1	22	55	66	52	—	—	—	—	—	2	27	23
13	Rheumatic fever	...	M	6	—	—	—	2	1	2	1	—	3	—	—	—	1	1	—	—	1
			F	8	—	—	—	5	1	1	1	—	5	—	—	—	2	2	1	—	—
14	Meningitis	...	M	20	11	4	2	1	—	2	—	—	8	1	5	1	—	1	—	—	—
			F	20	6	5	3	4	—	—	2	—	7	3	1	1	—	1	1	—	—
15	Organic heart disease	...	M	181	—	—	1	2	10	20	60	88	94	—	—	—	3	—	6	23	62
			F	187	—	1	—	5	4	31	65	81	93	—	—	—	—	2	9	22	60
16	Bronchitis	...	M	105	32	8	5	—	1	1	14	44	30	8	—	—	—	—	—	2	20
			F	111	29	7	9	—	—	4	18	44	36	6	1	—	—	—	1	5	23
17	Pneumonia (all forms)...	{	M	166	54	29	11	4	7	25	21	15	39	18	3	5	—	1	3	2	7
			F	127	41	22	18	5	6	8	8	19	26	4	3	1	2	—	4	5	7
18	Other respiratory diseases	{	M	24	—	1	4	1	1	1	9	7	11	2	—	1	—	—	2	3	3
			F	22	2	1	2	1	—	4	5	7	10	—	—	1	2	1	1	5	—
19	Diarrhoea, &c.	...	M	110	72	23	2	1	—	1	7	4	16	10	2	—	—	—	1	3	—
			F	100	58	28	2	3	—	2	4	3	17	12	2	1	—	—	—	1	1
20	Appendicitis and typhlitis	{	M	7	—	—	—	3	1	2	1	—	4	—	—	—	1	1	2	—	—
			F	5	—	—	—	1	—	3	1	—	4	—	—	—	—	2	1	1	—
21	Cirrhosis of liver	...	M	14	—	—	—	—	—	3	7	4	3	—	—	—	—	—	—	3	—
			F	5	—	—	—	—	—	—	5	—	3	—	—	—	—	1	2	—	—
21A	Alcoholism	...	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
			F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	{	M	57	1	2	1	1	—	13	23	16	19	—	—	—	1	1	2	10	5
			F	62	2	2	1	3	9	11	17	17	21	—	—	—	1	—	4	10	6
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	8	—	—	—	—	3	5	—	—	2	—	—	—	—	2	—	—	—
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	25	—	—	—	—	6	19	—	—	—	9	—	—	—	1	8	—	—
25	Congenital debility, &c.	{	M	216	213	1	1	1	—	—	—	—	60	59	1	—	—	—	—	—	—
			F	149	144	1	2	1	—	1	—	—	—	23	21	—	1	—	1	—	—
26	Violence, apart from suicide.	{	M	120	4	5	4	10	24	40	21	12	44	—	—	3	2	8	11	12	8
			F	27	3	2	2	7	1	7	—	5	10	—	1	—	—	2	3	1	3
27	Suicide	...	M	19	—	—	—	—	2	5	10	2	1	—	—	—	—	—	—	1	—
			F	2	—	—	—	—	1	1	—	—	3	—	—	—	—	1	1	1	—
28	Other defined diseases	...	M	521	107	11	7	16	9	51	82	238	209	22	3	2	3	7	14	41	117
			F	508	68	11	6	11	7	51	97	257	223	17	5	2	5	1	15	44	134
29	Causes ill-defined or unknown.	{	M	17	1	3	—	—	—	4	3	6	10	—	1	—	—	1	1	4	3
			F	17	—	4	—	—	1	4	3	5	5	2	—	—	—	—	—	3	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
NOTTINGHAMSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,535	399	77	62	68	72	191	284	382	794	141	14	20	32	33	86	147	321		
	F	1,349	305	73	70	54	55	165	256	371	752	112	20	21	32	24	91	154	298		
1 Enteric fever ...	M	4	—	—	—	—	1	3	—	—	4	—	—	—	1	1	1	1	—		
	F	4	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	18	4	6	5	3	—	—	—	—	2	—	1	1	—	—	—	—	—		
	F	20	5	6	9	—	—	—	—	—	5	1	2	1	1	—	—	—	—		
4 Scarlet fever ...	M	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	8	4	1	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	18	6	6	5	1	—	—	—	—	3	2	—	1	—	—	—	—	—		
	F	22	9	10	1	2	—	—	—	—	12	9	1	1	1	—	—	—	—		
6 Diphtheria and croup ...	M	18	1	2	7	7	1	—	—	—	5	1	—	1	3	—	—	—	—		
	F	21	—	1	7	12	—	1	—	—	9	—	—	1	8	—	—	—	—		
7 Influenza ...	M	16	—	—	2	1	1	4	2	6	16	—	—	—	—	—	1	7	8		
	F	13	—	—	—	—	1	1	5	6	11	1	—	—	1	—	2	1	6		
8 Erysipelas ...	M	5	1	—	—	—	—	1	2	1	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	90	1	3	1	3	15	47	19	1	46	—	1	—	3	12	16	11	3		
	F	69	1	—	3	3	18	34	8	2	42	1	—	—	3	9	23	6	—		
10 Tuberculous meningitis	M	18	4	6	2	2	2	1	1	—	1	—	—	1	—	—	—	—	—		
	F	17	2	1	8	2	3	1	—	—	4	—	—	3	1	—	—	—	—		
11 Other tuberculous diseases.	M	25	5	3	3	9	2	2	—	1	10	3	1	1	1	2	2	—	—		
	F	29	4	2	7	3	4	8	1	—	7	1	—	1	1	2	1	1	—		
12 Cancer, malignant disease	M	91	—	—	1	—	1	6	45	38	51	—	—	—	—	—	6	16	29		
	F	110	—	—	1	—	1	16	59	33	65	—	—	1	—	—	5	35	24		
13 Rheumatic fever ...	M	5	—	—	—	3	—	1	1	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	2	2	—	1	1	2	—	—	—	—	—	1	1	—		
14 Meningitis ...	M	10	2	1	—	3	3	—	1	—	12	3	—	4	2	2	—	—	1		
	F	7	3	—	—	2	—	2	—	—	8	2	2	—	1	1	2	—	—		
15 Organic heart disease ...	M	130	—	—	—	4	5	16	50	55	81	—	—	—	1	1	4	27	48		
	F	128	—	—	—	1	3	16	45	63	100	—	—	—	1	3	11	32	53		
16 Bronchitis ...	M	111	37	3	—	1	1	5	20	44	63	16	1	2	1	1	1	6	35		
	F	103	17	9	1	1	—	6	13	56	49	10	2	3	3	—	—	8	23		
17 Pneumonia (all forms)...	M	130	46	26	8	6	2	13	18	11	56	15	4	4	3	5	9	9	7		
	F	85	26	16	9	6	4	8	9	7	38	9	7	1	1	4	6	5	5		
18 Other respiratory diseases	M	32	2	—	6	3	—	4	8	9	17	—	—	1	3	—	3	2	8		
	F	20	1	1	2	—	—	2	7	7	9	—	—	1	—	—	—	2	6		
19 Diarrhoea, &c. ...	M	80	56	12	2	1	—	3	1	5	34	17	4	1	—	1	2	4	5		
	F	79	52	14	5	—	1	—	3	4	15	10	—	2	1	—	—	—	2		
20 Appendicitis and typhlitis	M	8	—	—	1	1	—	3	2	1	2	—	—	—	1	—	—	—	1		
	F	4	—	—	—	1	1	1	1	—	5	—	—	—	2	2	—	1	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	2	3	3	6	—	—	—	—	—	—	2	4		
	F	16	—	—	—	—	—	5	6	5	5	—	—	—	—	—	2	2	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	35	1	—	1	1	6	6	16	4	11	—	—	—	—	—	1	5	5		
	F	29	1	3	2	—	2	2	13	6	23	—	1	—	1	—	2	12	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	3	6	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	12	—	—	—	—	1	11	—	—	9	—	—	—	—	—	9	—	—		
25 Congenital debility, &c.	M	149	146	—	2	1	—	—	—	—	55	55	—	—	—	—	—	—	—		
	F	129	129	—	—	—	—	—	—	—	46	43	—	2	—	—	—	1	—		
26 Violence, apart from suicide.	M	86	4	1	4	10	17	33	13	4	48	3	1	—	7	3	16	12	6		
	F	21	4	—	—	6	1	2	4	4	18	2	—	2	2	—	4	3	5		
27 Suicide ...	M	20	—	—	—	—	3	6	10	1	9	—	—	—	—	2	3	2	2		
	F	5	—	—	—	—	1	3	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	410	83	7	9	8	12	32	64	195	249	26	1	3	6	3	17	39	154		
	F	364	50	8	7	9	7	37	73	173	262	23	5	2	4	2	21	41	164		
29 Causes ill-defined or unknown.	M	15	—	1	—	—	—	3	8	3	11	—	—	—	—	—	3	4	4		
	F	11	1	2	—	—	—	1	4	3	4	—	—	—	—	1	1	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF OXFORDSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	220	30	8	7	7	3	28	48	89	583	72	11	8	12	21	52	127	280		
	F	227	17	10	9	4	7	26	49	105	607	70	7	7	10	14	53	117	329		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	2	—	1	—	1	—	—	—	—	2	—	—	1	—	1	—	—	—		
	F	3	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	7	2	2	2	1	—	—	—	—	8	5	2	—	1	—	—	—	—		
	F	12	2	7	2	1	—	—	—	—	4	4	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	1	1	—	14	—	—	—	—	—	2	5	7		
	F	4	1	—	—	—	—	—	—	3	13	—	2	—	—	—	2	1	8		
8 Erysipelas ...	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	17	—	—	—	1	2	12	2	—	38	—	—	—	1	9	13	13	2		
	F	18	—	—	—	1	3	12	2	—	27	—	1	—	1	5	9	7	4		
10 Tuberculous meningitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	3	—	1	—	—	—	1	—	1	9	2	1	1	—	2	1	2	—		
	F	1	—	—	—	—	—	—	1	—	10	—	—	1	1	—	6	2	—		
12 Cancer, malignant disease	M	25	—	—	—	—	—	3	7	15	61	—	—	1	—	—	4	25	31		
	F	27	—	—	—	—	—	1	12	14	69	—	—	—	—	1	2	29	37		
13 Rheumatic fever ...	M	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—		
14 Meningitis ...	M	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ...	M	24	—	—	—	1	1	—	10	12	75	—	—	—	—	—	5	17	53		
	F	23	—	—	—	—	—	1	7	15	98	—	—	—	—	1	5	23	69		
16 Bronchitis ...	M	23	4	1	1	—	—	—	7	10	27	4	1	—	—	—	—	2	20		
	F	23	2	1	—	—	—	—	—	20	45	3	2	1	—	—	1	2	36		
17 Pneumonia (all forms)...	M	5	2	2	1	—	—	—	—	—	25	6	2	—	1	1	1	10	4		
	F	7	1	1	1	1	1	1	—	1	17	5	—	2	—	—	3	2	5		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	10	2	—	—	1	1	—	2	4		
	F	6	—	—	1	—	—	—	2	3	5	—	—	—	—	—	1	1	3		
19 Diarrhoea, &c. ...	M	6	6	—	—	—	—	—	—	—	13	7	1	1	1	—	—	—	3		
	F	1	1	—	—	—	—	—	—	—	5	4	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	2	—	—	1	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	2	3	13	—	—	1	—	—	1	5	6		
	F	4	—	—	—	—	—	1	2	1	18	—	—	—	—	—	3	8	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	35	33	—	—	—	2	—	—	—		
	F	7	6	—	—	—	—	1	—	—	39	39	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	12	1	—	1	—	—	2	4	4	20	1	1	2	2	—	5	7	2		
	F	5	1	—	—	1	—	—	—	3	11	4	1	2	1	1	1	1	—		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	11	—	—	—	—	—	4	5	2		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	66	6	1	—	1	—	6	12	40	204	11	1	—	3	5	13	27	144		
	F	80	3	—	3	—	1	5	23	45	223	11	1	1	1	4	11	37	157		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	7	—	1	—	—	—	—	6	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
PETERBOROUGH, SOKE OF—1913.

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	224	32	6	3	11	4	37	57	74	80	9	—	3	2	5	7	12	42		
	F	214	35	5	7	11	3	20	50	83	73	9	—	2	2	—	3	14	43		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—		
	F	2	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
8 Erysipelas ...	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	15	—	1	—	1	2	8	3	—	4	—	—	—	—	2	2	—	—		
	F	12	1	—	—	2	1	6	2	—	2	—	—	—	—	1	1	—	—		
10 Tuberculous meningitis	M	3	—	—	—	2	—	—	1	—	3	—	—	1	1	—	1	—	—		
	F	4	—	—	1	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	5	—	—	—	1	—	1	2	1	1	—	—	—	—	—	—	1	—		
	F	4	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	M	21	—	—	—	—	—	1	11	9	6	—	—	—	—	—	1	5	—		
	F	23	—	—	—	—	—	2	15	6	9	—	—	—	—	—	7	2	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	3	—	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease ...	M	12	—	—	—	—	—	1	6	5	8	—	—	—	1	—	2	5	—		
	F	25	—	—	—	—	—	1	7	17	10	—	—	—	—	—	2	8	—		
16 Bronchitis ...	M	16	2	1	1	1	—	1	2	8	9	1	—	—	—	—	1	7	—		
	F	16	4	1	—	—	—	—	1	10	7	1	—	—	—	—	—	6	—		
17 Pneumonia (all forms)...	M	11	3	1	1	1	—	2	1	2	—	—	—	—	—	—	—	—	—		
	F	12	2	1	2	1	1	—	2	3	1	1	—	—	—	—	—	—	—		
18 Other respiratory diseases	M	3	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
19 Diarrhoea, &c. ...	M	4	2	—	1	—	—	—	—	1	3	1	—	—	1	—	—	1	—		
	F	7	4	1	—	1	—	—	—	1	2	1	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	10	—	—	—	—	1	1	2	6	2	—	—	1	—	1	—	—	—		
	F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	1	1	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	8	1	—	—	—	1	3	1	2	5	—	—	—	1	—	2	1	—		
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—		
27 Suicide ...	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases ...	M	86	9	—	—	1	—	15	23	38	26	1	—	—	1	1	2	21	—		
	F	77	8	—	1	1	1	6	16	44	29	1	—	1	—	—	2	24	—		
29 Causes ill-defined or unknown.	M	2	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
RUTLANDSHIRE—1913.

Causes of Death.	Sex.	URBAN DISTRICT.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	21	3	1	—	—	—	—	9	8	136	17	3	2	2	4	15	30	63		
	F	21	3	—	—	1	1	2	4	10	105	13	3	1	3	4	13	16	52		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1		
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	1	—	—	—	—	—	—	1	—	6	—	—	—	—	2	2	2	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	3	—	—	—	1		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	2	—	—	—		
12 Cancer, malignant disease	M	1	—	—	—	—	—	—	1	—	12	—	—	—	—	—	—	4	8		
	F	7	—	—	—	—	—	1	2	4	14	—	—	—	—	—	—	4	10		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
14 Meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 Organic heart disease	M	5	—	—	—	—	—	—	3	2	19	—	—	—	—	—	—	8	11		
	F	—	—	—	—	—	—	—	—	—	14	—	—	—	—	2	2	10	—		
16 Bronchitis	M	3	—	1	—	—	—	—	—	2	11	4	—	—	—	—	—	1	6		
	F	—	—	—	—	—	—	—	—	—	6	1	—	—	—	—	—	1	4		
17 Pneumonia (all forms)... ..	M	—	—	—	—	—	—	—	—	—	9	3	1	1	—	—	2	—	2		
	F	2	1	—	—	—	—	—	1	—	11	3	1	—	1	—	1	2	3		
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
19 Diarrhoea, &c.	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
23 Puerperal fever... ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25 Congenital debility, &c. .	M	2	2	—	—	—	—	—	—	—	5	4	—	—	—	1	—	—	—		
	F	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	1	—	—	—	—	—	—	1	—	8	—	—	—	2	—	3	2	1		
	F	1	—	—	—	1	—	—	—	—	3	—	1	1	—	—	—	—	1		
27 Suicide	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
28 Other defined diseases	M	6	1	—	—	—	—	—	1	4	53	3	1	—	—	2	5	10	32		
	F	7	—	—	—	—	1	—	1	5	37	4	1	—	1	—	3	6	22		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SHROPSHIRE—1913.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ... {				M	767	121	21	24	22	31	95	183	270	832	112	18	21	14	27	73	164	403		
				F	637	65	14	12	14	20	74	131	307	774	92	13	14	12	30	69	147	397		
1 Enteric fever ... {				M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—		
				F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
2 Small-pox ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ... {				M	4	2	1	1	—	—	—	—	—	8	2	1	4	1	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	7	2	1	2	2	—	—	—	—		
4 Scarlet fever ... {				M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—		
5 Whooping cough ... {				M	5	4	1	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—		
				F	4	2	2	—	—	—	—	—	—	7	5	—	1	1	—	—	—	—		
6 Diphtheria and croup ... {				M	11	—	—	4	7	—	—	—	—	3	—	1	—	2	—	—	—	—		
				F	9	—	—	5	3	1	—	—	—	5	—	1	1	2	1	—	—	—		
7 Influenza ... {				M	14	—	—	—	—	2	—	7	5	18	—	—	1	—	—	—	10	7		
				F	8	—	—	—	—	1	1	2	4	13	1	—	—	—	1	—	1	10		
8 Erysipelas ... {				M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {				M	45	—	—	—	1	10	18	15	1	41	—	—	—	1	7	22	11	—		
				F	38	1	—	—	1	5	17	10	4	31	—	—	—	—	12	10	6	3		
10 Tuberculous meningitis {				M	3	—	—	1	—	—	2	—	—	3	2	—	—	1	—	—	—	—		
				F	2	1	—	—	—	—	1	—	—	2	—	1	—	—	1	—	—	—		
11 Other tuberculous dis- eases. {				M	10	3	1	—	2	1	2	1	—	10	—	2	2	1	1	3	1	—		
				F	5	—	—	—	2	1	1	—	1	9	2	1	—	2	1	1	1	1		
12 Cancer, malignant disease {				M	59	—	—	—	—	1	3	32	23	71	—	—	—	—	—	—	29	42		
				F	79	—	—	—	—	—	9	39	31	93	—	—	—	—	—	10	32	51		
13 Rheumatic fever ... {				M	3	—	—	—	2	—	1	—	—	2	—	—	—	1	—	—	—	1		
				F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
14 Meningitis ... {				M	6	—	—	4	—	—	—	2	—	5	—	—	3	1	—	1	—	—		
				F	3	—	—	—	—	2	1	—	—	3	2	—	—	—	1	—	—	—		
15 Organic heart disease ... {				M	82	—	—	—	2	2	7	28	43	120	—	—	—	—	3	7	32	78		
				F	75	—	—	—	2	3	5	16	49	111	—	—	—	—	1	7	30	73		
16 Bronchitis ... {				M	49	7	4	—	—	—	—	6	32	52	5	—	2	—	—	—	7	38		
				F	53	5	—	2	—	—	2	8	36	47	8	1	—	—	—	1	5	32		
17 Pneumonia (all forms)... {				M	60	11	7	5	2	2	12	8	13	42	10	5	—	—	3	5	6	13		
				F	45	9	8	4	1	1	2	7	13	27	10	3	2	—	—	4	3	5		
18 Other respiratory diseases {				M	20	—	1	—	1	—	2	8	8	17	1	2	1	—	—	2	5	6		
				F	10	1	1	—	2	—	3	2	1	8	1	—	—	—	—	—	2	5		
19 Diarrhoea, &c. ... {				M	28	15	5	2	—	—	1	2	3	21	15	—	2	—	—	1	1	2		
				F	21	12	—	1	—	1	—	—	7	18	5	2	2	2	1	1	—	5		
20 Appendicitis and typhlitis {				M	4	—	—	—	1	1	1	1	—	3	—	—	—	1	1	—	1	—		
				F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	1	2	1	—		
21 Cirrhosis of liver ... {				M	6	—	—	—	—	—	3	3	—	5	—	—	—	—	—	1	1	3		
				F	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	2	1	2		
21A Alcoholism ... {				M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—		
				F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease. {				M	36	—	—	—	—	2	5	15	14	21	—	—	—	—	1	1	7	12		
				F	25	—	—	—	—	1	1	10	13	29	1	1	—	—	1	2	9	15		
23 Puerperal fever ... {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever. {				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	—	—	—	3	—	—	8	—	—	—	—	2	6	—	—		
25 Congenital debility, &c. {				M	49	48	—	—	—	1	—	—	—	55	50	1	—	2	—	1	1	—		
				F	22	22	—	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
26 Violence, apart from suicide. {				M	33	1	1	4	—	5	11	6	5	34	1	—	4	3	3	13	4	6		
				F	6	1	—	—	—	—	1	1	3	14	2	—	1	1	1	1	3	5		
27 Suicide ... {				M	10	—	—	—	—	—	5	5	—	12	—	—	—	—	5	3	2	2		
				F	1	—	—	—	—	—	—	—	1	6	—	—	—	—	2	2	1	1		
28 Other defined diseases ... {				M	223	29	—	2	4	4	22	42	120	269	20	5	1	—	2	12	38	191		
				F	212	10	3	—	2	2	21	32	142	274	11	2	3	—	4	17	52	185		
29 Causes ill-defined or un- known {				M	5	1	—	—	—	—	—	1	3	8	—	1	—	—	—	—	5	2		
				F	4	1	—	—	—	1	1	1	—	6	1	—	—	—	—	1	—	4		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SOMERSETSHIRE—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.																										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—																			
ALL CAUSES	...	M	994	131	31	41	39	39	115	231	367	1,452	162	19	36	43	44	173	327	648	F	1,006	113	39	28	33	39	101	195	458	1,458	128	28	26	38	54	138	284	762
1 Enteric fever	...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	—	5	1	—	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	...	M	34	6	8	16	4	—	—	—	—	21	2	4	10	4	—	1	—	...	F	31	6	13	9	3	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	...	M	2	2	—	—	—	—	—	—	—	10	6	2	2	—	—	—	—	F	7	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup	...	M	6	—	1	3	2	—	—	—	—	10	1	—	3	5	1	—	—	F	6	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza	...	M	14	—	—	—	—	2	4	3	5	25	1	—	—	—	8	6	10	F	14	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
8 Erysipelas	...	M	2	—	—	—	—	—	—	1	1	6	—	—	—	—	2	1	—	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
9 Pulmonary tuberculosis	{	M	83	—	—	—	3	12	45	17	6	98	1	—	1	4	11	47	30	{	F	46	—	1	—	4	14	21	4	2	76	—	—	—	2	25	33	15	
10 Tuberculous meningitis		M	6	—	2	—	3	—	1	—	—	11	1	1	2	3	3	1	—		F	12	1	3	3	2	3	—	—	—	—	10	2	1	1	4	1	—	
11 Other tuberculous diseases.	{	M	12	2	—	1	2	—	4	2	1	11	—	—	—	1	3	4	3	{	F	10	2	—	1	3	—	1	2	1	15	1	1	—	3	4	5	—	
12 Cancer, malignant disease		M	62	—	—	1	—	1	1	27	32	100	—	—	—	—	—	11	32		58	F	116	—	—	—	1	—	11	54	49	151	—	—	—	1	—	12	65
13 Rheumatic fever	...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	—	{	F	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	—	—	
14 Meningitis	...	M	14	8	—	1	4	2	2	2	13	1	1	3	3	2	3	—	F		8	—	1	3	1	1	1	—	—	—	4	1	1	—	—	—	—	—	
15 Organic heart disease	...	M	100	—	—	—	3	3	10	29	55	182	—	—	—	—	3	15	62	{	F	136	—	—	—	3	10	35	88	206	—	—	—	2	3	9	48	144	
16 Bronchitis	...	M	73	13	3	2	—	—	—	10	45	83	5	1	—	—	3	16	58		F	60	7	5	—	—	—	—	7	41	95	8	3	—	1	—	1	17	63
17 Pneumonia (all forms)...	{	M	59	12	8	3	5	3	4	15	9	67	19	2	2	2	1	8	14	{	F	47	14	5	1	2	2	3	7	13	60	10	3	3	—	1	5	11	27
18 Other respiratory diseases		M	17	—	—	1	—	1	2	6	7	20	2	1	—	1	—	2	5		9	F	14	2	—	3	—	3	2	4	28	3	2	1	—	2	2	4	14
19 Diarrhoea, &c.	...	M	24	12	4	1	1	—	—	1	5	29	15	2	1	—	1	2	8	{	F	32	18	5	—	—	1	4	4	26	12	3	—	1	1	—	2	—	—
20 Appendicitis and typhlitis	M	9	—	—	1	1	2	3	2	—	10	—	—	2	1	3	—	1	—		F	11	—	—	—	1	3	3	3	1	3	—	—	2	—	—	1	—	
21 Cirrhosis of liver	...	M	7	—	—	—	—	—	1	3	3	16	—	—	—	—	3	11	2	{	F	5	—	—	—	—	2	3	—	7	—	—	—	—	1	3	—	—	
21A Alcoholism	...	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—		F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{	M	49	—	—	—	2	1	2	25	19	54	—	—	—	1	2	4	25	{	F	26	—	—	—	1	1	5	4	15	49	—	2	—	—	—	8	13	20
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		F	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24 Parturition, apart from puerperal fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	...	F	7	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—		
25 Congenital debility, &c.	{	M	63	62	—	—	1	—	—	—	—	79	77	—	1	—	—	—	—	{	F	46	44	—	—	1	1	—	—	57	57	—	—	—	—	—	—	—	
26 Violence, apart from suicide.		M	32	2	2	2	1	3	7	12	3	56	—	2	3	6	5	18	11		11	F	24	1	1	3	3	3	6	7	26	3	1	2	1	4	4	4	7
27 Suicide	...	M	18	—	—	—	1	3	6	5	3	21	—	—	—	—	6	12	3	{	F	5	—	—	—	—	1	2	1	7	—	—	—	—	—	2	4	1	—
28 Other defined diseases	...	M	296	16	3	8	6	5	20	66	172	517	31	3	6	11	9	29	92		336	F	328	14	3	3	6	5	23	56	218	539	25	1	4	6	9	35	85
29 Causes ill-defined or unknown.	{	M	5	1	—	—	—	1	—	3	—	4	—	—	—	—	1	2	1	{	F	1	—	—	—	—	—	—	—	9	—	—	—	—	—	2	4	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SOUTHAMPTON—1913.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	1,192	229	44	37	25	60	191	252	354	1,321	171	21	29	47	57	165	298	533		
				F	998	151	43	32	27	29	116	199	401	1,191	123	28	24	36	47	135	232	566		
1 Enteric fever	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—		
				F	2	—	—	—	—	—	1	1	—	3	—	—	—	2	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	19	1	7	6	2	2	1	—	—	16	3	6	4	3	—	—	—	—		
				F	15	4	5	5	1	—	—	—	—	12	1	1	5	3	1	1	—	—		
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
				F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	M	15	6	6	2	1	—	—	—	—	8	7	—	1	—	—	—	—	—		
				F	10	5	4	1	—	—	—	—	—	16	10	5	1	—	—	—	—	—		
6 Diphtheria and croup	M	14	1	2	7	3	1	—	—	—	12	—	—	3	6	—	2	—	1		
				F	11	—	—	5	6	—	—	—	—	18	—	1	6	9	—	1	1	—		
7 Influenza	M	13	—	—	—	—	2	2	5	4	20	—	—	1	—	—	4	5	10		
				F	19	—	1	—	—	1	—	2	15	22	2	—	—	—	1	2	2	15		
8 Erysipelas	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	2		
9 Pulmonary tuberculosis	M	83	—	—	—	1	13	44	20	5	81	—	—	1	1	14	42	22	1		
				F	64	1	1	2	4	7	33	15	1	74	—	1	—	3	19	33	13	5		
10 Tuberculous meningitis	M	10	1	4	4	—	—	1	—	—	6	1	—	—	2	1	1	1	—		
				F	12	1	3	4	2	1	1	—	—	3	—	2	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	22	5	2	3	2	4	4	1	1	17	1	—	—	5	2	4	4	1		
				F	27	9	2	1	3	3	4	4	1	12	1	—	—	1	3	3	2	2		
12 Cancer, malignant disease	M	101	—	—	1	—	—	12	43	45	130	—	—	—	1	1	7	58	63		
				F	103	—	—	—	—	—	13	47	43	138	—	—	—	—	1	12	54	71		
13 Rheumatic fever	M	5	—	—	—	—	2	2	1	—	5	—	—	—	3	1	—	1	—		
				F	2	—	—	—	—	—	2	—	—	4	—	—	—	1	—	3	—	—		
14 Meningitis	M	4	2	—	—	1	—	1	—	—	6	1	1	1	2	1	—	—	—		
				F	11	2	4	1	1	—	2	1	—	3	1	1	—	—	—	1	—	—		
15 Organic heart disease	M	125	—	1	—	—	2	12	48	62	174	—	—	—	—	2	7	60	105		
				F	102	—	—	—	—	2	8	38	54	192	—	—	—	3	2	12	50	125		
16 Bronchitis	M	63	10	6	2	—	—	3	8	34	80	16	4	2	2	—	1	9	46		
				F	75	12	3	—	1	—	—	5	54	78	11	2	—	—	—	—	3	62		
17 Pneumonia (all forms)...	M	82	21	11	3	4	1	14	15	13	58	17	4	4	—	5	7	10	11		
				F	43	15	7	1	—	2	4	5	9	51	14	8	2	4	1	6	6	10		
18 Other respiratory diseases	M	13	2	—	—	—	1	1	4	5	20	3	—	—	1	2	1	3	8		
				F	17	1	—	4	1	1	2	3	5	15	—	—	—	—	—	1	4	10		
19 Diarrhoea, &c.	M	51	42	2	1	—	—	2	1	3	24	10	1	—	—	1	3	1	7		
				F	30	20	4	1	1	—	1	1	2	21	11	2	1	—	—	—	1	6		
20 Appendicitis and typhlitis	M	13	—	—	—	1	5	6	1	—	12	—	—	2	2	2	1	5	—		
				F	5	—	—	—	1	2	1	1	—	13	—	—	1	2	2	4	2	2		
21 Cirrhosis of liver	M	12	—	—	—	—	—	4	6	2	12	—	—	—	—	—	2	7	3		
				F	14	—	—	—	—	—	3	9	2	11	—	—	—	—	—	1	3	7		
21A Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1		
				F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	48	1	—	2	—	2	8	13	22	40	—	—	—	—	1	3	17	19		
				F	34	1	—	—	—	1	4	10	18	42	1	—	—	1	—	2	14	24		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	5	—	—	—	—	1	4	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	10	—	—	—	—	3	6	1	—	16	—	—	—	—	—	16	—	—		
25 Congenital debility, &c.	M	79	79	—	—	—	—	—	—	—	85	79	2	1	1	—	—	1	—		
				F	55	54	—	—	1	—	—	—	—	48	47	—	—	—	—	1	—	—		
26 Violence, apart from suicide.	M	54	4	—	4	2	11	19	11	3	62	3	—	2	5	10	21	11	10		
				F	14	1	2	1	1	1	1	—	7	23	2	2	3	3	2	4	6	1		
27 Suicide	M	13	—	—	—	—	3	5	5	—	19	—	—	—	—	2	6	8	3		
				F	5	—	—	—	—	—	2	2	1	6	—	—	—	—	2	2	2	—		
28 Other defined diseases	M	339	50	2	2	7	10	47	67	154	424	29	2	4	11	12	50	74	242		
				F	303	24	5	5	3	4	23	52	187	359	21	3	4	4	13	24	67	223		
29 Causes ill-defined or unknown.	M	8	3	1	—	—	—	2	1	1	6	1	1	1	—	—	—	1	2		
				F	7	1	2	—	—	—	1	1	2	5	1	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF STAFFORDSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	3,892	1019	264	241	166	127	380	768	927	1,334	237	70	50	50	46	129	258	494		
	F	3,382	795	259	213	140	135	350	607	883	1,213	207	47	45	56	44	127	216	471		
1 Enteric fever ...	M	12	—	—	—	—	4	6	2	—	2	—	—	—	—	2	—	—	—		
	F	5	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	168	29	65	58	16	—	—	—	—	20	4	7	8	1	—	—	—	—		
	F	167	34	66	52	15	—	—	—	—	26	9	9	6	2	—	—	—	—		
4 Scarlet fever ...	M	17	1	—	7	7	1	1	—	—	4	—	—	2	2	—	—	—	—		
	F	17	—	1	9	5	2	—	—	—	5	—	—	2	3	—	—	—	—		
5 Whooping cough ...	M	38	19	10	8	1	—	—	—	—	17	10	5	2	—	—	—	—	—		
	F	62	29	25	8	—	—	—	—	—	17	6	8	3	—	—	—	—	—		
6 Diphtheria and croup ...	M	30	1	1	14	14	—	—	—	—	11	2	1	6	1	—	—	1	—		
	F	30	1	3	11	15	—	—	—	—	14	1	1	5	7	—	—	—	—		
7 Influenza ...	M	33	1	—	—	1	3	7	14	7	26	3	1	1	1	—	3	12	5		
	F	30	—	—	—	1	1	5	8	15	12	—	—	—	—	1	5	2	4		
8 Erysipelas ...	M	5	1	1	—	—	—	1	1	1	1	—	—	—	—	—	1	—	—		
	F	7	2	—	—	—	—	—	2	3	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	253	5	4	11	8	32	116	69	8	60	1	1	—	2	9	30	15	2		
	F	199	3	2	7	8	55	91	28	5	63	—	—	2	3	15	26	16	1		
10 Tuberculous meningitis	M	26	4	1	9	10	2	—	—	—	10	1	5	—	4	—	—	—	—		
	F	40	8	11	9	7	4	1	—	—	10	—	2	2	3	3	—	—	—		
11 Other tuberculous diseases.	M	68	20	14	10	8	6	8	1	1	16	7	2	1	2	1	2	1	—		
	F	49	17	7	6	4	6	7	2	—	15	1	2	1	6	3	1	—	1		
12 Cancer, malignant disease	M	175	—	1	1	—	2	15	89	67	91	1	—	1	1	1	9	41	37		
	F	259	—	—	3	—	3	29	131	93	112	—	—	—	1	—	13	45	53		
13 Rheumatic fever ...	M	15	—	—	—	5	5	3	2	—	4	—	—	—	1	2	—	—	1		
	F	10	—	—	—	6	1	1	2	—	5	—	1	—	2	—	1	1	—		
14 Meningitis ...	M	59	20	4	11	16	3	2	1	2	16	4	5	2	2	1	—	2	—		
	F	33	14	5	5	3	2	2	2	—	9	3	1	1	3	1	—	—	—		
15 Organic heart disease ...	M	270	—	—	—	5	7	34	111	113	137	—	—	—	3	3	13	33	85		
	F	278	—	—	2	11	12	38	98	117	150	—	—	—	1	3	12	54	80		
16 Bronchitis ...	M	352	101	13	9	1	1	7	77	143	100	16	6	1	1	—	3	15	58		
	F	268	78	13	7	2	1	6	43	118	80	10	1	2	—	1	3	8	55		
17 Pneumonia (all forms)...	M	333	95	63	31	14	16	33	54	27	93	27	15	6	6	4	9	12	14		
	F	245	79	56	36	12	3	14	23	22	83	32	9	8	4	2	6	7	15		
18 Other respiratory diseases	M	55	4	6	3	3	2	4	21	12	23	2	1	2	—	2	3	6	7		
	F	32	1	3	3	2	2	4	4	13	13	2	—	1	1	1	3	2	3		
19 Diarrhoea, &c. ...	M	252	154	42	24	4	—	7	6	15	45	25	8	2	—	—	1	3	6		
	F	208	122	38	16	6	—	2	10	14	45	24	8	1	3	—	1	1	7		
20 Appendicitis and typhlitis	M	25	—	—	3	4	5	6	4	3	9	—	—	1	5	2	—	1	—		
	F	13	—	—	—	4	5	3	1	—	8	—	—	—	1	1	5	—	1		
21 Cirrhosis of liver ...	M	27	—	—	—	—	—	5	17	5	15	—	1	—	—	1	2	10	1		
	F	18	—	—	—	—	—	2	13	3	14	—	—	—	—	1	1	8	4		
21A Alcoholism ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
	F	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	90	3	3	2	—	4	14	42	22	38	—	1	1	—	—	4	12	20		
	F	88	1	3	4	4	—	16	38	22	24	—	—	—	1	1	4	6	12		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	1	3	—	—	10	—	—	—	—	1	9	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	33	—	—	—	—	6	27	—	—	9	—	—	—	—	2	7	—	—		
25 Congenital debility, &c.	M	401	397	2	1	1	—	—	—	—	88	86	—	2	—	—	—	—	—		
	F	288	284	2	—	2	—	—	—	—	80	77	—	—	3	—	—	—	—		
26 Violence, apart from suicide.	M	181	16	6	23	28	18	30	39	21	80	6	2	3	8	12	17	20	12		
	F	64	9	2	18	10	1	7	2	15	36	4	2	3	7	2	2	4	12		
27 Suicide ...	M	48	—	—	—	—	1	15	21	11	19	—	—	—	—	2	6	7	4		
	F	12	—	—	—	—	4	4	4	—	7	—	—	—	—	2	1	3	1		
28 Other defined diseases ...	M	929	146	19	12	19	15	63	191	464	394	41	7	9	10	4	22	63	238		
	F	891	109	16	16	21	26	80	184	439	355	37	—	7	5	4	27	55	220		
29 Causes ill-defined or unknown.	M	29	2	9	4	1	—	2	6	5	14	1	2	—	—	—	3	4	4		
	F	28	4	6	1	1	—	2	10	4	9	1	3	1	—	—	—	2	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, EAST—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	534	93	18	12	19	17	65	129	181	747	110	17	10	19	39	60	133	359		
	F	462	73	8	13	17	16	49	102	184	767	79	11	17	36	25	72	136	391		
1 Enteric fever ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	5	1	4	—	—	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	9	3	2	1	2	—	1	—	—		
4 Scarlet fever ...	M	3	—	1	2	—	—	—	—	—	6	1	—	—	3	2	—	—	—		
	F	3	—	—	1	2	—	—	—	—	7	—	—	2	3	1	1	—	—		
5 Whooping cough ...	M	12	8	1	3	—	—	—	—	—	4	3	—	1	—	—	—	—	—		
	F	14	10	3	1	—	—	—	—	—	8	2	—	5	1	—	—	—	—		
6 Diphtheria and croup ...	M	8	—	—	4	4	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	11	—	—	3	8	—	—	—	—	3	—	—	—	3	—	—	—	—		
7 Influenza ...	M	2	—	—	—	—	—	—	2	—	10	—	—	—	—	—	1	2	7		
	F	1	—	—	—	—	—	1	—	—	7	—	—	—	1	—	1	2	3		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1		
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	38	—	1	—	1	7	18	10	1	40	1	—	—	2	8	18	8	3		
	F	34	—	—	—	2	9	14	7	2	46	—	—	—	5	5	21	12	3		
10 Tuberculous meningitis	M	6	2	—	1	2	—	1	—	—	7	3	1	1	1	1	—	—	—		
	F	3	2	—	—	1	—	—	—	—	3	1	—	1	—	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	1	—	—	—	—	—	1	6	—	—	1	1	—	1	3	—		
	F	5	1	1	—	—	1	1	1	—	17	1	—	—	3	3	2	5	3		
12 Cancer, malignant disease	M	39	—	—	—	—	—	5	16	18	60	—	—	—	1	1	2	18	38		
	F	36	—	—	—	—	1	3	15	17	91	—	1	—	—	—	10	37	43		
13 Rheumatic fever ...	M	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	3	2	—	—	1	—	—	—	—	3	1	—	—	2	—	—	—	—		
	F	5	1	—	1	—	—	—	1	2	9	3	1	—	3	1	1	—	—		
15 Organic heart disease ...	M	55	—	—	—	—	—	7	18	30	89	1	1	—	—	2	2	22	61		
	F	62	—	—	—	—	—	5	23	34	112	—	—	—	—	—	7	22	83		
16 Bronchitis ...	M	27	6	3	—	—	—	—	5	13	38	6	3	1	1	—	—	2	25		
	F	24	2	—	—	—	—	—	4	18	49	3	1	—	—	—	—	3	42		
17 Pneumonia (all forms)...	M	18	8	4	1	—	1	1	2	1	40	8	2	2	3	5	3	6	11		
	F	21	5	1	3	—	—	1	7	4	30	7	1	1	2	1	2	5	11		
18 Other respiratory diseases	M	6	1	—	—	1	—	—	3	1	14	1	—	—	—	—	—	4	9		
	F	6	1	—	1	—	—	—	2	2	9	—	—	1	2	—	1	1	4		
19 Diarrhoea, &c. ...	M	11	6	2	—	—	—	—	2	1	15	7	2	2	—	—	—	2	2		
	F	7	4	1	—	1	—	—	—	1	11	7	2	—	1	—	—	1	—		
20 Appendicitis and typhlitis	M	9	—	—	—	4	2	2	1	—	5	—	—	—	—	2	—	2	1		
	F	2	—	—	—	2	—	—	—	—	4	—	—	—	3	1	—	—	—		
21 Cirrhosis of liver ...	M	9	—	—	—	—	—	3	6	—	8	—	—	—	—	—	2	2	4		
	F	3	—	—	—	—	—	—	1	2	5	—	—	—	—	—	1	2	2		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	18	—	—	—	—	—	—	10	8	33	—	—	—	—	3	1	12	17		
	F	20	—	—	—	—	—	4	8	8	25	—	—	—	1	1	—	6	17		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	9	—	—	—	—	1	8	—	—	10	—	—	—	—	4	6	—	—		
25 Congenital debility, &c.	M	45	45	—	—	—	—	—	—	—	56	54	1	1	—	—	—	—	—		
	F	31	31	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	24	—	—	—	2	4	6	9	3	28	1	1	—	1	2	7	10	6		
	F	6	1	—	1	1	—	—	—	3	6	—	—	2	1	—	—	2	1		
27 Suicide ...	M	8	—	—	—	—	1	3	2	2	14	—	—	—	—	1	4	5	4		
	F	3	—	—	—	—	—	—	2	1	4	—	—	—	—	—	—	1	3		
28 Other defined diseases ...	M	181	15	3	—	4	1	17	39	102	256	21	1	1	5	10	17	33	168		
	F	146	14	1	—	—	4	12	27	88	251	15	2	4	2	7	13	32	176		
29 Causes ill-defined or unknown.	M	5	—	2	—	—	—	1	2	—	5	—	1	—	—	—	1	1	2		
	F	3	1	—	—	—	—	—	2	—	6	—	1	—	2	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SUFFOLK, WEST—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	287	39	9	8	14	13	33	63	108	498	50	9	4	16	14	54	84	267		
	F	293	30	14	9	9	15	19	55	142	463	58	8	10	16	11	43	73	244		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	17	1	5	5	5	1	—	—	—	3	—	1	1	—	1	—	—	—		
	F	18	5	4	6	3	—	—	—	—	1	—	—	1	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
	F	2	2	—	—	—	—	—	—	—	10	4	2	3	1	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	1	—	—	1	—	—	—	—	—	11	1	—	—	—	—	2	2	6		
	F	5	—	—	—	—	—	—	—	5	8	1	—	1	—	—	1	1	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
9 Pulmonary tuberculosis	M	22	—	—	—	1	8	7	5	1	34	—	—	—	—	3	25	6	—		
	F	22	—	—	—	3	9	3	7	—	30	—	—	—	—	3	16	9	2		
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	3	1	—	—	2	—	—	—	—		
	F	3	1	—	1	1	—	—	—	—	2	2	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	5	2	2	1	—	—	—	—	—	6	2	—	—	2	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	8	1	—	1	1	2	3	—	—		
12 Cancer, malignant disease	M	24	—	—	—	—	—	2	10	12	51	—	—	—	—	—	2	16	33		
	F	39	—	—	—	—	—	1	17	21	48	—	—	—	—	—	1	15	32		
13 Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	2	—		
	F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—		
14 Meningitis ...	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	1	—	—	—	5	—	—	—	2	1	1	1	—		
15 Organic heart disease ...	M	34	—	—	—	—	—	7	13	14	44	—	—	—	2	1	3	8	30		
	F	32	—	—	—	1	—	3	10	18	48	—	—	—	—	—	4	9	35		
16 Bronchitis ...	M	25	4	—	—	1	—	—	6	14	33	1	1	—	1	—	—	4	26		
	F	24	1	5	—	—	—	—	1	17	25	5	—	2	—	—	—	1	17		
17 Pneumonia (all forms)...	M	13	1	—	—	1	2	5	2	2	20	6	—	2	1	—	2	1	8		
	F	14	4	3	1	—	1	1	1	3	19	3	1	—	2	—	3	2	8		
18 Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	7	—	1	—	—	1	—	—	5		
	F	2	—	—	—	—	—	—	—	2	9	1	—	—	1	—	1	—	6		
19 Diarrhoea, &c. ...	M	2	2	—	—	—	—	—	—	—	5	3	—	—	—	—	—	—	2		
	F	4	2	1	—	—	—	1	—	—	3	2	1	—	—	—	—	—	—		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	4	—	—	—	—	—	1	2	1		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
21A Alcoholism ...	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	16	1	—	—	—	1	1	5	8	23	—	—	—	—	—	4	9	10		
	F	5	—	—	—	—	1	1	—	3	12	—	—	—	—	—	—	5	7		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—		
25 Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	21	19	—	1	—	1	—	—	—		
	F	6	6	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	11	—	—	1	1	—	3	5	1	17	1	—	—	2	2	6	4	2		
	F	5	2	—	—	—	—	1	1	1	12	1	—	2	—	—	—	2	7		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—		
	F	3	—	—	—	—	—	2	1	—	2	—	—	—	—	1	—	1	—		
28 Other defined diseases ...	M	76	5	—	—	3	—	3	12	53	193	8	5	—	3	3	6	25	143		
	F	101	7	1	—	—	2	4	15	72	180	13	3	1	6	2	8	24	123		
29 Causes ill-defined or unknown.	M	5	—	1	—	—	—	1	—	3	8	1	1	—	2	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	9	—	1	—	1	1	2	—	3		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
SURREY—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	2,473	402	90	75	82	95	341	616	782	1,136	172	40	35	37	37	131	253	431		
	F	2,391	294	84	59	72	92	264	509	1017	1,060	118	28	25	50	42	133	235	429		
1 Enteric fever ...	M	3	—	—	—	1	—	1	1	—	1	—	—	—	—	1	—	—			
	F	5	—	—	—	—	1	4	—	—	2	—	—	—	2	—	—	—			
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles ...	M	48	10	17	16	5	—	—	—	—	23	2	8	6	5	1	—	1			
	F	55	8	29	12	4	2	—	—	—	18	3	5	4	6	—	—	—			
4 Scarlet fever ...	M	5	—	—	2	1	2	—	—	—	1	—	—	—	—	1	—	—			
	F	5	—	—	—	5	—	—	—	—	1	—	1	—	—	—	—	—			
5 Whooping cough ...	M	15	7	4	2	2	—	—	—	—	9	6	3	—	—	—	—	—			
	F	27	13	11	2	1	—	—	—	—	15	9	2	3	1	—	—	—			
6 Diphtheria and croup ...	M	12	—	1	6	5	—	—	—	—	6	—	1	5	—	—	—	—			
	F	14	1	2	4	6	1	—	—	—	4	—	—	3	1	—	—	—			
7 Influenza ...	M	50	3	3	1	3	3	6	12	19	26	—	—	1	1	1	3	7			
	F	50	—	—	—	1	2	9	11	27	26	1	—	1	—	3	4	10			
8 Erysipelas ...	M	4	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1			
	F	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—			
9 Pulmonary tuberculosis	M	221	2	3	2	5	25	112	64	8	62	1	—	—	2	6	32	19			
	F	133	2	—	2	6	37	50	26	10	68	—	—	—	4	15	35	12			
10 Tuberculous meningitis	M	20	4	3	6	6	1	—	—	—	10	2	2	3	2	—	1	—			
	F	26	7	3	5	10	—	—	—	1	9	1	—	2	5	1	—	—			
11 Other tuberculous diseases.	M	34	3	6	4	5	7	6	3	—	10	2	2	—	—	2	3	—			
	F	32	5	2	5	—	2	11	5	2	11	1	1	—	3	1	4	1			
12 Cancer, malignant disease	M	222	—	—	1	—	1	18	102	100	122	1	—	—	—	2	5	52			
	F	322	—	1	—	1	3	40	142	135	124	1	—	2	—	—	10	54			
13 Rheumatic fever ...	M	12	—	—	—	3	1	5	2	1	1	—	—	—	1	—	—	—			
	F	9	—	—	—	4	1	1	3	—	6	—	—	1	1	1	2	1			
14 Meningitis ...	M	22	5	4	1	5	3	2	1	1	11	1	4	1	3	1	1	—			
	F	21	11	1	3	2	1	1	1	1	2	1	—	—	1	—	—	—			
15 Organic heart disease ...	M	233	1	1	—	—	5	24	74	128	138	—	—	—	2	3	14	35			
	F	265	—	—	—	4	9	19	79	154	132	—	—	—	—	2	9	40			
16 Bronchitis ...	M	128	20	8	1	1	—	4	25	69	81	22	4	1	—	—	1	8			
	F	162	20	4	2	1	—	2	17	116	59	7	1	1	1	—	2	7			
17 Pneumonia (all forms)...	M	176	38	19	7	4	10	33	34	31	70	12	6	4	4	3	12	14			
	F	125	26	15	10	3	3	17	18	33	60	11	10	1	3	1	7	12			
18 Other respiratory diseases	M	33	3	—	2	1	—	4	6	17	23	1	—	3	1	—	3	8			
	F	30	4	1	1	—	1	1	7	15	16	1	—	1	—	—	1	2			
19 Diarrhoea, &c. ...	M	90	55	10	2	—	—	7	5	11	33	21	5	1	—	—	1	1			
	F	59	37	8	1	1	—	3	3	6	26	13	4	3	—	2	1	2			
20 Appendicitis and typhlitis	M	20	—	—	2	7	3	7	1	—	12	—	—	1	1	4	5	1			
	F	14	—	—	—	3	—	6	5	—	10	—	—	—	4	2	2	—			
21 Cirrhosis of liver ...	M	29	—	—	—	—	—	1	19	9	20	—	—	—	—	—	3	12			
	F	25	—	—	—	—	—	4	10	11	6	—	—	—	—	—	4	2			
21A Alcoholism ...	M	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—			
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
22 Nephritis and Bright's disease.	M	92	1	—	—	2	—	10	36	43	42	—	—	1	—	1	5	18			
	F	72	2	—	—	5	3	5	23	34	32	—	—	—	3	—	6	10			
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	6	—	—	—	—	—	6	—	—	10	—	—	—	—	—	10	—			
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	17	—	—	—	—	4	13	—	—	6	—	—	—	—	1	5	—			
25 Congenital debility, &c.	M	162	160	—	—	2	—	—	—	—	64	64	—	—	—	—	—	—			
	F	99	97	—	1	—	1	—	—	—	46	45	1	—	—	—	—	—			
26 Violence, apart from suicide.	M	98	14	1	11	8	9	24	18	13	34	1	2	4	7	5	4	9			
	F	55	10	—	4	6	1	9	12	13	28	3	—	1	3	3	4	3			
27 Suicide ...	M	41	—	—	—	—	3	17	17	4	11	—	—	—	—	2	3	4			
	F	10	—	—	—	—	2	5	3	—	3	—	—	—	—	—	3	—			
28 Other defined diseases ...	M	692	73	7	8	16	12	57	193	326	320	35	3	4	8	6	33	60			
	F	745	50	6	7	9	17	55	143	458	336	20	2	2	12	10	30	71			
29 Causes ill-defined or unknown.	M	8	2	3	1	—	—	—	1	1	4	1	—	—	—	—	1	2			
	F	4	—	1	—	—	1	2	—	—	4	1	1	—	—	—	1	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, EAST—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	721	85	18	23	29	28	74	179	285	740	83	21	17	12	27	81	167	332		
	F	757	63	19	18	18	27	101	161	350	633	63	7	5	18	24	66	139	311		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
2 Small-pox	M	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	12	2	3	6	1	—	—	—	—	5	—	2	2	1	—	—	—	—		
	F	14	3	7	4	—	—	—	—	—	4	2	1	—	1	—	—	—	—		
4 Scarlet fever	M	2	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—		
	F	4	3	—	—	1	—	—	—	—	3	3	—	—	—	—	—	—	—		
6 Diphtheria and croup	M	8	—	—	4	4	—	—	—	—	3	—	1	1	—	1	—	—	—		
	F	2	—	—	—	2	—	—	—	—	5	—	—	—	4	—	1	—	—		
7 Influenza	M	8	1	—	—	—	1	—	5	1	20	—	—	—	—	1	4	1	14		
	F	15	—	—	—	—	1	2	4	8	14	—	—	—	—	—	1	3	10		
8 Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	M	68	1	1	—	3	9	23	25	6	51	—	—	—	2	7	22	16	4		
	F	55	—	—	—	1	15	27	9	3	49	—	—	—	3	10	21	10	5		
10 Tuberculous meningitis	M	7	3	2	1	1	—	—	—	—	4	—	1	1	2	—	—	—	—		
	F	10	2	1	2	3	1	1	—	—	2	—	—	—	1	1	—	—	—		
11 Other tuberculous diseases.	M	15	3	—	3	2	4	1	2	—	9	—	1	1	1	4	2	—	—		
	F	10	3	1	—	1	2	2	1	—	8	—	—	2	1	—	2	2	1		
12 Cancer, malignant disease	M	67	—	1	—	—	1	7	25	33	78	—	—	—	1	—	3	31	43		
	F	121	—	—	—	—	—	12	46	63	94	—	—	—	—	—	8	42	44		
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	3	—	—	1	1	—	1	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	4	2	—	—	1	—	—	1	—	6	1	1	2	1	1	—	—	—		
	F	4	1	1	1	—	—	—	1	—	6	2	—	—	1	3	—	—	—		
15 Organic heart disease	M	74	—	—	—	—	2	1	22	49	100	—	—	—	—	3	8	24	65		
	F	97	—	—	—	—	—	11	28	58	100	—	—	—	1	2	4	27	66		
16 Bronchitis	M	41	7	3	2	—	—	—	7	22	45	6	2	—	—	—	—	4	33		
	F	43	4	—	2	—	—	—	7	30	38	2	1	—	—	—	—	5	30		
17 Pneumonia (all forms)...	M	31	4	3	3	1	—	6	5	9	47	8	3	2	1	—	5	15	13		
	F	36	6	2	5	1	2	2	3	15	28	8	2	2	—	1	2	3	10		
18 Other respiratory diseases	M	14	1	—	1	1	1	2	4	4	12	1	1	1	1	1	—	2	5		
	F	7	1	—	1	—	—	—	2	3	7	1	—	—	1	—	—	4	1		
19 Diarrhoea, &c.	M	21	12	5	—	—	—	3	1	—	10	3	3	1	—	—	—	1	2		
	F	20	8	6	1	—	—	—	—	5	9	4	—	—	—	1	—	1	3		
20 Appendicitis and typhlitis	M	5	—	—	—	2	—	1	2	—	6	—	—	—	—	—	4	2	—		
	F	5	—	—	—	2	—	2	—	1	3	—	—	—	—	—	1	—	2		
21 Cirrhosis of liver	M	13	—	—	—	—	—	2	7	4	11	—	—	—	—	—	2	5	4		
	F	4	—	—	—	—	—	1	2	1	5	—	—	—	—	—	1	3	1		
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—		
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	25	—	—	—	1	1	3	8	12	22	—	—	—	—	2	3	7	10		
	F	23	—	—	—	—	—	1	11	11	12	1	—	—	—	—	3	2	6		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	2	—	—	—	—	—	2	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	8	—	—	—	—	1	7	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	27	27	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—		
	F	22	22	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	25	4	—	—	1	3	7	6	4	29	2	—	2	1	2	10	5	7		
	F	19	1	—	—	2	—	3	4	9	8	1	—	—	—	—	2	2	3		
27 Suicide	M	10	—	—	—	—	—	5	5	—	7	—	—	—	—	—	3	2	2		
	F	5	—	—	—	—	1	2	1	1	2	—	—	—	—	1	1	—	—		
28 Other defined diseases	M	238	17	—	3	8	6	11	54	139	217	16	5	1	—	5	12	49	129		
	F	220	9	1	—	4	4	21	39	142	202	14	2	1	5	4	14	34	128		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—		
	F	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF SUSSEX, WEST—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	502	69	8	8	11	17	61	112	216	576	67	13	9	11	28	52	116	280		
	F	576	44	14	12	14	21	64	143	264	484	43	6	8	21	10	44	87	265		
1 Enteric fever ...	M	1	—	—	—	—	—	—	1	—	2	—	—	1	—	1	—	—	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	1	1	2	—	—	—	—	—	5	—	4	—	—	1	—	—	—		
	F	14	1	4	6	3	—	—	—	—	3	—	—	1	1	—	1	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	3	1	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	2	—	—	—	2	—	—	—	—	2	—	—	—	2	—	—	—	—		
7 Influenza ...	M	6	—	—	—	—	—	1	4	1	9	—	—	—	—	—	1	3	5		
	F	6	—	—	—	—	—	1	1	4	3	—	—	—	—	—	—	1	2		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis	M	57	—	—	—	—	6	27	19	5	41	—	—	—	1	12	16	12	—		
	F	34	1	1	—	2	7	11	9	3	27	—	—	—	2	2	17	5	1		
10 Tuberculous meningitis	M	5	—	2	1	2	—	—	—	—	5	—	1	1	2	1	—	—	—		
	F	6	3	1	—	1	—	1	—	—	6	—	1	2	3	—	—	—	—		
11 Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	7	1	—	1	1	—	1	3	—		
	F	6	2	—	—	—	2	1	—	1	6	1	—	1	1	1	—	—	1		
12 Cancer, malignant disease	M	50	—	—	—	—	—	6	18	26	66	—	—	—	—	—	4	20	42		
	F	79	—	—	—	1	—	6	42	30	65	1	—	—	1	—	4	23	36		
13 Rheumatic fever ...	M	4	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	1	—	1	1	1		
14 Meningitis ...	M	5	2	1	1	1	—	—	—	—	5	1	1	1	1	—	1	—	—		
	F	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	67	—	—	—	—	1	6	18	42	69	—	—	—	1	1	4	20	43		
	F	79	—	—	—	2	2	7	20	48	73	—	—	—	2	—	2	15	54		
16 Bronchitis ...	M	17	1	1	—	—	—	—	3	12	24	1	—	—	—	—	—	4	19		
	F	33	2	1	—	—	—	—	6	24	27	1	—	—	—	—	—	3	23		
17 Pneumonia (all forms)...	M	11	4	—	—	1	—	—	3	3	34	10	3	1	—	1	2	7	10		
	F	23	2	3	—	—	1	4	4	9	14	—	1	1	—	2	2	3	5		
18 Other respiratory diseases	M	10	—	—	—	—	—	1	4	5	7	—	—	—	—	—	1	1	5		
	F	9	—	—	—	—	1	2	3	3	6	—	—	—	—	—	—	1	5		
19 Diarrhoea, &c. ...	M	11	10	—	—	—	—	—	—	1	13	6	1	—	—	—	—	—	6		
	F	19	6	2	2	—	—	3	1	5	8	3	3	—	—	—	—	—	2		
20 Appendicitis and typhlitis	M	7	—	—	—	1	3	—	2	1	4	—	—	—	—	2	—	1	1		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	1	2	5	—	—	—	—	—	2	1	2		
	F	5	—	—	—	—	—	2	2	1	3	—	—	—	—	—	—	3	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	17	—	—	—	—	2	—	7	8	25	—	—	—	—	1	4	5	15		
	F	22	—	—	—	—	—	3	9	10	12	—	—	—	—	1	—	8	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—		
24 Parturition, apart from puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	2	1	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	32	32	—	—	—	—	—	—	—	35	34	—	1	—	—	—	—	—		
	F	16	16	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	23	2	1	1	1	2	4	5	7	19	1	—	1	1	1	7	3	5		
	F	6	1	—	1	1	—	1	—	2	12	—	—	1	—	1	1	2	7		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	5	—	—	—	—	2	1	2	—		
	F	4	—	—	—	—	1	1	1	1	3	—	—	—	—	—	2	—	1		
28 Other defined diseases ...	M	163	16	—	1	1	2	13	27	103	189	13	2	1	1	5	8	33	126		
	F	199	8	1	2	2	5	16	42	123	167	10	—	1	6	2	7	18	123		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	1	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WARWICKSHIRE—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	...	{	M	857	147	26	33	37	37	97	180	300	1,130	221	37	35	50	35	109	226	417	
			F	888	139	44	36	34	29	85	167	354	955	170	36	33	45	40	94	157	380	
1	Enteric fever	...	{	M	2	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	
			F	1	—	—	—	—	—	1	—	—	4	—	—	—	1	2	1	—	—	
2	Small-pox	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	{	M	8	—	4	2	2	—	—	—	21	5	7	5	4	—	—	—	—	
			F	15	4	5	4	2	—	—	—	—	20	7	7	4	1	—	1	—	—	
4	Scarlet fever	...	{	M	8	—	1	2	5	—	—	—	7	—	1	4	1	—	1	—	—	
			F	7	1	1	3	2	—	—	—	—	4	—	—	2	2	—	—	—	—	
5	Whooping-cough	...	{	M	4	4	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—	
			F	11	6	4	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—	
6	Diphtheria and croup	...	{	M	6	—	—	2	4	—	—	—	10	—	1	5	4	—	—	—	—	
			F	5	—	2	—	3	—	—	—	—	10	—	1	3	6	—	—	—	—	
7	Influenza	...	{	M	8	1	—	—	—	1	1	2	10	1	—	—	—	—	2	3	4	
			F	9	—	—	1	2	1	—	2	3	11	—	—	1	—	1	1	1	7	
8	Erysipelas	...	{	M	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	4	1	
			F	2	—	—	—	—	—	1	—	1	2	—	—	1	—	—	—	—	1	
9	Pulmonary tuberculosis	{	M	51	—	1	—	1	9	22	16	2	59	1	—	—	3	11	28	14	2	
			F	33	—	—	1	4	6	10	11	1	52	—	—	4	8	10	19	9	2	
10	Tuberculous meningitis	{	M	10	1	3	3	3	—	—	—	—	7	2	1	—	4	—	—	—	—	
			F	8	1	3	2	1	—	1	—	—	10	3	1	2	2	—	2	—	—	
11	Other tuberculous diseases.	{	M	7	1	—	1	—	—	3	2	—	17	2	1	—	7	3	3	1	—	
			F	9	1	—	2	1	1	1	3	—	21	3	3	2	2	4	3	1	3	
12	Cancer, malignant disease	{	M	70	—	—	—	—	1	7	36	26	84	—	—	—	1	—	6	33	44	
			F	96	—	—	—	—	1	9	36	50	88	—	1	—	—	3	7	37	40	
13	Rheumatic fever	...	{	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
			F	4	—	—	—	3	1	—	—	—	5	—	—	—	2	1	1	1	—	
14	Meningitis	...	{	M	11	3	1	—	2	3	—	1	6	5	—	—	1	—	—	—	—	
			F	13	4	2	3	1	—	2	—	1	7	1	2	1	—	—	—	1	2	
15	Organic heart disease	...	{	M	62	—	—	—	—	2	7	24	29	111	—	—	—	4	2	6	40	
			F	93	—	—	—	—	4	16	26	47	116	—	—	—	2	4	12	33	59	
16	Bronchitis	...	{	M	51	9	—	3	1	—	—	6	32	68	19	4	1	—	—	2	10	
			F	66	12	7	—	1	—	2	9	35	68	14	4	—	—	—	2	10	32	
17	Pneumonia (all forms)...	{	M	57	12	9	7	1	3	8	9	8	81	15	10	4	3	3	16	16	14	
			F	51	11	7	7	2	—	10	4	10	47	9	7	7	2	1	5	5	11	
18	Other respiratory diseases	{	M	16	—	1	2	1	—	2	5	5	15	1	—	2	—	—	1	8	3	
			F	13	—	—	2	1	1	—	3	6	17	1	—	—	2	1	1	4	8	
19	Diarrhoea, &c.	...	{	M	28	17	3	2	2	1	2	—	53	31	5	3	3	—	1	6	4	
			F	30	21	4	1	3	—	—	—	1	34	21	5	2	1	—	1	1	3	
20	Appendicitis and typhlitis	{	M	8	—	—	—	3	2	1	2	—	8	—	—	—	1	2	1	3	—	
			F	5	—	—	—	1	3	1	—	—	4	—	—	1	1	—	1	1	—	
21	Cirrhosis of liver	...	{	M	12	—	—	1	—	—	3	4	4	14	—	—	—	—	3	6	5	
			F	8	—	—	—	—	—	—	3	5	8	—	—	—	—	—	5	3	—	
21A	Alcoholism	...	{	M	3	—	—	—	—	1	2	—	2	—	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.	{	M	29	1	1	—	—	—	5	8	14	32	2	1	—	1	—	4	9	15	
			F	36	—	—	—	—	—	2	14	20	20	—	—	1	—	—	4	5	10	
23	Puerperal fever	...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	5	—	—	—	—	—	5	—	—	7	—	—	—	—	2	5	—	—	
24	Parturition, apart from puerperal fever.	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	6	—	—	—	—	3	3	—	—	5	—	—	—	—	2	3	—	—	
25	Congenital debility, &c.	{	M	66	65	—	—	—	—	1	—	—	84	84	—	—	—	—	—	—	—	
			F	60	56	2	1	1	—	—	—	—	74	72	—	—	—	1	—	1	—	
26	Violence, apart from suicide.	{	M	40	3	—	3	6	7	6	9	6	65	9	1	3	5	10	14	13	10	
			F	17	1	3	—	3	—	3	2	5	25	3	1	1	6	2	5	2	5	
27	Suicide	...	{	M	8	—	—	—	—	2	4	2	10	—	—	—	—	2	2	2	4	
			F	4	—	—	—	—	2	—	1	1	2	—	—	—	—	1	1	—	—	
28	Other defined diseases	...	{	M	284	30	2	3	4	6	23	50	166	346	39	2	7	7	2	17	54	
			F	274	21	3	8	3	6	16	50	167	278	23	3	1	7	5	17	40	218	
29	Causes ill-defined or unknown.	{	M	6	—	—	2	—	—	1	2	1	5	—	1	—	—	—	—	3	1	
			F	7	—	1	—	—	—	2	3	1	3	1	1	—	—	—	1	—	—	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WESTMORLAND—1913.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	{	M	182	31	6	3	5	7	12	51	67	254	48	4	8	8	10	19	52	105		
			{	F	193	25	8	8	2	5	27	41	77	236	21	7	6	13	6	20	52	111		
1 Enteric fever	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	{	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough	{	M	6	3	3	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
			{	F	11	4	4	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
6 Diphtheria and croup	{	M	1	—	—	—	1	—	—	—	—	6	—	—	3	3	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	6	—	1	2	3	—	—	—	—		
7 Influenza	{	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	—	1	3		
			{	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—		
8 Erysipelas	{	M	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
			{	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1		
9 Pulmonary tuberculosis	{			M	5	—	—	—	—	1	2	1	1	14	—	—	—	—	4	6	3	1		
				F	10	—	—	—	—	—	8	2	—	11	—	—	1	2	4	1	2	1		
10 Tuberculous meningitis	{			M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
				F	4	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—		
11 Other tuberculous diseases.	{			M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—		
12 Cancer, malignant disease	{			M	13	—	—	—	—	—	—	7	6	23	—	—	—	—	—	—	9	14		
				F	25	—	—	—	—	1	2	14	8	28	—	—	—	—	—	3	13	12		
13 Rheumatic fever	{	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	1	1	—	—		
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	{	M	2	—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—		
			{	F	1	—	1	—	—	—	—	—	—	3	—	—	1	1	—	—	—	1		
15 Organic heart disease	{	M	24	—	—	—	—	—	2	8	14	25	—	—	—	—	—	—	7	18		
			{	F	23	—	—	—	—	2	3	7	11	33	—	—	—	1	1	3	11	17		
16 Bronchitis	{	M	16	4	—	1	—	—	1	1	9	12	7	—	—	—	—	—	—	5		
			{	F	11	1	—	—	—	—	1	—	9	8	1	—	—	—	—	—	1	6		
17 Pneumonia (all forms)...	{			M	15	2	2	—	—	1	3	4	3	13	3	—	1	—	—	2	1	6		
				F	13	3	2	4	—	—	2	—	2	6	—	3	—	1	—	1	1	—		
18 Other respiratory diseases	{			M	3	—	1	—	—	—	—	1	1	9	—	1	1	—	—	1	2	4		
				F	5	—	—	—	—	—	1	1	3	5	—	1	—	—	—	—	2	2		
19 Diarrhoea, &c.	{	M	3	3	—	—	—	—	—	—	—	4	1	—	—	—	—	1	1	1		
			{	F	4	1	—	—	—	—	—	3	—	4	2	—	—	—	—	—	—	2		
20 Appendicitis and typhlitis	{			M	1	—	—	—	—	—	1	—	—	3	1	—	—	1	—	—	—	—		
				F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—		
21 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	{			M	11	1	—	—	—	1	2	5	2	9	1	—	—	—	—	—	6	2		
				F	7	—	—	—	—	—	1	3	3	5	—	—	—	—	—	2	—	3		
23 Puerperal fever...	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			{	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	{			M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	4	—	—		
25 Congenital debility, &c.	{			M	10	10	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—		
				F	10	10	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	from		{	M	8	—	—	—	2	1	—	3	2	13	—	1	—	3	2	—	4	3		
				F	4	—	—	—	—	1	—	2	1	4	—	—	—	—	—	1	2	1		
27 Suicide	{	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	2	1	1		
			{	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases	{	M	53	7	—	—	1	2	1	14	28	85	15	1	1	1	2	5	14	46		
				F	57	6	—	—	—	—	6	8	37	99	7	2	1	4	1	4	15	65		
29 Causes ill-defined or unknown.	{			M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WIGHT, ISLE OF—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										RURAL DISTRICT.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES		M	318	32	9	9	8	15	38	75	132	159	17	3	—	6	4	22	38	69		
		F	386	21	2	6	11	11	37	76	222	151	17	4	2	5	2	20	34	67		
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	Measles	M	3	—	1	1	1	—	—	—	—	2	—	—	1	1	—	—	—			
		F	3	—	1	—	2	—	—	—	—	1	—	1	—	—	—	—	—			
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—			
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—			
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6	Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—			
		F	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—			
7	Influenza	M	2	—	—	—	—	—	1	1	—	5	—	—	—	—	1	2	2			
		F	2	—	—	—	—	—	—	—	2	5	—	—	1	—	2	1	1			
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—			
		F	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—			
9	Pulmonary tuberculosis	M	29	—	—	—	—	5	13	9	2	10	—	—	—	1	7	1	1			
		F	24	—	—	—	—	6	8	7	3	7	—	—	—	1	5	1	—			
10	Tuberculous meningitis	M	4	—	—	3	—	1	—	—	—	—	—	—	—	—	—	1	—			
		F	3	—	1	—	2	—	—	—	—	2	—	1	—	—	—	—	—			
11	Other tuberculous diseases.	M	2	—	—	—	1	—	1	—	—	3	—	1	—	—	2	—	—			
		F	5	—	—	—	1	—	3	—	1	—	—	—	—	—	—	—	—			
12	Cancer, malignant disease	M	30	—	—	—	—	—	2	14	14	13	—	—	—	—	—	6	7			
		F	54	—	—	—	—	—	6	16	32	19	—	—	—	—	2	9	8			
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			
14	Meningitis	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—			
		F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—			
15	Organic heart disease	M	40	—	—	—	—	—	5	14	21	22	—	—	—	—	2	4	16			
		F	58	—	—	—	—	1	5	15	37	27	—	—	—	—	2	7	18			
16	Bronchitis	M	17	—	—	—	1	—	—	3	13	7	1	—	—	—	—	—	6			
		F	19	1	—	—	—	—	—	1	17	5	—	—	—	—	1	—	4			
17	Pneumonia (all forms)	M	19	6	3	2	—	—	2	2	4	3	—	—	—	—	1	1	1			
		F	14	—	—	—	1	—	3	1	9	4	1	—	—	—	—	1	2			
18	Other respiratory diseases	M	4	1	1	—	—	—	1	1	—	2	—	—	—	—	—	—	2			
		F	7	—	—	—	1	1	—	3	2	4	—	—	1	—	—	1	2			
19	Diarrhoea, &c.	M	7	3	—	—	1	—	—	—	3	5	2	—	—	—	—	2	1			
		F	8	4	—	1	—	—	1	1	1	2	—	1	—	—	—	1	—			
20	Appendicitis and typhlitis	M	3	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
21	Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1			
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
22	Nephritis and Bright's disease.	M	19	—	2	—	—	2	—	4	11	8	—	—	—	—	1	2	5			
		F	13	—	—	—	—	—	1	5	7	5	—	—	—	—	—	3	2			
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—			
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
		F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	3	—	—			
25	Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	13	12	1	—	—	—	—	—			
		F	15	15	—	—	—	—	—	—	—	9	8	—	1	—	—	—	—			
26	Violence, apart from suicide.	M	8	—	—	—	2	1	2	1	2	6	—	—	2	—	3	1	—			
		F	5	—	—	—	1	—	1	—	3	2	—	—	2	—	—	—	—			
27	Suicide	M	2	—	—	—	—	—	2	—	—	4	—	—	—	1	1	2	—			
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—			
28	Other defined diseases	M	96	4	—	1	—	5	8	21	57	51	2	1	—	1	1	4	28			
		F	138	1	—	2	1	2	5	23	104	48	7	1	—	1	2	7	29			
29	Causes ill-defined or unknown.	M	3	—	1	—	—	—	1	—	1	1	—	—	—	—	—	1	—			
		F	1	—	—	—	—	—	—	1	—	3	1	—	—	—	—	1	—			

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
WILTSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	815	138	30	28	26	35	95	184	279	1,009	135	30	27	31	33	80	194	479		
	F	798	78	28	40	31	38	80	146	357	884	78	33	30	31	30	80	169	433		
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles	M	35	5	12	15	3	—	—	—	—	40	5	9	12	12	2	—	—	—		
	F	29	1	10	14	4	—	—	—	—	30	3	8	13	5	—	1	—	—		
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	3	2	—	—	—	—	3	—	—	2	—	1	—	—	—		
5 Whooping cough	M	6	1	3	2	—	—	—	—	—	5	1	2	1	1	—	—	—	—		
	F	8	3	2	2	1	—	—	—	—	5	1	2	1	1	—	—	—	—		
6 Diphtheria and croup	M	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	4	—	—	1	3	—	—	—	—		
7 Influenza	M	15	1	—	—	—	1	2	5	6	24	1	1	—	—	2	2	7	11		
	F	7	—	—	1	—	—	1	—	5	9	1	—	—	—	1	—	3	4		
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	75	—	—	—	2	11	37	23	2	48	—	1	1	2	7	16	15	6		
	F	47	—	—	1	5	10	19	9	3	36	—	—	—	1	6	18	9	2		
10 Tuberculous meningitis	M	8	3	—	1	3	—	1	—	—	8	1	2	1	—	3	1	—	—		
	F	7	1	1	3	1	1	—	—	—	5	—	1	—	2	1	—	1	—		
11 Other tuberculous diseases.	M	10	3	—	1	—	4	1	1	—	9	1	—	—	2	2	2	2	—		
	F	12	—	2	—	—	4	6	—	—	7	1	—	—	1	1	—	—	3		
12 Cancer, malignant disease	M	60	—	—	—	1	2	7	25	25	94	—	—	—	—	—	5	35	54		
	F	81	—	—	—	1	1	7	35	37	90	—	—	—	1	2	8	39	40		
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—		
	F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis	M	1	—	—	—	—	—	1	—	—	7	2	1	1	1	—	—	1	—		
	F	4	—	—	1	1	1	—	—	1	3	1	—	—	—	1	1	—	—		
15 Organic heart disease	M	85	—	1	—	4	1	11	29	39	114	—	—	—	1	1	10	28	74		
	F	88	—	—	—	4	4	5	26	49	157	—	—	—	1	4	8	49	95		
16 Bronchitis	M	50	8	4	2	—	—	2	4	30	75	9	2	1	—	—	—	7	56		
	F	58	5	2	1	—	—	1	9	40	58	5	3	2	1	—	1	1	45		
17 Pneumonia (all forms)	M	50	20	8	4	2	—	2	8	6	48	11	8	3	2	—	8	9	7		
	F	39	11	7	7	2	1	2	4	5	34	6	5	4	1	2	2	3	11		
18 Other respiratory diseases	M	15	2	—	1	—	—	1	3	8	14	3	—	—	1	—	1	2	7		
	F	8	2	—	1	—	—	1	—	4	15	—	1	—	1	—	1	5	7		
19 Diarrhoea, &c.	M	21	13	2	—	1	—	—	3	2	15	9	1	1	—	—	—	—	4		
	F	12	5	2	3	—	—	—	2	—	20	10	2	1	—	—	—	2	5		
20 Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	6	—	—	—	—	—	2	2	2		
	F	5	—	—	—	—	2	1	1	1	4	—	—	1	2	1	—	—	—		
21 Cirrhosis of liver	M	8	—	—	—	—	—	1	5	2	9	—	—	—	—	—	—	5	4		
	F	6	—	—	—	—	—	1	2	3	7	—	—	—	—	—	—	3	4		
21A Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	20	—	—	—	—	1	—	9	10	31	—	—	—	—	1	4	9	17		
	F	27	—	—	1	1	1	7	5	12	28	—	—	—	—	2	3	10	13		
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	2	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	4	—	—	—	—	2	2	—	—	14	—	—	—	—	4	10	—	—		
25 Congenital debility, &c.	M	66	66	—	—	—	—	—	—	—	67	65	—	2	—	—	—	—	—		
	F	37	37	—	—	—	—	—	—	—	43	37	3	1	1	—	1	—	—		
26 Violence, apart from suicide.	M	26	2	—	1	2	3	8	4	6	45	1	1	1	2	5	10	11	14		
	F	8	2	—	—	3	1	—	—	2	19	4	2	1	5	2	1	—	4		
27 Suicide	M	8	—	—	—	—	1	2	4	1	8	—	—	—	—	1	5	1	1		
	F	3	—	—	—	—	—	1	2	—	4	—	—	—	—	1	3	—	—		
28 Other defined diseases	M	246	14	—	1	6	10	18	56	141	333	26	2	3	3	7	13	58	221		
	F	292	11	2	2	4	8	22	50	193	279	9	6	3	5	1	17	39	199		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	3	—	4	—	—	—	—	—	1	2	1		
	F	4	—	—	—	—	—	2	1	1	7	—	—	—	—	—	1	5	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF WORCESTERSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	1,053	252	53	38	46	38	89	232	305	851	125	30	21	36	26	101	181	331
	F	1,035	174	61	39	33	31	106	206	385	800	99	29	19	30	34	79	128	382
1 Enteric fever ...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	2	1	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	40	14	10	10	4	2	—	—	—	21	3	9	7	2	—	—	—	—
	F	35	3	14	16	2	—	—	—	—	20	6	4	5	5	—	—	—	—
4 Scarlet fever ...	M	2	—	—	1	1	—	—	—	—	4	—	1	—	3	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—
5 Whooping cough ...	M	5	3	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	10	5	3	2	—	—	—	—	—	4	3	—	1	—	—	—	—	—
6 Diphtheria and croup ...	M	7	1	1	1	3	1	—	—	—	5	—	1	3	1	—	—	—	—
	F	6	—	2	2	2	—	—	—	—	4	—	1	1	2	—	—	—	—
7 Influenza ...	M	11	1	1	—	1	—	1	5	2	11	1	1	—	2	—	3	2	2
	F	12	—	—	—	—	1	3	1	7	8	—	—	—	—	1	1	1	5
8 Erysipelas ...	M	3	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	60	3	—	—	3	10	28	15	1	49	—	1	—	1	5	28	11	3
	F	62	—	3	3	4	14	28	10	—	38	—	1	—	4	11	19	3	—
10 Tuberculous meningitis	M	12	5	—	3	4	—	—	—	—	3	—	—	2	1	—	—	—	—
	F	4	1	1	—	1	—	—	1	—	8	1	2	2	2	1	—	—	—
11 Other tuberculous diseases.	M	10	4	—	1	3	2	—	—	—	10	2	3	—	1	3	—	—	1
	F	10	1	1	2	1	2	1	2	—	11	1	1	1	3	3	1	1	—
12 Cancer, malignant disease	M	71	—	—	—	1	—	4	37	29	60	—	—	—	—	1	7	28	24
	F	93	—	—	—	1	1	8	44	39	96	—	—	—	—	1	7	43	45
13 Rheumatic fever ...	M	3	—	—	—	—	2	—	1	—	2	—	—	—	1	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	1	1	1	2	—
14 Meningitis ...	M	13	4	2	2	3	—	1	1	—	7	2	—	2	2	—	1	—	—
	F	12	3	5	—	1	—	1	2	—	3	—	1	—	1	1	—	—	—
15 Organic heart disease ...	M	95	—	—	1	1	3	6	34	50	109	—	—	—	—	1	10	35	63
	F	100	—	—	1	4	2	12	32	49	101	—	—	—	1	1	6	21	72
16 Bronchitis ...	M	78	23	3	1	1	—	—	15	35	56	11	—	—	1	—	—	6	38
	F	88	14	7	2	—	—	2	13	50	53	3	1	—	—	—	2	5	42
17 Pneumonia (all forms)...	M	62	17	11	4	3	4	3	10	10	35	11	4	1	1	1	6	8	3
	F	58	18	8	3	6	2	4	7	10	43	13	4	2	1	—	3	8	12
18 Other respiratory diseases	M	13	1	1	—	2	—	1	4	4	14	2	1	—	1	1	2	5	2
	F	10	—	1	2	—	1	3	1	2	11	—	—	1	1	—	2	3	4
19 Diarrhoea, &c. ...	M	74	46	13	6	—	—	2	4	3	17	11	2	1	1	—	—	1	1
	F	72	46	10	4	—	1	2	2	7	25	12	6	—	1	1	1	2	2
20 Appendicitis and typhlitis	M	4	—	—	—	3	1	—	—	—	6	—	—	—	1	2	1	1	—
	F	7	—	—	—	2	1	3	1	—	1	—	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	M	10	—	—	—	—	—	2	6	2	3	—	—	—	—	—	1	1	1
	F	9	—	—	—	—	—	2	6	1	4	—	—	—	—	—	1	2	1
21A Alcoholism ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	36	—	3	1	1	2	4	12	13	27	—	—	1	—	—	1	11	14
	F	31	1	—	1	1	—	7	14	7	23	1	2	1	1	—	5	1	12
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	1	6	—	—	—	—	—	—	—	2	7	—	—
	F	7	—	—	—	—	—	—	—	—	9	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	M	81	80	—	—	—	1	—	—	—	63	63	—	—	—	—	—	—	—
	F	60	60	—	—	—	—	—	—	—	48	48	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	35	6	1	—	5	3	9	10	1	47	2	—	3	8	4	13	8	9
	F	15	2	1	—	1	1	—	1	9	20	1	1	1	3	3	3	3	5
27 Suicide ...	M	10	—	—	—	—	1	2	6	1	7	—	—	—	—	—	3	3	1
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	306	44	4	5	7	6	25	66	149	289	17	6	1	9	6	23	59	168
	F	318	20	4	1	6	4	18	66	199	255	10	4	3	2	6	18	32	180
29 Causes ill-defined or unknown.	M	9	—	1	2	—	—	—	4	2	—	—	—	—	—	—	—	—	—
	F	6	—	1	—	—	—	—	1	4	6	—	1	—	—	1	2	—	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORKSHIRE, EAST RIDING—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES.	M	412	70	19	6	17	9	40	89	162	620	110	24	13	24	25	45	107	272		
	F	436	44	13	7	11	13	49	85	214	530	66	11	14	19	22	51	90	257		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	3	—	2	1	—	—	—	—	—	8	—	3	—	5	—	—	—	—		
	F	2	1	1	—	—	—	—	—	—	3	1	—	—	1	—	—	1	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
5 Whooping cough ...	M	3	2	1	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	7	1	1	—	5	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza ...	M	6	—	—	—	—	—	2	2	2	13	—	1	1	—	3	1	1	6		
	F	8	—	—	—	—	—	2	2	4	7	—	—	—	—	1	1	1	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	34	—	2	1	3	3	14	10	1	27	—	—	2	1	7	9	8	—		
	F	17	—	—	—	2	3	9	2	1	33	—	—	—	3	9	14	6	1		
10 Tuberculous meningitis	M	6	—	—	1	3	1	—	—	1	10	3	4	—	2	1	—	—	—		
	F	4	—	1	2	—	1	—	—	—	6	—	—	2	4	—	—	—	—		
11 Other tuberculous diseases.	M	7	1	2	—	1	1	1	1	—	10	5	—	—	—	1	2	1	1		
	F	5	2	—	—	—	—	1	2	—	8	—	1	1	4	1	1	—	—		
12 Cancer, malignant disease	M	29	—	—	—	—	—	—	15	14	33	—	—	—	—	—	2	12	19		
	F	53	—	—	1	—	1	8	21	22	62	—	—	—	—	—	4	29	29		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	2	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	3	—	—	—	2	—	—	1	—	9	3	2	1	1	—	1	—	1		
	F	4	—	—	—	1	1	1	1	—	3	1	1	—	—	—	—	1	—		
15 Organic heart disease ...	M	53	—	—	—	—	2	4	12	35	71	—	—	—	1	—	6	26	38		
	F	63	—	—	—	1	1	4	15	42	66	—	—	—	1	1	4	8	52		
16 Bronchitis ...	M	23	5	—	—	1	—	1	3	13	43	6	1	—	1	—	—	4	31		
	F	35	2	1	—	1	—	—	6	25	32	3	1	—	—	—	2	2	24		
17 Pneumonia (all forms)...	M	22	4	4	—	—	—	5	3	6	28	7	3	1	—	—	4	7	6		
	F	14	5	2	—	—	1	2	1	3	19	1	2	6	—	—	1	3	6		
18 Other respiratory diseases	M	9	—	1	—	1	—	—	4	3	7	1	—	2	—	1	1	1	1		
	F	5	—	—	1	—	—	—	2	2	3	—	—	—	—	—	—	1	2		
19 Diarrhoea, &c. ...	M	17	9	3	1	—	—	—	1	3	17	9	3	—	—	—	1	—	4		
	F	9	4	1	2	—	—	—	—	2	13	7	1	1	1	—	—	1	2		
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	4	—	—	1	1	1	—	1	—		
	F	2	—	—	—	1	1	—	—	—	4	—	—	—	—	3	1	—	—		
21 Cirrhosis of liver ...	M	8	—	—	—	—	—	4	1	3	4	—	—	—	—	—	—	2	2		
	F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	1	2		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	15	—	—	—	1	—	1	4	9	17	—	—	—	2	1	1	6	7		
	F	17	—	1	—	—	1	1	5	9	11	—	—	—	—	—	1	5	5		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	29	28	1	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—		
	F	18	18	—	—	—	—	—	—	—	30	28	1	—	—	1	—	—	—		
26 Violence, apart from suicide.	M	14	4	—	1	—	1	—	6	2	26	—	1	3	2	6	5	6	3		
	F	7	—	—	1	1	—	1	1	3	6	1	—	—	—	1	2	2	—		
27 Suicide ...	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	122	17	2	—	4	1	6	23	69	229	33	2	1	2	3	9	28	151		
	F	161	12	5	—	3	1	17	23	100	203	22	2	2	4	3	14	28	128		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	1	1	1	4	—	1	—	—	1	—	2	—		
	F	1	—	—	—	—	—	—	1	—	3	1	—	—	—	—	1	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORKSHIRE, NORTH RIDING—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	1,396	302	96	57	65	51	149	294	382	935	132	16	21	26	29	100	196	415		
	F	1,280	259	74	79	49	38	177	221	383	879	81	18	26	31	28	98	201	396		
1 Enteric fever ...	M	3	—	—	—	1	—	2	—	—	2	—	—	—	—	1	1	—	—		
	F	2	—	—	—	—	1	—	1	—	3	—	—	1	—	1	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	33	9	17	5	2	—	—	—	—	3	—	—	—	3	—	—	—	—		
	F	14	2	3	7	2	—	—	—	—	3	—	—	—	—	1	2	—	—		
4 Scarlet fever ...	M	13	1	—	6	6	—	—	—	—	4	1	—	—	2	1	—	—	—		
	F	10	—	1	4	3	1	1	—	—	8	—	—	3	3	2	—	—	—		
5 Whooping cough ...	M	12	4	5	3	—	—	—	—	—	6	4	2	—	—	—	—	—	—		
	F	9	7	—	2	—	—	—	—	—	6	3	3	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	15	—	2	5	7	1	—	—	—	12	—	—	5	5	1	1	—	—		
	F	17	—	1	7	9	—	—	—	—	7	—	1	1	3	—	2	—	—		
7 Influenza ...	M	17	1	—	—	—	2	7	5	2	26	—	—	—	—	1	4	6	15		
	F	16	—	1	—	—	1	2	3	9	35	2	—	—	—	2	3	7	21		
8 Erysipelas ...	M	4	1	—	—	—	—	2	—	1	1	—	—	—	—	—	1	—	—		
	F	2	2	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—		
9 Pulmonary tuberculosis	M	74	—	—	1	4	14	31	21	3	40	2	—	1	—	3	19	12	3		
	F	94	—	3	3	7	14	52	12	3	45	—	—	1	4	4	20	11	5		
10 Tuberculous meningitis	M	15	1	7	2	4	1	—	—	—	1	—	—	1	—	—	—	—	—		
	F	17	3	4	4	4	1	—	1	—	4	—	—	1	1	—	2	—	—		
11 Other tuberculous diseases.	M	38	8	9	2	6	3	10	—	—	13	2	1	2	—	5	—	—	—		
	F	29	7	7	5	4	—	3	2	1	13	—	1	—	2	2	4	3	1		
12 Cancer, malignant disease	M	72	—	1	—	—	—	3	34	34	86	—	—	—	1	—	5	35	45		
	F	102	—	—	—	—	1	13	47	41	107	—	—	—	—	1	8	52	46		
13 Rheumatic fever ...	M	6	—	—	—	2	—	—	3	1	4	—	—	—	1	2	—	1	—		
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—		
14 Meningitis ...	M	9	1	1	4	2	1	—	—	—	8	1	1	1	1	1	2	1	—		
	F	18	4	3	5	1	1	3	1	—	7	2	1	2	1	1	—	—	—		
15 Organic heart disease ...	M	130	—	—	1	2	—	5	47	75	108	—	—	—	—	3	6	32	67		
	F	129	—	—	1	2	2	18	33	73	130	—	—	—	—	2	12	49	67		
16 Bronchitis ...	M	99	31	7	3	1	—	2	17	38	51	11	3	2	1	1	1	3	29		
	F	80	23	8	2	—	1	2	9	35	59	8	2	3	—	—	—	5	41		
17 Pneumonia (all forms)...	M	131	16	17	10	3	10	25	35	15	48	11	4	4	—	—	9	10	10		
	F	93	19	14	20	2	1	12	14	11	32	8	3	3	—	1	3	5	9		
18 Other respiratory diseases	M	18	1	3	1	1	—	2	4	6	22	1	—	—	2	—	3	8	8		
	F	20	3	2	2	1	—	—	5	7	12	1	2	1	—	1	1	1	5		
19 Diarrhoea, &c. ...	M	64	39	11	4	1	—	3	4	2	20	8	—	1	—	—	2	4	5		
	F	70	40	11	8	1	—	5	4	1	11	5	—	1	—	—	2	—	3		
20 Appendicitis and typhlitis	M	6	—	—	—	3	2	1	—	—	6	—	—	—	2	—	1	1	2		
	F	5	—	—	—	1	2	1	1	—	5	—	—	—	—	1	1	1	2		
21 Cirrhosis of liver ...	M	17	—	—	—	—	—	4	10	3	9	—	—	—	—	—	2	—	7		
	F	7	—	—	—	—	—	2	4	1	10	—	—	—	—	—	—	6	4		
21A Alcoholism ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	38	—	1	—	1	—	4	16	16	33	—	—	—	1	1	4	15	12		
	F	42	2	—	—	1	2	9	10	18	24	—	1	1	2	—	—	8	12		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	13	—	—	—	—	1	11	1	—	13	—	—	—	—	2	11	—	—		
25 Congenital debility, &c.	M	112	112	—	—	—	—	—	—	—	70	70	—	—	—	—	—	—	—		
	F	90	88	—	1	1	—	—	—	—	25	24	—	—	1	—	—	—	—		
26 Violence, apart from suicide.	M	58	2	1	2	4	11	10	19	9	28	—	—	—	3	1	9	11	4		
	F	16	2	—	1	3	1	1	4	4	16	2	—	3	4	—	1	2	4		
27 Suicide ...	M	9	—	—	—	—	—	6	2	1	12	—	—	—	—	2	5	3	2		
	F	4	—	—	—	—	—	3	1	—	6	—	—	—	—	—	3	3	—		
28 Other defined diseases ...	M	398	75	13	8	15	6	31	75	175	315	21	5	4	2	11	20	49	203		
	F	375	57	15	5	6	8	38	67	179	294	26	4	5	10	7	19	47	176		
29 Causes ill-defined or unknown.	M	4	—	1	—	—	—	1	1	1	6	—	—	—	—	—	—	4	2		
	F	4	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
YORKSHIRE, WEST RIDING—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.									AGGREGATE OF RURAL DISTRICTS.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...		M	8,364	1861	470	362	332	339	867	1977	2156	2,818	735	171	116	115	86	308	566	721
		F	7,685	1375	446	333	318	310	895	1591	2417	2,559	534	175	121	112	92	296	411	818
1 Enteric fever ...		M	36	—	—	1	1	12	16	6	—	14	—	—	—	2	4	7	—	1
		F	21	—	—	—	7	2	10	1	1	5	—	—	—	—	3	2	—	—
2 Small-pox ...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...		M	169	42	67	47	12	—	1	—	—	54	12	21	17	4	—	—	—	—
		F	167	32	65	54	16	—	—	—	—	50	11	20	13	5	—	1	—	—
4 Scarlet fever ...		M	45	2	6	16	20	1	—	—	—	11	—	—	5	4	1	1	—	—
		F	49	—	6	19	21	1	2	—	—	11	1	1	5	4	—	—	—	—
5 Whooping cough ...		M	53	26	13	12	2	—	—	—	—	25	14	7	3	1	—	—	—	—
		F	83	36	28	19	—	—	—	—	—	42	20	14	7	1	—	—	—	—
6 Diphtheria and croup ...		M	73	4	4	33	31	1	—	—	—	24	1	5	11	7	—	—	—	—
		F	74	1	5	27	40	—	—	—	1	24	—	2	10	11	1	—	—	—
7 Influenza ...		M	99	2	1	—	3	9	18	35	31	50	2	1	1	2	—	8	21	15
		F	80	2	1	—	5	5	9	29	29	40	1	1	—	2	3	1	10	22
8 Erysipelas ...		M	13	3	—	—	—	—	—	4	6	6	1	—	—	—	—	2	1	2
		F	9	4	—	—	—	1	1	1	2	2	—	—	—	—	1	1	—	—
9 Pulmonary tuberculosis		M	539	10	8	15	28	87	211	162	18	141	2	4	6	3	19	54	48	5
		F	411	4	7	8	32	98	178	69	15	145	—	3	—	10	34	76	19	3
10 Tuberculous meningitis		M	84	18	19	19	19	6	2	—	1	26	2	4	10	8	1	1	—	—
		F	75	13	13	21	21	5	2	—	—	20	6	5	3	4	2	—	—	—
11 Other tuberculous diseases.		M	141	38	18	16	17	15	22	10	5	44	12	12	4	9	1	2	3	1
		F	127	16	23	16	19	24	19	10	—	45	12	8	4	8	1	9	2	1
12 Cancer, malignant disease		M	473	—	—	—	2	2	36	251	182	145	—	—	1	2	1	12	71	58
		F	671	2	—	—	1	—	71	314	283	180	—	—	—	—	—	28	78	74
13 Rheumatic fever ...		M	39	—	—	—	14	8	7	8	2	6	—	—	—	1	2	2	1	—
		F	38	—	—	—	10	6	16	4	2	12	—	—	1	6	1	3	—	1
14 Meningitis ...		M	76	25	18	12	10	5	3	3	—	17	6	4	2	3	—	2	—	—
		F	74	13	13	13	18	6	5	4	2	26	4	6	4	8	1	2	1	—
15 Organic heart disease ...		M	796	—	—	2	15	28	72	326	353	222	—	1	—	5	5	20	84	107
		F	893	—	1	1	12	18	117	343	401	270	—	—	—	6	7	26	84	147
16 Bronchitis ...		M	613	159	32	17	6	1	14	130	254	224	54	14	8	6	1	5	48	88
		F	641	130	45	19	4	1	12	94	336	202	53	14	6	3	—	8	24	94
17 Pneumonia (all forms)...		M	749	178	117	66	32	24	93	141	98	255	94	37	18	12	4	29	38	23
		F	566	150	112	67	32	20	56	59	70	187	57	39	27	10	5	12	15	22
18 Other respiratory diseases		M	130	13	8	10	8	1	12	41	37	44	2	3	4	4	—	7	15	9
		F	108	6	5	6	4	2	17	29	39	40	—	—	6	3	2	5	8	16
19 Diarrhoea, &c. ...		M	511	327	91	24	4	2	10	28	25	208	146	38	6	1	1	4	6	6
		F	380	221	69	25	4	3	8	20	30	162	99	34	11	1	1	2	4	10
20 Appendicitis and typhlitis		M	52	—	—	3	15	12	10	9	3	12	—	1	—	2	3	3	3	—
		F	43	—	—	2	11	10	13	6	1	14	—	—	—	4	5	2	2	1
21 Cirrhosis of liver ...		M	76	—	—	—	1	—	19	45	11	30	—	—	—	1	—	3	13	13
		F	40	—	—	—	—	—	12	21	7	19	—	—	—	—	—	3	10	6
21A Alcoholism ...		M	9	—	—	—	—	—	1	8	—	2	—	—	—	—	—	1	1	—
		F	4	—	—	—	—	—	2	2	—	2	—	—	—	—	—	—	1	1
22 Nephritis and Bright's disease.		M	270	3	3	6	11	4	42	120	81	69	1	1	2	5	4	10	27	19
		F	262	1	3	4	5	8	50	109	82	56	2	1	4	2	2	18	15	12
23 Puerperal fever...		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	6	26	—	—	11	—	—	—	—	2	9	—	—
24 Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	93	—	—	—	—	18	74	1	—	24	—	—	—	—	3	21	—	—
25 Congenital debility, &c.		M	660	652	4	1	2	1	—	—	—	251	245	3	1	1	1	—	—	—
		F	511	499	2	4	4	1	1	—	—	172	168	2	1	1	—	—	—	—
26 Violence, apart from suicide.		M	366	25	5	31	37	52	99	84	33	170	8	2	7	10	26	66	38	13
		F	106	8	3	12	15	6	10	13	39	49	7	2	6	11	2	7	5	9
27 Suicide ...		M	96	—	—	—	—	12	30	38	16	34	—	—	—	—	2	21	11	—
		F	37	—	—	—	—	6	13	15	3	3	—	—	—	—	—	1	2	—
28 Other defined diseases ...		M	2,167	334	51	31	42	55	146	518	990	722	133	10	10	21	10	45	135	358
		F	2,072	237	40	14	37	63	170	441	1070	730	93	18	12	12	16	58	126	395
29 Causes ill-defined or unknown.		M	29	—	5	—	—	1	3	10	10	12	—	3	—	1	—	3	2	3
		F	18	—	5	2	—	—	1	6	4	16	—	5	1	—	—	1	5	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF ANGLESEY—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES {	M	137	19	10	6	7	7	16	29	43	202	35	6	3	4	9	18	42	85		
	F	156	20	4	5	4	4	15	34	70	267	25	9	6	8	4	27	60	123		
1 Enteric fever {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
2 Small-pox {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles {	M	9	—	2	5	2	—	—	—	—	2	—	2	—	—	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
4 Scarlet fever {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough ... {	M	2	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—		
	F	1	—	1	—	—	—	—	—	—	6	2	3	1	—	—	—	—	—		
6 Diphtheria and croup ... {	M	3	—	—	—	3	—	—	—	—	2	—	—	1	—	—	1	—	—		
	F	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza {	M	1	—	—	—	—	—	—	1	—	5	2	—	—	—	—	—	—	3		
	F	1	—	—	—	—	—	—	—	1	11	1	—	—	—	—	1	—	9		
8 Erysipelas {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis {	M	10	—	1	—	—	4	4	1	—	12	—	—	—	—	—	6	4	2		
	F	13	—	—	1	—	2	4	6	—	18	—	—	—	—	2	10	5	1		
10 Tuberculous meningitis {	M	2	1	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
11 Other tuberculous dis- {	M	2	—	—	—	1	1	—	—	—	3	1	—	—	—	—	1	1	—		
eases.	F	1	—	—	—	—	1	—	—	—	5	1	—	—	1	1	2	—	—		
12 Cancer, malignant disease {	M	11	—	—	—	—	—	—	5	6	19	—	—	—	—	1	—	7	11		
	F	18	—	—	—	—	—	3	11	4	26	—	—	—	—	—	2	11	13		
13 Rheumatic fever ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—		
15 Organic heart disease ... {	M	14	—	—	—	—	1	1	7	5	29	—	—	—	—	2	1	7	19		
	F	9	—	—	—	—	—	—	2	7	43	—	—	—	1	—	2	15	25		
16 Bronchitis {	M	9	—	2	—	—	—	1	1	5	8	3	—	1	—	—	—	1	3		
	F	13	3	—	—	—	—	—	2	8	14	2	2	—	—	—	—	2	8		
17 Pneumonia (all forms)... {	M	9	—	3	1	—	—	2	3	—	9	—	1	—	—	—	1	4	3		
	F	7	3	1	—	—	—	1	1	1	11	1	2	1	2	—	1	3	1		
18 Other respiratory diseases {	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	1		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
19 Diarrhoea, &c. {	M	4	3	—	—	—	—	—	—	1	4	3	—	—	—	—	1	—	—		
	F	9	4	1	—	—	—	—	—	4	8	2	—	—	—	—	1	3	2		
20 Appendicitis and typhlitis {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
21 Cirrhosis of liver ... {	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's {	M	6	—	—	—	—	—	1	—	5	3	—	—	—	—	—	—	2	1		
disease.	F	9	—	—	—	1	—	2	1	5	7	1	1	—	1	—	—	2	2		
23 Puerperal fever {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
puerperal fever.	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
25 Congenital debility, &c. {	M	8	8	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—		
	F	5	5	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—		
26. Violence, apart from {	M	3	—	—	—	—	1	2	—	—	2	—	—	—	—	1	—	—	1		
suicide.	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2		
27. Suicide {	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—		
28. Other defined diseases... {	M	40	5	—	—	—	—	4	11	20	75	8	2	1	3	4	6	11	40		
	F	59	4	—	3	—	1	1	11	39	94	9	1	2	—	1	3	13	65		
29. Causes ill-defined or un- {	M	2	1	—	—	—	—	1	—	—	3	1	—	—	—	—	—	2	—		
known.	F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
BRECKNOCKSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	131	27	2	6	3	4	20	31	38	285	65	5	7	12	10	28	55	103		
	F	122	22	—	3	2	2	13	27	53	260	46	9	8	6	13	31	37	110		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
4 Scarlet fever ...	M	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	2	—	1	—	—	—	1	—	—		
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
7 Influenza ...	M	3	—	—	—	—	—	2	1	—	10	—	—	—	—	—	—	5	5		
	F	2	—	—	—	—	—	1	—	1	6	—	—	—	—	—	1	1	4		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	9	—	—	—	—	—	5	3	1	11	—	—	—	—	2	6	2	1		
	F	4	—	—	—	—	1	3	—	—	23	—	—	—	1	7	12	3	—		
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	3	1	—	—	—	—	—	—	2		
12 Cancer, malignant disease	M	9	—	—	—	—	—	1	6	2	17	—	—	—	—	—	3	5	9		
	F	10	—	—	—	—	—	—	6	4	22	—	—	—	—	—	9	9	13		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
14 Meningitis ...	M	2	—	—	—	1	1	—	—	—	4	1	—	—	1	—	1	1	—		
	F	—	—	—	—	—	—	—	—	—	5	—	1	—	1	1	2	—	—		
15 Organic heart disease ...	M	11	—	—	—	—	—	—	2	9	25	—	—	—	—	—	3	7	15		
	F	21	—	—	—	—	—	1	7	13	33	—	—	—	—	—	2	8	23		
16 Bronchitis ...	M	9	3	—	—	—	—	1	1	4	23	3	1	1	—	—	—	5	13		
	F	9	2	—	—	—	—	—	3	4	24	3	—	—	1	—	—	2	18		
17 Pneumonia (all forms)...	M	11	4	2	2	—	—	1	2	—	21	8	2	1	1	—	2	5	2		
	F	9	4	—	1	—	—	1	3	—	15	3	2	1	—	1	2	1	5		
18 Other respiratory diseases	M	4	—	—	1	—	—	1	1	1	3	—	—	—	1	—	—	1	1		
	F	3	1	—	—	1	—	—	—	1	2	—	1	1	—	—	—	—	—		
19 Diarrhoea, &c. ...	M	7	6	—	—	—	—	—	—	1	11	9	—	—	—	—	—	1	1		
	F	3	3	—	—	—	—	—	—	—	11	7	1	—	—	—	—	—	3		
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—		
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
	F	3	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	7	—	—	—	—	—	3	2	2	6	—	—	—	—	—	—	3	3		
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—		
	F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	10	10	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—		
	F	10	10	—	—	—	—	—	—	—	19	18	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	1	1	—	2	—	2	26	2	1	2	3	6	4	4	4		
	F	—	—	—	—	—	—	—	—	—	6	—	1	2	1	1	—	—	1		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
28 Other defined diseases ...	M	37	4	—	—	1	3	3	10	16	83	17	1	—	1	2	6	10	46		
	F	39	2	—	—	—	—	3	7	27	72	13	—	—	1	1	5	11	41		
29 Causes ill-defined or unknown.	M	3	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	2	2		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARDIGANSHIRE—1913.

Causes of Death.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	122	18	2	2	7	3	17	35	38	316	46	7	5	13	7	28	68	142	
			F	138	11	2	2	2	3	19	36	63	401	39	4	10	14	16	44	66	208	
1	Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	...	M	1	1	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—	
			F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6	Diphtheria and croup	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	
7	Influenza	...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	
			F	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	1	2	—	
8	Erysipelas	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Pulmonary tuberculosis		M	12	—	—	—	1	2	8	1	—	33	—	—	—	1	4	18	8	2	
			F	13	—	—	—	2	1	7	3	—	38	—	1	—	4	7	17	6	3	
10	Tuberculous meningitis		M	3	—	1	1	1	—	—	—	—	7	1	1	1	3	1	—	—	—	
			F	1	—	—	—	—	1	—	—	—	5	—	—	—	4	—	1	—	—	
11	Other tuberculous diseases.		M	1	—	—	—	—	—	1	—	—	6	—	—	1	—	—	3	2	—	
			F	—	—	—	—	—	—	—	—	—	8	—	—	1	2	2	2	1	—	
12	Cancer, malignant disease		M	11	—	—	—	—	—	1	8	2	26	—	—	—	—	—	1	10	15	
			F	12	—	—	—	—	—	1	5	6	37	—	—	—	—	—	—	11	26	
13	Rheumatic fever	...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	1	
			F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
14	Meningitis	...	M	2	1	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—	1	
			F	—	—	—	—	—	—	—	—	—	4	2	—	—	1	—	1	—	—	
15	Organic heart disease	...	M	15	—	—	—	—	—	1	4	10	44	—	—	—	—	—	2	12	30	
			F	23	—	—	—	—	—	3	10	10	59	—	—	—	—	1	4	15	39	
16	Bronchitis	...	M	2	—	—	—	—	—	—	—	2	24	4	1	—	1	—	—	2	16	
			F	9	—	—	—	—	—	—	3	6	36	2	—	—	—	—	—	5	29	
17	Pneumonia (all forms)		M	6	5	—	—	—	—	—	—	1	20	6	2	2	—	—	—	5	5	
			F	4	—	1	—	—	—	—	1	2	15	2	3	1	—	3	1	1	4	
18	Other respiratory diseases		M	2	—	—	—	2	—	—	—	—	3	—	—	—	—	—	—	—	3	
			F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	1	5	
19	Diarrhoea, &c.	...	M	4	4	—	—	—	—	—	—	—	7	5	1	—	—	—	—	—	1	
			F	2	2	—	—	—	—	—	—	—	9	4	—	1	—	—	2	—	2	
20	Appendicitis and typhlitis		M	1	—	—	—	1	—	—	—	—	5	—	—	—	2	—	1	2	—	
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	
21	Cirrhosis of liver	...	M	5	—	—	—	—	—	1	3	1	2	—	—	—	—	—	—	2	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Nephritis and Bright's disease.		M	10	—	—	—	—	—	1	7	2	6	—	—	—	—	—	—	3	3	
			F	10	—	—	—	—	—	1	3	6	16	—	—	—	—	—	—	3	13	
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—	
25	Congenital debility, &c.		M	1	1	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	
			F	4	4	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	
26	Violence, apart from suicide.		M	3	—	—	—	—	—	1	1	1	1	—	1	—	—	—	—	—	—	
			F	3	—	—	—	—	1	—	1	1	5	—	—	2	—	—	1	—	2	
27	Suicide	...	M	2	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	3	—	
			F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	
28	Other defined diseases	...	M	40	6	1	1	—	—	2	11	19	100	15	1	1	1	2	3	14	63	
			F	48	5	—	2	—	—	3	8	30	127	13	—	2	1	2	10	20	79	
29	Causes ill-defined or unknown.		M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	3	2	
			F	2	—	—	—	—	—	—	—	—	4	2	—	—	—	—	—	1	1	

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARMARTHENSHIRE—1913.

Causes of Death.			Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
				All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES	M	461	113	20	13	17	22	59	108	109	712	163	31	19	28	45	79	113	234		
			F	430	77	14	12	13	28	67	83	136	690	116	23	24	23	37	88	131	248		
1	Enteric fever	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	Small-pox	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3	Measles	...	M	2	1	—	—	1	—	—	—	—	12	3	6	1	2	—	—	—	—		
			F	3	1	—	2	—	—	—	—	—	4	1	1	2	—	—	—	—	—		
4	Scarlet fever	...	M	—	—	—	—	—	—	—	—	—	5	—	1	2	2	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—		
5	Whooping cough	...	M	1	1	—	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—		
			F	1	1	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—		
6	Diphtheria and croup	...	M	5	—	1	1	3	—	—	—	—	5	—	1	1	2	1	—	—	—		
			F	8	—	3	2	3	—	—	—	—	2	—	—	1	—	—	—	—	1		
7	Influenza	...	M	6	1	1	—	—	—	2	1	1	11	—	—	—	—	1	2	1	7		
			F	5	—	—	—	—	—	3	—	2	8	—	—	1	—	1	2	—	4		
8	Erysipelas	...	M	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
9	Pulmonary tuberculosis		M	28	—	—	—	—	8	15	5	—	51	—	1	1	1	16	21	7	4		
			F	44	—	—	1	3	14	19	7	—	62	—	—	—	3	14	31	12	2		
10	Tuberculous meningitis		M	4	2	1	—	—	1	—	—	—	6	—	2	1	2	—	1	—	—		
			F	2	—	—	1	—	1	—	—	—	13	2	1	2	6	1	1	—	—		
11	Other tuberculous diseases.		M	3	3	—	—	—	—	—	—	—	8	1	—	—	—	2	4	1	—		
			F	3	—	—	—	—	1	1	1	—	16	1	2	—	1	6	3	1	2		
12	Cancer, malignant disease		M	22	—	—	—	—	—	2	15	5	43	—	—	—	—	1	2	16	24		
			F	29	—	—	—	—	—	6	18	5	60	—	1	—	—	1	4	25	29		
13	Rheumatic fever	...	M	2	—	—	—	1	—	—	1	—	5	—	—	—	2	1	1	—	1		
			F	2	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—		
14	Meningitis	...	M	6	—	1	1	—	2	2	—	—	4	1	3	—	—	—	—	—	—		
			F	6	2	1	1	—	1	—	1	—	3	1	1	—	—	—	—	1	—		
15	Organic heart disease	...	M	52	—	—	1	1	3	7	15	25	67	—	—	—	1	3	3	20	40		
			F	61	—	—	—	3	5	8	13	32	81	1	—	—	2	1	7	32	38		
16	Bronchitis	...	M	31	6	2	—	—	—	1	6	16	51	16	2	—	2	—	—	9	22		
			F	28	4	1	—	—	—	2	4	17	45	7	—	1	—	—	2	6	29		
17	Pneumonia (all forms)...		M	32	5	6	4	1	2	3	7	4	57	13	7	6	—	—	8	8	15		
			F	14	2	4	2	—	—	2	—	4	39	12	5	5	1	1	2	10	3		
18	Other respiratory diseases		M	4	—	1	—	—	—	—	2	1	12	1	—	2	1	—	1	1	6		
			F	4	—	1	—	—	—	1	1	1	10	—	1	3	—	—	—	2	4		
19	Diarrhoea, &c.	...	M	38	25	2	2	1	—	3	3	2	25	16	1	—	1	—	1	1	5		
			F	21	16	2	—	—	—	1	—	2	24	15	6	1	—	—	—	—	1		
20	Appendicitis and typhlitis		M	2	—	—	1	—	—	—	1	—	6	—	1	—	2	1	—	1	1		
			F	1	—	—	—	—	—	—	1	—	4	—	—	—	1	1	1	1	—		
21	Cirrhosis of liver	...	M	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		
			F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
21A	Alcoholism	...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22	Nephritis and Bright's disease.		M	21	—	1	1	1	—	4	6	8	32	—	—	—	1	1	4	11	15		
			F	11	—	—	—	—	—	2	5	4	20	—	—	—	—	—	4	5	11		
23	Puerperal fever...	...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
24	Parturition, apart from puerperal fever.		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	12	—	—	—	—	2	9	1	—	11	—	—	—	—	3	8	—	—		
25	Congenital debility, &c.		M	35	35	—	—	—	—	—	—	—	53	51	—	1	1	—	—	—	—		
			F	23	23	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—		
26	Violence, apart from suicide.		M	34	1	1	1	4	4	8	12	3	45	1	1	1	2	11	13	11	5		
			F	9	2	—	3	—	—	—	1	3	13	1	—	3	4	—	3	—	2		
27	Suicide	...	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1		
			F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
28	Other defined diseases	...	M	127	32	3	1	4	2	10	31	44	195	56	5	2	6	7	18	20	81		
			F	138	25	2	—	3	3	11	28	66	219	35	3	3	3	6	16	32	121		
29	Causes ill-defined or unknown.		M	1	—	—	—	—	—	1	—	—	8	—	—	—	—	—	2	—	6		
			F	1	1	—	—	—	—	—	—	—	6	1	—	—	—	2	2	1	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
CARNARVONSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	461	75	14	10	11	14	63	98	176	590	96	11	9	19	18	77	127	233		
	F	410	50	7	11	9	14	59	85	175	516	59	9	6	19	20	65	93	245		
1 Enteric fever ...	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—		
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—		
5 Whooping cough ...	M	1	—	1	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—		
	F	2	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	2	—	—	2	—	—	—	—	—	6	—	—	3	2	1	—	—	—		
	F	5	1	—	4	—	—	—	—	—	7	—	2	2	3	—	—	—	—		
7 Influenza ...	M	8	1	—	—	—	—	1	2	4	7	—	—	—	—	—	2	—	5		
	F	8	—	—	—	—	—	—	3	5	8	—	—	—	—	—	—	1	7		
8 Erysipelas ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	52	—	1	1	2	8	22	15	3	61	1	—	—	1	8	25	18	8		
	F	38	2	—	—	2	6	21	7	—	36	—	—	—	4	6	18	5	3		
10 Tuberculous meningitis	M	8	3	1	1	1	2	—	—	—	3	1	1	—	—	1	—	—	—		
	F	6	1	1	1	1	1	1	—	—	7	3	—	—	2	1	1	—	—		
11 Other tuberculous diseases.	M	10	2	2	—	1	1	3	1	—	6	4	—	—	1	—	—	1	—		
	F	6	1	—	—	—	2	3	—	—	7	1	—	—	1	—	4	1	—		
12 Cancer, malignant disease	M	40	—	—	—	—	—	3	20	17	59	—	—	—	—	—	8	23	28		
	F	38	—	—	—	—	—	3	20	15	56	—	—	—	—	—	4	22	30		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Meningitis ...	M	3	—	1	1	—	—	—	1	—	5	3	1	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	5	2	1	—	1	—	1	—	—		
15 Organic heart disease ...	M	54	—	—	—	1	1	4	13	35	75	—	—	—	—	1	5	25	44		
	F	56	—	—	—	2	1	6	15	32	79	1	—	—	1	1	9	21	46		
16 Bronchitis ...	M	23	4	1	—	—	—	—	3	15	19	1	—	—	—	—	—	5	13		
	F	19	2	1	1	—	—	—	4	11	29	1	—	—	—	—	—	—	28		
17 Pneumonia (all forms)...	M	22	5	3	—	—	—	1	6	7	29	9	2	1	2	1	3	5	6		
	F	13	3	1	—	1	—	3	1	4	22	4	3	—	—	1	4	4	6		
18 Other respiratory diseases	M	8	2	—	—	1	—	1	—	4	16	—	1	1	1	1	3	2	7		
	F	10	1	1	—	—	—	2	2	4	8	1	—	—	1	1	2	2	1		
19 Diarrhoea, &c. ...	M	19	12	—	—	1	—	2	1	3	7	3	—	1	—	—	—	—	3		
	F	12	2	1	—	—	—	1	3	5	14	6	1	1	—	—	2	—	4		
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	1	—	—	2	—	—	—	2	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—		
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	26	—	—	—	—	—	3	7	16	32	—	—	—	1	—	7	11	13		
	F	20	—	—	—	1	—	3	6	10	15	—	—	—	—	—	2	5	8		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	5	—	—	—	—	—	5	—	—	6	—	—	—	—	1	5	—	—		
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—		
	F	9	9	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	19	—	—	3	1	—	5	6	4	21	—	—	1	4	1	10	3	2		
	F	7	—	—	1	—	1	1	2	2	11	—	—	2	2	1	—	4	2		
27 Suicide ...	M	5	—	—	—	—	1	3	—	1	2	—	—	—	—	—	—	1	1		
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—		
28 Other defined diseases ...	M	128	28	2	1	1	—	11	21	64	192	40	3	1	2	3	12	31	100		
	F	147	27	1	1	1	3	7	21	86	180	26	1	1	3	7	9	26	107		
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	5	—	2	—	—	—	1	1	1		
	F	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	2		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
DENBIGHSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	349	66	10	5	12	11	43	84	118	779	168	40	30	35	40	68	161	237		
	F	324	42	11	8	15	16	51	77	104	638	115	31	33	23	31	68	110	227		
1 Enteric fever ...	M	1	—	—	—	—	1	—	—	—	5	—	—	—	1	3	—	1	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	4	1	2	1	—	—	—	—	—	40	6	17	12	5	—	—	—	—		
	F	3	—	3	—	—	—	—	—	—	40	10	15	7	6	1	1	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	1	—	—	—	—	2	—	—	1	—	1	—	—	—		
5 Whooping cough ...	M	7	5	1	1	—	—	—	—	—	8	4	4	—	—	—	—	—	—		
	F	4	2	—	2	—	—	—	—	—	11	9	1	1	—	—	—	—	—		
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	8	—	2	3	3	—	—	—	—		
	F	3	—	—	1	2	—	—	—	—	4	—	—	2	2	—	—	—	—		
7 Influenza ...	M	9	1	—	—	—	1	1	3	3	14	1	—	2	—	1	2	3	5		
	F	6	—	—	—	1	—	1	2	2	11	—	—	—	1	—	4	2	4		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—		
9 Pulmonary tuberculosis	M	32	—	—	—	2	3	18	9	—	36	—	—	2	1	8	18	6	1		
	F	25	—	—	—	—	5	13	6	1	26	—	1	—	3	10	7	5	—		
10 Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	6	—	2	—	1	2	1	—	—		
	F	5	—	1	—	3	—	1	—	—	6	—	1	4	1	—	—	—	—		
11 Other tuberculous diseases.	M	3	1	—	—	—	—	1	1	—	12	—	3	—	2	1	1	5	—		
	F	6	1	1	1	2	—	1	—	—	7	—	—	3	1	1	2	—	—		
12 Cancer, malignant disease	M	35	—	—	—	—	—	2	12	21	58	—	—	1	1	—	2	22	32		
	F	27	—	—	—	—	—	6	13	8	60	—	—	—	—	—	5	24	31		
13 Rheumatic fever ...	M	2	—	—	—	1	—	—	—	1	7	—	—	—	2	3	1	1	—		
	F	1	—	—	—	—	—	1	—	—	4	—	—	—	1	—	2	1	—		
14 Meningitis ...	M	3	2	—	—	1	—	—	—	—	5	—	2	1	—	1	1	—	—		
	F	4	1	—	—	2	—	1	—	—	2	1	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	38	—	—	—	1	—	4	15	18	72	—	—	—	3	3	1	32	33		
	F	49	—	—	—	—	2	4	18	25	93	—	—	—	—	3	7	27	56		
16 Bronchitis ...	M	15	1	2	—	—	—	—	3	9	68	20	1	1	—	—	3	4	39		
	F	20	5	—	—	—	—	—	7	8	54	7	1	1	—	1	1	6	37		
17 Pneumonia (all forms)...	M	24	8	3	1	2	1	1	3	5	76	23	7	5	2	4	7	17	11		
	F	18	7	4	1	—	1	2	—	3	38	15	4	4	2	2	4	3	4		
18 Other respiratory diseases	M	2	—	—	—	1	—	—	—	1	8	1	—	—	—	1	1	2	3		
	F	5	—	—	—	—	—	1	2	2	11	1	—	1	—	1	3	3	2		
19 Diarrhoea, &c. ...	M	10	6	—	1	1	—	1	1	—	30	24	—	1	—	—	2	3	—		
	F	8	5	1	—	1	—	1	—	—	21	14	4	—	1	—	—	2	—		
20 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	3	—	—	—	3	—	—	—	—		
	F	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	4	2		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—		
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—		
22 Nephritis and Bright's disease.	M	14	—	—	—	—	—	3	4	7	27	—	—	—	1	—	1	12	13		
	F	6	—	—	—	—	—	2	4	—	10	—	—	—	1	1	1	3	4		
23 Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	—	7	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	10	—	—	—	—	4	6	—	—		
25 Congenital debility, &c.	M	24	24	—	—	—	—	—	—	—	53	51	—	—	2	—	—	—	—		
	F	13	13	—	—	—	—	—	—	—	29	28	—	1	—	—	—	—	—		
26 Violence, apart from suicide.	M	15	—	—	—	—	3	5	5	2	43	—	1	1	5	10	10	13	3		
	F	9	—	—	—	2	2	2	1	2	10	1	—	4	—	—	1	—	4		
27 Suicide ...	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1		
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—		
28 Other defined diseases ...	M	100	17	2	—	2	1	3	25	50	186	38	—	1	3	3	15	32	94		
	F	101	8	1	2	1	6	9	21	53	173	29	2	3	4	6	14	30	85		
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	1	5	—	1	—	—	—	1	3	—		
	F	1	—	—	—	—	—	1	—	—	4	—	2	—	—	—	—	2	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF FLINTSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS									AGGREGATE OF RURAL DISTRICTS.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES ...	M	322	65	18	9	12	11	29	80	98	434	81	14	18	11	11	46	108	145
	F	290	42	17	12	12	5	33	52	117	421	47	17	14	14	17	56	82	174
1 Enteric fever ...	M	3	—	—	—	—	1	2	—	—	2	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	—	1	—
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	M	17	5	7	3	1	1	—	—	—	18	7	4	6	1	—	—	—	—
	F	16	1	3	9	3	—	—	—	—	18	1	7	6	3	—	—	1	—
4 Scarlet fever ...	M	1	1	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
	F	5	2	3	—	—	—	—	—	—	7	6	—	—	1	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	3	—	—	2	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	2	—	—	1	—	1	—	—	—
7 Influenza ...	M	4	—	—	—	—	—	—	2	2	5	1	—	—	—	—	—	1	3
	F	4	—	—	—	—	—	1	1	2	3	1	—	—	—	—	—	—	2
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	20	—	—	—	—	4	8	6	2	29	—	1	—	1	3	11	6	7
	F	18	—	—	—	1	2	10	3	2	28	—	—	—	—	8	14	5	1
10 Tuberculous meningitis	M	7	1	2	2	2	—	—	—	—	3	1	—	2	—	—	—	—	—
	F	2	—	2	—	—	—	—	—	—	3	1	—	—	1	—	1	—	—
11 Other tuberculous diseases.	M	2	—	—	1	1	—	—	—	—	8	1	1	1	—	1	2	1	1
	F	3	—	—	—	1	—	1	1	—	5	1	—	—	1	1	—	1	1
12 Cancer, malignant disease	M	19	—	—	—	—	—	1	8	10	32	—	—	—	—	—	2	17	13
	F	31	—	—	—	—	1	4	13	13	44	—	—	—	—	—	3	23	18
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis ...	M	2	1	—	—	—	—	1	—	—	2	—	1	—	—	—	1	—	—
	F	4	3	1	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
15 Organic heart disease ...	M	26	—	—	—	—	1	—	10	15	46	—	—	—	—	—	1	23	22
	F	23	—	—	—	—	1	3	5	14	58	—	—	—	—	1	7	13	37
16 Bronchitis ...	M	14	3	—	—	—	—	—	3	8	22	6	1	1	—	—	—	2	12
	F	15	2	1	—	—	—	—	2	10	22	6	—	1	—	—	1	4	10
17 Pneumonia (all forms)	M	16	1	1	1	—	—	1	6	6	41	8	1	—	1	2	9	10	10
	F	23	3	6	2	2	—	—	3	7	21	2	3	1	2	2	3	3	5
18 Other respiratory diseases	M	6	—	2	—	—	—	—	3	1	10	—	—	—	1	—	3	2	4
	F	4	—	—	—	—	—	1	—	3	6	—	—	—	—	—	1	2	3
19 Diarrhoea, &c. ...	M	11	10	—	—	—	—	—	1	—	11	6	—	—	1	—	1	—	3
	F	14	11	—	—	1	—	1	—	1	5	3	—	—	1	—	—	1	—
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	1	1	—	—	2	—	—	—	1	—	—	1	—
21 Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	4	—
	F	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—
21A Alcoholism ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	16	—	—	—	—	—	2	8	6	14	—	—	1	—	—	2	4	7
	F	5	—	—	—	—	—	1	2	2	5	—	—	—	—	1	2	2	—
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	7	—	—	—	—	—	6	1	—
25 Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	34	33	—	—	1	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	14	—	—	1	3	2	4	3	1	17	—	—	—	2	—	4	7	4
	F	4	—	—	—	1	—	—	—	3	8	—	—	2	1	—	1	1	3
27 Suicide ...	M	2	—	—	—	—	—	—	2	—	5	—	—	—	—	—	2	3	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
28 Other defined diseases ...	M	92	14	3	1	3	1	7	19	44	112	17	4	2	2	3	5	22	57
	F	88	6	—	1	1	—	4	17	59	149	12	7	2	2	1	12	20	93
29 Causes ill-defined or unknown.	M	12	—	3	—	—	1	—	6	2	9	1	—	—	—	—	2	4	2
	F	5	—	1	—	1	—	—	3	—	2	1	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF GLAMORGANSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	4,209	1335	290	219	164	181	568	812	640	1,434	382	74	68	59	70	165	286	330		
	F	3,490	1035	240	206	164	177	465	584	619	1,252	294	64	49	56	55	171	237	326		
1 Enteric fever ...	M	10	—	1	—	1	—	6	2	—	2	—	—	—	—	1	1	—	—		
	F	13	—	1	—	6	2	3	1	—	4	—	—	—	1	1	2	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	105	24	39	36	6	—	—	—	—	26	2	10	12	2	—	—	—	—		
	F	101	23	39	35	4	—	—	—	—	25	8	9	5	3	—	—	—	—		
4 Scarlet fever ...	M	19	2	3	6	7	1	—	—	—	5	—	1	2	2	—	—	—	—		
	F	30	2	3	17	8	—	—	—	—	5	—	1	1	3	—	—	—	—		
5 Whooping cough ...	M	29	13	10	5	1	—	—	—	—	15	11	4	—	—	—	—	—	—		
	F	37	20	12	5	—	—	—	—	—	12	5	2	5	—	—	—	—	—		
6 Diphtheria and croup ...	M	59	5	7	29	17	—	—	1	—	22	1	3	9	8	—	—	1	—		
	F	65	2	8	36	19	—	—	—	—	22	—	3	7	11	—	—	1	—		
7 Influenza ...	M	51	2	—	—	1	3	17	16	12	23	1	—	2	—	2	8	6	4		
	F	32	—	1	1	1	4	5	8	12	19	—	—	1	1	2	4	4	7		
8 Erysipelas ...	M	4	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	1	—		
	F	6	2	—	—	—	—	1	1	2	1	—	—	—	—	—	—	1	—		
9 Pulmonary tuberculosis {	M	228	3	6	4	5	39	124	40	7	72	3	—	1	4	14	30	16	4		
	F	235	1	2	4	14	72	114	27	1	76	—	1	1	3	19	37	14	1		
10 Tuberculous meningitis {	M	31	8	1	8	10	2	2	—	—	24	5	1	5	9	3	—	1	—		
	F	30	6	4	6	9	4	1	—	—	18	5	1	3	4	2	2	1	—		
11 Other tuberculous dis- eases.	M	64	24	11	2	8	7	5	7	—	18	4	2	—	3	3	1	4	1		
	F	34	11	5	4	3	5	4	2	—	18	1	2	2	5	1	5	2	—		
12 Cancer, malignant disease {	M	171	—	—	3	—	1	23	98	46	57	—	—	—	—	—	7	29	21		
	F	194	—	—	3	—	1	43	104	43	97	—	—	—	—	10	59	28	28		
13 Rheumatic fever ...	M	15	—	—	—	3	2	4	5	1	6	—	—	—	4	—	1	1	—		
	F	19	—	—	1	9	3	3	3	—	5	—	—	—	—	2	—	2	1		
14 Meningitis ...	M	39	12	6	5	9	1	6	—	—	19	9	1	4	2	2	—	1	—		
	F	31	4	5	7	7	2	6	—	—	8	4	—	3	1	—	—	—	—		
15 Organic heart disease ...	M	303	—	1	1	11	15	38	140	97	118	1	1	—	1	2	12	45	56		
	F	295	—	—	—	18	15	45	118	99	104	—	—	—	1	2	16	35	50		
16 Bronchitis ...	M	311	94	9	12	4	1	7	67	117	91	29	5	5	1	—	2	19	30		
	F	236	76	9	11	2	2	6	44	86	63	18	3	2	—	—	4	8	28		
17 Pneumonia (all forms)... {	M	379	124	66	34	18	15	41	58	23	98	33	13	8	7	7	10	7	13		
	F	283	107	53	28	16	10	34	17	18	78	24	16	4	5	2	10	5	12		
18 Other respiratory diseases {	M	79	4	6	9	8	2	9	26	15	32	1	2	1	1	1	5	7	14		
	F	45	7	4	10	2	—	5	8	9	23	—	2	2	3	—	3	5	8		
19 Diarrhoea, &c. ...	M	448	326	81	15	3	2	5	9	7	86	64	8	2	1	1	3	2	5		
	F	356	257	55	13	6	3	6	8	8	74	41	16	2	—	—	3	12	—		
20 Appendicitis and typhlitis {	M	19	—	—	2	4	4	4	4	1	7	—	—	—	3	2	—	—	—		
	F	13	—	—	—	2	3	5	1	2	5	—	—	1	1	2	—	—	1		
21 Cirrhosis of liver ...	M	15	—	—	—	—	—	3	10	2	7	—	—	—	—	—	3	3	1		
	F	11	—	—	—	—	—	3	7	1	1	—	—	—	—	—	1	—	—		
21A Alcoholism ...	M	6	—	—	—	—	—	2	4	—	2	—	—	—	—	—	2	—	—		
	F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—		
22 Nephritis and Bright's disease.	M	104	4	2	1	3	4	29	45	16	45	—	1	2	4	1	4	21	12		
	F	64	—	—	2	4	2	17	31	8	37	—	—	1	—	4	5	18	9		
23 Puerperal fever... {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	25	—	—	—	—	9	16	—	—	9	—	—	—	—	1	8	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	75	—	—	—	—	16	59	—	—	33	—	—	—	—	5	28	—	—		
25 Congenital debility, &c. {	M	379	376	—	1	2	—	—	—	—	121	120	1	—	—	—	—	—	—		
	F	318	313	—	1	2	2	—	—	—	107	107	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	351	4	10	29	27	58	141	70	12	123	4	6	8	2	21	41	34	7		
	F	73	10	5	14	12	6	5	8	13	18	—	2	6	3	1	3	—	3		
27 Suicide ...	M	23	—	—	—	—	3	8	7	5	9	—	—	—	—	—	5	3	1		
	F	9	—	—	—	—	1	4	3	1	3	—	—	—	—	—	—	1	2		
28 Other defined diseases ...	M	949	307	26	16	16	21	89	196	278	394	92	13	7	5	10	27	80	160		
	F	845	194	29	8	20	15	79	185	315	381	80	6	3	11	10	34	73	164		
29 Causes ill-defined or un- known.	M	18	3	5	1	—	—	3	5	1	11	2	2	—	—	1	1	5	1		
	F	13	—	5	—	—	—	1	6	1	5	1	—	—	—	—	—	3	—		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MERIONETHSHIRE—1913.

[illegible]

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
MONTGOMERYSHIRE—1913.

Causes of Death.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES ...	M	142	13	2	4	3	—	17	30	73	250	37	4	6	4	2	27	43	127		
	F	156	15	2	—	1	6	14	39	79	225	27	5	2	6	11	26	37	111		
1 Enteric fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4 Scarlet fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
5 Whooping cough ...	M	1	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6 Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7 Influenza ...	M	5	—	—	—	—	—	—	1	4	6	—	—	—	—	—	—	2	4		
	F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2		
8 Erysipelas ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis	M	10	—	—	—	—	—	6	2	2	18	—	—	—	1	—	11	6	—		
	F	13	—	—	—	—	3	4	6	—	20	—	—	—	1	4	8	6	1		
10 Tuberculous meningitis	M	4	1	—	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	3	—	1	—	2	—	—	—	—		
11 Other tuberculous diseases.	M	2	—	—	1	—	—	—	—	1	2	—	—	—	—	—	1	1	—		
	F	2	1	—	—	1	—	—	—	—	7	—	—	—	—	3	3	1	—		
12 Cancer, malignant disease	M	15	—	—	—	—	—	2	3	10	15	—	—	—	—	—	2	3	10		
	F	13	—	—	—	—	—	1	6	6	20	—	—	—	—	—	9	11	—		
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1		
	F	1	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—		
14 Meningitis ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
	F	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—		
15 Organic heart disease ...	M	15	—	—	—	—	—	2	5	8	39	—	—	—	—	1	—	8	30		
	F	14	—	—	—	—	—	—	3	11	37	—	—	—	—	2	2	9	24		
16 Bronchitis ...	M	6	—	1	1	—	—	—	1	3	16	3	1	1	1	—	—	1	9		
	F	11	1	—	—	—	1	—	1	8	19	2	—	—	—	—	2	2	13		
17 Pneumonia (all forms)...	M	6	—	1	1	—	—	1	2	1	13	1	1	1	—	—	2	1	7		
	F	5	1	1	—	—	—	1	2	—	7	2	1	1	—	—	1	—	2		
18 Other respiratory diseases	M	3	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	1	1		
	F	4	—	—	—	—	—	—	—	4	2	—	—	—	—	—	—	2	—		
19 Diarrhoea, &c. ...	M	1	1	—	—	—	—	—	—	—	7	4	—	1	—	—	—	—	2		
	F	2	1	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1		
20 Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1		
	F	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—		
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—		
21A Alcoholism ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	3	1	11	—	—	—	—	—	1	4	6		
	F	9	—	—	—	—	—	—	4	5	6	—	—	—	—	—	2	1	3		
23 Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	1	2	—	—		
25 Congenital debility, &c.	M	7	7	—	—	—	—	—	—	—	16	15	—	—	1	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—		
26 Violence, apart from suicide.	M	6	—	—	—	—	—	3	2	1	9	1	—	1	1	—	2	1	3		
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2		
27 Suicide ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	4	1	—		
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—		
28 Other defined diseases ...	M	51	3	—	—	—	—	2	7	39	80	11	2	—	—	1	3	12	51		
	F	67	4	—	—	—	1	5	13	44	71	9	2	—	1	1	2	5	51		
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN THE ADMINISTRATIVE COUNTY OF
PEMBROKESHIRE—1913.

Causes of Death.				Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS									
					All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—		
ALL CAUSES				M	281	52	7	9	8	15	45	56	89	383	60	12	7	9	20	27	77	171		
				F	307	41	8	8	19	13	40	59	119	395	50	7	11	14	18	47	78	170		
1 Enteric fever				M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—		
				F	3	—	—	—	1	—	2	—	—	1	—	—	—	—	—	1	—	—		
2 Small-pox				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles				M	5	2	2	1	—	—	—	—	—	6	1	2	3	—	—	—	—	—		
				F	5	—	3	—	2	—	—	—	—	3	—	2	—	—	1	—	—	—		
4 Scarlet fever				M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 Whooping cough				M	6	6	—	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—		
				F	2	1	1	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—		
6 Diphtheria and croup				M	3	1	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—		
				F	3	—	—	1	2	—	—	—	—	1	—	—	1	—	—	—	—	—		
7 Influenza				M	4	—	—	—	—	—	1	1	2	3	—	—	—	—	1	—	1	1		
				F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	1	—	1		
8 Erysipelas				M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
				F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—		
9 Pulmonary tuberculosis				M	26	—	—	—	—	8	14	4	—	26	—	—	—	2	6	7	7	4		
				F	26	—	—	—	2	8	7	8	1	23	1	—	—	1	5	16	—	—		
10 Tuberculous meningitis				M	2	—	—	2	—	—	—	—	—	3	—	1	—	2	—	—	—	—		
				F	3	—	—	—	2	—	1	—	—	3	—	—	1	—	1	—	—	—		
11 Other tuberculous diseases.				M	7	—	—	—	1	2	2	—	2	6	2	—	—	—	2	—	2	—		
				F	5	2	—	—	—	1	2	—	—	9	—	—	1	1	2	2	3	—		
12 Cancer, malignant disease				M	18	—	—	—	—	—	1	10	7	28	—	—	—	—	1	1	6	20		
				F	24	—	—	—	—	—	—	11	13	30	—	—	—	—	—	—	18	12		
13 Rheumatic fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	2	—		
14 Meningitis				M	2	1	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—		
				F	1	—	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—		
15 Organic heart disease ...				M	30	—	—	—	—	1	3	11	15	53	—	—	—	—	1	1	18	33		
				F	35	—	—	—	1	1	8	7	18	63	—	—	—	2	1	5	21	34		
16 Bronchitis				M	18	4	2	—	—	—	1	1	10	23	2	—	—	—	—	—	6	15		
				F	19	6	1	1	—	—	—	1	10	34	3	—	1	—	—	—	2	28		
17 Pneumonia (all forms)...				M	16	6	—	2	—	1	1	3	3	24	7	3	—	1	1	—	4	8		
				F	13	4	3	—	—	1	1	2	2	13	1	1	1	—	1	1	3	5		
18 Other respiratory diseases				M	4	—	—	—	2	—	—	1	1	9	—	—	—	—	1	—	4	4		
				F	6	—	—	2	1	—	—	1	2	6	—	—	2	1	—	—	2	1		
19 Diarrhoea, &c.				M	11	7	1	1	—	—	—	1	1	12	7	2	—	—	—	1	1	1		
				F	6	3	—	—	—	—	—	1	2	8	3	1	—	—	—	1	1	2		
20 Appendicitis and typhlitis				M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1		
21 Cirrhosis of liver				M	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	1	—	1		
				F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—		
21A Alcoholism				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
22 Nephritis and Bright's disease.				M	9	—	—	—	—	—	3	3	3	8	—	—	—	—	—	1	5	2		
				F	13	—	—	—	1	—	2	6	4	11	—	—	—	2	1	1	3	4		
23 Puerperal fever				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	1	3	—	—		
24 Parturition, apart from puerperal fever.				M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				F	4	—	—	—	—	—	4	—	—	5	—	—	—	—	1	4	—	—		
25 Congenital debility, &c.				M	14	14	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—		
				F	12	11	—	—	1	—	—	—	—	22	21	—	—	—	1	—	—	—		
26 Violence, apart from suicide.				M	21	—	—	—	2	2	8	3	6	18	—	1	1	—	2	8	3	3		
				F	—	—	—	—	—	—	—	—	6	1	—	—	—	1	—	2	2	2		
27 Suicide				M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	2	1	2		
				F	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—		
28 Other defined diseases ...				M	73	11	1	1	1	—	9	13	37	122	17	2	1	2	3	5	17	75		
				F	112	14	—	1	6	1	9	18	63	137	18	3	1	5	2	8	21	79		
29 Causes ill-defined or unknown.				M	4	—	—	—	—	—	1	2	1	4	—	—	—	—	—	—	2	1		
				F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2		

BEDFORDSHIRE.

Causes of Death.	Ampthill U.D.		Bedford M.B.		Biggles- wade U.D.		Dun- stable M.B.		Kemp- ston U.D.		Leighton Buzzard U.D.		Luton M.B.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	26	11	185	214	42	41	52	64	33	28	37	35	324	319		
1 Enteric fever	1	—	2	1	1	1	—	—	—	—	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3	6	3	3
4 Scarlet fever	1	—	1	2	1	1	—	—	—	—	—	—	1	2	4	4
5 Whooping cough	—	—	—	1	2	1	—	—	—	—	—	—	—	4	5	5
6 Diphtheria and croup	—	—	2	6	—	—	—	1	—	1	—	1	8	7	6	6
7 Influenza... ..	—	—	1	3	—	—	—	—	—	—	3	—	8	3	7	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	8
9 Pulmonary tuberculosis	1	2	12	15	2	5	8	3	1	—	1	—	31	28	9	9
10 Tuberculous meningitis	—	—	—	4	—	—	1	—	—	—	—	—	8	5	10	10
11 Other tuberculous diseases	—	—	2	4	—	1	2	1	—	—	1	—	5	3	11	11
12 Cancer, malignant disease	2	—	24	33	6	5	2	11	1	7	3	7	30	39	12	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	—	—	1	—	—	2	13	13
14 Meningitis	—	—	—	—	—	—	—	1	—	—	—	1	6	1	14	14
15 Organic heart disease	2	1	18	20	6	4	—	9	4	3	8	5	31	44	15	15
16 Bronchitis	2	1	11	14	2	5	4	8	4	2	4	2	27	24	16	16
17 Pneumonia (all forms)... ..	1	—	7	7	6	—	3	2	2	1	—	4	35	11	17	17
18 Other respiratory diseases	1	—	3	5	—	—	—	1	—	—	1	—	1	6	18	18
19 Diarrhoea, &c. (under 2 yrs.)	2	—	5	2	1	—	—	—	—	—	—	—	10	9	19	19
20 Appendicitis and typhlitis	—	—	4	—	—	—	—	—	—	—	—	—	3	1	20	20
21 Cirrhosis of liver	—	1	—	3	1	—	—	—	—	—	—	—	5	4	21	21
21A Alcoholism	—	—	—	1	1	—	—	—	—	—	—	—	2	—	21A	21A
22 Nephritis and Bright's dis.	1	—	7	7	—	2	1	—	—	1	—	—	7	2	22	22
23 Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	4	23	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	1	—	4	24	24
25 Congenital debility, &c.	4	1	8	12	2	2	3	6	5	4	3	—	23	17	25	25
26 Violence, apart from 27	1	—	10	1	1	—	2	1	4	—	1	1	3	9	26	26
27 Suicide	—	—	1	—	—	—	1	—	—	—	1	—	5	1	27	27
28 Other defined diseases	5	4	67	70	10	14	25	19	12	9	11	12	68	81	28	28
29 Causes ill-defined or un- known.	2	—	—	—	—	—	—	—	—	—	—	—	4	1	29	29

BEDFORDSHIRE—cont.

Causes of Death.	Ampthill R.D.		Bedford R.D.		Biggles- wade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	123	133	127	111	151	136	40	15	21	21	57	58		
1 Enteric fever	2	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2	2
3 Measles	1	3	—	—	—	—	—	—	—	—	3	1	3	3
4 Scarlet fever	—	—	—	1	—	—	1	—	—	—	—	—	4	4
5 Whooping cough	1	4	1	1	2	2	—	—	—	—	—	1	5	5
6 Diphtheria and croup	—	—	—	—	—	—	—	4	—	1	—	—	6	6
7 Influenza	—	1	1	2	4	—	1	1	1	—	1	1	7	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	8	8
9 Pulmonary tuberculosis	5	6	15	6	13	14	1	2	4	2	7	4	9	9
10 Tuberculous meningitis	—	—	1	1	2	—	—	—	—	—	—	—	10	10
11 Other tuberculous diseases	—	1	2	1	2	6	1	—	1	—	—	—	11	11
12 Cancer, malignant disease	10	17	14	15	12	15	2	—	1	4	1	6	12	12
13 Rheumatic fever	—	—	1	1	—	—	—	—	—	—	—	—	13	13
14 Meningitis	—	—	3	—	2	—	—	—	—	—	—	—	14	14
15 Organic heart disease	19	11	13	19	13	11	5	3	2	—	2	11	15	15
16 Bronchitis	13	10	2	8	10	8	1	1	3	1	4	4	16	16
17 Pneumonia (all forms)... ..	7	2	4	3	8	6	1	—	1	—	4	2	17	17
18 Other respiratory diseases	3	2	1	—	1	1	—	—	—	1	1	—	18	18
19 Diarrhoea, &c. (under 2 yrs.)	2	—	2	—	—	1	1	—	—	—	1	—	19	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	1	20	20
21 Cirrhosis of liver	—	1	1	—	4	1	—	—	2	—	1	—	21	21
21A Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	21A	21A
22 Nephritis and Bright's dis.	3	1	2	4	6	4	2	1	—	—	1	3	22	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	23	23
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	—	24	24
25 Congenital debility, &c.	11	8	6	2	12	8	3	2	—	1	2	1	25	25
26 Violence, apart from 27	4	2	6	2	5	2	4	—	1	—	1	1	26	26
27 Suicide	—	—	2	—	1	1	—	—	—	—	1	—	27	27
28 Other defined diseases	38	63	50	44	52	53	17	1	5	10	26	22	28	28
29 Causes ill-defined or un- known.	4	—	—	1	1	2	—	—	—	—	—	—	29	29

ADMINISTRATIVE AREAS, 1913.

BERKSHIRE.

	Abingdon M.B.		Maiden- head M.B.		Newbury M.B.		New Windsor M.B.		Walling- ford M.B.		Wantage U.D.		Woking- ham M.B.						Abingdon R.D.		Bradfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1	50	47	93	95	74	81	78	84	22	17	24	23	36	33					67	56	77	66	1
2	—	—	1	—	—	—	1	—	—	—	—	—	—	—					—	—	—	—	2
3	—	—	—	2	8	—	—	1	1	—	—	—	—	1					—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	4
5	—	—	3	1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	5
6	—	1	—	—	2	1	—	—	—	—	—	—	—	—					—	—	—	1	6
7	—	—	2	3	2	2	—	1	—	—	—	—	—	—					—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	1	—	8
9	6	5	8	4	7	3	4	5	3	2	1	3	3	2					5	2	5	6	9
10	1	—	2	—	3	1	1	—	—	—	—	2	—	—					1	—	—	—	10
11	2	1	3	1	1	3	—	2	—	—	—	1	—	1					—	—	1	1	11
12	6	13	9	7	3	8	5	12	2	—	2	3	5	6					4	6	7	10	12
13	—	—	—	—	—	—	—	1	—	—	1	—	—	—					—	—	—	—	13
14	1	—	—	1	—	1	1	2	—	—	—	—	—	—					—	—	—	—	14
15	5	6	10	8	14	16	9	8	4	6	3	2	6	6					8	6	8	10	15
16	6	7	7	5	8	5	3	3	2	—	2	1	3	1					4	5	5	5	16
17	1	2	8	11	2	4	3	—	1	1	3	—	2	2					3	2	3	3	17
18	1	1	—	2	3	—	1	1	—	—	1	1	1	—					1	—	5	1	18
19	2	—	1	2	1	3	—	1	—	—	—	—	—	—					—	—	2	1	19
20	1	—	—	—	1	1	1	—	—	—	—	—	—	—					—	1	—	—	20
21	1	—	—	1	—	1	2	1	2	—	—	—	—	—					2	—	—	—	21
21A	—	—	—	—	—	—	1	—	—	—	—	1	—	—					—	—	—	1	21A
22	1	1	2	6	2	—	6	4	1	2	—	1	1	—					2	2	1	1	22
23	—	—	—	—	—	1	—	2	—	—	—	—	—	—					—	—	—	—	23
24	—	—	—	1	—	1	—	1	—	—	—	—	—	—					—	—	—	1	24
25	2	1	3	2	6	3	3	4	1	—	4	1	—	4					3	2	4	1	25
26	2	1	3	5	2	3	6	6	—	—	—	—	1	—					4	1	4	—	26
27	1	—	—	1	1	—	3	1	—	—	—	—	—	—					—	1	—	—	27
28	11	9	28	24	16	23	27	28	6	6	7	7	13	10					27	28	30	23	28
29	—	—	1	2	—	1	—	—	—	—	—	—	1	—					1	—	—	—	29

BERKSHIRE—cont.

	Cookham R.D.		Easthamp- stead R.D.		Faringdon (pt.) R.D.*		Hunger- ford R.D.		Newbury R.D.		Walling- ford R.D.		Wantage R.D.		Windsor R.D.		Woking- ham R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
1	83	60	85	90	76	75	61	51	62	64	43	42	71	72	96	91	103	87					1
2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—					2
3	1	—	2	2	2	2	—	1	—	—	—	—	—	—	2	—	2	—					3
4	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—					4
5	1	1	2	1	1	—	—	—	1	—	—	—	2	2	1	—	—	1					5
6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1					6
7	3	1	2	3	1	—	1	—	1	1	1	—	—	1	2	—	2	1					7
8	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—					8
9	9	4	6	1	1	4	2	1	2	4	2	—	5	8	11	5	14	6					9
10	—	—	2	1	—	—	—	—	—	—	1	—	1	1	1	—	1	1					10
11	1	—	2	1	—	1	—	1	1	1	—	—	1	1	—	1	1	—					11
12	6	8	6	12	7	5	4	5	7	11	2	5	10	8	8	17	8	6					12
13	—	—	—	1	—	—	—	3	—	—	—	1	—	—	—	—	—	—					13
14	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	1					14
15	5	7	9	9	4	11	5	7	11	8	6	10	6	11	9	12	15	18					15
16	4	7	7	6	7	4	1	5	3	—	—	2	7	4	6	4	2	7					16
17	7	4	2	6	1	5	6	1	1	1	5	3	2	1	5	4	6	4					17
18	—	—	3	—	2	—	1	1	—	4	1	—	2	1	2	2	3	—					18
19	—	—	1	—	—	1	—	—	—	—	—	1	—	1	2	4	—	1					19
20	1	—	—	2	—	—	—	2	—	—	—	—	—	—	1	—	—	1					20
21	1	—	1	—	1	—	3	—	—	1	1	—	—	—	1	2	—	2					21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—					21A
22	4	3	2	3	1	1	3	4	2	1	4	—	2	4	5	1	3	2					22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1					23
24	—	—	—	—	—	1	—	1	—	1	—	2	—	1	—	—	—	2					24
25	6	2	2	9	3	4	2	—	4	5	2	1	4	2	3	3	8	4					25
26	4	1	1	1	2	1	3	2	5	—	1	—	1	—	4	1	4	2					26
27	1	—	2	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—					27
28	26	20	31	32	41	32	28	16	22	25	15	16	21	25	31	32	30	25					28
29	1	1	1	—	2	1	—	1	2	1	—	—	2	1	1	1	1	1					29

* The remainder of Faringdon R.D. is in Gloucestershire ; see page 454.

BUCKINGHAMSHIRE.

Causes of Death.	Ayles- bury U.D.		Beacons- field U.D.		Bletchley U.D.		Bucking- ham M.B.		Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	69	77	13	16	27	19	16	23	119	94	55	42	11	17	9	17	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	6
6 Diphtheria and croup	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	7
7 Influenza	1	5	3	—	2	—	—	—	1	—	1	2	—	—	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	6	—	—	1	—	4	2	9	11	7	4	1	1	—	1	10
10 Tuberculous meningitis	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	12
12 Cancer, malignant disease	8	10	1	1	3	4	—	2	12	7	6	2	1	4	—	3	13
13 Rheumatic fever	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	15
15 Organic heart disease ...	9	13	—	1	1	3	3	1	6	4	3	6	4	—	1	2	16
16 Bronchitis	5	6	1	2	2	—	1	1	17	9	2	2	—	5	2	—	17
17 Pneumonia (all forms) ...	1	3	—	1	2	—	—	—	10	5	3	2	—	—	—	—	18
18 Other respiratory diseases	3	—	—	—	—	—	1	1	3	2	—	1	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	1	—	—	1	—	1	1	4	4	—	—	—	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	1	—	—	—	1	—	—	—	1	1	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	21A
21A Alcoholism	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	2	—	—	2	—	1	1	5	4	3	2	—	—	—	—	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	25
25 Congenital debility, &c.	4	5	2	1	1	1	—	1	6	11	3	1	2	1	3	1	26
26 Violence, apart from 27	2	—	—	1	1	—	1	—	6	1	—	1	—	1	1	—	27
27 Suicide	—	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—	28
28 Other defined diseases ...	26	21	6	8	9	10	4	13	29	30	18	11	2	4	—	8	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

BUCKINGHAMSHIRE—cont.

Causes of Death.	Marlow U.D.		Newport Pagnell U.D.		Slough U.D.				Amer- sham R.D.		Ayles- bury R.D.		Bucking- ham R.D.		Eton R.D.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
ALL CAUSES	27	33	40	12	83	87			97	105	97	95	41	60	151	115	1
1 Enteric fever	—	—	—	—	—	—			—	—	1	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	—			2	—	—	—	—	—	5	2	4
4 Scarlet fever	—	—	—	—	—	—			—	—	—	—	—	—	1	2	5
5 Whooping cough	—	3	—	—	—	1			4	4	—	—	—	1	—	1	6
6 Diphtheria and croup	—	1	—	—	—	—			—	—	—	—	—	—	2	—	7
7 Influenza	1	—	—	—	1	—			3	4	4	3	—	—	5	1	8
8 Erysipelas	—	—	—	—	1	—			—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	1	6	—	6	3			6	7	8	4	4	4	7	9	10
10 Tuberculous meningitis	—	—	—	—	—	1			1	—	—	—	—	—	—	1	11
11 Other tuberculous diseases	—	—	—	—	2	1			—	4	1	—	1	—	3	—	12
12 Cancer, malignant disease	2	1	4	—	8	11			5	12	7	17	5	3	12	20	13
13 Rheumatic fever	—	—	—	—	—	—			—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	1	1	—			—	1	—	1	—	—	1	1	15
15 Organic heart disease ...	1	1	7	4	13	15			18	14	16	15	4	12	17	12	16
16 Bronchitis	2	3	2	—	5	4			3	8	5	10	3	2	9	7	17
17 Pneumonia (all forms) ...	—	1	2	—	4	3			6	5	4	2	3	—	6	3	18
18 Other respiratory diseases	1	—	1	—	1	1			3	2	—	—	—	1	3	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	1			2	2	—	1	1	1	2	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1			1	—	3	—	—	—	—	1	21
21 Cirrhosis of liver	1	—	—	—	—	—			1	2	1	—	—	2	2	2	21A
21A Alcoholism	—	—	—	—	—	—			—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	1	—	—	2	5			5	3	4	1	—	1	5	—	23
23 Puerperal fever	—	—	—	—	—	—			—	1	—	2	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1			—	—	—	—	—	1	—	2	25
25 Congenital debility, &c.	3	3	3	1	4	6			4	1	6	9	3	4	17	4	26
26 Violence, apart from 27	1	1	1	—	2	4			6	3	2	1	2	1	10	1	27
27 Suicide	—	—	—	—	4	—			2	1	—	—	—	—	3	—	28
28 Other defined diseases ...	10	15	13	6	28	28			25	31	34	29	14	26	41	42	29
29 Causes ill-defined or un- known.	—	2	1	—	—	1			—	—	1	—	—	—	—	3	29

ADMINISTRATIVE AREAS, 1913—continued.

BUCKINGHAMSHIRE—cont.

CAMBRIDGESHIRE.

	Hamble- den R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Stratford and Wolverton R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.				Cam- bridge M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
1	—	—	—	—	—	1	52	48	36	38	40	40	126	144			342	339	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	—	1	—	1	1	—	—	—	1	—	—	4	9			1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3	2	4
5	—	—	—	—	—	—	1	—	—	—	—	3	2	2			7	5	5
6	—	—	1	—	1	1	—	1	—	—	—	—	—	—			11	10	6
7	—	—	—	—	6	4	1	—	—	1	3	—	2	1			6	6	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	—	1	2	—	6	5	3	5	3	2	3	3	7	7			32	19	9
10	—	—	—	—	1	—	—	—	1	1	—	—	2	—			3	1	10
11	—	—	—	—	1	—	2	—	2	—	—	1	2	—			5	4	11
12	3	3	2	2	10	10	5	6	—	3	4	2	12	15			34	38	12
13	—	—	—	—	—	—	2	—	—	—	—	—	1	—			—	2	13
14	1	—	—	—	—	—	—	—	—	—	—	—	1	3			2	4	14
15	—	2	3	4	12	12	4	5	2	5	5	4	14	22			31	41	15
16	1	—	1	—	5	5	3	2	—	1	3	4	14	11			17	23	16
17	—	—	1	—	5	3	4	1	—	2	—	1	4	6			7	18	17
18	—	—	2	1	2	—	—	1	—	—	—	—	—	—			8	6	18
19	—	—	1	—	3	1	—	1	—	1	—	—	2	3			6	5	19
20	—	—	—	—	1	1	1	—	—	—	—	—	—	—			1	—	20
21	—	—	—	—	—	2	—	—	—	—	—	1	1	—			7	2	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—			2	—	21A
22	—	1	—	1	8	4	4	1	2	1	—	2	1	4			10	12	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	3	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	2			—	1	24
25	—	1	1	—	8	4	2	—	7	3	4	3	5	7			19	20	25
26	—	—	1	—	8	—	—	1	1	—	1	1	4	4			10	7	26
27	—	1	—	—	—	—	2	—	—	—	1	—	—	—			6	2	27
28	2	2	9	6	34	47	17	23	18	16	15	15	48	47			114	107	28
29	—	1	—	—	—	—	1	1	—	1	1	1	—	—			—	1	29

CAMBRIDGESHIRE—cont.

CHESHIRE.

	Caxton and Arrington R.D.		Chester- ton R.D.		Linton R.D.		Melbourn R.D.		New- market R.D.		Swavesey R.D.				Alderley Edge U.D.		Alsager U.D.		Altrinc- ham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	
1	—	53	48	147	149	86	64	76	65	146	131	19	18		18	13	27	19	155	128	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	1	—	—	2	1	2	—	—	—	—	—	—	—		—	—	—	—	1	1	3
4	—	—	1	—	—	—	—	—	—	—	2	—	—		—	—	—	—	—	—	4
5	—	1	3	5	—	1	—	3	—	1	2	2	—		1	—	1	1	6	2	5
6	—	2	8	2	—	—	—	—	3	6	—	—	—		—	—	—	—	—	—	6
7	1	—	2	3	1	1	—	—	1	1	—	—	—		—	—	—	—	4	5	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	8
9	5	2	11	7	5	5	4	1	9	10	2	—	—		1	2	2	3	15	7	9
10	—	—	—	3	—	—	—	—	1	—	—	—	—		—	—	—	—	2	—	10
11	—	1	3	1	2	—	—	1	2	2	—	—	—		—	1	1	—	1	2	11
12	2	5	15	19	13	9	4	3	15	11	2	5	—		2	—	1	1	9	14	12
13	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	13
14	—	1	—	—	—	1	—	—	2	1	—	2	—		1	1	—	—	4	—	14
15	10	9	15	16	8	11	12	17	11	19	3	1	—		4	—	3	2	18	15	15
16	10	4	8	11	5	8	5	3	7	6	—	1	—		1	—	—	—	10	14	16
17	1	3	6	2	8	3	4	2	8	6	1	—	—		1	2	3	—	8	8	17
18	1	—	1	4	—	—	1	1	6	—	—	—	—		—	—	1	—	2	—	18
19	—	1	2	—	1	—	1	—	1	1	—	—	—		—	—	4	—	10	6	19
20	—	—	1	—	1	—	1	—	1	2	—	—	—		—	—	—	—	2	—	20
21	—	2	1	—	—	—	2	—	1	1	—	—	—		1	1	—	—	—	2	21
21A	—	—	2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	21A
22	—	—	2	7	1	—	2	—	6	5	1	—	—		—	2	2	—	6	5	22
23	—	1	—	—	—	1	—	1	—	—	—	—	—		—	—	—	—	—	2	23
24	—	1	—	—	—	—	—	2	—	1	—	—	—		—	—	—	—	—	1	24
25	1	2	5	8	2	5	6	2	13	9	2	—	—		2	—	—	2	10	5	25
26	1	1	5	7	4	2	1	—	5	1	—	—	—		1	1	1	—	4	3	26
27	2	1	2	1	—	—	—	—	—	1	—	—	—		1	—	—	—	4	—	27
28	18	11	51	50	32	16	33	29	50	46	6	6	—		2	3	8	10	38	36	28
29	—	—	1	1	1	1	—	—	1	—	—	1	—		—	—	—	—	1	—	29

CAUSES OF DEATH IN

CHESHIRE—*cont.*

Causes of Death.				Ashton upon Mersey U.D.		Bolling-ton U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		Brom-borough U.D.		Bug-lawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	46	44	40	33	15	18	58	58	11	8	14	13	72	50	5	8	
1	Enteric fever	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	4	—	—	—	—	1	1	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	—	—	—	1	—	—	1	—	—	—	2	2	—	—	—	—	5
6	Diphtheria and croup	—	—	1	—	—	—	1	1	—	—	—	—	1	2	—	—	6
7	Influenza	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	4	1	5	—	2	2	4	2	—	1	1	1	3	4	—	1	9
10	Tuberculous meningitis	—	1	—	—	—	—	1	4	—	—	—	1	1	1	—	—	10
11	Other tuberculous diseases	1	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	11
12	Cancer, malignant disease	1	3	1	5	3	5	7	3	1	—	—	1	4	6	—	—	12
13	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	4	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	14
15	Organic heart disease	2	4	5	3	1	1	7	8	1	1	1	1	9	7	—	1	15
16	Bronchitis	2	4	3	3	3	—	6	5	1	—	—	1	10	5	2	1	16
17	Pneumonia (all forms)	2	2	2	1	—	—	4	6	1	1	1	1	—	2	—	1	17
18	Other respiratory diseases	—	2	—	—	1	—	1	2	—	—	—	—	—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	2	1	1	—	—	—	—	—	—	1	1	—	2	1	—	—	19
20	Appendicitis and typhlitis	—	—	—	1	—	1	—	—	—	1	—	—	—	3	—	—	20
21	Cirrhosis of liver	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	4	—	1	—	1	1	2	1	—	—	—	7	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from	23	...	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	4	6	1	—	2	2	1	1	—	—	1	3	1	—	1	25
26	Violence, apart from	27	...	3	1	3	2	—	—	1	—	2	—	1	1	4	—	—	—	26
27	Suicide	1	1	—	—	1	—	—	—	—	—	—	—	1	1	—	—	27
28	Other defined diseases	13	10	10	15	4	4	19	18	3	3	7	3	24	16	2	2	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

Causes of Death,				Congle- ton M.B.		Crewe M.B.		Dukin- field M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		Hand- forth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	83	100	286	244	161	157	73	62	43	51	8	7	54	72	14	10	
1	Enteric fever	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	5	1	1	—	5	3	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	2	4	2	—	1	—	—	—	—	—	—	—	4
5	Whooping cough	11	14	4	2	5	—	—	—	—	—	1	2	—	—	—	—	5
6	Diphtheria and croup	—	—	4	5	—	1	5	1	—	—	—	—	1	1	—	—	6
7	Influenza	—	2	3	—	1	6	2	—	—	—	—	—	—	—	—	—	7
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	8	19	10	10	11	3	3	1	2	—	—	5	3	3	—	9
10	Tuberculous meningitis	1	2	4	4	1	3	1	2	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	—	9	6	1	1	1	1	—	1	—	1	1	4	1	—	11
12	Cancer, malignant disease	7	6	26	18	7	6	3	2	6	6	1	—	7	6	—	2	12
13	Rheumatic fever	—	1	1	2	1	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	1	—	2	4	1	1	—	—	—	—	—	—	1	—	—	—	14
15	Organic heart disease	9	11	17	42	13	20	4	5	6	5	1	1	2	11	1	1	15
16	Bronchitis	7	7	24	20	10	14	4	5	3	2	1	—	4	3	—	—	16
17	Pneumonia (all forms)	5	8	14	12	12	12	6	10	4	5	2	—	3	10	—	1	17
18	Other respiratory diseases	—	—	5	6	2	1	2	—	—	3	—	—	1	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	1	2	7	2	26	15	4	2	1	1	—	—	3	1	—	1	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver	1	—	3	7	2	2	—	—	1	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	—	8	3	6	4	1	—	1	2	—	—	2	2	—	1	22
23	Puerperal fever	—	1	—	3	—	2	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from	—	—	—	5	—	2	—	2	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	5	7	31	19	9	4	8	7	5	2	—	—	4	8	2	1	25
26	Violence, apart from	2	—	17	3	4	4	7	2	—	—	—	—	3	—	—	—	26
27	Suicide	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases	25	31	81	68	46	41	12	14	14	22	2	4	14	22	6	3	28
29	Causes ill-defined or un- known.	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

CHESHIRE—cont.

	Hollingworth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knuts- ford U.D.		Lower Bebington U.D.		Lymm U.D.		Maccles- field M.B.		Marple U.D.		Middle- wich U.D.		Mottram in Longden- dale U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	21	16	35	31	83	90	263	260	35	28	70	76	36	30	272	245	32	31	33	28	21	31	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	—	1	—	—	—	—	—	—	—	—	1	4	5	—	—	—	—	—	—	4
5	—	1	—	—	—	—	—	—	—	—	—	—	—	2	3	4	—	—	—	—	—	—	5
6	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—	6
7	2	—	—	—	1	2	4	1	1	1	—	2	1	1	1	1	—	1	1	—	—	1	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	—	2	4	7	5	17	9	3	2	6	7	4	—	16	17	—	2	1	2	1	1	9
10	—	—	—	—	1	—	3	—	—	—	—	1	—	—	3	5	—	1	—	1	—	—	10
11	—	—	1	—	1	2	3	5	1	3	—	2	1	—	5	—	—	—	—	1	—	—	11
12	—	2	1	3	10	13	20	17	—	1	3	6	3	6	17	27	1	4	2	1	—	2	12
13	—	—	—	—	1	—	1	2	—	—	—	1	1	—	1	—	1	—	—	—	—	—	13
14	—	—	—	—	—	—	3	5	—	—	—	1	1	—	—	2	—	—	—	1	—	—	14
15	4	1	2	3	7	16	14	32	3	5	6	6	1	4	34	32	6	5	3	4	4	6	15
16	1	3	3	3	2	5	37	31	1	2	4	4	3	3	14	18	7	4	2	—	1	2	16
17	2	—	4	—	6	4	20	13	2	1	3	5	2	1	20	9	—	—	2	1	3	—	17
18	1	—	—	1	1	1	2	4	—	—	1	1	—	—	3	2	—	1	—	—	—	—	18
19	—	—	—	—	1	1	8	5	—	—	6	2	—	—	6	6	—	1	—	1	—	—	19
20	—	—	—	—	—	2	—	4	—	—	—	—	—	—	—	3	—	—	1	2	—	—	20
21	—	—	—	—	1	—	2	2	—	1	1	1	1	—	5	3	—	1	1	—	1	—	21
21A	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	4	3	8	2	1	2	2	2	1	—	11	7	2	1	2	—	1	1	22
23	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	24
25	1	1	3	4	11	3	34	24	2	1	10	7	3	1	18	9	4	2	3	4	—	4	25
26	1	—	1	—	5	1	13	3	1	—	5	4	3	—	7	4	1	—	4	1	—	—	26
27	—	—	1	—	—	1	2	1	1	—	1	1	—	—	—	—	1	—	—	—	—	—	27
28	8	7	14	9	22	30	65	81	19	9	16	17	9	10	100	83	8	7	11	9	9	14	28
29	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	1	—	—	29

CHESHIRE—cont.

	Nantwich U.D.		Neston and Parkgate U.D.		North- wich U.D.		Runcorn U.D.		Sale U.D.		Sandbach U.D.		Staly- bridge M.B.		Tarporey U.D.		Wilms- low U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	56	69	26	28	164	116	156	133	107	88	52	31	249	230	19	17	63	47	67	84	9	4	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	3	7	1	1	11	5	1	2	4	2	7	3	3	1	1	1	—	1	1	1	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	5
6	1	1	1	1	5	—	6	9	—	—	—	—	1	—	—	—	—	—	3	2	—	—	6
7	—	—	—	—	2	—	2	1	4	—	1	1	—	—	—	—	—	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	5	5	3	2	11	5	14	7	7	5	2	2	22	11	—	—	3	2	1	3	—	—	9
10	—	1	2	1	—	2	2	4	1	1	—	—	2	—	—	—	—	—	—	1	—	—	10
11	—	—	—	2	2	—	3	6	1	—	2	1	3	4	—	—	1	—	—	—	—	—	11
12	4	3	4	5	9	5	5	8	9	18	5	1	12	24	4	1	7	9	4	10	—	2	12
13	—	—	—	1	3	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	13
14	1	—	—	—	1	—	1	2	—	1	—	—	3	4	—	—	1	—	1	—	—	—	14
15	11	10	3	3	15	11	17	10	4	6	3	1	22	23	2	2	6	6	5	13	1	—	15
16	3	4	—	—	11	7	9	13	6	8	3	2	27	30	2	4	4	3	4	5	—	1	16
17	1	1	1	1	12	3	10	5	10	5	4	2	25	12	2	—	2	—	6	3	—	—	17
18	2	—	—	—	3	1	3	—	2	3	—	—	1	3	—	—	1	—	1	2	1	—	18
19	2	1	2	3	2	7	10	5	4	3	—	—	18	13	—	3	—	2	4	6	—	—	19
20	—	—	—	—	2	1	—	—	—	1	—	—	2	2	—	—	—	—	3	2	1	—	20
21	—	—	—	—	2	3	1	1	—	—	—	—	2	1	—	—	2	—	—	1	—	—	21
21A	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	1	—	2	5	3	4	1	2	1	1	9	3	—	—	3	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	24
25	4	9	3	2	15	18	9	12	7	4	3	3	14	7	1	—	2	—	2	6	—	—	25
26	1	3	2	—	5	4	12	3	9	—	2	1	3	7	1	—	4	3	5	3	2	—	26
27	1	1	—	—	—	—	2	—	2	—	—	—	3	1	1	—	—	1	1	—	—	—	27
28	15	23	3	6	50	36	43	39	28	25	19	13	71	75	5	6	25	18	24	4	1	—	28
29	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	29

CHESHIRE—cont.

Causes of Death.			Bucklow R.D.		Chester R.D.		Congle- ton R.D.		Disley R.D.		Maccles- field R.D.		Malpas R.D.		Nantwich R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	110	112	59	58	88	80	18	14	109	79	22	34	165	149	
1	Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	2	—	—	—	—	—	—	—	—	—	—	—	4	1	3
4	Scarlet fever	...	2	1	—	—	—	3	—	—	—	1	—	—	—	—	4
5	Whooping cough	...	2	2	1	2	—	—	—	—	6	2	—	—	1	—	5
6	Diphtheria and croup	...	—	—	1	—	—	—	—	—	4	—	—	—	—	—	6
7	Influenza	...	—	1	1	1	1	2	—	—	2	1	—	1	3	5	7
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	...	9	3	2	4	3	6	—	2	3	2	1	—	5	3	9
10	Tuberculous meningitis	...	1	2	—	1	1	—	—	—	—	—	—	—	1	4	10
11	Other tuberculous diseases	...	2	6	—	—	2	1	—	—	3	1	1	—	1	2	11
12	Cancer, malignant disease	...	7	8	2	4	6	7	2	1	10	13	2	4	18	27	12
13	Rheumatic fever	...	—	1	1	—	1	—	—	—	1	—	—	—	—	1	13
14	Meningitis	...	2	—	—	—	3	1	—	—	1	2	1	1	—	1	14
15	Organic heart disease	...	13	16	5	12	11	9	1	1	24	13	2	7	27	17	15
16	Bronchitis	...	3	7	4	3	3	7	1	2	8	4	1	1	5	10	16
17	Pneumonia (all forms)	...	10	5	10	1	9	6	2	—	4	3	—	—	16	6	17
18	Other respiratory diseases	...	6	1	2	—	4	1	1	1	1	3	1	—	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)	...	2	2	1	—	—	—	—	—	—	1	—	—	2	1	19
20	Appendicitis and typhlitis	...	2	—	1	—	1	1	1	—	1	—	1	1	—	2	20
21	Cirrhosis of liver	...	—	4	—	—	—	—	—	—	—	—	—	—	3	2	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	1	—	—	1	—	—	21A
22	Nephritis and Bright's dis.	...	5	3	2	1	4	—	—	1	3	4	1	1	1	4	22
23	Puerperal fever	...	—	1	—	—	—	—	—	1	—	1	—	1	—	—	23
24	Parturition, apart from 23	...	—	1	—	1	—	1	—	—	—	3	—	1	—	1	24
25	Congenital debility, &c.	...	6	5	2	4	6	5	1	1	1	5	3	4	20	6	25
26	Violence, apart from 27	...	3	3	1	2	7	3	1	—	2	—	—	2	11	2	26
27	Suicide	...	2	—	1	—	1	—	—	—	1	—	1	—	4	—	27
28	Other defined diseases	...	30	40	21	22	25	27	8	4	32	20	7	8	40	53	28
29	Causes ill-defined or un- known.	...	1	—	1	—	—	—	—	—	1	—	—	1	—	—	29

CHESHIRE—cont.

CORNWALL.

Causes of Death.			North- wich R.D.		Runcorn R.D.		Tarvin R.D.		Tint- wistle R.D.		Wirral R.D.		Bodmin M.B.		Callington U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	155	122	163	155	89	77	16	17	107	94			33	38	
1	Enteric fever	...	—	—	—	—	—	—	—	—	1	—	—	38	8	13	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	1	2	1	—	3	—	—	—	1	—	—	—	—	—	3
4	Scarlet fever	...	—	—	1	—	1	—	—	—	1	1	—	—	—	—	4
5	Whooping cough	...	—	—	—	—	—	—	2	—	1	—	—	—	1	1	5
6	Diphtheria and croup	...	1	1	2	3	—	1	—	1	—	—	—	1	—	—	6
7	Influenza	...	2	1	2	6	—	1	—	1	3	—	1	1	—	—	7
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	...	2	12	14	12	6	2	—	2	13	8	—	2	2	1	9
10	Tuberculous meningitis	...	—	1	1	1	1	3	—	—	1	—	—	—	—	—	10
11	Other tuberculous diseases	...	2	4	2	7	—	—	—	—	1	1	—	—	—	—	11
12	Cancer, malignant disease	...	9	10	11	12	8	6	1	1	7	13	1	3	—	4	12
13	Rheumatic fever	...	1	1	2	—	2	—	—	—	1	—	—	—	—	—	13
14	Meningitis	...	—	—	1	—	1	—	1	—	—	—	—	—	—	—	14
15	Organic heart disease	...	24	18	15	21	13	13	2	1	9	8	2	7	1	—	15
16	Bronchitis	...	9	6	3	8	11	5	—	3	9	5	4	3	—	2	16
17	Pneumonia (all forms)	...	11	6	16	10	8	4	2	1	10	4	—	—	1	2	17
18	Other respiratory diseases	...	1	3	3	2	3	—	—	1	4	3	—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	...	7	1	7	1	—	1	—	—	4	4	—	1	—	—	19
20	Appendicitis and typhlitis	...	2	1	—	3	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver	...	2	1	3	—	—	—	—	—	3	3	2	—	—	—	21
21A	Alcoholism	...	—	—	2	—	1	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	...	8	—	2	1	2	2	—	—	1	2	4	—	—	—	22
23	Puerperal fever	...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	...	—	2	—	3	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	...	14	11	12	7	5	1	3	—	3	5	2	3	—	—	25
26	Violence, apart from 27	...	12	1	6	3	5	2	—	—	3	2	1	—	1	—	26
27	Suicide	...	1	1	3	—	1	—	—	—	—	1	—	—	—	—	27
28	Other defined diseases	...	45	39	52	52	23	29	6	5	28	33	13	17	3	3	28
29	Causes ill-defined or un- known.	...	1	—	2	1	1	—	—	—	1	1	1	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

CORNWALL—cont.

	Cam-borne U.D.		Falmouth M.B.		Fowey M.B.*		Hayle U.D.		Helston M.B.		Laun- ceston M.B.		Liskeard M.B.		Looe U.D.		Lost- withiel M.B.		Ludgvan U.D.		Madron U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	142	127	85	103	2	2	9	6	21	24	18	25	27	30	11	25	8	16	22	13	21	20	1
2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	1	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	1	—	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	28	10	4	3	1	—	1	—	1	1	2	5	3	1	—	2	1	—	4	—	4	2	9
10	1	3	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	10
11	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	11
12	8	18	4	7	—	—	—	—	—	3	2	1	1	2	1	6	1	2	4	1	2	1	12
13	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	14
15	14	24	10	9	—	—	3	1	2	2	—	4	7	—	3	3	—	5	4	2	2	—	15
16	3	4	6	8	—	—	—	—	1	1	1	1	—	1	1	1	—	—	—	1	—	—	16
17	8	2	4	4	—	—	—	1	—	1	1	—	3	2	1	1	—	—	—	3	1	—	17
18	12	1	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	18
19	9	3	1	5	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—	19
20	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	2	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	6	6	7	3	—	—	—	—	—	—	2	2	1	—	2	—	—	1	—	—	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	9	4	8	4	—	—	1	—	3	1	1	1	1	2	—	1	1	1	1	1	—	3	25
26	9	2	3	1	—	—	—	1	1	—	—	—	1	1	—	—	—	—	1	—	—	—	26
27	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	27
28	28	42	29	45	1	1	4	3	9	12	7	10	6	17	3	8	3	6	6	3	8	8	28
29	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	29

CORNWALL—cont.

	Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	27	25	21	14	36	33	24	30	104	102	28	35	78	95	30	28	45	42	70	46	23	22	1
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	1	1	—	—	4	5	—	—	—	—	—	—	—	—	1	3	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	1	—	—	—	1	—	1	—	2	2	—	1	1	—	8	8	—	—	6
7	1	1	—	—	—	—	1	—	1	1	—	—	—	1	1	—	—	—	—	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	5	4	1	2	1	1	—	5	9	6	5	—	15	8	3	—	5	5	8	4	—	4	9
10	—	—	—	—	—	1	—	—	2	1	2	1	2	1	—	—	—	—	1	1	1	—	10
11	—	—	—	—	—	—	—	—	1	1	—	—	1	5	1	—	—	—	—	1	—	1	11
12	3	4	1	—	8	5	—	2	7	14	1	1	4	6	3	2	5	6	2	4	3	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	13
14	1	—	—	—	—	—	—	—	1	—	—	2	1	—	—	1	1	1	—	—	—	—	14
15	2	2	1	3	6	3	2	5	15	10	4	5	5	17	1	5	10	4	3	4	3	3	15
16	1	1	—	—	—	1	1	3	8	6	1	2	6	10	1	3	1	1	1	—	3	—	16
17	—	1	—	—	2	2	3	1	4	4	—	1	2	2	—	1	3	1	1	1	1	2	17
18	—	—	1	—	—	1	—	—	2	2	1	—	7	1	5	1	—	—	8	—	1	1	18
19	—	—	—	—	2	—	1	2	5	4	1	1	—	3	—	—	1	—	2	—	—	—	19
20	—	—	1	—	—	—	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	—	1	1	2	—	5	4	1	2	5	3	1	—	1	—	1	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	24
25	1	—	4	1	2	1	1	2	6	3	2	4	6	2	1	2	2	—	8	4	2	—	25
26	2	—	1	1	4	—	1	—	2	—	1	1	1	—	—	—	—	—	6	—	2	—	26
27	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	27
28	11	11	8	5	5	13	12	8	29	39	8	14	16	32	11	10	16	19	17	13	10	6	28
29	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	29

* Created 10th November, 1913.

CORNWALL—cont.

Causes of Death.	Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wade- bridge U.D.				Bodmin R.D.		Calstock R.D.		Camel- ford R.D.		
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	18	20	31	25	77	76	16	19			74	61	35	34	44	44	1
1 Enteric fever	—	—	—	—	—	—	—	—			1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3 Measles	2	—	—	—	—	1	—	—			—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	—	—	—			—	—	—	—	2	—	6
6 Diphtheria and croup	—	—	—	—	1	—	1	—			1	—	—	—	—	—	7
7 Influenza	—	2	1	—	—	—	—	—			2	1	—	—	1	1	8
8 Erysipelas	—	—	—	—	—	—	—	—			—	—	—	—	—	1	9
9 Pulmonary tuberculosis	—	2	3	2	6	6	—	2			8	5	4	5	5	—	10
10 Tuberculous meningitis	—	—	—	—	1	1	—	—			1	1	1	—	—	—	11
11 Other tuberculous diseases	—	—	—	2	—	1	1	—			2	—	—	1	—	—	12
12 Cancer, malignant disease	1	3	2	1	3	5	2	—			6	6	—	6	1	7	13
13 Rheumatic fever	—	—	—	—	—	2	—	—			—	—	—	—	1	—	14
14 Meningitis	—	—	1	—	—	1	—	—			—	—	—	—	—	—	15
15 Organic heart disease	1	7	6	1	8	11	4	2			12	5	3	5	8	4	16
16 Bronchitis	2	—	—	2	7	8	—	1			3	5	4	3	4	1	17
17 Pneumonia (all forms)	2	—	1	—	3	—	—	2			1	5	2	2	4	2	18
18 Other respiratory diseases	—	1	—	—	—	1	—	—			—	2	3	—	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	2	—	2	2	—	—			—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—			2	—	—	—	—	—	21
21 Cirrhosis of liver	1	—	—	—	—	3	—	—			1	—	—	—	—	1	21A
21A Alcoholism	—	—	—	—	1	—	—	—			1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	1	—	2	4	3	2	1			1	2	3	—	—	—	23
23 Puerperal fever	—	—	—	—	—	1	—	—			—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	—	—	—			—	2	—	—	—	1	25
25 Congenital debility, &c.	—	—	4	5	7	7	2	—			6	2	—	—	—	1	26
26 Violence, apart from 27	1	—	1	—	4	—	1	2			3	1	—	—	2	—	27
27 Suicide	—	—	—	—	1	3	—	—			2	—	—	—	—	1	28
28 Other defined diseases	7	3	10	10	29	18	3	9			21	23	15	12	16	23	29
29 Causes ill-defined or un- known.	—	—	—	—	—	2	—	—			1	—	—	—	—	—	29

CORNWALL—cont.

Causes of Death.	East Kerrier R.D.		Helston R.D.		Hols- worthy (pt.) R.D.*		Laun- ceston R.D.		Liskeard R.D.		Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	43	51	116	116	3	1	44	57	111	91	138	171	236	214	63	71	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	1	—	—	2	—	1	—	2	4	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	5
5 Whooping cough	—	—	1	—	—	—	—	—	—	—	2	3	—	1	1	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	1	2	3	1	5	—	—	7
7 Influenza	1	1	4	1	—	—	1	—	4	2	1	2	7	2	—	2	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	9
9 Pulmonary tuberculosis	2	1	15	13	1	—	1	2	11	4	30	10	14	14	2	10	10
10 Tuberculous meningitis	1	—	—	1	—	—	—	2	1	—	3	1	1	1	—	—	11
11 Other tuberculous diseases	2	—	1	3	—	—	—	1	1	2	—	3	2	3	1	—	12
12 Cancer, malignant disease	2	10	7	17	—	—	6	3	7	15	8	10	13	19	6	8	13
13 Rheumatic fever	—	—	—	1	—	—	—	1	—	—	—	—	2	1	—	—	14
14 Meningitis	—	—	1	—	—	—	1	—	—	—	—	1	2	1	—	—	15
15 Organic heart disease	8	8	9	13	2	—	6	7	16	13	10	25	23	31	8	12	16
16 Bronchitis	2	4	2	1	—	1	3	4	8	7	10	16	9	9	3	2	17
17 Pneumonia (all forms)	1	2	8	—	—	—	1	2	9	6	5	4	12	6	4	5	18
18 Other respiratory diseases	1	—	5	—	—	—	3	—	3	2	10	—	7	1	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	1	—	—	—	1	—	—	—	3	3	3	2	1	2	20
20 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	—	1	2	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	22
22 Nephritis and Bright's dis.	1	—	4	5	—	—	—	2	5	2	4	4	6	9	3	3	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	1	—	—	—	1	—	1	—	—	25
25 Congenital debility, &c.	3	1	12	8	—	—	4	9	7	7	6	8	21	12	5	3	26
26 Violence, apart from 27	—	3	11	1	—	—	4	1	3	1	6	1	10	2	2	—	27
27 Suicide	—	1	—	—	—	—	—	—	2	—	1	—	2	—	—	—	28
28 Other defined diseases	18	20	34	48	—	—	12	21	33	23	31	74	91	92	24	19	29
29 Causes ill-defined or un- known.	—	—	—	1	—	—	1	—	—	3	1	1	3	1	—	—	29

* The remainder of Holsworthy R.D. is in Devonshire ; see page 445.

ADMINISTRATIVE AREAS, 1913—continued.

CORNWALL—cont.

CUMBERLAND.

St. Ger- mans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.		Arlecdon and Frizington U.D.		Aspatria U.D.		Carlisle M.B.		Cleator Moor U.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
60	64	9	11	25	37	152	157	68	80	39	30	27	22	401	384	74	47
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	2	3	1
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	3	—	1	—	—	—	—	1	4	4	—	1
—	—	—	1	2	—	3	1	—	—	—	—	—	—	10	6	2	1
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
3	3	—	—	2	2	9	5	7	4	7	2	3	2	41	36	5	5
—	2	—	—	1	—	1	—	1	—	—	1	—	—	8	7	—	—
—	—	—	—	1	1	1	4	2	—	—	1	—	1	6	4	2	3
5	4	—	—	1	9	11	20	7	14	3	1	1	1	30	39	3	3
—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	3	—	1
1	—	—	1	—	—	1	—	—	—	—	—	—	—	6	3	1	1
10	8	—	1	3	4	12	17	12	8	6	6	5	3	46	48	3	6
1	3	1	—	2	3	14	13	1	5	3	4	2	2	13	23	4	2
1	4	—	—	—	—	7	7	4	2	1	—	—	1	28	23	6	1
1	1	—	—	—	—	9	1	3	—	1	—	—	—	6	5	4	—
1	3	—	—	—	—	1	1	1	4	2	1	—	—	19	11	1	1
—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	3	—	—
—	—	—	—	—	—	—	—	1	1	1	1	—	—	4	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
—	1	2	1	2	1	6	6	—	5	1	—	—	—	13	7	—	2
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1
—	—	—	—	—	2	—	—	—	2	—	1	—	—	—	5	—	—
1	6	—	—	1	2	9	6	6	4	4	2	3	1	28	24	10	3
4	2	1	—	—	1	6	6	2	4	3	1	—	—	23	10	5	—
1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
30	27	5	7	8	11	58	64	19	27	5	9	10	10	105	109	25	15
1	—	—	—	—	—	—	—	1	—	2	—	1	—	3	3	—	—

CUMBERLAND—cont.

Cocker- mouth U.D.		Egremont U.D.		Harring- ton U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		Millom U.D.		Penrith U.D.		White- haven M.B.		Wigton U.D.		Working- ton M.B.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
33	40	51	55	31	31	34	30	33	27	83	81	71	64	65	70	166	158	20	29	172	162
—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	2	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	1	1	3	—	—	1	—	—	—	2	7	—	—	6	4	—	—	1	—
—	—	1	—	—	—	—	1	—	—	1	—	1	1	1	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	2	—	1	1	1	1	—	—	—	—	2	4
2	1	1	3	—	—	1	—	—	2	—	—	2	—	1	—	2	2	—	1	2	3
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	3	6	3	1	—	1	4	2	—	1	5	4	4	4	—	14	14	2	9	14	—
—	—	—	—	1	2	—	—	—	—	—	—	2	—	—	—	3	3	—	1	—	10
1	—	—	2	—	—	—	1	—	—	—	—	5	1	2	1	6	3	—	1	4	4
3	3	3	1	4	4	3	3	4	4	2	9	4	3	9	7	7	10	—	5	13	12
—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	1	1	—	1	—	13
—	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	4	4
5	4	2	2	7	3	4	3	3	2	7	8	2	7	7	11	11	14	3	2	11	16
—	1	7	6	3	1	—	—	—	3	7	4	4	5	2	2	15	26	2	1	12	10
2	4	2	4	1	4	3	—	1	—	13	7	6	3	1	4	5	1	1	—	22	11
—	3	5	1	—	—	—	1	2	—	1	2	6	1	1	4	1	3	1	—	3	1
1	—	1	—	—	—	—	—	1	—	2	2	1	1	—	—	9	12	1	1	7	—
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	1	—
—	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	3	1	—	—	—	2
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1	1	3	1	—	—	1	—	—	1	2	1	2	1	1	—	4	4	—	—	4	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—
—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	—	3	—
1	3	5	8	1	3	7	3	—	8	7	1	2	6	6	11	11	1	1	14	8	25
2	—	2	2	2	—	1	—	—	6	4	2	1	3	2	18	3	1	1	15	2	26
—	—	—	—	—	—	—	2	2	—	1	1	—	—	1	1	—	—	—	—	—	27
9	14	8	17	8	6	12	11	15	13	26	26	22	26	24	29	44	37	9	14	48	50
—	—	—	—	1	1	1	—	1	—	1	1	1	—	1	—	2	1	—	—	3	1

CUMBERLAND—cont.

Causes of Death.		Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cocker- mouth R.D.		Longtown R.D.		Penrith R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	27	22	31	47	64	48	70	71	152	137	56	42	88	56	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	1	6	2	1	—	1	—	4
4 Scarlet fever	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	...	1	—	—	—	—	1	1	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	2	1	1	1	1	—	7
7 Influenza	...	3	2	—	1	—	—	3	2	3	2	—	—	4	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	5	—	2	3	2	4	2	2	8	10	5	5	1	4	10
10 Tuberculous meningitis	...	—	2	—	—	1	—	1	—	1	—	1	—	—	—	11
11 Other tuberculous diseases	...	—	1	—	—	1	1	1	2	1	—	1	—	1	2	12
12 Cancer, malignant disease	...	1	1	1	7	10	5	7	2	6	16	8	4	7	7	13
13 Rheumatic fever...	...	—	—	—	—	1	—	—	—	1	1	1	—	—	—	14
14 Meningitis	...	—	—	—	—	2	2	—	2	2	—	1	—	1	—	15
15 Organic heart disease	...	2	1	5	4	11	5	8	6	14	16	6	8	14	8	16
16 Bronchitis	...	2	—	2	2	—	1	2	—	16	12	5	1	4	1	17
17 Pneumonia (all forms)	...	—	—	2	2	—	—	7	8	17	7	—	1	7	3	18
18 Other respiratory diseases	...	—	—	1	1	—	1	2	3	8	1	1	—	1	3	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	—	1	6	2	1	2	1	1	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	1	2	—	—	1	—	—	21
21 Cirrhosis of liver	...	—	—	—	1	1	—	—	—	1	—	—	—	1	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	2	1	2	—	1	1	1	5	2	3	—	1	3	1	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
24 Parturition, apart from 23	...	—	—	—	2	—	1	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	...	1	1	1	2	—	1	2	5	11	12	1	2	8	2	26
26 Violence, apart from 27	...	1	—	4	1	4	1	3	2	4	2	6	—	4	1	27
27 Suicide	...	1	—	—	—	—	1	1	—	1	—	1	—	1	—	28
28 Other defined diseases	...	8	13	11	20	28	22	26	28	38	47	16	13	28	22	29
29 Causes ill-defined or un- known.	...	—	—	—	1	2	1	2	—	2	2	—	1	—	—	

CUMBERLAND—cont.

DERBYSHIRE.

Causes of Death.		White- haven R.D.		Wigton R.D.		Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		Bakewell U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	98	84	99	73	118	118	7	7	21	26	18	12	1
1 Enteric fever	...	—	—	—	—	2	1	—	—	—	—	—	1	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	5	4	1	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	—	1	1	—	—	1	1	—	—	6
6 Diphtheria and croup	...	1	1	—	—	2	2	—	—	—	—	—	1	7
7 Influenza	...	—	3	—	2	1	—	—	—	—	1	—	—	8
8 Erysipelas	...	—	—	1	—	—	1	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	6	3	8	6	5	6	—	1	3	2	2	1	10
10 Tuberculous meningitis	...	4	—	—	—	—	2	—	—	—	—	1	—	11
11 Other tuberculous diseases	...	—	—	—	2	1	1	1	—	1	—	1	—	12
12 Cancer, malignant disease	...	8	8	12	10	7	15	—	2	—	3	—	2	13
13 Rheumatic fever...	...	—	1	—	1	—	2	—	—	—	—	—	—	14
14 Meningitis	...	2	1	1	—	2	2	—	1	—	—	—	—	15
15 Organic heart disease	...	4	7	10	6	8	6	—	—	2	3	2	2	16
16 Bronchitis	...	6	10	5	4	8	6	1	—	—	—	2	1	17
17 Pneumonia (all forms)	...	4	3	6	3	11	13	—	1	2	1	—	—	18
18 Other respiratory diseases	...	3	—	3	3	1	2	—	—	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	2	4	3	1	4	2	—	—	1	1	—	—	20
20 Appendicitis and typhlitis	...	3	—	1	—	2	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	...	1	—	—	—	—	—	—	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	3	1	1	6	3	—	—	—	—	1	—	23
23 Puerperal fever	...	—	1	—	—	—	1	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	3	—	3	—	—	—	—	—	—	25
25 Congenital debility, &c.	...	7	9	6	1	12	5	1	—	4	1	—	—	26
26 Violence, apart from 27	...	6	—	5	—	5	1	—	1	1	1	—	2	27
27 Suicide	...	2	—	3	3	—	1	—	—	—	—	2	—	28
28 Other defined diseases	...	27	23	31	27	36	41	4	1	8	8	6	2	29
29 Causes ill-defined or un- known.	...	3	2	2	—	1	1	—	—	1	1	—	—	

ADMINISTRATIVE AREAS, 1913—continued.

DERBYSHIRE—cont.

	Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton U.D.		Chester- field M.B.		Clay Cross U.D.		Dronfield U.D.		Fairfield U.D.		Glossop M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	8	11	74	69	70	60	8	7	16	13	52	59	362	274	102	77	27	28	21	18	146	167	1
2	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	1	2
3	—	—	—	—	—	3	—	—	—	—	—	—	18	12	13	12	—	3	—	—	—	—	3
4	—	—	1	—	—	—	1	—	—	—	—	—	2	—	—	1	2	1	—	—	1	1	4
5	—	—	—	—	1	2	—	—	—	—	—	—	1	—	7	8	—	—	—	—	1	2	5
6	—	—	2	1	1	—	—	—	1	1	1	1	3	1	3	—	—	—	—	—	1	3	6
7	—	3	1	—	1	—	—	—	—	—	—	2	1	1	2	—	1	1	—	—	—	2	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	8
9	2	—	7	2	1	2	—	—	3	—	2	6	28	17	8	2	4	4	1	2	17	10	9
10	—	—	—	—	3	—	—	1	—	1	—	—	5	1	1	1	—	1	—	1	—	—	10
11	—	—	—	1	1	2	—	—	—	—	1	—	10	7	—	2	—	—	—	1	4	3	11
12	2	1	2	6	9	2	1	1	2	1	2	7	18	19	2	3	1	2	3	3	7	16	12
13	—	—	1	1	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	13
14	—	—	—	—	1	2	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—	14
15	1	3	7	6	3	3	1	2	4	3	4	3	29	29	6	4	4	1	—	1	15	25	15
16	—	—	3	3	3	3	—	—	—	1	5	3	32	30	8	5	2	2	—	1	16	15	16
17	1	—	10	8	8	8	1	—	—	—	3	3	23	21	2	3	2	—	3	2	10	5	17
18	—	—	2	—	2	—	—	—	—	—	—	1	3	1	4	1	—	—	1	—	5	1	18
19	—	—	2	—	2	3	—	1	—	—	2	1	24	24	8	4	—	1	2	1	8	5	19
20	—	—	1	—	—	—	1	—	1	—	—	—	—	2	—	1	—	—	—	—	2	1	20
21	—	—	—	2	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	—	2	—	21
21A	1	—	—	—	—	1	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	21A
22	—	—	—	4	1	1	1	—	1	—	1	1	9	6	—	—	2	1	1	—	5	9	22
23	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	3	24
25	—	—	6	3	14	13	—	—	—	1	3	—	32	19	7	3	1	2	—	—	10	5	25
26	—	—	4	5	4	—	—	—	3	—	5	1	14	3	5	—	—	—	2	—	3	1	26
27	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	1	—	1	—	1	—	27
28	1	3	24	26	15	11	2	2	2	5	21	25	87	66	22	22	7	9	6	6	34	53	28
29	—	1	1	—	—	—	—	—	—	—	1	—	9	4	2	2	—	—	1	—	2	3	29

DERBYSHIRE—cont.

	Heage U.D.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlin- cote District U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	19	19	126	131	246	205	102	85	40	36	13	13	59	48	18	10	86	59	2	5	113	122	1
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	2
3	—	—	4	5	3	3	—	2	—	—	—	—	2	—	—	—	2	—	—	—	3	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	4
5	—	—	4	—	3	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	5
6	—	—	1	1	—	3	2	—	—	—	—	—	—	—	—	—	1	1	—	—	5	3	6
7	1	—	4	3	4	4	1	—	—	—	1	—	—	—	—	—	1	—	—	—	2	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	8
9	3	2	9	10	11	9	10	1	3	3	1	—	5	1	2	—	3	1	—	—	4	4	9
10	—	—	2	2	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	10
11	—	—	1	1	3	—	2	2	3	—	—	—	2	2	—	—	1	1	—	—	2	1	11
12	2	1	8	13	8	9	5	6	1	2	2	3	5	2	1	—	7	2	—	—	4	10	12
13	—	—	1	—	1	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	—	—	—	1	3	2	1	—	1	—	—	—	—	—	—	—	2	—	—	—	2	2	14
15	—	3	7	9	9	19	12	8	6	7	—	1	5	4	4	2	1	6	—	1	9	12	15
16	2	1	9	6	45	25	4	5	—	1	—	—	4	1	2	—	6	6	—	—	9	11	16
17	3	2	9	9	14	18	5	6	4	3	1	—	3	4	—	—	6	3	—	1	12	4	17
18	—	—	2	—	4	2	1	3	1	3	—	—	—	1	—	—	—	1	1	—	3	1	18
19	1	—	5	1	23	21	1	3	—	—	—	—	5	—	—	—	2	1	—	—	6	5	19
20	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	20
21	—	—	—	1	1	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	4	5	7	2	1	2	1	1	1	2	—	—	—	3	3	1	—	4	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	—	—	—	—	—	2	—	2	—	—	—	1	—	—	—	—	—	5	—	—	—	1	24
25	—	1	9	16	32	14	16	8	1	—	—	—	3	5	1	—	9	6	—	—	10	18	25
26	1	—	6	3	11	2	3	—	1	—	1	—	1	2	—	—	3	1	—	—	5	—	26
27	—	—	1	1	4	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	6	9	41	45	61	50	31	35	13	14	6	7	20	26	7	8	32	20	—	3	27	35	28
29	—	—	2	—	—	—	1	1	—	1	—	—	—	—	1	—	3	—	—	—	3	1	29

DERBYSHIRE—cont.

Causes of Death.				Whittington and Newbold U.D.	Wirksworth U.D.			Ashbourne R.D.	Bakewell R.D.	Belper R.D.	Blackwell R.D.	Chapel en le Frith R.D.	
				M	F	M	F	M	F	M	F	M	F
1	ALL CAUSES	112	133	25	20	57	55	126	129	126	119
2	Enteric fever	—	—	—	—	1	—	—	—	—	—
3	Small-pox	—	—	—	—	—	—	—	—	—	—
4	Measles	—	3	—	—	—	—	2	1	9	9
5	Scarlet fever	1	—	—	—	—	—	1	1	1	1
6	Whooping cough	—	6	—	—	1	—	1	1	2	4
7	Diphtheria and croup	—	3	—	—	—	1	1	2	5	1
8	Influenza	—	1	—	—	2	—	1	1	2	2
9	Erysipelas	—	1	—	—	—	—	1	—	—	—
10	Pulmonary tuberculosis	11	4	2	—	4	2	7	—	7	5
11	Tuberculous meningitis	2	—	—	—	1	—	1	—	6	8
12	Other tuberculous diseases	1	1	—	—	1	1	1	2	4	8
13	Cancer, malignant disease	1	10	1	5	7	9	11	15	10	15
14	Rheumatic fever...	2	—	1	—	—	—	1	—	1	—
15	Meningitis	1	2	—	—	—	—	1	—	1	3
16	Organic heart disease	13	7	5	1	6	6	15	21	8	16
17	Bronchitis	10	14	2	2	—	1	5	10	11	5
18	Pneumonia (all forms)	8	11	1	1	1	4	10	7	7	6
19	Other respiratory diseases	—	—	—	—	—	3	8	1	4	—
20	Diarrhoea, &c. (under 2 yrs.)	3	5	—	—	—	—	1	2	4	2
21	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	1	—
22	Cirrhosis of liver	—	—	—	—	1	1	1	1	—	1
23	Alcoholism	—	—	—	—	—	—	—	—	—	—
24	Nephritis and Bright's dis.	3	4	1	—	2	—	5	4	2	3
25	Puerperal fever	—	1	—	—	—	1	—	—	—	—
26	Parturition, apart from 23	—	2	—	—	—	1	—	1	—	—
27	Congenital debility, &c.	16	13	2	2	1	1	6	2	7	6
28	Violence, apart from 27	7	3	1	1	3	1	6	3	8	3
29	Suicide	—	1	—	—	1	1	1	—	—	5
30	Other defined diseases	31	41	8	8	25	21	43	52	47	45
31	Causes ill-defined or unknown.	2	—	1	—	—	1	1	1	—	5

DERBYSHIRE—cont.

Causes of Death.				Chesterfield R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		Repton R.D.		Shardlow R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	608	469	122	123	22	22	62	51	29	22	20	23	91	69	149	180	
1	Enteric fever	3	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	32	32	1	2	—	—	—	1	—	—	1	—	4	5	3	1	3
4	Scarlet fever	6	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough	8	8	—	1	—	—	2	2	—	—	—	—	—	1	1	3	5
6	Diphtheria and croup	6	13	2	1	—	—	—	1	1	—	—	—	—	1	1	1	6
7	Influenza	3	6	—	—	—	1	1	—	—	2	1	2	1	1	—	1	7
8	Erysipelas	1	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	32	17	4	7	—	—	3	2	3	—	1	1	8	9	13	12	9
10	Tuberculous meningitis	2	5	1	1	1	1	2	—	—	—	—	—	2	—	1	3	10
11	Other tuberculous diseases	9	6	2	3	—	—	1	—	—	—	—	—	—	—	2	2	11
12	Cancer, malignant disease	21	26	3	6	2	4	5	3	4	1	1	2	4	6	15	17	12
13	Rheumatic fever...	—	1	—	2	—	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	7	6	2	1	—	—	—	1	—	—	—	—	—	—	3	2	14
15	Organic heart disease	49	35	5	3	4	2	6	1	2	2	—	1	12	8	13	26	15
16	Bronchitis	47	34	5	8	1	3	7	7	1	3	—	—	3	3	4	16	16
17	Pneumonia (all forms)	54	36	12	8	1	1	7	3	—	1	2	4	8	4	5	7	17
18	Other respiratory diseases	8	2	5	5	1	—	2	—	—	—	1	1	1	—	2	1	18
19	Diarrhoea, &c. (under 2 yrs.)	30	21	4	3	1	1	—	1	—	—	1	—	1	—	7	4	19
20	Appendicitis and typhlitis	1	1	—	2	—	1	—	1	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver	8	4	1	—	—	—	1	—	—	—	—	—	1	—	2	—	21
21A	Alcoholism	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	13	14	2	5	1	—	1	2	1	—	1	—	4	1	5	4	22
23	Puerperal fever	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	2	23
24	Parturition, apart from 23	—	5	—	2	—	—	—	2	—	—	—	1	—	1	—	2	24
25	Congenital debility, &c.	67	40	17	18	1	1	4	8	2	—	—	3	5	2	11	5	25
26	Violence, apart from 27	34	5	10	2	—	—	3	1	3	—	1	—	6	1	11	9	26
27	Suicide	1	1	—	—	—	—	—	—	2	—	1	—	—	—	3	—	27
28	Other defined diseases	158	130	39	38	9	7	17	13	6	13	8	7	31	26	45	61	28
29	Causes ill-defined or unknown.	6	11	4	4	—	—	—	—	1	—	1	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

DERBYSHIRE—cont.

DEVONSHIRE.

		Sudbury R.D.		Codnor Park and Shipley C. P.'s*						Ash-burton U.D.		Bampton U.D.		Barn-staple M.B.		Bideford M.B.		Brixham U.D.		Buck-fastleigh U.D.		Budleigh Salterton U.D.			
		M	F	M	F					M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	—	11	16	8	9					25	24	14	6	99	97	34	51	51	51	9	21	10	19		1
2	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4	—	—	—	—	—					—	—	—	—	—	2	—	—	—	—	—	—	—	—		4
5	—	—	—	—	—					—	—	—	—	—	—	1	1	—	—	—	—	—	—		5
6	1	—	—	—	—					—	—	—	—	—	1	1	—	1	2	—	—	1	—		6
7	—	2	—	—	—					—	—	—	—	2	2	1	2	1	—	1	1	—	3		7
8	—	—	—	—	—					—	1	—	—	—	—	—	—	—	—	—	—	—	—		8
9	—	2	—	—	—					1	3	1	—	13	3	3	6	5	4	—	1	1	—		9
10	1	—	—	—	—					—	—	—	—	—	1	—	—	—	—	—	—	—	—		10
11	—	—	—	—	—					—	—	—	—	2	1	—	—	—	1	—	—	—	—		11
12	—	1	—	—	1					1	2	—	2	6	12	1	5	3	6	1	—	3	1		12
13	—	—	—	—	—					—	—	—	—	—	—	—	1	—	—	—	—	—	—		13
14	—	1	—	—	—					—	—	—	—	—	2	—	—	—	—	—	—	—	—		14
15	—	—	—	1	1					3	5	1	—	4	13	3	7	7	7	3	3	—	4		15
16	1	—	—	—	—					7	4	2	—	5	8	1	2	3	2	—	2	—	—		16
17	2	—	—	—	3					1	—	—	—	4	3	1	—	6	4	—	3	—	3		17
18	2	—	—	—	—					—	—	—	—	1	1	—	1	—	1	—	—	—	—		18
19	—	—	—	—	—					—	—	—	—	5	2	—	2	1	—	—	—	—	—		19
20	—	—	—	—	—					—	—	—	—	1	—	—	1	1	—	—	—	1	1		20
21	—	—	—	—	—					—	—	—	—	2	1	1	1	—	—	—	—	—	—		21
21A	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	2	—	—	1	—					2	—	1	—	5	3	3	3	2	2	—	—	1	—		22
23	—	—	—	—	—					—	—	—	—	—	—	—	1	—	—	—	—	—	—		23
24	—	—	—	—	—					—	—	—	—	—	1	—	—	—	—	—	—	—	—		24
25	—	—	—	1	1					1	1	—	—	6	4	2	2	4	—	—	1	—	—		25
26	—	—	—	2	—					—	1	2	1	—	3	2	1	1	—	—	1	—	—		26
27	—	1	—	—	—					—	—	—	—	2	—	—	—	1	—	1	—	—	—		27
28	2	9	2	3	—					9	7	6	3	40	32	13	14	14	19	3	9	2	7		28
29	—	—	—	—	—					—	—	1	—	3	—	—	—	1	—	—	—	—	—		29

DEVONSHIRE—cont.

		Crediton U.D.		Dart-mouth M.B.		Dawlish U.D.		East Stone-house U.D.		Ex-mouth U.D.		Great Tor-ington M.B.		Heavi-tree U.D.†		Hols-worthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	—	31	34	52	32	29	23	136	105	55	82	32	37	46	59	7	8	17	25	68	55	11	9		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4	—	—	—	—	—	1	—	5	6	—	—	1	—	2	2	—	—	1	—	—	—	—	—		4
5	—	—	—	—	—	—	1	4	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—		5
6	—	1	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	—	—	—	1	—	—		6
7	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	1	5	—	—		7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	3	—	—	6	5	2	1	12	12	4	4	5	3	8	5	1	1	—	2	11	1	—	2		9
10	—	—	—	1	1	—	—	—	3	—	—	1	1	1	2	—	—	—	—	—	—	—	—		10
11	1	3	1	2	—	—	—	2	1	1	—	1	—	3	2	1	—	—	—	1	—	—	—		11
12	6	5	1	2	3	1	8	5	5	13	1	4	—	6	4	1	2	3	5	6	9	—	—		12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		13
14	—	1	—	—	—	1	—	—	3	—	—	1	—	1	—	—	—	—	—	1	—	—	—		14
15	2	4	5	1	—	4	—	12	7	6	13	1	4	3	3	2	—	1	4	8	6	2	—		15
16	1	1	2	—	5	3	7	11	4	2	3	5	2	2	2	1	—	2	—	3	2	1	1		16
17	1	1	4	1	3	2	8	2	3	5	2	1	—	2	1	—	1	1	2	2	1	—	—		17
18	2	—	—	1	—	1	6	3	1	3	—	1	—	1	1	—	—	—	2	1	—	—	—		18
19	—	—	5	1	2	—	12	6	1	—	2	1	—	1	2	—	—	—	—	—	—	—	—		19
20	—	—	—	—	—	—	2	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—		20
21	—	1	—	—	—	—	2	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	3	1	4	—	1	—	2	—	3	2	1	4	—	2	2	—	1	—	—	2	2	—	1		22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		23
24	—	—	—	1	—	—	—	—	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—		24
25	—	1	3	1	—	1	14	3	2	2	—	1	3	3	1	—	1	1	3	3	—	—	—		25
26	—	—	2	1	—	—	8	3	1	—	—	—	1	—	1	—	—	1	2	—	—	—	—		26
27	1	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		27
28	11	12	16	14	11	8	25	34	24	29	10	8	—	12	27	—	1	6	9	26	23	6	4		28
29	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		29

* Administered by Basford R.D.C. (Nottinghamshire).

† Abolished 9th November, 1913.

DEVONSHIRE—cont.

Causes of Death.		Kings- bridgeU.D.		Lynton U.D.		Newton Abbot U.D.		Northam U.D.		Okeham- ton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	20	27	11	11	89	104	39	31	16	19	34	38	79	88	14	19	1
1 Enteric fever	...	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	3	—	—	3	3	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	—	7
7 Influenza	...	—	—	—	—	—	8	1	5	—	—	—	—	1	—	—	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	1	3	—	1	5	13	2	3	2	5	2	3	9	8	—	1	10
10 Tuberculous meningitis	...	—	—	—	—	2	1	1	1	—	1	—	—	2	—	—	—	11
11 Other tuberculous diseases	...	1	1	—	1	3	—	—	—	—	—	1	—	—	—	—	—	12
12 Cancer, malignant disease	...	—	2	—	1	4	10	2	2	—	1	3	7	4	13	1	2	13
13 Rheumatic fever...	...	1	1	—	—	1	2	—	1	1	—	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	15
15 Organic heart disease	...	1	3	—	2	18	12	5	2	2	1	5	5	7	9	3	1	16
16 Bronchitis	...	3	3	—	—	8	9	3	1	—	2	4	2	2	4	1	2	17
17 Pneumonia (all forms)	...	—	—	2	—	5	5	4	—	—	1	2	1	6	6	2	1	18
18 Other respiratory diseases	...	—	1	—	—	2	3	1	—	3	1	3	—	2	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	2	—	—	2	—	—	1	—	—	1	—	2	2	—	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	2	1	—	—	—	—	—	1	1	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	1	—	—	—	1	1	2	1	—	—	1	2	2	4	—	1	23
23 Puerperal fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	2	—	—	—	1	—	1	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	...	1	—	1	1	3	2	3	—	—	—	3	—	3	8	1	1	26
26 Violence, apart from 27	...	2	—	1	—	4	—	2	—	1	—	2	—	3	—	1	—	27
27 Suicide	...	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	28
28 Other defined diseases	...	9	6	6	5	24	25	12	8	6	4	7	16	33	31	4	8	29
29 Causes ill-defined or un- known.	...	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	29

DEVONSHIRE—cont.

Causes of Death.		Seaton U.D.		Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teign- mouth U.D.		Tiverton M.B.		Torquay M.B.		Totnes M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	9	7	30	30	15	17	27	34	62	65	69	59	244	290	40	25	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	4
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
5 Whooping cough	...	—	—	—	—	—	—	—	—	3	—	—	—	1	3	—	—	6
6 Diphtheria and croup	...	—	—	—	—	—	—	—	—	—	—	—	—	4	5	—	—	7
7 Influenza	...	—	—	1	—	1	—	1	—	1	1	1	1	4	4	—	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	—	—	1	3	1	1	—	2	2	3	6	2	17	20	—	—	10
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	—	1	—	1	—	—	4	1	—	11
11 Other tuberculous diseases	...	—	—	—	—	—	—	1	—	3	1	2	1	3	2	—	1	12
12 Cancer, malignant disease	...	1	—	2	2	1	5	3	6	5	5	2	4	20	34	2	3	13
13 Rheumatic fever...	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	15
15 Organic heart disease	...	2	1	3	4	1	—	1	5	8	4	15	3	41	45	6	5	16
16 Bronchitis	...	—	—	3	2	—	1	1	1	1	6	9	10	13	26	1	2	17
17 Pneumonia (all forms)	...	—	2	1	3	—	—	—	4	1	2	3	3	12	13	1	—	18
18 Other respiratory diseases	...	—	—	—	—	—	—	—	1	—	2	—	1	3	7	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	—	—	1	1	—	—	1	—	5	2	1	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	1	1	—	—	—	—	—	1	4	—	—	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	3	—	1	—	—	1	1	2	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	1	—	3	4	3	2	—	1	—	1	3	2	6	6	3	—	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	—	—	1	—	—	—	3	—	2	25
25 Congenital debility, &c.	...	2	—	2	—	—	—	—	1	2	4	3	3	8	5	—	—	26
26 Violence, apart from 27	...	1	—	1	—	—	—	—	1	4	1	1	—	6	4	1	—	27
27 Suicide	...	1	—	—	—	—	—	—	—	—	—	1	—	3	—	—	—	28
28 Other defined diseases	...	1	4	13	12	8	6	14	11	29	32	21	26	88	101	23	10	29
29 Causes ill-defined or un- known.	...	—	—	—	—	—	—	—	—	1	—	—	2	3	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

DEVONSHIRE—cont.

	Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Hols- worthy (pt.) R.D.*		Honiton R.D.		Kings- bridge. R.D.		Newton Abbot R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	87	67	91	107	36	47	8	12	58	66	31	18	44	39	63	43	74	68	128	142	1
2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	1	—	1	—	—	—	—	1	—	—	1	1	—	—	1	—	—	—	4
5	—	1	—	1	—	3	—	—	—	—	1	—	1	1	—	—	2	1	2	—	5
6	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	1	2	3	8	6
7	1	2	1	2	4	5	—	—	—	6	—	—	—	—	1	1	1	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	6	3	8	6	3	3	—	—	4	5	2	1	2	2	5	1	5	4	9	9	9
10	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	10
11	2	2	—	2	—	—	—	—	1	1	—	—	2	2	—	—	—	—	2	2	11
12	3	7	10	8	3	8	1	1	6	3	5	4	3	5	4	5	7	8	12	11	12
13	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	14
15	15	12	8	11	2	5	1	—	8	10	7	6	6	2	8	10	10	9	15	22	15
16	5	3	3	9	2	2	2	—	2	2	4	—	2	2	7	3	3	2	8	14	16
17	3	1	3	6	2	5	1	—	1	2	2	1	1	1	5	—	5	1	12	7	17
18	—	1	—	3	—	1	—	—	2	1	—	—	—	—	3	—	—	2	2	1	18
19	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	3	19
20	1	—	1	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	20
21	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	5	6	2	2	—	1	4	5	1	—	3	3	1	4	1	2	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	—	—	1	—	—	—	2	—	1	—	—	—	—	24
25	5	1	7	4	3	2	—	1	4	1	1	1	2	3	5	—	2	2	7	5	25
26	4	4	3	3	—	—	—	—	4	3	2	—	2	—	1	1	5	1	6	4	26
27	2	—	2	—	—	—	—	—	3	—	—	—	1	—	1	—	—	—	4	1	27
28	36	26	38	44	12	9	3	9	17	23	4	4	16	15	21	16	27	26	42	51	28
29	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	1	—	29

DEVONSHIRE—cont.

DORSETSHIRE.

	Oke- hampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		Totnes R.D.			Blandford Forum M.B.		Bridport M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
1	107	101	143	139	174	142	51	71	90	113	96	87	62	53	85	63		21	26	51	56	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	1	2		—	—	—	—	3
4	—	1	1	—	—	—	—	—	—	1	—	—	—	—	1	—		—	1	—	—	4
5	—	3	—	—	2	—	—	1	—	—	—	—	—	1	—	—		—	—	—	—	5
6	3	—	2	1	3	2	—	2	2	—	—	—	—	—	1	1		2	1	—	1	6
7	1	—	3	5	4	1	3	2	2	—	3	5	1	—	—	2		2	—	—	1	7
8	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—		—	—	—	—	8
9	11	12	8	12	19	4	5	5	5	9	6	6	3	3	11	6		1	1	5	3	9
10	2	2	—	—	2	3	—	—	2	—	1	—	—	—	1	3		—	—	—	—	10
11	7	2	1	2	3	1	—	2	2	—	—	—	—	3	2	—		—	—	—	3	11
12	6	7	9	8	10	9	9	8	9	13	6	4	9	6	5	3		—	3	8	7	12
13	—	—	—	1	1	—	—	1	—	1	2	—	1	—	—	—		—	—	—	—	13
14	—	—	1	2	1	1	—	—	—	—	2	—	—	—	—	1		—	—	—	—	14
15	6	10	14	12	16	22	5	8	16	15	13	14	5	9	9	8		3	8	3	5	15
16	7	8	4	5	17	12	2	1	6	8	8	8	5	1	5	3		3	1	7	2	16
17	3	5	13	6	9	9	2	2	3	6	2	2	3	3	2	1		—	—	2	3	17
18	5	1	1	2	2	4	1	2	3	1	3	3	3	—	3	—		—	1	1	2	18
19	1	1	7	3	3	—	—	—	—	1	1	—	—	1	1	—		—	—	1	—	19
20	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—		—	—	—	1	20
21	—	—	1	—	2	1	1	—	—	1	—	—	—	—	—	—		—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	2	4	3	3	11	4	1	5	3	2	7	4	—	3	1	2		—	—	2	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	23
24	—	—	—	4	—	1	—	1	—	2	—	4	—	—	—	—		—	—	—	—	24
25	8	5	7	6	10	6	1	4	3	1	3	4	4	2	6	1		—	—	2	3	25
26	2	4	7	4	7	5	6	1	3	6	2	1	2	2	7	1		1	3	2	1	26
27	3	—	2	1	2	1	—	1	2	—	2	—	—	—	1	1		—	—	—	—	27
28	38	34	56	60	46	54	14	25	29	45	32	29	24	19	27	26		9	7	17	24	28
29	2	1	—	—	1	—	—	—	1	1	—	2	1	—	1	1		—	—	—	—	29

* The remainder of Holsworthy R.D. is in Cornwall; see page 438.

DORSETSHIRE—cont.

Causes of Death.	Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		Shaftes- bury M.B.		Sher- borne U.D.		Swanage U.D.		Ware- ham M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	68	75	15	12	223	220	72	51	13	10	39	31	19	23	20	11	1
1 Enteric fever	—	—	—	—	2	2	3	—	—	—	—	—	—	—	1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	1	—	—	7	8	—	2	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	1	7	—	—	5	6	2	3	—	—	1	1	—	—	—	—	7
7 Influenza	1	1	—	1	3	2	1	1	—	—	—	1	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	2	1	—	12	19	5	3	1	—	4	—	3	—	1	—	10
10 Tuberculous meningitis	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	12
12 Cancer, malignant disease	6	12	1	1	19	26	3	5	3	—	2	3	—	5	1	—	13
13 Rheumatic fever... ..	—	—	—	—	2	1	1	2	—	—	1	—	—	—	—	—	14
14 Meningitis	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	12	9	1	3	22	23	6	6	1	1	6	3	1	3	5	2	16
16 Bronchitis	2	3	2	2	17	8	4	4	1	3	5	1	1	2	—	2	17
17 Pneumonia (all forms)	5	3	—	1	12	11	5	3	—	1	1	—	1	—	2	—	18
18 Other respiratory diseases	3	1	—	—	6	1	1	—	1	2	—	1	1	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	4	5	1	—	—	—	—	—	—	1	1	—	20
20 Appendicitis and typhlitis	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	21
21 Cirrhosis of liver	—	1	1	—	1	—	1	—	—	—	—	—	1	—	—	—	21A
21A Alcoholism	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	2	—	—	9	5	3	1	1	—	1	2	1	1	—	—	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	1	—	—	17	10	3	2	—	—	4	4	—	—	3	1	26
26 Violence, apart from 27	4	1	1	—	7	4	7	1	—	—	2	1	1	—	—	—	27
27 Suicide	1	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases	21	27	7	4	73	79	22	17	5	3	11	14	8	11	6	6	29
29 Causes ill-defined or un- known.	—	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	

DORSETSHIRE—cont.

Causes of Death.	Weymouth and Mel- combe Regis M.B.		Wim- borne Minster U.D.		Bea- minster R.D.		Bland- ford R.D.		Bridport R.D.		Cerne R.D.		Dor- chester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	147	131	27	19	67	63	64	46	43	45	40	27	56	49	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	2	—	—	—	1	—	—	—	—	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	—	—	—	1	—	—	—	—	1	—	—	6
6 Diphtheria and croup	1	2	—	—	1	—	—	—	—	—	—	—	1	—	7
7 Influenza	6	2	1	—	3	3	1	1	2	1	1	1	2	2	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	9	7	2	1	2	3	4	—	2	1	4	1	3	4	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	11
11 Other tuberculous diseases	—	1	—	—	—	—	3	—	—	—	—	—	1	3	12
12 Cancer, malignant disease	17	15	5	6	5	6	8	5	—	4	3	—	8	8	13
13 Rheumatic fever... ..	1	1	—	—	2	—	—	—	—	—	1	—	—	—	14
14 Meningitis	2	2	—	—	—	—	1	—	—	—	—	—	—	—	15
15 Organic heart disease	14	21	3	3	3	9	9	8	4	8	2	4	5	11	16
16 Bronchitis	8	3	4	1	10	2	2	7	3	1	2	3	4	1	17
17 Pneumonia (all forms)	8	6	1	—	1	2	4	1	2	1	1	—	4	3	18
18 Other respiratory diseases	3	2	—	—	—	—	2	1	1	—	2	1	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	1	3	—	—	—	—	1	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	1	1	—	—	1	—	—	1	1	1	—	—	—	—	21
21 Cirrhosis of liver	2	—	1	—	1	—	1	—	—	1	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	10	8	—	—	—	2	1	—	2	—	3	1	3	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	2	—	—	—	3	—	1	—	2	—	—	—	1	25
25 Congenital debility, &c.	6	9	1	—	6	2	4	—	3	3	4	3	2	2	26
26 Violence, apart from 27	6	2	1	—	1	1	1	3	2	—	3	1	3	1	27
27 Suicide	—	—	—	—	1	1	1	—	2	1	—	—	1	—	28
28 Other defined diseases	49	41	7	7	30	28	22	14	18	21	13	11	19	11	29
29 Causes ill-defined or un- known.	—	1	—	1	—	—	—	1	1	—	—	—	—	—	

ADMINISTRATIVE AREAS, 1913—continued.

DORSETSHIRE—cont.

DURHAM.

	Poole R.D.		Shaftes- bury R.D.		Sherborne R.D.		Stur- minster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.						Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
1	32	33	65	49	41	46	68	59	72	56	42	49	102	73					122	151	31	39	1
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—					—	1	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	1	—	—					—	—	—	—	3
4	—	1	—	—	—	—	—	—	—	—	—	—	—	—					8	3	—	—	4
5	1	2	—	—	—	—	2	—	—	—	—	—	2	—					—	2	—	—	5
6	—	—	—	—	1	1	—	—	—	—	—	—	1	—					1	4	—	—	6
7	—	—	3	—	3	6	1	2	—	—	1	2	3	—					4	3	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1	1	—	—	8
9	2	3	3	1	3	1	5	5	9	4	4	2	6	2					—	—	—	—	9
10	—	—	—	1	—	—	—	—	—	—	—	3	—	2					3	11	—	7	10
11	1	—	1	2	—	—	1	—	—	1	—	—	—	3					4	2	—	—	11
12	1	3	9	3	6	4	7	8	9	9	6	2	7	9					6	8	—	2	12
13	—	—	1	—	—	—	—	—	1	—	—	—	—	—					3	8	3	4	13
14	—	1	—	—	—	1	—	1	—	1	—	—	—	—					1	—	—	—	13
15	5	7	9	6	3	11	7	8	14	10	9	10	12	12					2	2	—	—	14
16	2	1	6	4	2	2	3	3	5	7	4	5	4	4					4	17	5	7	15
17	—	1	3	5	1	1	4	1	1	—	—	2	4	2					13	9	1	—	16
18	—	—	—	—	1	—	2	1	—	2	1	1	2	1					8	13	3	2	17
19	—	2	1	—	1	—	—	—	—	—	—	—	2	—					2	1	—	1	18
20	—	—	—	3	—	—	—	—	—	—	—	—	—	—					8	6	2	—	19
21	—	—	1	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	20
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	1	21
22	1	—	1	1	3	2	4	1	1	1	2	1	2	1					—	—	—	—	21A
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1	4	1	1	22
24	—	1	—	—	—	—	—	—	—	—	—	1	—	2					—	—	—	—	23
25	6	—	4	4	4	1	2	3	3	1	4	2	13	2					—	—	—	—	24
26	—	1	1	—	1	2	7	—	5	3	1	—	2	5					13	17	3	1	25
27	—	—	2	—	1	—	—	—	1	—	—	—	1	1					6	4	—	—	26
28	13	9	19	19	10	14	23	26	21	17	7	18	41	27					—	2	—	—	27
29	—	—	1	—	1	—	—	—	2	—	—	—	2	—					34	31	13	12	28
																			—	2	—	1	29

DURHAM—cont.

Benfield- side U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Darlington M.B.		Durham M.B.		Felling U.D.		Hartlepool M.B.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	76	50	127	91	240	201	148	154	100	79	119	96	99	432	372	174	123	223	176	219	178
2	1	—	—	1	1	—	2	1	—	—	—	1	—	—	—	—	—	2	—	—	—
3	10	2	—	—	9	4	1	—	4	2	7	2	2	7	2	2	—	1	1	10	17
4	1	—	—	1	—	1	6	12	1	1	1	—	2	6	1	1	1	1	—	—	—
5	1	—	1	4	—	1	1	2	1	1	—	—	2	2	4	2	—	3	2	4	5
6	3	1	—	—	1	4	9	12	2	1	2	—	1	6	6	—	2	1	—	1	6
7	—	—	6	3	1	1	2	—	3	—	1	—	3	12	7	—	1	—	2	1	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	1	1	—	8
9	7	2	9	4	12	5	7	5	8	2	4	2	8	36	24	10	6	15	11	11	8
10	2	—	1	—	4	2	1	1	1	2	3	1	—	1	8	5	1	5	3	4	1
11	—	—	3	3	3	4	3	2	2	3	3	—	2	9	7	2	1	6	6	4	1
12	2	2	9	7	3	13	7	4	9	8	4	3	6	8	30	34	8	11	10	9	10
13	—	—	—	1	—	—	—	1	—	—	2	1	4	—	1	1	—	1	1	—	13
14	—	—	1	1	2	5	2	4	2	1	4	—	1	2	3	2	6	5	2	2	14
15	6	8	16	5	13	9	12	10	2	6	7	3	7	21	35	12	13	15	16	23	19
16	2	2	8	7	13	13	4	12	4	6	11	7	8	3	24	30	17	17	12	22	8
17	4	5	6	6	29	18	22	21	6	7	10	8	16	6	19	21	8	16	18	23	18
18	1	4	—	2	7	3	1	1	1	1	2	1	—	1	11	5	4	2	1	1	—
19	3	2	4	5	26	15	12	12	5	3	7	6	4	3	19	10	12	4	5	10	9
20	—	—	1	—	—	—	1	1	—	—	1	—	1	—	3	—	2	2	1	—	2
21	1	1	—	—	1	1	—	—	—	—	—	—	2	—	6	—	1	1	1	1	2
21A	—	—	1	—	1	—	1	—	—	—	—	—	2	—	2	—	4	—	—	—	21A
22	—	—	6	4	8	7	7	2	2	3	4	2	5	5	11	9	4	5	7	5	3
23	—	—	—	—	—	—	—	—	—	3	—	1	—	—	3	—	2	—	—	—	1
24	—	1	—	1	—	6	—	—	—	—	—	—	—	—	2	—	1	—	2	—	2
25	6	4	11	8	30	25	11	17	9	5	10	4	11	11	35	28	11	31	14	16	13
26	3	1	5	3	11	3	5	—	3	4	6	—	1	3	12	10	9	9	—	12	3
27	—	—	3	2	2	—	1	—	—	—	1	—	—	1	6	—	—	2	1	2	1
28	22	15	34	23	54	59	28	30	33	20	29	29	19	27	131	119	52	59	53	54	28
29	1	—	2	—	5	2	3	1	1	—	—	—	1	2	11	3	3	6	2	4	—

DURHAM—cont.

Causes of Death.		Hebburn U.D.		Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	209	151	158	140	96	77	333	254	48	44	89	79	151	132	98	111	1
1 Enteric fever	...	—	2	1	1	1	1	1	—	—	—	1	1	1	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	2	5	7	8	5	—	3	2	6	3	3	2	10	4	—	—	4
4 Scarlet fever	...	1	—	1	1	—	1	—	1	—	—	2	—	1	—	—	—	5
5 Whooping cough	...	—	4	1	—	—	—	1	1	1	1	—	1	1	2	1	—	6
6 Diphtheria and croup	...	2	2	3	3	2	—	4	1	1	—	1	1	—	—	1	—	7
7 Influenza	...	4	1	1	1	2	1	4	2	—	—	—	1	—	2	2	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	9
9 Pulmonary tuberculosis	...	17	15	12	8	1	4	29	24	1	4	4	9	6	6	5	9	10
10 Tuberculous meningitis	...	9	3	1	3	1	—	2	3	2	—	5	—	1	1	1	1	11
11 Other tuberculous diseases	...	6	6	4	8	—	—	12	2	1	1	4	2	3	6	4	2	12
12 Cancer, malignant disease	...	9	11	6	6	2	9	13	20	—	—	3	6	3	5	2	7	13
13 Rheumatic fever...	...	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	...	5	—	2	1	1	2	6	6	—	2	—	1	—	—	1	1	15
15 Organic heart disease	...	15	15	14	12	7	5	23	15	2	3	6	3	13	13	8	13	16
16 Bronchitis	...	13	8	4	5	4	3	19	27	4	7	5	3	8	6	11	15	17
17 Pneumonia (all forms)	...	20	10	25	9	12	7	50	30	5	1	9	9	22	15	2	6	18
18 Other respiratory diseases	...	2	1	5	—	1	1	4	—	—	—	2	1	3	1	2	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	9	9	6	7	12	8	14	10	4	3	2	1	13	9	7	11	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	2	—	—	—	—	3	—	1	—	1	21
21 Cirrhosis of liver	...	1	—	2	—	—	—	—	2	—	—	—	—	—	1	1	1	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	5	1	4	2	—	4	9	—	2	—	1	—	4	1	2	23
23 Puerperal fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	1	—	1	—	3	—	3	—	—	—	2	—	—	—	1	25
25 Congenital debility, &c.	...	21	25	23	23	7	12	29	19	3	2	12	6	24	19	8	10	26
26 Violence, apart from 27	...	18	4	11	2	9	2	12	4	3	—	7	—	5	2	6	1	27
27 Suicide	...	2	1	—	—	—	—	5	—	—	—	1	—	1	1	—	—	28
28 Other defined diseases	...	48	21	26	33	23	16	87	70	14	14	21	23	33	31	33	29	29
29 Causes ill-defined or un-known.	...	1	2	2	3	3	1	8	1	—	1	—	3	1	3	2	—	29

DURHAM—cont.

Causes of Death.		South- wick on Wear U.D.		Spenny- moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	119	126	138	126	16	16	214	172	518	455	70	65	34	23	140	127	1
1 Enteric fever	...	—	—	—	—	—	—	2	1	3	3	—	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	1	—	—	—	—	3	5	22	16	—	2	1	—	3	—	4
4 Scarlet fever	...	—	1	—	—	—	—	—	—	2	5	1	2	—	—	—	1	5
5 Whooping cough	...	1	1	5	5	—	—	2	4	9	12	—	—	—	2	1	—	6
6 Diphtheria and croup	...	—	—	3	—	—	—	2	5	2	—	2	—	1	—	1	2	7
7 Influenza	...	2	—	3	—	—	—	4	1	2	3	1	—	—	—	1	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	9
9 Pulmonary tuberculosis	...	9	8	5	4	1	—	13	9	43	40	4	2	2	—	16	7	10
10 Tuberculous meningitis	...	1	2	—	2	—	—	3	2	6	7	—	—	—	—	—	1	11
11 Other tuberculous diseases	...	—	2	4	3	—	1	9	10	19	12	1	1	2	—	4	1	12
12 Cancer, malignant disease	...	2	9	3	6	—	—	5	7	23	24	2	5	1	2	10	5	13
13 Rheumatic fever...	...	—	2	—	—	—	—	—	1	1	2	—	1	1	—	—	—	14
14 Meningitis	...	3	4	2	1	—	—	2	6	3	6	—	—	—	—	1	—	15
15 Organic heart disease	...	7	2	3	7	5	4	11	10	42	39	5	5	1	1	11	4	16
16 Bronchitis	...	7	8	9	9	2	1	12	9	50	40	6	2	4	—	9	14	17
17 Pneumonia (all forms)	...	15	9	8	10	—	2	24	10	64	46	14	8	3	—	14	9	18
18 Other respiratory diseases	...	1	3	2	2	—	—	3	2	7	5	1	1	—	—	2	3	19
19 Diarrhoea, &c. (under 2 yrs.)	...	11	17	14	12	—	—	15	11	13	16	4	7	2	—	10	7	20
20 Appendicitis and typhlitis	...	—	1	1	—	—	—	—	1	1	—	1	—	—	—	1	—	21
21 Cirrhosis of liver	...	—	—	1	1	—	—	—	2	—	—	1	—	—	—	2	1	21A
21A Alcoholism	...	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	2	5	4	6	—	—	7	3	6	13	2	2	2	4	4	2	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	24
24 Parturition, apart from 23	...	—	4	—	2	—	—	—	3	—	4	—	—	—	—	—	3	25
25 Congenital debility, &c.	...	15	9	14	18	1	2	32	28	43	40	5	6	1	1	17	21	26
26 Violence, apart from 27	...	7	2	8	1	—	—	10	3	20	6	4	—	2	—	5	1	27
27 Suicide	...	2	—	1	—	1	—	—	1	6	3	—	—	—	—	—	2	28
28 Other defined diseases	...	34	35	46	35	5	5	51	39	124	108	15	21	11	13	27	36	29
29 Causes ill-defined or un-known.	...	—	1	2	2	1	1	1	1	—	—	1	—	—	—	1	1	29

ADMINISTRATIVE AREAS, 1913—continued.

DURHAM—cont.

Willington U.D.		Auckland R.D.		Barnard Castle R.D.		Chester le Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton le Spring R.D.		Lanchester R.D.		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
59	56	452	473	117	86	519	428	86	83	265	245	616	479	14	12	206	198	248	217	
1	—	1	2	—	—	2	2	—	—	1	—	4	4	—	—	5	3	3	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	6	7	6	1	25	8	—	1	8	4	30	21	—	—	6	3	4	11	3
4	1	3	6	1	—	2	2	—	—	5	6	9	7	—	—	1	5	2	3	4
5	1	6	8	3	4	6	6	—	—	5	4	—	4	—	—	1	4	3	1	5
6	—	6	7	1	—	3	9	1	1	1	4	6	9	—	—	3	1	8	8	6
7	3	8	15	5	2	7	3	2	—	—	1	13	—	2	1	1	1	2	2	7
8	—	1	3	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	8
9	—	18	28	4	5	26	21	4	11	10	10	32	16	2	1	3	9	12	16	9
10	—	4	6	—	—	11	6	—	1	5	1	11	8	1	—	2	1	4	1	10
11	—	12	8	1	1	18	15	1	2	7	8	28	18	1	1	7	6	1	2	11
12	2	21	18	8	3	20	22	7	12	8	17	12	26	1	1	10	10	9	6	12
13	—	3	3	—	—	2	1	—	1	1	—	1	2	—	—	1	1	3	2	13
14	1	5	4	2	3	7	5	—	—	1	5	11	5	—	—	2	2	3	5	14
15	3	32	38	14	7	33	32	4	8	21	17	31	26	1	1	8	12	17	20	15
16	9	48	47	11	3	32	20	5	4	23	19	46	33	—	1	9	11	17	15	16
17	—	40	32	2	3	33	43	7	2	23	22	47	37	2	2	17	8	32	25	17
18	3	4	8	3	—	5	5	2	—	1	3	16	10	1	—	3	2	2	2	18
19	5	26	30	1	—	27	32	1	1	16	10	49	39	—	—	12	17	18	17	19
20	—	3	—	—	—	3	2	—	—	1	3	3	1	—	—	2	1	1	1	20
21	1	2	1	2	1	1	1	—	—	3	1	1	2	—	—	3	1	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	21A
22	—	12	13	3	1	9	21	1	1	5	2	21	17	—	—	4	4	5	4	22
23	—	—	1	—	1	—	1	—	1	—	3	—	1	—	—	—	1	—	—	23
24	—	—	14	—	4	—	6	—	1	—	6	—	9	—	—	—	5	—	6	24
25	6	42	44	6	6	79	59	7	6	23	17	65	53	2	1	43	23	26	17	25
26	1	20	7	3	—	37	5	2	1	10	9	42	3	—	—	13	4	18	5	26
27	1	3	—	1	1	7	1	2	—	2	2	5	2	—	—	—	4	1	—	27
28	22	125	117	37	38	118	98	37	27	82	68	129	117	1	3	49	59	53	45	28
29	—	1	6	3	2	5	2	2	2	2	3	3	8	—	—	1	—	1	3	29

DURHAM—cont.

ELY, ISLE OF.

Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.		Chatteris U.D.		Ely U.D.		March U.D.		Whittlesey U.D.		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
254	217	117	89	137	109	267	230	48	55	39	37	56	38	52	45	38	33	
1	—	—	—	2	—	2	—	—	—	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	4	2	—	5	5	16	10	—	—	2	4	2	—	—	—	3	2	3
4	3	3	3	1	1	9	6	—	1	—	—	—	—	—	—	—	—	4
5	1	2	2	2	2	3	2	1	1	—	—	5	1	—	—	1	3	5
6	3	2	1	1	2	2	—	—	—	—	—	1	1	—	—	—	1	6
7	1	2	2	1	1	4	1	—	—	—	—	—	1	1	—	—	—	7
8	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	9	3	3	6	2	10	17	2	6	1	3	4	5	5	3	2	—	9
10	2	2	—	2	2	6	1	—	—	—	—	1	—	1	—	—	—	10
11	7	4	5	1	—	4	1	—	1	—	1	—	1	—	—	—	1	11
12	13	5	6	13	6	9	10	5	3	3	6	4	4	6	4	4	5	12
13	2	—	—	2	—	—	2	—	1	—	—	—	—	—	—	—	—	13
14	6	1	4	1	1	2	3	1	—	—	1	—	1	—	—	1	—	14
15	13	10	7	15	28	13	6	—	8	1	2	4	6	4	8	3	—	15
16	13	5	5	8	5	23	26	3	2	1	1	4	2	5	8	2	3	16
17	26	10	8	16	15	18	6	3	2	4	—	3	2	—	—	1	—	17
18	1	2	2	1	3	5	5	—	1	—	1	—	—	1	—	1	1	18
19	14	8	3	4	2	16	17	—	1	2	1	—	—	1	2	1	—	19
20	1	1	—	1	—	—	1	—	—	—	—	1	—	1	—	1	—	20
21	—	2	—	—	—	1	2	—	1	—	—	1	—	1	—	1	1	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	8	6	4	4	—	8	5	—	3	4	2	1	—	1	—	1	—	22
23	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	—	23
24	—	4	1	—	2	—	6	—	—	—	—	—	—	—	—	—	—	24
25	40	9	10	14	13	27	24	2	1	3	3	7	2	2	5	4	2	25
26	24	3	2	4	2	10	5	2	1	2	1	4	—	10	—	2	—	26
27	6	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	27
28	55	29	20	41	29	62	60	23	21	11	9	14	11	13	15	9	14	28
29	1	1	1	1	—	1	3	—	1	2	1	—	—	—	—	1	—	29

CAUSES OF DEATH IN

ELY, ISLE OF—*cont.*

Causes of Death.				Wisbech M.B.				Ely R.D.		North Witchford R.D.		Thorney R.D.		Whittle- sey R.D.		Wisbech R.D.			
				M	F			M	F	M	F	M	F	M	F	M	F		
ALL CAUSES				83	64			90	78	39	38	6	9	23	16	76	46		
1	Enteric fever			—	—			—	—	1	—	—	—	—	—	—	—	1	
2	Small-pox			—	—			—	—	—	—	—	—	—	—	—	—	2	
3	Measles			1	—			—	—	—	—	—	—	—	1	—	—	3	
4	Scarlet fever			—	—			—	—	—	—	—	—	—	—	—	—	4	
5	Whooping cough			—	—			—	1	—	—	—	—	—	2	—	—	5	
6	Diphtheria and croup			—	—			—	—	—	—	—	—	—	—	—	—	6	
7	Influenza			3	—			4	2	—	—	—	—	—	—	3	—	7	
8	Erysipelas			—	—			—	1	—	—	—	—	—	—	—	—	8	
9	Pulmonary tuberculosis			8	2			8	2	4	1	1	—	2	1	4	2	9	
10	Tuberculous meningitis			3	1			1	3	—	—	—	—	—	—	—	—	10	
11	Other tuberculous diseases			1	1			—	1	—	—	—	—	—	—	1	—	11	
12	Cancer, malignant disease			3	11			7	4	4	7	1	—	4	—	8	12	12	
13	Rheumatic fever... ..			—	—			—	1	—	—	—	—	—	—	—	—	13	
14	Meningitis			1	—			—	1	—	—	—	—	—	—	—	1	14	
15	Organic heart disease			4	3			10	10	4	5	—	—	1	2	2	4	15	
16	Bronchitis			7	6			5	5	—	2	1	1	2	—	6	3	16	
17	Pneumonia (all forms)			4	2			5	5	4	1	1	—	1	2	5	1	17	
18	Other respiratory diseases			1	2			1	—	2	—	—	—	1	—	2	—	18	
19	Diarrhoea, &c. (under 2 yrs.)			1	—			1	3	—	—	—	—	1	—	1	1	19	
20	Appendicitis and typhlitis			—	—			1	—	—	—	—	—	—	—	1	1	20	
21	Cirrhosis of liver			1	1			—	—	—	1	—	—	—	—	—	—	21	
21A	Alcoholism			—	—			—	—	—	—	—	—	—	—	—	—	21A	
22	Nephritis and Bright's dis.			4	3			6	3	1	—	—	—	—	—	1	—	22	
23	Puerperal fever			—	—			—	1	—	—	—	1	—	—	—	—	23	
24	Parturition, apart from 23			—	1			—	1	—	—	—	—	—	—	—	—	24	
25	Congenital debility, &c.			3	4			6	6	4	8	1	2	1	1	9	3	25	
26	Violence, apart from 27			6	1			4	—	1	—	—	2	3	—	6	3	26	
27	Suicide			—	—			1	—	—	—	—	—	1	—	2	—	27	
28	Other defined diseases			32	26			28	27	12	13	1	3	6	7	25	15	28	
29	Causes ill-defined or un- known.			—	—			2	1	2	—	—	—	—	—	—	—	29	

ESSEX.

Causes of Death.				Barking Town U.D.		Braintree U.D.		Brentwood U.D.		Bright- lingsea U.D.		Buckhurst Hill U.D.		Burnham on Crouch U.D.		Chelms- ford M.B.		Chingford U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	247	220	51	56	40	30	23	30	32	31	16	17	110	97	45	39	1
1	Enteric fever	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	18	12	—	—	—	—	—	—	1	1	—	—	2	1	—	—	4
4	Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	1	—	1	—	1	—	—	—	—	—	—	1	2	—	—	6
6	Diphtheria and croup	3	1	—	—	—	—	—	—	—	—	—	—	3	—	1	—	7
7	Influenza	2	1	1	1	—	1	—	—	—	—	—	—	1	1	—	—	8
8	Erysipelas	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	38	20	7	1	2	1	—	—	2	—	2	2	5	8	5	1	10
10	Tuberculous meningitis	6	6	—	2	—	—	—	1	—	—	—	—	3	—	—	—	11
11	Other tuberculous diseases	2	1	2	—	1	1	—	—	—	1	1	—	—	—	1	1	12
12	Cancer, malignant disease	15	15	3	1	3	1	—	3	1	5	1	1	10	12	3	2	13
13	Rheumatic fever...	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis	1	3	—	—	—	1	—	—	—	—	—	—	1	—	—	—	15
15	Organic heart disease	19	20	3	10	4	2	2	3	3	5	1	3	8	14	8	6	16
16	Bronchitis	8	16	5	4	1	4	1	2	3	2	2	1	4	7	1	4	17
17	Pneumonia (all forms)	22	22	4	3	—	1	—	—	5	2	2	—	7	—	4	2	18
18	Other respiratory disease	4	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	15	13	—	—	—	—	—	—	3	1	—	—	—	—	2	1	20
20	Appendicitis and typhlitis	1	1	—	—	2	—	—	—	—	—	—	—	4	—	1	—	21
21	Cirrhosis of liver	—	3	—	—	—	2	—	—	—	—	—	—	2	—	—	1	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	4	5	1	4	2	—	—	—	3	2	—	1	4	5	2	1	23
23	Puerperal fever	—	2	—	—	—	—	—	—	—	2	—	—	—	1	—	—	24
24	Parturition, apart from 23	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	25
25	Congenital debility, &c.	21	28	1	—	3	—	2	3	2	1	—	1	7	4	4	5	26
26	Violence, apart from 27	7	1	5	1	2	—	—	1	1	—	2	—	3	1	2	2	27
27	Suicide	1	—	1	—	—	—	—	—	—	—	—	—	2	1	1	—	28
28	Other defined diseases	55	41	17	28	18	15	16	17	8	9	5	8	42	38	10	12	29
29	Causes ill-defined or un- known.	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	

ADMINISTRATIVE AREAS, 1913—continued.

ESSEX—cont.

	Clacton U.D.		Colchester M.B.		East Ham M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leigh on Sea. U.D.*		Leyton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	61	59	246	253	764	677	20	25	3	9	90	73	50	52	84	60	361	378	37	34	651	698	1
2	—	—	1	3	1	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	2
3	—	1	—	—	—	8	4	—	2	—	—	4	1	2	7	—	7	14	2	—	20	11	3
4	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	4
5	—	—	2	4	5	10	—	—	—	—	—	—	—	—	5	6	—	3	—	—	5	13	5
6	—	1	2	3	11	5	—	2	—	1	1	—	—	—	1	—	2	4	—	—	8	3	6
7	1	2	3	2	10	9	1	—	—	—	4	1	—	—	—	1	4	9	3	—	4	8	7
8	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	4	8
9	8	1	22	14	65	64	3	1	—	—	10	7	3	1	9	5	31	26	2	2	62	47	9
10	—	1	4	2	10	7	—	—	—	—	2	1	—	—	1	3	2	12	—	1	13	9	10
11	1	1	6	5	12	13	—	—	1	—	1	1	1	—	3	2	6	5	1	—	2	5	11
12	7	10	18	27	54	72	2	—	1	2	5	4	6	8	4	4	37	42	4	3	37	60	12
13	—	—	1	—	2	7	—	—	—	—	—	—	—	—	1	—	3	—	1	—	3	8	13
14	1	—	4	2	4	9	—	—	—	—	1	1	—	1	1	—	4	5	—	—	5	3	14
15	4	6	27	38	72	75	3	5	—	2	6	7	5	7	6	6	30	32	2	6	63	66	15
16	5	5	11	15	51	50	2	2	—	—	9	7	5	3	5	2	18	28	2	2	49	49	16
17	3	1	4	9	63	43	2	—	—	1	5	7	5	1	4	2	29	20	3	—	54	65	17
18	2	1	5	7	12	8	—	—	—	—	3	1	1	1	—	1	7	8	1	—	13	10	18
19	—	1	2	2	28	21	1	1	—	—	5	7	—	—	2	—	6	3	—	—	21	24	19
20	—	—	2	2	7	3	1	—	—	—	1	—	—	—	—	—	3	5	1	1	1	3	20
21	3	1	4	3	10	5	1	1	—	—	—	—	—	—	1	—	5	7	2	—	4	6	21
21A	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	21A
22	2	2	8	11	22	26	—	—	—	—	8	4	2	1	4	4	5	13	1	2	18	25	22
23	—	—	—	1	—	2	—	—	—	—	—	—	1	—	—	—	4	—	1	—	—	—	23
24	—	—	—	2	—	6	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	4	24
25	—	7	12	12	52	43	1	1	—	—	4	5	2	2	7	5	28	13	—	2	50	58	25
26	2	—	12	5	40	15	1	—	1	—	6	1	2	1	3	—	12	6	2	—	25	15	26
27	2	1	6	1	9	3	—	—	—	—	1	—	—	—	—	—	3	1	—	—	12	—	27
28	20	17	85	82	212	168	2	10	—	3	14	18	13	18	25	15	116	116	10	14	178	197	28
29	—	—	4	1	1	2	—	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	29

ESSEX—cont.

	Loughton U.D.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoebury- ness U.D.		Southend on Sea M.B.		Tilbury U.D.		Waltham Holy Cross U.D.		Waltham- stow. U.D.		Walton on the Naze U.D.		Wanstead U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	28	35	42	31	103	105	44	32	31	31	388	377	55	23	43	31	699	617	13	9	54	70	1
2	1	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	2
3	5	3	1	—	—	—	—	—	—	1	8	4	7	2	1	—	12	10	—	—	2	1	3
4	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	4
5	1	1	—	—	2	2	1	—	—	—	3	5	—	—	—	—	9	9	—	—	—	—	5
6	—	1	1	—	—	1	—	—	1	—	3	—	1	—	—	—	14	8	—	—	—	—	6
7	—	—	1	—	3	1	2	1	—	—	7	5	—	1	1	1	9	5	—	—	2	2	7
8	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	8
9	—	—	2	2	6	9	3	1	—	5	45	31	3	2	3	2	56	61	—	1	2	1	9
10	2	—	—	—	1	2	1	—	1	—	11	4	—	—	2	—	17	10	—	—	1	—	10
11	1	—	—	—	2	1	—	—	1	—	6	4	2	—	1	—	12	7	—	1	2	1	11
12	2	3	7	9	10	8	7	5	2	2	20	43	2	6	4	1	45	52	1	—	2	8	12
13	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	7	4	—	—	—	—	13
14	—	—	—	—	2	—	—	—	—	—	3	4	1	—	—	1	4	9	—	—	—	—	14
15	2	5	7	7	19	14	3	5	4	2	28	40	3	—	3	3	64	71	—	—	11	10	15
16	—	5	—	3	3	6	3	1	—	2	24	33	—	—	3	2	56	53	—	1	5	7	16
17	—	3	2	1	6	4	1	—	—	2	28	17	5	—	3	1	61	43	2	—	1	2	17
18	—	—	1	—	—	1	1	—	—	—	8	4	—	1	—	2	8	3	—	—	3	—	18
19	1	2	1	—	1	2	1	—	—	2	7	8	3	1	4	2	32	15	—	1	—	—	19
20	—	—	—	—	2	2	—	—	—	1	3	2	—	—	1	—	1	3	—	—	—	1	20
21	—	—	—	—	2	2	—	—	—	1	3	6	—	1	—	—	6	6	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	3	—	—	—	—	21A
22	—	—	2	1	4	2	1	—	—	—	20	8	3	—	3	1	21	22	—	1	2	1	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—	23
24	—	1	—	—	—	1	—	—	—	1	—	2	—	1	—	—	—	9	—	—	—	1	24
25	3	3	1	1	8	5	1	—	11	2	22	13	4	3	3	2	62	42	1	—	7	5	25
26	—	—	2	—	3	—	2	—	3	—	9	6	3	1	2	1	27	10	2	—	2	1	26
27	—	—	1	—	1	2	—	—	—	—	3	—	—	—	—	—	5	3	—	—	—	—	27
28	9	8	12	7	28	34	17	19	8	7	123	131	17	4	8	10	166	153	6	4	15	24	28
29	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	1	1	—	—	—	—	—	29

* Abolished 9th November, 1913.

ESSEX—cont.

Causes of Death.		Witham U.D.		Wivenhoe U.D.		Woodford U.D.				Belchamp R.D.		Billericay R.D.		Braintree R.D.		Bumpstead R.D.		
		M	F	M	F	M	F			M	F	M	F	M	F	M	F	
	ALL CAUSES	22	35	28	13	92	110			39	25	128	81	133	126	17	32	1
1	Enteric fever	—	1	—	—	—	—			—	—	—	—	—	—	—	—	2
2	Small-pox... ..	—	—	—	—	—	—			—	—	—	—	—	—	—	—	3
3	Measles	1	2	—	—	2	1			—	—	1	—	—	1	3	1	4
4	Scarlet fever	—	—	—	—	1	—			—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	3	—	—	2			—	—	2	2	1	—	2	3	6
6	Diphtheria and croup	—	—	—	—	1	2			1	—	1	—	—	—	—	4	7
7	Influenza	1	1	—	—	2	4			—	—	4	—	3	2	—	—	8
8	Erysipelas	—	—	—	—	—	1			—	—	—	—	—	—	1	—	9
9	Pulmonary tuberculosis	1	2	1	—	6	5			3	—	9	3	8	6	1	2	10
10	Tuberculous meningitis	—	2	—	—	1	2			1	1	—	2	—	1	—	—	11
11	Other tuberculous diseases	—	—	—	—	1	2			1	—	3	2	3	1	1	1	12
12	Cancer, malignant disease	1	4	3	1	10	9			6	2	13	10	18	11	—	4	13
13	Rheumatic fever... ..	—	—	—	—	2	2			—	—	—	—	—	—	—	—	14
14	Meningitis	—	—	—	—	—	—			—	—	2	1	1	1	1	—	15
15	Organic heart disease	3	5	1	—	10	12			3	5	10	8	16	16	—	4	16
16	Bronchitis	1	1	2	1	4	8			6	2	6	3	3	6	1	1	17
17	Pneumonia (all forms)	—	—	3	—	5	6			1	1	6	2	7	4	1	1	18
18	Other respiratory diseases	1	—	—	—	1	3			1	2	2	1	2	1	—	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	4	1			—	—	—	1	—	—	—	1	20
20	Appendicitis and typhlitis	—	—	—	—	—	—			—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	1	—	—	—	1			1	—	1	—	—	1	—	—	21A
21A	Alcoholism	—	—	—	—	—	—			—	—	2	—	—	—	—	—	22
22	Nephritis and Bright's dis.	—	—	—	—	5	4			—	1	7	4	6	3	1	—	23
23	Puerperal fever	—	—	—	—	—	—			—	—	—	1	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	1	—	—			—	—	—	—	—	1	—	—	25
25	Congenital debility, &c.	4	1	2	—	6	6			2	1	3	2	7	5	1	—	26
26	Violence, apart from 27	—	—	1	1	3	4			1	1	9	1	7	2	—	—	27
27	Suicide	—	—	1	—	—	1			—	—	2	—	—	—	—	—	28
28	Other defined diseases	9	13	11	9	28	34			12	9	44	38	51	64	5	8	29
29	Causes ill-defined or un- known.	—	1	—	—	—	—			—	—	1	—	—	—	—	—	

ESSEX—cont.

Causes of Death.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	124	132	86	113	92	69	57	58	132	123	98	88	70	43	103	76	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2
2	Small-pox... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	4	1	—	1	—	1	—	—	—	—	—	—	—	1	2	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	5
5	Whooping cough	—	1	2	2	1	—	—	—	4	4	—	—	1	—	—	—	6
6	Diphtheria and croup	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	7
7	Influenza	2	—	2	6	—	—	—	—	5	1	—	2	1	1	1	1	8
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	9
9	Pulmonary tuberculosis	7	5	1	7	9	2	3	3	9	5	6	1	5	3	4	8	10
10	Tuberculous meningitis	—	—	—	—	—	3	1	—	—	—	1	1	—	—	—	1	11
11	Other tuberculous diseases	1	3	2	1	2	—	—	—	2	2	1	—	—	1	2	1	12
12	Cancer, malignant disease	17	14	8	22	6	8	8	7	23	16	12	18	8	8	9	6	13
13	Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	14
14	Meningitis	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	15
15	Organic heart disease	18	13	11	20	13	9	6	7	15	20	22	13	9	2	6	10	16
16	Bronchitis	20	20	8	4	6	6	7	4	7	15	3	4	8	2	8	5	17
17	Pneumonia (all forms)	2	1	1	4	7	4	2	1	3	2	1	1	4	2	5	—	18
18	Other respiratory diseases	3	2	3	2	—	—	—	4	2	1	1	2	1	1	4	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	2	—	1	—	1	—	—	1	—	1	—	—	—	4	3	20
20	Appendicitis and typhlitis	—	1	—	—	—	—	1	—	2	—	—	—	—	—	1	1	21
21	Cirrhosis of liver	2	—	1	2	1	—	—	1	1	—	—	1	—	2	1	1	21A
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	22
22	Nephritis and Bright's dis.	2	4	—	—	4	—	1	2	3	2	3	1	4	1	2	3	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	2	—	1	—	—	—	—	25
25	Congenital debility, &c.	4	10	2	4	5	2	3	2	8	7	5	3	2	2	8	3	26
26	Violence, apart from 27	2	2	2	1	5	1	1	2	3	3	5	—	1	—	5	3	27
27	Suicide	1	1	2	—	1	—	—	—	—	—	—	1	—	1	1	—	28
28	Other defined diseases	40	49	39	35	28	32	22	23	43	43	34	39	23	17	38	26	29
29	Causes ill-defined or un- known.	—	—	—	1	—	1	—	2	—	—	1	—	1	—	—	—	

ADMINISTRATIVE AREAS, 1913—continued.
ESSEX—cont.

										GLOUCESTERSHIRE.									
Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.		Awre U.D.		Charlton Kings U.D.		Cheltenham M.B.		Cirencester U.D.			
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
135	115	148	100	66	76	46	48	149	128	6	7	24	31	339	404	46	53		
1	—	1	—	—	—	—	—	2	2	—	—	—	—	1	2	1	—	1	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3	2	1	3	2	—	—	—	2	—	—	—	2	—	10	7	1	—	3	
4	—	—	1	—	—	—	—	—	—	—	—	—	—	2	2	—	—	4	
5	—	—	4	2	2	2	—	1	2	—	—	—	—	—	—	—	—	5	
6	1	2	1	—	—	—	—	—	—	—	—	—	—	2	1	1	—	6	
7	1	3	2	1	1	2	1	1	2	—	—	—	—	3	11	—	1	7	
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8	
9	12	8	8	7	2	1	3	1	11	—	—	—	—	—	—	—	—	9	
10	3	—	—	1	1	—	—	—	1	—	—	1	—	34	27	3	3	10	
11	1	—	2	3	1	—	—	—	—	—	—	—	—	4	6	—	3	11	
12	11	11	16	5	7	5	4	5	10	—	1	1	4	27	52	3	6	12	
13	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	13	
14	—	—	1	2	—	—	—	—	—	—	—	—	—	4	3	1	—	14	
15	17	18	12	11	5	6	8	8	15	—	—	—	—	36	45	6	8	15	
16	4	8	10	9	3	9	2	3	15	—	2	3	4	11	16	5	2	16	
17	9	5	9	7	3	3	3	2	7	—	—	—	2	21	21	2	3	17	
18	3	2	4	1	3	—	—	1	3	—	—	—	1	6	4	2	—	18	
19	1	2	4	4	—	—	1	—	2	—	—	2	—	9	5	—	—	19	
20	—	—	1	—	—	—	—	1	2	—	—	—	—	1	3	1	1	20	
21	2	—	1	—	1	—	—	—	1	—	—	—	—	4	3	2	2	21	
21A	1	—	—	—	—	—	—	—	1	—	—	—	—	3	—	—	—	21A	
22	4	—	2	3	2	4	3	4	7	1	1	1	2	14	16	1	1	22	
23	—	1	—	—	—	—	—	—	1	—	—	—	—	—	3	—	—	23	
24	—	1	—	3	—	—	—	—	2	—	—	—	—	—	2	—	—	24	
25	6	10	11	3	2	2	1	3	10	1	—	2	1	16	12	5	2	25	
26	1	3	9	3	2	2	—	1	5	2	—	3	1	10	2	2	1	26	
27	3	—	—	—	1	—	—	—	3	—	—	1	—	2	1	—	—	27	
28	50	38	46	31	30	39	20	17	48	2	3	9	14	118	157	9	20	28	
29	3	1	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	29	

GLOUCESTERSHIRE—cont.

Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		Tewkesbury M.B.		Westbury on Severn U.D.		Campden R.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
27	14	75	71	25	22	3	10	13	11	51	59	18	13	32	39	7	15	32	26
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	3	
4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4	
5	—	—	1	1	—	—	—	1	1	—	—	—	—	2	2	—	—	5	
6	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	2	6	
7	—	—	1	—	1	1	—	—	—	3	5	1	—	1	—	—	1	7	
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8	
9	2	—	6	8	2	1	1	1	1	5	5	—	1	1	—	2	—	9	
10	—	—	1	—	—	—	—	1	—	—	—	—	—	1	1	—	2	10	
11	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	11	
12	4	3	4	6	1	2	—	2	—	4	6	2	—	4	5	1	1	12	
13	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	
14	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	14	
15	2	4	8	13	—	4	1	—	2	1	1	1	—	1	6	—	3	15	
16	2	—	7	4	1	2	—	1	1	5	2	—	1	1	3	—	—	16	
17	3	—	8	2	3	1	—	1	1	—	—	1	4	2	—	—	1	17	
18	1	—	4	2	1	—	—	1	—	4	—	—	—	—	—	—	—	18	
19	—	1	3	2	—	—	—	—	—	1	3	—	—	2	—	—	1	19	
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	20	
21	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	21	
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A	
22	—	—	2	1	2	—	1	—	—	2	—	1	1	1	—	1	—	22	
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	23	
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24	
25	3	—	5	3	2	3	—	1	1	4	2	1	1	3	2	—	—	25	
26	1	—	2	1	1	—	—	—	—	2	1	3	—	3	—	—	4	26	
27	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	27	
28	5	6	19	28	9	7	—	4	4	15	23	9	7	10	11	4	7	28	
29	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	29	

GLOUCESTERSHIRE—cont.

Causes of Death.	Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	39	38	134	119	84	69	94	71	147	120	4	11	53	82	55	53	1
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	3	3	1	—	1	—	5	3	—	—	1	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	5
5 Whooping cough	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup ...	1	—	2	3	1	2	—	—	—	—	—	—	1	1	—	1	7
7 Influenza	1	—	—	—	2	1	—	—	4	—	—	—	—	1	1	—	8
8 Erysipelas	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	2	3	5	7	1	5	—	4	8	4	—	2	2	3	2	4	10
10 Tuberculous meningitis	—	—	1	1	1	—	1	1	1	1	—	—	—	—	—	1	11
11 Other tuberculous diseases	1	1	2	—	—	1	—	3	3	—	—	—	1	3	3	1	12
12 Cancer, malignant disease	2	6	11	8	13	10	11	7	10	6	—	1	9	11	2	6	13
13 Rheumatic fever... ..	1	—	1	—	—	1	—	—	1	1	—	—	—	—	—	—	14
14 Meningitis	—	1	—	2	—	—	—	1	—	2	—	—	—	—	—	—	15
15 Organic heart disease ...	3	7	21	17	12	12	10	14	13	21	—	—	6	12	9	6	16
16 Bronchitis	3	4	12	8	4	2	2	4	9	7	—	—	1	6	1	5	17
17 Pneumonia (all forms) ...	5	1	6	6	5	1	11	5	9	8	—	—	1	3	4	1	18
18 Other respiratory diseases	—	—	2	2	3	—	1	—	4	—	—	1	1	3	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	2	—	—	—	—	1	4	6	—	—	1	—	1	—	20
20 Appendicitis and typhlitis	1	1	—	1	2	—	1	—	1	1	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	4	—	—	—	1	1	—	2	—	—	—	—	1	1	21A
21A Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	6	6	1	2	1	3	3	4	1	1	1	1	—	—	23
23 Puerperal fever	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	3	—	1	—	—	—	1	—	1	—	1	—	2	25
25 Congenital debility, &c.	3	1	5	7	8	2	5	4	11	8	1	—	4	2	3	2	26
26 Violence, apart from 27	1	—	4	3	1	—	7	—	5	4	—	—	1	1	4	—	27
27 Suicide	2	—	1	1	—	—	—	—	1	—	—	—	1	1	—	—	28
28 Other defined diseases ...	13	12	44	37	27	28	40	22	52	40	2	5	22	32	22	22	29
29 Causes ill-defined or un- known.	—	—	1	—	2	1	—	1	1	—	—	—	—	—	—	—	29

GLOUCESTERSHIRE—cont.

Causes of Death.	Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow-on- the-Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		Tewkes- bury (pt.) R.D.†		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	7	11	45	60	53	61	17	18	52	62	192	186	16	20	38	41	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	1	—	1	1	2	2	2	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	—	2	—	—	1	1	2	—	—	—	2	—	6
6 Diphtheria and croup ...	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	7
7 Influenza	—	—	—	1	—	2	1	—	2	2	6	4	—	—	1	3	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
9 Pulmonary tuberculosis	—	1	5	6	8	1	2	2	2	3	21	17	—	2	2	1	10
10 Tuberculous meningitis	—	—	—	—	1	—	—	—	—	—	—	2	—	—	1	—	11
11 Other tuberculous diseases	—	—	—	—	—	1	1	—	—	3	3	1	—	—	—	1	12
12 Cancer, malignant disease	1	3	2	2	3	7	2	2	3	6	18	27	3	3	2	3	13
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	2	—	—	—	—	—	—	1	—	—	—	1	—	15
15 Organic heart disease ...	1	2	6	12	6	9	2	4	14	13	27	30	2	6	3	7	16
16 Bronchitis	—	—	2	8	4	1	1	1	3	2	16	18	2	—	1	5	17
17 Pneumonia (all forms)...	—	—	2	5	1	—	—	—	—	4	7	3	—	—	—	3	18
18 Other respiratory diseases	—	—	1	—	—	1	2	—	—	—	5	—	—	—	1	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	1	—	—	2	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	—	1	2	1	—	—	1	2	3	5	—	—	1	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	25
25 Congenital debility, &c.	2	—	2	2	2	3	1	1	2	2	6	3	—	—	2	1	26
26 Violence, apart from 27	1	—	7	4	—	—	1	—	2	2	7	3	3	—	1	1	27
27 Suicide	—	—	—	—	1	—	—	—	—	—	1	1	1	—	1	—	28
28 Other defined diseases ...	1	5	17	15	23	28	4	6	21	19	60	64	5	9	17	12	29
29 Causes ill-defined or un- known.	—	—	—	—	2	—	—	—	—	—	1	2	—	—	1	—	29

* The remainder of Faringdon R.D. is in Berkshire ; see page 431.
† The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Worcestershire ; see page 507.
‡ The remainder of Tetbury R.D. is in Wiltshire ; see page 505.

ADMINISTRATIVE AREAS, 1913—continued.
GLOUCESTERSHIRE—cont.

HEREFORDSHIRE.

Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten- hurst R.D.		Winch- comb (pt.) R.D.*		Bromyard U.D.		Hereford M.B.		Kington U.D.		Ledbury U.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
135	112	101	101	91	73	37	38	60	64	16	10	140	147	14	16	21	24
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3	—	1	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—
4	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
5	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6	—	1	1	—	2	—	—	—	—	—	—	1	—	—	—	—	—
7	6	3	1	—	2	2	—	1	—	—	—	1	1	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
9	10	4	13	10	5	3	2	3	6	2	1	13	11	—	3	2	2
10	—	—	—	1	—	—	—	2	—	1	—	—	1	—	—	—	—
11	3	2	4	3	—	—	—	1	—	—	—	5	—	—	—	—	—
12	16	12	9	10	7	13	3	9	1	—	—	7	14	1	1	4	3
13	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
14	—	1	1	1	—	—	—	1	2	—	—	1	1	—	—	—	—
15	18	22	11	21	13	9	9	4	9	—	1	26	19	1	6	3	1
16	8	5	6	11	9	7	2	2	3	2	—	4	8	—	—	—	3
17	3	1	4	5	5	2	2	3	4	—	—	8	7	—	—	2	—
18	—	1	2	2	3	—	—	1	—	1	—	3	3	—	1	1	—
19	2	2	4	2	2	—	—	—	1	—	1	1	1	—	—	—	—
20	—	2	—	—	1	1	1	—	—	1	—	—	—	—	—	—	1
21	2	—	2	—	3	—	—	—	—	—	—	2	—	—	—	—	—
21A	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
22	4	6	2	—	5	2	2	4	3	1	1	5	2	3	1	—	—
23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24	—	1	—	1	—	1	—	1	—	—	—	—	2	—	—	—	2
25	7	4	6	7	7	6	1	1	5	1	—	11	13	—	—	—	—
26	9	3	2	2	3	1	2	2	1	—	—	6	3	1	—	2	—
27	3	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
28	41	39	31	22	23	22	11	12	21	6	6	48	53	7	4	7	9
29	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	2

HEREFORDSHIRE—cont.

Leo- minster M.B.		Ross U.D.		Bred- wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		Ledbury R.D.		Leo- minster R.D.		Ross R.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
32	32	40	33	16	14	47	56	48	40	98	105	37	36	60	63	50	61	80	72
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	1	—
4	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
6	—	—	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—
7	1	—	—	—	—	2	1	—	1	—	2	—	—	2	—	—	—	2	—
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	2	3	3	—	2	—	2	4	5	2	7	3	5	3	3	4	3	7	5
10	—	—	1	1	1	—	—	1	—	—	1	1	1	—	—	—	—	—	—
11	—	1	1	—	—	—	—	—	—	—	1	1	1	—	2	—	—	2	—
12	2	1	3	7	1	1	3	8	7	3	9	10	4	1	10	3	11	6	7
13	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	1	1	—
14	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
15	6	5	4	3	—	1	4	8	3	14	20	4	6	7	9	11	17	11	9
16	2	2	1	3	3	2	1	3	4	5	7	2	1	2	1	2	3	6	8
17	1	2	2	2	1	—	3	1	4	3	4	5	1	2	5	4	1	2	5
18	—	—	2	2	—	—	—	—	1	4	2	1	—	—	1	1	—	1	—
19	1	3	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	1
20	—	—	1	—	—	—	1	1	—	—	1	—	1	—	—	—	—	—	1
21	1	—	—	1	—	—	—	1	—	—	—	2	—	—	2	—	—	—	—
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	—	2	1	—	—	1	4	3	2	1	3	2	—	1	2	1	1	1	1
23	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1
24	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
25	2	1	—	—	2	—	2	—	—	6	2	2	2	5	7	3	2	6	4
26	2	—	2	1	2	—	3	—	—	4	—	1	—	4	1	2	—	3	3
27	—	—	1	—	—	—	—	1	—	1	—	1	—	1	—	1	—	2	1
28	12	11	18	13	4	8	18	23	15	22	33	46	16	10	28	19	18	32	24
29	—	—	—	—	—	—	—	—	1	1	1	1	1	—	1	—	1	—	—

* The remainder of Winchcomb R.D. is in Worcestershire, see page 507.

CAUSES OF DEATH IN

HEREFORDSHIRE—cont.HERTFORDSHIRE.

Causes of Death.		Weobley R.D.		Whit-church R.D.		Wigmore R.D.						Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		
		M	F	M	F	M	F					M	F	M	F	M	F	
ALL CAUSES	63	56	15	14	24	32					15	12	58	55	56	57	1
1 Enteric fever	—	—	—	—	—	—					—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—					—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—					—	—	—	—	—	1	4
4 Scarlet fever	—	—	—	—	—	—					—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—					—	—	—	—	1	1	6
6 Diphtheria and croup	—	1	—	—	1	—					—	—	—	—	—	—	7
7 Influenza	3	5	—	—	—	2					—	—	—	—	2	3	8
8 Erysipelas	—	—	—	—	—	—					—	—	—	—	—	—	9
9 Pulmonary tuberculosis		10	3	1	1	1	3					2	—	8	2	4	5	10
10 Tuberculous meningitis		—	1	—	—	—	—					—	—	—	—	2	—	11
11 Other tuberculous diseases		—	—	—	—	—	—					—	—	—	—	—	1	12
12 Cancer, malignant disease		3	2	—	1	1	3					—	1	8	6	7	5	13
13 Rheumatic fever...	...	—	—	—	—	—	—					—	—	1	1	—	—	14
14 Meningitis	—	—	—	—	—	—					—	—	—	—	—	—	15
15 Organic heart disease	9	8	—	3	2	7					2	1	5	7	6	5	16
16 Bronchitis	2	3	—	—	4	2					2	—	2	9	5	4	17
17 Pneumonia (all forms)	3	2	4	1	1	1					1	1	3	2	4	—	18
18 Other respiratory diseases		1	—	—	—	1	—					—	—	—	3	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)		—	—	—	—	—	—					—	—	—	1	1	1	20
20 Appendicitis and typhlitis		1	—	—	—	—	1					—	1	—	1	1	1	21
21 Cirrhosis of liver	—	—	—	—	—	—					—	—	2	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—					—	1	—	—	—	1	22
22 Nephritis and Bright's dis.		3	3	—	—	1	—					1	1	4	4	5	3	23
23 Puerperal fever	—	—	—	—	—	—					—	—	—	—	—	—	24
24 Parturition, apart from 23		—	—	—	—	—	1					—	—	—	—	—	2	25
25 Congenital debility, &c.		4	6	1	—	3	1					—	1	1	—	5	—	26
26 Violence, apart from 27		5	1	—	—	1	1					—	—	1	1	2	2	27
27 Suicide	1	—	—	—	—	—					—	—	1	1	—	—	28
28 Other defined diseases	18	21	9	8	8	10					7	4	21	17	10	22	29
29 Causes ill-defined or un-known.		—	—	—	—	—	—					—	1	1	—	—	—	

HERTFORDSHIRE—cont.

Causes of Death.		Bushey U.D.		Cheshunt U.D.		Chorley-wood U.D.*		East Barnet Valley U.D.		Great Berk-hampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	33	26	79	73	7	7	65	65	37	51	27	32	73	73	64	61	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	2	—	—	1	1	—	—	—	—	1	1	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	7
7 Influenza	—	1	1	2	—	—	1	4	2	—	2	—	—	1	1	5	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis		1	4	4	9	2	—	5	3	3	2	—	1	8	9	6	4	10
10 Tuberculous meningitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	11
11 Other tuberculous diseases		1	—	2	2	—	1	2	—	—	—	—	—	2	—	1	2	12
12 Cancer, malignant disease		2	6	8	8	1	1	6	7	3	9	4	4	8	9	9	9	13
13 Rheumatic fever...	...	—	1	—	—	—	—	—	1	—	—	—	1	1	2	—	—	14
14 Meningitis	—	—	—	1	—	—	1	1	—	—	—	—	2	—	—	—	15
15 Organic heart disease	7	2	8	7	2	1	2	7	5	6	8	6	17	17	5	5	16
16 Bronchitis	3	1	5	3	—	—	3	5	1	4	—	5	4	4	7	3	17
17 Pneumonia (all forms)	2	2	4	4	—	—	4	4	1	—	1	1	6	2	3	5	18
18 Other respiratory diseases		1	—	1	2	—	—	2	—	—	1	—	—	—	1	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)		1	—	—	1	—	—	3	—	1	2	—	—	—	—	1	—	20
20 Appendicitis and typhlitis		—	—	3	—	—	—	1	1	—	2	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	1	—	1	2	1	2	1	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.		—	—	2	2	—	—	1	3	2	—	—	1	1	2	5	—	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23		—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.		3	1	10	5	—	—	2	1	3	2	1	1	4	2	3	4	26
26 Violence, apart from 27		1	—	9	—	—	1	3	2	1	1	—	—	1	1	3	3	27
27 Suicide	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	9	8	17	22	2	3	25	24	14	19	10	11	13	20	16	19	29
29 Causes ill-defined or un-known.		1	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	

* Created 1st April, 1913.

ADMINISTRATIVE AREAS, 1913--continued.

HERTFORDSHIRE--cont.

	Hitchin U.D.		Hoddesdon U.D.		Rickmans- worth U.D.		Royston U.D.		St. Albans M.B.		Sawbridge- worth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	68	87	31	36	30	33	20	19	100	119	23	18	26	33	31	36	29	37	222	214		1
2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	4	3	—	—	—	1	—	—	1	—	7	4		3
4	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	2	3		4
5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		5
6	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2		6
7	—	2	—	2	—	2	—	—	2	1	1	—	—	—	—	—	1	—	6	8		7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1		8
9	3	6	2	3	2	2	1	—	7	7	—	1	2	3	—	1	1	2	21	15		9
10	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	1	—	5	5		10
11	2	—	—	1	—	2	1	—	2	—	—	—	—	—	—	—	1	3	3	1		11
12	12	7	3	9	3	3	2	4	8	15	4	—	5	4	7	8	4	6	15	24		12
13	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	3	1	3		13
14	—	—	1	—	—	—	1	—	1	2	—	—	—	—	—	1	—	1	21	1		14
15	7	11	2	2	4	3	5	4	18	23	4	4	4	5	5	7	6	6	1	16		15
16	3	12	2	1	—	—	1	1	9	10	1	3	—	3	2	2	2	3	16	15		16
17	5	8	1	3	2	2	—	—	6	5	—	—	—	1	2	2	2	2	15	10		17
18	—	1	1	1	1	2	1	—	1	1	1	1	—	2	—	—	1	—	1	2		18
19	1	3	1	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	4	4		19
20	1	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	1		20
21	2	—	—	—	1	—	1	—	1	—	—	—	1	—	—	1	—	1	5	1		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	1	2	1	1	1	2	—	—	1	3	1	—	2	—	—	—	—	1	6	5		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		24
25	4	1	1	1	4	1	2	2	3	3	3	1	2	4	2	1	1	—	19	14		25
26	1	4	4	1	4	1	—	—	1	2	—	—	—	1	1	—	1	1	11	2		26
27	—	—	—	1	—	—	—	—	3	—	—	—	1	—	—	—	—	—	3	4		27
28	22	28	8	8	7	10	6	7	25	39	7	6	8	9	11	13	5	13	55	72		28
29	4	1	—	—	—	—	—	—	3	1	—	—	1	—	—	—	1	—	2	—		29

HERTFORDSHIRE--cont.

	Ashwell R.D.		Barnet R.D.		Berkham- stead R.D.		Bunting- ford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		St. Albans R.D.		Ware R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	29	18	29	20	48	34	50	29	29	28	50	41	32	31	53	40	115	113	83	93	67	46		1
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	1	2	—	1	—	—	—	—	—	—	1	1	3	—	1	—	—	1	1	—		3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		4
5	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	2	2	2	3	—	—		5
6	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		6
7	1	1	2	—	—	—	2	—	1	—	—	1	—	1	1	2	2	1	—	1	1	2		7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	4	—	1	1	3	1	5	3	2	1	4	2	2	2	3	2	9	5	6	3	6	2		9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	2	1	—	1		10
11	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	3	5	1	1	1	1	—		11
12	4	2	1	4	4	4	3	3	4	4	1	6	2	4	7	9	8	17	12	15	8	14		12
13	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		13
14	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—		14
15	3	4	3	1	12	3	6	7	3	8	7	3	4	6	9	6	11	13	7	18	7	2		15
16	1	4	1	2	2	2	—	1	3	2	2	4	2	—	3	2	8	9	3	7	11	4		16
17	2	1	7	1	3	—	4	2	2	—	4	1	3	2	4	2	5	5	2	3	1	1		17
18	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	2	1	—	—	—		18
19	—	—	—	—	3	—	1	—	—	—	—	—	1	—	2	2	5	1	4	3	3	—		19
20	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	1	—	1	1	1	1		20
21	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	2	—		21
21A	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	—	—	2	—	1	2	1	—	—	1	2	2	1	—	3	1	3	5	3	4	1	1		22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—		23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—		24
25	2	1	4	1	3	4	4	—	2	1	4	—	2	1	3	1	9	6	9	7	1	—		25
26	1	1	—	—	—	—	—	2	2	1	4	2	2	—	—	—	3	3	2	—	5	—		26
27	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	1	—	7	—	4	—		27
28	11	4	6	4	15	13	22	9	8	8	19	15	11	12	14	10	38	32	21	22	13	18		28
29	—	—	—	1	—	—	—	—	—	—	2	3	—	—	—	—	2	1	—	1	—	—		29

HERTFORDSHIRE—cont.

HUNTINGDONSHIRE.

Causes of Death.	Watford R.D.		Welwyn R.D.		Godmanchester M.B.		Huntingdon M.B.		Old Fletton U.D.		Ramsey U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	68	55	19	10	16	16	30	30	33	27	27	29
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	3	1	1	3
3 Measles	—	—	—	—	—	—	1	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	1	1	—	—	—	—	—	—	—	7
7 Influenza	2	2	—	—	1	—	—	—	—	2	2	8
8 Erysipelas	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	6	5	1	—	2	1	—	—	—	—	3	1
10 Tuberculous meningitis	1	—	—	—	—	—	—	—	1	1	—	10
11 Other tuberculous diseases	—	—	—	—	1	1	—	—	—	—	—	11
12 Cancer, malignant disease	9	4	1	1	1	1	3	3	2	—	1	3
13 Rheumatic fever... ..	—	—	—	1	—	—	—	—	—	—	—	13
14 Meningitis	—	—	—	—	—	—	—	—	2	—	—	14
15 Organic heart disease	8	8	2	—	3	1	1	4	1	8	4	3
16 Bronchitis	6	2	—	—	2	4	4	1	5	1	2	—
17 Pneumonia (all forms)	5	5	5	1	1	—	—	1	1	1	2	3
18 Other respiratory diseases	1	2	—	—	—	—	1	1	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	1	1	—	1
20 Appendicitis and typhlitis	1	1	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	1	—	—	1	—	—	1	—	—	1	—	1
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—
22 Nephritis and Bright's dis.	2	1	1	—	—	—	—	—	1	1	—	—
23 Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—
24 Parturition, apart from 23	—	2	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	5	3	—	—	—	—	4	2	1	4	—	1
26 Violence, apart from 27	3	—	—	—	1	2	3	1	2	—	2	—
27 Suicide	1	—	1	—	1	—	2	—	3	—	—	—
28 Other defined diseases	14	20	7	5	3	5	10	17	10	6	9	12
29 Causes ill-defined or unknown.	2	—	—	—	—	—	—	—	—	—	—	—

HUNTINGDONSHIRE—cont.

Causes of Death.	St. Ives M.B.		St. Neots U.D.		Huntingdon R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	19	13	23	37	45	31	38	42	6	5	67	68	40	57
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	4	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	1	—	—	—	—	—	1	—	—	—	1	—	3	5
6 Diphtheria and croup	—	—	—	—	—	—	1	—	—	—	2	1	—	6
7 Influenza	—	1	1	2	—	—	3	1	—	—	1	—	2	1
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	—	—	1	1	—	3	2	—	—	3	2	2	6
10 Tuberculous meningitis	—	—	2	—	—	—	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	1	—	1	2	—	—	—	—	—	—	—	—	11
12 Cancer, malignant disease	—	1	4	2	6	5	1	6	2	—	7	6	5	7
13 Rheumatic fever... ..	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	2	—
15 Organic heart disease	—	—	3	6	5	4	1	8	2	1	6	10	5	7
16 Bronchitis	1	1	—	4	2	2	3	1	—	1	4	6	—	6
17 Pneumonia (all forms)	3	—	1	1	2	—	3	3	—	1	5	2	—	1
18 Other respiratory diseases	—	1	1	1	—	—	—	—	—	—	2	2	1	2
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	1	—	1	—	—	—	—	1	2	—
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—
21 Cirrhosis of liver	—	—	—	—	1	—	1	—	—	—	2	—	1	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	—	—	—	—	2	2	1	—	—	—	—	2	3	—
23 Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	—	—	2	—	3	—	3	1	1	—	4	3	—	3
26 Violence, apart from 27	—	1	—	1	5	3	2	—	—	—	3	—	—	2
27 Suicide	1	—	—	—	1	—	—	—	—	—	3	—	—	—
28 Other defined diseases	11	5	8	17	11	14	12	14	1	2	24	32	16	19
29 Causes ill-defined or unknown.	—	1	—	—	3	—	2	—	—	—	—	1	—	—

* The remainder of Oundle R.D. is in Northamptonshire ; see page 480.

ADMINISTRATIVE AREAS, 1913—continued.
HUNTINGDONSHIRE—cont.

KENT.

Thrapston (pt.) R.D.*		Sibson cum Stibbing- ton C.P.†		Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
2	12	4	4	79	91	143	181	95	111	55	42	158	176	310	264	45	22
1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	—	5	5	4	4	4	5	—	—	—	—	7	3	2	1
4	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5	—	—	—	1	—	2	3	—	1	—	—	6	7	1	3	1	—
6	—	—	—	2	1	2	2	1	1	—	1	2	2	5	3	—	—
7	—	—	1	1	—	1	4	1	3	1	2	8	6	1	—	1	—
8	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
9	1	—	—	5	4	12	10	4	2	6	3	9	8	36	24	4	4
10	—	—	—	—	1	4	1	—	—	1	1	1	—	2	4	—	—
11	—	—	—	2	1	—	1	—	5	2	—	2	2	11	3	1	—
12	4	—	2	10	12	8	24	9	13	6	5	16	23	21	23	1	2
13	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—
14	1	—	—	—	—	—	2	—	—	—	—	1	1	1	2	2	—
15	2	1	—	10	14	23	18	9	9	5	5	12	12	41	23	6	—
16	1	—	—	4	6	6	8	7	7	1	1	9	12	12	17	1	2
17	1	1	—	3	2	11	7	10	6	2	—	11	9	17	11	3	—
18	—	—	—	1	—	2	—	1	4	1	—	1	2	2	2	—	—
19	—	—	—	1	3	2	5	3	8	1	—	7	8	9	7	3	1
20	—	—	—	—	1	1	3	—	1	1	—	2	1	3	1	—	—
21	—	—	—	1	—	4	3	—	—	—	—	2	1	2	2	—	—
21A	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
22	1	—	—	3	4	8	6	4	2	4	1	6	4	7	10	1	—
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
24	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5	—	1
25	—	—	—	5	6	7	9	5	8	1	2	7	7	24	25	5	2
26	—	—	—	1	—	5	2	5	1	4	—	6	2	7	10	2	—
27	—	—	—	2	—	—	1	2	—	—	—	3	1	4	2	2	—
28	2	1	2	22	30	41	66	30	35	19	21	46	66	92	78	12	6
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—

KENT—cont.

Chisle- hurst U.D.		Dartford U.D.		Deal M.B.		Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.†		Foots Cray U.D.		Gilling- ham M.B.		Gravesend M.B.		Herne Bay U.D.	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
43	24	141	123	77	76	270	278	165	131	87	70	195	177	30	42	307	230	219	188	48	47
1	—	1	—	—	—	—	1	1	1	—	—	—	1	—	—	5	1	1	—	—	—
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
3	1	6	8	—	—	4	5	2	1	—	—	3	6	—	—	1	—	7	3	—	—
4	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	1	1	1	2	—	—
5	1	2	3	—	2	—	1	—	—	—	—	3	1	—	—	1	—	—	—	1	—
6	1	—	1	—	2	2	1	1	2	—	1	1	2	—	2	3	4	3	1	—	—
7	—	1	4	—	2	10	15	3	—	2	1	—	5	—	—	1	1	2	1	—	1
8	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—
9	5	2	9	7	5	8	19	22	12	9	8	3	18	11	1	34	22	16	11	9	4
10	1	1	1	1	1	—	1	4	1	1	—	7	1	—	—	2	4	2	—	—	—
11	2	3	2	—	2	8	4	1	1	1	1	2	3	—	2	3	2	1	3	—	—
12	7	2	5	9	7	7	29	25	14	12	3	11	22	17	5	5	27	25	13	21	2
13	1	—	2	—	—	—	3	1	1	—	—	—	1	—	—	—	—	2	2	—	—
14	—	—	2	3	1	1	—	1	3	—	—	—	4	—	—	7	2	1	2	—	—
15	4	1	17	16	9	13	22	34	22	13	4	7	18	19	3	7	29	29	16	6	11
16	2	2	9	10	1	1	26	24	8	12	7	3	10	10	1	3	16	14	7	16	2
17	6	—	17	5	5	2	17	12	15	9	5	—	11	9	2	3	25	9	11	4	1
18	—	—	2	—	1	1	1	2	2	1	1	1	4	2	1	—	4	3	3	1	1
19	—	—	5	5	1	1	9	5	5	3	2	—	2	2	—	1	2	6	4	5	1
20	—	1	1	—	3	—	1	1	—	—	—	—	3	1	—	—	4	1	1	—	—
21	—	1	1	1	3	1	1	2	—	—	—	6	5	—	—	3	1	4	4	—	2
21A	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
22	1	—	3	—	2	2	4	5	6	4	4	3	12	5	1	1	16	8	5	3	4
23	—	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	—	1	—	—
24	—	1	—	1	—	—	1	—	1	—	—	—	1	—	2	—	—	2	—	—	—
25	1	—	13	8	6	4	18	17	13	17	5	5	10	11	1	1	24	15	13	20	3
26	2	1	4	7	—	—	19	3	6	5	3	2	3	2	—	1	5	9	10	7	—
27	1	—	4	1	1	—	1	1	2	—	3	—	4	—	—	—	3	3	1	—	—
28	10	8	32	31	31	25	77	87	45	34	37	30	59	55	13	14	87	65	82	59	18
29	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	2	1	—	—

* The remainder of Thrapston R.D. is in Northamptonshire; see page 480.
† Administered by Barnack R.D.C. (Soke of Peterborough).
‡ Excluding the civil parish of Folkestone next Sandgate.

KENT—cont.

Causes of Death.			Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	31	42	17	10	221	234	131	157	48	36	6	7	114	95	132	180
1	Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	—	—	—	—	—	2	—	—	2	2	—	—	3	1	4	7
4	Scarlet fever	...	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—
5	Whooping cough	...	—	—	—	1	1	1	1	1	2	3	—	—	—	—	—	5
6	Diphtheria and croup	...	—	—	—	—	1	2	—	2	—	—	—	—	3	2	1	3
7	Influenza	...	1	2	—	—	2	—	1	3	2	1	1	—	2	1	—	3
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	...	1	1	2	1	19	17	10	7	2	2	—	1	9	1	15	3
10	Tuberculous meningitis	...	—	—	1	—	1	5	3	—	—	—	—	—	3	1	2	3
11	Other tuberculous diseases	...	3	—	—	—	3	1	6	5	—	—	—	—	—	1	5	4
12	Cancer, malignant disease	...	1	2	2	1	22	25	10	11	5	6	—	—	9	8	9	22
13	Rheumatic fever.	...	—	—	—	—	3	1	—	—	—	—	—	—	—	1	—	2
14	Meningitis	...	—	—	—	—	1	1	—	—	—	—	—	—	1	—	2	1
15	Organic heart disease	...	6	4	1	2	22	31	17	32	3	1	—	—	9	8	15	20
16	Bronchitis	...	4	4	2	1	13	15	4	8	1	1	—	—	5	10	2	15
17	Pneumonia (all forms)	...	1	2	1	—	15	14	9	6	4	2	1	—	7	8	10	9
18	Other respiratory diseases	...	1	1	—	—	3	4	—	1	1	—	—	—	2	1	2	4
19	Diarrhoea, &c. (under 2 yrs.)	...	1	1	—	—	10	3	4	3	1	1	—	—	5	1	7	4
20	Appendicitis and typhlitis	...	1	—	—	—	2	2	3	1	—	—	1	—	—	—	3	1
21	Cirrhosis of liver	...	—	—	—	—	4	5	—	1	2	—	—	—	—	—	4	2
21A	Alcoholism	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	...	—	1	—	1	10	7	9	—	—	1	—	1	2	8	5	8
23	Puerperal fever	...	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1
24	Parturition, apart from 23	...	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	2
25	Congenital debility, &c.	...	2	4	1	—	11	8	4	10	2	1	—	—	12	9	3	6
26	Violence, apart from 27	...	2	2	1	—	6	6	2	4	3	1	—	—	12	2	3	3
27	Suicide	...	—	—	—	—	3	—	3	—	—	1	—	—	1	—	2	1
28	Other defined diseases	...	7	17	6	3	64	78	42	57	17	13	3	4	28	29	38	55
29	Causes ill-defined or unknown.	...	—	—	—	—	3	4	2	1	—	—	—	—	—	—	—	1

KENT—cont.

Causes of Death.			Queen- borough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate U.D.*		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sitting- bourne U.D.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	13	10	197	214	183	165	10	9	21	20	54	39	122	90	52	57
1	Enteric fever	...	—	1	—	—	—	1	—	—	—	—	—	1	1	—	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	—	—	1	—	—	1	—	—	—	—	—	—	1	1	1	3
4	Scarlet fever	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough	...	—	—	—	1	1	1	1	1	1	—	—	2	—	1	6	5
6	Diphtheria and croup	...	—	—	3	—	2	—	—	—	—	—	—	1	—	—	—	6
7	Influenza	...	2	1	6	2	2	1	—	—	1	—	2	1	2	—	1	7
8	Erysipelas	...	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	8
9	Pulmonary tuberculosis	...	—	1	17	16	17	14	—	—	2	2	3	5	9	9	2	9
10	Tuberculous meningitis	...	—	—	3	—	1	—	—	—	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	...	—	—	3	3	2	3	—	—	—	—	—	—	2	2	—	11
12	Cancer, malignant disease	...	—	—	21	22	15	22	—	—	2	3	5	6	5	8	3	12
13	Rheumatic fever...	...	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	13
14	Meningitis	...	—	—	1	1	—	3	—	—	—	—	1	—	1	—	1	14
15	Organic heart disease	...	1	—	21	22	19	18	—	1	4	1	3	6	8	11	7	15
16	Bronchitis	...	—	—	18	18	9	10	1	2	2	3	2	1	5	6	2	16
17	Pneumonia (all forms)	...	—	1	7	10	10	9	1	1	3	4	4	3	8	5	1	17
18	Other respiratory diseases	...	—	—	4	1	3	1	2	—	—	—	3	—	2	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)	...	2	1	11	4	6	7	1	—	—	—	2	—	2	2	1	19
20	Appendicitis and typhlitis	...	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	20
21	Cirrhosis of liver	...	—	—	1	3	—	2	—	—	—	—	1	—	—	4	1	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	Nephritis and Bright's dis.	...	—	—	6	2	8	6	2	1	1	1	4	1	2	2	1	22
23	Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	...	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	...	—	—	6	7	13	11	2	—	—	—	3	2	11	1	5	25
26	Violence, apart from 27	...	4	—	6	5	11	7	—	—	1	—	4	—	3	2	7	26
27	Suicide	...	—	—	1	1	2	—	1	—	—	—	1	—	2	—	2	27
28	Other defined diseases	...	4	4	59	94	58	43	1	2	2	4	17	10	54	35	15	28
29	Causes ill-defined or unknown.	...	—	1	—	—	2	1	—	—	—	1	—	1	—	—	1	29

* Including the civil parish of Folkestone next Sandgate.

ADMINISTRATIVE AREAS, 1913—continued.

KENT—cont.

	South-borough U.D.		Tenterden M.B.		Tonbridge U.D.		Tunbridge Wells M.B.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.			Blean R.D.		Bridge R.D.		Bromley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
1	44	44	27	32	75	80	197	243	27	30	65	47	21	13		54	44	76	57	148	140	1
2	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	1	—	—	1		—	—	—	1	8	5	4
5	—	—	1	—	1	2	1	1	—	—	—	—	—	—		—	—	—	—	1	1	5
6	—	—	—	—	1	—	1	3	—	—	1	—	—	—		—	—	1	—	—	—	6
7	—	—	—	1	3	1	6	6	1	1	2	1	1	—		1	5	4	1	4	5	7
8	—	—	1	—	—	—	1	—	—	—	—	—	—	—		—	—	—	—	1	—	8
9	3	4	—	3	7	7	19	13	1	1	5	4	2	2		2	2	6	7	14	8	9
10	—	—	—	2	—	—	—	4	—	1	1	—	—	—		—	—	—	—	4	—	10
11	—	1	—	—	2	2	2	4	—	1	1	—	—	—		—	—	—	—	3	5	11
12	7	6	2	2	6	12	20	32	3	3	3	5	2	2		4	6	6	6	17	17	12
13	—	—	—	1	1	—	—	—	2	—	—	—	—	—		—	—	—	—	1	—	13
14	1	—	—	—	—	—	1	—	—	—	—	—	—	—		1	—	—	—	—	—	14
15	9	3	6	5	7	10	25	42	6	3	6	3	3	2		9	8	12	5	14	15	15
16	5	5	—	1	2	7	10	14	1	—	2	7	1	2		3	3	5	9	9	12	16
17	4	4	2	1	6	5	7	11	1	2	8	2	1	—		4	1	4	1	10	9	17
18	1	—	1	—	—	2	4	6	2	—	—	—	—	—		1	—	3	—	—	—	18
19	—	—	—	—	1	1	1	1	—	—	2	1	—	—		—	1	1	—	2	6	19
20	—	—	—	—	1	1	2	1	—	—	1	—	—	—		1	—	—	—	—	1	20
21	—	—	2	—	—	1	1	1	—	—	—	1	—	—		—	—	—	—	3	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	21A
22	—	1	1	—	5	3	10	6	1	2	2	—	—	—		3	1	1	1	1	3	22
23	—	1	—	—	—	1	—	3	—	1	—	—	—	—		—	—	—	—	—	1	23
24	—	3	—	—	—	2	—	1	—	2	—	1	—	—		—	—	—	—	—	—	24
25	4	1	3	1	6	2	9	8	—	1	6	2	1	—		1	—	4	4	2	7	25
26	—	1	—	—	5	—	5	3	—	2	2	1	1	—		2	—	3	—	7	2	26
27	—	—	—	—	—	—	—	1	—	—	—	1	—	—		—	—	—	1	4	2	27
28	10	14	7	15	19	21	71	81	7	10	22	18	9	4		21	17	24	20	40	38	28
29	—	—	1	—	1	—	1	1	2	—	—	—	—	—		—	—	—	—	—	—	29

KENT—cont.

	Cranbrook R.D.		Dartford R.D.		Dover R.D.		East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Holling-bourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	84	67	229	196	53	44	78	79	92	78	43	37	89	84	88	75	26	20	65	75	104	113	1
2	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	4	4	2	1	1	1	—	—	—	—	—	2	—	1	—	—	—	2	2	3	3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	3	4	4
5	—	1	1	4	—	—	—	2	—	1	1	—	—	—	—	—	1	—	—	—	1	5	5
6	1	—	2	1	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	6
7	—	1	3	—	1	—	—	3	2	—	—	2	1	—	1	3	2	—	—	2	3	—	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	8	8
9	5	1	20	15	4	3	4	4	5	12	8	5	5	7	7	1	1	—	4	5	7	8	9
10	—	—	6	5	1	—	—	—	—	—	—	—	1	—	1	1	2	1	—	2	—	2	10
11	1	—	4	2	—	—	1	—	—	—	—	—	1	—	2	1	—	3	2	3	1	11	11
12	7	4	22	16	5	7	17	5	10	5	7	4	13	6	11	11	1	1	5	14	10	11	12
13	—	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1	13
14	—	—	1	4	1	—	1	—	—	1	—	—	—	—	3	—	—	—	1	—	1	2	14
15	10	12	32	28	5	6	12	12	7	14	5	9	8	10	13	15	2	—	6	5	12	11	15
16	10	5	11	15	2	3	4	4	7	3	2	1	2	5	5	8	2	1	3	4	3	6	16
17	8	4	16	9	8	—	4	5	4	5	1	1	3	3	7	2	1	1	3	4	5	6	17
18	2	—	4	2	1	1	1	1	1	—	—	—	4	3	—	1	—	—	3	1	1	1	18
19	—	—	13	13	2	—	1	2	1	2	—	—	2	3	—	—	1	—	1	1	6	7	19
20	—	—	—	1	1	—	—	1	—	2	—	—	—	1	1	—	1	—	—	1	1	20	20
21	—	2	3	—	—	1	—	—	1	—	—	—	1	—	—	1	—	1	—	2	—	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	1	10	6	—	—	1	3	2	—	1	1	1	1	2	2	1	—	4	1	1	2	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	—	—	1	—	1	—	—	—	2	—	2	—	1	—	1	—	—	24
25	8	3	13	14	1	2	4	6	10	4	—	2	5	8	5	2	1	6	4	3	5	5	25
26	2	1	10	3	3	—	3	3	3	1	—	1	3	2	6	—	3	3	1	—	7	3	26
27	2	—	3	1	1	1	2	—	1	—	1	—	1	—	—	—	1	—	1	—	2	1	27
28	24	29	48	48	14	19	23	23	37	26	17	11	36	30	24	24	5	2	22	28	29	36	28
29	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	2	2	29

KENT—cont.

Causes of Death.	Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	158	154	82	78	22	15	145	142	24	15	91	68	49	34	129	109
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
3 Measles	—	1	1	1	—	—	1	3	—	—	2	2	—	—	3	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5 Whooping cough	—	—	—	1	1	—	—	2	—	—	2	—	1	—	4	3
6 Diphtheria and croup	1	4	3	—	—	—	—	1	—	—	2	—	—	—	2	2
7 Influenza	2	2	2	—	1	—	4	3	—	—	—	—	—	1	4	1
8 Erysipelas	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	8	8	5	5	4	3	7	10	1	1	9	5	3	1	12	7
10 Tuberculous meningitis	—	2	—	1	—	—	1	1	—	—	—	2	1	—	4	—
11 Other tuberculous diseases	2	4	—	—	—	1	1	—	—	1	1	—	—	—	4	—
12 Cancer, malignant disease	15	13	3	4	6	2	14	13	5	—	3	8	—	3	8	7
13 Rheumatic fever... ..	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
14 Meningitis	3	1	—	—	—	1	1	1	—	—	1	—	—	—	1	3
15 Organic heart disease	16	23	9	8	1	—	13	19	3	3	7	5	10	4	14	13
16 Bronchitis	9	9	2	6	—	—	8	5	3	2	3	7	1	2	4	6
17 Pneumonia (all forms)	7	6	—	3	1	—	10	7	1	—	6	5	1	2	5	6
18 Other respiratory diseases	—	4	3	—	—	1	2	5	—	2	5	—	1	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	8	4	—	—	—	—	2	2	1	—	1	2	—	—	4	4
20 Appendicitis and typhlitis	—	1	—	2	—	—	1	1	—	—	—	—	—	—	3	1
21 Cirrhosis of liver	2	—	2	2	—	—	2	2	1	—	—	—	—	1	1	—
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	8	5	5	7	—	—	8	5	—	1	3	2	3	—	4	4
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
24 Parturition, apart from 23	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	3
25 Congenital debility, &c.	18	6	5	5	—	1	10	3	1	1	5	7	3	—	4	4
26 Violence, apart from 27	8	4	4	1	—	—	7	9	2	—	3	—	1	—	3	3
27 Suicide	1	—	1	—	1	—	1	—	1	—	3	—	—	—	2	—
28 Other defined diseases	48	49	36	30	7	4	50	47	5	4	32	21	24	19	40	38
29 Causes ill-defined or un- known.	1	3	1	1	—	1	2	1	—	—	—	—	—	—	2	—

KENT—cont.

LANCASHIRE.

Causes of Death.	West Ashford R.D.						Abram U.D.		Acering- ton M.B.		Adlington U.D.		Allerton U.D.*		Ashton in Makerfield U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	57	43					46	59	315	332	29	23	5	4	192	176
1 Enteric fever	—	—					—	—	3	3	—	—	—	—	1	2
2 Small-pox	—	—					—	—	—	—	—	—	—	—	—	—
3 Measles	3	2					3	6	—	1	—	—	—	—	19	31
4 Scarlet fever	—	—					1	—	1	1	—	—	—	—	—	—
5 Whooping cough	1	2					—	2	3	2	1	—	—	—	—	1
6 Diphtheria and croup	1	1					1	1	2	5	1	—	—	—	2	—
7 Influenza	2	—					—	—	—	2	—	2	—	—	1	—
8 Erysipelas	—	—					—	—	1	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	3	3					1	2	21	17	3	1	1	—	8	7
10 Tuberculous meningitis	1	—					—	—	3	2	—	—	—	—	2	1
11 Other tuberculous diseases	—	1					1	2	6	5	—	1	—	—	5	4
12 Cancer, malignant disease	8	7					—	5	14	23	2	1	—	1	7	8
13 Rheumatic fever... ..	—	—					1	—	—	5	—	—	—	—	1	—
14 Meningitis	—	—					1	—	1	6	2	—	—	—	3	3
15 Organic heart disease	10	6					3	3	35	34	—	3	—	—	13	6
16 Bronchitis	1	1					2	6	20	40	—	—	—	—	7	8
17 Pneumonia (all forms)	1	1					8	7	28	22	2	5	—	—	27	18
18 Other respiratory diseases	3	3					—	—	4	8	1	1	—	1	1	4
19 Diarrhoea, &c. (under 2 yrs.)	—	—					—	9	22	15	1	2	—	—	20	14
20 Appendicitis and typhlitis	—	—					—	—	4	3	—	—	—	—	1	—
21 Cirrhosis of liver	1	2					—	—	4	2	—	1	—	—	3	1
21A Alcoholism	—	—					—	—	2	—	—	—	—	—	1	—
22 Nephritis and Bright's dis.	1	4					1	—	10	12	1	2	—	—	4	4
23 Puerperal fever	—	—					—	—	—	1	—	—	—	—	—	1
24 Parturition, apart from 23	—	—					—	1	—	4	—	—	—	—	—	2
25 Congenital debility, &c.	3	1					4	5	16	14	2	1	3	1	17	19
26 Violence, apart from 27	2	—					7	2	12	6	—	—	—	—	8	6
27 Suicide	—	—					—	—	7	6	1	—	—	—	1	1
28 Other defined diseases	16	9					12	8	94	89	12	3	1	1	39	34
29 Causes ill-defined or un- known.	—	—					—	—	2	4	—	—	—	—	1	1

* Abolished 9th November, 1913.

ADMINISTRATIVE AREAS, 1913—continued.

LANCASHIRE—cont.

	Ashton under Lyne M.B.		Aspull U.D.		Atherton U.D.		Audenshaw U.D.		Bacup M.B.		Barrow- ford U.D.		Billinge U.D.		Bispham with Nor- breck U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	417	351	75	57	155	157	58	66	196	193	44	35	34	29	20	11	24	31	69	56	19	15	1
2	3	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	5	1	4	1	2	5	—	1	1	1	—	—	—	2	—	—	2	3	—	—	—	—	4
5	7	6	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
6	3	3	—	1	2	13	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	6
7	2	—	—	1	1	1	—	—	4	1	1	1	—	1	—	1	—	—	—	1	—	—	7
8	1	2	1	—	3	1	—	—	3	1	1	—	—	—	—	—	1	—	—	—	3	—	8
9	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	33	19	5	4	9	9	7	3	15	8	1	8	1	2	2	—	1	2	5	5	2	—	10
11	1	5	—	—	1	1	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	11
12	7	3	—	—	4	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	12
13	21	30	5	2	4	10	2	7	5	10	1	5	—	1	1	—	—	1	3	3	1	1	13
14	1	1	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	4	3	4	1	3	3	—	1	2	—	—	2	1	1	—	—	1	—	—	—	—	—	15
16	19	40	1	7	8	21	2	5	20	20	5	1	2	3	1	1	2	1	6	8	3	—	16
17	45	42	7	7	20	15	5	8	24	27	7	3	6	5	1	—	—	2	9	7	1	—	17
18	35	30	14	7	19	8	7	4	8	10	2	—	5	2	3	—	2	1	8	6	2	1	18
19	2	1	1	1	2	—	—	—	5	6	1	—	—	—	—	—	—	1	3	—	—	—	19
20	34	36	5	8	16	14	4	1	5	2	1	1	4	2	—	—	3	4	6	5	—	1	20
21	2	2	—	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	21
21A	5	1	1	1	4	2	—	1	—	—	2	—	—	—	1	—	—	—	—	—	—	—	21A
22	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	19	7	2	1	2	2	2	3	4	8	3	—	1	—	1	1	1	—	2	—	—	2	23
24	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	—	—	—	—	1	24
25	—	5	—	—	—	3	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	25
26	29	21	8	4	12	9	8	8	5	8	2	1	5	3	—	1	4	3	5	2	—	2	26
27	19	6	6	—	9	—	7	2	8	—	—	—	2	1	1	—	1	1	1	1	—	—	27
28	5	1	—	—	2	—	—	—	3	2	—	—	—	—	—	—	—	1	—	—	—	—	28
29	111	84	9	9	30	33	9	18	77	81	13	13	5	5	6	6	6	9	16	17	7	7	29
	3	1	—	1	1	2	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—

LANCASHIRE—cont.

	Chadder- ton U.D.		Childwall U.D.*		Chorley M.B.		Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	188	211	5	2	224	221	54	41	68	75	124	90	189	177	126	128	15	17	86	68	274	304	1
2	1	1	—	—	1	1	—	1	1	—	—	—	6	3	—	—	—	—	—	—	—	—	2
3	1	3	—	—	—	—	—	—	—	—	—	2	2	2	5	7	—	—	—	—	3	1	3
4	—	3	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	1	2	—	—	—	—	—	2	2	1	—	—	—	—	6	10	—	—	—	1	1	—	5
6	—	5	—	—	—	3	1	1	1	1	1	1	1	—	4	2	—	—	2	3	2	2	6
7	2	2	—	—	2	—	—	—	—	1	—	1	—	—	—	1	1	—	5	1	2	6	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	2	8
9	17	12	—	—	15	9	2	1	6	6	8	3	12	9	6	14	1	2	7	3	18	15	9
10	3	3	—	—	1	—	1	1	—	1	—	1	—	2	1	—	—	—	—	—	1	4	10
11	2	1	1	—	—	1	1	2	1	2	—	—	6	2	1	—	—	—	—	1	4	4	11
12	8	9	—	—	13	24	2	1	4	6	11	11	13	18	9	12	1	—	8	9	15	29	12
13	1	—	—	—	2	1	1	—	1	—	2	1	1	—	—	2	—	—	—	2	3	3	13
14	2	3	—	—	4	—	—	1	1	1	1	1	5	2	2	—	—	—	4	—	3	1	14
15	16	21	—	—	21	16	10	6	3	6	16	9	18	20	6	9	1	3	5	9	29	29	15
16	16	17	1	1	17	19	7	4	4	5	7	10	22	18	14	18	1	2	6	6	27	24	16
17	18	19	—	—	27	15	4	1	7	8	10	5	20	8	8	7	1	2	7	7	21	20	17
18	1	1	—	—	3	3	—	—	1	1	1	1	2	1	—	—	1	4	—	4	8	—	18
19	14	16	—	—	11	12	1	—	7	7	5	2	13	10	3	4	—	—	2	2	6	8	19
20	2	3	—	1	1	1	—	1	—	1	—	1	—	2	1	—	—	—	1	1	—	1	20
21	1	1	1	—	2	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—	21
21A	—	1	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	10	12	—	—	5	5	1	2	7	1	6	3	7	5	4	2	1	—	1	2	11	13	22
23	—	3	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	23
24	—	1	—	—	—	3	—	—	—	1	—	1	—	1	—	3	—	—	—	—	—	5	24
25	15	13	—	—	13	21	3	1	8	2	9	1	7	8	9	7	3	1	3	3	25	15	25
26	6	6	—	—	8	5	—	—	1	2	2	1	5	2	3	1	1	—	4	—	9	8	26
27	—	1	1	—	4	3	1	1	1	—	1	—	5	4	3	—	—	—	—	—	5	—	27
28	48	52	1	—	65	72	19	14	12	22	39	34	36	56	41	28	4	5	26	18	76	102	28
29	3	—	—	—	5	3	—	1	—	—	4	—	4	2	—	—	—	1	1	—	7	3	29

* Abolished 9th November, 1913.

LANCASHIRE—cont.

Causes of Death.		Denton U.D.		Droylsden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	130	124	84	100	273	287	128	105	236	229	144	103	24	23	40	42
1 Enteric fever	...	—	—	—	—	1	1	—	—	2	3	—	1	1	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	3	1	1	2	7	8	1	—	2	—	2	—	—	1	—	—
4 Scarlet fever	...	1	—	—	—	—	1	1	—	—	1	1	1	—	—	—	—
5 Whooping cough	...	—	—	—	3	1	4	—	—	10	6	—	5	2	1	2	—
6 Diphtheria and croup	...	2	1	—	—	3	2	—	4	1	—	4	1	1	—	—	—
7 Influenza	...	1	2	—	1	1	4	—	—	3	1	—	2	1	—	—	—
8 Erysipelas	...	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	14	8	3	7	20	17	8	9	5	17	8	9	—	1	4	1
10 Tuberculous meningitis	...	1	1	1	—	3	1	2	1	3	—	3	2	—	—	1	—
11 Other tuberculous diseases	...	1	—	1	2	3	8	2	2	5	1	3	2	—	—	1	2
12 Cancer, malignant disease	...	4	14	8	13	16	26	11	13	11	15	13	9	2	1	4	4
13 Rheumatic fever...	...	—	1	—	1	1	2	2	1	1	—	1	—	—	—	—	1
14 Meningitis	...	1	3	—	—	4	3	2	—	—	—	1	—	1	—	—	—
15 Organic heart disease	...	6	13	6	6	21	24	8	11	13	10	11	9	2	2	4	4
16 Bronchitis	...	12	6	8	6	18	17	12	9	35	29	5	6	—	1	3	—
17 Pneumonia (all forms)	...	9	7	9	6	32	34	12	8	9	19	17	7	2	2	3	1
18 Other respiratory diseases	...	4	2	2	—	3	2	5	1	1	5	3	2	—	—	—	—
19 Diarrhoea, &c. (under 2 yrs.)	...	4	2	6	4	21	17	8	3	41	29	5	6	—	—	1	1
20 Appendicitis and typhlitis	...	—	—	—	—	5	—	—	—	2	1	2	2	—	1	1	—
21 Cirrhosis of liver	...	2	—	—	—	2	3	2	—	1	2	—	1	—	—	1	1
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
22 Nephritis and Bright's dis.	...	7	4	—	5	9	9	5	7	7	3	3	—	1	2	1	2
23 Puerperal fever	...	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	1
24 Parturition, apart from 23	...	—	—	—	1	—	—	—	3	—	2	—	1	—	—	—	—
25 Congenital debility, &c.	...	8	10	8	5	11	10	16	5	24	19	9	9	2	3	—	1
26 Violence, apart from 27	...	7	3	4	9	11	6	7	—	5	—	12	2	2	—	—	1
27 Suicide	...	4	1	1	—	2	3	—	—	—	—	5	—	—	—	—	—
28 Other defined diseases	...	38	45	26	27	76	81	23	27	54	65	31	24	7	8	14	21
29 Causes ill-defined or un-known.	...	—	—	—	—	—	2	1	1	1	1	4	1	—	—	—	1

LANCASHIRE—cont.

Causes of Death.		Golborne U.D.		Grange U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heaton Norris U.D.*		Heysham U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	61	44	11	10	66	56	76	92	139	147	79	74	52	50	22	24
1 Enteric fever	...	1	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	2	2	—	1	—	—	—	—	9	6	5	3	—	—	—	—
4 Scarlet fever	...	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup	...	1	1	1	1	—	1	2	—	—	—	5	2	—	—	—	—
7 Influenza	...	—	1	—	—	1	1	3	—	—	2	3	—	1	1	1	—
8 Erysipelas	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	7	2	—	—	3	4	3	7	7	8	1	4	1	1	—	1
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—
11 Other tuberculous diseases	...	1	—	—	1	—	1	1	3	2	1	1	—	2	—	—	—
12 Cancer, malignant disease	...	1	1	—	1	9	3	5	9	11	16	7	5	4	10	3	2
13 Rheumatic fever...	...	—	—	—	—	—	—	1	—	1	1	—	1	1	—	—	—
14 Meningitis	...	1	1	—	—	1	—	2	3	3	—	1	—	—	—	—	—
15 Organic heart disease	...	1	2	1	1	3	4	5	10	18	20	4	5	6	6	2	4
16 Bronchitis	...	5	6	2	2	6	5	7	2	6	8	7	3	3	4	3	1
17 Pneumonia (all forms)	...	3	1	1	—	7	7	11	12	18	13	12	8	3	1	2	1
18 Other respiratory diseases	...	1	1	—	—	1	—	2	3	—	5	2	—	—	1	1	1
19 Diarrhoea, &c. (under 2 yrs.)	...	7	8	—	—	2	2	—	2	3	2	5	9	2	1	—	—
20 Appendicitis and typhlitis	...	—	—	—	—	2	—	—	2	—	1	1	—	—	—	1	—
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
21A Alcoholism	...	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	1	1	2	—	1	3	2	3	6	8	1	1	3	5	—	1
23 Puerperal fever	...	—	2	—	—	—	—	—	1	—	2	—	2	—	—	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	1	—	—	—	3	—	1	—	1	—	—
25 Congenital debility, &c.	...	9	3	—	—	3	2	10	5	4	6	8	8	2	—	—	—
26 Violence, apart from 27	...	3	—	1	—	3	1	2	1	1	1	3	—	5	—	—	—
27 Suicide	...	1	—	—	—	2	1	—	—	1	—	—	—	1	—	—	1
28 Other defined diseases	...	15	10	3	3	21	20	17	29	41	41	10	22	17	17	9	11
29 Causes ill-defined or un-known.	...	1	—	—	—	—	—	1	—	2	1	—	—	1	—	—	1

* Abolished 9th November, 1913.

ADMINISTRATIVE AREAS, 1913—continued.

LANCASHIRE—cont.

	Heywood M.B.		Hindley U.D.		Horwich U.D.		Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	238	259	238	190	105	91	59	81	24	24	244	209	59	45	73	55	31	35	293	236	50	50	1
2	1	2	2	—	1	—	2	1	1	—	2	1	1	—	—	—	—	3	2	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	6	4	12	11	2	—	—	1	—	—	23	17	1	—	—	—	—	2	2	3	—	1	4
5	1	3	—	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	5
6	3	1	1	1	3	4	—	2	—	—	6	2	4	1	1	1	—	2	—	—	—	1	6
7	2	1	2	1	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	7
8	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	1	—	1	8
9	24	17	15	7	9	6	5	2	1	2	7	6	—	—	3	1	2	2	23	18	1	2	9
10	6	4	—	—	2	1	1	1	—	—	3	5	—	1	—	—	—	—	1	1	1	—	10
11	1	5	5	6	2	3	1	2	—	—	3	—	—	—	2	—	2	—	1	1	—	2	11
12	7	21	6	11	7	11	2	7	2	3	8	4	1	4	5	4	2	4	22	32	2	3	12
13	—	1	2	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	3	—	—	—	13
14	2	3	10	6	1	—	—	2	—	—	3	7	1	1	—	—	—	—	6	2	—	—	14
15	24	26	11	18	5	11	4	8	2	4	6	8	4	6	4	3	2	1	34	29	5	8	15
16	35	32	18	18	10	6	6	15	2	—	34	27	4	4	9	4	1	3	27	23	4	4	16
17	17	11	35	27	6	6	8	7	1	—	32	24	7	4	2	3	2	2	23	11	9	2	17
18	1	1	3	2	1	2	2	2	1	—	1	—	—	1	—	—	—	—	4	5	—	—	18
19	20	4	21	14	4	4	4	2	1	1	18	26	4	2	8	2	4	2	11	7	2	2	19
20	—	—	—	1	—	1	1	—	—	1	—	—	1	—	1	—	—	—	4	—	—	1	20
21	4	4	—	3	—	1	—	—	—	—	1	—	1	—	1	—	—	—	3	1	1	1	21
21A	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21A
22	13	8	9	2	5	6	2	3	1	1	5	5	2	—	3	—	—	1	5	7	1	1	22
23	—	1	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	3	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	2	—	1	24
25	16	10	17	10	11	4	4	4	2	1	32	17	2	2	8	6	5	17	13	8	2	2	25
26	6	4	10	4	4	2	2	1	—	—	10	3	3	3	2	2	1	8	3	3	2	1	26
27	6	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	2	—	—	27
28	41	84	56	44	29	21	12	18	9	11	42	48	20	13	23	26	7	10	88	70	13	14	28
29	—	5	2	—	1	—	—	—	1	—	5	4	1	1	—	1	—	—	1	2	1	1	29

LANCASHIRE—cont.

	Lees U.D.		Leigh M.B.		Leyland U.D.		Litherland U.D.		Little- borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Little Woolton U.D.*		Longridge U.D.		Lytham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	43	40	430	384	83	58	140	119	73	75	6	6	48	72	35	36	9	7	27	44	46	78	1
2	—	—	6	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	2
3	2	1	19	16	—	—	3	5	1	—	—	—	2	2	2	2	—	—	1	1	—	—	3
4	—	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	5	—	7	9	—	—	7	8	—	—	—	—	1	4	1	1	—	—	—	—	1	—	5
6	—	—	1	4	—	2	1	—	—	2	—	—	—	1	—	—	—	—	—	—	—	3	6
7	1	—	1	4	1	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	2	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	1	4	29	26	8	2	9	10	5	4	—	1	2	7	2	2	1	—	1	2	—	1	9
10	1	—	1	4	—	—	2	—	2	3	—	—	—	1	—	—	—	—	1	1	—	1	10
11	—	1	8	4	—	—	2	2	2	3	—	—	—	2	—	—	—	1	2	—	—	—	11
12	—	3	10	26	7	6	7	3	3	5	—	—	—	2	4	2	2	—	1	3	3	7	12
13	1	1	2	4	—	—	1	—	—	2	—	—	—	1	—	—	—	—	—	—	1	1	13
14	2	—	9	2	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	7	4	19	32	5	6	9	5	6	9	—	1	2	2	—	5	—	1	2	7	4	11	15
16	2	5	53	42	3	7	15	9	7	7	1	1	4	8	2	6	—	1	2	4	2	5	16
17	4	4	44	37	10	4	8	19	8	3	—	1	6	4	2	1	2	1	—	3	5	3	17
18	—	2	3	—	—	—	—	2	5	1	—	—	2	2	—	—	—	—	—	—	1	1	18
19	1	1	52	45	3	2	14	15	1	—	—	—	2	4	3	2	—	—	3	1	1	—	19
20	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	20
21	—	—	2	—	—	—	2	1	1	—	—	—	1	1	—	—	—	—	—	—	1	2	21
21A	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	4	15	4	2	1	7	2	7	3	—	—	3	2	2	1	—	—	2	1	3	3	22
23	—	—	—	3	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	4	—	2	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	24
25	1	3	31	26	5	4	10	6	1	2	1	—	5	4	3	4	—	—	4	4	—	5	25
26	1	—	23	8	2	—	11	1	1	—	—	—	8	1	1	1	1	—	1	1	1	2	26
27	1	—	1	—	1	—	—	—	2	—	—	—	—	1	1	—	—	1	—	—	—	—	27
28	13	4	88	77	34	15	24	25	19	30	4	2	9	19	12	9	2	2	7	14	21	28	28
29	—	—	5	4	1	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	29

* Abolished 9th November, 1913.

LANCASHIRE—*cont.*

Causes of Death.	Middleton M.B.		Milnrow U.D.		More- cambe M.B.		Mossley M.B.		Much Woolton U.D.*		Nelson M.B.		Newton in Maker- field U.D.		Norden U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	190	179	58	66	92	81	98	106	29	32	231	240	153	131	21	29
1 Enteric fever ...	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	2	1	1	—	—	—	—	—	—	—	2	—	15	9	—	—
4 Scarlet fever ...	1	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—
5 Whooping cough ...	—	—	1	—	—	—	1	1	—	—	—	—	1	—	—	—
6 Diphtheria and croup ...	—	—	2	—	—	—	1	1	—	1	1	1	1	1	—	—
7 Influenza ...	6	2	1	1	2	1	1	1	1	1	1	1	3	2	1	—
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
9 Pulmonary tuberculosis	11	11	4	5	7	6	7	7	2	1	16	10	12	11	1	1
10 Tuberculous meningitis	—	1	—	—	—	—	—	—	—	—	1	1	1	1	—	—
11 Other tuberculous diseases	2	3	1	—	2	1	1	1	—	1	3	5	3	—	—	1
12 Cancer, malignant disease	6	12	—	8	5	14	7	11	3	3	14	25	4	5	2	1
13 Rheumatic fever...	—	1	—	1	—	—	—	2	—	—	1	1	—	—	—	—
14 Meningitis ...	2	2	—	—	1	—	1	—	—	1	3	—	2	3	—	—
15 Organic heart disease ...	21	10	2	14	16	8	5	19	1	4	24	37	11	17	3	2
16 Bronchitis ...	16	21	4	7	3	3	13	9	3	8	23	28	5	7	1	—
17 Pneumonia (all forms) ...	18	17	6	4	5	5	6	5	1	3	26	16	22	13	1	1
18 Other respiratory diseases	3	1	1	1	4	1	1	1	—	—	5	7	—	1	—	1
19 Diarrhoea, &c. (under 2 yrs.)	8	7	1	1	2	1	2	2	1	—	6	7	12	9	—	—
20 Appendicitis and typhlitis	3	—	1	—	1	1	2	—	—	—	1	5	—	—	—	—
21 Cirrhosis of liver ...	2	—	2	—	—	—	—	—	1	—	1	—	1	4	—	—
21A Alcoholism ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	15	12	4	4	3	1	12	6	2	—	5	6	9	4	1	1
23 Puerperal fever ...	—	—	—	1	—	—	—	1	—	—	—	2	—	1	—	—
24 Parturition, apart from 23	—	2	—	2	—	—	—	5	—	1	—	2	—	2	—	—
25 Congenital debility, &c.	16	9	2	3	5	3	8	10	5	1	19	12	5	10	2	2
26 Violence, apart from 27	7	6	2	1	2	2	1	2	1	—	6	6	10	4	2	1
27 Suicide ...	2	1	—	—	1	—	1	—	1	—	10	1	1	—	—	—
28 Other defined diseases ...	47	58	21	13	33	32	26	22	6	6	57	65	33	24	7	18
29 Causes ill-defined or un- known.	1	—	2	—	—	2	1	—	—	1	3	1	—	2	—	—

LANCASHIRE—*cont.*

Causes of Death.	Ormskirk U.D.		Orrell U.D.		Oswald- twistle. U.D.		Padiham U.D.		Poulton le Fylde U.D.		Preesall U.D.		Prescot U.D.		Prestwich U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	57	39	46	54	134	122	101	110	14	17	8	8	61	75	83	90
1 Enteric fever ...	2	—	4	—	—	—	—	—	—	—	—	—	—	3	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	2	4	—	—	1	—	—	—	—	—	6	9	2	—
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
7 Influenza ...	3	—	—	2	4	1	—	—	1	1	—	—	1	3	3	—
8 Erysipelas ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	8
9 Pulmonary tuberculosis	1	1	2	7	8	4	2	5	—	—	—	—	2	6	7	7
10 Tuberculous meningitis	—	—	1	—	—	1	—	—	—	—	—	—	1	—	1	—
11 Other tuberculous diseases	2	—	—	1	—	1	3	1	—	—	—	—	1	—	2	1
12 Cancer, malignant disease	7	2	1	4	8	9	2	9	1	2	—	1	4	2	6	14
13 Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—
14 Meningitis ...	1	—	1	—	3	—	1	—	2	—	—	—	—	—	—	—
15 Organic heart disease ...	8	7	1	3	13	13	13	6	—	3	1	—	4	3	6	11
16 Bronchitis ...	4	1	5	4	14	11	8	9	—	—	1	2	7	8	10	5
17 Pneumonia (all forms) ...	3	2	8	5	7	3	10	8	—	—	1	1	5	5	8	9
18 Other respiratory diseases	2	1	1	—	2	1	3	3	—	—	—	—	—	1	2	—
19 Diarrhoea, &c. (under 2 yrs.)	2	2	4	5	11	8	8	7	—	1	—	—	7	4	1	3
20 Appendicitis and typhlitis	—	1	—	1	—	—	1	1	—	—	—	1	—	—	1	—
21 Cirrhosis of liver ...	1	—	1	—	3	1	—	—	—	—	—	—	—	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	1	—	—	1	5	6	3	4	2	1	—	—	2	3	4	3
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	—	1	—	1	—	1	—	2	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	2	5	3	4	13	9	8	4	1	—	1	—	8	5	1	2
26 Violence, apart from 27	2	2	2	—	6	4	3	2	—	—	—	—	1	2	5	1
27 Suicide ...	—	—	—	—	1	1	—	—	2	—	1	—	—	—	1	1
28 Other defined diseases ...	16	12	10	12	33	45	31	45	5	7	2	3	12	19	20	31
29 Causes ill-defined or un- known.	—	—	—	—	3	1	3	1	3	—	—	—	—	—	2	1

* Abolished 9th November, 1913

ADMINISTRATIVE AREAS, 1913—continued.

LANCASHIRE—cont.

	Radcliffe U.D.		Rainford U.D.		Rams- bottom U.D.		Rawten- stall M.B.		Rishton U.D.		Royton U.D.		St. Anne's on the Sea U.D.		Skelmers- dale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendle- bury U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	176	181	26	30	105	112	232	191	61	52	144	154	47	59	75	53	55	47	215	231	259	220	1
2	—	1	—	—	4	2	2	—	—	—	—	—	—	—	—	1	—	—	3	2	5	4	2
3	7	4	—	—	—	1	2	—	—	—	3	4	—	—	1	1	4	8	2	2	10	9	3
4	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	3	—	—	1	3	4
5	—	—	—	—	1	—	1	2	—	—	1	4	—	2	—	—	—	1	1	6	—	2	5
6	1	1	—	—	1	2	3	1	1	—	1	1	2	—	3	1	1	—	3	1	3	1	6
7	1	1	—	—	—	1	2	4	—	—	1	—	—	3	—	1	—	—	—	2	2	1	7
8	—	1	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	1	1	1	1	8
9	17	8	—	1	6	10	18	8	6	5	12	6	2	3	3	5	3	1	14	11	17	14	9
10	1	2	—	—	1	—	—	2	1	—	3	1	2	1	—	1	—	1	—	2	4	2	10
11	2	1	—	2	1	2	4	2	1	1	1	2	—	—	2	—	1	1	3	2	11	8	11
12	7	13	1	1	11	7	10	26	2	7	11	15	3	7	3	2	5	3	17	27	18	13	12
13	—	2	—	—	—	1	1	1	—	—	1	1	—	—	—	1	—	—	2	2	1	1	13
14	1	—	1	1	3	—	—	1	1	2	—	3	—	1	—	—	1	1	2	1	2	—	14
15	14	19	—	4	8	19	24	20	5	7	9	18	8	8	11	5	5	4	23	20	9	18	15
16	17	24	3	3	4	3	30	15	4	7	20	8	2	3	4	5	4	3	16	15	16	14	16
17	9	3	4	3	22	6	17	10	8	5	12	13	3	3	7	4	7	6	19	20	36	27	17
18	3	2	1	1	—	—	6	5	—	—	3	4	1	—	—	—	—	—	4	7	4	3	18
19	5	3	1	—	7	4	3	5	4	—	1	4	—	—	6	6	3	2	3	7	14	12	19
20	—	—	—	—	—	—	1	1	—	1	—	1	—	1	—	—	—	—	2	1	2	3	20
21	2	2	—	1	2	—	1	—	2	—	2	2	—	—	1	1	—	1	4	2	3	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	7	6	—	—	6	5	10	7	2	1	1	7	2	4	3	2	—	1	9	9	6	5	22
23	—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	23
24	—	4	—	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	1	—	—	24
25	12	11	5	3	3	2	19	6	3	—	11	9	2	—	10	1	7	1	12	12	20	8	25
26	16	3	3	—	4	4	7	2	3	—	4	3	2	1	1	1	3	—	15	8	8	3	26
27	1	3	—	—	—	1	6	1	1	—	1	2	1	1	—	—	—	3	3	4	—	—	27
28	53	66	7	10	21	39	61	67	16	14	45	42	15	20	20	14	9	12	55	68	58	64	28
29	—	—	—	—	—	—	2	3	1	—	1	—	2	1	—	—	—	—	—	1	4	1	29

LANCASHIRE—cont.

	Thornton U.D.		Tottington U.D.		Trawden U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Sea- forth U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	26	16	35	43	24	18	92	92	150	139	79	84	43	38	43	38	77	91	29	33	190	177
2	—	1	—	—	—	—	—	1	8	1	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	—	1	—	—	1	—	19	23	1	2	—	—	2	2	—	—	—	—	6	—
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—
5	—	—	—	—	—	—	—	—	—	3	—	—	1	3	3	2	—	—	—	—	2	3
6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	2	—	1	—
7	—	—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	1	2	—	1	1	2
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	4	1	2	1	3	1	4	2	8	9	5	2	3	1	3	6	1	10	3	3	18	14
10	—	—	—	—	—	—	—	1	4	2	—	1	—	—	—	1	1	2	1	—	2	2
11	—	—	—	—	—	—	2	—	—	3	5	1	—	1	2	1	3	1	1	—	3	3
12	2	2	4	2	—	4	3	5	4	15	4	7	2	—	3	—	5	6	1	4	6	17
13	—	—	—	1	1	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—	2	—
14	—	—	2	—	—	—	3	5	—	—	—	2	1	—	1	—	2	—	—	—	1	2
15	3	1	3	11	1	3	7	9	5	5	5	5	3	8	1	4	8	7	3	2	8	19
16	3	2	3	3	2	1	12	10	15	11	4	10	4	2	2	3	9	10	3	4	15	15
17	2	—	3	—	6	—	9	7	22	14	5	6	2	3	2	3	3	11	2	4	15	10
18	—	—	—	—	—	—	—	—	—	1	2	—	—	1	2	—	1	—	—	—	3	—
19	1	—	—	1	1	—	1	1	18	16	2	5	4	1	2	—	7	7	—	—	6	8
20	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	—	—	—	—	2	1
21	1	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	1	—	1	4
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
22	1	1	1	—	—	—	5	4	4	2	1	3	1	—	—	2	4	3	2	1	5	6
23	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
24	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2
25	3	—	—	—	3	1	8	4	7	9	5	3	3	2	3	1	7	3	3	2	18	6
26	—	—	—	—	3	—	6	1	2	1	4	1	3	—	2	1	3	3	—	—	8	3
27	—	—	1	1	—	—	2	1	1	—	1	1	—	—	—	—	—	—	1	—	1	2
28	6	5	16	21	4	7	27	39	27	23	28	30	14	10	13	11	16	23	4	10	59	56
29	—	2	—	1	—	—	2	—	3	—	2	—	1	2	—	—	1	2	—	—	4	1

LANCASHIRE—cont.

Causes of Death.		West-houghton U.D.		Whitefield U.D.		Whitworth U.D.		Widnes M.B.		Withnell U.D.		Worsley U.D.				Barton upon Irwell R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F			M	F	
ALL CAUSES	...	105	119	52	47	79	69	318	258	16	18	79	91			58	61	1
1 Enteric fever	...	3	4	—	—	—	—	2	—	—	—	2	—			—	1	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—			—	—	3
3 Measles	...	2	4	1	—	1	—	11	12	—	—	2	2			4	1	4
4 Scarlet fever	...	2	2	—	—	—	—	5	2	1	—	—	—			—	—	5
5 Whooping cough	...	—	—	—	—	—	—	9	9	—	—	—	1			1	1	6
6 Diphtheria and croup	...	—	2	—	—	—	—	4	2	—	—	—	2			—	1	7
7 Influenza	...	1	2	1	1	2	3	10	7	—	—	4	—			—	—	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—			—	—	9
9 Pulmonary tuberculosis	...	3	6	2	—	9	6	27	18	1	1	2	5			2	2	10
10 Tuberculous meningitis	...	—	—	—	—	1	—	5	1	1	—	—	—			1	1	11
11 Other tuberculous diseases	...	1	4	—	—	1	1	5	8	—	—	2	1			—	—	12
12 Cancer, malignant disease	...	—	11	4	2	4	7	4	12	—	2	5	4			4	10	13
13 Rheumatic fever...	...	—	—	—	—	1	—	1	1	—	—	1	—			—	—	14
14 Meningitis	...	5	2	1	1	1	—	3	3	—	—	1	—			1	1	15
15 Organic heart disease	...	4	4	11	13	5	5	11	11	4	3	9	9			4	7	16
16 Bronchitis	...	15	8	4	6	5	7	33	23	—	3	9	8			4	4	17
17 Pneumonia (all forms)	...	14	11	5	3	9	4	24	15	2	1	5	4			8	6	18
18 Other respiratory diseases	...	1	2	—	1	1	6	13	8	2	2	—	—			1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	...	9	9	5	—	1	—	29	29	—	—	2	1			3	—	20
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	1	—	1	—	—			—	—	21
21 Cirrhosis of liver	...	—	1	—	—	—	—	1	—	—	3	—	—			2	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—			—	—	22
22 Nephritis and Bright's dis.	...	2	3	2	—	9	2	7	2	—	—	2	7			1	1	23
23 Puerperal fever	...	—	1	—	—	—	—	—	2	—	—	—	—			—	—	24
24 Parturition, apart from 23	...	—	1	—	—	—	—	—	2	—	—	—	1			—	—	25
25 Congenital debility, &c.	...	9	9	5	5	7	1	23	9	—	—	3	11			2	5	26
26 Violence, apart from 27	...	5	4	—	4	3	1	15	3	—	—	6	3			4	1	27
27 Suicide	...	1	2	—	—	—	1	1	1	—	—	—	—			—	2	28
28 Other defined diseases	...	28	27	10	11	19	24	71	74	4	2	24	32			16	15	29
29 Causes ill-defined or unknown.	...	—	—	1	—	—	1	4	3	1	—	—	—			—	1	

LANCASHIRE—cont.

Causes of Death.		Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	65	51	148	127	56	56	151	127	46	33	72	69	75	54	52	47	1
1 Enteric fever	...	2	1	3	—	—	1	1	2	1	—	1	—	2	—	2	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	1	—	—	1	1	—	3	2	1	1	2	1	2	2	—	—	4
4 Scarlet fever	...	—	—	2	1	—	1	1	2	—	—	—	1	—	—	—	—	5
5 Whooping cough	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	...	1	2	3	3	—	—	2	3	1	—	—	1	—	—	—	—	7
7 Influenza	...	1	—	1	4	—	3	7	1	—	—	1	1	2	2	—	2	8
8 Erysipelas...	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	2	4	11	2	5	4	4	10	4	1	4	1	2	2	2	4	10
10 Tuberculous meningitis	...	1	—	—	1	1	—	4	—	—	1	1	1	—	—	—	—	11
11 Other tuberculous diseases	...	—	—	4	1	—	—	4	1	—	—	1	1	1	—	1	—	12
12 Cancer, malignant disease	...	8	5	5	15	5	9	3	13	5	3	7	7	4	4	2	6	13
13 Rheumatic fever...	...	—	—	—	2	—	—	—	—	—	—	—	2	2	1	1	—	14
14 Meningitis	...	—	—	1	2	—	1	1	—	—	1	—	—	1	—	1	1	15
15 Organic heart disease	...	8	5	15	17	5	5	12	10	4	3	6	7	15	6	7	8	16
16 Bronchitis	...	4	4	16	8	8	6	7	14	3	2	1	1	1	2	2	3	17
17 Pneumonia (all forms)	...	6	3	15	9	2	2	15	7	6	6	3	3	1	6	2	2	18
18 Other respiratory diseases	...	1	—	2	3	1	2	4	3	—	—	3	—	2	1	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	3	2	3	2	4	—	10	10	1	—	3	3	—	—	2	—	20
20 Appendicitis and typhlitis	...	1	—	—	3	—	1	1	—	—	—	1	—	—	—	1	—	21
21 Cirrhosis of liver	...	—	1	1	1	1	1	1	1	—	—	4	—	—	1	1	—	21A
21A Alcoholism	...	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	1	—	7	4	—	2	5	5	2	—	3	1	4	4	1	1	23
23 Puerperal fever	...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	...	—	3	—	2	—	—	—	2	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	...	4	2	10	5	3	2	9	7	—	2	5	1	—	2	4	1	26
26 Violence, apart from 27	...	2	1	4	3	2	2	8	2	1	1	3	3	4	1	3	—	27
27 Suicide	...	1	1	2	1	—	—	1	—	—	—	—	1	—	—	1	—	28
28 Other defined diseases	...	15	17	37	35	18	13	42	28	15	12	22	33	29	19	19	18	29
29 Causes ill-defined or unknown.	...	3	—	3	2	—	1	6	2	2	—	1	—	3	—	—	1	

ADMINISTRATIVE AREAS, 1913—continued.

LANCASHIRE—cont.

	Leigh R.D.		Lime- hurst R.D.		Lunesdale R.D.		Preston R.D.		Sefton R.D.		Ulverston R.D.		Warring- ton R.D.		West Lan- cashire R.D.		Whiston R.D.		Wigan R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	95	79	66	85	55	34	115	131	36	33	108	110	83	63	133	128	150	139	48	36		1
2	1	2	—	—	1	—	1	1	—	—	—	3	—	—	—	—	3	3	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
4	3	10	2	2	—	—	1	—	—	—	1	—	7	3	3	1	5	6	—	—		4
5	—	—	—	—	—	—	2	2	—	—	1	2	—	—	2	—	3	1	—	—		5
6	—	2	—	1	—	—	1	—	1	—	—	—	2	—	—	—	2	6	—	1		6
7	1	—	—	1	1	2	2	3	—	—	2	1	1	4	—	6	1	2	2	1		7
8	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	4	3	5	1	1		8
9	7	7	4	5	2	1	6	11	7	2	7	6	5	2	12	7	8	3	2	1		9
10	—	—	1	1	1	—	—	2	—	—	—	1	—	—	1	—	2	—	—	—		10
11	—	1	2	1	—	—	2	1	—	—	1	2	—	1	2	2	1	1	1	—		11
12	5	4	2	8	1	5	1	9	6	3	4	12	9	1	16	12	11	16	1	2		12
13	—	—	—	1	—	—	1	2	—	—	2	—	2	1	—	1	—	—	—	—		13
14	—	1	1	1	—	—	3	1	—	—	—	1	1	3	—	1	1	—	1	2		14
15	3	12	9	4	5	6	16	18	2	4	12	15	5	4	16	11	10	13	1	1		15
16	11	2	6	10	1	2	7	9	3	3	7	12	5	5	9	7	18	16	3	2		16
17	20	11	3	10	6	1	7	7	4	1	4	3	9	6	3	8	11	8	9	3		17
18	—	2	—	2	2	1	4	—	—	1	3	2	1	—	2	4	1	1	1	—		18
19	6	6	1	5	1	1	6	—	—	1	1	1	4	1	4	2	7	4	2	1		19
20	—	—	—	1	—	—	1	—	—	1	—	1	—	—	1	1	—	—	1	—		20
21	—	1	1	—	—	1	—	2	—	1	3	—	2	2	2	1	—	1	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		21A
22	2	1	6	2	1	—	10	5	—	—	4	4	1	2	1	1	4	1	1	—		22
23	—	1	—	1	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—		23
24	—	1	—	4	—	—	—	1	—	2	—	2	—	—	—	2	—	1	—	2		24
25	4	1	6	5	—	4	8	4	1	—	6	2	5	5	6	7	11	10	2	3		25
26	7	1	—	1	1	—	8	—	2	1	9	3	5	1	3	4	6	2	5	2		26
27	1	1	—	—	2	—	—	—	—	—	1	2	1	—	2	2	3	3	1	—		27
28	23	11	22	19	27	13	26	47	9	13	37	31	13	20	41	43	42	34	11	13		28
29	1	1	—	—	—	—	1	4	1	—	2	2	5	—	4	1	—	2	3	—		29

LEICESTERSHIRE.

	Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.		Hinckley U.D.		Lough- borough M.B.		Market Har- borough U.D.		Melton Mowbray U.D.		Oadby U.D.*		Quorndon U.D.		Shepshed U.D.		Thur- maston U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	38	29	17	14	129	126	85	87	175	159	38	51	60	52	7	3	10	12	37	41	10	11		1
2	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		2
3	1	—	—	—	3	2	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—		3
4	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		4
5	3	—	—	2	—	3	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—		5
6	—	—	—	—	2	3	—	1	1	—	2	1	—	—	—	—	1	—	—	1	—	1		6
7	2	2	—	—	4	2	2	1	1	3	—	1	—	—	—	—	—	—	—	—	—	—		7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		8
9	5	4	1	1	4	8	11	8	20	11	3	2	4	2	1	—	1	1	1	4	2	—		9
10	2	—	—	—	2	4	—	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—		10
11	—	1	2	—	4	1	1	—	4	4	—	—	—	—	1	—	—	—	—	1	—	—		11
12	4	1	—	2	6	8	3	6	16	14	3	6	3	7	2	—	1	2	1	6	1	1		12
13	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		13
14	1	—	—	—	1	1	1	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—		14
15	1	1	2	2	12	9	6	12	24	19	7	11	5	4	—	—	2	—	6	2	2	—		15
16	2	2	—	1	7	8	7	12	13	10	3	3	6	1	—	—	1	—	1	—	—	—		16
17	—	1	1	2	16	8	3	—	7	15	2	3	4	3	—	—	—	—	3	—	1	1		17
18	1	1	1	1	—	1	1	3	—	—	—	—	—	—	—	—	—	1	1	—	—	—		18
19	2	1	1	—	4	7	2	—	5	4	1	1	3	1	—	—	—	—	1	—	—	—		19
20	1	1	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	3	—	—	—	—		20
21	1	—	—	—	—	3	1	1	2	—	1	—	1	2	1	—	—	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	1	1	—	1	—	3	1	—	—	—	2	2	1	—	—		21A
22	1	—	—	—	3	5	5	3	8	1	1	1	3	1	—	—	—	2	1	1	—	—		22
23	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	1	—	—	—	—	—	2	—	4	—	1	—	1	—	—	—	—	—	—	—	—		24
25	—	1	2	—	10	12	13	5	23	17	1	1	2	3	—	—	1	1	5	5	1	2		25
26	1	1	1	—	7	2	1	4	4	—	1	—	1	2	—	—	—	—	1	1	—	1		26
27	—	—	—	—	1	—	1	—	—	2	—	—	4	1	—	—	—	—	1	—	—	—		27
28	10	11	4	3	41	35	23	24	37	43	12	17	22	23	3	2	4	5	8	19	2	5		28
29	—	—	1	—	1	2	1	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—		29

* Created 1st October, 1913.

LEICESTERSHIRE—cont.

Causes of Death.			Wigston Magna U.D.		Ashby de la Zouch R.D.		Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Doning- ton R.D.			
			M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	...	43	49			98	98	146	143	29	24	30	30	101	124	34	50
1	Enteric fever	...	—	—			—	—	—	1	—	—	—	—	—	—	—	2
2	Small-pox	...	—	—			—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	...	—	—			2	—	1	2	—	—	—	—	—	1	—	4
4	Scarlet fever	...	—	—			—	2	—	—	—	—	—	—	1	1	—	5
5	Whooping cough	...	1	—			1	1	—	—	—	—	—	—	—	—	3	6
6	Diphtheria and croup	...	1	1			1	—	—	—	—	—	—	1	2	—	—	7
7	Influenza	...	1	1			—	1	2	2	2	2	1	1	—	1	2	8
8	Erysipelas	...	—	—			1	—	1	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	...	4	6			3	8	15	16	4	2	—	3	11	10	3	10
10	Tuberculous meningitis	...	1	2			—	1	2	1	—	1	1	1	—	—	1	11
11	Other tuberculous diseases	...	—	—			1	—	2	2	—	—	—	3	3	1	—	12
12	Cancer, malignant disease	...	4	4			5	9	9	19	3	6	2	2	5	15	4	13
13	Rheumatic fever...	...	1	1			3	—	—	—	—	—	—	—	2	—	—	14
14	Meningitis	...	—	1			3	—	2	1	1	—	—	1	—	—	—	15
15	Organic heart disease	...	4	3			6	13	21	20	3	2	5	4	8	15	2	16
16	Bronchitis	...	—	3			8	4	5	8	1	5	2	5	11	13	—	17
17	Pneumonia (all forms)	...	6	5			4	5	11	2	2	—	—	3	4	6	1	18
18	Other respiratory diseases	...	2	—			2	—	4	1	—	—	—	—	—	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	...	—	—			3	5	5	6	—	—	2	—	—	—	—	20
20	Appendicitis and typhlitis	...	1	—			1	1	—	—	—	—	—	2	—	2	—	21
21	Cirrhosis of liver	...	1	1			2	2	1	1	—	—	1	—	1	—	—	21A
21A	Alcoholism	...	—	1			—	—	—	—	—	—	—	—	—	1	—	22
22	Nephritis and Bright's dis.	...	1	—			3	—	—	5	—	—	—	9	3	1	1	23
23	Puerperal fever	...	—	—			—	2	—	—	—	—	—	—	1	—	—	24
24	Parturition, apart from 23	...	—	—			—	6	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.	...	3	4			5	1	8	6	1	1	3	1	6	6	—	26
26	Violence, apart from 27	...	1	—			6	2	6	4	—	1	2	—	4	2	—	27
27	Suicide	...	—	1			2	1	2	—	1	—	2	—	1	—	2	28
28	Other defined diseases	...	10	15			33	34	47	46	10	4	8	10	33	42	13	29
29	Causes ill-defined or un- known.	...	1	—			3	—	2	—	—	—	1	—	—	—	—	

LEICESTERSHIRE—cont.

Causes of Death.				Hallaton R.D.		Hinckley R.D.		Lough- borough R.D.		Lutter- worth R.D.		Market Bosworth R.D.		Market Har- borough R.D.		Melton Mowbray R.D.			
				M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	6	15	100	78	29	28	85	71	146	144	32	34	93	95		
1	Enteric fever	—	—	2	—	—	—	—	—	—	1	—	—	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	—	—	—	1	1	1	—	5	7	—	—	—	1		3
4	Scarlet fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—		4
5	Whooping cough	—	—	—	—	—	—	—	—	1	2	—	—	1	—		5
6	Diphtheria and croup	—	—	4	1	—	—	—	1	2	1	—	1	—	1		6
7	Influenza	2	1	—	1	—	—	—	3	3	4	—	1	2	4		7
8	Erysipelas	—	—	—	1	—	—	—	—	—	1	—	—	—	—		8
9	Pulmonary tuberculosis	1	1	16	15	2	2	6	3	7	6	2	1	5	4		9
10	Tuberculous meningitis	—	—	—	1	—	—	—	—	2	—	—	—	—	1		10
11	Other tuberculous diseases	—	—	1	1	—	1	—	—	—	4	—	—	2	—		11
12	Cancer, malignant disease	—	2	3	6	2	—	4	9	13	12	3	2	10	13		12
13	Rheumatic fever...	—	—	—	—	—	—	—	1	2	—	—	—	—	—		13
14	Meningitis	—	—	—	—	—	—	—	1	—	2	—	1	1	—		14
15	Organic heart disease	1	4	8	12	3	3	11	10	7	20	4	3	12	13		15
16	Bronchitis	—	—	6	3	2	1	9	5	13	10	1	2	5	6		16
17	Pneumonia (all forms)	—	—	14	5	3	—	4	5	12	8	1	1	9	3		17
18	Other respiratory diseases	—	—	2	—	—	—	2	—	4	5	—	—	3	3		18
19	Diarrhoea, &c. (under 2 yrs.)	—	—	3	—	—	—	1	1	6	4	—	—	2	1		19
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	1	—	1	1	—		20
21	Cirrhosis of liver	—	—	1	—	—	—	5	1	1	—	1	—	—	—		21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	—	—	1	2	—	1	3	—	2	6	—	—	2	3		22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	2		23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—	—	1	—	2		24
25	Congenital debility, &c.	—	1	7	5	1	1	2	2	15	8	1	5	5	9		25
26	Violence, apart from 27	—	—	4	1	1	1	1	1	9	1	1	1	3	—		26
27	Suicide	—	—	1	—	—	—	2	1	—	1	1	—	—	—		27
28	Other defined diseases	2	6	24	21	14	17	32	25	41	40	17	14	29	29		28
29	Causes ill-defined or un- known.	—	—	2	1	—	—	1	—	1	—	—	—	1	—		29

ADMINISTRATIVE AREAS, 1913—continued.

LINCOLNSHIRE (PARTS OF HOLLAND).

	Boston M.B.		Holbeach U.D.		Long Sutton U.D.		Spalding U.D.		Sutton Bridge U.D.				Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.			
	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1	131	114	37	32	20	12	68	73	20	19			137	127	26	24	67	48	78	87		1
2	—	—	—	—	—	—	—	—	1	—			—	—	—	1	—	—	—	1	—	2
3	2	4	—	2	—	—	2	2	—	—			1	1	—	—	—	1	3	3	—	3
4	—	—	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	—	4
5	2	1	—	1	4	—	—	—	—	—			1	1	—	—	—	—	1	1	—	5
6	3	4	—	1	—	—	—	—	—	—			3	2	—	—	—	—	1	—	—	6
7	1	1	—	—	—	—	—	1	—	—			1	2	—	—	2	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	8
9	8	6	4	—	—	—	2	3	1	—			5	8	1	3	3	6	2	4	—	9
10	1	1	—	—	—	—	2	1	—	—			1	1	—	—	—	1	1	1	—	10
11	3	2	—	—	1	—	3	1	—	—			—	2	1	—	3	2	2	1	—	11
12	10	11	3	4	—	3	3	5	—	4			10	8	4	—	7	5	7	7	—	12
13	—	—	—	1	—	—	—	1	—	—			—	—	—	—	—	—	—	—	—	13
14	1	—	2	—	—	—	1	—	—	—			—	—	—	—	1	—	—	—	—	14
15	8	8	4	3	2	1	15	25	1	—			14	19	2	5	3	2	13	11	—	15
16	9	10	1	1	1	—	3	3	1	—			6	11	2	3	5	1	4	5	—	16
17	8	7	3	2	—	—	5	—	1	1			9	10	2	1	2	4	8	5	—	17
18	2	—	—	—	1	—	2	1	—	—			1	1	—	—	3	—	1	1	—	18
19	5	2	3	3	—	—	—	—	1	—			5	3	1	—	2	—	1	—	—	19
20	1	1	—	1	—	—	—	—	—	—			2	—	—	—	—	—	1	1	—	20
21	4	2	—	—	—	—	1	—	—	—			3	1	—	—	—	1	—	1	—	21
21A	1	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	21A
22	3	5	1	1	2	1	1	—	2	—			2	2	—	—	3	1	5	4	—	22
23	—	1	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—	24
25	10	10	1	1	3	1	6	7	1	3			4	2	2	2	6	3	4	7	—	25
26	4	2	—	—	—	—	3	1	3	—			10	2	1	1	3	—	5	2	—	26
27	—	—	—	—	—	—	1	—	—	—			3	1	1	—	1	1	2	—	—	27
28	44	36	15	11	6	5	18	22	6	11			56	45	8	5	26	16	17	31	—	28
29	1	—	—	—	—	1	—	—	2	—			—	—	1	3	—	1	—	1	—	29

LINCOLNSHIRE (PARTS OF KESTIVEN).

	Bourne U.D.		Brace- bridge U.D.		Grantham M.B.		Rusking- ton U.D.		Sleaford U.D.		Stamford M.B.				Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1	34	29	21	9	160	123	5	10	33	36	80	58			99	91	113	87	57	48	81	95		1
2	—	—	1	—	—	—	—	—	—	—	—	—			1	—	—	—	—	—	1	1	—	2
3	3	—	1	1	3	8	—	—	—	—	3	3			2	1	1	—	—	—	—	2	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	4
5	1	—	1	—	8	9	—	—	—	2	2	2			1	2	4	3	1	—	1	2	—	5
6	—	—	—	—	4	3	—	—	—	—	—	—			2	1	—	—	—	—	2	1	—	6
7	1	—	1	—	8	2	—	—	1	—	—	—			—	2	1	3	—	—	4	3	—	7
8	—	1	—	—	—	—	—	—	—	—	1	—			—	—	—	1	—	—	—	—	—	8
9	1	1	1	—	10	9	—	2	2	1	4	1			4	8	6	7	1	3	3	4	—	9
10	—	—	—	—	2	—	—	—	—	—	1	—			—	—	1	2	—	1	1	1	—	10
11	—	—	3	—	4	1	—	—	1	2	—	—			—	—	2	1	1	1	3	1	—	11
12	3	2	—	3	8	4	—	1	4	6	6	2			9	11	6	10	3	9	12	12	—	12
13	—	—	—	—	—	2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	13
14	1	1	—	—	1	—	—	—	—	—	2	1			1	—	—	—	—	—	—	—	—	14
15	2	2	—	1	21	8	—	1	2	5	5	5			10	12	8	11	9	3	8	5	—	15
16	1	1	—	—	5	5	—	1	4	5	6	6			5	6	12	5	3	5	4	8	—	16
17	3	1	1	—	8	9	—	—	1	2	8	6			7	6	8	3	4	1	3	2	—	17
18	—	2	—	—	5	2	—	1	—	—	—	—			1	2	2	1	3	—	—	1	—	18
19	1	—	1	—	2	5	—	—	1	—	3	—			3	—	4	—	—	—	—	1	—	19
20	—	—	—	—	—	—	—	—	—	—	1	—			—	—	—	1	2	—	—	1	—	20
21	—	1	—	—	4	1	1	—	—	—	2	1			—	1	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	1	—	21A
22	2	—	1	—	4	1	3	2	1	—	3	4			5	4	3	2	2	1	2	2	—	22
23	—	1	—	1	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	1	—	23
24	—	—	—	—	—	1	—	1	—	—	—	3			—	1	—	—	—	—	—	1	—	24
25	2	3	1	—	12	11	—	—	—	4	5	2			11	1	7	4	—	2	5	2	—	25
26	1	—	2	—	4	—	—	—	2	—	3	1			6	3	5	—	1	—	3	1	—	26
27	—	—	—	—	3	1	—	—	—	—	1	—			2	1	1	—	—	—	2	1	—	27
28	12	12	6	3	44	40	1	1	11	9	23	21			28	29	42	33	26	22	28	41	—	28
29	—	1	1	—	—	1	—	—	—	—	1	—			1	—	—	—	—	—	—	—	—	29

CAUSES OF DEATH IN

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

LINCOLNSHIRE (PARTS OF LINDSEY).

Causes of Death.	Sleaford R.D.	Uffington R.D.		Alford U.D.	Barton upon Humber U.D.	Brigg U.D.	Broughton U.D.	Brumby and Frodin- ham U.D.	
ALL CAUSES	M 140 F 88	M 5 F 13		M 30 F 17	M 30 F 48	M 24 F 21	M 7 F 11	M 27 F 12	
1 Enteric fever	2 2	— —		— —	— 1	1 —	— —	— —	1
2 Small-pox	— —	— —		— —	— —	— —	— —	— —	2
3 Measles	— —	— —		— —	— —	— —	— —	— —	3
4 Scarlet fever	— —	— —		— —	— —	— —	— —	— —	4
5 Whooping cough	2 1	— —		— —	3 1	— —	— —	1 —	5
6 Diphtheria and croup	2 1	— —		1 —	1 —	— —	— —	— —	6
7 Influenza	2 2	— —		1 —	2 —	1 —	1 —	1 —	7
8 Erysipelas	— —	— —		— —	— —	— —	— —	— —	8
9 Pulmonary tuberculosis	10 5	— —		1 2	4 —	— 1	— 1	3 2	9
10 Tuberculous meningitis	— —	1 1		— —	— —	— —	— —	— —	10
11 Other tuberculous diseases	2 3	— —		1 —	— —	1 —	— —	1 —	11
12 Cancer, malignant disease	15 4	1 1		2 1	3 9	1 1	1 1	— 1	12
13 Rheumatic fever... ..	— —	— —		— —	— —	— —	— —	— —	13
14 Meningitis	1 —	— —		— 1	— —	— —	— —	1 —	14
15 Organic heart disease ...	13 12	— 5		2 4	1 6	3 1	— —	2 —	15
16 Bronchitis	10 4	— 3		3 —	1 6	1 2	— 2	2 —	16
17 Pneumonia (all forms) ...	7 2	— —		1 —	3 2	3 4	1 1	3 —	17
18 Other respiratory diseases	1 3	— —		— —	1 1	— —	— —	2 1	18
19 Diarrhoea,&c.(under 2 yrs.)	3 2	— —		1 —	1 2	— 1	— —	— 1	19
20 Appendicitis and typhlitis	— —	— —		1 —	— 1	— 1	— 1	— —	20
21 Cirrhosis of liver	— —	— —		— —	— —	— —	— —	— —	21
21A Alcoholism	— —	— —		— —	— —	— —	— —	1 —	21A
22 Nephritis and Bright's dis.	6 6	— —		1 —	1 —	— 1	— —	1 1	22
23 Puerperal fever	— —	— —		— —	— —	— —	— —	— —	23
24 Parturition, apart from 23	— —	— 1		— —	— —	— —	— —	— 1	24
25 Congenital debility, &c.	12 8	— —		1 1	2 3	1 —	— —	3 2	25
26 Violence, apart from 27	4 1	1 —		— —	1 —	— —	— —	1 —	26
27 Suicide	2 —	— —		1 —	— —	1 —	— 1	1 —	27
28 Other defined diseases ...	45 32	2 2		12 8	9 14	12 8	5 3	6 1	28
29 Causes ill-defined or un- known.	1 —	— —		1 —	— —	— —	— —	— —	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

Causes of Death.				Cleethorpe with Thruscoe U.D.		Crowle U.D.		Gains- borough U.D.		Horn- castle U.D.		Louth M.B.		Mable- thorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	120	126	24	14	149	116	23	31	76	80	6	15	37	26	5	2	1
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	3	1	—	—	5	2	—	—	—	—	—	—	—	—	—	—	4
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	6
6	Diphtheria and croup	1	3	—	—	1	—	—	—	1	—	—	—	6	2	—	—	7
7	Influenza	—	2	—	—	5	4	—	1	—	2	—	—	—	—	1	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	10	15	3	—	15	4	—	3	6	6	—	—	—	1	—	—	10
10	Tuberculous meningitis	1	—	—	—	4	3	—	—	—	1	2	—	1	—	—	—	11
11	Other tuberculous diseases	5	4	1	—	1	3	—	—	—	3	—	—	2	—	—	—	12
12	Cancer, malignant disease	9	13	2	2	7	10	1	3	5	6	—	1	4	3	—	—	13
13	Rheumatic fever...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	14
14	Meningitis	2	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	15
15	Organic heart disease	6	7	3	4	14	8	3	4	2	9	—	3	4	3	—	—	16
16	Bronchitis	8	10	1	—	11	13	3	—	6	1	—	1	2	1	—	—	17
17	Pneumonia (all forms)	11	10	3	1	8	9	—	1	6	5	1	1	1	1	1	—	18
18	Other respiratory diseases	2	—	1	—	3	1	—	—	2	1	—	—	2	2	—	—	19
19	Diarrhoea, &c. (under 2 yrs.)	10	7	—	—	8	3	—	—	3	1	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	—	—	1	—	—	—	—	1	—	—	2	—	—	—	22
21A	Alcoholism	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	23
22	Nephritis and Bright's dis.	2	2	—	—	2	3	1	1	2	2	—	1	—	—	—	—	24
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
25	Congenital debility, &c.	12	11	1	—	21	8	1	1	5	2	—	1	3	2	—	1	27
26	Violence, apart from 27	5	2	—	—	3	2	1	1	1	2	—	—	—	—	1	—	28
27	Suicide	2	—	—	—	4	1	—	—	2	—	—	—	1	—	—	—	29
28	Other defined diseases	29	36	8	5	33	38	12	16	34	38	3	6	9	11	2	1	
29	Causes ill-defined or un- known.	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH IN

MIDDLESEX—*cont.*

Causes of Death.				Enfield U.D.		Feltham U.D.		Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				285	293	32	28	188	207	54	75	12	2	55	53	18	15	99	96	
1	Enteric fever			—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			4	5	5	2	—	—	1	—	—	—	1	—	—	—	3	3	3
4	Scarlet fever			1	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough			1	2	—	1	2	1	1	1	—	—	—	—	—	—	3	6	5
6	Diphtheria and croup			3	3	1	—	—	1	—	1	—	—	—	—	1	—	2	2	6
7	Influenza			1	2	1	1	5	6	1	1	—	1	—	2	—	—	1	1	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			34	18	3	2	8	10	6	4	1	1	4	3	—	3	11	5	9
10	Tuberculous meningitis			—	1	—	2	3	4	1	—	—	—	1	—	—	—	1	2	10
11	Other tuberculous diseases			4	3	1	—	3	—	1	4	—	—	—	—	—	—	—	1	11
12	Cancer, malignant disease			14	27	—	2	15	33	3	9	—	—	2	4	3	4	5	6	12
13	Rheumatic fever... ..			—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis			2	1	—	1	4	2	1	—	—	—	—	—	—	—	1	3	14
15	Organic heart disease ...			34	27	2	3	22	24	6	9	3	—	6	7	1	2	8	10	15
16	Bronchitis			21	26	2	3	9	15	3	5	1	—	5	3	4	—	5	7	16
17	Pneumonia (all forms) ...			20	23	2	2	11	7	5	8	—	—	3	3	1	—	6	10	17
18	Other respiratory diseases			5	6	2	—	2	3	1	2	2	—	—	1	—	—	1	1	18
19	Diarrhoea, &c. (under 2 yrs.)			11	17	1	—	10	4	—	1	1	—	2	—	—	—	9	1	19
20	Appendicitis and typhlitis			2	9	—	—	2	2	—	—	1	—	1	—	—	—	—	—	20
21	Cirrhosis of liver			2	5	—	1	6	1	1	2	—	—	—	1	—	—	—	1	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			7	7	—	—	6	5	3	3	—	—	1	—	1	2	3	1	22
23	Puerperal fever			—	1	—	—	—	3	—	2	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23			—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.			27	20	4	—	8	10	3	6	—	—	6	3	2	—	10	3	25
26	Violence, apart from 27			12	4	2	—	8	4	5	1	2	—	4	3	—	1	5	4	26
27	Suicide			2	—	1	—	5	2	—	—	—	—	—	—	—	—	—	1	27
28	Other defined diseases ...			78	80	5	8	57	62	12	15	1	—	19	23	6	2	27	26	28
29	Causes ill-defined or un- known.			—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	1	29

MIDDLESEX—*cont.*

Causes of Death.				Harrow on the Hill U.D.		Hayes U.D.		Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip Northwood U.D.		Southall Norwood U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	ALL CAUSES	57	78	28	24	229	235	290	261	395	435	9	7	19	24	151	150	
2	Enteric fever	—	—	—	—	1	1	1	—	1	2	—	—	—	—	—	—	1
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
4	Measles	—	—	—	—	13	12	24	18	5	7	—	—	—	—	6	9	3
5	Scarlet fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	4
6	Whooping cough	—	1	1	—	3	5	2	7	4	4	—	—	1	1	1	2	5
7	Diphtheria and croup	—	—	—	—	4	2	2	—	—	2	—	—	—	—	3	5	6
8	Influenza	3	2	—	1	4	2	1	3	12	11	—	—	—	1	—	2	7
9	Erysipelas	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	8
10	Pulmonary tuberculosis	3	6	6	2	17	13	15	18	32	21	—	—	1	1	11	9	9
11	Tuberculous meningitis	—	1	—	—	3	3	6	2	3	5	—	—	—	—	2	4	10
12	Other tuberculous diseases	2	—	—	1	3	3	2	5	3	6	—	—	1	—	1	—	11
13	Cancer, malignant disease	4	11	—	1	17	28	27	31	42	52	1	3	4	6	10	16	12
14	Rheumatic fever...	—	—	—	—	2	1	—	1	2	3	—	—	—	—	1	—	13
15	Meningitis	1	1	1	1	1	2	1	—	6	3	—	—	—	—	1	—	14
16	Organic heart disease	5	11	—	1	18	23	26	28	37	58	1	—	—	3	9	12	15
17	Bronchitis	2	5	—	—	10	17	22	22	22	39	1	1	2	—	7	11	16
18	Pneumonia (all forms)...	1	2	3	4	17	13	30	20	30	27	2	—	1	1	24	12	17
19	Other respiratory diseases	1	—	2	1	3	6	6	6	12	5	—	—	—	—	1	1	18
20	Diarrhoea, &c. (under 2 yrs.)	—	—	1	1	8	8	7	13	7	6	—	—	—	—	9	9	19
21	Appendicitis and typhlitis	1	1	1	—	1	1	1	1	6	5	—	—	—	1	1	1	20
22	Cirrhosis of liver	1	1	1	1	4	3	4	1	5	9	—	—	—	1	—	2	21
21A	Alcoholism	—	—	—	—	—	—	1	—	4	1	—	—	—	—	—	—	21A
23	Nephritis and Bright's dis.	5	3	—	1	5	1	8	6	14	10	—	—	1	2	5	2	22
24	Puerperal fever	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	23
25	Parturition, apart from	—	—	—	—	—	1	—	2	—	2	—	—	—	—	—	1	24
26	Congenital debility, &c.	4	6	2	2	21	19	20	17	15	16	1	—	1	—	9	14	25
27	Violence, apart from	6	3	2	—	8	8	10	7	10	11	—	—	—	1	12	3	26
28	Suicide	—	1	—	—	4	—	1	1	1	2	—	—	—	1	3	—	27
29	Other defined diseases	17	22	8	7	59	62	71	51	122	126	3	3	7	4	33	35	28
	Causes ill-defined or unknown.	1	—	—	—	—	1	1	—	—	—	—	—	—	—	2	—	29

ADMINISTRATIVE AREAS, 1913—continued.

MIDDLESEX—cont.

	Southgate U.D.		Staines U.D.		Sunbury on Thames U.D.		Teddington U.D.		Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	147	156	30	38	30	27	104	107	813	810	181	171	74	64	59	60	48	48	857	830	255	255	1	
2	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4	1	—	—	2	
3	1	—	—	—	—	1	—	—	2	11	25	2	2	4	2	2	4	—	—	35	28	7	6	3
4	—	1	—	—	—	—	—	—	1	1	—	2	—	2	—	—	1	—	4	3	1	—	4	
5	3	2	—	1	—	1	1	—	8	5	—	2	2	—	—	1	1	—	11	11	3	3	5	
6	—	2	—	—	—	—	—	—	11	15	3	—	1	—	—	1	1	—	4	6	3	9	6	
7	4	4	—	1	1	—	2	5	5	8	4	—	2	—	3	2	2	1	16	9	3	4	7	
8	—	2	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	6	1	—	1	8		
9	14	8	—	2	1	4	7	11	84	67	12	12	14	5	4	5	3	3	74	62	22	22	9	
10	3	3	—	2	—	—	2	2	13	9	4	1	1	—	1	1	—	—	6	8	5	2	10	
11	4	3	—	—	1	—	1	1	4	7	1	2	—	2	1	2	—	—	8	8	2	6	11	
12	15	28	3	6	3	3	5	14	70	66	20	19	4	7	5	7	5	4	66	98	19	30	12	
13	1	—	—	—	—	—	—	1	2	3	1	—	—	—	1	1	—	—	4	3	2	2	13	
14	—	1	—	1	—	—	—	—	6	9	2	1	—	—	—	1	1	2	6	5	4	2	14	
15	22	22	4	1	3	1	7	14	71	81	20	18	8	12	5	2	5	4	67	72	26	32	15	
16	5	10	3	3	4	6	10	2	58	78	9	11	6	6	7	2	4	2	56	83	9	19	16	
17	8	11	4	—	2	1	9	7	79	68	19	11	2	1	3	2	5	3	73	62	29	16	17	
18	1	1	—	—	—	1	1	2	18	13	3	3	—	2	1	2	1	—	8	14	5	6	18	
19	1	4	2	—	2	—	7	4	47	31	6	5	1	—	—	3	—	1	31	21	7	5	19	
20	1	1	—	—	—	—	—	1	7	6	—	1	—	—	—	—	—	2	4	10	—	3	20	
21	4	—	1	1	—	—	1	1	6	5	3	—	2	—	—	—	—	—	8	9	3	2	21	
21A	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	2	—	1	21A	
22	6	5	1	1	—	—	3	1	28	29	3	6	—	2	2	2	1	1	29	19	11	6	22	
23	—	—	—	—	—	—	—	2	—	4	—	1	—	—	—	1	—	—	—	6	—	1	23	
24	—	1	—	—	—	—	—	2	—	7	—	2	—	1	—	—	—	—	—	5	—	—	24	
25	12	6	1	3	2	2	10	1	44	41	13	10	2	7	5	7	6	4	79	45	25	13	25	
26	3	—	—	—	1	1	3	1	27	12	8	5	5	2	3	2	1	—	41	15	7	4	26	
27	2	1	—	—	—	—	2	—	8	4	—	3	1	2	—	—	1	—	15	3	1	2	27	
28	35	37	11	16	9	7	32	29	198	214	47	54	19	13	16	11	11	20	200	220	61	58	28	
29	1	1	—	—	—	—	—	2	4	2	1	1	—	—	—	—	—	—	—	1	—	—	29	

MIDDLESEX—cont.

MONMOUTHSHIRE.

	Yiewsley U.D.				Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.						Abercarn U.D.		Aber- gavenny M.B.		Aber- sychan U.D.		
	M	F			M	F	M	F	M	F	M	F					M	F	M	F	M	F	
1	30	29			76	64	13	19	116	129	55	43					108	95	77	65	155	124	1
2	—	—			1	—	—	—	—	—	—	—					—	1	—	—	—	—	2
3	—	—			—	—	—	—	—	—	—	—					1	—	—	—	—	—	3
4	—	—			—	1	—	—	9	3	—	—					—	—	—	—	—	—	4
5	1	—			1	2	—	—	1	1	—	1					2	1	1	1	—	—	5
6	—	—			—	4	—	—	—	—	1	—					—	1	1	—	2	—	6
7	1	—			1	4	—	—	3	1	2	2					—	—	2	3	2	2	7
8	—	—			—	—	—	—	—	—	—	—					—	—	—	—	—	—	8
9	1	1			7	3	—	1	6	11	4	5					8	3	3	2	2	4	9
10	—	—			—	—	—	—	1	1	1	—					2	—	—	—	—	—	10
11	—	—			3	—	—	—	1	—	—	—					—	2	1	2	3	3	11
12	5	4			11	7	3	2	4	13	3	2					3	3	5	5	4	2	12
13	—	—			—	1	—	—	—	—	1	—					1	—	—	—	—	—	13
14	1	—			—	1	—	—	—	1	—	—					2	1	1	2	4	6	14
15	2	3			7	5	2	1	17	13	6	4					3	6	13	6	11	15	15
16	2	4			7	4	1	—	10	9	2	3					8	8	4	6	17	7	16
17	1	1			3	2	—	1	7	6	1	2					17	8	2	2	8	7	17
18	1	—			1	1	—	—	4	—	2	1					4	2	1	2	4	1	18
19	1	—			—	—	1	—	4	2	2	—					10	9	1	—	6	3	19
20	—	—			—	1	—	—	—	—	—	1					1	—	1	—	1	—	20
21	—	—			—	—	1	—	—	2	—	1					—	—	1	—	—	—	21
21A	—	—			1	1	—	—	—	—	—	—					—	—	—	—	—	—	21A
22	1	3			5	1	—	—	4	7	2	—					1	1	3	—	1	1	22
23	—	—			—	—	—	—	—	—	—	—					—	1	—	—	—	—	23
24	—	1			—	—	—	1	—	1	—	1					—	5	—	—	—	2	24
25	3	5			5	2	1	2	5	13	4	3					12	11	3	2	27	23	25
26	—	1			2	2	—	1	4	2	5	2					9	4	6	—	13	2	26
27	—	—			—	—	—	—	3	3	—	—					1	—	2	—	—	—	27
28	8	6			21	22	4	9	36	39	22	14					23	28	26	31	49	44	28
29	—	—			—	—	—	—	—	—	—	—					—	—	—	—	—	—	29

MONMOUTHSHIRE—cont.

Causes of Death.		Aber- tillery U.D.		Bedwas and Machen U.D.		Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrech- fa Upper U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	236	184	41	34	177	146	123	75	9	18	22	17	271	178	33	23
1 Enteric fever	...	—	—	—	—	2	—	—	—	—	—	—	—	2	1	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	1	1	—	—	—	—	—	—	—	—	—	2	1	2
4 Scarlet fever	...	2	3	1	—	—	—	1	—	—	—	—	1	2	—	2	4
5 Whooping cough	...	14	12	—	1	1	1	—	—	—	—	—	—	1	2	2	5
6 Diphtheria and croup	...	1	2	1	1	2	2	—	1	—	—	—	—	—	3	1	6
7 Influenza	...	4	2	2	3	2	—	—	—	—	—	1	1	6	1	—	7
8 Erysipelas	...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	...	8	6	2	4	9	5	9	6	—	3	2	1	15	9	—	9
10 Tuberculous meningitis	...	3	1	1	—	1	2	1	—	—	—	—	—	—	3	—	10
11 Other tuberculous diseases	...	3	2	—	—	4	2	—	2	—	—	1	—	5	1	—	11
12 Cancer, malignant disease	...	5	5	—	4	2	6	7	2	—	2	3	2	9	5	2	12
13 Rheumatic fever...	...	3	—	—	1	1	1	—	—	—	—	—	—	—	—	—	13
14 Meningitis	...	2	3	—	—	4	1	1	—	—	—	—	—	3	5	2	14
15 Organic heart disease	...	7	15	3	1	7	10	11	3	2	2	3	—	25	13	1	15
16 Bronchitis	...	12	9	1	2	15	7	11	7	—	—	—	1	18	8	2	16
17 Pneumonia (all forms)	...	36	19	2	2	16	18	7	4	1	2	2	—	15	12	3	17
18 Other respiratory diseases	...	6	1	—	—	4	2	8	3	—	—	1	—	21	11	2	18
19 Diarrhoea, &c. (under 2 yrs.)	...	29	20	3	4	24	18	4	—	—	—	—	1	13	8	—	19
20 Appendicitis and typhlitis	...	3	—	—	—	—	1	—	—	—	—	—	1	5	—	1	20
21 Cirrhosis of liver	...	2	2	—	—	—	1	2	—	1	—	—	—	1	—	1	21
21A Alcoholism	...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	3	3	1	1	3	1	1	3	1	1	—	—	4	3	—	22
23 Puerperal fever	...	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	...	—	2	—	—	—	4	—	—	—	1	—	—	—	5	—	24
25 Congenital debility, &c.	...	27	14	9	5	29	25	8	4	1	1	—	—	31	11	3	25
26 Violence, apart from 27	...	17	10	4	1	18	3	12	2	—	—	2	—	25	2	2	26
27 Suicide	...	—	—	—	—	2	—	2	—	1	—	1	—	—	—	—	27
28 Other defined diseases	...	48	52	10	3	28	32	38	35	3	5	6	9	69	72	11	28
29 Causes ill-defined or un- known.	...	1	—	—	—	3	1	—	—	—	—	—	—	1	1	—	29

MONMOUTHSHIRE—cont.

Causes of Death.		Llantar- nam U.D.		Monmouth M.B.		Mynyddis- lwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	46	52	38	39	62	70	105	89	74	46	43	45	95	65	104	101
1 Enteric fever	...	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	...	—	—	—	—	—	—	1	1	—	1	—	—	—	—	3	3
4 Scarlet fever	...	1	1	—	—	—	—	2	4	—	1	—	—	—	—	1	4
5 Whooping cough	...	—	—	—	—	—	2	3	2	—	—	—	—	2	2	7	5
6 Diphtheria and croup	...	—	—	—	—	1	1	—	1	2	—	1	1	—	1	—	6
7 Influenza	...	—	—	—	—	—	—	1	6	—	—	1	1	—	1	1	7
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	...	3	2	3	1	3	1	3	2	4	—	5	4	7	6	7	9
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
11 Other tuberculous diseases	...	—	1	1	2	—	1	3	1	1	—	1	—	—	1	3	11
12 Cancer, malignant disease	...	2	3	2	3	—	3	10	8	3	6	1	2	4	2	5	12
13 Rheumatic fever...	...	1	—	—	—	—	—	—	1	—	—	—	1	—	—	2	13
14 Meningitis	...	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	14
15 Organic heart disease	...	3	4	6	4	2	2	3	5	8	6	5	2	5	10	10	15
16 Bronchitis	...	7	7	4	9	4	5	8	9	3	3	4	5	10	7	6	16
17 Pneumonia (all forms)	...	6	5	4	3	10	3	8	7	19	4	1	2	7	4	5	17
18 Other respiratory diseases	...	1	2	2	—	—	1	1	—	1	1	—	—	1	1	2	18
19 Diarrhoea, &c. (under 2 yrs.)	...	3	3	—	—	5	3	4	2	1	—	5	3	8	4	3	19
20 Appendicitis and typhlitis	...	1	—	—	—	—	1	1	—	—	1	—	—	—	—	2	20
21 Cirrhosis of liver	...	1	—	—	—	—	1	—	—	—	—	—	—	—	—	3	21
21A Alcoholism	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	...	—	—	3	2	2	1	1	2	—	—	—	2	1	2	2	1
23 Puerperal fever	...	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	23
24 Parturition, apart from 23	...	—	1	—	—	—	3	—	3	—	—	—	1	—	—	1	24
25 Congenital debility, &c.	...	2	5	3	2	14	16	17	6	8	2	3	2	12	9	12	25
26 Violence, apart from 27	...	2	1	—	1	3	2	5	1	4	1	1	—	12	1	8	26
27 Suicide	...	—	—	—	—	—	—	1	—	1	—	1	—	—	—	1	27
28 Other defined diseases	...	13	17	9	11	18	22	30	25	19	17	15	18	24	14	22	28
29 Causes ill-defined or un- known.	...	—	—	—	1	—	—	—	—	—	1	—	1	1	2	—	29

NORFOLK.

[illegible]

NORFOLK—cont.

Causes of Death.	Wells U.D.				Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		
	M	F			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	14	21			113	94	76	69	154	136	115	112	112	103	58	53	1
1 Enteric fever	—	—			—	1	—	—	1	1	—	—	1	3	—	—	2
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—			—	—	1	1	1	—	—	—	1	—	—	1	4
4 Scarlet fever	—	—			1	2	—	—	—	—	1	—	—	—	—	—	5
5 Whooping cough	—	—			—	1	2	1	3	1	—	—	—	1	1	3	6
6 Diphtheria and croup	—	—			—	—	—	—	1	1	—	—	—	—	—	—	7
7 Influenza	—	—			4	2	1	1	3	5	3	3	2	4	—	1	8
8 Erysipelas	—	—			—	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	2			3	4	10	1	4	9	4	6	7	5	2	1	10
10 Tuberculous meningitis	—	—			—	—	—	1	—	—	—	—	—	—	1	—	11
11 Other tuberculous diseases	—	—			2	—	—	—	—	2	1	—	3	—	2	2	12
12 Cancer, malignant disease	—	2			11	15	7	9	9	13	7	15	11	9	3	7	13
13 Rheumatic fever... ..	—	—			—	—	—	—	1	—	1	—	—	—	—	—	14
14 Meningitis	1	—			—	—	—	—	1	—	—	1	—	1	—	—	15
15 Organic heart disease	1	1			17	15	5	10	25	19	24	18	11	12	4	5	16
16 Bronchitis	2	3			8	8	6	1	10	9	8	5	8	3	6	6	17
17 Pneumonia (all forms)	2	1			6	2	3	4	8	8	8	5	10	4	2	1	18
18 Other respiratory diseases	—	1			4	1	1	3	4	3	1	1	3	1	—	1	19
19 Diarrhœa, &c. (under 2 yrs.)	—	—			1	1	1	—	1	—	1	—	—	—	4	—	20
20 Appendicitis and typhlitis	—	—			1	—	—	1	3	2	—	1	1	1	—	—	21
21 Cirrhosis of liver	—	1			—	—	1	—	2	1	3	1	1	1	1	—	21A
21A Alcoholism	1	—			1	—	—	1	—	—	1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—			1	3	—	—	4	3	1	1	2	3	3	2	23
23 Puerperal fever	—	—			—	—	—	—	—	1	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	1			—	—	—	1	—	—	—	1	—	2	—	—	25
25 Congenital debility, &c.	1	—			9	4	8	4	11	5	5	7	14	10	5	2	26
26 Violence, apart from 27	—	—			2	3	5	1	8	3	—	—	3	2	6	—	27
27 Suicide	1	—			—	—	—	—	3	1	1	—	1	—	1	—	28
28 Other defined diseases	3	9			42	30	25	29	50	46	44	43	33	39	17	21	29
29 Causes ill-defined or un- known.	1	—			—	1	—	—	1	3	2	3	—	1	—	—	

NORFOLK—cont.

Causes of Death.	Erping- ham R.D.		Forehoe R.D.		Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	103	106	77	67	81	82	58	65	6	6	88	82	92	62	121	118	1
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	5
5 Whooping cough	2	6	—	1	—	—	—	—	—	—	—	—	—	—	5	1	6
6 Diphtheria and croup	—	1	—	—	—	—	2	—	—	—	—	—	1	—	—	2	7
7 Influenza	1	2	1	—	—	—	1	—	—	—	1	1	1	1	2	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	5	4	4	5	2	4	1	—	—	6	3	8	2	6	7	10
10 Tuberculous meningitis	—	2	—	—	—	—	—	—	—	1	2	—	—	1	2	1	11
11 Other tuberculous diseases	2	2	1	2	2	2	—	1	—	—	1	2	3	1	2	1	12
12 Cancer, malignant disease	15	12	6	5	9	12	7	8	—	—	9	11	8	5	12	11	13
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	15
15 Organic heart disease	13	18	10	9	7	13	3	12	2	1	15	9	13	6	14	25	16
16 Bronchitis	7	5	8	8	6	1	4	7	—	1	9	6	10	7	7	10	17
17 Pneumonia (all forms)	4	3	3	3	1	5	2	1	1	—	3	5	—	3	6	1	18
18 Other respiratory diseases	—	1	—	—	2	1	3	—	—	—	1	3	1	—	2	5	19
19 Diarrhœa, &c. (under 2 yrs.)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	20
20 Appendicitis and typhlitis	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	21
21 Cirrhosis of liver	—	1	—	1	—	—	—	—	—	—	—	—	1	—	2	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	2	2	5	4	2	—	—	—	3	5	—	1	1	—	23
23 Puerperal fever	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	25
25 Congenital debility, &c.	4	4	4	2	7	5	2	3	1	1	5	3	9	5	13	6	26
26 Violence, apart from 27	6	1	2	—	8	2	4	—	—	—	4	1	5	3	2	2	27
27 Suicide	—	1	2	—	—	—	1	—	—	—	1	1	—	—	3	1	28
28 Other defined diseases	41	37	34	29	27	30	23	32	2	2	28	30	22	21	41	38	29
29 Causes ill-defined or un- known.	—	1	—	—	1	1	—	—	—	—	1	—	1	1	—	1	

ADMINISTRATIVE AREAS, 1913--continued.

NORFOLK--cont.

NORTHAMPTONSHIRE.

		St. Faith's R.D.		Small- burgh R.D.		Swaffham R.D.		Thetford R.D.		Walsing- ham R.D.		Wayland R.D.				Brackley M.B.		Daventry M.B.		Des- borough U.D.		Finedon U.D.			
		M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F		
1		69	83	86	105	49	47	59	64	101	100	88	79			12	8	30	29	21	35	24	27		
2		—	—	—	—	—	—	2	—	—	—	—	—			—	—	—	—	—	—	—	—	1	
3		1	1	—	—	—	—	—	—	1	1	—	—			1	—	1	—	—	—	—	—	2	
4		—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	3	
5		—	—	—	3	—	—	4	2	1	1	1	1			—	1	1	—	—	—	—	—	5	
6		—	—	—	—	—	—	—	—	—	—	—	1			—	—	1	—	—	2	1	—	6	
7		1	—	1	1	—	1	1	3	1	2	2	2			—	—	—	1	—	1	—	—	7	
8		—	—	—	—	—	—	—	—	—	—	1	—			—	—	—	—	—	—	—	—	8	
9		3	4	5	11	4	4	4	3	10	5	6	6			1	—	2	1	1	1	—	4	9	
10		—	1	2	—	—	—	1	—	—	1	—	1			—	—	1	—	—	—	—	1	10	
11		1	1	1	—	1	—	—	—	1	—	—	1			—	—	—	1	—	—	—	1	11	
12		5	8	5	17	5	7	4	7	11	8	9	10			—	—	4	3	3	2	3	3	12	
13		—	—	—	—	—	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	13	
14		—	1	—	1	—	1	1	—	1	1	1	—			—	—	1	—	—	—	—	—	14	
15		10	11	6	11	9	10	4	1	12	14	9	11			—	2	1	4	—	5	4	2	15	
16		5	3	3	3	5	2	1	5	4	8	5	1			—	—	1	—	—	1	1	—	16	
17		2	1	2	2	4	1	5	5	4	2	1	1			1	—	—	3	2	2	1	2	17	
18		—	—	—	1	—	—	—	3	2	1	1	1			1	—	—	—	4	—	—	—	18	
19		1	—	3	—	—	—	1	1	1	—	1	1			—	—	1	1	—	—	—	—	19	
20		—	1	—	1	—	—	1	—	—	2	—	—			—	—	—	1	—	—	—	—	20	
21		—	—	1	—	—	1	—	—	—	1	—	—			—	—	1	1	—	—	—	1	21	
21A		—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	21A	
22		2	2	2	1	2	—	4	1	3	2	3	—			—	—	3	—	3	2	1	—	22	
23		—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	2	—	—	—	—	23	
24		—	—	—	2	—	—	—	—	—	2	—	1			—	—	—	—	—	—	—	—	24	
25		5	7	4	10	2	1	3	6	6	5	6	3			—	—	2	1	2	2	4	3	25	
26		4	1	8	5	1	—	3	1	3	2	2	1			2	—	—	1	—	1	—	—	26	
27		3	—	1	—	—	—	—	—	1	—	1	—			—	—	—	—	1	—	1	—	27	
28		24	38	41	35	13	17	20	24	38	42	39	37			6	5	10	9	8	10	7	10	28	
29		2	2	1	1	3	1	—	2	1	—	—	—			—	—	—	—	1	—	1	—	29	

NORTHAMPTONSHIRE--cont.

		Higham Ferrers M.B.		Irthling- borough U.D.		Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Welling- borough U.D.				Brackley R.D.		Brixworth R.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F		
1		16	19	19	19	165	152	17	19	26	25	22	25	63	55	94	91			43	24	89	58	1	
2		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1			—	—	1	—	2	
3		—	1	—	—	—	—	—	—	—	—	1	—	—	6	2	3			—	—	2	2	3	
4		—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1			—	—	—	1	4	
5		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2			—	—	1	2	5	
6		—	—	—	—	5	2	—	—	1	—	—	—	1	1	—	—			—	—	3	1	6	
7		—	—	—	—	2	1	—	—	—	—	2	—	—	2	—	—			—	1	2	1	7	
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	8	
9		2	—	1	3	24	18	—	1	2	5	—	1	7	6	12	10			2	1	2	4	9	
10		—	1	1	—	2	1	—	—	—	1	—	—	2	3	1	—			—	—	1	—	10	
11		—	1	—	—	1	2	1	—	2	—	1	—	2	1	1	2			1	1	1	—	11	
12		—	2	—	1	8	17	4	5	—	3	1	2	6	5	11	8			4	3	8	4	12	
13		—	—	—	1	—	—	—	—	—	—	—	—	2	1	—	—			—	—	—	—	13	
14		—	—	—	—	1	2	—	1	—	—	—	—	—	—	2	—			—	—	—	1	14	
15		1	—	—	1	12	12	3	3	6	2	2	3	2	6	5	14			7	4	13	7	15	
16		2	1	2	2	12	10	4	—	1	1	2	1	8	6	3	9			5	2	8	3	16	
17		—	—	1	—	13	11	1	1	—	—	2	1	—	—	3	1			—	2	5	1	17	
18		—	—	—	1	3	5	—	—	1	1	—	1	2	1	4	1			—	—	—	1	18	
19		—	—	—	—	2	2	—	—	1	1	1	2	1	1	1	1			2	1	4	1	19	
20		—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—			1	—	—	—	20	
21		—	—	—	—	—	1	—	—	1	1	—	—	—	—	2	2			1	—	1	—	21	
21A		—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A	
22		—	1	1	1	3	2	—	—	—	—	1	—	—	—	2	4			3	—	2	2	22	
23		—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—			—	—	—	—	23	
24		—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2			—	—	—	1	24	
25		3	1	2	1	24	19	1	1	1	2	1	2	7	8	8	4			3	1	4	1	25	
26		2	1	1	—	5	5	—	—	—	—	—	—	3	—	6	1			—	—	4	—	26	
27		1	1	—	1	5	—	1	1	—	—	1	—	4	—	3	—			—	—	1	—	27	
28		5	9	10	6	40	39	2	6	9	8	8	9	14	7	28	24			13	8	25	24	28	
29		—	—	—	1	1	1	—	—	—	—	1	—	1	—	—	1			1	—	1	—	29	

NORTHAMPTONSHIRE—cont.

Causes of Death.	Crick R.D.		Daventry R.D.		Easton on the Hill R.D.		Gretton R.D.		Harding- stone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northamp- ton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	17	11	113	84	11	15	7	5	72	47	67	78	22	17	41	37	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	1	1	1	—	—	1	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5
5 Whooping cough	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	6
6 Diphtheria and croup	—	—	2	1	—	—	—	—	—	1	1	—	—	—	2	—	7
7 Influenza	2	—	2	1	1	—	1	—	1	—	1	—	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	1	17	6	—	3	—	2	6	4	4	3	—	1	4	3	10
10 Tuberculous meningitis	—	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	11
11 Other tuberculous diseases	—	—	1	—	—	—	—	—	1	—	1	1	—	—	1	—	12
12 Cancer, malignant disease	1	1	10	9	—	—	—	—	6	3	5	8	2	1	2	—	13
13 Rheumatic fever... ..	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
14 Meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	—	—	10	5	2	—	—	1	11	7	10	8	—	1	7	—	16
16 Bronchitis	1	2	5	4	1	—	2	—	8	5	5	9	5	2	3	2	17
17 Pneumonia (all forms)	1	1	13	4	4	1	—	—	4	2	3	2	2	—	—	1	18
18 Other respiratory diseases	1	—	4	—	—	—	—	—	1	—	—	1	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	3	1	2	—	—	—	1	1	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	3	2	—	—	—	—	1	1	—	1	—	1	1	—	23
23 Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1	25
25 Congenital debility, &c.	1	1	6	5	—	2	—	—	3	1	7	6	1	—	2	4	26
26 Violence, apart from 27	1	—	8	1	—	—	—	—	1	1	1	—	—	3	2	—	27
27 Suicide	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	28
28 Other defined diseases	7	3	27	40	2	8	4	2	25	20	25	35	12	6	18	20	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	29

NORTHAMPTONSHIRE—cont.

Causes of Death.	Oundle (pt.) R.D.*		Oxendon R.D.		Potters- purv R.D.		Thrap- ston (pt.) R.D.†		Towcester R.D.		Welling- borough R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	38	41	31	17	26	36	74	88	84	81	67	77	1
1 Enteric fever	—	—	—	—	—	—	—	—	2	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	1	—	1	1	—	1	—	1	—	6
6 Diphtheria and croup	1	—	—	—	—	—	—	3	—	1	1	—	7
7 Influenza	—	—	—	—	—	—	3	2	—	—	—	1	8
8 Erysipelas	—	—	1	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	4	—	2	2	1	5	2	3	4	4	7	10
10 Tuberculous meningitis	—	—	—	—	1	—	1	1	—	—	1	—	11
11 Other tuberculous diseases	1	1	—	—	1	2	1	1	1	1	—	1	12
12 Cancer, malignant disease	5	3	5	1	2	2	4	13	4	11	10	8	13
13 Rheumatic fever... ..	—	—	—	—	1	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	1	1	—	—	—	15
15 Organic heart disease	7	7	4	3	3	5	10	12	10	15	4	12	16
16 Bronchitis	2	7	2	—	1	4	2	6	4	—	7	7	17
17 Pneumonia (all forms)	1	—	—	—	1	1	2	3	4	3	2	3	18
18 Other respiratory diseases	—	1	—	—	1	2	—	5	—	1	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	1	1	—	2	—	1	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	2	—	—	1	—	—	21
21 Cirrhosis of liver	—	—	3	—	1	—	1	1	—	—	2	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	3	1	—	1	—	—	6	2	4	4	1	1	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	1	24
24 Parturition, apart from 23	—	1	—	1	—	1	—	—	—	1	—	1	25
25 Congenital debility, &c.	—	2	1	1	—	3	4	6	2	4	5	5	26
26 Violence, apart from 27	—	2	1	—	—	—	2	—	4	—	5	1	27
27 Suicide	—	—	1	—	—	—	2	—	3	—	—	—	28
28 Other defined diseases	15	11	12	7	10	13	27	28	38	33	20	25	29
29 Causes ill-defined or un- known.	1	—	—	—	—	—	1	2	1	—	2	—	29

* The remainder of Oundle R.D. is in Huntingdonshire; see page 458.
† The remainder of Thrapston R.D. is in Huntingdonshire; see page 459.

ADMINISTRATIVE AREAS, 1913—continued.

NORTHUMBERLAND.

	Alnwick U.D.		Amble U.D.		Ashington U.D.		Bedling- tonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramling- ton U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		Long- benton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	53	55	40	28	225	199	189	158	97	112	271	231	59	56	85	72	79	91	52	56	83	63	
1	—	—	—	—	2	3	—	—	—	2	4	3	—	1	1	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	1	—	—	2	—	5	1	—	—	6	8	—	—	1	—	2	2	—	—	1	—	3
4	—	—	1	—	6	5	—	2	—	—	4	4	2	—	1	2	1	—	—	1	1	—	4
5	—	—	—	—	6	8	2	4	4	4	5	5	—	—	—	1	1	—	2	1	1	—	5
6	—	—	1	—	5	5	3	3	—	2	2	1	—	—	1	1	1	2	—	—	—	3	6
7	—	—	1	—	2	1	—	1	2	2	1	1	3	3	—	—	1	1	—	—	2	1	7
8	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	8	7	2	3	16	11	11	15	7	6	19	17	1	5	13	4	7	13	5	7	5	5	9
10	—	1	1	—	4	5	—	1	1	1	2	3	2	1	—	—	—	—	—	—	1	1	10
11	2	2	—	1	5	6	8	7	1	2	9	8	—	—	2	1	1	—	—	—	1	1	11
12	4	3	1	4	7	6	13	16	6	15	12	10	2	1	2	7	10	6	5	1	2	4	12
13	—	—	—	—	—	—	1	3	—	—	—	1	1	—	—	1	—	1	—	—	1	—	13
14	—	—	—	1	1	2	2	1	—	2	7	6	—	—	—	—	2	2	1	2	1	—	14
15	6	5	5	2	14	7	9	10	12	12	31	22	5	8	8	9	5	10	6	9	6	11	15
16	2	1	2	1	8	11	7	5	5	2	8	14	8	9	2	7	2	3	1	4	6	5	16
17	3	2	3	—	18	23	19	15	9	7	18	12	1	1	12	2	5	3	3	2	7	4	17
18	2	1	—	—	4	4	1	—	—	1	3	4	1	—	1	—	1	—	—	—	—	—	18
19	—	3	—	—	25	16	9	12	1	1	12	11	1	4	3	7	—	1	2	3	6	3	19
20	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	20
21	3	—	—	—	1	—	1	1	—	—	1	1	—	—	—	—	2	1	—	—	—	—	21
21A	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	3	2	—	1	9	8	6	3	1	—	7	4	1	2	1	2	3	4	1	5	1	2	22
23	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	—	—	1	23
24	—	—	—	1	—	6	—	3	—	—	—	—	—	1	—	5	—	1	—	—	—	—	24
25	1	1	4	2	30	27	27	11	6	3	21	16	5	7	13	10	2	7	4	2	14	6	25
26	2	—	3	—	12	3	8	2	3	—	24	6	—	—	3	1	5	3	3	—	5	—	26
27	2	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	27
28	12	25	15	10	45	37	53	40	37	50	71	72	25	13	21	10	24	29	17	17	22	15	28
29	—	1	1	1	1	3	2	1	—	—	1	—	1	—	—	1	3	—	—	1	—	—	29

NORTHUMBERLAND—cont.

	Morpeth M.B.		Newbiggin by the Sea U.D.		Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monk- seaton U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	73	61	29	26	131	124	56	54	6	8	44	38	11	16	346	313	46	42	93	74		1
2	—	—	1	—	—	—	—	—	—	—	J	—	—	—	6	—	1	—	—	—	—	2
3	—	—	—	—	4	11	2	3	—	—	—	—	—	—	19	6	—	—	2	—	—	3
4	—	—	1	—	—	2	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	4
5	1	—	—	—	1	8	—	—	—	—	—	—	—	—	6	11	—	—	1	1	—	5
6	—	—	—	1	1	2	—	2	—	—	1	—	—	—	2	2	—	—	2	1	—	6
7	1	—	—	—	—	—	1	—	1	—	1	2	—	—	—	—	2	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	8	5	—	—	9	6	5	1	—	1	1	2	—	1	18	17	4	7	9	5	—	9
10	—	1	1	—	1	3	3	1	—	—	—	—	—	—	8	8	—	—	—	—	—	10
11	1	2	—	—	1	2	1	1	—	—	—	—	—	—	11	9	—	—	—	—	—	11
12	3	5	1	2	7	14	4	4	—	—	3	3	2	2	20	22	2	5	12	14	—	12
13	—	—	—	—	1	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	13
14	1	1	—	—	2	1	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	14
15	5	7	5	3	9	13	6	6	2	3	3	6	1	1	32	30	1	3	10	10	—	15
16	4	3	1	—	14	8	1	2	1	—	2	—	1	1	21	31	8	3	1	1	—	16
17	10	3	3	4	4	3	3	5	—	—	1	—	2	2	36	33	3	1	6	5	—	17
18	2	2	—	—	—	1	1	1	—	—	1	—	—	1	3	5	3	1	1	1	—	18
19	5	3	1	1	7	6	2	1	—	—	3	2	—	—	16	12	1	—	1	—	—	19
20	1	—	—	—	—	—	—	—	1	—	1	1	—	—	—	1	1	—	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—	1	—	—	—	3	1	1	—	—	1	—	21
21 ^A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	21 ^A
22	—	—	2	4	8	4	1	3	—	—	2	2	—	—	9	7	—	2	2	7	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	4	—	—	—	1	—	24
25	8	4	10	2	16	14	10	6	—	—	7	6	1	2	31	16	3	6	3	1	—	25
26	1	—	—	1	11	1	2	1	—	—	2	1	—	—	24	6	1	1	11	1	—	26
27	1	1	—	—	4	—	1	—	—	—	—	—	—	—	4	1	1	—	—	—	—	27
28	20	22	4	7	28	24	10	17	1	4	13	12	4	5	71	81	13	10	30	22	—	28
29	—	—	—	—	3	—	1	—	—	—	—	—	—	—	2	7	—	1	2	1	—	29

NORTHUMBERLAND—cont.

Causes of Death.				Alnwick R.D.		Belford R.D.		Belling- ham R.D.		Castle Ward R.D.		Glendale R.D.		Halt- whistle R.D.		Hexham R.D.		Morpeth R.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				86	81	35	31	47	24	78	79	74	64	49	60	150	143	110	96
1	Enteric fever	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	—	—	—	—	3	2	—	2	1	1	2	2	3
4	Scarlet fever	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
5	Whooping cough	—	—	—	—	—	—	1	2	1	1	—	—	—	1	2	6
6	Diphtheria and croup	2	1	—	—	—	—	—	2	—	—	1	2	1	—	1	3
7	Influenza	—	1	1	1	2	—	1	—	1	—	2	—	5	1	1	1
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
9	Pulmonary tuberculosis	6	7	2	1	5	4	5	6	7	1	4	3	13	15	5	3
10	Tuberculous meningitis	1	1	—	—	—	—	1	—	—	—	1	—	—	1	—	1
11	Other tuberculous diseases	—	2	—	1	—	—	2	2	—	—	2	—	—	5	3	2
12	Cancer, malignant disease	3	3	3	4	2	5	5	8	7	8	2	6	10	10	7	4
13	Rheumatic fever...	—	1	—	1	1	—	1	—	—	—	1	—	—	2	—	1
14	Meningitis	—	1	—	—	—	—	2	—	—	—	—	—	3	2	1	1
15	Organic heart disease	9	8	6	5	9	5	8	12	11	13	3	12	30	16	10	12
16	Bronchitis	4	6	1	2	1	1	8	5	1	2	—	3	10	7	5	5
17	Pneumonia (all forms)	4	2	1	—	1	—	3	3	6	1	2	—	8	6	11	11
18	Other respiratory diseases	4	2	—	1	1	—	—	—	2	2	—	—	3	2	1	3
19	Diarrhoea, &c. (under 2 yrs.)	—	2	—	—	—	—	2	3	—	—	1	—	2	3	5	5
20	Appendicitis and typhlitis	—	—	—	—	—	—	2	2	—	1	—	—	—	1	2	—
21	Cirrhosis of liver	—	2	—	—	—	—	1	—	—	—	—	—	1	1	—	—
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	3	2	—	—	—	1	1	2	2	3	2	3	4	7	3	1
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	2	—	1	—	1
25	Congenital debility, &c.	6	3	2	—	7	—	8	6	3	2	7	6	8	1	16	3
26	Violence, apart from 27	10	1	4	—	3	1	5	—	3	—	1	—	10	4	5	4
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
28	Other defined diseases	31	34	14	15	13	7	18	19	27	26	15	22	40	50	26	25
29	Causes ill-defined or un- known.	2	1	—	—	2	—	2	2	—	2	1	—	1	—	1	—

NORTHUMBERLAND—cont.

NOTTINGHAMSHIRE.

Causes of Death.				Norham and Island- shires R.D.		Rothbury R.D.		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...				38	43	31	28	75	77	68	57	115	95	80	92	36	30
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	—	—	—	—	—	—	—	—	1	1	—	—	—	1
4	Scarlet fever	—	—	—	—	1	5	—	1	—	1	—	—	—	—
5	Whooping cough	—	3	—	—	—	—	—	3	4	2	1	—	1	—
6	Diphtheria and croup	—	—	—	—	6	5	—	—	2	4	1	2	1	—
7	Influenza	—	—	3	1	—	—	—	—	—	2	2	—	1	—
8	Erysipelas	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	2	—	1	3	7	2	10	1	6	10	4	1	2	—
10	Tuberculous meningitis	1	1	—	—	2	—	1	2	2	2	—	1	—	—
11	Other tuberculous diseases	—	1	—	1	2	1	—	1	4	4	1	3	—	2
12	Cancer, malignant disease	2	3	5	1	4	4	6	5	6	8	8	9	1	4
13	Rheumatic fever...	—	—	—	—	—	—	1	—	1	—	—	—	—	—
14	Meningitis	—	1	1	—	—	—	—	—	—	—	1	2	—	—
15	Organic heart disease	3	7	5	3	6	9	4	9	12	8	5	13	2	4
16	Bronchitis	—	2	—	3	4	4	7	3	4	5	7	5	4	2
17	Pneumonia (all forms)	2	2	1	1	3	3	2	2	11	3	4	8	5	1
18	Other respiratory diseases	—	—	—	—	2	5	1	1	4	1	1	2	—	2
19	Diarrhoea, &c. (under 2 yrs.)	1	1	1	—	3	5	5	2	3	2	1	4	—	2
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	2	—	—	—	1	—
21	Cirrhosis of liver	1	—	—	—	—	1	1	1	—	1	1	2	—	—
21A	Alcoholism	—	—	—	—	—	1	—	—	—	—	—	—	—	—
22	Nephritis and Bright's dis.	2	2	2	—	3	1	1	—	4	—	—	4	1	—
23	Puerperal fever	—	1	—	—	—	1	—	—	—	1	—	—	—	—
24	Parturition, apart from 23	—	2	—	—	—	2	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	3	2	—	—	6	6	7	9	12	6	7	5	5	3
26	Violence, apart from 27	3	—	—	—	2	—	6	—	5	1	3	1	3	—
27	Suicide	—	1	—	1	—	1	—	—	5	3	—	—	1	—
28	Other defined diseases	17	14	12	14	23	21	16	17	27	27	31	29	8	8
29	Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	3	1	1	—	1

ADMINISTRATIVE AREAS, 1913—continued.

NOTTINGHAMSHIRE—cont.

	Hucknall Torkard U.D.		Huthwaite U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	130	100	42	36	101	96	311	252	81	70	117	99	145	125	41	36	60	50	133	134		1
2	—	—	—	—	—	—	1	1	—	—	—	1	2	—	1	1	—	1	—	—		2
3	—	—	—	—	2	4	3	—	1	1	2	—	1	1	1	5	—	—	7	7		3
4	—	1	—	—	1	1	1	—	—	1	—	—	—	—	—	2	—	—	—	1		4
5	1	2	1	3	—	3	3	2	—	1	5	3	1	1	—	1	1	—	—	1		5
6	2	—	—	—	—	1	1	1	2	2	2	1	1	3	—	2	—	—	—	—		6
7	3	1	—	—	1	—	3	3	—	—	2	1	—	2	1	—	2	2	1	2		7
8	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	3	6	2	5	7	8	16	16	2	5	9	7	10	1	—	—	5	1	7	6		9
10	2	—	—	1	1	—	3	2	2	2	2	2	1	2	1	—	1	—	1	3		10
11	—	5	—	1	1	3	9	5	1	2	2	—	2	—	2	—	—	1	1	1		11
12	8	5	1	3	1	6	13	21	3	3	9	10	9	8	3	1	8	9	11	14		12
13	—	—	—	—	—	2	1	2	—	—	—	—	1	—	—	1	—	—	1	1		13
14	—	—	—	—	—	1	4	—	—	1	—	1	3	1	—	—	—	—	2	1		14
15	16	15	8	5	6	6	31	20	3	3	7	10	11	9	—	1	8	6	11	10		15
16	10	9	5	5	15	8	19	17	3	6	10	12	7	9	4	5	2	2	10	11		16
17	9	8	3	—	10	8	31	12	10	7	9	7	12	13	5	2	4	1	12	10		17
18	4	2	1	—	4	1	3	3	1	1	4	1	5	1	1	—	—	—	1	—		18
19	9	2	5	2	2	2	16	25	9	6	1	1	10	6	1	3	—	1	3	3		19
20	1	—	—	—	—	—	1	1	1	2	1	—	—	1	—	—	1	—	—	—		20
21	1	1	—	—	—	1	3	—	1	—	—	2	—	2	—	—	—	1	1	4		21
21A	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		21A
22	3	4	—	1	3	1	6	5	1	1	3	2	3	5	—	1	3	2	4	2		22
23	—	2	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	—		23
24	—	—	—	—	—	1	—	4	—	—	—	—	—	2	—	1	—	1	—	1		24
25	16	10	7	2	13	16	27	21	11	7	3	7	15	9	5	5	2	5	13	18		25
26	5	1	2	1	5	—	25	5	3	—	8	2	6	3	5	—	1	1	7	6		26
27	—	—	—	—	3	—	2	—	2	—	2	1	1	—	1	—	2	—	1	—		27
28	36	25	7	7	24	23	83	81	23	17	36	28	42	44	10	5	19	13	37	32		28
29	—	—	—	—	1	—	5	3	2	1	—	—	2	—	—	—	1	2	3	—		29

NOTTINGHAMSHIRE—cont.

	Basford R.D.		Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Rat- cliffe upon Soar C. P's*			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
1	252	225	80	96	38	28	97	84	21	20	26	24	40	37	49	47	122	125	66	65	3	1		1
2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	2	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		4
5	2	3	—	2	—	1	—	—	—	—	—	—	1	2	—	2	—	—	—	2	—	—		5
6	1	5	—	2	2	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—		6
7	7	2	4	2	—	—	1	1	—	—	—	—	—	2	—	3	2	1	2	—	—	—		7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	1	2	1	—	—		8
9	9	15	7	5	3	1	9	8	3	—	1	1	2	4	5	1	5	1	—	—	1	—		9
10	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	2	2	3	—	—	—		10
11	4	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—		11
12	17	22	7	10	1	2	5	6	2	3	3	1	5	3	3	3	8	9	—	6	—	—		12
13	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		13
14	6	5	1	—	1	—	—	—	2	1	—	—	1	—	—	1	1	—	1	—	—	—		14
15	25	29	10	15	3	2	11	8	1	2	3	6	1	5	4	2	13	20	9	11	1	—		15
16	19	16	3	8	4	—	10	6	1	1	6	1	3	2	1	1	9	8	7	6	—	—		16
17	24	16	6	4	1	1	6	3	2	—	1	—	7	2	2	6	4	4	3	2	—	—		17
18	6	1	2	—	—	1	2	2	—	—	—	—	—	—	—	—	6	4	1	1	—	—		18
19	6	3	1	—	—	—	—	—	—	—	1	—	—	—	—	4	1	—	12	3	—	—		19
20	2	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—		20
21	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	4	1	—	2	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	3	6	2	1	—	2	2	1	1	—	—	1	—	2	—	3	3	6	—	1	—	—		22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—		23
24	—	3	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—		24
25	25	16	4	4	4	1	4	4	—	1	1	1	1	3	5	3	5	8	6	6	—	—		25
26	15	7	6	2	3	—	3	1	—	1	1	2	5	1	4	—	8	1	3	1	—	1		26
27	5	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—		27
28	68	65	27	35	15	15	38	41	9	9	8	11	11	9	25	18	41	47	19	17	1	—		28
29	4	1	—	2	—	—	3	—	—	—	—	—	2	—	—	—	2	—	—	1	—	—		29

* Administered by Shardlow R.D.C. (Derbyshire).

OXFORDSHIRE.

Causes of Death.				Banbury		Bicester		Chipping Norton		Henley on Thames		Thame		Wheatley		Witney		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	81	88	23	19	27	19	43	44	12	24	7	4	19	23	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	—	—	—	—	—	1	3	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	4	3	—	—	2	8	1	1	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	1	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	—	1	—	—	1	2	—	1	—	—	1	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	6	9	—	1	3	—	4	4	—	—	1	1	2	2	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	1	—	—	—	—	1	—	1	—	1	—	—	—	12
12 Cancer, malignant disease	8	7	4	1	4	—	5	9	2	5	—	—	2	5	13
13 Rheumatic fever...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	15
15 Organic heart disease	6	8	4	5	6	1	3	2	1	3	—	2	1	1	16
16 Bronchitis	14	14	1	—	1	2	5	3	1	1	—	—	1	3	17
17 Pneumonia (all forms)	2	3	—	—	1	—	1	2	1	—	—	—	—	1	18
18 Other respiratory diseases	—	2	—	—	1	1	—	2	—	1	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	5	1	1	—	—	—	—	—	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	21
21 Cirrhosis of liver	1	—	—	—	—	—	—	—	2	—	—	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	3	1	—	—	—	2	1	—	—	—	—	—	—	23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	—	—	—	1	—	—	—	—	1	25
25 Congenital debility, &c.	2	5	3	—	1	—	—	1	—	1	—	—	2	—	26
26 Violence, apart from 27	7	1	—	2	1	—	2	1	1	—	1	—	—	1	27
27 Suicide	—	—	1	1	—	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29
29 Causes ill-defined or unknown.	21	27	7	9	6	5	15	14	3	12	3	1	8	9	29

OXFORDSHIRE—cont.

Causes of Death.				Woodstock		Banbury		Bicester		Chipping Norton		Crowmarsh		Culham		Goring		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	8	6	—	—	82	81	61	56	57	64	39	37	14	11	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	5	2	1	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	1	2	—	—	—	—	—	—	—	—	7
7 Influenza	—	—	1	—	1	2	1	1	—	1	2	1	2	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	1	3	1	4	1	1	2	1	2	1	2	1	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	3	2	2	1	—	3	2	—	—	—	—	1	12
12 Cancer, malignant disease	—	—	8	9	12	2	3	5	3	6	—	2	3	1	13
13 Rheumatic fever...	—	—	1	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	15
15 Organic heart disease	3	1	8	10	5	9	12	12	11	8	2	2	2	2	16
16 Bronchitis	—	—	7	5	2	6	5	5	—	—	—	2	—	1	17
17 Pneumonia (all forms)	—	1	3	3	1	3	3	2	5	—	—	—	1	—	18
18 Other respiratory diseases	—	—	1	—	—	1	—	—	—	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	—	2	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	1	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	2	2	1	1	2	3	2	1	—	—	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	1	—	4	7	2	2	5	2	1	3	1	—	1	—	26
26 Violence, apart from 27	—	—	2	—	3	1	—	—	2	—	1	—	—	2	27
27 Suicide	—	—	4	—	—	—	1	—	—	1	—	—	—	—	28
28 Other defined causes	3	3	—	—	—	—	—	—	—	—	—	—	—	—	29
29 Causes ill-defined or unknown.	—	—	29	39	24	23	23	25	10	12	6	2	6	2	29

ADMINISTRATIVE AREAS, 1913—continued.

OXFORDSHIRE—cont.

PETERBOROUGH, SOKE OF.

Headington R.D.			Henley R.D.		Thame R.D.		Witney R.D.		Woodstock R.D.		Peterborough M.B.		Barnack R.D.		Peterborough R.D.		
M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	59	61	56	66	37	43	112	109	49	68	224	214	21	11	59	62	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	1	—	—	—	—	1	1	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	4
5	—	—	1	—	—	—	—	1	1	—	—	—	—	—	1	1	5
6	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	1	6
7	—	—	—	1	1	1	3	2	3	3	1	2	1	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	11	6	2	5	2	2	7	5	5	1	15	12	2	—	2	2	9
10	2	—	—	1	—	—	1	1	—	—	3	4	1	1	2	—	10
11	—	1	—	1	—	1	1	—	1	—	5	4	1	—	—	—	11
12	6	7	8	4	3	4	8	15	7	14	21	23	1	1	5	8	12
13	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	13
14	—	—	—	—	1	—	—	1	—	—	3	—	—	—	1	—	14
15	3	11	9	9	2	7	17	18	4	10	12	25	2	2	6	8	15
16	4	5	1	4	2	4	5	11	1	2	16	16	—	1	9	6	16
17	2	2	1	3	2	—	5	3	2	1	11	12	—	1	—	—	17
18	1	—	1	1	2	1	4	1	1	1	3	2	—	—	—	—	18
19	4	2	—	—	—	—	2	—	—	—	2	5	—	—	1	1	19
20	—	—	—	—	1	—	1	1	—	—	1	3	—	—	1	—	20
21	—	—	—	2	—	1	—	—	—	—	1	2	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	4	1	—	1	1	3	—	4	10	2	—	—	2	3	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	24
25	4	5	6	6	1	3	5	4	5	7	13	16	1	—	3	4	25
26	—	1	1	4	3	1	5	1	3	1	8	1	1	—	4	1	26
27	—	—	2	—	—	—	4	—	—	—	3	—	1	—	—	—	27
28	21	19	17	23	16	16	41	41	16	22	88	79	7	4	21	26	28
29	—	—	2	—	—	1	2	—	—	—	2	—	1	—	—	—	29

RUTLANDSHIRE.

SHROPSHIRE.

Oakham U.D.			Ketton R.D.			Oakham R.D.			Upping- ham R.D.			Bishop's Castle M.B.			Bridg- north M.B.			Church Stretton U.D.			Dawley U.D.			Ellesmere U.D.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
1	21	21	17	24	59	43	60	38	12	15	37	34	7	8	48	35	14	7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	21A	22	23	24	25	26	27	28	29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SHROPSHIRE—cont.

Causes of Death.		Ludlow M.B.		Newport U.D.		Oaken- gates U.D.		Oswestry M.B.		Shrews- bury M.B.		Welling- ton U.D.		Wem U.D.		Wenlock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	42	43	21	14	74	62	84	69	215	178	55	50	12	13	103	82	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	—	—	—	2	—	—	—	—	—	2	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	—	—	—	—	1	—	2	1	—	—	—	—	1	1	6
6	Diphtheria and croup	—	—	—	1	—	—	9	6	1	2	—	—	—	—	7
7	Influenza	—	—	4	2	2	—	3	3	—	1	1	—	1	1	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	3	5	4	1	1	4	2	4	13	10	1	2	—	—	10	2	10
10	Tuberculous meningitis	—	—	—	—	—	1	—	1	2	—	1	—	—	—	2	—	11
11	Other tuberculous diseases	—	2	—	—	2	—	3	2	2	—	—	—	—	—	2	—	12
12	Cancer, malignant disease	3	2	2	2	6	10	7	13	26	23	3	2	1	1	4	10	13
13	Rheumatic fever...	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	14
14	Meningitis	—	—	1	—	2	—	2	2	—	—	—	—	—	1	15
15	Organic heart disease	4	5	2	3	13	7	8	9	20	19	6	4	12	13	16
16	Bronchitis	4	2	2	1	3	7	4	2	13	22	4	7	1	1	17
17	Pneumonia (all forms)	3	1	—	—	5	8	14	3	15	11	2	4	1	1	18
18	Other respiratory diseases	—	—	2	—	—	3	1	—	7	3	2	1	—	—	1	—	19
19	Diarrhoea, &c. (under 2 yrs.)	—	—	1	—	5	4	—	—	8	3	3	2	—	—	—	1	20
20	Appendicitis and typhlitis	—	—	—	—	1	—	1	2	—	1	—	—	1	—	—	—	21
21	Cirrhosis of liver	—	—	—	—	2	1	2	1	—	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	1	—	—	—	—	22
22	Nephritis and Bright's dis.	3	2	—	—	2	—	6	10	8	5	4	2	—	—	6	1	23
23	Puerperal fever	—	—	—	1	—	—	—	1	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	25
25	Congenital debility, &c.	—	2	—	—	6	1	7	2	8	5	2	1	3	1	4	5	26
26	Violence, apart from 27	1	—	2	—	4	—	4	2	8	1	4	—	1	—	5	—	27
27	Suicide	—	1	—	—	—	—	3	—	2	—	—	—	2	—	28
28	Other defined diseases	20	20	5	6	20	12	18	18	59	58	20	21	3	9	29
29	Causes ill-defined or un- known.	—	—	—	1	—	1	1	—	2	2	—	—	—	—	—	—	

SHROPSHIRE—cont.

Causes of Death.		Whit- church U.D.		Atcham R.D.		Bridg- north R.D.		Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	43	27	132	107	51	52	6	6	26	20	31	19	50	29	1
1	Enteric fever	—	—	1	1	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	1	—	—	1	—	—	—	1	—	—	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	1	—	—	—	—	—	—	—	—	—	—	—	6
6	Diphtheria and croup	1	—	—	—	—	—	—	—	—	—	1	—	7
7	Influenza	—	—	2	2	2	1	—	—	—	—	—	—	8
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	1	1	14	5	1	1	1	1	3	1	1	—	1	—	10
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	11
11	Other tuberculous diseases	—	1	—	—	4	1	—	1	1	—	—	—	1	1	12
12	Cancer, malignant disease	2	3	13	17	6	6	1	2	2	3	1	3	5	2	13
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
14	Meningitis	—	1	—	—	—	—	1	—	—	—	—	—	15
15	Organic heart disease	3	6	20	15	5	6	2	—	3	1	4	1	16
16	Bronchitis	1	—	6	5	3	3	—	1	—	—	11	4	17
17	Pneumonia (all forms)	2	1	7	3	2	2	—	1	1	1	6	2	18
18	Other respiratory diseases	4	1	5	2	—	—	—	—	—	—	3	—	19
19	Diarrhoea, &c. (under 2 yrs.)	2	—	2	1	2	—	—	—	—	—	—	—	20
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21	Cirrhosis of liver	1	—	—	—	1	—	—	—	—	—	1	1	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	3	—	1	4	—	2	—	—	1	1	—	1	—	2	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	—	1	—	2	—	—	—	—	—	1	—	1	—	—	25
25	Congenital debility, &c.	7	2	8	5	6	3	—	2	3	2	4	1	26
26	Violence, apart from 27	3	—	3	3	1	2	—	—	1	—	3	1	27
27	Suicide	—	—	1	1	2	—	—	—	—	—	—	—	28
28	Other defined diseases	14	9	46	41	14	22	2	—	11	5	12	8	29
29	Causes ill-defined or un- known.	—	—	—	—	1	—	2	—	—	1	1	—	—	1	

ADMINISTRATIVE AREAS, 1913—continued.

SHROPSHIRE—cont.

	Clun R.D.		Drayton R.D.		Ellesmere R.D.		Ludlow R.D.		Newport R.D.		Oswestry R.D.		Shifnal R.D.		Teme R.D.		Wellington R.D.		Wem R.D.		Whitchurch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	32	30	81	80	50	53	50	55	46	32	99	96	39	55	12	12	62	60	55	55	10	13	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2
3	—	—	—	—	—	1	2	1	—	—	3	2	2	1	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	4
5	—	—	5	2	1	1	—	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	5
6	—	—	—	1	—	—	1	1	—	—	—	—	1	1	—	—	—	2	—	—	—	—	6
7	—	1	1	2	1	1	2	—	2	2	4	2	—	—	—	—	2	—	2	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	2	2	3	—	—	1	2	—	2	2	6	3	2	—	1	2	4	4	1	1	—	9
10	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	—	10
11	—	1	—	—	1	—	1	1	—	—	—	2	—	1	1	—	—	—	—	1	1	—	11
12	3	4	9	13	5	7	3	3	1	2	6	9	4	5	1	—	5	10	6	6	—	1	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	—	—	1	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	14
15	3	7	15	11	9	8	6	7	5	3	14	14	4	12	—	1	12	10	6	9	1	2	15
16	2	1	5	5	2	4	4	1	3	4	5	2	2	1	2	1	2	6	4	1	—	2	16
17	2	3	2	2	1	1	4	3	1	—	7	3	2	4	—	—	7	3	2	—	—	—	17
18	—	—	—	—	1	—	1	2	1	—	5	—	—	1	—	—	2	1	1	2	1	—	18
19	—	—	1	—	—	1	—	—	4	—	1	1	—	—	—	—	2	1	3	1	—	—	19
20	—	—	—	—	—	1	—	2	—	—	—	—	1	—	—	—	1	—	—	1	—	—	20
21	—	—	1	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21A
22	—	3	3	—	—	2	4	2	2	1	3	6	1	2	—	—	2	3	2	—	2	—	22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	—	—	2	4	1	3	2	3	6	2	8	4	3	1	1	1	7	5	2	4	—	1	25
26	1	1	5	1	1	1	3	1	1	—	11	1	1	2	—	—	1	1	1	—	—	—	26
27	—	—	4	1	2	2	—	1	—	—	1	—	1	—	—	—	1	—	—	1	—	—	27
28	16	7	23	29	23	17	16	24	18	15	26	38	12	22	7	6	16	13	18	24	3	7	28
29	—	—	2	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	29

SOMERSETSHIRE.

		Bridgwater M.B.		Burnham U.D.		Chard M.B.		Clevedon U.D.		Crewkerne U.D.		Frome U.D.		Glastonbury M.B.		Highbridge U.D.		Ilminster U.D.		Midsomer Norton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		134	96	19	19	33	31	37	49	33	28	54	69	27	24	12	10	14	9	35	51	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		10	12	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	5	2	3
4		—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5		—	2	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	2	—	5
6		—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	6
7		—	—	—	—	—	—	—	2	—	—	3	1	—	—	1	1	—	—	—	—	7
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		12	5	—	—	3	3	3	1	2	2	5	6	2	2	1	1	2	—	4	1	9
10		—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	1	1	—	1	—	10
11		1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	11
12		4	8	1	2	1	1	4	10	—	—	3	7	1	2	1	1	—	1	2	4	12
13		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	13
14		3	—	1	1	—	1	—	—	—	—	2	—	—	—	—	—	—	1	—	—	14
15		9	11	4	1	4	5	1	3	3	4	12	2	2	1	2	1	2	1	7	—	15
16		10	4	—	1	4	3	3	2	1	5	4	6	3	3	3	4	—	1	2	2	16
17		12	5	—	—	1	—	2	1	—	—	6	1	—	—	—	—	1	2	3	10	17
18		—	1	—	—	—	—	1	—	1	1	—	1	—	2	1	—	—	1	—	—	18
19		1	2	—	—	—	1	—	—	1	2	2	—	—	1	—	—	—	—	2	—	19
20		—	1	—	—	2	—	—	—	—	—	—	2	1	—	—	—	—	2	—	—	20
21		—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21
21A		—	1	—	—	2	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22		7	—	—	3	1	2	1	3	2	—	2	1	2	3	2	—	1	—	—	—	22
23		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25		11	3	1	—	2	2	4	1	3	2	4	1	4	1	1	—	1	—	3	5	25
26		6	3	1	2	—	—	3	1	—	—	2	—	1	1	—	—	1	—	—	1	26
27		1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	2	—	—	—	27
28		46	35	8	9	13	11	10	24	12	10	18	29	11	6	1	—	3	2	12	12	28
29		1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

SOMERSETSHIRE—cont.

Causes of Death.			Minehead		Portishead		Radstock		Shepton Mallet		Street		Taunton M.B.		Watchet		Welling-ton		
			U.D.		U.D.		U.D.		U.D.		U.D.		M.B.		U.D.		U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	19	18	22	29	32	16	28	30	16	20	159	169	14	10	45	51	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	1	—	—	—	—	7	7	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	2	4	—	1	1	—	6
7 Influenza	—	—	—	—	—	—	1	—	—	—	3	3	—	1	1	1	7
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	—	—	—	2	2	2	—	2	—	12	8	3	—	1	1	9
10 Tuberculous meningitis	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—	10
11 Other tuberculous diseases	—	—	—	—	—	—	—	1	—	—	3	—	—	1	—	2	11
12 Cancer, malignant disease	2	3	1	3	2	4	1	8	1	5	11	13	3	—	7	7	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14 Meningitis	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	14
15 Organic heart disease	5	1	4	9	4	1	6	5	2	3	9	19	—	2	3	6	15
16 Bronchitis	1	1	3	2	7	—	1	1	1	—	17	17	—	—	5	4	16
17 Pneumonia (all forms)	1	1	4	3	2	1	1	—	2	1	5	5	3	—	3	1	17
18 Other respiratory diseases	1	1	1	2	1	—	—	—	—	—	4	2	1	—	2	1	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	—	—	1	—	—	—	8	8	—	1	—	1	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	1	3	—	—	—	—	20
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22 Nephritis and Bright's dis.	—	—	—	2	—	—	1	—	1	—	5	5	1	—	—	2	22
23 Puerperal fever	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	24
25 Congenital debility, &c.	1	3	—	1	1	—	—	2	—	—	11	12	—	1	2	2	25
26 Violence, apart from 27	—	1	1	—	1	—	2	—	—	—	2	9	1	—	3	1	26
27 Suicide	—	—	—	1	2	1	—	—	—	—	5	—	—	—	—	—	27
28 Other defined diseases	5	7	7	5	6	5	11	10	7	8	50	49	2	3	14	22	28
29 Causes ill-defined or un-known.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	29

SOMERSETSHIRE—cont.

Causes of Death.			Wells		Weston super Mare		Wiveliscombe		Yeovil				Axbridge		Bath		Bridg-water		
			M.B.		U.D.		U.D.		M.B.				R.D.		R.D.		R.D.		
			M	F	M	F	M	F	M	F			M	F	M	F	M	F	
ALL CAUSES	28	32	142	164	14	4	77	77			154	152	76	69	95	124	
1 Enteric fever	—	—	—	1	—	—	—	—			—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3 Measles	1	—	6	4	—	—	2	3			2	2	3	2	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	1	4
5 Whooping cough	—	1	—	—	—	—	—	—			4	3	—	1	—	1	5
6 Diphtheria and croup	—	—	2	—	—	—	—	—			1	—	—	—	—	—	6
7 Influenza	1	—	1	5	—	—	3	—			2	—	—	2	2	5	7
8 Erysipelas	—	—	—	—	—	—	—	—			—	—	—	—	—	—	8
9 Pulmonary tuberculosis	1	—	13	12	3	—	8	2			14	8	4	4	9	5	9
10 Tuberculous meningitis	—	—	2	1	—	—	—	4			—	1	3	—	—	—	10
11 Other tuberculous diseases	—	—	3	3	—	—	3	—			1	3	—	—	1	3	11
12 Cancer, malignant disease	2	7	12	21	1	—	2	9			6	12	8	10	2	12	12
13 Rheumatic fever...	—	—	—	1	—	—	1	—			—	—	—	—	1	1	13
14 Meningitis	—	—	3	3	—	—	1	3			—	1	—	—	—	—	14
15 Organic heart disease	4	10	18	23	1	2	14	9			24	26	8	8	9	12	15
16 Bronchitis	—	—	6	7	2	—	3	3			8	9	3	7	5	8	16
17 Pneumonia (all forms)	4	—	1	9	—	—	3	3			4	6	3	2	8	4	17
18 Other respiratory diseases	—	—	2	1	1	—	1	1			3	1	1	2	—	2	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	3	4	—	—	—	—			3	3	1	—	1	—	19
20 Appendicitis and typhlitis	—	1	3	1	—	—	—	2			1	1	—	—	—	—	20
21 Cirrhosis of liver	1	1	1	1	—	—	—	2			1	1	—	—	1	—	21
21A Alcoholism	—	—	2	1	—	—	—	—			1	1	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	1	11	3	3	—	1	1			7	11	2	5	5	2	22
23 Puerperal fever	—	—	—	1	—	—	—	—			—	—	—	—	—	1	23
24 Parturition, apart from 23	—	1	—	2	—	—	—	—			—	—	—	—	—	—	24
25 Congenital debility, &c.	—	1	7	5	—	—	7	4			8	5	6	2	10	7	25
26 Violence, apart from 27	2	1	3	3	—	—	3	1			6	1	4	—	4	5	26
27 Suicide	1	—	4	—	—	—	3	1			5	—	—	1	1	—	27
28 Other defined diseases	6	8	38	52	3	2	21	28			54	58	28	21	36	52	28
29 Causes ill-defined or un-known.	—	—	1	—	—	—	1	—			—	—	1	—	—	2	29

ADMINISTRATIVE AREAS, 1913—continued.

SOMERSETSHIRE—cont.

	Chard R.D.		Clutton R.D.		Dulverton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Shepton Mallet R.D.		Taunton R.D.		Wellington R.D.		Wells R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	84	86	102	90	40	25	75	77	55	57	90	107	94	93	66	58	122	105	43	31	61	88	1
2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	—	4	6	—	—	3	1	2	2	—	—	—	1	—	1	2	1	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	6
7	2	1	2	—	—	1	3	2	1	1	—	—	1	—	—	—	—	2	—	—	—	—	7
8	2	—	2	—	2	3	—	1	2	—	3	—	2	—	1	2	1	2	1	—	—	—	8
9	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
10	3	4	5	5	4	—	4	3	2	5	6	6	11	7	1	3	7	7	2	3	1	1	10
11	—	—	—	—	—	—	1	—	—	1	2	4	—	—	2	—	2	—	—	1	1	—	11
12	—	3	—	1	1	—	1	—	1	2	1	2	1	—	—	1	1	—	1	—	—	—	12
13	5	7	10	10	3	3	6	8	3	5	10	10	5	13	5	4	9	10	2	2	8	13	13
14	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	14
15	—	—	—	—	1	—	—	—	1	—	1	—	2	1	—	—	2	—	—	—	—	—	15
16	12	10	11	12	2	1	5	14	9	8	7	11	13	13	10	5	13	11	5	3	11	14	16
17	5	4	6	6	7	2	1	7	5	5	6	11	9	5	5	2	6	8	5	3	4	5	17
18	7	8	1	—	3	—	2	1	4	—	7	10	2	2	2	1	7	4	2	2	1	7	18
19	2	1	1	1	1	—	2	1	1	1	1	3	—	3	—	—	3	—	—	1	—	3	19
20	—	4	2	1	—	—	2	2	1	—	—	1	2	—	1	1	2	—	—	—	—	2	20
21	1	—	—	—	—	—	—	—	—	—	—	—	1	1	3	—	1	1	1	—	—	—	21
21A	2	—	1	1	1	—	2	1	—	1	1	—	—	—	—	2	—	—	—	—	1	—	21A
22	1	1	4	1	1	—	4	—	3	3	3	4	2	4	5	5	3	4	1	2	1	2	22
23	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	25
26	4	3	7	6	1	3	4	3	3	2	2	4	3	1	4	2	7	3	1	—	—	8	26
27	6	1	8	3	—	—	4	1	2	1	6	—	2	2	3	2	5	2	—	—	—	2	27
28	1	—	—	1	1	—	1	—	—	—	—	—	—	—	2	—	4	2	1	—	—	1	28
29	25	35	37	35	12	12	29	28	15	18	33	39	37	39	22	25	43	46	21	12	28	23	29
30	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	2	—	—	30

SOMERSETSHIRE—cont.

SOUTHAMPTON.

	Williton R.D.		Wincanton R.D.		Yeovil R.D.			Aldershot U.D.		Alton U.D.		Andover M.B.		Basingstoke M.B.		Christchurch M.B.		Eastleigh and Bishopstoke U.D.		Fareham U.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	88	89	102	97	105	110		195	102	47	28	53	44	56	66	37	32	61	46	45	46	1
2	—	—	3	1	—	—		—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	1	2	1	1	3		7	1	—	—	2	—	2	2	—	—	—	—	—	—	4
5	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—		1	1	—	—	—	—	1	—	2	1	—	—	—	—	6
7	1	2	3	6	1	—		3	1	1	3	—	1	2	3	—	2	1	—	—	—	7
8	2	—	1	—	—	—		1	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	7	6	8	3	8	6		14	9	3	2	1	2	5	4	2	—	10	6	4	1	9
10	—	—	—	—	—	2		2	2	—	—	—	—	—	—	—	1	—	—	—	1	10
11	—	—	—	—	1	—		6	3	1	1	1	—	—	2	—	—	2	—	—	4	11
12	2	9	7	14	9	9		17	9	5	1	8	5	5	6	4	1	4	8	4	2	12
13	—	—	—	—	—	—		2	1	—	—	—	—	—	—	1	—	—	—	—	—	13
14	3	—	2	—	1	1		—	2	—	—	—	—	—	1	—	1	—	1	—	1	14
15	8	16	23	13	12	29		18	10	8	3	9	3	10	8	5	4	6	3	5	5	15
16	3	2	2	4	3	7		10	7	5	2	1	3	4	4	—	3	5	4	4	3	16
17	3	3	4	6	7	4		22	4	4	1	4	2	2	4	3	2	2	—	4	1	17
18	2	1	1	4	2	4		4	—	—	1	—	2	1	—	1	—	1	1	1	—	18
19	1	—	—	—	1	1		9	9	—	—	2	—	1	1	—	—	3	—	—	1	19
20	1	—	1	—	—	—		2	2	—	—	—	—	1	—	1	—	1	1	—	—	20
21	2	—	—	1	4	—		1	2	—	—	1	1	—	—	—	1	2	2	—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	—	4	10	—		2	1	2	2	7	3	3	5	1	3	4	1	1	2	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	1	—	—	—	3		—	1	—	—	—	2	—	1	—	1	—	—	—	—	24
25	5	4	7	1	6	3		15	6	—	1	1	1	3	1	—	2	8	3	—	1	25
26	3	2	3	1	—	3		9	2	3	—	4	1	2	1	3	1	2	—	1	—	26
27	2	1	2	—	1	1		4	2	—	—	—	—	1	—	1	—	—	—	1	—	27
28	41	39	30	35	38	33		41	24	14	11	11	17	11	21	13	7	9	15	19	22	28
29	—	—	1	1	—	1		2	3	1	—	—	—	1	—	—	—	—	—	1	—	29

SOUTHAMPTON—cont.

Causes of Death.				Farnborough U.D.		Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	67	48	26	23	235	190	21	27	123	104	25	39	23	17	37	36	
1 Enteric fever	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	4	—	—	5	7	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	1	3	9	2	—	—	1	1	—	—	—	—	—	1	5
6 Diphtheria and croup	—	—	—	—	2	2	1	—	5	3	—	—	—	—	—	—	6
7 Influenza	1	—	—	—	2	2	—	2	—	—	—	1	1	1	1	1	7
8 Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	4	7	—	1	26	11	1	1	5	7	—	3	—	—	2	2	9
10 Tuberculous meningitis	1	—	—	—	3	1	—	1	3	4	—	1	—	1	1	—	10
11 Other tuberculous diseases	—	1	—	—	7	5	—	1	2	6	—	—	—	—	—	—	11
12 Cancer, malignant disease	7	6	2	2	15	20	1	3	7	9	4	5	3	1	2	5	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	13
14 Meningitis	1	3	—	—	1	—	—	—	—	1	—	—	—	1	—	—	14
15 Organic heart disease	4	3	4	3	16	22	1	2	12	9	4	3	1	2	5	2	15
16 Bronchitis	4	4	1	—	10	17	—	4	6	4	—	5	2	1	2	2	16
17 Pneumonia (all forms)	3	—	—	—	14	7	4	1	6	8	3	3	4	2	2	1	17
18 Other respiratory diseases	—	1	—	1	2	3	1	2	1	2	—	1	—	—	1	—	18
19 Diarrhoea, &c. (under 2 yrs.)	4	2	—	—	12	7	—	—	3	1	—	—	—	1	—	—	19
20 Appendicitis and typhlitis	—	1	1	—	3	—	1	—	1	—	1	—	—	—	—	—	20
21 Cirrhosis of liver	—	1	2	—	2	2	—	1	2	1	—	—	—	—	—	1	21
21A Alcoholism	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	21A
22 Nephritis and Bright's dis.	2	—	—	—	8	5	—	—	8	2	2	1	1	—	—	1	22
23 Puerperal fever	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	1	24
25 Congenital debility, &c.	12	3	1	1	16	13	1	1	8	6	1	2	3	—	3	4	25
26 Violence, apart from 27	9	—	2	—	7	2	—	—	4	2	—	—	1	—	3	3	26
27 Suicide	1	—	—	—	2	—	—	1	—	1	—	—	1	—	—	—	27
28 Other defined diseases	14	15	12	10	71	58	10	6	43	29	9	14	6	7	14	11	28
29 Causes ill-defined or unknown.	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—	29

SOUTHAMPTON—cont.

Causes of Death.				Warbling-ton U.D.		Winchester M.B.		Alresford R.D.		Alton R.D.		Andover R.D.		Basing-stoke R.D.		Cathering-ton R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	21	28	120	122	45	34	96	88	83	61	82	71	20	22	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	—	—	—	2	3	1	1	2	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	2	3	—	—	—	—	—	—	—	5
6 Diphtheria and croup	—	—	—	2	—	—	1	1	—	1	1	—	1	—	6
7 Influenza	—	2	1	—	—	—	2	—	2	2	—	1	2	2	7
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	2	1	4	7	10	5	4	8	5	4	2	2	1	3	9
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	10
11 Other tuberculous diseases	—	1	3	3	—	—	1	—	2	—	2	—	—	—	11
12 Cancer, malignant disease	4	3	9	17	3	4	12	11	7	4	12	13	—	2	12
13 Rheumatic fever	—	1	—	—	—	—	2	—	—	—	—	—	—	—	13
14 Meningitis	—	—	2	—	—	1	—	—	—	—	—	—	—	—	14
15 Organic heart disease	1	3	16	17	8	4	5	14	11	12	15	11	5	5	15
16 Bronchitis	1	3	8	9	—	2	7	5	4	6	5	3	1	2	16
17 Pneumonia (all forms)	1	—	4	7	1	2	5	5	7	2	3	2	1	2	17
18 Other respiratory diseases	—	—	—	3	1	1	3	2	—	2	—	2	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	—	10	2	—	—	2	—	—	—	—	—	—	—	19
20 Appendicitis and typhlitis	—	—	1	1	—	1	1	—	1	—	—	2	—	—	20
21 Cirrhosis of liver	1	1	1	1	—	—	1	—	—	1	1	—	—	—	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	2	2	5	6	3	—	4	1	4	2	—	2	—	—	22
23 Puerperal fever	—	—	—	1	—	—	—	—	3	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	1	—	—	—	—	2	—	—	24
25 Congenital debility, &c.	—	2	7	8	2	1	8	5	4	2	5	1	2	—	25
26 Violence, apart from 27	—	1	4	1	2	—	4	1	8	—	3	—	1	1	26
27 Suicide	—	—	2	1	1	—	1	2	1	—	—	—	—	—	27
28 Other defined diseases	9	8	40	34	14	11	32	28	23	16	31	28	6	4	28
29 Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	1	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

SOUTHAMPTON—cont.

	Christ-church R.D.		Droxford R.D.		Fareham R.D.		Fording-bridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		Kingsclere R.D.		Lymington R.D.		New Forest R.D.		Petersfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	29	33	77	70	85	71	40	38	103	110	35	31	37	30	47	55	71	48	103	90	55	54	1
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	2	—	—	—	—	—	3	5	—	—	—	—	—	—	—	—	—	—	3	1	3
5	—	3	—	—	1	—	—	1	1	2	—	—	—	—	—	1	—	—	—	1	—	—	4
6	2	—	—	—	3	2	—	—	—	1	—	—	—	—	1	4	—	—	—	1	—	—	5
7	—	2	—	1	—	—	—	2	1	2	—	1	1	1	3	1	—	—	5	1	1	1	6
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	7
9	3	2	4	1	5	4	2	1	4	10	1	5	5	3	3	3	5	3	2	3	7	4	8
10	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	9
11	1	—	—	2	2	2	2	—	—	1	—	2	1	1	1	—	—	—	1	1	—	1	10
12	3	—	11	14	12	9	4	6	10	10	6	3	2	4	3	3	6	7	7	10	5	6	11
13	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	12
14	—	—	—	—	—	1	1	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	13
15	5	4	15	18	7	6	5	7	19	19	3	4	2	3	3	12	9	2	19	16	7	5	14
16	3	4	6	5	7	2	3	1	9	6	1	1	1	4	3	2	4	4	3	3	2	4	15
17	1	1	2	1	7	3	—	1	5	10	1	1	1	1	2	—	1	3	5	4	3	4	16
18	—	—	—	—	1	—	1	—	2	2	3	1	1	1	1	2	1	—	1	—	—	1	17
19	—	—	—	—	1	2	1	1	1	2	—	—	1	1	1	—	1	—	2	—	—	—	18
20	—	1	1	—	1	1	—	—	1	2	1	—	1	—	—	—	—	—	1	2	1	2	19
21	—	1	2	1	3	2	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	20
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	21
22	—	1	1	2	1	5	—	2	2	4	2	—	2	—	—	—	3	5	3	3	1	3	21A
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	22
24	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	3	—	2	23
25	1	1	4	3	2	3	2	—	6	4	—	1	3	—	1	4	5	4	10	2	5	2	24
26	2	1	4	2	2	2	—	2	6	—	1	2	1	2	4	—	5	—	5	3	4	3	25
27	1	—	2	2	4	—	2	—	1	1	—	—	—	—	1	—	1	—	1	—	—	—	26
28	7	11	22	17	22	23	16	14	31	26	15	8	13	10	19	23	27	18	35	33	15	12	27
29	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	28
																							29

SOUTHAMPTON—cont.

STAFFORDSHIRE.

	Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stock-bridge R.D.		Whit-church R.D.		Winches-ter R.D.			Amble-cote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	41	36	34	38	102	106	42	28	25	21	69	56		23	16	114	88	50	55	268	247	1
2	—	—	1	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	1	—	2
3	—	—	—	—	1	1	—	—	1	—	1	—		—	—	—	—	2	—	21	23	3
4	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	1	1	4
5	—	1	1	2	1	2	1	—	—	—	1			—	—	—	—	2	4	—	1	5
6	—	—	—	2	2	5	—	—	1	1	—	2		—	—	5	3	—	3	1	—	6
7	—	—	3	1	—	—	—	1	—	—	—	—		—	—	2	—	—	1	3	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	1	—	—	1	—	8
9	2	—	—	1	8	9	2	—	1	1	5	2		2	1	4	6	1	7	19	11	9
10	1	1	1	—	—	—	1	—	—	—	—	—		—	—	2	1	—	—	2	3	10
11	—	1	1	1	3	—	—	—	—	—	1	—		—	—	2	4	—	—	6	—	11
12	4	4	2	8	11	10	3	4	2	1	5	5		1	3	5	7	3	5	11	8	12
13	—	2	—	—	—	—	—	—	—	—	—	—		—	—	1	1	2	—	—	—	13
14	—	—	—	—	1	—	—	1	—	—	—	—		—	1	3	—	1	—	2	1	14
15	6	4	6	5	8	19	4	6	2	6	10	10		1	1	9	6	2	5	12	12	15
16	4	3	—	2	9	10	1	2	2	4	5	3		2	1	16	8	2	2	36	30	16
17	1	—	1	4	7	4	—	—	1	—	3	1		2	1	4	5	4	3	23	22	17
18	—	—	—	—	3	—	—	—	—	—	2	2		—	—	2	1	—	—	3	3	18
19	—	—	—	1	1	3	1	1	—	—	1	—		—	—	1	1	1	1	14	19	19
20	1	1	—	—	—	—	1	—	—	—	1	—		—	—	1	—	—	—	2	2	20
21	—	—	—	—	1	3	—	1	1	—	1	—		1	—	—	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	2	—	1	1	5	5	2	—	1	—	3	6		—	—	2	3	—	1	4	5	22
23	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—		—	—	—	2	—	1	—	—	24
25	6	5	3	1	4	7	5	1	1	—	6	1		2	1	10	1	12	4	31	24	25
26	1	—	—	—	3	—	3	1	—	1	3	2		—	—	9	—	3	1	8	2	26
27	1	—	—	—	2	—	—	—	—	—	—	1		—	—	—	—	—	—	5	2	27
28	12	14	13	8	32	27	19	9	11	7	22	20		11	7	33	35	14	17	58	70	28
29	—	—	1	—	—	1	—	—	1	—	—	—		—	—	2	1	1	—	3	1	29

STAFFORDSHIRE—cont.

Causes of Death.	Brierley Hill U.D.		Brown-hills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heath-town or Wednesfield Heath U.D.		Kids-grove U.D.		Leek U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	105	99	100	77	213	203	204	164	187	142	123	83	94	64	129	146
1 Enteric fever ...	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	6	2	3	5	3	1	10	6	14	11	11	13	—	—	1	2
4 Scarlet fever ...	1	1	—	—	1	3	—	—	—	1	2	—	1	—	—	—
5 Whooping cough ...	2	—	—	—	1	2	—	2	—	2	1	2	1	5	2	1
6 Diphtheria and croup ...	2	2	2	1	2	1	1	2	1	—	1	—	1	—	—	1
7 Influenza ...	1	—	—	1	2	4	2	2	3	—	1	—	1	—	—	—
8 Erysipelas ...	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	8	4	2	1	8	17	8	10	16	6	10	4	6	4	12	11
10 Tuberculous meningitis	1	—	2	2	—	2	—	3	2	1	1	1	2	—	1	1
11 Other tuberculous diseases	—	1	—	1	5	5	2	3	10	8	1	—	1	2	2	2
12 Cancer, malignant disease	3	16	4	6	11	11	12	14	1	17	7	4	3	2	4	19
13 Rheumatic fever...	—	1	—	1	1	1	2	—	1	—	—	—	2	1	—	—
14 Meningitis ...	—	—	3	—	2	—	1	4	1	1	6	2	2	—	6	2
15 Organic heart disease ...	8	6	7	5	11	22	14	12	5	13	12	9	9	1	11	22
16 Bronchitis ...	5	9	13	8	17	9	14	9	7	13	14	2	7	7	10	10
17 Pneumonia (all forms) ...	5	4	10	3	27	16	22	8	37	13	10	13	9	4	10	6
18 Other respiratory diseases	1	1	—	—	—	5	7	2	2	1	—	—	—	2	5	1
19 Diarrhoea, &c. (under 2 yrs.)	11	4	5	3	14	8	10	5	14	11	7	7	1	1	5	2
20 Appendicitis and typhlitis	—	—	—	1	2	1	3	—	—	1	—	—	1	1	2	—
21 Cirrhosis of liver ...	2	—	—	1	2	1	5	1	2	2	1	—	1	—	1	1
21A Alcoholism ...	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
22 Nephritis and Bright's dis.	3	5	3	3	2	4	6	3	2	—	2	2	5	1	—	7
23 Puerperal fever ...	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
24 Parturition, apart from 23	—	—	—	—	—	5	—	—	—	1	—	1	—	—	—	2
25 Congenital debility, &c.	10	10	17	10	25	22	17	18	20	10	6	3	7	4	8	12
26 Violence, apart from 27	6	4	5	2	12	—	9	3	8	2	2	2	8	2	2	3
27 Suicide ...	1	3	1	—	3	1	2	2	2	—	1	—	—	—	—	—
28 Other defined diseases ...	26	23	22	23	58	58	55	50	38	28	25	16	25	23	48	41
29 Causes ill-defined or unknown.	3	2	1	—	3	3	1	3	1	—	—	1	—	4	—	—

STAFFORDSHIRE—cont.

Causes of Death.	Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES ...	59	73	159	151	9	10	73	45	259	275	35	25	121	111	36	27
1 Enteric fever ...	—	—	2	—	—	—	—	—	—	1	—	—	2	1	—	—
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ...	—	—	—	—	—	1	2	2	23	23	—	—	—	—	1	1
4 Scarlet fever ...	—	—	—	—	—	—	—	—	3	2	—	—	—	1	—	—
5 Whooping cough ...	1	6	—	2	—	1	2	2	1	—	2	—	6	8	—	1
6 Diphtheria and croup ...	1	—	3	1	—	—	1	1	4	1	—	—	—	—	—	—
7 Influenza ...	—	2	2	4	—	—	1	—	3	1	—	—	3	4	—	—
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	7	8	9	14	1	—	2	1	17	16	2	1	10	10	3	2
10 Tuberculous meningitis	—	—	3	2	—	—	1	1	—	9	—	—	—	1	—	1
11 Other tuberculous diseases	—	1	4	1	—	1	—	—	3	8	—	1	2	—	1	—
12 Cancer, malignant disease	6	7	9	14	2	—	4	4	12	19	1	2	3	9	2	2
13 Rheumatic fever...	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—
14 Meningitis ...	1	1	2	—	—	—	1	1	—	2	—	—	2	2	1	—
15 Organic heart disease ...	3	10	14	12	—	3	6	2	14	13	4	6	12	8	3	2
16 Bronchitis ...	5	2	19	9	—	—	10	5	22	20	2	1	8	7	6	3
17 Pneumonia (all forms) ...	1	1	13	20	1	1	5	4	17	23	3	1	4	5	3	1
18 Other respiratory diseases	—	1	3	2	—	—	—	—	5	1	1	—	2	1	—	—
19 Diarrhoea, &c. (under 2 yrs.)	1	2	8	11	—	—	1	—	2	11	3	—	4	3	2	1
20 Appendicitis and typhlitis	1	—	3	2	—	—	—	—	1	—	—	1	—	—	—	—
21 Cirrhosis of liver ...	—	—	2	1	—	—	1	—	—	2	—	1	1	—	—	—
21A Alcoholism ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	2	5	4	7	1	—	2	—	9	12	1	1	2	3	—	—
25 Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
24 Parturition, apart from 23	—	1	—	1	—	—	—	1	—	4	—	—	—	2	—	1
25 Congenital debility, &c.	3	3	14	11	—	—	8	1	39	24	—	2	16	8	3	1
26 Violence, apart from 27	4	1	7	4	1	—	2	—	16	8	3	—	6	1	1	2
27 Suicide ...	1	—	1	—	—	—	2	—	4	1	—	—	1	—	—	—
28 Other defined diseases ...	22	22	36	30	2	3	19	20	62	72	13	8	35	36	10	9
29 Causes ill-defined or unknown.	—	—	1	2	1	—	3	—	—	—	—	—	1	1	—	—

ADMINISTRATIVE AREAS, 1913—continued.

STAFFORDSHIRE—cont.

	Small-thorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D.		Wednesbury M.B.		Wednesfield U.D.		Willenhall U.D.		Wolstanton United U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	135	91	178	129	50	37	61	58	28	38	284	253	44	39	274	230	55	52	203	166	219	188	1
2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	1	1	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	2	2	1	—	—	—	—	1	1	1	20	10	1	2	27	42	4	2	15	16	—	1	4
5	6	6	—	—	—	1	—	—	—	—	4	—	—	—	2	2	1	1	3	3	—	—	5
6	—	1	—	—	—	—	1	2	—	—	1	—	—	—	1	2	—	1	—	—	2	8	6
7	—	—	2	1	—	2	—	—	1	—	2	2	—	—	2	—	—	—	1	—	1	1	7
8	2	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	8
9	11	4	16	13	6	2	6	2	—	2	14	8	2	—	24	11	2	5	11	8	14	10	9
10	1	1	—	1	—	1	—	—	—	1	—	1	—	1	2	2	—	—	3	3	3	1	10
11	3	—	4	—	—	1	1	1	—	—	4	—	—	—	11	2	—	—	4	1	2	5	11
12	7	3	15	9	5	4	1	10	2	5	10	12	5	2	11	20	1	2	6	6	8	17	12
13	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	—	—	—	—	13
14	2	1	1	3	1	—	1	2	—	—	4	2	3	2	3	—	3	—	2	2	5	4	14
15	10	5	21	12	8	7	4	6	4	8	9	20	4	5	15	11	5	5	16	12	17	17	15
16	15	12	12	14	1	1	5	2	—	4	22	21	4	1	30	19	3	4	24	16	21	19	16
17	17	10	12	4	1	1	4	7	1	—	27	25	2	4	18	15	6	5	18	12	17	8	17
18	—	1	5	1	—	1	2	—	—	—	4	1	3	1	4	1	—	—	2	1	4	4	18
19	6	3	3	8	—	1	3	1	1	—	23	17	1	—	29	16	3	2	11	16	12	6	19
20	1	—	—	—	—	1	1	—	1	—	1	—	—	—	2	2	—	—	—	—	3	1	20
21	—	—	1	2	1	—	—	1	—	—	2	1	1	—	3	2	—	—	—	1	—	—	21
21A	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	2	3	2	3	2	2	—	2	1	5	1	1	1	8	6	—	1	8	4	4	6	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	—	—	—	—	3	—	—	—	1	—	—	—	2	—	2	24
25	12	15	17	8	9	2	3	1	4	1	31	31	3	4	20	12	8	6	21	17	25	22	25
26	7	4	4	3	1	—	6	—	2	1	22	8	1	—	6	3	6	3	6	4	8	1	26
27	1	—	5	—	1	—	3	2	1	—	1	1	1	—	2	—	2	—	3	—	4	—	27
28	27	18	54	46	13	8	18	19	8	14	70	77	10	16	50	54	10	9	48	40	65	47	28
29	1	1	—	—	—	—	—	—	—	—	5	3	1	—	—	2	—	1	1	—	2	—	29

STAFFORDSHIRE—cont.

		Blore Heath R.D.		Cannock R.D.		Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1		13	7	120	123	168	168	—	—	28	32	158	149	115	105	166	137	37	22	48	46	1
2		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	7	4	—	—	—	—	—	—	7	9	—	1	—	2	—	—	2	3	3
4		—	—	—	2	—	—	—	—	—	—	3	1	—	—	1	—	—	—	—	—	4
5		—	—	—	1	4	7	—	—	—	—	2	—	1	2	2	1	1	—	1	—	5
6		—	—	1	1	2	—	—	—	—	—	1	1	1	2	—	3	—	—	2	1	6
7		1	1	3	—	7	1	—	—	—	—	3	2	1	3	5	2	—	—	1	2	7
8		—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9		1	—	4	3	6	11	—	—	1	2	8	7	5	5	9	8	5	2	1	2	9
10		—	—	—	—	1	2	—	—	—	—	1	2	—	2	4	1	—	—	—	—	10
11		—	—	1	2	1	4	—	—	—	—	2	—	2	1	1	3	—	1	1	—	11
12		1	—	9	16	11	19	—	—	2	4	9	12	3	7	17	9	—	1	7	2	12
13		—	—	—	—	1	1	—	—	—	—	1	1	—	1	1	—	—	—	1	—	13
14		—	—	2	1	1	1	—	—	—	1	1	2	4	3	1	1	—	—	1	—	14
15		2	2	6	11	20	21	—	—	7	3	12	12	12	9	13	13	8	7	2	8	15
16		1	—	14	8	19	13	—	—	3	—	11	15	11	5	9	9	2	2	4	2	16
17		—	—	8	10	10	8	—	—	2	—	14	15	6	12	4	9	1	1	2	6	17
18		—	—	3	1	2	1	—	—	—	—	1	1	1	2	3	1	—	—	2	1	18
19		—	—	1	4	3	4	—	—	1	—	6	6	6	1	6	4	—	—	1	2	19
20		—	—	—	—	—	1	—	—	1	1	—	—	1	—	1	1	—	—	1	—	20
21		1	1	1	2	1	—	—	—	—	—	2	3	—	—	1	2	1	—	—	—	21
21A		—	—	—	—	1	1	—	—	1	1	3	4	4	2	9	4	—	1	—	—	21A
22		2	2	3	1	2	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—	22
23		—	—	—	2	1	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	23
24		—	—	—	1	—	2	—	—	—	—	—	1	—	2	—	2	—	—	—	—	24
25		—	—	8	7	11	15	—	—	—	2	12	10	9	3	17	12	2	—	3	1	25
26		—	—	7	4	10	5	—	—	3	4	11	4	5	4	11	2	—	1	2	1	26
27		1	—	1	—	3	1	—	—	1	2	—	2	1	—	5	—	1	—	1	—	27
28		3	1	37	40	52	48	—	—	6	12	44	38	39	33	47	44	15	5	13	13	28
29		—	—	4	2	—	—	—	—	—	—	3	1	3	1	—	3	1	—	—	1	29

STAFFORDSHIRE—cont.

Causes of Death.	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	91	77	61	57	32	34	83	73	23	20	60	56	45	42	82	60	
1 Enteric fever ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	1	1	1	—	—	4	—	—	—	—	—	—	1	1	1	1	3
4 Scarlet fever ...	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	—	—	—	—	—	1	—	—	1	1	4	4	1	—	—	—	5
6 Diphtheria and croup ..	2	1	—	—	—	2	1	1	—	1	1	—	—	—	—	1	6
7 Influenza ...	1	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	7
8 Erysipelas ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	3	4	2	6	2	2	4	4	1	—	2	1	2	2	4	3	9
10 Tuberculous meningitis	—	2	1	—	1	—	1	—	1	—	—	1	—	—	—	—	10
11 Other tuberculous diseases	1	2	—	—	1	1	—	—	—	—	1	—	1	1	4	—	11
12 Cancer, malignant disease	6	10	5	5	1	2	5	6	2	4	7	2	2	7	4	6	12
13 Rheumatic fever...	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	13
14 Meningitis ...	1	—	—	—	—	—	1	—	—	—	1	—	—	—	3	—	14
15 Organic heart disease ...	9	9	10	7	—	3	11	17	4	1	8	11	7	9	5	6	15
16 Bronchitis ...	2	6	2	2	2	1	4	4	1	3	4	4	1	4	8	2	16
17 Pneumonia (all forms) ...	6	2	2	2	8	2	6	5	1	1	9	3	1	2	13	5	17
18 Other respiratory diseases	4	2	—	1	2	1	2	1	—	—	—	1	1	—	2	—	18
19 Diarrhœa, &c. (under 2 yrs.)	1	—	—	3	—	—	—	1	1	—	1	1	—	—	6	6	19
20 Appendicitis and typhlitis	1	—	1	2	—	—	2	2	—	—	—	1	1	—	—	—	20
21 Cirrhosis of liver ...	2	3	1	—	—	1	2	—	—	—	2	1	1	—	—	—	21
21A Alcoholism ..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22 Nephritis and Bright's dis.	3	1	4	—	—	1	3	1	1	—	3	1	—	—	—	4	22
23 Puerperal fever ...	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	4	4	6	4	4	4	4	3	2	—	—	2	2	4	4	7	25
26 Violence, apart from 27	10	1	2	—	2	1	4	3	—	2	2	—	4	—	7	4	26
27 Suicide ...	—	—	1	—	—	—	2	—	—	—	1	2	1	—	—	—	27
28 Other defined diseases ...	32	28	23	24	8	7	26	22	8	7	14	20	17	10	21	15	28
29 Causes ill-defined or unknown.	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	29

STAFFORDSHIRE—cont.

SUFFOLK, EAST.

Causes of Death.	Blymhill and Weston under Lizard C.P.'s†						Aldeburgh M.B.		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe and Walton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	4	5					15	14	43	50	31	15	13	19	47	32	
1 Enteric fever ...	—	—					—	—	1	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—					—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	—					—	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever ...	—	—					—	—	1	—	—	—	1	—	—	—	4
5 Whooping cough ...	—	—					—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	—	—					—	—	—	—	—	—	—	—	—	2	6
7 Influenza ...	—	—					—	—	—	—	1	—	—	—	—	1	7
8 Erysipelas ...	—	—					—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	1					—	1	2	4	6	1	—	1	3	3	9
10 Tuberculous meningitis	—	—					—	—	2	—	—	—	—	—	—	—	10
11 Other tuberculous diseases	—	—					—	—	—	—	1	—	—	—	—	1	11
12 Cancer, malignant disease	—	—					2	3	2	4	2	2	1	2	4	3	12
13 Rheumatic fever...	—	—					—	—	—	—	—	—	—	—	—	—	13
14 Meningitis ...	—	—					—	—	—	—	—	—	—	—	1	—	14
15 Organic heart disease ...	1	1					—	1	4	5	5	1	2	5	7	4	15
16 Bronchitis ...	2	—					—	—	2	3	3	2	1	1	4	4	16
17 Pneumonia (all forms) ...	—	—					—	—	1	—	—	—	—	1	2	2	17
18 Other respiratory diseases	—	—					1	—	—	4	—	—	—	—	—	—	18
19 Diarrhœa, &c. (under 2 yrs.)	—	—					—	—	—	—	—	—	—	—	1	—	19
20 Appendicitis and typhlitis	—	—					—	—	2	1	—	—	—	—	—	—	20
21 Cirrhosis of liver ...	—	1					2	—	—	1	—	—	—	—	—	—	21
21A Alcoholism ...	—	—					—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	—	—					—	2	2	—	2	2	—	—	2	2	22
23 Puerperal fever ...	—	—					—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—					—	1	—	1	—	—	—	—	—	—	24
25 Congenital debility, &c.	—	1					1	—	7	8	2	1	—	1	5	—	25
26 Violence, apart from 27	—	—					—	—	—	—	—	—	—	—	4	—	26
27 Suicide ...	—	—					—	—	—	2	—	—	1	1	—	—	27
28 Other defined diseases ...	1	1					9	6	16	17	9	6	8	6	14	9	28
29 Causes ill-defined or unknown.	—	—					—	—	1	—	—	—	—	—	—	—	29

* The remainder of Tamworth R.D. is in Warwickshire ; see page 502.

† Administered by Shifnal R.D.C. (Shropshire).

ADMINISTRATIVE AREAS, 1913—continued.

SUFFOLK, EAST—cont.

	Halesworth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Saxmundham U.D.		Southwold M.B.		Stowmarket U.D.		Woodbridge U.D.			Blything R.D.		Bosmere and Claydon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M.	F.	M	F	
	10	16	31	23	235	207	26	17	7	5	14	20	31	15	31	29		120	104	79	81	
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1		—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	1	1	1	3
4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—		—	1	1	—	4
5	—	—	1	2	9	9	2	1	—	—	—	1	—	—	—	1		—	1	—	—	5
6	—	—	—	—	8	9	—	—	—	—	—	—	—	—	—	—		—	1	—	—	6
7	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		1	1	—	—	7
8	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—		—	—	1	—	8
9	1	1	2	1	16	19	2	1	1	—	2	—	3	—	—	2		4	3	3	6	9
10	—	—	—	—	4	3	—	—	—	—	—	—	—	—	—	—		1	—	—	—	10
11	—	—	—	—	—	3	—	—	—	—	1	—	—	—	1	—		1	—	—	3	11
12	—	2	2	3	15	8	3	2	1	2	1	1	4	1	2	3		13	11	8	8	12
13	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—		—	—	—	—	13
14	—	1	—	3	1	—	—	1	—	—	—	—	1	—	—	—		—	2	—	1	14
15	1	2	2	1	26	28	—	2	1	—	1	5	3	2	3	6		15	8	17	20	15
16	1	1	5	2	7	6	2	—	—	—	1	2	1	1	—	2		7	10	4	3	16
17	1	1	1	—	9	15	1	1	—	—	1	1	1	—	1	—		4	3	3	1	17
18	—	—	—	1	3	—	—	—	—	—	—	—	—	—	2	1		1	1	1	5	18
19	1	—	1	—	4	5	—	—	—	—	—	—	1	—	—	—		4	3	2	1	19
20	—	—	—	—	5	1	—	—	—	—	—	—	2	—	—	—		—	—	—	—	20
21	1	—	—	—	4	1	—	—	—	—	—	—	1	—	1	1		2	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	21A
22	—	1	—	1	5	9	1	—	1	—	—	2	1	—	4	1		6	4	8	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	23
24	—	2	—	1	—	3	—	—	—	—	—	—	—	—	—	1		—	—	—	1	24
25	1	—	2	1	16	15	3	3	—	—	1	1	2	—	5	1		8	5	7	5	25
26	1	—	2	—	12	1	2	2	—	—	—	1	3	1	—	1		3	1	3	1	26
27	—	—	1	—	4	—	—	—	—	—	—	—	1	—	1	—		2	—	—	—	27
28	2	4	12	7	77	65	10	3	3	3	7	5	7	9	10	8		46	44	19	20	28
29	—	—	—	—	3	2	—	—	—	—	—	—	—	1	1	—		—	4	1	—	29

SUFFOLK, EAST—cont.

SUFFOLK, WEST.

	East Stow R.D.		Hartismere R.D.		Hoxne R.D.		Mutford and Lothingland R.D.		Plomesgate R.D.		Samford R.D.		Wangford R.D.		Woodbridge R.D.			Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
	27	29	73	76	77	73	83	72	99	125	74	80	26	32	89	95		113	134	12	9	
1	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—		—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	—	2	6	—	—	1	—	—	1	—	—	—	—		4	9	—	—	3
4	—	—	—	—	—	—	2	1	—	1	—	—	—	—	3	4		—	—	—	—	4
5	—	—	1	—	—	—	1	1	1	5	—	—	1	—	—	1		—	—	—	—	5
6	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1		—	—	—	—	6
7	—	—	2	—	1	1	2	2	—	1	1	1	—	—	3	1		—	1	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	—	—	—	8
9	2	1	4	3	5	5	8	9	6	7	3	8	1	2	4	2		4	9	3	1	9
10	—	—	1	—	1	1	—	—	1	—	1	1	1	1	1	—		—	3	—	—	10
11	—	—	1	2	2	—	—	2	1	5	—	1	—	—	1	4		4	—	—	—	11
12	2	7	9	10	1	9	6	8	4	10	6	10	2	1	9	17		11	20	1	1	12
13	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—		—	—	—	—	13
14	—	1	—	2	—	—	—	—	—	1	2	—	—	—	1	2		1	—	—	—	14
15	9	7	8	12	8	5	10	3	8	21	1	12	3	4	10	20		11	19	—	2	15
16	—	1	4	4	6	8	5	3	4	5	4	5	1	3	3	7		11	9	1	—	16
17	1	—	6	4	3	4	5	8	5	4	9	3	1	3	3	—		6	7	1	—	17
18	—	—	2	—	1	2	—	—	2	1	2	—	1	—	1	—		—	2	—	—	18
19	—	—	—	—	—	—	—	—	2	—	1	1	1	1	—	3		2	—	—	1	19
20	—	—	1	—	—	—	—	2	2	1	1	1	—	—	1	—		—	—	—	—	20
21	—	—	—	—	3	1	—	—	2	2	1	1	—	—	—	1		2	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1	—	—	—	21A
22	2	1	3	2	2	5	4	2	3	5	2	—	2	1	1	1		5	1	—	1	22
23	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—		—	1	—	—	23
24	—	—	—	1	—	2	—	1	—	—	—	2	—	3	—	—		—	—	—	—	24
25	1	1	3	5	6	6	9	6	4	6	9	2	3	1	6	—		11	4	1	—	25
26	—	—	3	1	2	—	6	—	5	1	3	—	1	—	2	1		2	3	—	—	26
27	—	—	2	—	3	1	3	—	1	—	2	—	—	—	3	—		—	2	—	—	27
28	10	10	23	30	31	16	20	21	43	47	28	26	8	12	34	27		35	44	3	3	28
29	—	—	—	—	—	—	—	—	1	—	—	1	—	—	3	1		3	—	1	—	29

SUFFOLK, WEST—cont.

Causes of Death.			Hadleigh U.D.		Haverhill U.D.		New- market U.D.		Sudbury M.B.		Brandon R.D.		Clare R.D.		Cosford R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...			19	12	54	45	56	48	33	45	39	44	65	53	79	68	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	13	9	—	—	—	—	—	—	2	—	—	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	1	—	—	2	—	—	—	—	—	—	2	4	—	—	6
6	Diphtheria and croup	—	—	—	—	1	—	—	—	—	—	—	—	—	—	7
7	Influenza	—	—	—	2	1	2	—	—	3	1	—	—	1	1	8
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	1	9
9	Pulmonary tuberculosis		1	1	5	2	7	7	2	2	4	2	5	1	5	3	10
10	Tuberculous meningitis		—	—	—	—	1	—	—	—	—	—	—	1	1	—	11
11	Other tuberculous diseases		—	—	1	—	—	—	—	—	—	—	1	—	1	2	12
12	Cancer, malignant disease		—	2	4	4	6	5	2	7	3	—	9	4	7	7	13
13	Rheumatic fever...	...	—	—	—	—	—	—	1	1	—	—	1	—	—	2	14
14	Meningitis	—	—	—	1	1	—	—	1	—	—	—	1	—	—	15
15	Organic heart disease	6	2	3	2	9	2	5	5	1	5	8	8	4	1	16
16	Bronchitis	—	1	9	7	1	4	3	3	—	3	6	3	8	5	17
17	Pneumonia (all forms)	—	—	—	4	4	2	2	1	—	3	3	1	—	2	18
18	Other respiratory diseases		—	—	—	—	—	—	1	—	1	3	1	2	1	2	19
19	Diarrhoea, &c. (under 2 yrs.)		—	—	—	1	—	1	—	—	—	1	—	—	1	1	20
20	Appendicitis and typhlitis		—	—	—	1	—	—	—	—	—	—	—	—	—	1	21
21	Cirrhosis of liver	1	—	1	—	—	1	—	—	—	—	—	—	1	—	21A
21A	Alcoholism	—	—	—	—	1	1	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.		1	—	3	2	4	—	3	1	—	2	4	2	4	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23		—	—	—	1	—	—	—	—	—	—	—	—	—	1	25
25	Congenital debility, &c.		2	—	2	—	4	1	1	1	5	4	—	1	2	2	26
26	Violence, apart from 27		—	—	3	—	3	—	3	2	2	—	3	1	5	3	27
27	Suicide	—	—	1	—	—	—	—	1	—	—	2	1	—	1	28
28	Other defined diseases	7	6	9	7	13	22	9	20	16	19	18	23	36	33	29
29	Causes ill-defined or un- known.		—	—	—	—	—	—	1	—	3	1	—	—	2	—	

SUFFOLK, WEST—cont.

SURREY.

Causes of Death.			Melford R.D.		Mildenhall R.D.		Moulton R.D.		Thed- wastre R.D.		Thingoe R.D.		Barnes U.D.		Carshalton U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...			85	90	63	51	12	12	70	55	85	90	200	154	62	50	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	1	—	—	—	—	—	—	1	—	4	2	2	—	4
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
5	Whooping cough	—	—	—	1	—	—	2	3	1	2	2	2	—	—	6
6	Diphtheria and croup	—	—	—	—	—	—	1	—	—	—	1	1	—	—	7
7	Influenza	1	1	2	2	1	—	2	—	1	3	4	4	—	—	8
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis		4	9	5	2	1	1	3	6	7	6	19	11	5	3	10
10	Tuberculous meningitis		1	—	—	—	—	—	1	—	—	1	—	2	—	—	11
11	Other tuberculous diseases		—	3	—	1	—	—	3	—	1	2	5	—	1	3	12
12	Cancer, malignant disease		8	10	4	5	1	3	5	5	14	14	12	24	6	7	13
13	Rheumatic fever...	...	2	—	—	—	—	—	—	—	—	—	1	—	—	—	14
14	Meningitis	—	2	—	1	—	—	—	1	—	—	—	1	1	—	15
15	Organic heart disease	11	7	5	7	3	2	10	7	2	11	21	16	3	4	16
16	Bronchitis	11	8	2	2	1	—	—	1	5	3	14	8	3	3	17
17	Pneumonia (all forms)	4	6	4	1	—	1	2	2	7	3	19	7	6	3	18
18	Other respiratory diseases		—	—	—	—	—	—	3	1	1	1	5	2	—	2	19
19	Diarrhoea, &c. (under 2 yrs.)		—	—	—	—	—	—	1	—	1	1	5	4	—	2	20
20	Appendicitis and typhlitis		—	—	1	—	—	—	—	—	—	—	—	—	—	—	21
21	Cirrhosis of liver	—	—	2	—	—	—	—	—	1	—	2	2	3	—	21A
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.		2	1	6	4	—	1	4	1	3	1	6	2	6	1	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24	Parturition, apart from 23		—	1	—	1	—	—	—	—	—	—	—	1	—	2	25
25	Congenital debility, &c.		2	7	3	2	1	1	3	3	5	5	10	6	5	3	26
26	Violence, apart from 27		4	—	2	2	—	—	—	2	1	4	13	6	1	1	27
27	Suicide	—	—	—	—	—	—	—	—	—	—	2	1	—	—	28
28	Other defined diseases	35	33	24	17	4	3	30	22	32	30	51	50	20	16	29
29	Causes ill-defined or un- known.		—	1	1	3	—	—	—	1	2	3	3	—	—	—	

ADMINISTRATIVE AREAS, 1913—continued.

SURREY—cont.

	Caterham U.D.		Chertsey U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		Godalming M.B.		Guildford M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	45	45	72	71	38	40	38	30	57	64	78	74	60	72	43	35	63	47	55	45	134	142	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	1	—	5	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—	1	3	4
5	—	—	1	2	—	—	—	—	—	1	2	2	—	—	—	—	1	—	—	1	—	3	5
6	1	—	—	—	—	—	—	—	2	3	—	1	—	—	—	—	1	—	—	1	2	1	6
7	—	—	—	1	1	—	—	2	1	—	—	2	—	—	—	—	1	—	2	1	4	1	7
8	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	3	7	2	2	1	5	1	1	3	9	3	4	2	2	3	4	2	4	2	16	5	9
10	—	3	2	1	1	—	—	—	—	3	1	1	1	3	—	—	1	1	—	1	—	—	10
11	1	1	1	1	—	—	1	—	3	2	—	2	—	—	—	1	—	2	—	—	3	1	11
12	8	2	7	13	3	9	6	7	6	7	9	12	9	18	7	3	7	7	5	7	15	28	12
13	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	1	—	—	—	13
14	—	—	1	—	2	—	—	—	—	—	—	—	—	2	1	—	1	—	2	1	1	—	14
15	1	3	10	7	9	6	—	3	5	7	8	8	9	2	7	4	4	4	2	15	15	—	15
16	3	3	2	3	1	1	3	1	3	4	6	6	2	2	3	3	4	3	—	2	7	13	16
17	1	3	6	3	3	5	3	2	4	2	3	4	—	4	2	—	3	2	4	3	7	4	17
18	1	—	1	1	1	—	—	—	1	—	—	2	2	1	—	—	2	1	1	—	2	2	18
19	—	—	1	1	1	2	1	—	1	—	3	3	1	—	—	—	2	—	2	1	2	—	19
20	—	—	—	—	—	—	1	—	—	1	—	1	—	1	—	1	2	—	2	—	1	—	20
21	—	—	—	1	—	3	—	—	—	—	1	—	2	2	3	2	2	—	—	1	3	1	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	3	2	5	1	4	2	—	4	3	3	1	4	3	—	—	1	3	2	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	24
25	6	3	5	3	1	4	1	1	3	1	3	5	3	3	2	3	5	3	6	1	8	5	25
26	1	—	1	2	—	2	3	1	1	—	2	—	4	3	—	—	4	1	2	1	6	1	26
27	2	1	1	1	—	—	2	—	—	—	1	—	1	—	—	—	3	—	—	1	—	—	27
28	12	20	23	22	7	6	6	10	24	20	26	17	20	23	11	14	15	19	18	16	40	56	28
29	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	29

SURREY—cont.

	Ham U.D.		Haslemere U.D.*		Kingston on Thames M.B.		Leather- head U.D.		Merton and Morden U.D.†		Reigate M.B.		Richmond M.B.		Surbiton U.D.		Sutton U.D.		The Maldens andCoombe U.D.		Walton upon Thames U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	12	9	19	14	232	232	36	29	84	69	130	151	235	228	87	110	95	92	38	49	71	60	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	3	2	1	—	7	2	2	5	7	11	1	1	—	3	—	1	5	6	4
5	—	—	—	—	1	1	—	—	1	2	1	1	—	1	—	—	—	4	—	—	3	1	5
6	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	6
7	—	—	—	—	9	6	—	—	2	1	2	4	3	8	5	2	—	2	5	1	2	1	7
8	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	8
9	1	—	—	2	23	15	3	2	9	4	14	16	19	8	6	6	7	7	5	3	4	2	9
10	—	—	—	—	2	1	—	—	—	1	2	1	2	1	—	1	1	—	—	—	—	1	10
11	—	—	—	—	3	2	—	1	—	1	2	2	6	2	1	1	1	—	—	—	—	3	11
12	2	3	2	2	20	22	1	4	6	12	9	20	24	27	9	14	7	9	3	3	8	6	12
13	—	—	1	—	1	—	1	—	—	1	—	—	2	—	—	1	1	—	—	—	1	—	13
14	—	1	—	1	3	5	1	—	1	—	—	—	2	1	—	—	1	1	—	2	—	1	14
15	1	1	2	2	21	22	4	4	4	3	21	17	21	36	5	20	11	12	3	4	8	10	15
16	—	1	—	—	19	19	1	5	6	2	2	8	12	19	5	11	4	9	1	4	5	3	16
17	1	1	2	1	16	13	2	4	7	4	3	8	23	12	7	4	8	4	2	2	—	2	17
18	—	—	—	—	4	1	—	—	2	2	—	2	3	2	1	1	2	1	1	3	—	—	18
19	1	—	—	—	10	5	—	—	4	3	2	—	4	4	1	—	—	1	—	2	—	1	19
20	—	—	—	—	2	2	—	—	—	1	2	2	1	2	3	1	1	—	—	—	1	—	20
21	—	—	—	—	3	3	—	—	—	—	2	—	1	1	—	2	1	2	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22	1	1	2	—	8	11	1	1	—	4	3	2	9	5	6	5	4	4	1	1	3	1	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	4	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	24
25	—	—	—	—	14	4	5	1	8	4	11	6	9	7	2	5	7	6	5	3	4	2	25
26	1	—	1	—	11	9	1	—	2	1	3	3	10	6	7	1	1	2	1	3	4	1	26
27	—	—	—	—	9	1	1	—	1	1	2	—	6	2	—	—	2	1	—	—	1	—	27
28	4	1	8	6	48	83	14	7	23	19	44	53	69	69	28	32	35	20	10	15	20	18	28
29	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	29

* Created 1st April, 1913.

† Merton U.D. was enlarged and renamed Merton and Morden U.D. on 1st April, 1913.

SURREY—cont.

Causes of Death.		Weybridge U.D.		Wimbledon M.B.		Windlesham U.D.		Woking U.D.				Chertsey R.D.		Croydon R.D.		Dorking R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES ...	26	33	313	315	31	24	119	107			55	35	320	306	55	64	1
1	Enteric fever ...	—	—	—	2	—	—	—	—			—	—	—	1	—	—	2
2	Small-pox ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
3	Measles ...	—	—	12	9	—	—	—	—			1	1	12	12	—	—	4
4	Scarlet fever ...	—	—	—	1	—	—	—	1			—	—	1	—	—	—	5
5	Whooping cough ...	1	—	—	3	1	—	1	3			2	1	5	5	—	—	6
6	Diphtheria and croup ...	—	—	2	4	—	—	—	1			1	—	2	2	—	—	7
7	Influenza ...	—	1	8	10	—	1	1	2			1	1	4	1	1	1	8
8	Erysipelas ...	—	—	—	1	—	—	—	—			—	—	—	—	—	—	9
9	Pulmonary tuberculosis	2	2	32	18	1	3	11	4			8	3	16	24	6	6	10
10	Tuberculous meningitis	1	—	1	1	1	—	4	4			—	—	4	4	1	1	11
11	Other tuberculous diseases	—	—	5	5	—	1	1	1			—	—	4	4	—	1	12
12	Cancer, malignant disease	3	5	17	40	1	2	10	9			8	8	32	31	7	9	13
13	Rheumatic fever...	—	—	1	3	—	—	—	2			—	—	—	2	—	—	14
14	Meningitis ...	—	—	4	4	—	—	—	1			—	—	4	—	1	—	15
15	Organic heart disease ...	—	2	17	32	4	2	15	17			4	1	32	40	5	8	16
16	Bronchitis ...	1	2	18	21	1	2	2	4			3	2	23	17	4	8	17
17	Pneumonia (all forms) ...	—	2	33	16	2	—	9	10			3	3	22	19	5	1	18
18	Other respiratory diseases	1	—	3	2	—	—	—	4			—	1	7	5	1	1	19
19	Diarrhoea, &c. (under 2 yrs.)	—	1	19	12	1	—	4	3			2	—	15	10	—	1	20
20	Appendicitis and typhlitis	—	—	3	1	—	—	3	1			—	1	2	3	—	—	21
21	Cirrhosis of liver ...	2	1	3	3	—	—	1	—			—	—	4	4	2	—	21A
21A	Alcoholism ...	—	—	1	—	—	—	—	—			—	—	—	—	—	—	22
22	Nephritis and Bright's dis.	1	—	10	12	3	—	4	—			1	1	11	6	7	1	23
23	Puerperal fever ...	—	—	—	2	—	—	—	—			—	—	—	5	—	—	24
24	Parturition, apart from 23	—	—	—	2	—	—	—	1			—	1	—	—	—	—	25
25	Congenital debility, &c.	4	1	21	13	3	1	11	5			—	2	28	20	1	—	26
26	Violence, apart from 27	2	3	7	6	1	2	8	—			2	1	8	8	5	2	27
27	Suicide ...	—	—	5	1	1	—	1	—			1	—	4	—	—	—	28
28	Other defined diseases ...	8	13	89	90	11	10	33	34			18	8	79	82	9	24	29
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	—			—	—	1	1	—	—	

SURREY—cont.

Causes of Death.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambleton R.D.		Reigate R.D.						
		M	F	M	F	M	F	M	F	M	F	M	F					
	ALL CAUSES ...	135	135	129	109	109	110	86	89	121	124	126	88					1
1	Enteric fever ...	—	—	—	1	—	—	—	—	1	—	—	—					2
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—					3
3	Measles ...	2	—	2	—	1	1	1	—	2	3	2	1					4
4	Scarlet fever ...	—	1	—	—	—	—	—	—	—	—	—	—					5
5	Whooping cough ...	—	1	—	—	1	—	—	1	—	4	1	3					6
6	Diphtheria and croup ...	2	—	—	—	—	—	—	—	1	1	—	1					7
7	Influenza ...	1	3	1	2	2	2	2	1	1	5	13	10					8
8	Erysipelas ...	1	—	—	—	—	—	—	—	—	—	—	—					9
9	Pulmonary tuberculosis	5	8	6	12	5	8	2	1	6	—	8	6					10
10	Tuberculous meningitis	—	—	—	1	1	1	3	1	1	1	—	—					11
11	Other tuberculous diseases	—	2	—	—	4	2	1	—	1	2	—	—					12
12	Cancer, malignant disease	13	17	12	13	9	14	7	14	21	9	13	9					13
13	Rheumatic fever...	—	2	—	1	—	1	—	—	1	—	—	—					14
14	Meningitis ...	—	—	2	—	—	1	1	—	2	1	1	—					15
15	Organic heart disease ...	23	17	16	10	14	13	10	16	14	14	20	13					16
16	Bronchitis ...	12	9	14	7	5	6	4	2	10	6	6	2					17
17	Pneumonia (all forms) ...	12	9	7	5	5	5	6	6	4	10	6	2					18
18	Other respiratory diseases	2	1	2	2	4	1	2	1	4	3	1	1					19
19	Diarrhoea, &c. (under 2 yrs.)	3	2	2	1	2	1	—	1	—	1	2	—					20
20	Appendicitis and typhlitis	3	1	1	2	2	1	1	—	2	1	1	1					21
21	Cirrhosis of liver ...	3	1	3	—	2	1	—	—	5	—	1	—					21A
21A	Alcoholism ...	—	—	—	—	1	—	—	—	—	—	—	—					22
22	Nephritis and Bright's dis.	6	4	4	1	4	5	1	5	3	8	5	1					23
23	Puerperal fever ...	—	1	—	—	—	—	—	1	—	1	—	2					24
24	Parturition, apart from 23	—	1	—	2	—	—	—	—	—	1	—	1					25
25	Congenital debility, &c.	7	6	8	4	5	5	4	2	6	3	5	4					26
26	Violence, apart from 27	2	2	4	6	3	4	4	1	1	1	5	3					27
27	Suicide ...	1	—	2	1	1	—	1	—	1	2	—	—					28
28	Other defined diseases ...	36	47	43	37	37	38	35	34	34	47	36	28					29
29	Causes ill-defined or unknown.	1	—	—	1	1	—	1	2	—	—	—	—					

ADMINISTRATIVE AREAS, 1913—continued.

SUSSEX, EAST.

	Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	15	14	85	82	26	37	8	9	37	38	27	22	282	344	78	73	43	34	47	45	24	26	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	2
3	—	—	2	1	—	—	—	—	—	—	—	—	5	12	—	—	1	1	4	—	—	—	3
4	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	1	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1	—	2	1	—	—	6
7	—	—	1	4	—	1	—	1	1	—	—	—	6	6	—	1	1	—	—	—	—	—	7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	7	9	5	2	3	1	7	2	4	4	16	20	9	4	4	2	8	5	2	1	9
10	—	—	—	—	—	1	—	—	1	—	2	2	4	2	—	2	1	1	1	1	—	—	10
11	—	—	2	1	—	—	—	—	—	—	2	—	4	5	1	1	—	1	2	1	—	—	11
12	1	1	9	16	1	4	2	3	2	5	3	2	28	59	8	10	6	5	3	7	—	4	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	1	—	—	—	1	3	—	1	—	—	1	—	—	—	14
15	5	6	6	5	—	6	—	1	7	7	1	—	24	48	7	8	8	4	4	2	4	2	15
16	—	1	3	4	—	—	—	—	4	2	2	1	19	17	5	6	4	4	1	1	3	5	16
17	—	—	3	2	3	4	—	1	—	3	1	1	8	14	5	6	4	3	3	1	3	1	17
18	—	—	3	4	—	1	—	—	1	—	—	—	8	2	—	—	1	—	—	—	—	—	18
19	—	—	1	3	—	—	—	—	—	—	1	—	12	9	—	—	1	—	2	2	—	—	19
20	—	—	2	2	—	—	—	—	—	1	—	—	3	1	—	—	—	—	—	1	—	—	20
21	1	—	1	—	2	—	—	—	2	—	—	—	6	2	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	21A
22	—	—	2	2	1	2	—	—	—	—	3	1	15	11	3	2	—	1	—	3	—	1	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	23
24	—	—	—	—	—	—	—	—	—	2	—	1	—	3	—	—	—	—	—	—	1	—	24
25	1	—	5	2	1	—	—	—	1	2	—	1	7	7	5	4	3	—	2	4	—	2	25
26	—	—	2	3	—	1	—	—	—	—	—	—	11	10	3	2	2	—	2	3	4	—	26
27	—	—	2	—	—	—	—	—	2	1	—	—	5	2	—	—	—	—	—	1	—	1	27
28	5	5	31	22	13	13	3	2	8	13	10	8	96	105	32	23	9	8	12	9	8	8	28
29	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

SUSSEX, EAST—cont.

	Seaford U.D.		Uckfield U.D.		Battle R.D.		Chailley R.D.		Cuckfield R.D.		East- bourne R.D.		East Grinstead R.D.		Hailsham R.D.		Hastings R.D.		Newhaven R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	27	15	22	18	29	38	76	64	85	81	44	29	95	56	113	100	12	13	27	9	1
2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	2	—	—	—	—	3
4	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	1	1	—	—	—	—	—	1	1	1	—	—	—	—	—	5
6	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	6
7	—	—	—	1	2	—	—	3	3	4	1	—	4	1	—	2	1	1	—	—	7
8	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	—	—	—	—	—	8
9	—	—	1	4	1	4	5	4	1	5	4	2	8	5	7	9	—	—	1	1	9
10	1	1	—	—	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	10
11	4	1	—	—	—	—	—	1	1	—	2	—	1	2	1	1	—	—	—	—	11
12	3	3	1	2	3	6	6	12	11	14	4	3	8	14	11	12	1	2	2	3	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	13
14	—	—	1	—	—	—	—	—	1	—	—	1	—	2	—	2	—	—	1	—	14
15	2	3	6	5	5	9	15	14	12	13	4	4	15	6	10	4	4	1	5	2	15
16	4	1	—	1	3	2	2	6	10	5	4	2	4	2	7	4	—	1	—	—	16
17	—	—	1	—	3	1	5	1	—	3	4	1	9	4	8	7	—	1	2	—	17
18	—	—	1	—	—	2	—	—	1	3	1	—	1	—	2	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—	—	19
20	—	—	—	—	—	2	1	—	—	—	2	—	1	—	—	—	1	—	—	—	20
21	—	—	1	—	—	1	—	—	1	—	—	—	2	—	2	3	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	21A
22	1	—	—	—	—	—	2	3	1	2	—	2	—	1	8	1	—	—	2	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	24
25	2	—	—	—	1	4	6	1	2	3	3	—	7	2	10	6	1	—	1	—	25
26	1	—	—	—	1	—	3	—	2	—	3	—	4	2	5	1	1	—	4	—	26
27	1	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	27
28	7	5	8	5	8	8	27	16	28	26	10	13	24	13	36	38	3	4	7	2	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	29

SUSSEX, EAST— <i>cont.</i>	CAUSES OF DEATH IN SUSSEX, WEST.
1846.	1846.
1847.	1847.
1848.	1848.
1849.	1849.
1850.	1850.
1851.	1851.
1852.	1852.
1853.	1853.
1854.	1854.
1855.	1855.
1856.	1856.
1857.	1857.
1858.	1858.
1859.	1859.
1860.	1860.
1861.	1861.
1862.	1862.
1863.	1863.
1864.	1864.
1865.	1865.
1866.	1866.
1867.	1867.
1868.	1868.
1869.	1869.
1870.	1870.
1871.	1871.
1872.	1872.
1873.	1873.
1874.	1874.
1875.	1875.
1876.	1876.
1877.	1877.
1878.	1878.
1879.	1879.
1880.	1880.
1881.	1881.
1882.	1882.
1883.	1883.
1884.	1884.
1885.	1885.
1886.	1886.
1887.	1887.
1888.	1888.
1889.	1889.
1890.	1890.
1891.	1891.
1892.	1892.
1893.	1893.
1894.	1894.
1895.	1895.
1896.	1896.
1897.	1897.
1898.	1898.
1899.	1899.
1900.	1900.

Causes of Death.				Rye R.D.		Steyning East R.D.		Ticehurst R.D.		Uckfield R.D.				Arundel M.B.		Bognor U.D.		Chichester M.B.			
				M	F	M	F	M	F	M	F			M	F	M	F	M	F		
ALL CAUSES				41	40	9	16	97	56	112	131			10	11	51	62	90	75		
1	Enteric fever			—	—	—	—	—	—	—	—			—	—	—	1	—	—		1
2	Small-pox			—	—	—	—	—	—	—	—			—	—	—	—	—	—		2
3	Measles			—	1	1	—	—	—	—	—			—	—	—	—	—	—		3
4	Scarlet fever			—	—	—	—	—	—	—	—			—	—	—	—	—	—		4
5	Whooping cough			—	—	—	—	—	—	—	1			—	—	—	1	—	—		5
6	Diphtheria and croup			—	1	—	—	2	2	—	1			—	—	—	—	1	—		6
7	Influenza			3	—	—	—	2	—	4	3			—	—	1	2	1	—		7
8	Erysipelas			—	1	—	—	—	—	—	—			—	—	—	—	—	1		8
9	Pulmonary tuberculosis			1	1	—	1	8	3	10	14			3	—	8	6	14	7		9
10	Tuberculous meningitis			—	—	—	—	—	—	—	1			—	—	—	1	—	2		10
11	Other tuberculous diseases			—	1	1	—	3	—	—	3			—	—	—	1	—	—		11
12	Cancer, malignant disease			3	3	1	2	13	8	15	15			—	—	9	8	7	9		12
13	Rheumatic fever... ..			—	—	—	—	1	—	—	—			—	—	1	—	—	—		13
14	Meningitis			—	—	—	—	1	—	3	1			—	—	1	—	—	—		14
15	Organic heart disease ...			2	8	1	2	14	11	13	20			2	1	6	6	13	13		15
16	Bronchitis			6	3	—	2	3	5	6	6			—	—	2	4	4	5		16
17	Pneumonia (all forms) ...			2	2	2	—	5	4	7	4			—	1	1	4	3	1		17
18	Other respiratory diseases			2	1	—	—	2	1	3	—			1	—	1	3	2	—		18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	3	—	—	2			—	—	—	1	—	—		19
20	Appendicitis and typhlitis			—	—	—	—	1	—	—	1			—	—	—	—	1	—		20
21	Cirrhosis of liver			1	—	1	—	1	—	1	—			—	—	1	—	—	1		21
21A	Alcoholism			—	—	—	—	—	—	—	—			—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.			1	—	1	—	4	—	3	3			—	—	—	3	2	2		22
23	Puerperal fever			—	—	—	—	—	—	—	1			—	—	—	—	—	—		23
24	Parturition, apart from 23			—	1	—	—	—	—	—	1			—	—	—	1	—	—		24
25	Congenital debility, &c.			1	—	—	—	4	3	9	5			—	1	2	1	2	2		25
26	Violence, apart from 27			3	2	—	1	2	1	1	1			1	2	2	1	4	—		26
27	Suicide			1	—	—	—	—	—	2	1			—	—	—	1	—	—		27
28	Other defined diseases ..			15	15	1	8	27	18	35	46			3	6	16	17	37	31		28
29	Causes ill-defined or un- known.			—	—	—	—	1	—	—	1			—	—	—	—	—	—		29

SUSSEX, WEST—*cont.*

Causes of Death.				Horsham U.D.		Little- hampton U.D.		Shoreham by Sea U.D.		Southwick U.D.		Worthing M.B.				East Preston R.D.		Horsham R.D.			
				M	F	M	F	M	F	M	F	M	F			M	F	M	F		
ALL CAUSES	64	87	46	53	30	43	32	22	179	223			44	36	138	110		1
1 Enteric fever	—	—	—	1	—	—	—	—	—	1	—		—	—	—	—		2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—		3
3 Measles	—	8	—	—	—	3	2	1	2	2	—		—	—	—	—		4
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—		—	1	1	—		5
5 Whooping cough	—	—	—	—	—	—	—	1	3	—	—		—	—	—	—		6
6 Diphtheria and croup	—	—	—	—	—	—	—	1	2	—	—		—	—	—	1		7
7 Influenza	—	—	—	—	—	—	1	1	3	3	—		—	—	2	—		8
8 Erysipelas	—	—	—	—	—	—	—	—	—	1	—		—	—	—	—		9
9 Pulmonary tuberculosis				6	2	5	4	1	3	1	2	19	10	—		3	3	9	5		10
10 Tuberculous meningitis				4	—	—	1	—	1	—	1	1	—	—		—	2	1	—		11
11 Other tuberculous diseases				—	1	—	1	—	1	—	2	1	—	—		—	1	2	2		12
12 Cancer, malignant disease				9	14	7	14	4	3	—	2	14	29	—		3	3	17	23		13
13 Rheumatic fever...	1	—	1	—	—	—	—	—	1	1	—		—	—	—	3		14
14 Meningitis	—	—	1	—	1	—	—	—	2	1	—		2	—	—	—		15
15 Organic heart disease				10	11	4	5	3	7	4	2	25	34	—		5	6	16	15		16
16 Bronchitis	4	1	2	5	1	1	—	2	4	15	—		2	1	9	5		17
17 Pneumonia (all forms)	2	3	—	1	—	4	1	—	4	9	—		4	3	10	5		18
18 Other respiratory diseases				—	1	—	—	—	—	2	—	4	5	—		—	2	4	—		19
19 Diarrhoea, &c. (under 2 yrs.)				1	—	1	2	3	4	2	—	3	1	—		—	2	2	1		20
20 Appendicitis and typhlitis				1	—	—	—	—	—	1	—	4	—	—		—	—	2	—		21
21 Cirrhosis of liver	—	—	2	—	—	—	1	—	—	4	—		—	—	1	—		21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—		22
22 Nephritis and Bright's dis.				2	1	3	2	1	2	—	1	9	11	—		2	—	9	3		23
23 Puerperal fever	—	1	—	—	—	—	—	—	—	1	—		—	—	—	1		24
24 Parturition, apart from 23				—	1	—	—	—	—	—	—	—	1	—		—	—	—	2		25
25 Congenital debility, &c.				4	5	5	—	5	2	1	—	13	5	—		3	3	10	6		26
26 Violence, apart from 27				3	—	4	—	2	—	1	—	6	3	—		2	1	3	1		27
27 Suicide	—	—	—	—	—	1	—	—	1	2	—		1	—	1	1		28
28 Other defined diseases	17	37	11	17	8	11	15	6	57	85	—		17	8	38	36		29
29 Causes ill-defined or un- known.				—	1	—	—	—	—	—	—	—	—	—		—	—	1	—		30

ADMINISTRATIVE AREAS, 1913—continued.

SUSSEX, WEST—cont.

WARWICKSHIRE.

	Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		West- bourne R.D.		West- hampnett R.D.			Bulking- ton U.D.		Kenil- worth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	93	69	50	48	50	46	51	38	60	51	90	86		19	15	34	46	242	223	183	203	1
2	—	—	—	—	—	—	1	—	1	—	—	1		—	—	—	1	—	—	1	—	2
3	2	2	—	1	2	—	—	—	1	—	—	—		—	1	—	—	—	3	4	5	3
4	1	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	3	5	2	1	4
5	—	—	—	—	—	—	—	1	—	—	1	1		—	—	—	—	1	8	1	1	5
6	—	—	1	1	—	—	—	—	—	—	1	—		1	—	—	1	4	2	—	2	6
7	1	2	1	—	1	—	1	—	2	—	1	1		—	—	—	—	6	4	1	2	7
8	—	—	—	—	—	—	—	1	—	—	—	—		—	—	—	—	—	2	—	—	8
9	8	3	1	2	4	1	3	4	4	2	9	7		—	1	—	2	11	8	8	7	9
10	1	1	—	—	—	1	—	—	3	1	—	1		—	—	—	—	4	2	1	2	10
11	1	1	—	1	1	1	—	—	1	—	2	—		—	—	—	—	4	2	1	3	11
12	6	12	9	5	7	6	9	4	3	4	12	8		1	—	4	8	17	16	13	28	12
13	—	—	—	—	—	—	—	—	—	—	—	1		—	—	—	—	1	1	1	—	13
14	1	—	—	1	—	1	—	—	2	—	—	—		1	—	—	—	4	2	1	2	14
15	7	11	10	7	7	9	3	3	6	6	15	16		—	3	4	7	16	12	8	21	15
16	1	4	2	2	1	2	3	3	4	6	2	4		4	1	2	2	16	15	10	19	16
17	8	—	4	2	1	1	1	1	3	1	3	1		1	—	1	2	23	17	10	8	17
18	1	1	—	—	1	1	—	—	—	1	1	1		—	—	—	1	7	4	3	5	18
19	—	—	—	1	1	—	1	—	1	1	2	1		—	—	—	1	14	15	2	2	19
20	—	—	—	1	—	—	1	—	—	—	1	1		—	—	—	—	2	2	1	1	20
21	1	1	1	—	2	—	—	—	—	—	—	2		—	—	—	2	4	1	2	4	21
21A	—	—	—	—	—	—	—	1	—	—	—	—		—	—	—	—	1	—	1	—	21A
22	3	2	4	2	2	—	1	2	2	2	2	1		1	—	2	—	2	1	15	16	22
23	—	1	—	1	—	—	—	1	—	—	—	—		—	—	—	1	—	2	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	—		—	—	—	—	—	3	—	—	24
25	7	3	2	3	1	—	3	3	1	4	8	2		2	6	3	2	31	23	9	5	25
26	5	3	1	—	1	1	2	—	2	5	3	1		—	—	1	1	18	5	7	3	26
27	1	—	—	—	—	—	1	—	1	—	—	2		—	—	—	—	2	1	1	1	27
28	38	21	14	17	18	22	21	14	23	18	26	33		8	3	17	14	47	66	79	65	28
29	—	1	—	—	—	—	—	—	—	—	1	1		—	—	—	1	4	1	—	—	29

WARWICKSHIRE—cont.

	Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.			Alcester R.D.		Ather- stone R.D.		Brailes R.D.		Coventry R.D.		Farn- borough R.D.		Foleshill R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
1	109	136	63	55	108	128	99	82		68	54	127	112	37	30	6	7	8	6	193	158	1
2	1	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	2
3	1	—	—	—	1	2	2	4		2	1	2	3	1	—	—	—	—	5	4	3	4
4	2	—	—	—	1	—	—	1		—	—	1	—	—	1	—	—	—	2	—	4	5
5	1	—	—	—	—	1	1	1		—	1	—	—	—	—	—	—	—	3	5	5	6
6	—	—	1	—	—	—	—	—		1	—	—	1	—	—	—	1	—	3	4	6	7
7	1	2	—	—	—	—	—	1		—	1	—	—	—	—	—	—	—	1	2	7	8
8	—	—	—	—	—	—	—	—		—	—	—	—	1	—	—	—	—	3	1	8	9
9	10	6	4	3	7	5	11	1		8	6	8	6	—	—	—	—	—	6	12	9	10
10	—	2	1	2	3	—	1	—		—	—	1	1	—	—	—	—	—	1	—	10	11
11	—	1	—	—	1	3	1	—		1	1	2	5	1	—	—	—	—	1	3	11	12
12	11	19	7	3	13	14	4	8		9	4	8	9	3	4	—	1	—	2	6	11	12
13	—	2	—	—	—	1	—	—		—	—	—	1	—	—	—	—	—	—	2	13	14
14	1	5	1	—	2	3	1	1		—	—	—	1	—	1	—	—	—	1	1	14	15
15	9	13	7	8	7	19	11	10		11	12	16	18	8	8	1	—	1	6	6	15	16
16	2	7	4	7	4	9	9	6		1	—	5	7	—	—	1	—	—	18	15	16	17
17	7	13	3	4	3	4	9	3		3	1	6	10	—	—	1	—	—	18	13	17	18
18	1	1	—	1	3	1	2	—		1	1	—	1	1	—	—	—	—	3	2	18	19
19	2	3	—	1	1	—	1	3		1	—	11	5	—	—	1	1	—	9	8	19	20
20	4	1	—	—	—	1	1	—		—	—	1	—	—	—	—	—	—	1	1	20	21
21	1	—	2	1	1	—	2	—		3	—	—	—	—	—	—	—	—	1	1	21	21A
21A	1	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	—	1	—	21A	22
22	1	8	2	2	2	5	4	4		1	3	3	4	3	—	—	—	—	6	1	22	23
23	—	2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2	23	24
24	—	—	—	1	—	2	—	—		—	—	—	—	—	—	—	—	—	—	1	24	25
25	7	9	2	2	7	6	5	7		7	4	9	11	1	2	1	2	1	19	18	25	26
26	4	2	1	—	5	5	4	1		1	2	18	1	1	1	—	—	1	15	5	26	27
27	2	—	1	—	—	1	2	1		—	—	—	—	—	—	—	—	—	—	1	27	28
28	40	38	27	20	46	44	28	29		18	17	35	24	16	13	1	2	6	2	53	37	28
29	—	2	—	—	1	2	—	1		—	—	1	—	1	—	—	—	—	1	1	29	30

WARWICKSHIRE—cont.

Causes of Death.	Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	121	86	7	7	23	16	136	116	109	88	58	72	70	76	101	69	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	2	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	2	—	—	1	—	3	4	2	2	—	1	1	1	—	—	3
4 Scarlet fever	—	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	4
5 Whooping cough	1	1	—	—	—	—	—	2	1	1	1	1	—	—	1	—	5
6 Diphtheria and croup	—	1	—	—	—	—	3	1	—	1	—	—	—	—	—	1	6
7 Influenza	3	1	1	—	—	—	4	3	1	3	—	—	—	—	—	1	7
8 Erysipelas	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	8
9 Pulmonary tuberculosis	5	6	—	—	2	1	6	7	11	3	1	1	3	2	3	3	9
10 Tuberculous meningitis	—	3	—	—	—	—	2	2	2	—	—	1	—	—	1	1	10
11 Other tuberculous diseases	5	—	—	—	—	1	2	2	2	4	—	1	1	3	2	1	11
12 Cancer, malignant disease	6	9	1	—	—	—	11	11	13	10	2	5	8	10	12	8	12
13 Rheumatic fever... ..	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	13
14 Meningitis	1	—	—	—	—	—	—	1	1	—	—	—	—	1	3	2	14
15 Organic heart disease	11	7	—	1	2	1	12	16	10	10	5	9	3	6	10	10	15
16 Bronchitis	4	4	3	2	1	2	7	11	2	8	7	7	4	3	9	2	16
17 Pneumonia (all forms)	10	3	1	—	3	1	10	6	9	2	2	4	8	4	3	1	17
18 Other respiratory diseases	—	2	—	—	—	—	3	2	3	—	1	4	—	2	2	2	18
19 Diarrhoea, &c (under 2 yrs.)	3	1	—	—	1	1	4	4	1	1	1	—	1	2	2	1	19
20 Appendicitis and typhlitis	1	1	—	—	1	—	—	—	1	1	—	2	1	1	1	—	20
21 Cirrhosis of liver	2	—	—	—	—	—	2	—	2	2	1	1	—	—	1	—	21
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	5	1	—	1	—	—	3	1	4	—	5	5	2	1	—	—	22
23 Puerperal fever	—	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	24
25 Congenital debility, &c.	7	9	—	—	3	4	11	7	5	5	2	1	2	4	12	5	25
26 Violence, apart from 27	5	2	—	—	1	—	9	2	3	1	2	2	1	5	4	4	26
27 Suicide	2	—	1	—	—	—	1	1	1	—	—	2	—	—	2	—	27
28 Other defined diseases	46	28	—	3	7	5	42	30	36	31	26	26	28	30	30	24	28
29 Causes ill-defined or un- known.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	29

WARWICKSHIRE—cont.

WESTMORLAND.

Causes of Death.	Warwick R.D.						Ambleside U.D.		Appleby M.B.		Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		
	M	F					M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	66	58					10	12	14	7	4	3	102	119	10	5	
1 Enteric fever	—	—					—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	2					—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	2					—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—					—	—	—	—	—	—	6	11	—	—	5
6 Diphtheria and croup	3	—					—	—	—	—	—	—	—	—	—	—	6
7 Influenza	—	—					—	—	1	—	1	—	—	1	—	—	7
8 Erysipelas	—	1					—	—	—	—	—	—	1	1	—	—	8
9 Pulmonary tuberculosis	6	5					1	—	1	—	1	—	2	7	1	—	9
10 Tuberculous meningitis	—	2					—	—	—	—	—	—	1	2	—	—	10
11 Other tuberculous diseases	—	—					—	—	—	—	—	—	2	1	—	—	11
12 Cancer, malignant disease	5	4					1	1	—	—	—	—	7	12	—	2	12
13 Rheumatic fever... ..	—	—					—	—	—	—	—	—	—	—	—	—	13
14 Meningitis	—	—					—	—	—	—	—	—	2	1	—	—	14
15 Organic heart disease	6	11					1	2	3	1	—	1	10	13	2	—	15
16 Bronchitis	6	6					—	—	1	2	—	—	12	5	—	—	16
17 Pneumonia (all forms)	7	2					—	1	—	—	—	—	10	8	1	1	17
18 Other respiratory diseases	1	1					—	1	—	—	—	—	2	1	—	1	18
19 Diarrhoea, &c. (under 2 yrs.)	1	2					—	—	—	—	—	—	3	1	—	—	19
20 Appendicitis and typhlitis	—	—					—	—	—	—	—	—	1	—	—	—	20
21 Cirrhosis of liver	—	1					—	—	—	—	—	—	2	—	—	—	21
21A Alcoholism	—	—					—	—	—	—	—	—	—	1	—	—	21A
22 Nephritis and Bright's dis.	—	3					1	1	—	—	—	—	7	6	1	—	22
23 Puerperal fever	—	—					—	—	—	—	—	—	—	1	—	—	23
24 Parturition, apart from 23	—	—					—	1	—	—	—	—	—	—	—	—	24
25 Congenital debility, &c.	4	2					1	—	—	—	—	—	7	10	—	—	25
26 Violence, apart from 27	4	—					—	—	1	—	1	—	2	4	—	—	26
27 Suicide	1	—					—	—	1	—	—	—	—	—	—	—	27
28 Other defined diseases	19	14					5	5	7	3	2	1	25	33	5	1	28
29 Causes ill-defined or un- known.	—	—					—	—	—	—	—	—	—	—	—	—	29

* The remainder of Tamworth R.D. is in Staffordshire; see page 494.

ADMINISTRATIVE AREAS, 1913—continued.

WESTMORLAND—cont.

WIGHT, ISLE OF.

	Shap U.D.		Winder- mere. U.D.				East West- morland R.D.		South West- morland R.D.		West Ward R.D.				Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		
	M	F	M	F			M	F	M	F	M	F			M	F	M	F	M	F	M	F	
	10	6	32	41			94	77	109	115	51	44			48	67	20	20	67	71	63	91	
1	—	—	—	—			1	—	—	—	—	—			1	—	—	—	—	—	—	—	1
2	—	—	—	—			—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3	—	—	—	—			—	—	1	—	—	—			1	—	—	—	2	2	—	—	3
4	—	—	—	—			—	—	—	—	—	—			—	—	—	—	1	1	—	—	4
5	—	—	—	—			—	—	1	—	—	2			—	—	—	—	—	—	1	—	5
6	—	—	1	—			3	2	1	4	2	—			—	2	—	—	1	1	—	—	6
7	—	—	—	—			1	—	2	1	1	—			—	—	—	—	—	—	—	—	7
8	—	—	—	—			1	—	1	1	—	—			—	3	—	—	—	—	—	1	8
9	—	—	1	1			4	2	8	9	2	—			4	6	2	1	1	5	7	5	9
10	—	—	—	2			1	—	—	1	—	—			—	2	—	—	2	1	1	—	10
11	—	—	—	1			—	—	—	—	—	—			2	2	—	1	—	—	—	—	11
12	—	3	5	7			9	9	11	16	3	3			5	10	3	2	6	11	7	15	12
13	—	—	1	—			—	—	1	—	1	—			—	—	—	—	—	—	—	—	13
14	—	—	—	—			1	2	—	—	—	1			—	—	2	—	—	—	1	—	14
15	3	1	5	5			13	8	6	10	6	15			7	8	2	5	12	14	6	11	15
16	2	1	1	3			5	2	4	5	3	1			4	3	1	—	4	6	3	3	16
17	—	—	4	3			4	1	8	5	1	—			3	1	—	—	5	1	4	3	17
18	—	—	1	2			1	—	6	4	2	1			—	1	1	1	1	—	2	1	18
19	—	—	—	—			1	—	—	1	—	1			—	—	—	—	2	4	—	—	19
20	—	—	—	1			1	—	1	2	1	—			—	—	—	—	—	—	1	1	20
21	—	—	—	—			—	—	—	1	—	—			3	—	—	—	—	—	2	—	21
21A	—	—	—	—			—	—	—	—	—	—			—	—	—	—	1	—	—	—	21A
22	1	—	1	—			3	2	4	2	2	1			5	—	3	1	5	1	3	2	22
23	—	—	—	—			—	—	—	—	—	—			—	—	—	—	—	—	—	—	23
24	—	—	—	—			—	3	—	1	—	—			—	—	—	—	—	—	—	1	24
25	1	—	1	—			7	3	8	4	4	3			2	5	3	2	5	2	3	5	25
26	1	—	3	—			8	3	4	1	1	—			2	—	1	—	1	1	2	1	26
27	1	—	—	—			1	—	1	1	2	—			1	—	—	—	—	—	—	2	27
28	1	1	8	16			27	40	41	45	20	16			7	24	4	5	19	21	20	40	28
29	—	—	—	—			2	—	1	1	—	—			1	—	—	—	—	—	—	—	29

WIGHT, ISLE OF—cont.

WILTSHIRE.

	St. Helens U.D.		Sandown U.D.		Shanklin U.D.		Ventnor U.D.				Isle of Wight R.D.				Bradford on Avon U.D.		Calne M.B.		Chippen- ham M.B.		
	M	F	M	F	M	F	M	F			M	F			M	F	M	F	M	F	
	34	17	31	38	32	42	23	40			159	151			23	25	24	30	39	35	
1	—	—	—	—	—	—	—	1			—	—			—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—			—	—			—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1			2	1			—	—	—	1	3	2	3
4	—	—	—	—	—	—	1	—			1	1			—	—	—	—	—	—	4
5	1	—	1	—	—	—	—	—			—	—			—	—	—	—	—	1	5
6	—	—	—	—	1	—	—	—			1	—			—	—	—	—	—	—	6
7	1	—	1	2	—	—	—	—			5	5			1	—	1	—	1	—	7
8	—	—	—	—	—	—	—	—			1	—			—	—	—	—	—	—	8
9	2	1	3	—	6	1	4	5			10	7			2	2	2	1	2	2	9
10	—	—	—	—	—	—	1	—			—	2			—	—	—	—	1	—	10
11	—	1	—	—	—	—	—	1			3	—			—	—	—	—	—	—	11
12	2	1	2	7	2	4	3	4			13	19			3	4	—	4	7	3	12
13	—	—	—	—	—	—	—	1			—	—			—	—	—	—	—	1	13
14	—	—	—	—	—	—	—	—			1	1			—	1	—	—	—	—	14
15	4	3	2	8	4	6	3	3			22	27			1	5	3	1	—	3	15
16	1	2	2	1	2	2	—	2			7	5			1	2	1	2	3	7	16
17	3	1	—	—	2	6	2	2			3	4			—	—	—	2	—	—	17
18	—	—	—	1	—	2	—	1			2	4			—	—	1	2	1	—	18
19	—	—	1	—	—	—	—	—			2	1			—	—	—	—	—	—	19
20	—	—	2	—	—	—	—	—			—	—			1	—	—	1	—	—	20
21	—	—	—	—	—	—	—	1			—	1			1	1	3	—	—	—	21
21A	—	—	—	—	—	—	—	—			—	—			—	—	1	—	—	—	21A
22	1	—	—	—	—	2	2	7			8	5			—	1	1	—	2	—	22
23	—	—	—	—	—	—	—	—			—	2			—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—			—	3			—	—	—	—	—	—	24
25	1	—	2	1	—	—	—	—			13	9			—	—	—	2	2	—	25
26	2	—	—	—	—	2	—	1			6	2			1	—	1	1	2	—	26
27	1	—	—	—	—	—	—	—			4	—			—	—	2	—	—	—	27
28	13	8	15	17	15	17	7	10			54	49			12	9	7	13	12	15	28
29	2	—	—	1	—	—	—	—			1	3			—	—	1	—	—	—	29

WILTSHIRE—cont.

Causes of Death.				Devizes M.B.		Malmes- bury M.B.		Marl- borough M.B.		Melksham U.D.		Salisbury M.B.		Swindon M.B.		Trow- bridge U.D.		War- minster U.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				43	37	19	22	24	28	25	16	124	146	332	300	85	93	39	28	
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			2	1	—	—	1	—	1	—	1	3	22	19	5	3	—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—	4
5	Whooping cough			1	—	—	—	—	—	—	—	1	5	3	2	1	—	—	—	5
6	Diphtheria and croup			—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	6
7	Influenza			2	2	—	—	1	—	1	—	3	—	1	4	3	1	—	—	7
8	Erysipelas			1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis			1	1	1	—	3	—	—	1	16	8	38	28	7	3	—	1	9
10	Tuberculous meningitis			1	—	—	1	—	—	—	—	—	1	4	5	1	—	—	—	10
11	Other tuberculous diseases			—	—	—	—	—	—	—	—	1	5	8	5	1	—	—	1	11
12	Cancer, malignant disease			2	4	3	2	3	5	2	1	9	23	14	22	6	5	5	4	12
13	Rheumatic fever... ..			—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	—	13
14	Meningitis			—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	14
15	Organic heart disease			4	7	—	2	2	3	4	3	10	18	42	31	8	10	3	—	15
16	Bronchitis			3	2	2	1	—	—	5	1	5	9	15	17	9	10	4	5	16
17	Pneumonia (all forms)			3	4	—	—	2	1	—	—	6	6	27	21	8	4	1	—	17
18	Other respiratory diseases			—	—	1	—	1	—	1	—	1	3	5	3	2	—	2	—	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	1	—	—	—	5	1	6	3	2	2	1	1	19
20	Appendicitis and typhlitis			—	1	—	—	—	—	—	—	—	1	1	1	1	1	—	—	20
21	Cirrhosis of liver			—	—	—	—	—	—	—	—	1	1	1	3	2	—	—	1	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			1	2	1	2	1	—	—	1	4	3	5	13	2	1	—	—	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	Parturition, apart from 23			—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	24
25	Congenital debility, &c.			5	—	—	2	—	3	2	1	11	5	35	17	5	6	5	—	25
26	Violence, apart from 27			—	—	—	—	—	2	—	—	4	2	12	3	2	—	4	—	26
27	Suicide			2	—	—	—	1	—	—	—	2	—	1	—	—	2	—	—	27
28	Other defined diseases			14	13	11	12	8	13	9	8	43	48	91	91	20	41	11	15	28
29	Causes ill-defined or un- known.			1	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	29

WILTSHIRE—cont.

Causes of Death.				Westbury U.D.		Wilton M.B.		Amesbury R.D.		Bradford on Avon R.D.		Calne R.D.		Chippen- ham R.D.		Cricklade and Wootton Bassett R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES				20	24	18	14	59	40	29	27	34	30	105	94	71	75	
1	Enteric fever			—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			—	—	—	—	4	—	—	—	1	1	3	10	8	1	3
4	Scarlet fever			—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough			—	—	—	—	1	—	—	—	—	—	—	—	2	3	5
6	Diphtheria and croup			—	—	—	—	—	—	—	—	—	1	—	—	1	1	6
7	Influenza			—	—	1	—	1	—	—	2	—	—	4	—	3	1	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			1	—	2	—	2	1	1	3	2	2	3	6	5	5	9
10	Tuberculous meningitis			—	—	—	—	—	—	—	1	—	—	3	1	1	—	10
11	Other tuberculous diseases			—	1	—	—	1	—	—	—	—	—	1	—	2	—	11
12	Cancer, malignant disease			3	1	3	3	5	4	7	6	2	2	9	9	9	8	12
13	Rheumatic fever... ..			—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis			—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
15	Organic heart disease			4	2	4	3	6	8	—	4	5	8	15	12	4	13	15
16	Bronchitis			2	1	—	1	—	3	4	2	—	1	8	5	5	3	16
17	Pneumonia (all forms)			—	1	—	—	3	1	1	1	3	2	5	4	2	2	17
18	Other respiratory diseases			—	—	—	—	—	—	—	1	1	—	3	1	3	—	18
19	Diarrhoea, &c. (under 2 yrs.)			—	—	—	—	—	—	—	—	—	—	2	1	2	1	19
20	Appendicitis and typhlitis			—	—	—	—	—	—	1	—	2	—	—	1	—	—	20
21	Cirrhosis of liver			—	—	—	—	—	1	—	—	—	—	1	—	1	—	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			2	4	1	—	5	1	—	1	—	1	1	3	1	3	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23			—	—	—	—	—	—	—	1	—	—	—	1	—	1	24
25	Congenital debility, &c.			1	—	—	1	9	4	1	—	3	—	3	3	2	6	25
26	Violence, apart from 27			—	—	—	—	3	2	3	—	2	—	—	1	4	1	26
27	Suicide			—	—	—	—	1	1	—	—	—	—	1	1	1	1	27
28	Other defined diseases			7	14	7	5	18	12	10	5	13	12	43	35	14	23	28
29	Causes ill-defined or un- known.			—	—	—	1	—	1	1	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

WILTSHIRE—cont.

	Devizes R.D.		High- worth R.D.		Malmes- bury R.D.		Marl- borough R.D.		Melksham R.D.		Mere R.D.		Pewsey R.D.		Ramsbury R.D.		Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	78	58	109	84	57	56	24	30	30	30	35	24	89	79	45	41	62	52	3	2	42	39	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	2	12	9	3	—	—	—	—	2	—	—	4	4	—	—	—	—	—	—	1	—	3
4	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	4
5	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
6	—	1	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6
7	2	1	2	—	—	—	—	—	2	2	—	—	1	—	1	—	2	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	1	5	5	4	3	1	—	1	—	1	1	3	1	2	—	2	2	—	—	2	1	9
10	—	1	—	1	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	—	10
11	—	—	—	—	—	1	—	—	—	1	—	—	1	2	—	—	2	1	—	—	—	—	11
12	8	9	8	8	3	4	4	5	4	—	5	2	4	4	4	5	5	5	—	1	4	6	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	14
15	5	9	11	12	5	6	2	8	6	4	3	4	12	16	5	11	6	9	2	—	6	7	15
16	8	2	8	8	2	3	2	—	3	6	1	1	9	8	3	2	8	2	—	—	2	3	16
17	4	3	11	2	3	3	—	1	3	—	—	—	1	4	5	4	1	1	—	—	2	—	17
18	1	—	1	1	—	3	—	1	—	—	1	1	2	—	—	—	1	3	—	—	1	2	18
19	—	1	2	4	1	—	—	1	—	—	—	—	1	1	—	—	—	2	—	—	1	—	19
20	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	1	20
21	—	1	1	1	—	—	—	—	—	—	—	—	3	4	—	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	4	3	2	1	1	3	3	—	—	3	—	1	2	—	2	3	—	—	—	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	4	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	24
25	4	2	8	5	4	7	3	1	—	—	—	1	8	6	—	1	6	2	1	—	6	1	25
26	2	2	7	1	2	—	—	2	—	2	—	—	11	2	5	1	2	2	—	1	1	—	26
27	—	—	2	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	27
28	31	14	23	24	25	20	9	7	11	10	19	12	24	21	18	13	21	21	—	—	14	16	28
29	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	29

WILTSHIRE—cont.

WORCESTERSHIRE.

	War- minster R.D.		Westbury and Whor- wellsdown R.D.		Wilton R.D.						Bewdley M.B.		Broms- grove U.D.		Droitwich M.B.		Evesham M.B.		Kidder- minster M.B.		Lye and Wollescote U.D.		
	M	F	M	F	M	F					M	F	M	F	M	F	M	F	M	F	M	F	
1	39	36	40	48	58	39					20	16	54	51	24	35	54	48	179	185	78	85	1
2	—	—	—	—	—	—					—	—	—	—	—	—	1	—	—	—	—	—	2
3	—	—	1	1	—	—					—	—	—	—	—	—	—	—	1	2	—	—	3
4	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—					—	—	2	1	—	—	—	—	2	1	—	3	5
6	1	—	—	—	—	—					—	—	—	—	—	—	1	—	1	—	—	1	6
7	1	—	1	—	4	2					—	—	—	—	2	—	2	2	2	2	—	1	7
8	—	—	—	—	—	—					—	—	—	—	—	—	1	1	—	—	—	—	8
9	2	1	2	3	5	1					1	2	1	3	—	2	5	2	14	11	6	2	9
10	—	—	—	—	—	—					—	—	—	—	—	—	1	—	3	—	—	—	10
11	—	—	—	1	2	1					—	—	—	—	1	—	—	1	4	4	—	1	11
12	3	3	3	6	7	3					4	3	6	5	2	6	5	3	14	17	2	5	12
13	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	—	—	13
14	1	—	—	—	1	—					—	—	—	2	1	—	1	1	—	2	—	1	14
15	7	9	5	8	9	9					1	2	4	7	3	4	7	7	17	22	3	6	15
16	4	1	5	6	3	2					2	—	3	5	1	3	4	2	14	16	10	8	16
17	3	1	—	2	1	3					2	—	1	1	—	2	4	2	9	5	4	7	17
18	—	1	—	1	—	—					—	—	3	—	—	—	3	2	2	1	2	—	18
19	—	—	1	—	—	1					—	1	—	—	—	—	1	2	13	13	8	8	19
20	—	—	1	—	—	—					—	—	—	—	—	—	1	1	—	4	—	1	20
21	—	—	1	—	1	—					—	—	—	2	—	—	3	1	—	1	1	—	21
21A	—	—	—	—	—	—					—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	1	3	1					—	—	—	—	4	3	—	—	11	14	1	2	22
23	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	2					—	—	—	1	—	—	—	2	—	1	—	—	24
25	2	1	5	2	2	1					2	2	4	3	3	1	2	—	15	5	4	6	25
26	2	—	1	1	—	—					—	—	4	—	—	—	1	2	5	5	2	1	26
27	—	—	—	—	—	—					—	—	—	—	—	—	2	—	1	—	2	—	27
28	13	16	12	15	20	11					7	6	25	17	9	12	14	15	48	58	33	30	28
29	—	1	—	1	—	2					1	—	—	1	—	—	1	1	2	—	—	2	29

* The remainder of Tetbury R.D. is in Gloucestershire; see page 454.

WORCESTERSHIRE—cont.

Causes of Death.	Malvern U.D.		North Broms- grove U.D.		Oldbury U.D.		Redditch U.D.		Stour- bridge U.D.		Stourport U.D.		Broms- grove R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	76	100	36	40	304	241	83	91	118	114	27	29	92	82	1
1 Enteric fever	—	—	—	—	—	1	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	—	1	—	35	30	—	1	—	2	1	—	—	1	4
4 Scarlet fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	—	1	—	—	1	3	—	—	—	—	6
6 Diphtheria and croup	1	—	—	—	2	3	—	1	2	1	—	—	—	—	7
7 Influenza	3	—	1	1	1	3	2	—	2	1	—	—	2	1	8
8 Erysipelas	1	—	—	—	1	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	9	6	2	3	8	13	7	6	7	9	—	3	5	6	10
10 Tuberculous meningitis	—	2	1	—	5	—	—	—	—	—	2	2	—	—	11
11 Other tuberculous diseases	—	—	1	1	2	—	1	1	1	1	—	1	1	3	12
12 Cancer, malignant disease	6	10	1	7	22	17	4	4	4	12	1	4	7	13	13
13 Rheumatic fever... ..	—	1	1	—	1	—	1	—	—	—	—	—	—	1	14
14 Meningitis	—	2	—	—	9	1	—	3	2	—	—	—	1	—	15
15 Organic heart disease	12	17	1	3	22	13	8	9	15	9	2	1	11	9	16
16 Bronchitis	2	8	1	3	25	19	4	10	9	13	3	1	6	4	17
17 Pneumonia (all forms)	3	7	2	2	18	15	8	11	7	5	4	1	3	3	18
18 Other respiratory diseases	—	1	—	—	2	2	1	1	3	1	—	1	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	2	1	1	31	22	1	2	3	1	—	1	2	2	20
20 Appendicitis and typhlitis	—	—	—	—	1	—	—	1	2	—	—	—	—	—	21
21 Cirrhosis of liver	—	2	—	—	4	2	1	1	—	—	1	—	1	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	1	1	—	—	—	—	22
22 Nephritis and Bright's dis.	3	2	1	1	9	4	2	3	3	2	2	—	3	6	23
23 Puerperal fever	—	1	—	—	—	1	—	—	—	1	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—	—	1	—	1	—	1	—	—	—	1	25
25 Congenital debility, &c.	7	3	1	2	27	21	6	4	9	12	1	1	5	1	26
26 Violence, apart from 27	1	3	1	1	14	2	1	—	5	—	1	1	9	2	27
27 Suicide	1	1	—	—	2	—	—	—	2	—	—	—	—	—	28
28 Other defined diseases	24	32	19	13	60	69	34	32	39	38	9	12	36	26	29
29 Causes ill-defined or un- known.	—	—	—	1	3	1	1	—	1	—	—	—	—	2	29

WORCESTERSHIRE—cont.

Causes of Death.	Droitwich R.D.		Evesham R.D.		Fecken- ham R.D.		Halesowen R.D.		Kidder- minster R.D.		Martley R.D.		Persnore R.D.		Rook R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	93	67	45	71	51	30	188	161	42	44	71	72	81	86	13	13	1
1 Enteric fever	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	1	—	11	13	—	1	—	—	9	3	—	—	4
4 Scarlet fever	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—	5
5 Whooping cough	—	—	—	2	—	—	1	2	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	2	1	—	—	2	1	1	—	—	—	7
7 Influenza	2	—	—	—	—	1	2	1	1	1	—	3	—	—	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	4	3	2	3	2	7	7	4	3	4	4	4	3	1	1	10
10 Tuberculous meningitis	—	—	—	—	—	1	2	4	—	—	1	1	—	1	—	—	11
11 Other tuberculous diseases	—	2	—	—	—	—	5	2	—	—	1	—	1	—	—	—	12
12 Cancer, malignant disease	6	9	2	11	5	3	14	11	5	4	11	9	3	13	2	3	13
13 Rheumatic fever... ..	—	—	—	—	—	1	—	2	1	—	—	1	—	—	—	—	14
14 Meningitis	—	1	—	—	1	—	1	1	1	—	1	—	—	—	2	—	15
15 Organic heart disease	13	6	5	8	4	5	13	8	7	6	7	13	13	16	3	—	16
16 Bronchitis	3	6	—	4	2	3	18	12	2	1	3	6	8	7	1	1	17
17 Pneumonia (all forms)	2	2	1	2	2	1	14	9	1	3	3	6	4	4	—	1	18
18 Other respiratory diseases	1	1	1	1	2	—	2	1	—	—	1	1	3	3	1	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	1	5	7	1	2	—	1	3	3	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	1	1	—	1	—	1	—	—	—	21
21 Cirrhosis of liver	—	1	1	—	—	—	—	—	—	—	1	—	—	2	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	2	—	—	3	1	5	6	3	3	3	1	3	2	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	2	—	2	—	—	—	—	—	1	—	2	—	—	—	1	25
25 Congenital debility, &c.	7	2	5	8	5	—	25	18	3	2	2	4	4	5	—	1	26
26 Violence, apart from 27	8	5	4	—	1	—	6	4	1	1	4	3	5	1	—	—	27
27 Suicide	1	—	—	—	—	—	2	1	2	—	—	—	1	—	—	—	28
28 Other defined diseases	46	21	22	31	22	11	48	48	9	15	25	15	17	23	3	5	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—*continued.*WORCESTERSHIRE—*cont.*

YORKSHIRE, EAST RIDING.

	Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkes- bury (pt.) R.D.*		Upton on Severn R.D.		Winch- comb (pt.) R.D.†		Redmarley D'Abitôt and Staunton C.P.'s‡		Beverley M.B.		Bridling- ton M.B.		Cotting- ham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	33	31	2	3	39	24	11	16	83	83	1	3	6	14	99	96	98	113	33	34	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
12	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
16	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
17	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
18	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18
19	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
26	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	12	12	1	1	10	5	6	7	34	37	—	2	2	3	34	33	43	47	6	11	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, EAST RIDING—*cont.*

	Filey U.D.		Great Driffield U.D.		Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pockling- ton U.D.		Withernsea U.D.		Beverley R.D.		Bridling- ton R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	15	21	41	52	8	10	29	33	24	12	30	24	24	30	11	11	59	61	56	44	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
12	1	1	3	7	1	—	3	5	1	3	1	1	—	—	2	—	—	—	—	—	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	4	5	7	8	3	3	4	3	6	2	5	4	4	7	—	1	6	9	5	1	15
16	1	1	2	7	1	1	1	4	—	3	2	2	1	4	—	2	3	1	6	2	16
17	1	—	4	1	—	—	1	1	1	—	1	2	2	1	1	—	4	—	1	—	17
18	—	1	1	2	—	—	2	—	—	—	1	—	—	—	1	—	—	—	1	1	18
19	1	—	2	—	—	—	—	—	—	—	1	—	3	—	—	—	4	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	3	13	7	18	2	3	10	11	8	2	4	8	5	14	5	5	23	28	25	25	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

* The remaining parts of Stow on the Wold and Tewkesbury, R.D.'s are in Gloucestershire; see page 454.

† The remainder of Winchcombe R.D. is in Gloucester; see page 455.

‡ Administered by Newent R.D.C. (Gloucestershire).

CAUSES OF DEATH IN

YORKSHIRE, EAST RIDING—*cont.*

Causes of Death.				Driffield R.D.		Eserick R.D.		Howden R.D.		Norton R.D.		Patring- ton R.D.		Pockling- ton R.D.		Riccall R.D.		Sculcoates R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	102	61	24	31	78	81	33	29	43	26	71	78	30	14	46	46			1
1	Enteric fever	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	2	1	—	—	—	1	2	—	1	—	1	—	1	—	—	—	—	—	4
4	Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5	Whooping cough	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	6
6	Diphtheria and croup	2	—	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	7
7	Influenza	—	1	—	—	4	2	—	—	2	—	1	—	—	—	1	1	—	—	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	3	3	1	—	4	8	1	4	1	2	1	4	—	—	1	2	—	—	10
10	Tuberculous meningitis	2	1	—	—	—	1	2	1	1	—	1	1	1	—	—	—	—	—	11
11	Other tuberculous diseases	2	—	1	—	—	—	1	3	—	—	—	3	—	—	2	—	—	—	12
12	Cancer, malignant disease	6	6	2	7	4	13	4	—	2	4	4	10	2	—	2	5	—	—	13
13	Rheumatic fever... ..	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	14
14	Meningitis	2	1	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	15
15	Organic heart disease	7	5	2	6	6	11	5	5	7	6	12	8	4	2	5	6	—	—	16
16	Bronchitis	8	5	—	2	2	—	3	—	—	—	6	12	—	—	6	5	—	—	17
17	Pneumonia (all forms)	7	—	—	5	5	3	1	2	1	1	5	4	1	—	3	1	—	—	18
18	Other respiratory diseases	—	1	1	—	4	—	—	—	—	—	—	—	—	—	—	1	—	—	19
19	Diarrhoea, &c.(under 2 yrs.)	—	1	1	—	1	1	—	1	—	—	3	3	2	—	—	1	—	—	20
20	Appendicitis and typhlitis	1	—	—	2	—	1	1	—	1	—	1	—	—	—	—	1	—	—	21
21	Cirrhosis of liver	—	—	—	—	2	1	—	—	—	—	2	1	—	—	—	—	—	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	22
22	Nephritis and Bright's dis.	2	2	1	—	—	2	1	1	4	—	—	1	—	—	1	1	—	—	23
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	24
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25	Congenital debility, &c.	7	3	1	—	5	4	2	3	1	2	9	5	2	2	3	3	—	—	26
26	Violence, apart from 27	4	2	2	1	3	1	1	—	2	—	1	—	—	—	2	1	—	—	27
27	Suicide	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	28
28	Other defined diseases ...	42	26	10	6	35	30	9	9	18	11	21	24	16	9	16	16	—	—	29
29	Causes ill-defined or un- known.	2	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	

YORKSHIRE, EAST RIDING—*cont.*

YORKSHIRE, NORTH RIDING.

Causes of Death.				Sherburn R.D.		Skirlaugh R.D.		Eston U.D.		Guis- borough U.D.		Hinder- well U.D.		Kirkling- ton cum Upsland U.D.		Loftus U.D.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
1	ALL CAUSES	19	23	59	36	132	81	52	48	18	12	2	1	83	48
2	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Measles	—	—	—	—	2	—	3	2	—	—	—	—	9	2
5	Scarlet fever	—	—	2	—	—	1	—	—	1	—	—	—	3	—
6	Whooping cough	—	—	—	—	1	1	1	—	—	—	—	—	—	—
7	Diphtheria and croup	—	—	—	—	1	—	—	1	—	—	—	—	—	1
8	Influenza	1	2	1	1	2	—	2	—	1	—	—	—	2	—
9	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Pulmonary tuberculosis	2	—	4	1	3	8	1	7	—	—	—	—	2	1
11	Tuberculous meningitis	—	—	1	2	2	4	1	2	—	—	—	—	—	—
12	Other tuberculous diseases	—	—	3	2	5	4	—	1	—	1	—	—	1	1
13	Cancer, malignant disease	2	2	3	3	4	5	3	3	—	2	—	—	4	2
14	Rheumatic fever...	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15	Meningitis	1	—	1	—	1	3	—	2	—	—	—	—	—	—
16	Organic heart disease	1	3	11	4	10	2	7	3	1	—	—	—	4	4
17	Bronchitis	1	1	8	4	6	3	2	—	—	—	1	—	3	2
18	Pneumonia (all forms)	—	2	—	1	29	13	6	3	—	—	—	—	3	1
19	Other respiratory diseases	—	—	1	—	3	2	—	2	—	1	—	—	—	—
20	Diarrhoea, &c.(under 2 yrs.)	—	—	1	1	3	2	—	2	1	1	—	—	5	3
21	Appendicitis and typhlitis	—	—	—	—	1	—	—	1	—	—	—	—	1	—
22	Cirrhosis of liver	—	—	—	1	1	—	—	—	—	—	—	—	1	1
23	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Nephritis and Bright's dis.	2	—	4	—	3	2	—	—	1	1	—	—	3	1
25	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	Parturition, apart from 23	—	1	—	1	—	4	—	—	—	—	—	—	—	1
27	Congenital debility, &c.	1	—	3	1	9	4	3	3	2	1	2	—	6	5
28	Violence, apart from 27	3	—	2	1	7	—	3	1	1	—	—	—	6	1
29	Suicide	—	—	—	—	1	—	—	—	—	—	—	—	2	—
30	Other defined diseases	5	11	14	13	37	23	20	15	10	5	—	—	28	22
31	Causes ill-defined or un- known.	—	1	—	—	—	—	—	—	—	—	—	—	—	—

ADMINISTRATIVE AREAS, 1913—continued.

YORKSHIRE, NORTH RIDING—cont.

	Malton U.D.		Masham U.D.		North- allerton U.D.		Ormesby U.D.*		Pickering U.D.		Redcar U.D.		Richmond M.B.		Saltburn by the Sea U.D.		Scalby U.D.		Scar- borough M.B.		Skelton and Brotton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	24	29	16	12	31	29	122	111	33	20	69	81	25	25	19	20	6	8	257	313	108	88	1
2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	2	1	1	3	—	—	—	—	—	—	—	—	—	—	11	3	—	—	3
4	—	—	—	—	—	—	3	1	—	1	2	4	—	—	1	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	1	2	—	—	1	1	—	—	—	2	—	—	3	—	1	—	5
6	1	—	—	—	—	—	2	—	—	—	3	1	3	2	—	—	—	—	—	—	1	7	6
7	—	—	—	—	2	1	1	—	—	—	1	1	—	—	—	—	1	1	—	9	3	1	7
8	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	1	—	8
9	2	2	—	—	3	2	1	6	1	1	6	4	3	1	—	2	—	1	20	22	5	3	9
10	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	3	3	—	1	10
11	1	—	—	1	—	—	4	2	—	—	3	3	—	—	1	—	—	—	8	4	6	1	11
12	2	2	2	—	4	2	3	6	4	1	5	11	2	—	1	2	—	1	14	42	8	5	12
13	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	13
14	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	4	3	2	14
15	1	4	4	2	1	3	3	10	6	3	8	6	5	7	4	—	2	4	35	48	9	8	15
16	4	1	—	1	2	1	9	16	1	2	7	7	—	2	1	—	—	—	13	10	15	6	16
17	—	1	1	1	3	—	23	13	1	1	5	5	1	2	2	2	—	1	9	19	6	4	17
18	1	—	1	—	1	—	—	2	—	—	2	2	—	1	1	—	—	—	3	7	1	2	18
19	—	3	—	—	1	1	10	13	—	—	1	6	—	—	—	—	—	—	8	5	4	3	19
20	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	20
21	—	—	1	—	2	—	1	—	—	—	1	1	1	1	—	—	—	—	5	2	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	1	1	2	1	1	2	1	3	4	1	—	—	3	2	—	10	14	2	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	3	—	—	24
25	2	2	1	2	—	4	9	8	4	4	1	5	1	—	2	1	—	—	20	15	10	9	25
26	2	—	3	—	—	1	6	—	1	—	1	1	—	1	—	1	—	—	3	4	5	2	26
27	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	2	1	—	27
28	8	13	3	4	9	10	35	24	11	6	16	17	7	7	6	7	1	—	86	95	24	28	28
29	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	29

YORKSHIRE, NORTH RIDING—cont.

	South Bank in Normanby U.D.		Thornaby on Tees M.B.		Whitby U.D.			Aysgarth R.D.		Bedale R.D.		Croft R.D.		Easing- wold R.D.		Flaxton R.D.		Guis- borough R.D.		Helmsley R.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	161	117	176	155	62	82		33	33	48	47	7	18	81	75	33	44	59	65	51	36	1
2	1	1	—	1	—	—		—	1	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	2		—	—	—	—	—	—	1	—	—	—	—	—	1	1	3
4	1	—	2	3	—	—		—	—	—	—	—	—	—	—	—	—	3	5	—	—	4
5	1	—	3	3	—	—		—	—	2	1	—	—	—	1	—	—	—	—	—	—	5
6	—	1	2	3	2	1		—	—	1	—	—	—	2	—	2	—	1	—	—	—	6
7	1	1	1	2	—	—		3	4	—	2	—	—	3	2	—	1	1	3	4	1	7
8	1	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	13	13	7	16	7	5		1	1	1	1	—	1	—	3	2	3	3	6	1	3	9
10	6	3	1	3	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	1	10
11	3	4	4	5	2	2		1	1	—	2	—	—	—	—	1	—	—	—	—	—	11
12	5	3	7	6	4	9		2	1	5	4	2	6	10	9	1	3	3	10	6	7	12
13	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14	3	2	1	1	—	1		1	—	—	1	—	—	—	—	1	—	2	2	1	—	14
15	10	12	10	4	10	9		3	3	3	7	1	1	11	17	3	5	4	4	9	5	15
16	10	8	23	15	3	5		1	3	1	3	—	2	6	5	2	6	6	5	2	2	16
17	22	8	19	15	1	4		2	2	4	2	1	—	5	3	1	1	5	4	2	—	17
18	3	1	2	—	—	—		3	—	—	1	—	—	3	—	—	3	2	—	—	—	18
19	4	6	11	6	2	—		—	1	—	—	—	—	1	1	1	—	—	—	—	—	19
20	—	—	—	—	—	1		—	—	1	1	—	—	—	1	—	2	—	—	—	1	20
21	—	2	1	—	1	—		—	—	—	—	—	—	1	—	1	1	—	1	—	—	21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	7	3	2	2	—	2		1	1	6	1	1	—	2	3	2	1	1	—	1	2	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	2		—	—	—	1	—	—	—	—	—	1	—	2	—	—	24
25	14	11	25	15	1	1		1	—	4	—	—	1	4	3	1	2	6	4	7	5	25
26	10	1	9	3	1	—		1	1	—	—	—	—	4	1	1	1	2	—	4	1	26
27	—	—	1	2	1	—		—	2	1	—	—	—	—	—	—	—	—	—	—	—	27
28	43	34	42	47	26	37		13	12	18	20	1	7	28	26	15	13	19	19	13	7	28
29	1	1	1	1	—	1		—	—	—	—	—	—	—	—	—	—	1	—	—	—	29

* Abolished 9th November, 1913.

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.			Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middlesbrough R.D.		North-allerton R.D.		Pickering R.D.		Reeth R.D.		Richmond R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	...	30	28	33	49	43	43	12	8	57	49	49	43	21	13	60	37	1
1	Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	...	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	4
4	Scarlet fever	...	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	5
5	Whooping cough	...	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	6
6	Diphtheria and croup	...	—	—	—	—	1	—	—	—	—	2	—	—	—	—	2	—	7
7	Influenza	...	1	—	—	4	1	1	—	—	3	2	3	4	2	—	—	—	8
8	Erysipelas	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis	...	—	—	—	5	3	2	—	2	5	2	1	2	—	1	3	1	10
10	Tuberculous meningitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
11	Other tuberculous diseases	...	—	1	1	—	—	1	—	—	—	1	1	1	—	1	3	1	12
12	Cancer, malignant disease	...	4	3	4	13	6	4	—	—	2	6	5	3	3	1	8	6	13
13	Rheumatic fever...	...	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	14
14	Meningitis	...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	15
15	Organic heart disease	...	3	2	4	6	10	10	2	—	7	6	7	4	2	4	5	9	16
16	Bronchitis	...	—	2	2	2	—	3	2	—	4	2	4	2	—	—	3	1	17
17	Pneumonia (all forms)	...	—	—	—	—	1	2	—	1	3	3	1	3	1	—	4	—	18
18	Other respiratory diseases	...	—	—	2	—	—	—	—	2	—	—	—	—	2	—	2	—	19
19	Diarrhoea, &c.(under 2 yrs.)	...	—	—	—	—	1	—	—	—	1	1	—	—	—	—	1	—	20
20	Appendicitis and typhlitis	...	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	21
21	Cirrhosis of liver	...	—	—	1	—	1	1	—	—	2	1	—	—	—	—	—	—	21A
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	22
22	Nephritis and Bright's dis.	...	—	1	2	1	2	—	—	—	1	3	1	3	—	1	3	3	23
23	Puerperal fever	...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
24	Parturition, apart from 23	...	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	1	25
25	Congenital debility, &c.	...	3	—	1	—	2	—	—	1	6	1	4	1	2	—	3	2	26
26	Violence, apart from 27	...	1	1	—	1	1	1	—	—	2	2	2	1	—	—	1	1	27
27	Suicide	...	1	—	—	—	1	1	—	—	1	—	—	—	—	—	2	—	28
28	Other defined diseases	...	15	16	15	15	12	13	8	2	17	14	19	17	8	5	17	12	29
29	Causes ill-defined or unknown.	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	

YORKSHIRE, NORTH RIDING—cont.

Causes of Death.			Scarborough R.D.		Startforth R.D.		Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	...	39	38	29	28	80	84	95	77	10	14	65	50	1
1	Enteric fever	...	—	—	—	—	1	1	1	—	—	—	—	1	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	...	—	—	—	—	1	—	—	—	—	—	—	—	3
4	Scarlet fever	...	—	—	—	—	—	1	—	—	—	—	—	1	4
5	Whooping cough	...	—	—	—	—	—	1	3	1	—	—	—	—	5
6	Diphtheria and croup	...	—	—	—	—	—	2	1	—	—	—	2	3	6
7	Influenza	...	—	2	—	—	1	8	4	—	—	—	—	1	7
8	Erysipelas	...	—	—	—	—	—	1	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	...	2	2	2	1	7	4	7	2	—	—	2	3	9
10	Tuberculous meningitis	...	—	1	—	—	1	2	—	—	—	—	—	—	10
11	Other tuberculous diseases	...	3	—	—	—	1	—	1	2	1	—	1	1	11
12	Cancer, malignant disease	...	1	4	1	2	8	6	7	11	—	3	8	5	12
13	Rheumatic fever...	...	—	—	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	...	—	1	1	—	—	2	—	—	—	—	—	1	14
15	Organic heart disease	...	4	4	1	10	8	15	10	11	4	2	7	5	15
16	Bronchitis	...	3	1	1	2	1	10	7	5	2	—	4	3	16
17	Pneumonia (all forms)	...	1	3	7	2	4	2	5	2	—	—	1	2	17
18	Other respiratory diseases	...	—	2	1	—	—	2	4	—	—	1	3	1	18
19	Diarrhoea, &c.(under 2 yrs.)	...	—	—	1	—	2	1	—	1	—	—	—	—	19
20	Appendicitis and typhlitis	...	—	—	1	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver	...	2	1	—	—	1	3	—	2	—	—	—	—	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	...	1	—	—	1	2	1	3	1	1	1	3	—	22
23	Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	...	—	1	—	1	—	—	—	1	—	—	—	—	24
25	Congenital debility, &c.	...	7	1	2	—	8	—	5	2	1	1	3	1	25
26	Violence, apart from 27...	...	1	—	1	—	5	2	—	3	—	—	1	—	26
27	Suicide	...	—	—	—	1	2	1	2	—	—	—	2	1	27
28	Other defined diseases	...	14	15	9	8	26	19	33	33	1	6	26	21	28
29	Causes ill-defined or unknown.	...	—	—	1	—	1	—	—	—	—	—	1	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.		Darton		Denby and Cumberworth		Denholme		Dodworth		Doncaster		Drighlington		Earby		Elland		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	72	72	24	16	23	21	21	19	265	234	30	35	38	40	72	62	
1	Enteric fever ...	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	—	—	1	—	—	—	—	—	3	5	—	—	1	1	1	1	3
4	Scarlet fever ...	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	5
6	Diphtheria and croup ...	1	—	—	—	—	—	—	—	1	4	—	—	2	1	1	2	6
7	Influenza ...	1	3	2	—	—	1	2	1	1	1	1	—	—	1	—	—	7
8	Erysipelas ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	4	4	—	1	1	2	2	—	19	12	2	—	2	2	7	3	9
10	Tuberculous meningitis	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	—	—	1	—	1	1	—	9	4	—	—	—	—	—	1	11
12	Cancer, malignant disease	6	2	1	1	1	2	1	1	14	23	—	2	—	3	3	8	12
13	Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis ...	2	1	—	1	—	—	—	—	2	2	—	1	—	—	—	—	14
15	Organic heart disease ...	4	11	—	6	1	2	3	3	24	34	8	5	3	6	9	6	15
16	Bronchitis ...	10	7	2	1	3	1	1	3	23	24	2	3	4	2	11	4	16
17	Pneumonia (all forms) ...	7	5	3	1	—	2	—	1	23	18	1	5	4	2	2	3	17
18	Other respiratory diseases	1	1	3	—	1	—	—	—	1	6	—	—	—	1	1	—	18
19	Diarrhœa, &c.(under 2 yrs.)	1	6	—	—	—	—	1	1	10	5	1	2	—	1	2	—	19
20	Appendicitis and typhlitis	1	—	—	2	1	1	—	1	3	2	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	1	—	—	2	1	—	—	—	—	2	1	21
21A	Alcoholism ...	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	2	—	—	—	2	3	7	1	3	3	1	2	2	3	22
23	Puerperal fever ...	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	5	7	3	—	—	—	5	2	19	19	—	—	1	3	5	3	25
26	Violence, apart from 27	4	1	—	—	—	—	2	—	18	1	2	—	—	1	3	—	26
27	Suicide ...	1	—	2	—	1	—	—	—	4	1	1	—	—	—	1	—	27
28	Other defined diseases ...	19	17	5	1	13	8	1	2	78	60	9	12	15	13	20	26	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	2	—	1	3	1	—	—	29

YORKSHIRE, WEST RIDING—cont.

Causes of Death.		Emley		Farnley Tyas		Farsley		Featherstone		Flockton		Garforth		Gildersome		Golcar		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES ...	14	8	3	2	31	37	108	112	6	10	34	27	24	14	74	76	
1	Enteric fever ...	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	1
2	Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles ...	—	—	1	—	—	—	4	6	—	—	—	1	—	—	—	1	3
4	Scarlet fever ...	—	—	—	—	—	1	3	4	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	1	3	4	—	—	—	—	—	1	1	2	5
6	Diphtheria and croup ...	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	6
7	Influenza ...	1	—	1	—	—	—	2	2	—	—	—	—	2	—	—	—	7
8	Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	—	—	2	4	9	5	—	1	4	2	—	—	8	9	9
10	Tuberculous meningitis	—	—	—	—	1	—	1	2	—	—	—	1	—	—	—	2	10
11	Other tuberculous diseases	1	—	—	—	—	1	2	—	—	—	2	—	—	—	2	1	11
12	Cancer, malignant disease	—	1	—	1	5	4	2	5	—	4	1	2	1	1	4	7	12
13	Rheumatic fever...	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	13
14	Meningitis ...	—	—	—	—	—	—	1	3	—	—	—	—	1	—	1	1	14
15	Organic heart disease ...	4	3	—	—	4	5	4	3	1	1	2	1	4	1	7	7	15
16	Bronchitis ...	—	1	—	—	1	7	17	11	1	—	—	1	—	2	6	8	16
17	Pneumonia (all forms) ...	3	—	—	—	1	3	9	6	—	—	3	5	1	—	4	5	17
18	Other respiratory diseases	—	—	—	—	—	—	1	2	—	—	1	—	—	—	3	2	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	—	—	8	6	—	—	2	1	—	—	2	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	3	1	21
21A	Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	2	2	2	1	—	2	1	—	1	—	1	—	22
23	Puerperal fever ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	2	—	—	—	1	—	2	—	—	24
25	Congenital debility, &c.	1	1	—	—	2	2	16	24	1	—	7	2	1	—	4	—	25
26	Violence, apart from 27	—	—	—	—	—	—	7	—	—	—	2	—	1	—	3	1	26
27	Suicide ...	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	4	2	1	1	12	6	14	21	2	1	6	6	11	7	22	27	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	—	29

ADMINISTRATIVE AREAS, 1913—continued.

YORKSHIRE, WEST RIDING—cont.

	Gomersal U.D.		Goole U.D.		Greas- brough U.D.		Greetland U.D.		Guiseley U.D.		Ganth- waite and Ingbirch- worth U.D.		Hands- worth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heck- mondwike U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	27	24	168	144	19	22	29	40	26	38	—	—	95	74	219	205	49	56	56	46	81	75	1
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	2	3	—	—	—	1	1	4	—	—	6	5	—	—	—	—	—	—	—	2	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	5
6	—	—	1	6	—	—	—	—	—	—	—	—	—	1	2	—	1	—	3	3	2	2	6
7	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	6	—	—	1	2	3	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	2	—	12	11	—	—	2	3	3	2	—	—	5	4	14	5	1	3	5	2	1	6	9
10	—	—	3	1	—	—	—	—	1	—	—	—	—	3	—	2	—	2	—	—	—	—	10
11	—	1	2	1	—	—	3	—	—	—	—	—	1	2	—	—	—	1	1	—	2	—	11
12	3	3	9	12	2	—	2	2	2	4	—	—	1	2	16	24	5	6	6	7	7	5	12
13	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	2	1	—	1	—	—	1	13
14	—	—	—	1	—	—	—	1	1	—	—	—	2	1	—	—	—	1	—	—	1	—	14
15	6	1	9	7	1	2	2	10	5	4	—	—	7	7	24	28	9	5	6	11	3	7	15
16	1	—	5	13	1	1	2	3	2	3	—	—	8	6	12	13	1	4	3	2	4	4	16
17	—	2	13	7	—	1	1	—	—	5	—	—	11	10	18	12	3	5	1	1	8	7	17
18	—	—	1	1	—	2	—	—	—	—	—	—	2	1	6	6	1	—	2	—	1	—	18
19	1	1	19	16	1	—	—	—	—	—	—	—	5	2	5	2	1	—	—	—	2	4	19
20	—	—	1	—	1	—	1	—	1	—	—	—	—	—	2	3	—	2	1	—	1	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	1	1	6	1	1	—	—	—	2	2	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	8	3	1	—	1	1	3	—	—	—	—	2	11	7	—	5	2	—	3	1	22
23	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	3	—	2	—	—	—	2	24
25	1	3	21	17	1	4	1	4	1	2	—	—	10	6	10	8	5	4	3	2	4	7	25
26	1	—	11	5	1	—	2	1	—	—	—	—	4	2	4	3	1	—	1	—	—	1	26
27	—	—	1	1	1	1	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	—	27
28	9	13	50	35	9	9	12	13	7	12	—	—	31	15	80	79	17	17	19	13	38	22	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Hipper- holme U.D.		Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Huns- worth U.D.		Ilkley U.D.		Keighley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	19	29	6	4	65	65	25	33	54	41	58	43	123	105	8	5	11	6	48	35	336	308	1
2	—	1	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	1	—	—	1	3	2	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	1	—	—	—	1	—	2	2	1	—	—	—	1	1	1	5	—	5
6	—	—	—	—	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—	4	9	—	6
7	1	—	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—	1	1	5	7	—	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	8
9	2	4	—	—	8	3	2	1	3	—	7	3	5	2	—	2	—	—	4	2	25	12	9
10	—	—	—	—	2	1	1	—	—	—	1	1	1	2	—	—	—	1	—	7	5	—	10
11	—	—	—	—	1	1	1	1	—	—	1	1	2	1	—	—	—	1	1	8	7	—	11
12	1	5	—	—	6	10	2	4	7	6	3	7	6	6	2	1	1	—	5	4	26	30	12
13	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	1	7	3	—	13
14	—	—	—	—	—	—	—	—	4	1	—	—	4	3	—	—	1	—	—	3	5	—	14
15	3	3	—	—	8	9	2	5	4	6	8	5	6	11	3	1	1	2	4	5	39	46	15
16	2	1	1	—	4	3	—	1	1	2	6	7	20	16	—	—	—	1	3	19	20	—	16
17	1	—	—	—	2	5	5	6	8	3	2	2	15	6	—	—	1	1	1	4	35	17	17
18	—	—	—	1	4	2	1	—	—	—	1	—	1	—	1	—	—	—	2	4	5	—	18
19	1	—	—	—	2	—	—	1	—	—	—	—	12	8	—	—	—	1	—	6	7	—	19
20	—	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	2	—	20
21	—	—	—	—	—	—	1	—	—	—	2	—	2	1	—	—	—	—	1	—	2	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	3	—	—	3	5	1	—	1	—	1	1	2	1	—	—	—	2	3	22	12	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	1	—	—	—	—	4	—	—	—	—	—	—	—	—	24
25	—	—	4	—	3	2	—	4	2	2	6	—	7	19	—	—	1	—	2	1	25	16	25
26	—	—	—	—	1	—	2	1	5	2	—	—	8	—	—	—	—	2	1	7	6	—	26
27	—	1	—	—	3	2	—	1	1	—	2	—	1	2	—	—	—	2	—	1	1	—	27
28	6	11	—	2	15	19	7	8	14	15	13	13	20	15	2	1	6	2	13	7	82	81	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	29

CAUSES OF DEATH IN

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Kirkburton U.D.		Kirkheaton U.D.		Knares- borough U.D.		Knotting- ley U.D.		Lepton U.D.		Linthwaite U.D.		Liversedge U.D.		Luddenden Foot U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	22	21	17	17	47	55	52	41	17	21	65	55	109	109	28	18	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	2	—	—	—	—	—	—	—	1	3	1	—	—	1	—	—	4
4 Scarlet fever ...	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	5
5 Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
6 Diphtheria and croup ...	—	—	—	—	1	2	—	—	—	—	4	—	1	1	—	—	7
7 Influenza ...	1	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	9
9 Pulmonary tuberculosis	4	1	—	—	2	4	3	4	1	—	5	6	6	8	1	—	10
10 Tuberculous meningitis	—	—	—	—	1	—	—	1	—	—	—	—	2	—	1	—	11
11 Other tuberculous diseases	—	—	1	—	1	1	2	1	—	—	—	2	2	5	2	—	12
12 Cancer, malignant disease	—	3	1	2	4	8	1	7	2	2	7	10	4	16	3	1	13
13 Rheumatic fever...	—	1	2	—	—	—	—	—	—	—	1	—	1	1	—	—	14
14 Meningitis ...	—	—	—	—	—	1	1	—	—	—	1	—	1	2	—	—	15
15 Organic heart disease ...	—	3	—	—	1	3	4	3	1	3	1	1	10	13	1	3	16
16 Bronchitis ...	—	1	2	2	3	1	6	4	—	2	8	6	8	4	3	4	17
17 Pneumonia (all forms) ...	2	—	4	2	4	5	1	1	1	2	4	—	4	7	—	2	18
18 Other respiratory diseases	—	—	—	1	3	2	—	1	—	—	—	1	2	1	—	—	19
19 Diarrhoea, &c.(under 2 yrs.)	1	—	—	—	2	—	7	5	—	—	2	1	7	2	—	1	20
20 Appendicitis and typhlitis	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver ...	—	—	—	1	1	1	—	—	—	—	1	—	2	—	—	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	—	1	—	5	2	1	2	2	1	1	5	3	1	1	23
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	1	—	1	—	2	—	—	—	—	25
25 Congenital debility, &c.	1	—	1	—	4	2	8	5	—	1	8	3	10	3	2	2	26
26 Violence, apart from 27	1	1	2	—	3	2	1	—	2	1	1	—	2	2	2	—	27
27 Suicide ...	—	—	—	—	—	—	—	1	—	—	—	—	2	—	1	—	28
28 Other defined diseases ...	7	8	4	7	17	17	15	5	7	3	17	22	39	34	11	4	29
29 Causes ill-defined or un- known.	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.			Marsden U.D.		Meltham U.D.		Methley U.D.		Mex- borough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES		42	35	30	33	38	32	128	118	13	15	77	72	46	31	149	168	1
1	Enteric fever	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3	Measles	—	—	—	1	—	—	2	3	—	—	—	—	1	—	—	1	4
4	Scarlet fever	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	5
5	Whooping cough	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	6
6	Diphtheria and croup	—	—	—	—	2	1	1	—	—	—	1	—	—	1	1	3	7
7	Influenza	—	—	—	1	—	—	2	—	1	1	2	2	—	—	4	2	8
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9	Pulmonary tuberculosis		7	2	1	3	1	—	11	4	—	1	2	4	2	1	7	15	10
10	Tuberculous meningitis		4	2	—	—	—	—	1	3	—	1	1	1	—	—	—	—	11
11	Other tuberculous diseases		1	1	—	—	3	—	2	2	—	—	—	1	—	1	2	—	12
12	Cancer, malignant disease		2	3	2	3	2	2	5	10	2	1	6	8	1	2	7	24	13
13	Rheumatic fever...	...	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	15
15	Organic heart disease	5	5	4	5	4	1	2	5	1	3	8	17	2	1	7	23	16
16	Bronchitis	2	5	1	6	4	1	19	21	2	1	4	4	3	2	6	12	17
17	Pneumonia (all forms)	2	4	—	1	4	6	15	12	1	1	4	—	5	6	14	10	18
18	Other respiratory diseases		1	—	—	—	1	—	1	3	—	—	—	1	—	1	2	3	19
19	Diarrhoea, &c.(under 2 yrs.)		—	—	2	—	2	—	14	9	—	—	—	1	8	1	4	4	20
20	Appendicitis and typhlitis		1	—	—	—	1	1	1	—	—	—	1	1	—	1	—	1	21
21	Cirrhosis of liver	1	1	—	—	—	—	1	—	—	—	2	1	2	—	3	—	21A
21A	Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	22
22	Nephritis and Bright's dis.		1	1	1	2	1	—	6	4	—	—	6	3	1	2	3	13	23
23	Puerperal fever	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	1	24
24	Parturition, apart from 23		—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	2	25
25	Congenital debility, &c.		1	1	1	1	1	4	13	12	1	1	3	4	2	2	9	10	26
26	Violence, apart from 27		2	1	2	—	1	1	7	—	—	1	6	—	2	1	11	1	27
27	Suicide	—	—	1	1	—	—	1	1	—	—	—	—	1	—	4	—	28
28	Other defined diseases ...		12	7	15	9	11	13	21	21	5	4	31	23	16	6	64	42	29
29	Causes ill-defined or un- known.		—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	

ADMINISTRATIVE AREAS, 1913—continued.

YORKSHIRE, WEST RIDING—cont.

	Mytholm- royd U.D.		New Mill U.D.		Normanton U.D.		Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract M.B.		Pudsey M.B.		Queens- bury U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	28	43	23	22	126	128	29	31	99	110	54	60	19	22	30	20	134	102	118	102	42	35	1
2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	1	2
3	—	—	—	—	4	2	—	—	1	5	—	—	—	—	2	2	1	1	—	—	—	1	3
4	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4
5	—	—	—	—	5	6	—	—	1	—	—	1	—	—	—	—	2	6	1	—	—	—	5
6	—	—	1	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	1	—	1	—	6
7	1	—	—	—	—	1	—	1	1	—	1	—	—	1	—	—	3	—	2	1	—	—	7
8	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	8
9	3	3	3	1	10	7	—	—	6	3	5	5	1	—	1	1	11	5	9	4	3	5	9
10	—	1	—	—	2	2	—	1	—	1	—	1	—	—	—	—	1	—	1	1	—	—	10
11	—	—	—	—	2	2	—	—	1	—	2	3	—	—	—	—	1	3	2	3	2	—	11
12	3	7	1	5	12	7	3	2	3	12	6	6	—	2	3	1	8	6	8	9	4	9	12
13	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	2	—	—	13
14	—	—	1	—	1	5	—	—	1	1	—	1	—	—	—	—	—	1	4	1	—	—	14
15	1	7	4	2	6	12	4	11	12	15	4	10	4	3	6	2	7	8	17	16	5	3	15
16	1	6	—	—	10	12	2	2	7	10	6	6	1	2	3	1	7	17	4	6	3	3	16
17	—	3	1	1	9	6	5	—	14	5	5	1	1	—	3	—	23	10	10	5	3	1	17
18	—	—	1	—	1	1	—	—	3	3	1	—	—	1	1	1	1	1	—	—	—	—	18
19	—	—	—	—	12	16	1	1	2	4	—	1	—	1	1	—	8	7	5	3	—	—	19
20	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	1	3	—	—	1	—	1	—	1	—	—	—	—	—	1	2	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	21A
22	3	6	2	3	3	2	1	—	5	6	1	2	—	—	—	1	7	2	3	1	2	1	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	23
24	—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	1	1	1	—	17	13	—	—	11	7	1	4	—	—	2	1	15	6	11	7	1	—	25
26	—	—	1	—	11	1	—	—	2	2	1	—	—	—	2	—	5	3	3	3	1	—	26
27	1	—	—	—	—	—	1	—	1	—	—	—	1	1	1	—	—	1	—	—	—	—	27
28	14	6	5	10	17	28	9	11	24	30	17	17	10	11	5	10	32	19	35	37	15	11	28
29	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	29

YORKSHIRE, WEST RIDING—cont.

	Rawdon U.D.		Rawmarsh U.D.		Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddle- worth U.D.		Scam- monden U.D.		Selby U.D.		Shelf U.D.		Shelley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	19	13	153	143	51	59	7	1	114	100	74	49	98	83	2	3	68	60	19	15	11	9	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	9	7	—	—	—	—	1	—	3	3	2	—	—	—	—	—	—	1	—	—	3
4	—	—	2	1	—	—	—	—	2	2	—	—	2	2	—	—	—	1	—	—	—	—	4
5	—	—	1	2	1	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—	—	—	5
6	—	—	3	3	—	—	1	—	2	3	1	1	3	1	—	—	1	—	—	—	—	—	6
7	1	—	—	1	—	2	—	—	—	—	—	—	1	1	—	—	3	—	—	1	—	—	7
8	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	—	3	12	5	2	3	1	—	4	9	4	2	5	4	—	—	3	—	1	2	—	—	9
10	—	—	7	5	—	—	—	—	1	2	—	—	1	1	—	—	1	1	—	—	—	—	10
11	1	1	5	3	2	—	—	—	5	2	1	1	2	1	—	—	4	3	—	—	1	—	11
12	2	—	6	7	3	3	—	—	7	1	2	2	12	8	—	—	1	5	2	2	1	—	12
13	—	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	—	—	—	13
14	1	—	—	1	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—	14
15	5	1	7	11	10	9	2	1	16	15	4	3	11	11	—	—	5	6	3	1	—	1	15
16	—	—	9	9	4	10	—	—	5	5	10	4	7	8	1	2	6	7	3	2	—	—	16
17	—	1	15	15	4	5	—	—	14	10	10	6	10	3	—	—	6	3	—	—	3	2	17
18	—	—	2	1	—	1	1	—	2	—	—	1	—	1	—	—	2	—	—	—	—	—	18
19	—	—	13	9	1	1	—	—	10	10	13	2	—	—	—	—	1	1	—	1	—	—	19
20	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	20
21	—	—	2	—	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	1	1	4	1	3	2	1	—	1	1	1	1	7	4	—	—	—	1	1	1	1	1	22
23	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	—	—	—	—	—	—	2	—	1	—	—	—	2	—	—	—	—	24
25	1	—	16	15	3	3	—	—	13	10	1	2	4	5	—	—	5	4	—	1	1	2	25
26	—	—	4	2	1	1	—	—	4	—	4	—	2	2	—	—	2	—	1	—	—	—	26
27	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	27
28	7	6	34	40	15	19	1	—	24	26	19	15	22	26	—	1	26	24	7	4	2	3	28
29	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	29

CAUSES OF DEATH IN

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Shepley U.D.		Shipley U.D.		Silsden U.D.		Skelman- thorpe U.D.		Skipton U.D.		Slaith- waite U.D.		South Grosland U.D.		South- owram U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	14	10	199	220	23	32	32	30	86	67	41	31	20	19	21	17	1
1 Enteric fever ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles ...	1	—	10	12	—	—	5	4	1	—	—	—	—	—	—	—	4
4 Scarlet fever ...	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—	5
5 Whooping cough ...	—	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza ...	—	—	1	3	2	—	—	2	—	2	—	—	—	—	—	—	8
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
9 Pulmonary tuberculosis	2	—	18	12	1	2	1	—	6	5	4	3	1	3	4	1	10
10 Tuberculous meningitis	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	3	6	1	—	—	—	4	1	1	2	—	—	—	—	12
12 Cancer, malignant disease	—	3	12	26	—	2	2	2	6	8	1	3	1	3	2	1	13
13 Rheumatic fever...	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis ...	—	—	2	2	—	1	—	—	—	1	1	—	—	—	—	—	15
15 Organic heart disease ...	1	—	30	26	3	5	3	6	10	15	6	6	3	1	2	4	16
16 Bronchitis ...	1	2	15	14	1	3	2	4	6	7	2	2	1	1	1	—	17
17 Pneumonia (all forms) ...	3	1	9	14	3	4	2	—	8	1	1	4	—	—	2	—	18
18 Other respiratory diseases	—	—	6	4	—	—	1	—	2	—	—	3	1	—	—	—	19
19 Diarrhœa, &c.(under 2 yrs.)	1	—	1	2	—	—	—	—	1	—	1	—	1	—	3	—	20
20 Appendicitis and typhlitis	—	—	3	1	—	1	1	—	1	—	—	—	—	—	—	—	21
21 Cirrhosis of liver ...	—	—	3	2	—	—	—	—	1	—	—	—	1	—	1	—	21A
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	22
22 Nephritis and Bright's dis.	1	—	6	7	—	1	—	2	1	2	3	2	—	1	—	—	23
23 Puerperal fever ...	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Congenital debility, &c.	2	1	12	12	1	—	5	4	3	4	1	—	1	—	2	1	26
26 Violence, apart from 27	—	—	9	5	1	—	1	—	4	1	8	—	1	1	—	—	27
27 Suicide ...	1	1	4	—	1	—	—	1	1	—	—	—	—	—	—	—	28
28 Other defined diseases ...	1	2	49	60	9	12	8	5	29	18	12	3	8	9	3	10	29
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.		Sowerby U.D.		Sowerby Bridge U.D.		Soyland U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocks- bridge U.D.		Swinton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	25	77	94	18	22	42	37	34	24	116	118	59	47	132	95	1
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	—	1	—	—	—	—	2	9	7	5	3
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	1	1	—	1	—	4
5	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	10	—	—	1	1	5
6	Diphtheria and croup	—	—	—	2	—	—	1	1	—	—	1	2	—	—	—	3	6
7	Influenza	—	1	—	2	—	—	—	—	—	—	—	1	1	—	1	—	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	8
9	Pulmonary tuberculosis	2	2	6	4	—	1	6	2	1	3	2	4	2	2	10	7	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	10
11	Other tuberculous diseases	—	—	1	1	—	—	1	2	1	—	1	3	—	1	1	1	11
12	Cancer, malignant disease	—	—	8	6	2	—	1	2	1	4	8	7	4	1	4	6	12
13	Rheumatic fever... ..	—	—	2	2	—	—	—	—	2	—	—	1	—	—	2	—	13
14	Meningitis	—	—	—	1	—	—	—	1	—	—	5	4	—	1	5	1	14
15	Organic heart disease ...	7	3	10	18	2	2	1	4	6	5	12	15	2	5	4	4	15
16	Bronchitis	—	3	5	14	3	1	1	1	1	2	4	7	4	3	12	10	16
17	Pneumonia (all forms) ...	1	1	4	4	—	1	10	1	1	2	22	13	7	2	13	12	17
18	Other respiratory diseases	1	—	—	2	2	—	—	1	—	—	2	1	8	—	—	2	18
19	Diarrhoea, &c.(under 2 yrs.)	—	—	2	2	—	—	3	2	1	—	9	3	4	2	19	11	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	20
21	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	3	2	1	3	1	4	1	—	4	1	1	3	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	—	24
25	Congenital debility, &c.	1	2	6	4	—	1	8	3	4	—	11	10	5	6	10	8	25
26	Violence, apart from 27	1	2	3	—	—	1	—	—	3	—	3	1	3	—	11	1	26
27	Suicide	—	1	2	—	—	—	3	—	1	—	—	—	1	—	—	—	27
28	Other defined diseases ...	7	10	24	30	8	10	6	11	11	5	29	30	13	9	27	22	28
29	Causes ill-defined or un- known.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

YORKSHIRE, WEST RIDING—cont.

	Thurlstone U.D.		Thurnscoe U.D.		Thurston- land U.D.		Tickhill U.D.		Todmorden M.B.		Wakefield M.B.		Wath upon Dearne U.D.		Wheatley U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	23	17	33	17	11	7	21	15	194	204	394	332	117	112	33	28	3	3	67	68	166	124	1
2	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	1	—	2	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	4	3	2	1	—	—	—	—	1	2	14	16	—	—	—	—	6	7	12	4	4
5	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—	1	—	2	—	5
6	—	—	—	—	—	—	—	—	1	—	3	4	2	4	1	—	—	—	—	2	2	1	6
7	—	1	1	—	—	—	1	1	4	—	3	3	—	—	2	—	—	1	—	1	4	1	7
8	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	2	1	2	—	2	2	1	1	9	10	30	12	16	9	2	2	—	—	—	2	7	7	9
10	—	1	—	—	—	—	—	—	3	—	7	5	—	—	1	1	—	—	—	—	2	3	10
11	—	—	—	—	—	—	—	—	3	3	6	8	—	3	1	1	—	—	2	1	2	2	11
12	2	1	2	—	1	1	—	2	12	19	20	30	4	8	1	2	—	—	2	3	7	4	12
13	2	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—	1	—	13
14	—	—	—	—	—	—	—	—	2	3	5	2	—	—	—	1	—	—	1	—	1	3	14
15	1	2	1	1	1	—	—	2	32	21	44	40	13	9	5	1	—	1	4	4	10	6	15
16	2	1	2	1	1	—	2	1	15	18	41	34	4	9	1	2	1	1	5	7	17	10	16
17	2	1	6	3	—	2	3	1	21	10	48	28	7	6	3	1	—	—	6	4	14	19	17
18	1	—	—	—	—	—	—	—	1	3	7	6	1	—	—	—	—	—	1	—	1	2	18
19	1	—	3	2	—	—	5	—	2	1	9	11	9	2	1	—	—	—	7	10	20	9	19
20	—	—	—	—	—	—	—	—	—	1	2	3	—	—	1	1	—	—	—	1	—	1	20
21	—	—	1	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	—	3	—	—	1	—	—	—	9	15	12	13	1	1	1	2	—	—	2	—	1	3	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	4	—	2	—	—	—	—	—	1	—	4	24
25	2	1	3	2	—	—	1	—	7	5	31	16	6	11	2	2	—	—	12	4	13	11	25
26	2	—	—	1	—	—	1	—	10	4	19	10	10	2	1	—	—	—	2	2	10	4	26
27	—	—	—	—	—	—	—	—	4	2	4	4	4	1	—	—	—	—	1	—	1	—	27
28	5	5	8	3	3	1	6	7	54	85	93	92	25	25	10	11	2	—	12	18	38	28	28
29	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	29

YORKSHIRE, WEST RIDING—cont.

	Wors- borough U.D.		Yeadon U.D.			Barnsley R.D.		Bishop- thorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		Great Ouseburn R.D.		Halifax R.D.		Hems- worth R.D.		
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	99	72	52	42		39	25	16	14	33	34	356	301	69	72	65	63	50	41	390	294	1
2	1	1	—	—		—	—	—	—	—	—	4	3	—	—	3	—	—	1	1	—	2
3	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	5	1	3	4		—	2	1	—	—	—	9	8	1	—	—	—	1	1	8	8	4
5	1	1	—	1		—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	2	5
6	1	1	—	—		—	—	—	—	—	—	2	8	—	—	—	—	—	—	6	4	6
7	1	1	—	—		—	—	1	—	1	—	3	1	—	2	—	—	1	—	4	1	7
8	—	1	1	—		—	—	1	—	2	—	7	2	—	—	1	1	2	1	8	5	8
9	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	9
10	5	5	6	4		2	2	1	2	1	1	10	22	5	7	3	4	5	1	21	16	10
11	2	—	—	1		—	—	—	—	—	—	2	1	—	1	1	—	1	1	6	3	11
12	1	4	2	—		—	—	—	—	—	—	9	7	1	—	—	—	—	—	12	2	12
13	5	4	4	6		2	—	—	2	3	3	17	8	6	3	7	4	4	3	13	13	13
14	—	—	—	—		—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	14
15	2	—	1	1		1	1	—	—	1	—	2	2	—	—	1	—	—	—	1	5	15
16	10	9	4	3		1	3	1	2	3	2	18	18	3	6	10	9	5	5	24	16	16
17	9	10	3	1		6	3	1	—	2	2	29	21	4	2	—	11	7	3	43	36	17
18	10	7	5	4		6	4	5	1	2	1	35	40	3	3	2	4	4	3	38	27	18
19	2	2	—	1		—	—	—	—	—	1	8	6	—	1	1	1	1	1	9	3	19
20	7	1	1	—		4	2	—	1	—	—	43	31	3	5	—	—	—	1	41	32	20
21	—	—	1	—		—	—	—	—	1	1	1	—	—	1	—	—	—	—	2	2	21
21A	3	1	—	2		1	—	—	—	1	1	4	1	2	—	—	1	1	—	4	3	21A
22	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	22
23	1	3	1	—		—	—	—	1	1	3	6	8	3	1	2	2	1	—	7	4	23
24	—	—	—	—		—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1	24
25	—	2	—	1		—	1	—	—	—	1	—	1	—	2	—	—	—	1	—	4	25
26	11	7	3	—		1	—	—	—	2	1	44	31	10	4	6	3	—	4	38	28	26
27	4	1	—	1		1	—	1	1	—	—	27	5	7	3	4	1	1	—	26	6	27
28	1	—	—	1		—	—	—	—	—	—	6	1	—	—	1	—	1	—	1	—	28
29	17	10	15	10		14	7	4	4	11	17	68	68	21	31	20	19	15	14	77	70	29
	—	—	2	—		—	—	—	—	2	—	2	4	—	—	1	—	—	—	2	—	

YORKSHIRE, WEST RIDING—cont.

Causes of Death.		Hunslet R.D.		Keighley R.D.		Kiveton Park R.D.		Knares- borough R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		Ripon R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	46	52	35	40	104	83	41	47	66	48	43	33	117	131	39	44	1
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	—	—	—	—	—	—	—	—	—	—	1	—	10	4	—	—	4
4 Scarlet fever	...	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	...	—	—	—	1	—	1	—	—	—	—	—	—	1	2	—	—	6
6 Diphtheria and croup	...	1	4	—	2	—	—	—	—	—	—	2	—	2	2	—	1	7
7 Influenza	...	—	—	1	2	3	4	2	1	—	2	5	—	—	1	—	—	8
8 Erysipelas	...	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	3	5	2	3	1	4	3	1	4	2	2	—	6	14	2	2	10
10 Tuberculous meningitis	...	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	11
11 Other tuberculous diseases	...	—	—	—	—	2	1	—	1	1	2	—	—	1	2	2	—	12
12 Cancer, malignant disease	...	1	4	1	7	5	5	7	3	3	1	1	4	3	6	2	7	13
13 Rheumatic fever...	...	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	14
14 Meningitis	...	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	1	15
15 Organic heart disease	...	6	8	3	5	6	6	3	12	7	7	6	8	3	15	3	5	16
16 Bronchitis	...	2	1	2	3	8	5	2	1	5	4	6	5	15	9	5	5	17
17 Pneumonia (all forms)	...	—	3	9	1	13	10	3	—	2	2	4	2	14	13	—	1	18
18 Other respiratory diseases	...	2	1	1	—	—	4	1	1	1	—	3	—	—	5	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	1	1	1	—	7	5	—	—	1	—	1	—	14	7	—	—	20
20 Appendicitis and typhlitis	...	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	2	21
21 Cirrhosis of liver	...	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	3	2	2	3	1	2	3	1	3	1	1	—	2	3	2	—	23
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	1	—	—	—	1	—	2	—	—	25
25 Congenital debility, &c.	...	8	4	1	2	13	9	2	2	4	3	—	2	10	11	2	—	26
26 Violence, apart from 27	...	2	—	—	—	9	1	1	2	3	—	4	—	5	2	—	—	27
27 Suicide	...	—	—	—	—	2	—	1	—	—	—	—	—	2	—	1	—	28
28 Other defined diseases	...	14	17	10	11	27	23	13	21	30	24	7	10	25	31	17	18	29
29 Causes ill-defined or un- known.	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	

YORKSHIRE, WEST RIDING—cont.

Causes of Death.		Rother- ham. R.D.		Sedbergh R.D.		Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Tod- morden R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	...	281	216	24	29	35	40	88	77	109	118	179	186	73	84	36	41	1
1 Enteric fever	...	3	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	...	9	11	—	1	—	—	—	—	—	—	1	3	—	1	—	—	4
4 Scarlet fever	...	—	—	—	—	—	1	1	—	1	1	1	2	—	—	—	—	5
5 Whooping cough	...	7	6	—	—	—	—	—	—	—	—	4	7	3	5	—	—	6
6 Diphtheria and croup	...	1	5	—	—	—	—	—	—	1	—	1	1	—	1	—	—	7
7 Influenza	...	1	5	2	1	—	—	3	2	—	1	4	2	1	1	—	1	8
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	...	10	11	1	1	4	2	2	1	8	8	9	8	7	6	2	1	10
10 Tuberculous meningitis	...	2	3	—	—	—	1	1	1	2	2	5	1	1	—	—	2	11
11 Other tuberculous diseases	...	5	1	—	—	—	1	—	1	—	1	3	8	2	7	1	1	12
12 Cancer, malignant disease	...	6	10	1	2	3	5	5	6	8	14	6	12	3	7	6	4	13
13 Rheumatic fever...	...	2	1	—	—	—	2	—	1	—	—	1	—	—	—	—	—	14
14 Meningitis	...	3	5	—	—	—	—	1	3	—	1	—	2	—	1	—	1	15
15 Organic heart disease	...	15	9	6	6	4	6	11	9	13	20	12	21	9	7	5	11	16
16 Bronchitis	...	27	13	1	2	—	2	3	4	2	6	11	12	2	6	2	2	17
17 Pneumonia (all forms)	...	39	23	—	1	4	—	3	2	6	3	15	13	5	3	1	—	18
18 Other respiratory diseases	...	2	4	—	—	—	—	5	2	—	2	1	2	2	3	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	...	21	22	—	1	1	1	4	2	3	1	17	10	2	5	1	—	20
20 Appendicitis and typhlitis	...	—	2	—	—	—	—	—	1	1	1	—	—	—	—	1	1	21
21 Cirrhosis of liver	...	1	1	—	—	—	—	1	—	—	—	5	2	—	2	—	—	21A
21A Alcoholism	...	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	22
22 Nephritis and Bright's dis.	...	4	3	—	1	—	—	—	—	7	5	4	5	—	1	2	1	23
23 Puerperal fever	...	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	24
24 Parturition, apart from 23	...	—	3	—	—	—	1	—	1	—	—	—	1	—	—	—	—	25
25 Congenital debility, &c.	...	32	21	2	—	3	3	10	3	7	4	12	5	5	5	2	1	26
26 Violence, apart from 27	...	24	—	2	—	2	1	2	2	4	4	16	8	3	2	2	2	27
27 Suicide	...	5	1	—	—	—	—	2	—	2	—	2	—	1	—	1	1	28
28 Other defined diseases	...	62	51	9	11	14	14	34	35	41	39	47	58	27	20	10	11	29
29 Causes ill-defined or un- known.	...	—	3	—	2	—	—	—	—	2	3	1	—	—	1	—	1	

ADMINISTRATIVE AREAS, 1913—continued.

YORKSHIRE, WEST RIDING—cont.

ANGLESEY.

		Wakefield R.D.		Wetherby R.D.		Wharfe- dale R.D.		Wortley R.D.				Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.					
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F				
		128	102	92	93	27	34	237	217			27	27	11	14	72	78	10	17	17	20				
1		—	—	—	—	—	—	1	—			—	—	—	—	—	—	—	—	—	—			1	
2		—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2	
3		—	—	2	—	1	—	11	11			—	—	4	—	5	1	—	—	—	—			3	
4		—	1	—	—	—	—	3	1			—	—	—	—	—	—	—	—	—	1			4	
5		1	1	—	2	—	—	5	3			—	—	—	—	2	1	—	—	—	—			5	
6		3	1	1	1	—	—	2	2			—	—	—	—	1	—	2	1	—	2			6	
7		—	—	2	3	—	2	5	3			—	—	—	—	1	1	—	—	—	—			7	
8		—	1	—	—	—	—	2	—			—	—	—	—	—	—	—	—	—	—			8	
9		10	4	3	3	—	2	14	12			5	2	1	2	3	5	—	2	1	2			9	
10		1	1	—	—	—	—	3	1			—	—	—	—	1	—	—	—	1	—			10	
11		2	2	—	4	—	2	3	2			—	—	1	—	—	1	—	—	1	—			11	
12		12	11	5	10	3	8	12	18			3	1	—	2	5	8	1	3	2	4			12	
13		—	—	—	—	—	—	1	2			—	—	—	—	—	1	—	—	—	—			13	
14		2	2	—	—	1	—	1	2			—	—	—	—	1	2	—	—	—	—			14	
15		11	10	10	15	1	1	23	28			1	4	1	1	10	4	—	—	2	—			15	
16		7	7	8	11	1	3	23	23			3	—	—	3	4	4	1	3	1	3			16	
17		15	4	9	5	—	—	18	18			4	1	—	—	5	6	—	—	—	—			17	
18		2	1	1	1	—	—	4	1			—	1	—	—	—	—	—	—	—	—			18	
19		9	3	1	—	—	1	9	2			1	2	—	1	2	2	—	—	—	—			19	
20		—	1	2	—	1	—	—	1			1	—	—	—	—	—	—	—	—	—			20	
21		2	3	4	—	—	1	1	2			—	—	—	1	—	1	—	—	—	—			21	
21A		—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			21A	
22		1	2	3	1	2	2	9	4			1	1	—	—	5	8	—	—	—	—			22	
23		—	1	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—			23	
24		—	1	—	—	—	—	—	3			—	—	—	—	—	—	—	—	—	—			24	
25		12	10	3	1	1	—	21	15			—	—	—	—	6	5	2	—	—	—			25	
26		7	3	2	2	2	—	11	4			—	—	—	—	1	—	—	—	2	—			26	
27		—	—	2	—	1	—	3	—			—	—	—	—	—	—	—	—	—	—			27	
28		31	31	34	34	13	12	51	58			8	15	4	4	20	28	3	8	6	8			28	
29		—	1	—	—	—	—	1	—			—	—	—	—	—	—	1	—	1	—			29	

ANGLESEY—cont.

BRECKNOCKSHIRE.

		Aethwy R.D.		Dwyran R.D.		Twrcelyn R.D.		Valley R.D.				Breck- nock U.D.*		Bryn- mawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.					
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F				
		55	71	21	26	51	95	75	75			43	49	57	47	12	12	14	12	5	2				
1		—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			1	
2		—	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2	
3		—	—	—	1	—	—	2	1			—	—	—	—	—	—	—	—	—	—			3	
4		—	—	—	—	—	—	—	—			—	—	1	1	—	—	—	—	—	—			4	
5		—	2	—	—	—	2	2	2			—	—	—	—	—	—	—	—	—	—			5	
6		—	—	—	—	—	—	2	—			1	—	—	1	—	—	—	—	—	—			6	
7		3	6	—	3	—	—	2	2			2	2	1	—	—	—	—	—	—	—			7	
8		—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			8	
9		2	9	1	—	5	7	4	2			6	1	1	1	1	1	1	—	—	1			9	
10		1	1	—	—	1	—	—	—			—	—	—	—	—	—	—	—	—	—			10	
11		—	1	—	1	1	1	2	2			—	—	—	1	—	—	—	—	—	—			11	
12		5	6	3	2	3	11	8	7			3	6	1	3	1	1	3	—	1	—			12	
13		—	—	—	—	1	—	—	—			—	—	—	—	—	—	—	—	—	—			13	
14		—	—	—	—	—	—	—	1			1	—	1	—	—	—	—	—	—	—			14	
15		7	4	3	8	11	15	8	16			4	10	1	6	1	3	3	2	2	—			15	
16		3	5	1	1	1	5	3	3			—	3	7	5	1	—	1	—	—	1			16	
17		2	2	—	—	3	4	4	5			2	3	8	6	—	—	1	—	—	—			17	
18		1	2	—	—	1	—	1	—			1	3	2	—	1	—	—	—	—	—			18	
19		—	—	1	—	1	1	1	1			—	2	6	1	—	—	—	—	—	—			19	
20		—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—			20	
21		1	1	—	—	—	—	—	—			—	—	—	—	1	2	—	1	—	—			21	
21A		—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			21A	
22		1	2	—	—	1	2	1	3			1	1	2	1	2	—	2	—	—	—			22	
23		—	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			23	
24		—	—	—	—	—	—	—	2			—	—	—	2	—	—	—	—	—	—			24	
25		4	—	3	1	2	2	6	2			6	5	3	4	—	1	—	—	1	—			25	
26		1	1	—	—	—	—	1	1			1	—	5	—	—	—	—	—	—	—			26	
27		—	—	—	1	—	—	2	2			—	—	—	—	—	—	—	—	—	—			27	
28		22	27	9	8	20	43	25	22			13	13	17	13	4	4	3	9	1	—			28	
29		2	—	—	—	—	2	1	—			2	—	1	—	—	—	—	—	—	—			29	

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

BRECKNOCKSHIRE—cont.

Causes of Death			Breck-nock R.D.		Builth R.D.		Crick-howell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystrad-gynlais R.D.		Ystrad-fellte C.P.*		Llan-wrthwl C.P.†		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	75	47	6	21	46	53	27	21	54	51	72	58	3	6	2	3	1
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	1	—	—	—	—	1	—	1	1	—	1	—	—	4
4 Scarlet fever	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	7
7 Influenza	5	1	1	—	1	2	1	2	—	—	1	—	1	—	—	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	2	3	—	2	2	3	3	5	1	6	3	4	—	—	—	—	10
10 Tuberculous meningitis	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	12
12 Cancer, malignant disease	6	5	1	4	1	3	4	—	3	5	2	4	—	1	—	—	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	14
14 Meningitis	1	1	—	1	—	—	1	2	2	—	—	1	—	—	—	—	15
15 Organic heart disease	5	8	1	2	4	12	4	3	6	7	4	1	1	—	—	—	16
16 Bronchitis	11	5	—	4	3	6	1	2	3	4	5	3	—	—	—	—	17
17 Pneumonia (all forms)	3	2	—	1	6	4	3	1	3	3	6	3	—	1	—	—	18
18 Other respiratory diseases	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	—	—	2	—	—	—	2	2	5	6	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	21
21 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	23
23 Puerperal fever	—	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	25
25 Congenital debility, &c.	4	2	—	—	4	7	2	—	1	1	12	8	—	—	2	1	26
26 Violence, apart from 27	6	—	—	—	3	—	2	—	8	4	7	1	—	1	—	—	27
27 Suicide	1	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	28
28 Other defined diseases	23	18	2	6	16	12	4	5	18	13	21	18	1	2	—	1	29
29 Causes ill-defined or unknown.	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CARDIGANSHIRE.

Causes of Death.			Aberayron U.D.		Aberystwyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.		Aberayron R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	11	21	50	56	39	36	8	13	14	12	47	87	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	—	—	7
7 Influenza	—	—	—	1	—	1	—	—	—	—	1	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	1	3	3	6	6	2	1	2	1	—	2	10	10
10 Tuberculous meningitis	—	—	3	1	—	—	—	—	—	—	—	1	11
11 Other tuberculous diseases	—	—	1	—	—	—	—	—	—	—	—	2	12
12 Cancer, malignant disease	2	2	5	6	3	2	—	1	1	1	7	9	13
13 Rheumatic fever...	—	—	1	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	1	—	—	—	—	—	1	—	—	1	15
15 Organic heart disease	1	1	4	10	5	8	3	3	2	1	8	9	16
16 Bronchitis	—	2	—	4	1	1	—	1	1	1	3	5	17
17 Pneumonia (all forms)	1	2	4	1	—	1	1	—	—	—	4	6	18
18 Other respiratory diseases	—	—	—	—	2	—	—	—	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	3	1	1	1	—	—	—	—	—	—	20
20 Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	—	1	1	21
21 Cirrhosis of liver	—	—	2	—	2	—	—	—	1	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	—	—	3	4	4	3	—	1	3	2	1	4	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	1	—	1	—	—	—	—	—	—	—	2	25
25 Congenital debility, &c.	—	1	1	3	—	—	—	—	—	—	2	3	26
26 Violence, apart from 27	—	—	2	2	1	—	—	—	—	1	—	1	27
27 Suicide	—	1	1	—	—	1	1	—	—	—	—	1	28
28 Other defined diseases	6	8	14	14	14	15	2	5	4	6	15	29	29
29 Causes ill-defined or unknown.	—	—	—	2	—	—	—	—	—	—	3	1	

* Administered by Neath R.D.C. (Glamorganshire).

† Administered by Rhayader R.D.C. (Radnorshire).

ADMINISTRATIVE AREAS, 1913—continued.

CARDIGANSHIRE—cont.

CARMARTHENSHIRE.

	Aberystwyth R.D.		Cardigan R.D.		Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubor y coed C.P.*			Ammanford U.D.		Burry Port U.D.		Carmarthen M.B.		Cwm-aman U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
1	111	110	15	28	22	38	59	71	60	63	2	4		52	39	33	40	62	74	25	41	1
2	—	1	—	—	—	—	—	—	—	—	—	—		—	—	—	1	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	3
4	1	—	1	—	1	—	1	—	—	1	—	—		—	—	1	—	—	—	—	1	4
5	—	—	—	—	—	1	—	—	—	—	—	—		1	—	—	—	—	—	—	—	5
6	—	1	—	—	—	—	—	1	—	1	—	—		—	—	—	—	1	—	1	2	6
7	1	1	—	—	—	1	—	—	—	—	—	—		2	1	—	—	1	1	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	8
9	19	8	1	—	3	6	1	5	7	8	—	1		3	1	1	5	7	7	—	5	9
10	3	1	—	1	—	1	1	—	3	—	—	1		—	1	—	—	1	—	—	—	10
11	2	3	2	1	—	—	1	—	1	1	—	1		—	—	—	—	1	1	1	—	11
12	9	10	1	1	1	3	4	5	4	8	—	1		1	1	1	4	2	7	—	—	12
13	1	—	—	—	—	1	—	—	1	—	—	—		—	—	1	—	1	—	—	—	13
14	—	—	1	1	—	1	—	—	1	1	—	—		—	3	1	—	—	1	1	—	14
15	15	20	2	8	1	4	4	7	14	11	—	—		8	5	4	6	7	17	3	2	15
16	12	12	—	3	1	3	4	7	3	6	1	—		2	—	2	3	5	10	2	6	16
17	5	6	—	—	—	1	5	1	6	1	—	—		3	4	3	3	4	—	3	1	17
18	2	1	—	1	—	—	—	4	1	—	—	—		—	—	—	—	1	—	—	1	18
19	2	2	1	1	—	—	2	—	1	1	—	—		2	—	—	1	3	2	2	3	19
20	—	1	—	—	2	—	1	—	1	—	—	—		—	1	—	—	—	—	—	—	20
21	1	—	—	—	—	—	1	—	—	—	—	—		—	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	3	4	—	—	1	1	1	4	—	3	—	—		2	—	1	1	7	3	—	1	22
23	—	1	—	—	—	—	—	—	—	2	—	—		—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—		—	2	—	1	—	—	—	3	24
25	3	2	1	—	2	3	3	3	3	2	—	—		6	3	2	1	1	1	3	4	25
26	—	3	—	—	—	—	—	—	1	1	—	—		6	4	3	1	2	1	—	1	26
27	1	—	—	—	1	—	1	—	—	—	—	—		—	—	—	—	—	1	—	—	27
28	30	32	5	11	9	11	29	34	12	15	1	—		16	12	13	13	18	20	8	11	28
29	1	1	—	—	—	1	—	—	1	1	—	—		—	—	—	—	1	1	—	—	29

CARMARTHENSHIRE—cont.

	Kidwelly M.B.		Llandilo U.D.		Llandovey M.B.		Llanelly M.B.†		Newcastle Emlyn U.D.			Carmarthen R.D.		Llandilo Fawr R.D.		Llandovey R.D.		Llanelly R.D.		Llan-ybyther R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
1	20	14	14	17	18	13	229	186	8	6		173	193	147	138	57	52	218	179	32	33	1
2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	1	—	1	—	—		2	1	3	1	1	1	6	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	4	3	—	—	4
5	—	—	—	—	—	—	—	1	—	—		—	—	1	1	—	—	—	1	1	—	5
6	—	—	—	—	—	—	3	6	—	—		—	2	1	—	—	—	3	—	1	—	6
7	—	—	—	1	1	—	1	2	1	—		5	3	2	2	1	—	2	—	—	—	7
8	—	—	—	—	—	—	1	—	—	—		—	—	—	—	—	—	1	—	—	1	8
9	3	1	—	—	1	1	13	22	—	2		13	14	11	12	3	7	8	15	1	3	9
10	—	—	—	—	1	—	2	1	—	—		2	1	—	2	—	1	2	7	—	—	10
11	1	—	—	—	—	—	—	2	—	—		2	4	2	4	—	1	2	5	2	—	11
12	1	3	3	3	2	1	12	9	—	1		15	18	7	11	2	6	8	11	4	4	12
13	—	—	—	—	—	—	—	2	—	—		—	—	2	1	—	—	3	—	—	—	13
14	1	—	—	—	—	—	3	2	—	—		1	1	—	—	2	—	1	2	—	—	14
15	1	2	3	2	2	1	23	26	1	—		17	22	14	17	9	7	19	14	3	7	15
16	1	1	1	1	1	—	16	7	1	—		10	17	12	11	3	1	19	8	1	3	16
17	2	2	—	—	2	—	15	3	—	1		16	7	10	11	4	3	21	13	3	—	17
18	—	—	—	—	2	—	1	3	—	—		4	1	2	3	1	—	2	5	2	—	18
19	—	—	—	—	—	—	20	12	—	—		5	6	2	4	—	1	8	10	1	—	19
20	—	—	—	—	—	—	1	—	1	—		1	—	1	1	—	1	1	2	—	—	20
21	—	—	—	—	—	—	3	1	—	—		—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—		1	—	—	—	—	—	1	—	—	—	21A
22	—	—	1	1	1	1	8	4	1	—		9	9	4	1	2	2	10	4	3	—	22
23	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2	—	—	—	23
24	—	—	—	—	—	1	—	4	—	—		—	5	—	1	—	1	—	2	—	2	24
25	1	3	—	3	1	—	21	8	—	—		13	5	13	5	3	3	21	16	—	3	25
26	3	—	—	—	1	—	18	2	1	—		6	3	16	1	5	1	17	8	—	—	26
27	—	—	—	—	—	—	1	—	—	—		1	—	1	1	—	—	2	—	—	—	27
28	6	2	6	6	2	7	67	68	2	2		48	72	43	48	19	16	54	46	10	10	28
29	—	—	—	—	—	—	—	—	—	—		2	2	—	—	1	—	3	3	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

† Constituted a Municipal Borough 10th Nov., 1913.

CARMARTHENSHIRE—cont.

CARNARVONSHIRE.

Causes of Death.				Newcastle in Emllyn R.D.		Whitland R.D.				Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Car- narvon M.B.		Conway M.B.		
				M	F	M	F			M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	48	48	37	47			89	70	46	41	3	2	79	76	41	37	1
1 Enteric fever	—	—	—	—			1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—			—	—	—	—	—	—	—	—	4	1	4
4 Scarlet fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	2	1	—	—			—	—	—	—	—	—	1	1	—	—	6
6 Diphtheria and croup	—	—	—	—			1	—	2	—	—	—	—	—	1	2	7
7 Influenza	1	1	—	2			—	1	—	—	—	—	—	—	—	2	8
8 Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	8	5	7	6			13	5	3	5	1	—	11	7	3	1	10
10 Tuberculous meningitis	1	2	1	—			3	—	—	1	—	—	—	4	1	—	11
11 Other tuberculous diseases	—	1	—	1			3	—	—	—	—	—	—	1	1	1	12
12 Cancer, malignant disease	2	7	5	3			11	8	4	6	—	—	8	7	2	3	13
13 Rheumatic fever...	—	—	—	—			—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—			—	—	—	—	—	—	1	—	1	—	15
15 Organic heart disease	4	7	1	7			11	5	4	8	—	1	6	6	7	5	16
16 Bronchitis	3	1	3	4			4	4	4	—	—	—	5	5	—	1	17
17 Pneumonia (all forms)	2	2	1	3			2	3	3	—	—	—	4	3	1	—	18
18 Other respiratory diseases	1	1	—	—			—	—	1	1	—	—	1	4	—	1	19
19 Diarrhoea, &c. (under 2 yrs.)	1	—	—	—			5	—	2	—	—	—	—	1	—	1	20
20 Appendicitis and typhlitis	1	—	2	—			1	—	—	—	—	—	—	—	—	—	21
21 Cirrhosis of liver	—	1	—	—			1	—	—	—	1	—	1	1	—	—	21A
21A Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	1	3	3	1			—	2	4	—	—	—	7	4	1	1	23
23 Puerperal fever	—	—	—	—			—	1	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	—			—	1	—	—	—	—	—	3	—	—	25
25 Congenital debility, &c.	1	3	2	2			4	3	1	—	—	—	4	2	5	—	26
26 Violence, apart from 27	1	—	—	—			2	1	2	—	—	—	4	3	1	1	27
27 Suicide	—	—	—	—			1	—	—	—	—	—	—	—	—	—	28
28 Other defined diseases	19	13	10	17			26	36	18	18	1	1	25	24	13	16	29
29 Causes ill-defined or un- known.	—	—	2	1			—	—	—	—	—	—	1	—	—	1	

CARNARVONSHIRE—cont.

Causes of Death.				Criccieth U.D.		Llan- dudno U.D.		Llan- fairfechan U.D.		Penmaen- mawr U.D.		Pwllheli M.B.		Ynyscyn- haiarn U.D.				Conway R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F			M	F	
ALL CAUSES	11	10	72	66	28	27	32	19	15	31	45	31			47	47	1
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—			1	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
4 Scarlet fever	—	—	—	2	—	—	—	—	—	—	—	—			—	—	5
5 Whooping cough	—	—	—	1	—	—	—	—	—	—	—	—			—	—	6
6 Diphtheria and croup	—	—	—	—	—	—	—	—	—	—	1	—			1	1	7
7 Influenza	1	1	5	2	1	1	—	—	1	1	—	—			2	1	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—			—	—	9
9 Pulmonary tuberculosis	—	2	4	4	5	2	5	1	3	6	4	5			3	4	10
10 Tuberculous meningitis	—	—	—	—	—	—	1	—	1	1	2	—			—	—	11
11 Other tuberculous diseases	—	—	—	—	1	—	3	—	—	2	2	2			1	—	12
12 Cancer, malignant disease	4	—	4	7	1	1	3	1	—	2	3	3			4	4	13
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—			1	—	14
14 Meningitis	—	—	—	—	1	—	—	—	—	—	—	—			—	1	15
15 Organic heart disease	—	2	8	13	6	9	4	4	2	2	6	1			7	7	16
16 Bronchitis	1	—	2	—	2	1	—	1	1	4	4	3			2	5	17
17 Pneumonia (all forms)	—	—	6	2	1	—	2	3	—	—	3	2			3	2	18
18 Other respiratory diseases	1	—	4	1	—	1	—	—	1	2	—	—			2	2	19
19 Diarrhoea, &c. (under 2 yrs.)	—	—	3	—	—	1	—	—	—	—	2	—			—	1	20
20 Appendicitis and typhlitis	—	—	2	—	—	—	—	—	—	—	—	—			—	—	21
21 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	1	—	—			—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—			—	—	22
22 Nephritis and Bright's dis.	1	—	6	7	1	—	—	3	1	—	5	3			1	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—			—	—	24
24 Parturition, apart from 23	—	—	—	1	—	—	—	—	—	—	—	—			—	—	25
25 Congenital debility, &c.	—	—	2	3	—	—	1	1	—	—	1	—			3	—	26
26 Violence, apart from 27	—	—	4	1	2	—	2	—	—	—	2	1			4	2	27
27 Suicide	—	—	1	2	1	—	1	—	—	—	1	—			—	—	28
28 Other defined diseases	3	5	18	20	6	11	10	5	6	10	9	10			12	16	29
29 Causes ill-defined or un- known.	—	—	1	—	—	—	—	—	—	—	—	—			—	1	

DENBIGHSHIRE—cont.

FLINTSHIRE.

Causes of Death.			Llanellian and Llan- santffraid C.P's.*		Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	14	12	51	50	41	38	66	48	35	26	40	19	9	24	1
1 Enteric fever	—	—	—	—	—	—	—	1	1	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	3	1	2	5	6	4	2	—	—	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	4	—	1	—	—	—	—	—	—	—	—	6
6 Diphtheria and croup	—	—	—	1	—	—	—	—	—	—	1	—	—	—	7
7 Influenza	—	—	—	—	1	—	—	1	—	—	1	1	—	2	8
8 Erysipelas	—	—	1	—	—	—	—	1	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	3	—	1	4	—	3	5	2	5	1	2	1	2	2	10
10 Tuberculous meningitis	—	—	1	—	2	—	1	—	1	—	—	—	—	—	11
11 Other tuberculous diseases	—	—	—	—	—	—	1	1	—	1	—	—	—	—	12
12 Cancer, malignant disease	2	—	3	4	3	2	2	3	2	4	3	3	—	5	13
13 Rheumatic fever...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	14
14 Meningitis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	15
15 Organic heart disease	1	—	4	5	4	2	4	2	3	4	4	2	1	5	16
16 Bronchitis	—	1	2	6	2	3	4	2	—	1	2	—	—	—	17
17 Pneumonia (all forms)	—	—	4	3	2	2	3	2	3	1	—	3	—	2	18
18 Other respiratory diseases	—	—	2	—	—	1	2	—	—	1	—	—	—	—	19
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	2	2	3	2	2	1	1	2	—	1	—	20
20 Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	—	1	—	1	21
21 Cirrhosis of liver	—	—	1	1	—	—	1	2	—	—	—	—	—	—	21A
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	22
22 Nephritis and Bright's dis.	—	1	7	2	—	—	4	1	1	—	2	—	—	—	23
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	1	—	—	25
25 Congenital debility, &c.	3	3	4	4	10	6	5	1	2	—	4	—	—	—	26
26 Violence, apart from 27	—	1	6	—	3	2	1	2	1	—	—	—	1	—	27
27 Suicide	—	—	1	—	—	—	—	—	1	—	—	—	—	—	28
28 Other defined diseases	4	5	11	9	10	8	20	17	10	9	15	7	3	6	29
29 Causes ill-defined or un- known.	—	—	—	—	1	3	5	1	—	—	2	—	1	1	29

FLINTSHIRE—cont.

GLAMORGANSHIRE.

Causes of Death.			Rhyl U.D.		Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.		Aberavon M.B.		
			M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	80	85	140	139	211	191	33	33	50	58	87	76	1
1 Enteric fever	1	—	—	—	1	2	—	—	1	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	5	3	9	6	9	9	—	2	—	1	2	5	4
4 Scarlet fever	—	—	—	—	3	2	—	—	—	—	—	—	5
5 Whooping cough	—	—	1	3	1	1	—	3	—	—	—	—	6
6 Diphtheria and croup	—	—	—	—	2	—	—	1	1	1	2	1	7
7 Influenza	2	—	—	—	1	2	—	—	4	1	—	—	8
8 Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	9
9 Pulmonary tuberculosis	5	5	10	11	15	12	2	2	2	3	3	7	10
10 Tuberculous meningitis	2	2	2	1	—	1	1	1	—	—	1	—	11
11 Other tuberculous diseases	1	1	4	—	4	4	—	—	—	1	1	—	12
12 Cancer, malignant disease	6	10	10	12	15	18	4	6	3	8	2	4	13
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	1	—	14
14 Meningitis	2	2	1	1	—	1	1	—	—	—	1	1	15
15 Organic heart disease	6	3	13	22	21	26	4	2	8	8	13	9	16
16 Bronchitis	4	3	10	12	11	9	1	1	—	—	4	1	17
17 Pneumonia (all forms)	4	10	15	7	21	10	2	—	3	4	7	8	18
18 Other respiratory diseases	2	2	3	—	7	3	—	—	—	3	1	1	19
19 Diarrhoea, &c. (under 2 yrs.)	2	3	1	2	5	1	—	—	—	—	7	8	20
20 Appendicitis and typhlitis	1	—	1	1	—	1	—	—	—	—	—	1	21
21 Cirrhosis of liver	1	—	3	—	1	1	—	—	—	—	—	—	21A
21A Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	22
22 Nephritis and Bright's dis.	2	2	3	4	8	—	—	—	3	1	—	1	23
23 Puerperal fever	—	—	—	2	—	3	—	—	—	—	—	—	24
24 Parturition, apart from 23	—	2	—	3	—	2	—	—	—	2	—	—	25
25 Congenital debility, &c.	4	2	14	5	13	5	5	2	2	1	12	8	26
26 Violence, apart from 27	2	—	6	3	7	3	3	1	1	1	10	1	27
27 Suicide	—	—	1	—	3	1	1	—	—	—	2	—	28
28 Other defined diseases	24	35	29	44	58	74	9	12	21	21	18	20	29
29 Causes ill-defined or un- known.	3	—	3	—	5	—	—	—	1	2	—	—	29

* Llanellian yn Rhôs and Llan-santffraid Glan Conway C. P's—Administered by Conway R.D.C. (Carnarvonshire).

ADMINISTRATIVE AREAS, 1913—continued.

GLAMORGANSHIRE—cont.

	Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cow- bridge M.B.		Gelligaer U.D.		Glyn- corwg U.D.		Maesteg U.D.		Margam U.D.		Mountain Ash U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	484	385	196	166	56	35	58	53	228	206	6	6	264	224	71	52	195	147	90	76	336	285	1
2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—	1	—	2
3	19	29	—	—	—	—	1	—	3	—	—	—	1	2	—	—	6	9	4	4	18	10	3
4	2	6	—	—	—	—	—	—	—	1	—	—	—	4	—	1	1	1	—	1	1	1	4
5	10	5	1	1	—	—	—	—	2	7	—	—	4	7	—	1	1	—	—	—	3	1	5
6	5	1	1	7	—	—	1	—	6	4	—	—	4	3	1	—	2	1	2	2	4	4	6
7	6	1	1	1	1	—	1	—	—	4	1	—	2	—	1	3	—	—	1	1	10	2	7
8	1	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	8
9	24	19	18	19	1	2	2	5	16	14	—	1	15	18	3	3	7	6	4	4	18	18	9
10	4	—	2	—	—	—	—	2	2	2	—	—	5	4	—	—	—	1	3	1	2	4	10
11	4	3	4	2	—	1	—	—	3	2	1	—	8	6	2	1	2	—	—	2	8	3	11
12	23	17	10	22	7	2	2	5	11	15	1	—	8	9	1	5	8	9	7	5	11	8	12
13	2	7	—	1	—	—	—	—	—	2	—	—	—	1	—	—	3	1	—	—	2	—	13
14	4	1	2	3	1	—	—	—	7	7	—	—	5	2	—	1	1	—	1	—	4	2	14
15	40	36	21	22	4	6	6	5	14	8	—	—	18	19	5	—	13	10	5	11	13	20	15
16	40	36	13	10	3	1	5	6	15	13	1	—	19	17	3	5	15	7	7	4	24	27	16
17	44	32	14	12	7	1	7	6	31	17	—	—	21	18	11	7	19	11	6	1	16	22	17
18	7	3	4	2	—	1	—	—	6	6	—	—	5	4	2	1	5	1	3	1	7	5	18
19	48	22	5	7	1	1	4	—	21	11	—	1	28	23	—	1	23	25	8	7	44	29	19
20	—	3	1	2	—	—	2	1	—	—	—	—	2	—	1	—	1	—	—	—	1	2	20
21	—	1	4	1	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	21
21A	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	15	8	1	1	1	2	2	—	4	2	1	—	6	3	3	2	6	1	2	3	8	7	22
23	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	3	23
24	—	5	—	6	—	—	—	1	—	7	—	—	—	2	—	3	—	5	—	—	—	7	24
25	28	37	20	15	6	2	2	2	16	24	—	1	30	19	8	8	16	18	4	6	35	35	25
26	36	5	15	1	6	1	2	—	20	6	—	—	27	6	7	—	21	5	5	1	29	8	26
27	—	2	3	—	—	—	—	1	2	2	—	—	—	—	1	—	—	—	1	—	2	1	27
28	121	103	52	30	18	15	20	18	47	48	1	3	53	56	22	10	42	35	27	22	73	65	28
29	—	—	3	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	1	—	1	1	29

GLAMORGANSHIRE—cont.

	Neath M.B.		Ogmore and Garw U.D.		Oyster- mouth U.D.		Penarth U.D.		Ponty- pridd U.D.		Porthcawl U.D.		Rhondda U.D.				Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	
1	143	141	201	164	35	42	82	68	352	313	26	22	1299	1029			64	51	66	37	179	181	1
2	2	—	—	—	—	1	—	—	—	3	—	—	5	7			—	—	—	—	—	—	2
3	—	—	4	6	—	—	—	—	16	11	—	—	31	25			—	—	3	5	1	2	3
4	—	—	1	2	1	—	1	—	2	1	—	—	10	12			1	—	—	—	—	2	4
5	—	—	2	2	1	—	—	1	—	—	—	—	5	12			—	—	1	—	2	—	5
6	4	2	3	3	1	—	2	—	1	3	—	—	20	34			3	1	—	1	2	5	6
7	—	1	3	—	5	5	2	2	4	4	—	—	11	11			1	3	2	—	1	3	7
8	—	—	—	1	—	—	—	—	2	—	—	—	1	2			—	—	—	—	—	—	8
9	14	19	5	6	3	4	6	6	22	22	2	1	65	61			1	2	1	1	12	12	9
10	2	1	—	2	—	1	—	1	2	2	—	—	8	9			3	1	1	1	2	1	10
11	3	—	2	2	1	—	—	—	2	4	—	—	23	8			1	—	—	—	1	2	11
12	4	9	11	8	2	7	4	3	6	20	2	4	51	42			3	4	3	4	8	19	12
13	—	—	1	—	—	—	1	—	1	3	—	—	4	4			—	1	—	—	—	1	13
14	1	1	2	—	—	—	—	—	5	4	—	—	5	9			2	—	4	1	3	2	14
15	11	14	12	12	1	3	9	9	24	31	6	4	88	76			7	10	6	3	19	14	15
16	3	5	20	9	2	1	7	2	29	28	1	—	100	64			2	1	2	—	12	11	16
17	12	9	12	14	—	—	5	2	30	14	1	—	136	109			2	4	3	—	13	5	17
18	1	—	5	2	—	—	2	1	3	2	1	1	27	14			—	—	1	1	6	4	18
19	13	12	25	21	—	1	4	5	30	26	—	1	146	111			—	1	3	1	10	8	19
20	1	1	1	—	—	—	2	—	3	—	—	—	4	3			—	—	—	1	2	1	20
21	3	2	1	—	—	—	1	—	—	1	—	—	2	5			—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	2	—	—	—	2	1			—	—	—	—	2	1	21A
22	1	1	7	3	—	—	4	4	5	4	2	—	36	22			3	3	6	2	6	6	22
23	—	—	—	2	—	—	—	—	—	1	—	—	—	15			—	—	—	—	—	1	23
24	—	1	—	7	—	1	—	2	—	1	—	—	—	27			—	1	—	—	—	3	24
25	8	6	20	7	1	1	8	6	37	33	1	1	127	89			7	5	6	5	11	10	25
26	8	6	21	3	1	2	7	1	25	4	2	—	109	23			10	1	3	—	12	1	26
27	—	1	—	—	1	—	—	—	1	—	—	—	10	2			1	—	1	—	2	—	27
28	50	48	41	51	14	14	17	22	99	88	8	10	267	231			17	13	20	11	50	66	28
29	2	2	2	1	1	1	—	1	1	3	—	—	6	1			—	—	—	—	1	1	29

GLAMORGANSHIRE—*cont.*

Causes of Death.			Llantri- sant and Llantwit- fardre R.D.		Neath R.D.		Penybont R.D.		Pontar- dawe R.D.		Swansea R.D.		Bala U.D.		Barmouth U.D.			
			M	F	M	F	M	F	M	F	M	F		M	F	M	F	
	ALL CAUSES	...	137	139	325	274	139	125	229	195	295	250		7	8	16	9	
1	Enteric fever	...	—	—	1	3	—	1	—	—	1	—		—	—	—	—	1
2	Small-pox	...	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	Measles	...	6	3	9	7	1	1	—	2	6	5		—	—	—	—	3
4	Scarlet fever	...	—	2	4	1	—	—	—	—	—	—		—	—	—	—	4
5	Whooping cough	...	1	5	5	2	—	—	2	—	4	5		—	—	—	—	5
6	Diphtheria and croup	...	3	3	7	3	2	4	—	1	5	4		—	—	—	—	6
7	Influenza	...	1	1	9	1	3	6	5	4	1	1		—	—	2	—	7
8	Erysipelas	...	—	—	—	—	—	—	1	1	—	—		—	—	—	—	8
9	Pulmonary tuberculosis		6	7	14	15	3	6	13	16	22	17		—	—	3	—	9
10	Tuberculous meningitis	...	4	—	4	4	4	2	3	5	3	4		—	—	—	—	10
11	Other tuberculous diseases		1	2	3	5	2	1	2	7	8	1		—	—	—	—	11
12	Cancer, malignant disease		4	12	13	18	4	7	11	17	11	16		1	1	4	—	12
13	Rheumatic fever	...	—	—	2	1	1	—	1	1	2	1		—	—	—	—	13
14	Meningitis	...	—	—	3	1	—	—	2	2	5	2		—	—	—	—	14
15	Organic heart disease	...	11	12	23	23	12	12	17	12	23	18		1	—	1	1	15
16	Bronchitis	...	9	8	24	16	5	8	20	9	17	10		2	2	—	2	16
17	Pneumonia (all forms)	..	19	16	19	9	14	8	12	10	16	26		1	—	—	1	17
18	Other respiratory diseases		—	—	12	5	1	4	4	6	8	3		—	—	—	—	18
19	Diarrhoea, &c. (under 2 yrs.)		10	8	17	25	3	1	10	6	19	7		—	—	—	—	19
20	Appendicitis and typhlitis		1	—	1	—	1	1	1	2	1	—		—	—	—	—	20
21	Cirrhosis of liver	...	—	1	1	—	2	—	2	—	1	—		—	—	—	—	21
21A	Alcoholism	...	—	—	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	Nephritis and Bright's dis.		4	1	8	12	2	1	7	3	9	9		—	1	2	1	22
23	Puerperal fever	...	—	1	—	3	—	1	—	1	—	2		—	—	—	—	23
24	Parturition, apart from 23		—	5	—	5	—	4	—	6	—	9		—	—	—	—	24
25	Congenital debility, &c.		14	9	25	26	6	8	24	18	28	26		—	—	—	—	25
26	Violence, apart from 27		15	3	33	6	9	1	20	2	21	4		—	—	—	—	26
27	Suicide	...	—	—	2	1	—	—	—	2	3	—		—	—	—	—	27
28	Other defined diseases	...	28	40	84	81	60	47	69	62	80	78		2	4	4	4	28
29	Causes ill-defined or un- known.		—	—	2	1	4	1	3	—	1	2		—	—	—	—	29

MERIONETHSHIRE—*cont.*

Causes of Death.	Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.		Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES ...	19	32	88	57	8	14	22	27	54	75	55	67	50	40	
1 Enteric fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria and croup ...	—	—	2	1	—	—	—	—	—	—	—	—	1	—	6
7 Influenza ...	—	—	—	—	—	—	—	1	1	—	—	1	—	—	7
8 Erysipelas ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Pulmonary tuberculosis	—	3	10	6	1	1	2	1	5	2	9	6	5	7	9
10 Tuberculous meningitis	—	—	—	2	—	1	—	—	1	1	—	1	1	—	10
11 Other tuberculous diseases	—	—	3	1	—	—	—	—	2	1	—	2	—	1	11
12 Cancer, malignant disease	5	2	10	5	1	3	—	2	2	5	7	6	6	7	12
13 Rheumatic fever...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Meningitis ...	—	—	—	1	1	—	—	1	1	1	3	2	—	—	14
15 Organic heart disease ...	4	5	2	3	1	3	4	8	8	11	7	8	4	4	15
16 Bronchitis ...	1	3	6	—	—	—	—	2	2	2	—	4	4	—	16
17 Pneumonia (all forms) ...	1	2	12	1	—	1	—	1	5	5	4	3	1	4	17
18 Other respiratory diseases	—	1	2	1	—	—	—	—	1	2	1	2	—	—	18
19 Diarrhoea, &c. (under 2 yrs.)	—	1	—	—	—	—	—	—	1	—	—	2	—	1	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	3	—	—	1	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	—	—	1	—	—	2	1	—	21
21A Alcoholism ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	1	—	5	3	—	—	—	—	2	3	6	4	3	1	22
23 Puerperal fever ...	—	—	—	—	—	—	—	—	—	4	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	4	—	—	—	—	—	—	—	1	—	—	24
25 Congenital debility, &c.	1	4	2	1	—	—	—	—	3	2	2	1	—	—	25
26 Violence, apart from 27	1	2	2	2	—	—	3	—	1	—	2	—	5	—	26
27 Suicide ...	1	—	—	—	—	1	—	—	—	—	—	1	1	—	27
28 Other defined diseases ...	4	9	32	25	4	4	12	11	16	33	14	21	17	15	28
29 Causes ill-defined or un- known.	—	—	—	1	—	—	1	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1913—continued.

MERIONETHSHIRE—cont.

MONTGOMERYSHIRE.

	Penllyn R.D.		Pennal C.P.*				Llanfyllin M.B.		Llanidloes M.B.		Machyn- lleth U.D.		Mont- gomery M.B.		Newtown and Llanllwch- aiarn U.D.		Welshpool M.B.				Forden R.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F			M	F	
1	35	35	4	2			20	17	16	24	10	15	10	7	36	39	50	54			43	46	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			1	—	3
4	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1	—			—	—	5
6	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1	—			—	—	6
7	—	—	—	—			—	—	—	—	—	—	2	—	1	—	2	1			2	1	7
8	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	—			—	—	8
9	1	2	—	—			4	2	2	3	—	1	—	—	—	3	4	4			5	4	9
10	1	—	—	—			—	—	1	—	1	1	—	—	1	—	1	—			—	1	10
11	—	—	1	—			—	—	—	—	1	—	—	—	—	1	1	1			—	—	11
12	5	7	1	1			4	2	—	1	2	—	—	—	5	3	4	7			2	1	12
13	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—			1	—	13
14	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			1	1	14
15	5	1	—	—			2	2	3	2	1	1	—	1	7	4	2	4			5	3	15
16	3	—	—	—			—	1	—	4	—	—	1	—	3	2	2	4			3	6	16
17	4	3	—	—			—	—	—	1	—	—	—	1	1	—	5	3			1	3	17
18	—	—	—	—			—	—	3	1	—	—	—	—	—	1	—	2			1	2	18
19	—	—	—	—			—	—	—	1	—	—	—	—	1	—	—	1			—	—	19
20	—	—	—	—			—	—	—	—	—	—	—	—	1	—	1	1			—	1	20
21	—	—	—	—			—	—	1	—	—	—	—	—	—	—	1	—			—	1	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—			—	—	21A
22	3	2	—	—			—	1	—	3	—	1	—	2	—	—	4	2			1	1	22
23	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1			—	—	23
24	—	1	—	—			—	1	—	—	—	—	—	—	—	—	—	—			—	1	24
25	1	3	—	1			1	2	1	1	—	—	1	—	2	1	2	3			—	5	25
26	3	—	—	—			1	—	1	—	—	1	—	—	1	—	3	—			2	1	26
27	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1			2	1	27
28	9	16	2	—			8	6	4	7	5	10	6	3	12	22	16	19			15	13	28
29	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			1	—	29

MONTGOMERYSHIRE—cont.

PEMBROKESHIRE.

	Llanfyllin R.D.		Machyn- lleth R.D.		Newtown and Llanidloes R.D.				Fishguard U.D.		Haverford- west M.B.		Milford Haven U.D.		Narberth U.D.		Neyland U.D.		Pembroke M.B.		Tenby M.B.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	93	85	27	31	87	63			10	19	33	59	55	37	7	10	17	28	130	129	29	25	1
2	—	—	—	—	1	—			—	—	—	1	—	1	—	—	1	—	—	—	—	—	2
3	—	—	—	—	—	—			—	—	—	—	1	—	—	—	2	4	—	—	2	1	3
4	—	—	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	3	—	—	4
5	2	—	—	—	—	—			—	—	2	1	2	—	—	—	—	2	1	—	—	—	5
6	—	—	—	—	—	—			—	—	—	—	3	2	—	—	1	—	—	—	—	—	6
7	2	2	2	1	—	—			—	—	—	1	1	—	—	—	—	—	—	—	3	1	7
8	1	—	—	—	—	—			—	—	—	1	—	—	—	—	—	—	—	1	1	—	8
9	5	8	2	—	6	8			1	5	3	1	7	3	1	1	2	5	9	10	3	1	9
10	—	1	—	—	1	1			—	1	—	—	2	—	—	—	—	—	—	2	—	—	10
11	—	2	1	2	1	3			1	—	1	—	—	1	—	—	1	—	3	4	1	—	11
12	6	7	4	6	3	6			2	2	2	6	1	1	—	—	1	3	10	10	2	2	12
13	—	1	—	—	1	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1			—	—	—	—	2	—	—	—	—	—	1	—	—	—	14
15	16	17	5	6	13	11			2	4	1	6	4	6	1	4	1	1	20	10	1	4	15
16	6	4	—	1	7	8			1	—	3	3	1	1	—	1	2	1	10	12	1	1	16
17	2	1	6	1	4	2			—	2	1	5	6	2	1	1	1	—	6	3	1	—	17
18	1	—	—	—	—	—			—	1	—	1	—	—	—	—	1	4	2	—	1	—	18
19	3	1	—	—	1	—			—	—	5	—	2	2	—	—	—	1	1	—	—	—	19
20	1	1	—	—	—	—			—	—	—	—	1	—	—	—	—	—	—	1	—	—	20
21	—	1	—	—	—	—			—	—	1	1	—	—	—	—	—	1	2	—	1	—	21
21A	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	2	1	6	3			—	1	—	—	2	3	—	1	1	—	5	8	1	—	22
23	—	—	—	—	—	—			—	—	—	—	—	2	—	—	—	—	—	2	—	—	23
24	—	1	—	—	—	1			—	—	—	1	—	1	—	—	—	—	—	2	—	—	24
25	6	5	1	1	9	1			—	—	2	2	4	1	—	—	2	—	8	7	—	—	25
26	3	—	—	—	4	1			1	—	2	—	—	—	—	—	1	—	9	—	4	—	26
27	2	—	—	—	1	—			—	—	—	—	—	—	—	—	—	1	—	—	—	—	27
28	35	32	4	10	29	17			2	3	9	29	10	11	4	2	4	10	40	47	7	13	28
29	—	—	—	1	—	—			—	—	1	—	2	—	—	—	—	—	1	—	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

CAUSES OF DEATH IN ADMINISTRATIVE AREAS, 1913—continued.

PEMBROKESHIRE—cont.

RADNORSHIRE.

Causes of Death.		Haverford- west R.D.		Llanfyr- nach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.		Knighton U.D.	
		M	F	M	F	M	F	M	F	M	F		
ALL CAUSES	...	146	165	20	18	97	83	58	55	62	74	13	21
1 Enteric fever	...	—	1	—	—	—	—	1	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	1	—	—	—	5	2	—	1	—	—	—	—
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	1	—	—	—	2	3	2	—	—	—	—	—
6 Diphtheria and croup	...	1	—	—	—	—	—	—	—	1	—	—	—
7 Influenza	...	—	—	—	—	1	2	2	—	—	—	1	—
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	11	11	3	1	6	2	2	2	4	7	—	—
10 Tuberculous meningitis	...	2	2	—	—	—	1	—	—	1	—	—	—
11 Other tuberculous diseases	...	2	4	1	1	2	2	1	1	—	1	—	—
12 Cancer, malignant disease	...	6	12	1	3	9	7	7	3	5	5	4	2
13 Rheumatic fever	...	—	—	—	—	—	2	—	1	—	—	—	—
14 Meningitis	...	1	1	—	1	1	—	—	—	—	—	—	—
15 Organic heart disease	...	22	26	1	1	13	17	4	8	13	11	—	2
16 Bronchitis	...	10	17	—	1	6	6	5	3	2	7	—	1
17 Pneumonia (all forms)	...	9	5	1	1	7	2	3	2	4	3	—	—
18 Other respiratory diseases	...	2	4	1	—	4	1	—	—	2	1	—	—
19 Diarrhoea, &c. (under 2 yrs.)	...	5	2	1	1	—	—	—	1	3	—	—	—
20 Appendicitis and typhlitis	...	1	—	—	—	—	1	—	—	—	1	—	—
21 Cirrhosis of liver	...	2	—	—	—	—	—	—	—	—	—	1	—
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	4	5	1	1	—	2	1	2	2	1	—	—
23 Puerperal fever	...	—	2	—	—	—	—	—	1	—	1	—	—
24 Parturition, apart from 23	...	—	4	—	—	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	...	10	11	3	—	3	2	4	3	1	6	2	3
26 Violence, apart from 27	...	7	2	—	—	4	1	4	3	3	—	1	—
27 Suicide	...	2	2	—	—	2	1	1	—	—	—	—	1
28 Other defined diseases	...	45	53	7	7	31	29	21	24	21	28	5	10
29 Causes ill-defined or un- known.	...	2	1	—	—	1	—	—	—	1	—	—	1

RADNORSHIRE—cont.

Causes of Death.		Llan- drindod Wells U.D.		Presteigne U.D.		Colwyn R.D.		Knighton R.D.		New Radnor R.D.		Paincastle R.D.		Rhayader R.D.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
ALL CAUSES	...	7	16	13	14	20	9	34	26	19	20	21	12	39	31
1 Enteric fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	...	—	—	—	—	1	1	—	1	—	—	—	—	—	—
6 Diphtheria and croup	...	1	—	—	—	—	—	—	—	—	—	1	—	—	—
7 Influenza	...	—	—	1	—	1	—	3	1	—	—	2	—	—	—
8 Erysipelas	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	...	1	1	1	3	1	1	—	4	—	2	2	—	2	—
10 Tuberculous meningitis	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—
11 Other tuberculous diseases	...	—	—	—	—	1	—	—	2	1	1	—	—	1	—
12 Cancer, malignant disease	...	1	1	3	2	—	1	6	2	1	1	4	1	3	—
13 Rheumatic fever	...	—	—	—	—	—	—	1	—	1	—	—	—	1	—
14 Meningitis	...	—	—	—	—	1	—	—	—	—	—	—	—	—	—
15 Organic heart disease	...	1	3	—	4	1	1	3	3	1	3	2	2	5	6
16 Bronchitis	...	—	1	—	—	—	—	2	3	1	1	—	—	5	2
17 Pneumonia (all forms)	...	—	1	1	—	—	1	1	—	—	1	—	2	—	—
18 Other respiratory diseases	...	—	—	—	—	—	—	1	—	—	—	1	—	1	—
19 Diarrhoea, &c. (under 2 yrs.)	...	—	—	—	—	1	—	—	1	1	—	—	—	—	1
20 Appendicitis and typhlitis	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver	...	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's dis.	...	—	—	—	—	—	1	2	—	1	—	—	—	2	—
23 Puerperal fever	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from 23	...	—	—	—	—	—	—	—	1	—	—	—	—	—	1
25 Congenital debility, &c.	...	1	1	2	—	1	—	4	2	3	1	2	1	2	—
26 Violence, apart from 27	...	1	—	—	2	2	—	2	—	1	1	2	—	1	2
27 Suicide	...	—	—	—	—	—	—	—	—	—	—	—	—	1	—
28 Other defined diseases	...	1	7	4	3	10	3	9	6	8	9	4	6	14	14
29 Causes ill-defined or un- known.	...	—	1	—	—	—	—	—	—	—	—	1	—	1	—

1913.

VIOLENT DEATHS.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Wagon, tram, &c.
Tub	129	5	20	15	12	12	8	13	13	12	11	3	4	1
Blasting	102	12	38	10	6	9	7	7	5	4	2	2
Blow	16	1	4	2	1	1	4	...	1	1	1
Explosion of fire-damp	15	1	1	1	3	3	1	...	1	1	2
Explosion (not otherwise described)	6	1	1	1	2	2	...	2	1
Choke-damp	12	1	1	2	2	3	1	...	1
Carbon monoxide	8	2	1	1	2
Drowning	6	4	3	3	3	...	1
Electric shock	14	1	...	4	1	2	1	1	1
Otherwise (or not stated how)*	10	1	9	4	1	2	1	...	4	4	2	1	2
48	1	...	6	7	6	1	5
(b) Other Mines.
Fall of stone, wood, &c., on	19	1	4	2	...	2	1	1	4	2	2
Otherwise (or not stated how)†	22	3	...	5	2	2	3	3	3	1
(c) Quarries, Excavations.
Fall of stone, slate, &c.	47	2	1	6	5	7	4	3	6	6	3	3	...	1
By falling	10	1	...	2	2	1	3	1
Otherwise‡	17	1	...	2	2	1	1	4	3	1	1
VEHICLES AND HORSES.
(a) On Railways.
Run over on line	526	3	4	4	...	8	21	59	54	53	36	58	41	47	42	36	29	16	11	5	2	1
Collision	18	1	1	1	...	3	2	1	3	2	3	1	1
Machinery	7	1	1	1	1	...	1	...	1
Fall from carriage or engine	59	1	2	2	...	3	3	3	5	2	1	5	5	6	7	5	5	3	2
Fall (not otherwise described)	7	1	2	...	1	1
Crushing by carriage or engine	123	2	6	20	14	16	8	12	10	8	12	5	2	4	2
Fall of heavy substance on	7	4	...	1	...	1
Striking against bridge	7	1	1	...	3	...	2
Otherwise (or not stated how)§	17	1	1	2	1	2	1	3	1	1	1	...	1	1	1
(b) Other Vehicles Mechanically Propelled.
Electric tramcar	25	1	2	2	2	...	3	1	1	3	1	1	3	1	1	...	1	1	1
Motor car	323	6	10	10	22	79	28	13	11	14	14	11	13	16	11	19	17	11	11	6	7	4
Motor cab	43	1	1	1	1	5	2	2	2	...	2	3	4	2	5	2	5	2	2	1	1	...
Motor omnibus	175	1	4	4	6	32	19	20	8	11	12	10	6	11	9	3	8	7	2	4	1	1

* Of the 48 deaths under this heading 1 was due to rope breaking, 2 to horses, 1 to scalds, 1 to carbon dioxide, and 3 to other fumes.

+ Of the 22 deaths under this heading 4 were due to fall in shaft, 4 to fall (not otherwise described), 4 to machinery, 1 to wagon, 1 to crushing, 1 to explosion, 1 to drowning, and 1 to inhaling impure [air.

† Of the 17 deaths under this heading 1 was due to burns, 1 to crushing, 4 to blasting, 4 to wagon, and 2 to machinery.

§ Of the 17 deaths under this heading 2 were due to carriage off rail, and 1 to electric shock.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1913.—MALES—continued.

No.	Cause or Character of Accident.	Ages at Death.																	85 years upwards.									
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—		45—	50—	55—	60—	65—	70—	75—	80—	
				1—	3—	6—																						
2	VEHICLES AND HORSES—continued. (b) Other Vehicles Mechanically Propelled—continued.																											
	Motor van, &c. ...	107	—	—	—	—	—	2	4	16	16	13	4	5	10	8	7	3	8	1	3	3	2	1	1	1	—	—
	Motor cycle ...	90	—	—	—	—	—	—	—	2	1	6	11	22	7	9	9	8	4	3	4	3	—	—	—	—	—	—
	Steam wagon, &c. ...	11	—	—	—	—	—	—	—	1	4	1	—	—	1	1	1	2	—	—	—	1	1	—	—	—	—	—
	Traction engine ...	41	—	—	—	—	—	—	3	3	1	—	—	8	6	7	1	1	3	—	—	—	—	—	—	—	—	—
	Aeroplane ...	12	—	—	—	—	—	—	—	—	—	—	5	2	2	—	—	2	1	—	—	—	—	—	—	—	—	—
	Motor vehicle (other or undefined)	16	—	—	—	—	—	—	—	4	1	—	—	1	1	1	1	—	2	—	3	—	—	—	—	—	—	—
	(c) Horse-drawn Vehicles and Horses.																											
	Dogcart, trap... ..	47	—	—	—	—	1	1	1	2	1	1	2	3	4	2	4	4	1	4	1	7	3	5	4	—	—	—
	Cab	7	—	—	—	—	3	4	1	1	6	5	5	3	5	11	—	2	1	1	12	—	3	—	—	—	—	—
	Van, wagon	103	—	—	—	—	—	—	2	13	1	—	—	—	—	—	—	8	2	7	7	7	7	1	4	1	—	—
	Dray	9	—	—	—	—	7	13	5	6	1	13	4	11	14	2	1	1	2	2	2	1	13	—	3	2	1	—
	Cart	226	—	—	—	—	—	—	—	12	11	1	—	—	14	14	14	16	17	17	11	19	15	—	1	—	—	—
	Other or undefined	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	7	—	4	2	1	—	—	—
	Horses... ..	71	—	—	—	—	—	—	2	1	4	3	6	10	6	3	7	6	1	1	7	7	4	2	1	—	—	—
	(d) Other and Undefined Vehicles.																											
	Wagonette	14	—	—	—	—	—	—	—	1	1	1	1	—	2	—	—	1	2	2	1	1	1	—	—	—	—	—
	Carriage	8	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Omnibus	6	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—
	Tramcar	66	—	—	—	—	—	1	1	7	2	1	1	4	5	3	4	4	1	1	6	3	2	7	3	1	1	2
	Cab	15	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	1	—	5	5	1	—	—	—	—	—	2
	Van, wagon	184	—	—	—	—	5	7	1	26	14	9	3	9	14	14	14	12	8	12	11	9	7	4	—	—	—	—
	Dray	20	—	—	—	—	—	—	2	5	10	32	28	18	25	2	2	2	2	2	1	2	1	9	8	—	—	—
	Bicycle, tricycle	201	—	—	—	—	—	—	1	3	—	—	—	—	—	15	15	8	9	6	9	5	—	—	—	—	—	—
	Perambulator	8	—	—	—	—	1	—	2	9	5	2	3	4	4	3	3	1	—	—	5	—	—	—	—	—	—	—
	Other	47	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SHIPS, BOATS, DOCKS, &C.																											
	Fall of heavy substance on	34	—	—	—	—	—	—	—	—	1	4	2	1	6	3	3	4	3	3	4	3	—	—	—	—	—	—
	Crushing	21	—	—	—	—	—	—	—	—	—	3	2	2	2	1	1	3	1	1	4	1	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(26)
3																												

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Blow ...	6	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	1	—	1	—	—	—	—	—	—	—
Fall from rigging	7	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	2	1	—	—	—	—	—	—	—	—
Fall into hold	82	—	—	—	—	—	—	—	—	—	—	4	8	6	8	15	10	11	5	4	4	3	4	—	—	—
Fall into dock	36	—	—	—	—	—	—	—	—	1	1	2	2	2	7	3	3	3	4	4	7	1	—	—	—	—
Fall (not otherwise described)	56	—	—	—	—	—	—	—	—	—	2	4	6	4	8	3	3	4	7	7	3	2	—	—	—	—
Machinery	33	—	—	—	—	—	—	—	—	—	—	3	6	4	4	5	3	1	1	1	3	1	—	—	—	—
Burns, scalds	21	—	—	—	—	—	—	—	—	—	—	2	3	2	3	5	1	2	1	1	—	—	—	—	—	—
Otherwise*	29	—	—	—	—	—	—	—	—	—	—	1	—	2	5	5	5	3	3	4	1	—	—	—	—	—
BUILDING OPERATIONS.																										
Fall of material	21	—	—	—	—	—	—	—	—	—	—	1	—	—	6	—	6	1	1	1	3	1	—	—	—	—
Fall from roof, scaffold, ladder	192	—	—	—	—	—	—	—	—	—	—	6	7	22	15	23	24	24	21	29	13	7	—	—	—	—
Machinery	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—
Otherwise	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
MACHINERY.																										
In metal works	50	—	—	—	—	—	—	—	—	—	3	6	8	6	7	2	5	3	4	3	2	1	—	—	—	—
In textile factories	11	—	—	—	—	—	—	—	—	—	—	4	1	3	—	1	1	1	—	—	—	—	—	—	—	—
Electrical machinery	9	—	—	—	—	—	—	—	—	—	1	2	1	—	1	—	2	2	—	—	—	—	—	—	—	—
In other factories	19	—	—	—	—	—	—	—	—	—	—	4	1	—	4	—	2	5	2	—	—	—	—	—	—	—
Agricultural machinery	33	—	—	—	—	—	—	—	—	—	3	6	2	3	2	1	5	—	2	4	1	4	—	—	—	—
Lift	30	—	—	—	—	—	—	—	—	—	7	5	2	5	1	2	6	2	1	—	—	—	—	—	—	—
Other machinery†	98	—	—	—	—	—	—	2	1	—	3	11	14	10	5	16	7	11	6	7	1	3	1	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gunshot wound	99	—	—	1	—	—	—	—	—	3	6	22	16	5	9	2	9	9	5	4	3	3	2	—	—	—
Cut, stab	29	—	—	—	—	—	3	—	—	1	1	3	1	5	1	2	—	2	2	1	—	—	—	—	—	—
CONFLAGRATIONS, BURNS, SCALDS, EXPLOSIONS.																										
(Not in Mines, Ships, &c.)																										
Conflagration...	27	—	—	—	1	3	2	1	1	2	—	—	1	1	2	—	2	2	2	—	2	—	2	2	1	—
Burn, Corrosion—																										
By lamp accident	8	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	1	—	—	—	1	—	—	—	1
By molten metal	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
By flannelette clothes	37	—	—	—	1	4	13	7	8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By clothes (not otherwise described)	140	1	—	—	7	21	32	20	17	16	2	3	3	—	1	—	—	2	—	3	—	2	1	3	2	3
Otherwise (or not stated how)‡	307	—	3	5	10	34	52	38	23	30	8	5	5	5	2	6	6	15	7	6	5	6	11	12	8	5

* Of the 29 deaths under this heading 2 were due to suffocation (1 by fall into grain and 1 by fall in coal bunker), 3 to explosion on submarine, 1 to bursting of steam receiver, 2 to carbon dioxide, and 1 to fumes of oil lamp.
† Of the 98 deaths under this heading 4 were due to explosion of steam boiler.
‡ Of the 307 deaths under this heading 4 were due to burns by acids (kind not stated), 3 by furnace gas, 3 by petrol, 2 by lime, and 2 by celluloid collar.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE in the YEAR 1913.—MALES—continued.

No.	Cause or Character of Accident.	All Ages.	Under 1 Month.	Months.						Ages at Death.												85 and upwards.										
				1—			6—			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—		45—	50—	55—	60—	65—	70—	75—	80—		
				1—	3—	6—																										
7	CONFLAGRATIONS, &C.— <i>continued.</i>																															
	Scald—																															
	By steam ...	6	—	—	—	—	—	—	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	By drinking hot liquids	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Otherwise (<i>or not stated how</i>)*	363	—	—	23	—	—	—	4	1	—	2	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Explosion—																															
	Of nitro-glycerine	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Of starch dust ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Of boiler ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Otherwise (<i>or undefined</i>)†	22	—	—	—	—	—	—	1	1	5	2	2	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	POISONS AND POISONOUS VAPOURS.																															
	Food poisoning	12	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ptomaine poisoning...	30	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ammonia ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Hydrochloric acid	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbolic acid ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Opium, morphia, laudanum	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Veronal	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sting of insect	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbon dioxide	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbon monoxide	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Coal gas	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gas fumes (<i>others or kind not stated</i>)†	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Others (<i>or kind not stated</i>)§	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	DROWNING.																															
	Bathing	152	—	—	—	14	36	37	20	17	8	7	4	5	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Shipwreck	29	—	—	—	1	7	6	3	2	1	6	3	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Boat upset, fall overboard	131	—	—	—	2	26	15	15	27	8	13	9	7	5	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collision	18	—	—	—	—	1	4	3	2	1	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (<i>or not stated how</i>)	760	—	—	—	—	75	23	39	27	33	34	33	24	23	23	22	23	10	7	6	—	—	—	—	—	—	—	—	—	—	—
	“Found” (open verdict)	909	—	—	—	20	12	23	46	70	83	85	93	101	101	70	61	64	34	17	4	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
SUFFOCATION.																											
In bed...	596	176	232	130	42	6	—	—	—	1	—	—	1	1	1	—	2	—	2	—	1	—	1	—	—	—	
In cot, cradle	11	1	3	4	2	1	—	—	—	5	2	—	—	2	1	4	5	4	2	6	4	11	3	3	—	—	
Food, or other foreign body	92	4	6	10	7	9	1	—	—	2	1	—	2	3	—	1	—	—	1	—	—	1	—	—	—	—	
Smothered by heavy substance	13	—	—	—	—	—	—	—	—	2	—	—	3	2	1	4	3	2	3	2	—	—	—	—	—	—	
Otherwise (or not stated)†	60	19	9	2	5	1	—	—	—	—	—	—	2	2	1	4	3	2	3	2	—	—	1	—	—	1	
FALLS.																											
Diving	5	—	—	—	—	—	—	—	—	—	—	2	—	—	3	5	6	5	—	—	—	—	—	—	—	—	
From window	69	—	—	—	—	1	1	—	2	1	1	1	3	8	7	17	27	21	34	50	42	33	41	39	2	2	
Down stairs	380	—	—	1	—	7	4	—	3	5	1	1	4	5	10	3	—	4	2	3	4	8	16	14	6	18	
In room	93	—	—	—	6	2	4	—	—	1	1	1	—	2	1	3	—	1	2	2	1	—	1	—	—	15	
Down lift well	14	—	—	—	—	—	8	—	—	—	2	1	—	1	1	1	39	79	57	51	64	68	88	82	—	62	
Otherwise (or not stated)**	978	—	2	1	5	13	—	11	10	46	31	24	29	32	40	61	—	—	—	—	—	—	—	—	—	—	
WEATHER AGENCIES.																											
Lightning	9	—	—	—	—	—	—	1	—	—	1	—	1	1	—	2	1	—	1	—	—	—	—	—	—	—	
Sunstroke	94	2	—	—	1	2	5	3	6	6	4	2	5	5	6	8	3	8	2	5	9	3	3	2	1	1	
Gelatio and exposure to cold	69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
OTHERWISE, OR NOT STATED.																											
Swallowing foreign body	25	—	—	1	2	4	2	2	—	—	10	11	12	2	2	18	1	2	3	1	—	—	1	—	—	—	
Fall of heavy substance on...	166	—	—	—	—	—	5	3	1	14	7	9	3	6	4	2	15	13	9	15	10	7	1	—	—	—	
Blow	77	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	4	4	3	6	5	1	—	—	—	
Fighting, wrestling, &c.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	6	5	4	3	3	—	—	—	—	—	
Fracture	44	2	—	—	—	—	—	—	—	—	1	2	2	3	—	—	2	2	—	—	—	—	—	—	—	—	
Injury by bull or cow	13	—	—	—	—	—	—	—	—	6	6	7	4	8	—	—	6	—	—	—	—	—	—	—	—	—	
Injury by horse other than in sec. 2 (c)	77	—	—	—	—	—	2	1	1	1	2	3	5	2	1	—	—	—	—	—	—	—	—	—	—	—	
Football	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Strain	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Electric shock	22	—	—	—	—	—	—	—	—	2	2	3	2	3	5	3	—	—	—	—	—	—	—	—	—	—	
Cricket ball	8	—	—	—	—	1	—	—	—	—	2	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
Other wounds (not by Weap. or Imple.)...	4	—	—	—	—	—	—	—	—	—	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Strangulation...	16	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Starvation	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Accident (not otherwise described)††	52	2	1	1	2	1	—	1	1	2	1	1	2	3	2	6	3	6	3	3	3	3	2	2	—	1	
Violence (cause or kind not stated)	55	—	—	—	—	—	—	—	—	5	1	4	3	2	1	6	3	1	8	3	6	7	3	—	—	—	
EXECUTION																											
	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* Of the 363 deaths under this heading 3 were due to scalds by boiling fat.

+ Of the 22 deaths under this heading 2 were due to explosion of gelignite, 2 to acetylene gas, 1 to petrol, 1 to paraffin, 2 to gunpowder, 1 to gas (kind not stated), and 1 to bursting of ammonia still.

+ Of the 24 deaths under this heading 4 were due to sewer gas, 1 to benzole, 1 to chloroform, 1 to American potash, 1 to sulphuric acid,

+ Of the 77 deaths under this heading 2 were due to muskels, 2 to crabs, 1 to oysters, 3 to fish poisoning, 2 to mushrooms, 1 to fungus, 2 to arsenic, 1 to caustic soda, 1 to chlorodyne,

2 to nitric acid, 1 to potassium cyanide, 2 to potassium bichromate, 2 to perchloride of mercury, 1 to saltpetre, 3 to oxalic acid, 3 to prussic acid, 1 to alcohol, 2 to chlorodyne,

1 to chloroform, 2 to morphia and veronal, 1 to antipyrine, 4 to belladonna, 2 to belladonna liniment, 2 to belladonna and aconite liniment, 4 to liniment (kind not stated), 2 to strychnine, 1 to nux vomica

and arsenic, 1 to paraffin, 3 to poisonous berries, 1 to weed killer, 3 to lysol, 1 to Jeyes' fluid, 1 to Puritas disinfectant, and 1 to snake bite.

+ Of the 760 deaths under this heading 3 were due to sliding and skating.

+ Of the 60 deaths under this heading 3 were by falling into soft material, 2 at breast, 1 while being carried, 1 by a cat, and 1 during diving operation.

+ Of the 978 deaths under this heading are 46 cases due to fracture of leg, all of persons over 65 years of age.

+ Of the 52 deaths under this heading 1 was due to injuries by animals (other than those stated), 2 to neglect, and 1 to battle.

+ Of the 52 deaths under this heading 1 was due to injuries by animals (other than those stated), 2 to neglect, and 1 to battle.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1913.—FEMALES.

(Note.—Deaths in cases where "Open Verdicts" are recorded at inquests, are included under "Accidents".)

No.	Cause or Character of Accident.	Ages at Death.																																																																																																																																																																																																																																																																																																	
		All Ages.	Under 1 month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.																																																																																																																																																																																																																																																																								
				1—	3—	6—																																																																																																																																																																																																																																																																																													
	TOTAL ...	4,787	204	283	150	106	219	225	175	159	413	156	110	94	82	95	126	133	179	178	153	197	207	325	302	265	251																																																																																																																																																																																																																																																																								
2	VEHICLES AND HORSES :— (a) Railways ... (b) Other vehicles mechanically propelled.	65 273	—	—	—	—	3	7	—	1	7 65	3 24	10 8	3 15	3 15	5 4	5 9	10 8	3 16	5 14	3 13	4 9	— 14	2 20	1 9	1 2	— 4																																																																																																																																																																																																																																																																								
3	(c) Horse-drawn vehicles and horses ... (d) Other and undefined vehicles ... SHIPS, BOATS, DOCKS, &c. (excluding drowning).	113 117 3	—	—	—	—	18 11 1	14 4 1	6 7 —	7 6 —	14 12 —	3 7 —	3 3 —	2 8 —	3 1 —	2 1 —	2 1 1	2 4 —	3 7 —	7 12 —	4 4 —	8 2 —	3 11 —	6 4 —	2 1 —	2 —																																																																																																																																																																																																																																																																									
5	MACHINERY ...	8	—	—	—	—	—	—	—	1	2	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																								
6	WEAPONS AND IMPLEMENTS ...	17	—	—	—	—	—	—	—	—	3	1	1	2	1	3	2	2	22	27	27	21	25	41	59	34	29	20																																																																																																																																																																																																																																																																							
7	BURNS, SCALDS, EXPLOSIONS ...	1,260	—	5	7	36	127	142	120	114	206	67	39	20	21	28	23	22	22	15	9	14	11	7	5	4	1	1																																																																																																																																																																																																																																																																							
8	POISONS AND POISONOUS VAPOURS ...	182	1	2	1	1	3	10	4	2	15	9	4	10	8	6	20	12	15	21	28	21	18	10	—	3	1																																																																																																																																																																																																																																																																								
9	DROWNING ...	421	7	1	1	7	20	29	15	11	34	16	28	26	24	13	30	25	32	21	28	21	18	10	—	3	1																																																																																																																																																																																																																																																																								
10	SUFFOCATION ...	681	191	270	132	36	6	—	2	—	2	1	1	—	3	1	—	1	3	5	5	5	5	5	6	—	1	1																																																																																																																																																																																																																																																																							
11	FALLS ...	1,432	—	1	3	9	15	7	6	4	30	7	4	3	10	21	23	37	60	68	57	104	102	197	228	216	220																																																																																																																																																																																																																																																																								
12	WEATHER AGENCIES ...	64	1	—	1	2	3	5	1	1	6	9	2	1	—	1	4	3	6	2	2	1	4	4	2	2	1	1																																																																																																																																																																																																																																																																							
13	OTHERWISE, OR NOT STATED ...	151	4	4	2	13	12	5	6	3	17	9	4	4	2	5	2	7	6	10	5	6	8	7	5	—	1																																																																																																																																																																																																																																																																								
2	VEHICLES AND HORSES. (a) On Railways. Run over on line ... Collision ... Fall from carriage or engine ... Otherwise (or not stated how)* ... (b) Other Vehicles Mechanically Propelled. Electric tramcar ... Motor car ... Motor cab ...	38 17 7 3 16 132 30	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	— — — — — — —	1 — — — 1 6 1	3 2 2 — 2 37 3	2 — — 1 2 9 3	4 4 1 1 — 4 —	1 1 1 1 — 7 1	2 2 1 — — — —	3 2 2 — — 5 1	8 2 2 — — 6 2	2 — 1 — — 9 3	2 2 1 — — 5 3	4 — — — — 2 4	— — — — — 7 —	2 — — — — — —	1 — — — — 4 —	1 — — — — 6 4	1 — — — — 1 —	— — — — — 1 —	— — — — — 2 —	— — — — — 6 —	— — — — — 7 —	— — — — — 8 —	— — — — — 1 —	— — — — — 2 —	— — — — — 3 —	— — — — — 4 —	— — — — — 5 —	— — — — — 6 —	— — — — — 7 —	— — — — — 8 —	— — — — — 9 —	— — — — — 10 —	— — — — — 11 —	— — — — — 12 —	— — — — — 13 —	— — — — — 14 —	— — — — — 15 —	— — — — — 16 —	— — — — — 17 —	— — — — — 18 —	— — — — — 19 —	— — — — — 20 —	— — — — — 21 —	— — — — — 22 —	— — — — — 23 —	— — — — — 24 —	— — — — — 25 —	— — — — — 26 —	— — — — — 27 —	— — — — — 28 —	— — — — — 29 —	— — — — — 30 —	— — — — — 31 —	— — — — — 32 —	— — — — — 33 —	— — — — — 34 —	— — — — — 35 —	— — — — — 36 —	— — — — — 37 —	— — — — — 38 —	— — — — — 39 —	— — — — — 40 —	— — — — — 41 —	— — — — — 42 —	— — — — — 43 —	— — — — — 44 —	— — — — — 45 —	— — — — — 46 —	— — — — — 47 —	— — — — — 48 —	— — — — — 49 —	— — — — — 50 —	— — — — — 51 —	— — — — — 52 —	— — — — — 53 —	— — — — — 54 —	— — — — — 55 —	— — — — — 56 —	— — — — — 57 —	— — — — — 58 —	— — — — — 59 —	— — — — — 60 —	— — — — — 61 —	— — — — — 62 —	— — — — — 63 —	— — — — — 64 —	— — — — — 65 —	— — — — — 66 —	— — — — — 67 —	— — — — — 68 —	— — — — — 69 —	— — — — — 70 —	— — — — — 71 —	— — — — — 72 —	— — — — — 73 —	— — — — — 74 —	— — — — — 75 —	— — — — — 76 —	— — — — — 77 —	— — — — — 78 —	— — — — — 79 —	— — — — — 80 —	— — — — — 81 —	— — — — — 82 —	— — — — — 83 —	— — — — — 84 —	— — — — — 85 —	— — — — — 86 —	— — — — — 87 —	— — — — — 88 —	— — — — — 89 —	— — — — — 90 —	— — — — — 91 —	— — — — — 92 —	— — — — — 93 —	— — — — — 94 —	— — — — — 95 —	— — — — — 96 —	— — — — — 97 —	— — — — — 98 —	— — — — — 99 —	— — — — — 100 —	— — — — — 101 —	— — — — — 102 —	— — — — — 103 —	— — — — — 104 —	— — — — — 105 —	— — — — — 106 —	— — — — — 107 —	— — — — — 108 —	— — — — — 109 —	— — — — — 110 —	— — — — — 111 —	— — — — — 112 —	— — — — — 113 —	— — — — — 114 —	— — — — — 115 —	— — — — — 116 —	— — — — — 117 —	— — — — — 118 —	— — — — — 119 —	— — — — — 120 —	— — — — — 121 —	— — — — — 122 —	— — — — — 123 —	— — — — — 124 —	— — — — — 125 —	— — — — — 126 —	— — — — — 127 —	— — — — — 128 —	— — — — — 129 —	— — — — — 130 —	— — — — — 131 —	— — — — — 132 —	— — — — — 133 —	— — — — — 134 —	— — — — — 135 —	— — — — — 136 —	— — — — — 137 —	— — — — — 138 —	— — — — — 139 —	— — — — — 140 —	— — — — — 141 —	— — — — — 142 —	— — — — — 143 —	— — — — — 144 —	— — — — — 145 —	— — — — — 146 —	— — — — — 147 —	— — — — — 148 —	— — — — — 149 —	— — — — — 150 —	— — — — — 151 —	— — — — — 152 —	— — — — — 153 —	— — — — — 154 —	— — — — — 155 —	— — — — — 156 —	— — — — — 157 —	— — — — — 158 —	— — — — — 159 —	— — — — — 160 —	— — — — — 161 —	— — — — — 162 —	— — — — — 163 —	— — — — — 164 —	— — — — — 165 —	— — — — — 166 —	— — — — — 167 —	— — — — — 168 —	— — — — — 169 —	— — — — — 170 —	— — — — — 171 —	— — — — — 172 —	— — — — — 173 —	— — — — — 174 —	— — — — — 175 —	— — — — — 176 —	— — — — — 177 —	— — — — — 178 —	— — — — — 179 —	— — — — — 180 —	— — — — — 181 —	— — — — — 182 —	— — — — — 183 —	— — — — — 184 —	— — — — — 185 —	— — — — — 186 —	— — — — — 187 —	— — — — — 188 —	— — — — — 189 —	— — — — — 190 —	— — — — — 191 —	— — — — — 192 —	— — — — — 193 —	— — — — — 194 —	— — — — — 195 —	— — — — — 196 —	— — — — — 197 —	— — — — — 198 —	— — — — — 199 —	— — — — — 200 —	— — — — — 201 —	— — — — — 202 —	— — — — — 203 —	— — — — — 204 —	— — — — — 205 —	— — — — — 206 —	— — — — — 207 —	— — — — — 208 —	— — — — — 209 —	— — — — — 210 —	— — — — — 211 —	— — — — — 212 —	— — — — — 213 —	— — — — — 214 —	— — — — — 215 —	— — — — — 216 —	— — — — — 217 —	— — — — — 218 —	— — — — — 219 —	— — — — — 220 —	— — — — — 221 —	— — — — — 222 —	— — — — — 223 —	— — — — — 224 —	— — — — — 225 —	— — — — — 226 —	— — — — — 227 —	— — — — — 228 —	— — — — — 229 —	— — — — — 230 —	— — — — — 231 —	— — — — — 232 —	— — — — — 233 —	— — — — — 234 —	— — — — — 235 —	— — — — — 236 —	— — — — — 237 —	— — — — — 238 —	— — — — — 239 —	— — — — — 240 —	— — — — — 241 —	— — — — — 242 —	— — — — — 243 —	— — — — — 244 —	— — — — — 245 —	— — — — — 246 —	— — — — — 247 —	— — — — — 248 —	— — — — — 249 —	— — — — — 250 —	— — — — — 251 —	— — — — — 252 —	— — — — — 253 —	— — — — — 254 —	— — — — — 255 —	— — — — — 256 —	— — — — — 257 —	— — — — — 258 —	— — — — — 259 —	— — — — — 260 —

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
Motor omnibus	45	—	—	—	—	1	1	2	1	9	5	2	3	2	2	—	2	3	—	1	1	—	5	2	—	3
Motor van, &c.	25	—	—	—	—	—	—	1	—	9	1	—	2	—	1	—	1	1	—	3	—	2	2	—	—	—
Motor cycle	11	—	—	—	—	—	—	—	—	1	—	2	2	2	—	—	—	1	—	1	1	—	1	—	—	—
Traction engine	6	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Motor vehicle (<i>other, or undefined</i>)†	8	—	—	—	—	2	—	—	—	4	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
(c) Horse drawn Vehicles and Horses.																										
Dogcart, trap	19	—	—	—	—	2	—	—	—	1	—	—	—	2	2	1	1	1	1	1	2	1	1	1	1	1
Van, wagon	26	—	—	—	—	4	2	1	1	3	1	—	—	—	—	—	—	—	4	1	4	1	—	1	—	1
Dray	7	—	—	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cart	46	—	—	—	—	8	10	3	6	8	1	2	—	—	—	—	—	1	1	2	2	1	1	1	—	—
Other (<i>or undefined</i>)‡	7	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—	—	1	1	—	—	1	—	—	—	—
Horses	8	—	—	—	—	1	—	—	—	—	1	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
(d) Other and Undefined Vehicles.																										
Tramcar	30	—	—	—	—	1	—	4	1	—	—	1	2	—	—	—	2	1	8	1	—	3	3	2	—	—
Van, wagon	18	—	—	—	—	3	3	1	2	4	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
Dray	17	—	—	—	—	4	1	1	2	6	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—
Bicycle, tricycle	39	—	—	—	—	—	—	—	1	1	3	2	6	1	1	1	1	5	4	2	1	2	6	2	—	—
Perambulator	9	—	—	2	2	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other§	4	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
SHIPS, BOATS, DOCKS, &C.																										
By scalds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By fall into dock	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
MACHINERY.																										
Other machinery	8	—	—	—	—	—	—	—	1	2	—	3	—	—	—	—	1	—	—	—	—	1	—	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gun-shot wound	14	—	—	—	—	—	—	—	—	3	—	1	2	1	3	2	—	1	—	—	—	1	—	—	—	—
Cut, stab	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

* Of the 3 deaths under this heading 2 were due to crushing by carriage or engine.

† Of the 8 deaths under this heading 3 were caused by motor wagonette and 3 by steam wagon.

‡ Of the 7 deaths under this heading 3 were caused by carriage and 3 by cab.

§ Of the 4 deaths under this heading 1 was caused by omnibus, 1 by wagonette, and 1 by barrow.

|| Of the 8 deaths under this heading 1 was in textile factory, 1 by agricultural machinery, and 2 by lift.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS of LIFE, in the YEAR 1913.—FEMALES—continued.

No.	Cause or Character of Accident.	Ages at Death.																All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		1—	3—	6—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
7	CONFLAGRATIONS, BURNS, &C.	28	—	—	3	—	2	—	5	1	—	1	2	1	—	—	—	—	—	—	2	1	4	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
SUFFOCATION.																										
In bed	566	171	253	111	26	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
In cot, cradle... ..	7	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Food, or other foreign body	57	2	5	14	7	4	—	1	—	2	1	—	—	2	1	—	1	2	2	2	4	2	3	1	—	1
Otherwise (or not stated how)**	51	47	10	5	1	—	—	1	—	—	—	1	—	1	—	—	—	1	3	1	1	3	2	4	—	—
FALLS.																										
From window	43	—	—	—	—	4	—	—	—	2	1	1	—	2	2	1	7	6	3	3	2	—	4	2	2	1
Down stairs	427	—	—	—	—	1	1	—	—	4	1	2	—	3	6	14	14	31	37	25	47	41	65	61	45	27
In room	201	—	—	—	5	3	1	1	—	1	—	—	1	—	1	1	1	5	4	5	9	12	30	31	38	51
Otherwise (or not stated)††	761	—	1	2	4	7	5	5	3	23	5	1	1	5	12	7	15	18	24	24	46	49	98	134	131	141
WEATHER AGENCIES.																										
Lightning	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Sunstroke	52	1	—	—	—	3	5	1	1	6	8	2	—	—	1	3	2	5	—	2	—	1	3	1	2	1
Gelatio and exposure to cold	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	—	1	2	1	1	—	—
OTHERWISE, OR NOT STATED.																										
Swallowing foreign body	27	—	—	—	3	3	—	1	1	3	3	1	2	1	—	—	1	1	1	1	3	—	1	—	1	—
Fall of heavy substance on	17	—	—	—	—	—	2	—	2	5	3	—	—	—	—	—	—	—	2	—	—	1	2	—	—	—
Blow	23	1	1	—	2	2	1	1	—	5	2	1	1	—	1	1	—	1	1	—	—	—	—	1	—	1
Fracture	21	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3	2	—	—	3	4	—	—
Injury by horse other than in Sec. 2 (c) ...	4	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	5	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strangulation	14	3	—	—	5	3	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accident (not otherwise described)††	18	—	1	—	1	3	1	1	—	1	—	1	—	—	—	1	2	1	2	—	—	1	—	1	1	—
Violence (cause or kind not stated)	16	—	—	1	—	1	—	1	—	2	—	—	1	—	2	—	2	1	1	—	—	1	1	—	2	—

* Of the 496 deaths under this heading 1 was due to carbolic acid, 1 to petrol, 1 to paraffin, 1 to vitriol, 1 to methylated spirit, 1 to naphthaline, and 1 to beeswax and turpentine.

† Of the 236 deaths under this heading 4 were due to drinking hot liquids.

†† Of the 5 deaths under this heading 1 was caused by gelignite, 1 by fulminate of mercury, 1 by bitumen gas, 1 by benzene, and 1 by cartridge.

§ Of the 9 deaths under this heading 1 was due to carbon dioxide, 2 to carbon monoxide, and 1 to sewer gas.

|| Of the 67 deaths under this heading 1 was due to mushrooms, 1 to mussels, 1 to shell fish (*kind not stated*), 1 to arsenic, 1 to lead, 3 to ammonia, 1 to white precipitate, 1 to caustic soda, 1 to prussic acid, 2 to sulphuric acid, 4 to hydrochloric acid, 1 to perchloric acid, 1 to zinc chloride, 2 to chloral, 3 to chloroform, 1 to alcohol and laudanum, 1 to aniseed and laudanum, 1 to trional, 2 to aconite, 1 to aconite and belladonna, 4 to belladonna, 3 to nareotic (*kind not stated*), 4 to strychnine, 3 to cyanide of potassium, 2 to lysol, 1 to Jeyes fluid, 1 to disinfectant (*kind not stated*), 1 to whisky, 1 to liquor epispasticus, 1 to iodine, 1 to camphorated oil, 2 to liniment (*kind not stated*), 1 to paraffin, 1 to nitro-benzene, 1 to bisulphate of quinine, 1 to yew leaves, 1 to laburnum seeds, and 1 to overdose of epsom salts.

¶ Of the 187 deaths under this heading 2 were due to bathing.

** Of the 51 deaths under this heading 2 were caused by being smothered by heavy substance, 1 at breast, and 1 by a cat.

††† Of the 761 deaths under this heading 2 were due to falling down lift well and 118, of persons over 65 years of age, were due to fracture of leg.

†††† Of the 18 deaths under this heading 1 was due to injury by dog, 1 to strain, 1 to needle in hand, and 2 to other wounds.

ENGLAND AND WALES.—DEATHS FROM SUICIDE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1913.—MALES.

No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL ...	2,596	—	6	80	151	162	213	272	284	271	309	291	220	161	105	48	19	4
2	VEHICLES AND HORSES ...	172	—	1	13	18	20	17	20	16	20	15	15	7	4	3	3	—	—
6	WEAPONS AND IMPLEMENTS ...	740	—	1	15	41	60	61	79	86	78	88	83	53	47	36	8	4	—
7	BURNS, SCALDS, EXPLOSIONS ...	4	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—
8	POISONS AND POISONOUS VAPOURS ...	410	—	—	7	25	21	40	56	50	52	44	37	35	24	8	8	2	1
9	DROWNING ...	469	—	1	21	33	30	39	43	51	48	59	40	32	31	27	10	4	—
10	SUFFOCATION ...	743	—	3	24	30	27	52	69	76	62	101	104	85	51	31	17	8	3
11	FALLS ...	53	—	—	—	3	4	4	5	5	9	1	10	8	3	—	—	1	—
13	OTHERWISE OR NOT STATED ...	5	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—
2	VEHICLES AND HORSES.																		
	On railways ...	166	—	1	13	18	20	17	18	15	19	15	13	7	4	3	3	—	—
	Other vehicles* ...	6	—	—	—	—	—	—	2	1	1	—	2	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.																		
	Gun-shot wound ...	249	—	1	10	29	26	21	31	25	21	26	25	13	10	9	2	—	—
	By knife ...	491	—	—	5	12	34	40	48	61	57	62	58	40	37	27	6	4	—
7	BURNS, SCALDS, EXPLOSIONS† ...	4	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—
8	POISONS AND POISONOUS VAPOURS.																		
	Arsenic ...	5	—	—	1	—	—	—	1	—	—	1	—	1	—	—	1	—	—
	Ammonia ...	10	—	—	—	—	1	—	—	3	2	—	1	1	—	—	2	—	—
	Sulphuric acid ...	5	—	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Hydrochloric acid ...	55	—	—	2	4	2	2	8	6	8	6	6	7	1	2	1	—	—
Potassium cyanide ...	38	—	—	—	5	4	2	6	3	7	3	1	2	3	1	—	—	—
Carbolic acid ...	28	—	—	1	—	3	3	3	7	4	1	3	1	—	1	—	—	1
Oxalic acid ...	40	—	—	—	2	3	7	6	6	4	2	2	1	3	3	1	—	—
Prussic acid ...	34	—	—	—	4	1	4	6	5	6	1	2	4	1	—	—	—	—
Opium, laudanum, morphia	24	—	—	—	—	2	4	4	2	2	2	2	2	2	—	1	1	—
Strychnia, nux vomica	8	—	—	—	—	—	—	1	2	—	2	2	—	—	—	—	—	—
Veronal ...	6	—	—	—	—	—	1	1	1	—	2	1	—	—	—	—	—	—
Coal gas ...	83	—	—	2	5	2	8	11	5	6	15	9	9	10	—	1	—	—
Gas fumes (<i>others and kind not stated</i>)†	25	—	—	1	1	—	—	3	3	8	2	3	4	—	—	—	—	—
<i>Kind not stated</i> §	49	—	—	—	3	2	8	6	5	5	7	4	3	4	1	—	1	—
9 DROWNING ...	469	—	1	21	33	30	39	43	51	48	59	40	32	31	27	10	4	—
10																		
By hanging ...	741	—	3	24	30	27	52	69	75	61	101	104	85	51	31	17	8	3
By sock down throat ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
By forcing bread in mouth ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
11																		
Jumping from height ...	53	—	—	—	3	4	4	5	5	9	1	10	8	3	—	—	1	—
13																		
OTHERWISE OR NOT STATED ...	5	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—

* The 6 deaths under this heading were caused by the following vehicles:—1 by motor omnibus, 1 by motor cab, 1 by electric tramcar, and 1 by van and 1 by wagon not otherwise described.

† The 4 deaths under this heading were caused as follows:—1 by burns, 1 by detonator in mouth, 1 by explosion of gunpowder, and 1 by explosion not otherwise described.

‡ Of the 25 deaths under this heading 2 were due to carbon dioxide and 3 to carbon monoxide.

§ Of the 49 deaths under this heading 1 was due to phosphorus, 3 to nitric acid, 1 to caustic potash, 4 to bichloride of mercury, 1 to cyanogen, 1 to potassium bichromate, 1 to bichromate of soda, 2 to chloroform, 2 to nicotine, 2 to morphia and veronal, 2 to belladonna, 1 to chloroform and belladonna, 1 to camphor liniment, 1 to liniment, 1 to creolin, and 1 to coal tar preparation.

SUFFOCATION.

FALLS.

ENGLAND AND WALES.—DEATHS FROM SUICIDE AT DIFFERENT PERIODS OF LIFE IN THE YEAR 1913.—FEMALES.

No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL	918	—	2	72	70	80	91	91	104	111	102	70	56	33	21	11	2	2
2	VEHICLES AND HORSES	27	—	—	3	8	2	3	2	1	2	3	1	2	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS	124	—	—	6	4	9	15	16	13	18	11	9	8	6	5	3	1	—
7	BURNS, SCALDS, EXPLOSIONS	13	—	—	1	—	4	1	2	1	—	2	2	—	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS	262	—	—	22	19	31	28	32	29	34	32	13	11	7	2	1	—	1
9	DROWNING	284	—	2	39	28	24	26	28	32	24	28	19	18	7	4	4	1	—
10	HANGING	173	—	—	1	9	8	13	9	19	29	22	24	15	11	10	2	—	1
11	FALLS	34	—	—	—	2	2	5	2	9	4	4	1	2	2	1	—	—	—
13	OTHERWISE OR NOT STATED	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
2	VEHICLES AND HORSES.	27	—	—	3	8	2	3	2	1	2	3	1	2	—	—	—	—	—
6	On railways	27	—	—	3	8	2	3	2	1	2	3	1	2	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.	11	—	—	3	—	2	1	—	1	1	—	1	1	—	1	3	1	—
	Gun-shot wound	112	—	—	3	4	7	14	15	12	17	11	8	7	6	4	—	—	—
	By knife	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ hammer	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
7	BURNS, SCALDS, EXPLOSIONS.	8	—	—	1	—	1	1	2	1	—	—	2	—	—	—	—	—	—
	Setting fire to clothes	4	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—
	Burns (otherwise)	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Drinking hot water	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

ENGLAND AND WALES.—DEATHS FROM MURDER at DIFFERENT PERIODS of LIFE, in the YEAR 1913.—MALES.

No.	Method of Murder.	Ages at Death.																									
		All Ages.	0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	Total un- der 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
		69	21	2	4	2	1	1	1	32	5	1	3	3	6	5	6	2	2	2	1	1	1	—	—	—	1
6	TOTAL	28	—	—	1	1	—	—	2	3	—	1	3	5	4	3	2	2	2	—	1	1	—	—	—	1	—
7	WEAPONS AND IMPLEMENTS	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	BURNS, SCALDS, EXPLOSIONS	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	POISONS AND POISONOUS VAPOURS	7	4	1	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	DROWNING	8	4	1	—	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	SUFFOCATION	2	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	FALLS... ..	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	WEATHER AGENCIES	17	10	—	1	—	—	—	12	—	—	—	—	1	1	2	—	—	—	1	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	13	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Gun-shot wound	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By knife	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	" hatchet, hammer, pickaxe	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	" sharp instrument (<i>kind not stated</i>)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	BURNS, SCALDS, EXPLOSIONS.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	CONFLAGRATION... ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Burns (<i>otherwise</i>)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	POISONS AND POISONOUS VAPOURS.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Morphia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydrochloric acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Coal gas	7	4	1	—	—	—	—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	DROWNING	2	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	SUFFOCATION.	6	2	1	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By plug in mouth	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Not stated how	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Thrown from railway carriage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	" cliff	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	" WEATHER AGENCIES.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHERWISE OR NOT STATED.	Exposure to cold	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick	9	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	4	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Murder (<i>not otherwise described</i>) ...	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

ENGLAND AND WALES.—DEATHS FROM MURDER AT DIFFERENT PERIODS OF LIFE, in the YEAR 1913.—FEMALES.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
TOTAL	129	47	1	4	4	2	1	3	62	6	2	4	15	9	8	7	5	6	2	2	1	—	—	—	—	—
WEAPONS AND IMPLEMENTS.	52	5	—	1	2	1	—	—	9	3	1	4	9	7	5	4	2	5	1	1	1	—	—	—	—	—
BURNS, SCALDS, EXPLOSIONS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
POISONS AND POISONOUS VAPOURS	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
DROWNING	10	6	1	1	2	1	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUFFOCATION	16	14	—	1	—	—	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FALLS... ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHERWISE OR NOT STATED	45	20	—	1	—	—	1	3	25	1	1	—	5	2	3	3	2	1	1	1	—	—	—	—	—	—
WEAPONS AND IMPLEMENTS.																										
Gun-shot wound	24	—	—	—	1	—	—	—	1	1	—	3	6	3	3	2	2	1	1	—	—	—	—	—	—	—
By knife	26	4	—	1	1	1	—	—	7	2	1	1	3	4	2	1	—	4	—	—	—	—	—	—	—	—
" hatchet	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" sharp instrument (<i>kind not stated</i>)	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BURNS, SCALDS, EXPLOSIONS.																										
Poured paraffin over and pushed on fire... ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
POISONS AND POISONOUS VAPOURS.																										
Oxalic acid	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Coal gas	2	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
DROWNING	10	6	1	1	2	—	—	—	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SUFFOCATION.																										
Not stated how	16	14	—	1	—	1	—	—	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrown from railway carriage	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrown down ash shoot	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHERWISE OR NOT STATED.																										
Blow, kick	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Strangulation	16	10	—	—	—	—	—	2	12	1	1	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Fracture	5	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	3	2	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Attempt to procure abortion :—																										
By operation	6	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated how	4	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Murder (<i>not otherwise described</i>)	8	4	—	—	—	—	1	1	6	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS from MANSLAUGHTER AND JUSTIFIABLE HOMICIDE at DIFFERENT PERIODS of LIFE, in the YEAR 1913.—MALES.

No.	Method of Manslaughter.	Ages at Death.																	All Ages.	Total un- der 5 Years.							
		Months.																									
		0— 3	3— 6	6— 12	1— Months.	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—			55—	60—	65—	70—	75—	80—	85 and upwards.
71	6	4	1	2	—	—	1	14	1	1	2	10	8	1	4	3	12	6	1	5	2	—	—	1	—		
2	TOTAL	12	—	—	—	—	—	—	—	1	—	1	2	2	—	—	—	2	—	1	1	1	—	—	1	—	
6	VEHICLES AND HORSES	5	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	
9	WEAPONS AND IMPLEMENTS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	DROWNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	SUFFOCATION	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	FALLS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	WEATHER AGENCIES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	OTHERWISE OR NOT STATED (including Justifiable Homicide).	47	4	4	1	2	—	—	1	1	1	—	6	5	1	3	3	8	5	—	2	1	—	—	—	—	
2	VEHICLES AND HORSES.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Railway collision	9	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	2	—	1	—	—	—	—	—	—	
	Motor vehicles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Other vehicles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	WEAPONS AND IMPLEMENTS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Gun-shot wound	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	By knife	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	" chisel	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	" sharp instrument (kind not stated)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	DROWNING.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Boat run down	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	SUFFOCATION.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Not stated how	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	FALLS.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Knocked down	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	WEATHER AGENCIES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Exposure to cold	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	OTHERWISE OR NOT STATED.	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Blow, kick	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Fight	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Neglect	10	4	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Manslaughter (not otherwise described)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Justifiable homicide...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

ENGLAND AND WALES.—DEATHS FROM MANSLAUGHTER AT DIFFERENT PERIODS OF LIFE, in the YEAR 1913.—FEMALES.

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
TOTAL	51	4	2	—	—	—	—	—	6	2	2	2	4	13	9	4	4	—	—	—	3	1	—	—	1	—
VEHICLES AND HORSES	9	—	—	—	—	—	—	—	—	1	1	—	—	2	2	1	—	—	—	—	2	—	—	—	—	—
BURNS, SCALDS, EXPLOSIONS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
DROWNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FALLS	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
OTHERWISE OR NOT STATED	39	4	2	—	—	—	—	—	6	1	1	2	4	11	7	3	3	—	—	—	—	1	—	—	—	—
VEHICLES AND HORSES.																										
Railway collision	3	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Motor vehicles	6	—	—	—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	1	—	—	—	—	—
BURNS, SCALDS, EXPLOSIONS.																										
By throwing paraffin lamp... ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
DROWNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
FALLS.																										
Thrown to ground	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
OTHERWISE OR NOT STATED.																										
Blow, kick	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	5	3	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Navel hæmorrhage	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Attempt to procure abortion :—																										
By drugs	12	—	—	—	—	—	—	—	—	—	—	1	2	4	3	1	1	—	—	—	—	—	—	—	—	—
By operation	13	—	—	—	—	—	—	—	—	—	—	—	2	5	3	2	1	—	—	—	—	—	—	—	—	—
Not stated how	3	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Starvation	2	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SECONDARY CLASSIFICATION OF CAUSES OF DEATH.

In pursuance of the scheme initiated in the Report for 1911, the deaths registered in 1912 and allocated on pages 194–197 of the Report for that year to causes 39–46 of the International List are classified in the following pages in such a way as to indicate as fully as possible the complete statement of the cause of death in each case. This implies the record not only of the primary cause, as selected for tabulation in the ordinary way, but also of any secondary cause or causes stated in conjunction with it, each separate combination of causes being tabulated separately. The card system now in use makes this possible, but as much work is involved and much space is occupied by the statement of the results only a small portion of the deaths of any one year can be so dealt with. The object aimed at, therefore, is to cover each year about one-tenth of the complete International List of causes, completing the whole every ten years. Causes 20–38 were dealt with in last year's Report, and in this Report causes 39–46 succeed them.

These headings all relate to tumours, 39–45 to cancer, and 46 to other tumours which could not be classed to the heading appropriate to the part of the body affected (*see* page 587).

The deaths dealt with are those registered in 1912. The work of tabulation in such detail as is here attempted is tedious, and it has been found desirable to commence it at an earlier date than is feasible when the records tabulated are those of the same year to which the Report in general relates.

It was found that the reproduction in complete detail of each form of certificate met with, according to the general plan followed in this tabulation, would in the case of cancer demand an inordinate amount of space, as the combinations of variety of growth, site of primary and of secondary growths, and complicating diseases are exceedingly numerous. The facts have been recorded in full detail, but for publication it has been decided to omit the nature of the growth in the detailed headings, substituting merely a statement of the numbers of cases of carcinoma, sarcoma and cancer of undefined nature recorded for each site in Table B, with a table (page 583) giving complete detail of the varieties of growth returned, but without distinction of site. Also in cases where any particular variety of carcinoma or sarcoma is recorded on ten or more certificates relating to any one site these deaths are stated separately in addition (Table B). Thus of the 269 deaths of males from growths of the bladder classed as carcinomatous 26 were ascribed to epithelioma and 14 to malignant papilloma. Of most sites the only variant of carcinoma returned with any frequency is epithelioma—a distinction which is not preserved in tabulation as adding materially to the information conveyed but with a view to showing the terms actually used in certification.

Information as to age and sex is given (in Table A in each case) only for causes of death as stated alone or in combination where the instances of each particular form of statement amounted to ten or more. All the forms of certificate separately shown which are of less numerical importance are included in the list following Table A for each disease. These tables and lists are therefore complementary to each other, and every death allocated in the primary classification to the affection to which a given table and list refer is included in one or other of them. Thus in the case of cancer of the lip there were 121 deaths regarding the cause of which no further information (other than the variety of cancer) was afforded by the certificate, and these, therefore, appear as “unqualified” in Table A, where their age and sex distribution are shown. There was, on the other hand, only one case certified as cancer of the upper lip, and this accordingly appears in the list, the number of cases but no other particulars being stated.

In addition to the age and sex classification Table A distinguishes deaths occurring in institutions for the sick and infirm, marked “Inst.” in the title margin, from other deaths which are marked “Pr.”

The entries in Table B for each disease recapitulate (except in regard to the variety of growth) information already given either in Table A or in the list. Table B is merely a summary of Table A and the list, which in themselves form a complete classification by full statement of cause, other than nature of growth, of the deaths they deal with. The headings in Table B are more comprehensive than the corresponding headings in Table A, since the former include the latter and in addition material derived from the

list. There were for instance 13 deaths certified simply as cancer of the lower lip and these appear in Table A (page 550), where each heading implies that no further information was given than that contained in the heading. The supplementary list, however, contains ten other cases of lower lip cancer as to which some further information was supplied, and these are included in the 23 deaths of which particulars are given in Table B under this heading. The total number of certificates classed to cancer of the lip which stated that death was due to disease of the lower lip was 23, shown in Table B; the number of certificates in that form and giving no further information was 13, shown in Table A; details of the supplemental information afforded for the remaining ten cases are given in the list.

The scope of the headings in Table B is wider than that of those in Table A also in another direction, as indicated by the insertion of International List numbers in Table B. In Table A each term, say, "broncho-pneumonia" with cancer of the œsophagus (page 553), includes only cases certified as such or under some clearly synonymous term. Broncho-pneumonia (91), however, in Table B includes all forms of certificate shown in the "Manual of the International List" to be included under the heading "91 Broncho-pneumonia." It would include, *e.g.*, "aspiration pneumonia," a term not synonymous with broncho-pneumonia and, therefore, excluded from that heading in Table A and to be sought, as such, under number 91 in the list.

In some cases no number is appended to a title appearing in Table B, *e.g.*, to toxæmia in the table relating to the stomach and liver (page 557). This omission signifies that the figures entered against the term in question, which is grouped under No. 55 in the International List with the names of a number of other conditions possessing little in common with it, apply to toxæmia only and not to the whole contents of No. 55 ("Other general diseases") in the International List.

As the secondary classification has been undertaken to throw light not only upon the complications of disease, but also on the present condition of death certification, terms regarded as undesirable but still in use have not been excluded from the tables and lists. It is intended that these should present as complete a picture as possible of the state of death certification, and therefore it is essential that all terms used should be included impartially. To this statement a single exception has to be made. Certain terms, mostly in common use, but descriptive merely of modes of death or otherwise of little significance, have not been recorded. These terms are as follows:--asthenia, atrophy, cachexia, cardiac failure, collapse, debility, decubitus, exhaustion, failure of circulation, heart failure, inanition, marasmus, respiratory failure, senile decay, shock, syncope, weakness.

The numbers shown in Table B do not aggregate to any significant total as do those in Table A. The same deaths may appear in the table twice or oftener, while others do not appear in it at all. Thus a death complicated by bronchitis appears under that heading and under that of "total respiratory diseases" as well. Just as each line of Table B summarises information derived from Table A and the supplementary list, so certain lines in Table B summarise the information contained in other lines of the table itself.

Secondary growths are given first in the tables and lists, and then, in the order of the International List, the various complicating causes. The combination of a secondary growth with a complicating cause is shown in the position for the complication. Where there are two or more complicating causes they are stated in the order of arrangement of the International List. Entry in the lists is made in all cases under the number of the complicating cause coming first in this order. Thus a certificate of death from cancer of the tongue complicated by atheroma, angina pectoris and broncho-pneumonia is entered in the list of complications of cancer of the tongue as "angina pectoris, atheroma, broncho-pneumonia (1)" under number 80 because angina pectoris (80) occurs earlier on the International List than atheroma (81B) or broncho-pneumonia (91). In the lists numbers in brackets show the numbers of instances of the form of certificate in question.

Where there is little or no doubt that terms are synonymous they have not been separately listed. Thus, "croupous" and "pleuro" are merged in "lobar" pneumonia. But where doubt was felt on this point, or the course seemed desirable for any other reason, the terms have been entered separately. Thus, "double" pneumonia is regarded for primary classification purposes as implying double lobar pneumonia, and cases so certified are listed to 92A. This interpretation is, however, open to doubt, and so in all the lists and tables relating to secondary classification, where it is desired to show as far as possible the exact form of certificate, "double" is given separately from "lobar" pneumonia.

39. CANCER OF THE BUCCAL CAVITY (1912).

TABLE A.

(Variety of growth not distinguished.)

			All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Lip.</i>																				
Unqualified	{ Inst.	34	—	—	—	—	1	—	1	—	9	—	9	—	10	—	4	—
			{ Pr.	72	15	—	—	—	1	2	—	3	1	13	2	21	1	24	4	9
Lower lip	{ Inst.	3	1	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—
			{ Pr.	9	—	—	—	—	—	—	—	—	—	2	—	3	—	4	—	—
Lip and glands of neck			{ Inst.	4	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	—
			{ Pr.	10	—	—	—	—	—	—	—	—	2	—	5	—	1	—	2	—
neck			{ Inst.	3	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
			{ Pr.	7	—	—	—	—	—	—	1	—	4	—	2	—	—	—	—	—
<i>Tongue.</i>																				
Unqualified	{ Inst.	272	8	—	—	—	19	—	73	—	94	2	68	5	17	1	1	—
			{ Pr.	377	45	—	—	2	1	18	8	73	5	132	10	109	11	40	8	3
Tongue and glands of neck.			{ Inst.	22	—	—	—	—	2	—	6	—	12	—	2	—	—	—	—	—
			{ Pr.	27	2	—	—	—	2	—	7	—	8	1	9	1	1	—	—	—
glands (undefined)			{ Inst.	5	—	—	—	—	—	1	—	3	—	1	—	—	—	—	—	—
			{ Pr.	7	—	—	—	—	—	—	3	—	2	—	1	—	1	—	—	—
neck	{ Inst.	8	—	—	—	—	—	2	—	5	—	1	—	—	—	—	—	—
			{ Pr.	8	1	—	—	—	2	—	4	—	2	1	—	—	—	—	—	—
throat	{ Inst.	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
			{ Pr.	9	2	—	—	—	—	—	2	—	6	1	1	—	—	—	—	—
secondary growths (undefined).			{ Inst.	3	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—
			{ Pr.	6	1	—	—	—	—	—	3	1	1	—	1	—	1	—	—	—
Hæmorrhage	{ Inst.	14	—	—	—	—	—	6	—	2	—	5	—	1	—	—	—	—
			{ Pr.	7	2	—	—	—	—	1	4	1	2	—	1	—	—	—	—	—
Broncho-pneumonia	{ Inst.	13	1	—	—	—	2	—	1	1	5	—	3	—	2	—	—	—
			{ Pr.	2	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
<i>Mouth.</i>																				
Unqualified	{ Inst.	36	3	—	—	—	3	—	4	1	13	—	9	2	5	—	2	—
			{ Pr.	39	11	—	—	—	3	1	10	2	16	4	7	2	3	2	—	—
Floor of mouth	{ Inst.	21	—	—	—	—	2	—	7	—	8	—	3	—	1	—	—	—
			{ Pr.	13	—	—	—	—	1	—	5	—	2	—	4	—	1	—	—	—
Palate	{ Inst.	13	2	—	—	—	1	1	—	3	—	3	—	3	1	—	—	—
			{ Pr.	25	2	—	—	—	—	—	7	—	6	1	6	—	6	1	—	—
Cheek	{ Inst.	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
			{ Pr.	9	4	—	—	—	—	—	1	1	4	1	2	2	2	—	—	—
<i>Tonsil.</i>																				
Unqualified	{ Inst.	30	1	3	—	—	2	—	5	1	7	—	11	—	1	—	1	—
			{ Pr.	53	12	2	1	—	3	3	11	1	16	4	16	—	5	3	—	—
Hæmorrhage	{ Inst.	3	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
			{ Pr.	6	1	—	—	—	3	—	1	—	—	—	2	1	—	—	—	—
<i>Jaw.</i>																				
Unqualified	{ Inst.	74	8	2	2	1	3	—	15	2	29	1	20	3	4	—	—	—
			{ Pr.	128	30	2	3	3	1	8	2	24	2	43	4	29	15	18	3	1
Upper jaw	{ Inst.	17	16	—	—	1	2	—	1	4	3	4	10	5	—	2	—	1
			{ Pr.	68	57	1	2	1	9	11	16	10	19	17	14	12	5	5	3	—
Lower jaw	{ Inst.	45	1	1	—	—	1	—	11	—	18	—	9	—	4	1	1	—
			{ Pr.	73	21	1	1	—	1	1	4	15	1	25	3	24	6	7	5	—
<i>Submaxillary Glands.</i>																				
Unqualified	{ Inst.	4	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—
			{ Pr.	7	—	—	—	1	—	1	—	—	—	2	—	1	—	1	—	1

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

Lip.

Upper lip (1). *Lip and:*—tongue (1); tongue and face (1); mouth (3); floor of mouth (1); cheek (3); jaw (4); upper jaw (1); lower jaw (3); jaw and neck (1); jaw, neck and throat (1); submaxillary glands (4); submaxillary and cervical glands (1); submaxillary, sublingual and parotid glands (1); submaxillary glands and pharynx (1); stomach (1); stomach and liver (1); liver (1); liver and glands (1); chin (3); face (7); face and neck (1); penis (1); larynx (1); lung (1); lung and glands of neck (1); (lower lip) glands of neck (1); glands of neck and mediastinum (1); glands of neck and throat (1); mediastinal glands (1); glands (5); (lower lip) neck (1); throat (2); (lower lip) throat (1); diffuse growths (1); secondary growths (undefined) (6); (lower lip) secondary growths (3). *Complications:*—20. Pyæmic abscess, cellulitis of neck (1); septicæmia (4); septic absorption (1); lower lip, septic poisoning (1). 48. Chronic rheumatism (1); lower lip and throat, rheumatoid arthritis (1). 55. Lower lip, maxillary and cervical glands, toxæmia (1). 64. Apoplexy (1); lips and glands under upper jaw, cerebral hæmorrhage (1). 79. Mitral disease (1);

39. CANCER OF THE BUCCAL CAVITY (1912).—*continued.*

valvular disease (1); morbus cordis (1). 82. Lip and glands of neck, pulmonary embolism (1). 84. Enlarged cervical glands (2); enlarged glands (1). 85. Hæmorrhage (5); lip, tongue and neck, hæm. (1); lip and neck, hæm. (2); secondary growths, hæm. (1); lower lip, hæm., ulceration (1). 90. Bronchitis (5). 91. Broncho-pneumonia (1). 92. Septic pneumonia (2). 94. Œdema of lungs (1); lip and submaxillary glands, pulmonary congestion (1); lip and face, pulm. congestion (1); lip and jaw, hypostatic pneumonia (1). 146. Spontaneous fracture of jaw (1). 172. Accelerated by fall (1). 189. Lip and secondary growth, coma (1). Total 113.

Tongue.

Tongue and:—mouth (5); floor of mouth (8); floor of mouth and neck (1); palate (1); cheek, &c. (1); tonsil and pharynx (2); jaw (3); jaw and neck glands (1); jaw and neck (1); lower jaw (8); lower jaw and glands (1); lower jaw and throat (1); submaxillary glands (6); submaxillary and cervical glands (1); pharynx (7); pharynx and fauces (1); pharynx and œsophagus (1); fauces (1); œsophagus (2); stomach (1); liver (3); rectum (1); skin and glands of neck (1); larynx (2); epiglottis (2); lung (1); lung and pleura (1); lung and glands of neck (1); lung and mediastinum (1); bronchial glands (1); parotid (1); brain and neck (1); glands of neck and mediastinum (1); glands of neck and throat (1); lymphatic glands (1); thorax (2); abdomen (1). *Complications.*—Pressure on larynx (1). 18. Erysipelas (1). 20. Septicæmia (4); tongue and fauces, sept. (1); septic absorption (1); septic intoxication (1); sapræmia (1); septicæmia, hæmorrhage, pneumonia (1). 34. Tuberculosis of bladder (1). 35. General tuberculosis (1). 37. Specific disease of tongue (1). 55. Amyloid disease (1); toxæmia (3); tongue and glands of neck, tox. (1); tox., hæmorrhage (1). 63. Sclerosis of spinal cord (1). 64. Apoplexy (1); cerebral hæmorrhage (1). 67. General paralysis of insane (1). 74. Organic brain disease (1). 79. Fatty heart (2); dilatation of heart (1); tongue and glands, dilated heart (1); fibroid heart (1); fibroid heart, stenosis of coronary arteries (1); heart disease (1). 80. Angina pectoris, atheroma, broncho-pneumonia (1). 82. Cerebral thrombosis (1); lateral sinus thromb. (1). 84. Suppurating glands in neck (1); enlarged cervical glands (1). 85. Tongue and mouth, hæmorrhage (1); tongue and floor of mouth, hæm. (1); tongue and tonsil, hæm (1); tongue, salivary and neck glands, hæm. (1); tongue and neck glands, hæm. (6); tongue and glands, hæm. (1); erosion of left carotid artery, hæm. (1). 90. Bronchitis (6); tongue and jaw, bronch. (1); tongue and œsophagus, bronch. (1); bronch., asthma (1). 91. Tongue and floor of mouth, broncho-pneumonia (1). 92. Lobar pneumonia (2); pneumonia (7); septic pneu. (5); tongue, jaw and pharynx, septic pneu. (1); tongue and glands of neck, septic pneu. (1); pneu. coma (1). 93. Tongue and glands, empyema (1); tongue, pleura and neck, pleural effusion (1); pleural effusion gangrene of lung (1). 94. Œdema of lungs (2); hypostatic pneumonia (1). 98. Disease of lungs, Bright's disease, laudanum poisoning (1). 104. Diarrhœa (1); tongue and viscera, diarrhœa (1). 117. Peritonitis (1). 168. Asphyxia (1). Total 162.

Mouth.

Mouth and:—lip (1); tongue (5); jaw (3); pharynx (1); larynx (1); glands of neck (3); glands (1); neck (3); throat (5); uterus (1). *Complications.*—20. Septicæmia (1). 55. Toxæmia (2); tox., carbuncle (1). 61. Mouth and brain, meningitis (1). 79. Mouth and neck, fatty heart, liver and kidneys (1). 90. Bronchitis (1). 92. Septic pneumonia (1); mouth and tongue, septic pneu., cellulitis (1). 94. Hypostatic pneumonia (1). 113. Cirrhosis of liver (1). 177. Starvation (1). Total 36.

Floor of mouth and:—cheek and gum (1); tongue (1); stomach (1); lung (1); glands of neck (3). *Complications.*—20. Septic absorption (1). 55. Toxæmia (2); floor of mouth and glands of neck, tox. (1). 68. Dementia (1). 85. Hæmorrhage (1). 87. Laryngeal obstruction (1). 91. Broncho-pneumonia (2). 92. Pneumonia (2); septic pneumonia (3). Total 21.

Palate and:—gum (1); gums and jaw (1); jaw (1); pharynx (3); brain (1); glands of neck (1); neck (1). *Complications.*—90. Septic bronchitis (1). 92. Pneumonia (1). Total 11.

Soft palate.—Unqualified (5). *Soft palate and*:—tongue (1); tonsils (3); tonsils and jaw (1); jaw (1); fauces (1); glands of neck (1); secondary growths (undefined) (1). *Complications.*—20. septic absorption (1). Total 15.

Cheek and:—jaw (1); thorax (1). Total 2.

Gums.—Unqualified (3).

Tonsil.

Tonsil and:—tongue (2); tongue and pharynx (1); palate (5); palate and pharynx (1); soft palate (1); soft palate and fauces (1); cheek and throat (1); jaw (2); jaw, fauces and lung (1); pharynx (5); pharynx, larynx and neck glands (1); nasopharynx (1); liver (1); liver and neck (1); larynx (1); parotid (1); glands of neck (6); glands (1); secondary growths (2). *Complications.*—Dysphagia (1). 20. Pyæmia (2); septicæmia (1). 55. Toxæmia (1). 82. Pulmonary embolism (1). 85. Tonsil and intestines, hæmorrhage (1). 90. Bronchitis (2); septic bronch. (1). 91. Septic broncho-pneumonia (1). 92. Lobar pneumonia (1). 168. Asphyxia (1). Total 48.

Jaw.

(“U” represents upper and “L” lower jaw.)

Jaw and:—lip (1); tongue (1); (L) tongue (2); tongue and œsophagus (1); (L) tongue and throat (1); mouth (1); palate (1); (U) cheek and pharynx (1); pharynx (1); (L) œsophagus (1); (L) stomach and liver (1); stomach and lung (1); peritoneum (1); face (1); (U) face (1); (U) lung (1); lung and cord (1); (U) pleura (1); pancreas (1); glands of neck (4); (U) glands of neck (5); (L) glands of neck (2); neck (3); (L) neck (2); throat (3); (L) throat (1); shoulder, chest, groin and thigh (1); secondary growths (2). *Complications.*—20. Septic poisoning (7); (L) septic absorption (1); septicæmia, hæmorrhage (1). 25. Actinomycosis (1). 28. Pulmonary tuberculosis (1). 50. (L) Diabetes (1). 55. Toxæmia (1); (U) tox. (4); (L) tox. (2). 61. (U) Cerebral meningitis (1).

39. CANCER OF THE BUCCAL CAVITY (1912)—continued.

64. Apoplexy (1); (U) cerebral hæmorrhage (1). 70. Convulsions (1). 79. Heart disease (1). 82. (U) Thrombosis (1). 84. Enlarged glands of neck (1). 85. Hæmorrhage (4); (U) hæm. (2); (L) hæm. (3). 90. Bronchitis (2); bronch., septic pneumonia (1). 91. Broncho-pneumonia (1); (U) septic br.-pneu. (1); (L) septic br.-pneu. (2). 92. Lobar pneumonia (1); pneu. (5); septic pneu. (2); jaw and glands, septic pneu. (1). 94. Pulmonary œdema (1); upper jaw and orbit, congestion of lungs (1). 98. (U) Hæmoptysis (1). 177. Starvation (1). 189. Coma (7); (L) coma (1). Total 106.

Submaxillary glands.

Submaxillary glands and:—skin of neck (1); larynx and trachea (1); lymphatic glands (1) Complications.—55. Toxæmia (1). 85. Hæmorrhage (1). Total 5.

TABLE B.

				All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Lip.</i>				250	21	—	—	—	1	5	1	20	1	58	2	85	2	66	6	16	8
Carcinoma	211	20	—	—	—	1	4	1	18	1	52	2	77	2	46	5	14	8
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	39	1	—	—	—	—	1	—	2	—	6	—	8	—	20	1	2	—
Epithelioma	172	11	—	—	—	—	4	1	15	—	41	—	61	1	39	3	12	6
Lower lip	22	1	—	—	—	—	—	1	1	—	6	—	7	—	7	—	1	—
Lip and jaw	12	—	—	—	—	—	—	—	2	—	3	—	5	—	2	—	—	—
face	9	1	—	—	—	—	—	—	1	—	2	—	4	1	2	—	—	—
glands of neck	20	—	—	—	—	—	1	—	—	—	6	—	8	—	3	—	2	—
neck	16	—	—	—	—	—	1	—	4	—	7	—	3	—	1	—	—	—
Respiratory diseases (86-98)	11	1	—	—	—	—	—	—	1	—	2	—	5	—	3	1	—	—
<i>Tongue.</i>				931	76	—	—	2	1	55	12	221	11	336	18	241	19	71	12	5	3
Carcinoma	692	57	—	—	2	1	46	8	168	7	230	11	190	18	53	10	3	2
Sarcoma	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Cancer	237	19	—	—	—	—	9	4	52	4	106	7	50	1	18	2	2	1
Epithelioma	321	27	—	—	1	1	21	2	77	4	107	5	73	8	35	6	2	1
Tongue and floor of mouth	8	2	—	—	—	—	1	1	—	—	4	1	2	—	1	—	—	—
jaw...	17	—	—	—	—	—	1	—	5	—	6	—	4	—	1	—	—	—
pharynx	11	1	—	—	—	—	—	—	2	—	6	1	2	—	1	—	—	—
glands of neck	62	3	—	—	—	—	5	—	17	—	26	1	13	1	1	—	—	—
glands (undefined)	19	1	—	—	—	—	—	1	8	—	7	—	2	—	2	—	—	—
neck	20	2	—	—	—	—	5	—	6	—	7	2	2	—	—	—	—	—
throat	14	2	—	—	—	—	—	—	2	—	10	1	2	—	—	—	—	1
growths (undefined)	9	1	—	—	—	—	—	—	5	1	1	—	1	—	1	—	1	—
Hæmorrhage	39	4	—	—	—	—	2	2	19	1	11	—	6	—	1	1	—	—
Broncho-pneumonia (91)	17	1	—	—	—	—	3	—	2	1	6	—	3	—	3	—	—	—
Pneumonia (92B)	15	1	—	—	—	—	—	—	—	—	9	—	4	1	2	—	—	—
Total respiratory diseases (86-98).	50	2	—	—	—	—	4	—	5	1	21	—	14	1	6	—	—	—
<i>Mouth.</i>				231	36	—	—	—	2	15	1	57	5	71	9	60	10	26	9	2	—
Carcinoma	193	27	—	—	—	1	12	—	46	5	57	8	54	6	22	7	2	—
Sarcoma	2	2	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
Cancer	36	7	—	—	—	—	2	1	10	—	14	1	6	4	4	1	—	—
Epithelioma	112	17	—	—	—	1	8	—	24	2	37	5	28	5	13	4	2	—
Floor of mouth	52	3	—	—	—	—	5	—	18	—	12	3	12	—	5	—	—	—
carcinoma	43	2	—	—	—	—	3	—	17	—	10	2	10	—	3	—	—	—
sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Palate	47	6	—	—	—	2	2	—	11	—	12	1	12	—	10	3	—	—
carcinoma	38	3	—	—	—	—	1	—	11	—	8	1	11	—	7	2	—	—
sarcoma	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Soft palate	14	1	—	—	—	1	—	—	4	—	2	1	4	—	2	—	—	—
carcinoma	11	1	—	—	—	—	1	—	3	—	2	1	4	—	1	—	—	—
sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cheek	12	4	—	—	—	—	—	—	1	1	6	1	3	2	2	—	—	—
carcinoma	10	3	—	—	—	—	—	—	1	—	6	1	2	2	1	—	—	—
sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mouth and jaw	10	—	—	—	—	—	1	—	4	—	2	—	3	—	—	—	—	—
glands of neck	9	1	—	—	—	1	—	—	3	—	1	—	4	—	1	—	—	—
Respiratory diseases (86-98)	13	—	—	—	—	—	1	—	1	—	4	—	6	—	1	—	—	—
<i>Tonsil.</i>				128	26	6	4	1	1	12	4	24	3	39	7	37	3	7	4	2	—
Carcinoma	82	14	—	—	1	—	9	2	16	3	26	4	28	1	3	3	—	—
Sarcoma	19	9	5	3	—	1	1	2	5	—	5	2	1	1	—	—	2	—
Cancer	27	3	1	—	1	—	2	—	3	—	8	1	8	1	4	1	—	—
Epithelioma	52	4	—	—	—	—	5	—	9	2	16	2	22	—	—	—	—	—
Hæmorrhage	10	1	—	—	—	—	3	—	3	—	1	—	3	1	—	—	—	—
<i>Jaw.</i>				487	157	9	11	8	6	31	15	102	19	156	43	131	42	42	20	8	1
Carcinoma	254	65	—	—	1	2	16	6	51	8	86	18	75	21	24	10	1	—
Sarcoma	105	54	8	10	4	—	9	5	28	6	26	15	19	13	8	4	3	1
Cancer	128	38	1	1	3	4	6	4	23	5	44	10	37	8	10	6	4	—
Epithelioma	86	22	—	—	—	—	4	1	16	1	29	6	29	10	8	4	—	—

39. CANCER OF THE BUCCAL CAVITY (1912)—continued.

TABLE B—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Jaw—cont.</i>																		
Upper jaw ...	101	78	2	2	2	3	13	11	20	14	25	23	29	17	7	7	3	1
carcinoma ...	46	27	—	—	—	1	7	4	9	4	11	11	15	5	3	2	1	—
sarcoma ...	33	27	1	2	1	—	4	2	8	4	6	10	9	6	2	2	2	1
Lower jaw ...	134	26	2	1	1	1	3	4	28	2	48	4	39	7	12	7	1	—
carcinoma ...	71	13	—	—	—	—	2	—	16	2	27	—	19	5	7	6	—	—
sarcoma ...	31	8	2	1	1	—	1	2	6	—	12	2	7	2	2	1	—	—
Jaw and glands of neck ...	10	2	—	1	—	—	3	—	2	—	2	1	2	—	1	—	—	—
Hæmorrhage ...	4	6	—	—	1	—	—	—	1	—	1	5	1	1	—	—	—	—
Pneumonia (92) ...	6	4	—	—	—	—	1	—	1	1	2	2	2	—	—	1	—	—
Total respiratory diseases (86-98).	12	7	1	—	—	2	2	—	1	1	5	3	3	—	—	1	—	—
<i>Submaxillary glands.</i>																		
Carcinoma ...	15	1	—	—	1	—	1	—	2	—	5	—	3	—	2	1	1	—
Sarcoma ...	4	1	—	—	—	—	—	—	—	—	2	—	1	—	1	1	—	—
Cancer ...	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	10	—	—	—	—	—	1	—	2	—	3	—	2	—	1	—	1	—

40. CANCER OF THE STOMACH, LIVER, &C. (1912).

TABLE A.

(Variety of growth not distinguished.)

			All Ages		0—		25—		35—		45—		55—		65—		75—		85—		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
<i>Pharynx.</i>																					
Unqualified	Inst.	44	9	—	—	—	2	3	3	11	2	19	2	7	—	4	—	—	—
			Pr.	74	27	—	1	—	2	2	2	19	8	28	6	16	5	6	1	3	2
<i>Naso-pharynx.</i>																					
Unqualified	Inst.	3	3	1	—	—	—	1	—	1	—	—	1	—	—	—	2	—	—
			Pr.	8	11	1	2	—	—	1	1	3	2	1	3	1	2	1	1	—	—
<i>Œsophagus.</i>																					
Unqualified	Inst.	332	45	1	—	1	2	21	10	81	8	131	13	81	10	15	2	1	—
			Pr.	679	254	1	—	4	8	17	26	136	48	254	60	186	62	76	46	5	4
Œsophagus and stomach			Inst.	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
			Pr.	6	2	—	—	—	1	—	—	4	—	1	1	1	—	—	—	—	—
larynx			Inst.	2	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	
			Pr.	5	4	—	—	—	—	—	—	1	3	1	—	—	—	2	2	—	—
Hæmorrhage	Inst.	3	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	
			Pr.	9	3	—	—	—	—	1	1	4	1	4	—	—	1	—	—	—	—
Bronchitis	Inst.	6	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—	
			Pr.	6	—	—	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—
Broncho-pneumonia	Inst.	10	1	—	—	—	—	—	—	8	1	2	—	—	—	—	—	—	
			Pr.	5	1	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	—
Septic pneumonia	Inst.	5	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	
			Pr.	2	3	—	—	—	—	—	1	—	1	1	—	1	1	—	—	—	—
<i>Stomach.</i>																					
Unqualified	Inst.	694	333	3	2	21	14	80	38	148	84	220	95	178	80	43	17	1	3
			Pr.	2125	2147	3	1	19	16	122	110	333	326	685	569	706	759	236	325	21	41
Stomach and liver	Inst.	35	21	1	—	—	1	3	1	6	7	15	7	8	3	1	1	1	—
			Pr.	115	121	—	—	—	—	8	8	17	27	40	29	42	40	7	17	1	—
peritoneum			Inst.	3	6	—	—	—	—	—	—	1	2	1	4	1	—	—	—	—	—
			Pr.	3	12	—	—	—	—	—	2	1	4	—	3	2	2	—	1	—	—
intestines			Inst.	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
			Pr.	6	7	—	—	—	—	1	1	1	1	1	—	—	3	3	2	—	—
lungs	Inst.	3	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
			Pr.	6	5	—	—	—	—	—	1	—	2	2	1	4	1	—	—	—	—
secondary			Inst.	5	2	—	—	—	—	—	—	2	1	2	1	1	—	—	—	—	—
			Pr.	9	5	—	—	—	1	4	—	2	2	3	1	—	1	—	—	—	—
growths (undefined).			Inst.	14	5	—	—	—	—	2	1	1	3	4	1	5	—	2	—	—	—
			Pr.	57	55	—	—	—	—	2	2	9	11	12	13	25	22	7	7	2	—
Vomiting	Inst.	2	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—
			Pr.	8	17	—	—	—	—	1	1	—	3	3	—	2	6	2	6	—	1
Pyloric obstruction	Inst.	5	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
			Pr.	5	8	—	—	—	—	2	—	—	3	1	1	2	2	—	2	—	—

40. CANCER OF THE STOMACH, LIVER, &C. (1912).—continued.

TABLE A—continued.

			All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Stomach—cont.																				
Toxæmia ...	Inst.	Pr.	1	2	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—
			3	5	—	—	—	—	—	1	2	1	2	1	1	—	—	—	—	—
Mitral disease ...	Inst.	Pr.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			3	6	—	—	—	—	1	—	—	—	3	3	2	—	—	—	—	—
Valvular disease ...	Inst.	Pr.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			7	8	—	—	—	—	—	1	2	2	4	3	1	1	1	—	—	—
Heart disease ...	Inst.	Pr.	7	10	—	—	—	—	—	—	3	—	2	3	2	4	—	3	—	—
			12	4	—	—	—	—	2	2	3	—	6	—	1	1	—	1	—	—
Hæmorrhage ...	Inst.	Pr.	46	39	—	—	—	—	1	1	10	8	13	11	15	13	7	5	—	1
			3	3	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—
Bronchitis ...	Inst.	Pr.	11	12	—	—	—	—	—	1	—	1	4	3	6	5	—	2	1	—
			3	4	—	—	—	—	—	2	2	—	2	1	—	3	—	—	—	—
Pneumonia ...	Inst.	Pr.	5	1	—	—	—	—	1	—	—	1	—	—	3	—	—	—	—	
			2	3	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—
Dilatation of stomach ...	Inst.	Pr.	3	6	—	—	—	—	—	—	2	1	1	—	—	4	—	1	—	
			1	4	—	—	—	—	—	1	1	—	2	—	1	—	—	—	—	—
Intestinal obstruction ...	Inst.	Pr.	5	6	—	—	1	1	—	—	—	—	2	2	1	1	1	2	—	
			1	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Jaundice ...	Inst.	Pr.	10	9	—	—	—	—	1	—	1	3	5	4	1	2	2	—	—	
			20	7	—	—	—	3	5	—	4	3	7	—	3	—	1	1	—	—
Peritonitis ...	Inst.	Pr.	8	8	—	—	—	—	—	1	—	2	4	2	3	3	1	—	—	
			1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ascites ...	Inst.	Pr.	9	8	—	—	—	—	—	2	1	1	2	2	6	2	—	1	—	
Liver.																				
Unqualified ...	Inst.	Pr.	208	184	2	1	2	4	17	15	44	33	67	59	54	42	21	25	1	5
			1106	1673	7	8	4	15	45	68	147	238	374	465	386	589	136	264	7	26
Jaundice ...	Inst.	Pr.	12	7	—	—	—	—	—	2	1	2	1	2	1	5	2	—	1	
			69	107	—	—	—	2	1	4	7	13	13	31	26	38	19	14	3	5
Toxæmia ...	Inst.	Pr.	4	2	—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	
			9	8	—	—	—	—	—	1	2	3	1	3	3	—	3	1	—	—
Heart disease ...	Inst.	Pr.	2	2	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	
			7	11	—	—	—	1	—	—	—	2	4	1	2	6	1	1	—	—
Hæmorrhage ...	Inst.	Pr.	3	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	
			6	4	—	—	—	—	—	—	—	1	4	1	2	1	—	1	—	—
Bronchitis ...	Inst.	Pr.	8	21	—	1	—	—	—	—	2	5	—	4	2	6	4	5	—	
			1	2	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
Hæmatemesis ...	Inst.	Pr.	6	11	—	—	—	—	—	—	1	1	1	2	2	6	2	1	—	
			1	3	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
Gall stones ...	Inst.	Pr.	4	20	—	—	—	—	—	—	2	3	2	7	—	8	—	2	—	
			6	4	2	1	—	—	—	1	3	—	—	1	1	1	—	—	—	—
Ascites ...	Inst.	Pr.	35	54	—	—	—	—	3	4	8	11	10	21	13	12	1	6	—	
			1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Dropsy ...	Inst.	Pr.	12	21	—	—	—	2	1	3	4	2	2	4	2	9	3	1	—	
Gall bladder.																				
Unqualified ...	Inst.	Pr.	21	30	—	—	—	2	3	2	6	4	5	11	6	8	1	2	—	1
			34	82	—	—	—	—	—	—	6	12	10	24	11	35	7	10	—	1
Gall bladder and liver ...	Inst.	Pr.	3	4	—	—	—	—	—	1	1	1	2	1	—	1	—	—	—	
			11	14	—	—	—	—	1	2	3	3	4	4	2	5	1	—	—	—
Gall stones ...	Inst.	Pr.	1	4	—	—	—	—	—	—	1	—	1	1	2	—	—	—	—	
			8	17	—	—	—	—	—	—	2	2	—	4	4	9	2	2	—	—
Bile ducts.																				
Unqualified ...	Inst.	Pr.	4	3	—	—	—	—	—	—	1	3	1	1	1	—	—	—	—	
			15	13	—	1	—	1	—	1	4	3	5	1	3	3	3	2	—	1

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

Pharynx.

*Pharynx and—*tongue (2); soft palate (1); submaxillary and parotid glands (1); œsophagus (2); larynx (6); larynx and trachea (1); lung (1); brain (1); right sphenoidal sinus (1); nares (1); glands of neck (8); glands (undefined) (5); neck (2); neck and arm (1); secondary growths (undefined) (2). *Complications.*—7. Scarlet fever, diphtheria (1). 28. Pulmonary tuberculosis (1). 37. Syphilitic ulceration of pharynx (1). 50. Glycosuria (1). 64. Cerebral hæmorrhage (2). 79. Pharynx and submaxillary glands, fatty heart (1). 81. Arterio-sclerosis (1). 82. Cerebral thrombosis (1). 84. Adenitis (1). 85. Hæmorrhage (3); pharynx and glands of neck, hæm. (1); hæm., ulceration (1). 87. Pharynx and larynx, spasm of glottis (1). 90. Bronchitis (1). 91. Broncho-pneumonia (2); pharynx and glands of neck, br.-pneu. (1). 92. Septic pneumonia (3). 189. Coma (5). Total 63.

40. CANCER OF THE STOMACH, LIVER, &C. (1912).—*continued.**Naso-pharynx.*

Naso-pharynx and—lung (1); neck glands (1). *Complications.*—91. Septic broncho-pneumonia (1). Total 3.

Fauces.

Unqualified (7). Fauces, palate and glands of neck (2). *Complications.*—85. Fauces and tongue, hæmorrhage (1); fauces and throat, hæm. (1). 144. Cellulitis of neck (1). Total 12.

Œsophagus.

Œsophagus and—tongue, larynx and neck glands (1); liver (6); omentum (1); peritoneum (2); intestines (1); trachea (7); lung (9); lung and pleura (1); lung and mediastinum (1); neck glands (6); mediastinal glands (1); lymphatic glands (2); abdomen (2); neck (2); secondary growths (undefined) (6). *Complications.*—Perforation of aorta (2); perforation of bronchus (1); pressure on trachea (2); dysphagia (5); starvation (8). 10. Influenza (2). 20. Perforation of left auricle, septicæmia (1); septic absorption (1); œsophagus and trachea, septic absorp. (1); general sepsis, septic pneumonia (1). 28. Pulmonary tuberculosis (1). 47. Rheumatism (1). 50. Diabetes (1). 51. Exophthalmic goitre (1). 54. Anæmia (1). 55. Acromegaly (1); toxæmia (2). 64. Apoplexy (1). 66. Œsophagus and brain, paraplegia (1). 69. Epileptic fit (1). 74. Organic brain disease (1). 77. Pericarditis, pleurisy (1). 79. Aortic incompetence (1); mitral disease (1); dilatation of heart (2); cardio-vascular degeneration (1); morbus cordis (2). 81. Aneurysm of aorta (1); atheroma (1); arterio-sclerosis (1). 82. Cerebral embolism (2). 85. Hæmorrhage, pneumonia (1); hæm., pleural effusion (1). 87. Laryngeal spasm (3). 90. Bronchial catarrh (1); ulceration into trachea, bronchitis (1); septic bronch. (2). 91. Aspiration pneumonia (1); œsophagus and lung, broncho-pneumonia (1); perforation into trachea, br.-pneu. (1); septic br.-pneu. (3). 92. Lobar pneumonia (2); pneu. (9); erosion of trachea, septic pneu. (1); rupture into bronchus, septic pneu., cirrhosis of liver (1); septic pneu., nephritis (1). 93. Septic pleurisy (1); pleurisy (6). 94. Pulmonary œdema (3); pulmonary congestion (1). 95. Gangrene of lung (8). 97. Emphysema (1). 98. Abscess of lung (5); pulmonary fistula (1); pulmonary complications (1). 103. Hæmatemesis (4); vomiting (1). 110. Œsophagus and lung, intestinal hæmorrhage (1). 113. Cirrhosis of liver (2). 117. Peritonitis (2). 120. Cirrhosis of kidneys (1). 122. Œsophagus and spinal column, pyonephrosis, cystitis (1). 124. Cystitis (1). 187. Ascites (6); dropsy (1); œsophagus and liver, dropsy (1). Total 174.

Stomach.

Stomach and—submaxillary glands (1); œsophagus (5); liver and gall bladder (1); liver and peritoneum (1); liver and colon (1); liver and intestines (2); liver and lungs (4); liver, lungs and neck (1); liver and pancreas (2); liver, pancreas, kidneys and mediastinal glands (1); liver and kidneys (1); liver and spine (1); liver and glands of neck (1); liver and mediastinum (1); liver and general dissemination (1); mesentery (3); omentum (4); peritoneum and rectum (1); peritoneum and pleura (1); peritoneum and uterus (1); duodenum (4); sigmoid (1); colon (6); rectum (2); uterus (1); pancreas (6); spleen (1); kidney (1); bladder (1); prostate (1); brain (2); abdominal glands (1); femur (1); mediastinum (1); thorax (1); abdomen (7); general dissemination (2). *Complications.*—1. Enteric fever (2). 10. Influenza (1); influ., bronchitis (1). 20. Septicæmia (1); sept., hæmatoma of ovary (1); septic intoxication, peritonitis (1); blood poisoning (2). 28. Pulmonary tuberculosis (9); phthisis (8); senile phth. (1). 47. Acute rheumatism (1). 48. Osteo-arthritis (2); rheumatoid arthritis (2); rheumatoid arth., bedsores (1); chronic rheumatism (2). 50. Diabetes (4). 54. Anæmia (8). 55. Purpura, hæmorrhage (1); stomach and secondary deposits, toxæmia (1); tox., peritonitis (1). 56. Stomach and gullet, alcoholism (1). 60. Encephalitis, hemiplegia (1). 61. Meningitis (1); meningomyelitis (1). 62. Locomotor ataxy (1). 63. Paralysis agitans (2); spastic paraplegia (1). 64. Apoplexy (3); stomach and liver, apop. (1); cerebral hæmorrhage (8); cer. hæm., valvular disease (1); stomach and liver, cer. hæm., phlebitis (1). 65. Cerebral softening (3). 66. Hemiplegia (1). 68. Melancholia (4); dementia (4); insanity, imbecility (1). 74. Imbecility (1). 77. Pericarditis (1). 79. Aortic stenosis (3); aortic disease (1); endocarditis (2); endoc., myocarditis (1); mitral disease, albuminuria (1); fatty heart (2); stomach and liver, cardio-arterio-sclerosis (1); myocardial degeneration (2); myocarditis (1); chronic interstitial myocard. (1); cardiac dropsy (2); dilatation of heart (8); dilat. of ht., broncho-pneumonia (1); stomach and liver, heart disease (1); heart dis., bronchitis (1); heart dis., chronic interstitial nephritis (1). 81. Stomach and liver, arterio-sclerosis (1). 82. Cerebral embolism (7); cer. embo., coma (2); embolism (1); pulmonary embo. (1); pulm. embo., thrombosis of legs (1); thrombosis (1). 85. Stomach and omentum, hæmorrhage (1); stom. and liver, hæm. (1); stom., liver and pancreas, hæm. (1); hæm., gastric ulcer (3); hæm., dilatation of stomach (1). 90. Bronchitis, œdema of lungs (1); bronch., gangrene of lungs (1); bronch., asthma (1); bronch., emphysema (1). 91. Broncho-pneumonia (8); aspiration pneumonia (2). 92. Lobar pneumonia (2); double pneu. (1); septic pneu. (3). 93. Pleurisy (2); pleur., pulmonary infarction (1). 94. Pulmonary congestion (6); pulm. œdema (3); stomach and liver, pulm. œdema (1); hypostatic pneumonia (2); hypo. pneu., accelerated by injury (1). 95. Pulmonary gangrene (1). 97. Emphysema (1). 98. Hæmoptysis (2). 99. Ulcerative stomatitis (1); parotitis (1). 102. Gastric ulcer (7); stomach and pancreas, gastric ulcer (1); gastric ulcer, peritonitis (1). 103. Gastritis (9); dyspepsia (3). 104. Diarrhœa (3); diarr., ascites (1); colic, fistula (2). 108. Stomach and peritoneum, appendicitis (1). 109. Hernia (2); stomach and liver, intestinal obstruction (1); stom. and abdominal wall, intest. obstr. (1); stom. and

40. CANCER OF THE STOMACH, LIVER, &C. (1912).—*continued.*

secondary deposits, intest. obstr. (1); stom. and sec. deposits, intest. obstr., jaundice (1). 110. Duodenal fistula (1); duodenal stenosis (1); constipation (1); intestinal hæmorrhage (3); stom. and rectum, intest. hæm. (1). 113. Cirrhosis of liver (2). 114. Biliary calculus (3). 115. Inflammation of gall bladder (1); cholæmia (2); stom. and liver, jaundice (9); stom. and duodenum, jaundice (1); jaundice, suppression of urine (1); jaundice, coma (1). 117. Stom. and liver, peritonitis (3). 118. Sub-phrenic abscess (3). 119. Acute nephritis (1). 120. Chronic nephritis (6); uræmia (1); uræmia, cystitis (2); uræmia, coma (1). 122. Hæmaturia (1). 123. Calculus (1). 124. Cystitis (2). 126. Hypertrophy of prostate (1). 129. Uterine fibroids (2). 142. Gangrene (2). 145. Bedsores (1). 172. Stom. and liver, accelerated by fall (1). 173. Accelerated by injury in pit (1). 187. Dropsy (6); stom. and liver, dropsy (3); stom. and bowels, dropsy (1); stom. and peritoneum, ascites (1); anasarca (1); œdema (1). 189. Coma (1); stom. and liver, coma (2). Total 358.

*Liver.**

Liver and—gall bladder (6); hepatic ducts (1); stomach (2); stomach and spleen (1); peritoneum (1); duodenum (1); intestines and lungs (1); lungs (4); parotid (1); spleen (3); kidney (1); brain (1); glands of neck (2); spine (1); clavicle (1); chest (1); abdomen (1); secondary growths (undefined) (5). *Complications.*—1. Enteric fever (1). 10. Influenza (1); influ., ascites (1). 18. Erysipelas (1). 20. Septicæmia, phlebitis (1); septic arm (1). 28. Pulmonary tuberculosis (2); phthisis (3). 34. Tuberculous pyonephrosis (1). 37. Gumma of nasal region (1). 48. Rheumatoid arthritis (2). 50. Diabetes (3); diabetes, coma (1); glycosuria, streptococcic toxæmia, bacillus coli, pyelitis (1); glycosuria, dropsy (1). 52. Addison's disease (1). 53. Hodgkin's disease (1). 54. Anæmia (3). 55. Purpura, cerebral hæmorrhage (1); liver and gall bladder, toxæmia, degeneration of heart (1). 62. Tabes dorsalis (1). 63. Paralysis agitans (2); progressive muscular atrophy (1). 64. Apoplexy (5); cerebral hæmorrhage (6). 66. Hemiplegia (3); hemipl., cardiac disease (1); cerebral paralysis (1). 67. General paralysis of the insane (1). 68. Mania (3); mania, mitral disease (1); dementia (1). 69. Epileptic convulsions (1). 79. Endocarditis (3); aortic regurgitation, ascites (1); mitral stenosis, ascites, anasarca (1); mitral disease (9); valvular dis. (7); fatty heart (1); degeneration of ht. (2); cardiac asthma (1); cardiac dilatation (4); cardiac disease, cerebral infarct. (1); card. dis., nephritis (1); liver and lung, card. dis., albuminuria (1). 82. Cerebral embolism (3); cerebral embo., ascites (1); thrombosis of vena cava, pulmonary embolism (1). 83. Phlebitis (2). 85. Cardiac irregularity, ascites (1); epistaxis (1); hæmorrhage, gall stones (1); hæm., fall in street (1). 90. Bronchial catarrh (1); suffocative catarrh (1); bronchitis, asthma (1); bronch., peritonitis (1); bronch., dropsy (1). 91. Broncho-pneumonia (3); liver and gall bladder, broncho-pneu. (1). 92. Pneumonia (7). 93. Pleurisy (3); pleuritis, effusion (1). 94. Pulmonary congestion (3); pulm. œdema (1); pulm. œdema, ascites (1); hypostatic pneumonia (4). 96. Bronchial asthma (1); liver and lungs, hæmoptysis (1). 99. Stomatitis (1). 103. Gastritis (8); vomiting (2); dilatation of stomach, vomiting (1); dilat. of stom., pyloric stenosis, albuminuria (1); hæmatemesis, ascites (1); 104. Diarrhœa (2). 109. Intestinal obstruction (8); liver and colon, intest. obstruct. (1). 110. Fistula in ano (1); melæna (2); intestinal hæmorrhage (4). 113. Cirrhosis of liver (2); cirr. of liver, interstitial nephritis (1); cirr. of liver, dropsy (1). 114. Gallstones, cholecystitis (1). 115. Cholecystitis (2); cholecystitis, peritonitis (1); abscess of liver (1); obstruction of bile duct (1); suppurating gall bladder (1). 117. Peritonitis (8). 120. Bright's disease (5); liver and lung, chronic interstitial nephritis (1); albuminuria (1); nephritis (3); neph., anasarca (1); uræmia (3). 122. Suppression of urine (1); hæmaturia (1). 123. Renal calculus (1). 124. Cystitis, prostatitis (1). 136. Childbirth (1). 142. Gangrene of foot (2). 145. Ulcer of leg (1). 172. Fall (1). 187. Liver and pleura, ascites (1); ascites, coma (1); anasarca (6); anasarca, dropsy (1); anasarca, coma (1). 189. Delirium (1); coma (5). Total 253.

Gall Bladder.

Gall bladder and—stomach (1); liver, peritoneum and lungs (1); liver and duodenum (1); liver and lungs (1); liver and pancreas (1); peritoneum (3); peritoneum and intestines (1); intestines (1); secondary deposits (undefined) (1). *Complications.*—48. Chronic rheumatic arthritis (1). 50. Diabetes (1). 55. Toxæmia (1); gall bladder and liver, tox. (1); tox., myocarditis, nephritis (1). 79. Gall bladder and liver, valvular disease, hypertrophy of heart (1); fatty heart, arterio-sclerosis (1); gall bladder and liver, heart disease (1). 82. Cerebral thrombosis (2); pulmonary embolism (1). 85. Hæmorrhage (1); hæm., gall stones (1). 90. Bronchitis (1). 91. Broncho-pneumonia (1). 92. Pneumonia (1); pneu., gall stones (1). 93. Pleurisy (1). 94. Hypostatic pneumonia (1). 103. Obstruction of stomach (1); hæmatemesis (2); vomiting (1). 109. Intestinal obstruction (3); intest. obstruction, peritonitis (1). 114. Gall bladder and liver, gall stones (5); gall bladder and liver, gall stones, ascites (1). 115. Cholæmia (1); jaundice (7); gall bladder and liver, jaundice (2); cholecystitis (2). 117. Peritonitis (3); gall bladder and pancreas, perito. (1); pelvic perito., fall (1). 119. Acute nephritis (1); acute neph., uræmia (1). 120. Uræmia, dropsy, coma (1). 122. Consecutive nephritis, cystitis (1). 187. Ascites (5); gall bladder and liver, dropsy (1). Total 71.

Bile Ducts.

Bile ducts and—liver (3); pancreas (1); secondary growths (1). *Complications.*—79. Heart disease (1). 85. Hæmorrhage (2). 90. Bronchitis (1). 114. Gall stones (5). 115. Jaundice (8); cholæmia (1). Total 23.

* Cancer of any other organ when returned jointly with cancer of the liver is selected for tabulation in preference to the latter, unless the liver is stated to have been the seat of the primary growth.

40. CANCER OF THE STOMACH, LIVER, &C. (1912)—continued.

TABLE B.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Pharynx.</i>	170	47	—	1	2	5	9	6	42	16	65	10	35	6	14	1	3	2
Carcinoma ...	111	33	—	1	—	4	5	5	28	10	44	7	24	4	10	1	—	1
Sarcoma ...	3	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—
Cancer ...	56	13	—	—	2	1	3	1	12	5	21	3	11	2	4	—	3	1
Epithelioma ...	41	12	—	—	—	2	2	2	12	2	11	4	11	1	5	—	—	1
Pharynx and glands of neck	10	—	—	—	—	—	1	—	1	—	3	—	4	—	1	—	—	—
<i>Naso-pharynx.</i>	13	15	2	2	—	1	3	1	3	2	3	4	1	2	1	3	—	—
Carcinoma ...	8	7	1	1	—	1	2	—	2	1	2	3	—	—	1	1	—	—
Sarcoma ...	2	3	1	1	—	—	1	—	—	—	—	—	—	—	—	2	—	—
Cancer ...	3	5	—	—	—	—	—	1	1	1	1	1	1	2	—	—	—	—
<i>Œsophagus.</i>	1208	352	2	1	5	11	50	42	275	73	454	89	312	79	104	52	6	5
Carcinoma ...	720	185	—	1	4	10	31	21	173	37	277	50	177	37	55	26	3	3
Sarcoma ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cancer ...	488	166	2	—	1	1	19	20	102	36	177	39	135	42	49	26	3	2
Epithelioma ...	65	17	—	—	—	1	2	1	13	8	33	5	15	—	2	1	—	1
Œsophagus and stomach	8	2	—	—	—	1	—	—	4	—	3	1	1	—	—	—	—	—
larynx ...	8	5	—	—	—	—	—	1	—	1	5	1	1	—	2	2	—	—
lung ...	12	1	—	—	—	—	1	1	5	—	3	—	2	—	1	—	—	—
Hæmorrhage ...	14	3	—	—	—	—	1	1	5	1	6	—	2	1	—	—	—	—
Bronchitis (90B) ...	15	1	—	—	—	—	—	—	3	1	5	—	6	—	1	—	—	—
Broncho-pneumonia (91) ...	21	2	—	—	—	—	1	—	11	2	7	—	2	—	—	—	—	—
Pneumonia (92B) ...	20	4	—	—	—	—	2	1	7	1	7	—	3	2	1	—	—	—
Total respiratory diseases (86-98).	82	14	1	—	—	—	5	2	29	5	29	2	15	3	3	2	—	—
<i>Stomach.</i>	3426	3082	7	3	48	38	249	186	597	524	1081	831	1086	1018	329	434	29	48
Carcinoma ...	2329	2052	5	3	38	25	175	129	416	370	742	540	717	677	214	277	22	31
Sarcoma ...	12	6	—	—	1	2	3	—	—	—	5	3	1	1	2	—	—	—
Cancer ...	1085	1024	2	—	9	11	71	57	181	154	334	288	368	340	113	157	7	17
Epithelioma ...	11	6	—	—	—	—	1	1	2	1	2	3	4	1	1	—	1	—
Scirrhus ...	10	23	—	—	1	1	1	1	—	2	2	5	4	11	2	3	—	—
Malignant ulcer ...	13	15	—	—	—	—	—	1	3	4	7	3	1	5	2	1	—	1
Pylorus ...	415	422	1	—	8	8	33	24	78	65	121	106	131	145	38	67	5	7
Cardiac end of stomach ...	39	16	—	—	—	—	2	—	7	4	12	1	17	10	1	1	—	—
Stomach and liver ...	187	161	1	—	—	1	12	9	30	37	68	43	65	50	9	20	2	1
peritoneum ...	9	22	—	—	—	1	—	3	4	6	2	8	3	2	—	2	—	—
intestines (undefined).	6	11	—	—	—	—	1	1	1	1	1	2	—	3	3	3	—	1
lungs... ..	12	8	—	—	—	—	—	1	1	2	6	3	5	2	—	—	—	—
pancreas ...	4	7	—	—	—	—	—	—	2	2	2	2	—	3	—	—	—	—
secondary	16	8	—	—	—	2	5	—	4	3	5	2	2	1	—	—	—	—
growths (undefined).																		
Hæmatemesis ...	74	62	—	—	—	—	4	3	11	14	16	14	32	23	9	8	2	—
Pyloric obstruction ...	10	9	—	—	—	—	2	—	2	3	1	1	5	3	—	2	—	—
Vomiting ...	11	22	—	—	1	—	1	1	—	3	3	—	4	8	2	9	—	1
Tuberculosis, all forms (28-35).	13	5	—	—	1	—	—	2	6	—	6	1	—	2	—	—	—	—
Toxæmia ...	6	7	—	—	—	—	1	—	2	3	1	3	1	1	1	—	—	—
Cerebral hæmorrhage, apoplexy (64).	8	6	—	—	—	—	—	—	1	—	1	2	3	1	2	3	1	—
Other forms of mental alienation (68).	5	5	—	—	—	—	—	—	3	2	2	—	—	3	—	—	—	—
Total nervous diseases (60-74).	18	20	—	—	—	—	1	5	2	3	5	7	5	2	7	1	—	—
Valvular disease (79A) ...	18	22	—	—	—	—	1	1	2	2	5	12	9	4	1	3	—	—
Other organic disease of the heart (79C).	13	18	—	—	—	—	1	—	5	—	3	3	3	12	1	3	—	—
Heart disease, all forms (77-80, 85A).	31	42	—	—	—	—	2	1	7	2	8	17	12	16	2	6	—	—
Embolism and thrombosis (82).	6	8	—	—	—	—	—	—	2	1	2	3	2	1	—	3	—	—
Hæmorrhage ...	61	47	—	—	—	—	4	4	13	8	19	12	18	16	7	6	—	1
Bronchitis (90B) ...	16	17	—	—	—	—	—	1	1	2	6	4	8	7	—	3	1	—
Broncho-pneumonia (91) ...	8	3	—	—	—	—	—	—	1	—	4	1	3	—	—	2	—	—
Pneumonia (92B) ...	11	6	—	—	—	—	1	—	2	3	2	3	6	—	—	—	—	—
Total respiratory diseases (86-98).	50	34	—	—	—	—	2	2	9	7	16	8	20	9	2	8	1	—
Intestinal obstruction (109B).	11	15	—	—	1	2	1	—	2	2	3	7	3	2	1	2	—	—
Diseases of the liver (111-115).	22	20	—	—	—	—	1	—	3	4	9	8	5	4	4	4	—	—
Peritonitis (117) ...	30	20	—	—	—	3	5	1	5	5	11	4	7	5	2	2	—	—
Bright's disease (120) ...	8	4	—	—	—	—	—	—	2	1	2	1	4	2	—	—	—	—
Total urinary diseases (119-126).	16	6	—	—	—	—	1	1	2	1	3	1	8	2	1	1	1	—
Dropsy (187) ...	14	16	—	—	—	—	—	2	4	2	4	4	6	5	—	3	—	—

40. CANCER OF THE STOMACH, LIVER, &C. (1912)—continued.

TABLE B.—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Liver.</i>	1605	2282	11	11	9	26	78	104	243	350	509	649	536	763	206	339	13	40
Carcinoma ...	931	1304	—	2	5	10	44	58	141	193	295	386	319	435	117	195	10	25
Sarcoma ...	30	18	7	6	2	2	5	—	3	3	6	3	4	4	3	—	—	—
Cancer ...	644	960	4	3	2	14	29	46	99	154	208	260	213	324	86	144	3	15
Scirrhus ...	6	6	—	—	—	—	—	—	1	—	3	2	2	4	—	—	—	—
Liver and gall bladder ...	3	7	—	—	—	—	—	—	2	2	1	3	—	1	—	1	—	—
Jaundice ...	88	124	—	—	—	2	1	7	11	16	17	35	32	41	22	17	5	6
Toxæmia ...	14	12	—	—	—	—	1	2	4	4	3	4	3	1	3	1	—	—
Cerebral hæmorrhage, apoplexy (64).	4	8	—	—	—	—	—	—	1	2	—	4	2	2	1	—	—	—
Total nervous diseases (60-74).	9	19	—	—	—	—	1	—	2	3	—	8	4	7	2	1	—	—
Valvular disease (79A) ...	9	12	—	—	—	—	—	—	1	3	3	2	4	4	1	3	—	—
Other organic disease of the heart (79C).	15	18	—	—	—	1	—	—	1	4	6	3	5	9	3	1	—	—
Heart disease, all forms (77-80, 85A).	24	32	—	—	—	1	—	—	2	7	9	5	9	14	4	5	—	—
Hæmorrhage ...	10	6	—	—	—	—	1	—	—	3	6	1	3	1	—	1	—	—
Bronchitis (90B) ...	10	22	—	1	—	—	—	—	2	5	1	5	2	6	5	5	—	—
Total respiratory diseases (86-98).	17	42	—	1	—	—	2	1	2	12	2	11	5	10	6	7	—	—
Hæmatemesis ...	8	15	—	—	—	1	—	—	2	1	1	3	2	8	3	1	—	1
Biliary calculi (114) ...	5	25	—	—	—	—	—	—	2	5	3	10	—	8	—	2	—	—
Bright's disease (120) ...	9	9	—	—	—	—	—	—	1	4	3	3	5	1	—	1	—	—
Dropsy (187) ...	65	88	2	1	1	2	4	8	17	16	15	28	20	24	6	9	—	—
<i>Gall bladder.</i>	89	211	—	—	—	2	4	6	19	32	23	69	30	77	13	22	—	3
Carcinoma ...	54	134	—	—	—	1	3	5	12	16	18	48	16	48	5	13	—	3
Sarcoma ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer ...	35	77	—	—	—	1	1	1	7	16	5	21	14	29	8	9	—	—
Gall bladder and liver ...	18	31	—	—	—	—	1	3	5	5	6	11	5	12	1	—	—	—
Biliary calculi (114) ...	9	29	—	—	—	—	—	—	2	3	—	8	5	16	2	2	—	—
<i>Bile ducts.</i>	31	27	—	1	1	1	—	2	5	4	12	6	6	9	7	3	—	1
Carcinoma ...	24	17	—	—	1	1	—	2	4	1	9	4	6	7	4	2	—	—
Sarcoma ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer ...	7	9	—	1	—	—	—	—	1	2	3	2	—	2	3	1	—	1

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM. (1912.)

TABLE A.

(Variety of growth not distinguished.)

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Mesentery.</i>																		
Unqualified... { Inst.	1	2	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—
Unqualified... { Pr.	13	19	—	—	1	1	2	2	4	6	2	3	3	6	1	1	—	—
<i>Omentum.</i>																		
Unqualified... { Inst.	6	13	—	—	—	1	—	—	4	5	1	5	1	2	—	—	—	—
Unqualified... { Pr.	20	75	—	—	1	1	1	2	2	10	7	27	7	19	2	13	—	3
Omentum and liver { Inst.	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Omentum and liver { Pr.	3	9	—	—	—	—	—	1	—	3	2	1	1	4	—	—	—	—
<i>Peritoneum.</i>																		
Unqualified... { Inst.	14	22	—	—	—	1	4	2	2	7	3	7	4	5	—	—	1	—
Unqualified... { Pr.	23	75	—	—	1	—	5	13	5	11	6	18	6	19	—	12	—	2
Retro-peritoneal { Inst.	11	6	3	2	1	1	1	1	1	1	3	1	2	—	—	—	—	—
Retro-peritoneal { Pr.	5	12	—	—	—	1	—	—	—	4	3	2	1	4	—	1	—	—
Ascites ... Pr.	4	10	1	—	—	—	—	2	—	2	2	4	1	2	—	—	—	—
<i>Duodenum.</i>																		
Unqualified... { Inst.	4	5	—	—	—	—	—	—	1	3	1	2	1	—	1	—	—	—
Unqualified... { Pr.	28	24	—	—	—	—	2	—	3	5	7	7	12	5	4	6	—	1
<i>Ileum.</i>																		
Unqualified... { Inst.	3	7	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
Unqualified... { Pr.	5	5	1	—	—	—	—	—	1	—	—	1	1	3	2	1	—	—
<i>Small Intestine (undefined).</i>																		
Unqualified... { Inst.	3	2	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	—
Unqualified... { Pr.	10	15	—	—	—	—	1	—	4	—	2	5	3	8	—	1	—	1

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM (1912).—continued.

TABLE A—continued.

		All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Cæcum.</i>																			
Unqualified...	{ Inst.	26	32	—	—	1	1	3	4	8	9	5	7	8	9	1	2	—	—
	{ Pr.	56	91	1	—	—	1	1	4	5	15	19	22	19	32	10	16	1	1
Intestinal obstruction ...	{ Inst.	4	8	—	—	—	1	—	—	1	2	3	3	—	2	—	—	—	—
	{ Pr.	2	13	—	—	—	1	—	—	—	1	1	2	1	5	—	3	—	1
Peritonitis ...	{ Inst.	4	2	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—	—
	{ Pr.	2	2	—	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—
<i>Colon.</i>																			
Unqualified...	{ Inst.	97	114	—	—	3	1	8	11	16	21	41	32	25	38	3	9	1	2
	{ Pr.	190	320	3	—	—	4	15	12	21	41	48	81	69	111	32	58	2	13
Colon and liver ...	{ Inst.	2	1	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
	{ Pr.	15	20	—	—	—	—	1	—	1	3	8	5	3	9	2	2	—	1
Intestinal obstruction ...	{ Inst.	27	32	1	—	—	1	1	3	5	7	7	9	12	10	1	2	—	—
	{ Pr.	19	43	—	—	—	—	—	1	2	2	3	9	9	17	5	12	—	2
Peritonitis ...	{ Inst.	17	11	—	—	1	1	1	2	5	4	7	4	2	—	1	—	—	—
	{ Pr.	3	7	—	—	—	1	—	—	1	—	—	2	1	3	1	1	—	—
<i>Hepatic flexure of colon.</i>																			
Unqualified...	{ Inst.	5	2	—	—	—	—	—	—	1	—	4	1	—	1	—	—	—	—
	{ Pr.	3	5	—	—	—	—	—	—	1	1	1	2	—	—	1	2	—	—
<i>Splenic flexure of colon.</i>																			
Unqualified...	{ Inst.	8	6	—	—	1	1	2	2	1	—	3	1	1	2	—	—	—	—
	{ Pr.	10	8	—	—	—	—	—	—	3	1	—	1	6	3	1	3	—	—
Intestinal obstruction ...	{ Inst.	3	4	—	—	—	—	—	1	—	2	2	—	1	1	—	—	—	—
	{ Pr.	2	2	—	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—
<i>Sigmoid flexure of colon.</i>																			
Unqualified...	{ Inst.	39	48	—	1	—	2	4	10	8	10	12	13	10	6	4	6	1	—
	{ Pr.	110	141	—	—	3	3	5	6	15	24	33	33	35	48	15	22	4	5
Sigmoid flexure and liver ...	{ Inst.	3	2	—	—	—	—	—	—	—	—	2	1	1	1	—	—	—	—
	{ Pr.	9	5	—	—	—	—	1	—	1	1	4	1	2	2	1	1	—	—
Intestinal obstruction ...	{ Inst.	20	20	—	—	—	2	6	7	2	6	7	4	4	4	1	1	—	—
	{ Pr.	8	22	—	—	—	—	1	2	2	1	7	1	6	4	6	—	—	—
Peritonitis ...	{ Inst.	5	10	—	—	—	1	1	1	4	2	4	1	1	—	—	—	—	—
	{ Pr.	2	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
<i>Large intestine (undefined).</i>																			
Unqualified...	{ Inst.	12	8	1	—	—	1	—	—	2	1	2	3	5	3	2	—	—	—
	{ Pr.	38	38	—	—	—	—	3	4	3	8	9	11	16	8	5	7	2	—
Intestinal obstruction ...	{ Inst.	3	5	—	—	—	—	1	1	1	1	—	1	1	2	—	—	—	—
	{ Pr.	3	4	—	—	—	—	1	—	—	—	2	2	—	1	—	1	—	—
<i>Intestines (undefined).</i>																			
Unqualified...	{ Inst.	76	90	—	—	2	1	6	7	22	19	22	29	20	27	3	5	1	2
	{ Pr.	402	668	3	5	7	10	23	36	55	89	109	168	148	221	51	124	6	15
Intestines and liver ...	{ Inst.	1	2	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—
	{ Pr.	29	21	1	—	1	—	1	—	3	2	7	7	14	10	2	1	—	1
Toxæmia ...	{ Inst.	3	3	1	—	—	1	—	1	—	1	1	1	—	—	—	—	—	—
	{ Pr.	2	2	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Hæmorrhage ...	{ Inst.	2	1	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—
	{ Pr.	8	6	—	—	—	—	—	—	2	1	2	3	2	2	2	—	—	—
Intestinal obstruction ...	{ Inst.	20	18	—	1	—	—	—	1	—	5	12	4	7	5	1	1	—	1
	{ Pr.	42	89	—	—	—	—	1	1	5	10	8	15	17	30	9	27	2	6
Peritonitis ...	{ Inst.	6	7	—	—	—	1	2	2	2	2	1	2	1	2	—	—	—	—
	{ Pr.	13	9	—	—	1	2	1	1	2	3	2	5	3	2	—	—	—	—
<i>Rectum.</i>																			
Unqualified ...	{ Inst.	326	223	3	4	9	13	18	15	63	45	108	62	97	68	26	15	2	1
	{ Pr.	987	746	6	3	12	12	43	46	136	108	277	186	346	250	148	128	19	13
Rectum and liver ...	{ Inst.	9	5	—	—	—	1	3	—	—	—	3	1	3	1	—	1	—	1
	{ Pr.	52	33	—	—	—	2	6	4	10	5	14	10	12	6	10	6	—	—
abdomen	{ Inst.	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	{ Pr.	2	6	—	—	—	—	—	—	—	—	1	3	—	3	1	—	—	—
secondary deposits	{ Inst.	2	2	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—
	{ Pr.	10	9	—	—	—	—	—	—	5	2	—	5	3	—	2	1	—	1
undefined	{ Inst.	9	3	—	—	—	—	2	1	1	1	4	1	2	—	—	—	—	—
	{ Pr.	3	1	—	—	—	—	—	—	1	—	—	1	1	—	2	—	—	—
Toxæmia ...	{ Inst.	2	3	—	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—
	{ Pr.	8	9	—	—	1	—	—	—	—	1	3	2	2	2	2	3	—	1
Hæmorrhage ...	{ Inst.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	{ Pr.	8	9	—	—	—	—	—	—	—	1	2	1	5	5	—	—	—	2
Bronchitis ...	{ Inst.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	{ Pr.	8	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Intestinal obstruction ...	{ Inst.	23	27	—	1	1	3	4	7	6	5	8	6	4	1	2	—	—	2
	{ Pr.	26	31	—	—	—	1	1	4	4	10	4	4	15	7	5	—	—	2
Peritonitis ...	{ Inst.	16	17	—	—	1	2	1	7	6	6	7	1	2	—	—	—	—	—
	{ Pr.	7	3	—	—	—	1	—	—	1	—	1	—	5	1	—	1	—	—
<i>Anus.</i>																			
Unqualified...	{ Inst.	4	1	—	—	—	—	—	—	—	—	2	1	1	—	1	—	—	—
	{ Pr.	3	4	—	—	—	—	—	—	1	—	1	2	—	1	1	1	—	—

41. CANCER OF THE PERITONEUM, INTESTINES AND RECTUM (1912).—*continued.*

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

Mesentery.

Mesentery and:—stomach and liver (1); liver (2); colon (1); intestine (1); hand (1); brain (1); mediastinum (1). *Complications*:—28. Pulmonary tuberculosis (1). 51. Exophthalmic goitre (1). 79. Chronic endocarditis (1). 80. Mesentery and abdominal glands, angina pectoris (1). 85. Hæmorrhage (2). 91. Broncho-pneumonia (1). 93. Pleurisy (1). 109. Intestinal obstruction (1); intest. obstruct., peritonitis (1). 110. Gangrene of bowel (1). 117. Peritonitis (1). 187. Ascites (2); dropsy (1). Total 23.

Omentum.

Omentum and:—pylorus (1); colon (2); intestine (4); lung (1); spleen (1); glands (1). *Complications*:—28. Phthisis (1). 79. Cardiac dilatation (1); heart disease (2). 81. Atheroma of arteries (1). 85. Hæmorrhage (1). 90. Bronchitis (2); bronch., hernia (1). 91. Broncho-pneumonia (1). 93. Pleural effusion (1); pleural effusion, ascites (1). 109. Intestinal obstruction (2). 115. Jaundice (2). 120. Bright's disease (1). 126. Hypertrophy of prostate (1). 187. Ascites (3); dropsy (2). Total 33.

Peritoneum.

Peritoneum and:—liver (5); liver and intestine (1); omentum (1); intestine (3); broad ligament (1); lung (1); testicle (1); abdomen (1). *Complications*:—28. Pulmonary tuberculosis, waxy disease of spleen, liver and kidneys (1). 55. Toxæmia (1). 82. (Retro-peritoneal), pulmonary embolism (1). 85. (Retro-peritoneal), hæmorrhage (1). 90. Bronchitis (1). 93. Pleurisy (1); pleural effusion (1). 94. Œdema of lungs, ascites (1). 98. Hæmoptysis (1). 109. Intestinal obstruction (6). 110. Hæmorrhage from bowels (1). 115. Peritoneum and liver, jaundice (1); jaundice, ascites (1). 120. Uræmic convulsions (1). 131. Cystic ovaries (1). 132. Cyst of broad ligament (1). 134. Pregnancy (1). 187. Dropsy (1). Total 37.

Duodenum.

Duodenum and:—stomach, liver and brain (1); pylorus, peritoneum and sigmoid flexure (1); liver (2); liver and gall bladder (1); gall bladder (1); omentum (1); pancreas (2); secondary deposits (1). *Complications*:—48. Rheumatoid arthritis (1). 64. Cerebral hæmorrhage (1). 66. Paralysis (1). 82. Cerebral embolism (1). 85. Hæmorrhage (1). 90. Bronchitis (1). 92. Pneumonia (1). 103. Gastritis (1); vomiting (1). 109. Intestinal obstruction (1). 110. Melæna (1); hæmorrhage from intestine (1). 115. Icterus (1). 117. Peritonitis (4). 187. Ascites (2). Total 29.

Jejunum.

Unqualified (3). Jejunum, liver and abdominal glands (1). *Complications*:—55. Toxæmia, intestinal obstruction, peritonitis (1). 85. Hæmorrhage (1). 109. Intestinal obstruction (2). Total 8.

Ileum.

Ileum and:—liver (1); mesenteric glands (1); secondary deposits (1). *Complications*:—82. Cerebral embolism (1). 90. Bronchitis (1). 104. Diarrhœa (1). 109. Intestinal obstruction (1). 187. Ascites (1). Total 8.

Small intestine (undefined).

Small intestine and:—liver (2); secondary deposits (1). *Complications*:—64. Cerebral apoplexy, paralysis (1). 79. Heart disease, general œdema (1). 103. Vomiting (1). 109. Intestinal obstruction (6). 110. Hæmorrhage from intestines (1); rupture of intestine, peritonitis (1). 117. Peritonitis (3). Total 17.

Cæcum.

Cæcum and:—stomach (1); liver (8); liver and mesentery (1); liver, peritoneum and lungs (1); omentum (1); peritoneum, kidneys and glands (1); colon (1); spleen (1). *Complications*:—20. Septic absorption (1). 48. Rheumatoid arthritis, anasarca (1). 55. Toxæmia (1); tox., intestinal obstruction (1). 64. Cerebral hæmorrhage (1). 79. Mitral stenosis (1); valvular disease (1). 82. Pulmonary embolism (2). 85. Hæmorrhage (3). 90. Bronchitis (1). 92. Lobar pneumonia (2). 93. Pleurisy (1). 94. Hypostatic pneumonia (1). 103. Cæcum and colon, hæmatemesis (1). 104. Diarrhœa (1); cæcum and liver, diarrhœa (1). 110. Fæcal fistula (1). 115. Jaundice (1); cæcum and liver, jaundice (1). 117. Peritonitis, pelvic abscess (1). 132. Cæcum and liver, vaginal fistula (1). 144. Pelvic abscess (1). 187. Ascites (3). Total 44.

Appendix.

Unqualified (4). Appendix and secondary deposits (1). *Complications*:—20. Septicæmia, perforation of intestine, abscess (1). 85. Hæmorrhage (1). Total 7.

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM (1912)—*continued*.*Colon.*

Colon and:—stomach (3); stomach and liver (2); liver and omentum (2); liver and peritoneum (1); liver and cæcum (1); liver and glands of neck (1); mesenteric glands (1); peritoneum (5); cæcum (1); rectum (1); ovary (1); ovary and uterus (1); uterus (1); bladder (1); brain (1); mediastinum (1); pelvis (1); neck (1); loin (1); secondary deposits (4). *Complications*:—20. Septic absorption (2); septicæmia, abscess (1). 48. Rheumatoid arthritis (2). 50. Glycosuria (1). 54. Anæmia (2). 55. Toxæmia (9); tox., fatty heart (1); tox., intestinal obstruction (4). 62. Locomotor ataxia (1). 64. Apoplexy (1); cerebral hæmorrhage (2); cer. hæm., mitral disease (1). 68. Mania (1); melancholia (1). 69. Epileptic insanity (1). 79. Mitral disease (6); cardiac degeneration (1); heart disease (1). 80. Angina pectoris (1). 81. Aneurysm (1); calcareous arteries (1); 82. Pulmonary embolism (4). 85. Hæmorrhage (5); hæm., intestinal obstruction (1). 90. Bronchitis (9). 92. Pneumonia (8). 93. Pleurisy (3); colon and secondary deposits, pleurisy (1). 94. Hypostatic congestion of lungs (1); hypostatic pneumonia (5); hypo. pneu., intestinal obstruction (1). 97. Emphysema, dilated stomach (1). 98. Abscess of lung (2). 103. Gastric catarrh (1); hæmatemesis (1); hæmat., vomiting (1). 104. Diarrhœa (4); colitis (2); ulceration of cæcum (1). 109. Colon and liver, intestinal obstruction (2); intest. obstruct., peritonitis (2); intest. obstruct., ascites (1). 110. Gangrene of bowel (1); fæcal fistula (1). 115. Jaundice (2); cholecystitis (1). 118. Abdominal abscess (2). 120. Chronic nephritis (4); nephritis (2). 142. Gangrene of legs (1). 131. Ovarian cyst (1). 172. Accelerated by fall (2). 187. Ascites (6); colon and liver, dropsy (1). 189. Coma (1). Total 153.

Hepatic flexure of colon.

Hepatic flexure and:—liver (2); secondary deposits (2). *Complications*:—20. Septic absorption, intestinal obstruction, peritonitis (1). 55. Toxæmia, intestinal obstruction (1). 79. Fatty heart, peritonitis (1). 85. Hepatic flexure and liver, hæmorrhage (1). 90. Bronchitis (1). 92. Pneumonia (1). 109. Intestinal obstruction (7). 117. Peritonitis (1); hepatic flexure and gall bladder, perito. (1). 142. Gangrene of abdominal wall (1). Total 20.

Splenic flexure of colon.

Splenic flexure and:—liver (1); liver and mesenteric glands (1); peritoneum (1); secondary deposits (1). *Complications*:—20. Septicæmia (1). 79. Mitral disease (1); fatty heart, intestinal obstruction (1). 85. Hæmorrhage (2). 90. Bronchitis (1). 109. Intussusception (1). 117. Peritonitis (3). 122. Pyonephrosis (1). 187. Splenic flexure and peritoneum, ascites (1). Total 16.

Sigmoid flexure of colon.

Sigmoid flexure and:—liver and rectum (1); liver and lungs (1); liver and bladder (1); peritoneum (2); rectum, ovary and broad ligament (1); lungs (2); bladder (1); secondary deposits (6). *Complications*:—20. Sepsis (2). 50. Diabetes (1). 55. Toxæmia (7); tox., intestinal obstruction (7). 63. Spinal sclerosis (1). 64. Cerebral hæmorrhage (2). 66. Hemiplegia, intestinal obstruction (1). 74. Brain disease (1). 79. Mitral disease (4); heart disease (1). 85. Hæmorrhage (6). 90. Bronchitis (1). 91. Broncho-pneumonia (1). 92. Pneumonia (1); sigmoid flexure and bladder, pneu. (1); pneu., intestinal obstruction (2). 93. Sigmoid flexure and liver, empyema (1). 94. Œdema of lungs (1); congestion of lungs, ascites (2); hypostatic pneumonia (4). 104. Diarrhœa (1); ulcer of cæcum (1). 109. Sigmoid flexure and liver, intestinal obstruction (1); strangulation of bowel (1); intussusception (2). 110. Fæcal fistula (1); fæcal fistula, peritonitis (1); intestinal hæmorrhage (3). 113. Cirrhosis of liver and kidneys (1). 114. Hepatic colic (1). 115. Jaundice (1). 120. Chronic tubal nephritis (1); nephritis (1). 122. Anuria (1). 124. Cystitis (2); ulceration of bladder (1). 125. Vesico-intestinal fistula (1). 126. Prostatitis (1). 145. Bedsores (1). 187. Ascites (4); dropsy (1). 189. Coma (1). Total 91.

Large intestine (undefined).

Large intestine and:—liver (7); liver and gall bladder (1); mesentery and peritoneum (1); right femur (1); lumbar gland (1). *Complications*:—20. Large intestine and uterus, sepsis, hæmorrhage (1). 54. Pernicious anæmia (1). 55. Toxæmia (1); tox., intestinal obstruction (2). 74. Imbecility (1). 79. Valvular disease, chronic interstitial nephritis (1); fatty heart (1); large intestine and liver, fatty heart (1). 92. Pneumonia, œdema of lungs (1). 94. Œdema of lungs (1). 103. Vomiting, diarrhœa (1). 104. Colitis, intestinal obstruction (1); ulceration of rectum (1). 115. Cholecystitis (1); jaundice (1). 117. Peritonitis (4). 120. Nephritis (1). 187. Ascites (2); large intestine and liver, ascites (1). Total 35.

Intestines (undefined).

Intestines and:—œsophagus (1); stomach (3); stomach and liver (1); liver and lung (2); mesentery (4); omentum (4); peritoneum (7); ovary (1); uterus (1); uterus and bladder (1); abdominal wall (1); bladder (5); brain (2); pelvis (1); abdomen (1); glands (1); secondary deposits (7). *Complications*:—10. Influenza, bronchitis (1). 18. Erysipelas (1). 20. Septicæmia (1); sapræmia (1). 31. Tuberculous enteritis (1). 37. Syphilis (1). 48. Chronic rheumatism (1). 50. Diabetes (1).

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM (1912)—*continued*.

53. Lymphadenoma of neck (1). 55. Intestines and femur, toxæmia (1); tox., intestinal obstruction (1). 63. Paralysis agitans (1). 64. Cerebral apoplexy (1); cerebral hæmorrhage (3). 66. Intestines and spine, paraplegia (1). 68. Melancholia (1); dementia, intestinal obstruction (1). 77. Pericarditis, abscess of liver (1). 79. Mitral disease (1); valvular dis. (2); cardiac dropsy (1); heart disease (3); intestines and liver, ht. dis. (2). 82. Cerebral embolism (1); thrombosis (4). 85. Intestines and stomach, hæmorrhage (1); intest. and liver, hæm. (1); hæm., bronchial catarrh, peritonitis (1). 90. Bronchitis (7); bronch., intestinal obstruction (1); bronch., fæcal fistula (1); bronch., ascites (1). 91. Broncho-pneumonia (1); septic br.-pneu. (1); intestines and bladder, br.-pneu. (1). 92. Pneumonia (4); pneu., intestinal obstruction (1). 94. Œdema of lungs (1); congestion of lungs (2); hypostatic pneumonia (1). 98. Hæmoptysis, asphyxia (1). 99. Stomatitis (1). 103. Hæmatemesis (5); intestines and stomach, hæmat. (1); vomiting (1). 104. Diarrhœa (3); enteritis, obstruction (1). 109. Hernia (2); rupture of bowel (1); intestines and liver, intestinal obstruction (2); intestines and secondary deposits, intest. obstr. (1); intest. obstr., peritonitis (4); intest. obstr., renal disease (1); intest. obstr., delirium (1). 110. Fistula in ano (1); intestines and uterus, intestinal vaginal fistula (1); melæna (2); intestinal hæmorrhage (3). Cirrhosis of liver (1). 115. Jaundice (1); intestines and liver, jaundice (2); intestines and liver, jaundice, ascites, coma (1). 117. Intestines and bladder, peritonitis (1); peritoneal abscess (1). 120. Bright's disease (1); kidney disease (1); uræmia (1). 124. Cystitis (1). 172. Fall (1). 187. Ascites (8); intestines and mesentery, ascites (1); intestines and omentum, ascites (1); anasarca (1); dropsy (1); intestines and liver, dropsy (2); intestines and skin of abdomen, dropsy (1). 189. Coma (2); intestines and liver, coma (1). Total 164.

Rectum.

Rectum and:—superior maxilla (1); œsophagus (1); œsoph. and lungs (1); stomach and liver (1); stom., liver and abdomen (1); liver and mesentery (1); liver and peritoneum (3); liver and pancreas (1); liver and spleen (1); liver and spine (1); liver and abdomen (1); liver and glands of groin (1); omentum (1); omentum and peritoneum (1); duodenum (1); colon (1); sigmoid (1); uterus (4); vagina (5); face (1); lungs (5); bladder (8); prostate (3); brain (2); pelvis (3); inguinal glands (3); groin (1). *Complications.*—10. Influenza (1); influ., bronchitis (1). 14. Dysentery (1). 20. Pyæmia (2); septicæmia (9); septic poisoning (1); septic poisoning, bedsores (1). 28. Pulmonary tuberculosis (1); tuberculosis (1); phthisis (2). 48. Chronic rheumatism (1); rheumatics (1). 50. Diabetes (6); glycosuria (1). 54. Anæmia (1); anæmia, cerebral thrombosis (1); anæmia, hæmorrhage (1). 55. Rectum and liver, toxæmia (1); tox., dilatation of heart (1); tox., intestinal obstruction (3); autointoxication (2). 61. Meningitis, convulsions (1). 64. Apoplexy, paraplegia, intestinal obstruction (1); cerebral effusion (1); congestion of brain (1); cerebral hæmorrhage (3); rectum and liver, cer. hæm. (1). 66. Hemiplegia (3); paralysis, hæmorrhage (1). 67. General paralysis of insane (1). 68. Mania (1); melancholia (1); dementia (3). 74. Jacksonian epilepsy (1); rectum and uterus, brain disease (1). 78. Endocarditis, peritonitis (1). 79. Mitral disease (1); mitral dis., peritonitis (1); mitral dis., anasarca (1); valvular disease (4); cardiac degeneration (1); dilatation of heart (1); dilat. of ht., bronchitis, emphysema (1); cardiac dropsy, pulmonary congestion (1); heart disease (2); ht. dis., dropsy (1). 82. Cerebral embolism (3); cer. embo., hæmorrhage (1); cerebral thrombosis (1); pulmonary embolism (2). 90. Rectum and liver, bronchitis (1); bronch., pneu. (1); bronch., fracture of femur (1). 91. Broncho-pneumonia (7). 92. Lobar pneumonia (1); pleuro-pneu., hydronephrosis (1); pneumonia (9). 93. Pleurisy (2); pleural effusion (1). 94. Congestion of lungs (2); hypostatic pneumonia (5). 96. Bronchial asthma (2). 103. Gastritis (1); rectum and liver, hæmatemesis (1). 104. Diarrhœa (6); colitis (1); ulceration of bowel (2). 109. Rupture of colon (1); ileus (1); rectum and liver, intestinal obstruction (1); intest. obstr., paralysis of ileum (1); intest. obstr., peritonitis (4). 110. Paralysis of bowels (1); ischio-rectal abscess (2); ischio-rectal suppuration, gangrene (1); fistula (2); stercoræmia (1); stercoral ulcer, peritonitis (1). 113. Rectum and liver, cirrhosis of liver (1). 114. Gallstones, jaundice (1). 115. Jaundice (3); rectum and liver, jaundice (6). 117. Septic peritonitis (2); peritonitis, pelvic abscess (1). 119. Acute nephritis (1). 120. Nephritis (1); neph., uræmia (1); uræmia (2); uræmia, coma (1). 122. Suppression of urine (1); rectum and bladder, pyonephrosis (1). 124. Cystitis (2). 125. Recto-vesical fistula (2). 129. Fibroid uterus (1). 131. Ovarian cysts (1). 136. Parturition (1). 142. Gangrene of leg (6). 144. Cellulitis of buttocks (1); pelvic abscess (3); abscess in pelvis and thigh (1); abscess (1). 154. Senile dementia (1). 187. Dropsy (1); rectum and liver, dropsy (1); anasarca (1); ascites (2); rectum and liver, ascites (1). 189. Abdominal obstruction (2); delirium (1); coma (7). Total 253.

Anus.

Anus and:—inguinal glands (1); glands (undefined) (1); secondary growths (undefined) (1). *Complications:*—91. Broncho-pneumonia (1). 92. Pneumonia (1). 109. Intestinal obstruction (1); intest. obstr., hæmaturia (1). 168. Anus and lungs, asphyxia (1). Total 8.

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM (1912)—continued.

TABLE B.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Mesentery.</i>	24	34	1	1	2	1	5	3	6	10	3	6	5	9	2	4	—	—
Carcinoma	11	24	—	—	1	1	1	3	1	5	2	4	4	7	2	4	—	—
Sarcoma	5	3	1	—	1	—	1	—	2	1	—	1	—	1	—	—	—	—
Cancer	8	7	—	1	—	—	3	—	3	4	1	1	1	1	—	—	—	—
<i>Omentum.</i>	44	117	—	—	2	2	1	3	8	23	15	36	15	34	3	15	—	4
Carcinoma	17	58	—	—	1	2	—	—	2	11	8	18	5	17	1	7	—	3
Sarcoma	3	4	—	—	1	—	1	—	1	—	—	1	—	2	—	1	—	—
Cancer	24	55	—	—	—	—	—	3	5	12	7	17	10	15	2	7	—	1
Omentum and liver	4	10	—	—	—	—	—	1	—	4	2	1	2	4	—	—	—	—
<i>Peritoneum.</i>	67	152	4	4	2	4	12	22	10	32	22	41	14	34	2	13	1	2
Carcinoma	29	62	—	—	1	1	4	7	7	15	11	16	5	14	—	8	1	1
Sarcoma	16	19	3	3	—	3	5	4	—	4	5	1	3	3	—	1	—	—
Cancer	22	71	1	1	1	—	3	11	3	13	6	24	6	17	2	4	—	1
Retro-peritoneal	16	20	3	2	1	3	2	2	1	5	6	3	3	4	—	1	—	—
Dropsy (187)	4	13	1	—	—	—	—	2	—	3	2	5	1	3	—	—	—	—
<i>Small intestine.</i>	93	73	2	—	2	—	9	5	17	14	21	21	33	19	9	11	—	3
Carcinoma	66	42	—	—	2	—	7	—	10	6	13	14	28	12	6	7	—	3
Sarcoma	4	2	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Cancer	23	29	—	—	—	—	2	4	6	7	7	7	5	7	3	4	—	—
Malignant ulcer	6	—	—	—	—	—	1	—	—	—	2	—	3	—	—	—	—	—
Intestinal obstruction (109 B).	8	3	—	—	—	—	2	1	2	1	2	1	2	—	—	—	—	—
<i>Cæcum.</i>	109	177	2	—	1	4	7	11	20	34	32	41	34	59	12	25	1	3
Carcinoma	81	127	—	—	1	3	6	8	16	22	20	30	29	42	8	19	1	3
Sarcoma	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	26	50	—	—	1	1	3	4	12	12	11	5	17	4	6	—	—	—
Cæcum and liver	2	11	—	—	—	—	—	2	1	2	1	2	—	4	—	1	—	—
Intestinal obstruction (109 B)	7	21	—	—	2	—	—	2	3	4	5	1	7	—	3	—	1	—
Peritonitis (117)	6	5	—	—	—	—	1	1	3	1	1	—	1	3	—	—	—	—
<i>Colon.</i>	443	628	4	—	6	6	32	31	57	91	136	167	148	216	57	95	3	22
Carcinoma	319	450	2	—	5	1	22	26	44	67	103	126	107	152	33	61	3	17
Sarcoma	4	2	2	—	—	—	2	—	—	—	—	2	—	—	—	—	—	—
Cancer	120	176	—	—	1	5	8	5	13	24	33	39	41	64	24	34	—	5
Colon and liver	24	27	—	—	1	—	3	1	4	12	7	5	10	2	4	—	1	—
Toxæmia	5	9	—	—	—	—	1	1	1	2	1	4	2	1	—	1	—	—
Respiratory diseases (86-98)	16	15	—	—	1	—	2	—	1	1	5	4	4	7	2	1	1	2
Intestinal obstruction (109 B).	52	80	1	—	1	2	4	7	9	10	19	24	31	8	14	—	2	—
Peritonitis (117)	21	20	—	—	1	2	1	2	7	4	7	7	3	4	2	1	—	—
<i>Hepatic flexure of colon.</i>	15	20	—	—	—	—	—	1	4	2	6	7	2	8	3	2	—	—
Carcinoma	14	17	—	—	—	—	—	—	4	2	6	5	2	8	2	2	—	—
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	1	3	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—	—
<i>Splenic flexure of colon.</i>	34	25	—	—	1	1	3	6	8	4	7	2	12	8	3	4	—	—
Carcinoma	28	18	—	—	1	1	2	5	7	4	6	2	9	4	3	2	—	—
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	6	7	—	—	—	—	1	1	1	—	1	—	3	4	—	2	—	—
Intestinal obstruction (109 B).	6	7	—	—	—	—	—	2	1	2	2	—	2	2	1	1	—	—
<i>Sigmoid flexure of colon.</i>	243	294	—	—	4	6	15	28	44	49	74	80	71	82	30	43	5	6
Carcinoma	192	231	—	—	4	5	10	20	39	40	62	60	50	66	24	35	3	5
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	51	63	—	—	—	1	5	8	5	9	12	20	21	16	6	8	2	1
Epithelioma...	5	4	—	—	1	—	1	—	—	—	2	2	—	2	1	—	—	—
Sigmoid flexure and liver	17	7	—	—	—	—	2	—	3	1	6	2	3	3	1	—	—	—
Toxæmia	6	8	—	—	—	—	—	4	—	—	4	—	1	3	1	1	—	—
Respiratory diseases (86-98)	11	6	—	—	—	—	1	—	1	1	5	—	4	3	—	2	—	—
Intestinal obstruction (109 B).	33	46	—	—	—	—	2	9	10	5	9	14	7	10	5	8	—	—
Peritonitis (117)	7	13	—	—	—	—	1	1	3	4	2	7	1	1	—	—	—	—
<i>Large intestine (undefined).</i>	69	77	1	—	—	2	6	6	9	14	17	22	26	20	7	13	3	—
Carcinoma	40	51	—	—	—	1	6	2	4	11	8	13	19	16	2	8	1	—
Sarcoma	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	28	26	—	—	—	1	—	4	5	3	9	9	7	4	5	5	2	—
Large intestine and liver	5	5	—	—	—	—	1	—	2	—	—	1	2	4	—	—	—	—
Intestinal obstruction (109 B).	8	11	—	—	—	—	2	2	1	1	2	3	2	3	—	2	1	—

41. CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM (1912)—continued.

TABLE B—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Intestines (undefined).</i>	678	1004	5	6	12	14	37	57	98	148	192	249	244	331	79	172	11	27
Carcinoma	339	536	1	2	6	8	18	34	50	82	101	138	124	167	30	93	9	12
Sarcoma	5	12	1	1	1	1	1	5	1	1	1	2	—	2	—	—	—	—
Cancer	334	456	3	3	5	5	18	18	47	65	90	109	120	162	49	79	2	15
Intestines and liver ...	33	34	1	—	1	—	1	3	4	5	8	10	16	12	2	3	—	1
Toxæmia	6	6	1	—	—	1	—	1	—	1	3	2	2	1	—	—	—	—
Heart disease, all forms (77-80, 85 A).	7	3	—	—	—	—	—	—	2	—	3	—	1	1	1	2	—	—
Hæmorrhage	12	8	—	—	—	—	—	1	2	1	4	3	3	2	3	1	—	—
Bronchitis (90 B) ...	4	7	—	—	—	—	—	—	1	1	1	2	2	2	—	2	—	—
Total respiratory diseases (86-98).	13	11	—	—	—	—	—	1	2	1	3	3	5	4	2	2	1	—
Intestinal obstruction (109 B).	65	115	—	1	—	—	1	4	5	16	21	21	26	37	10	29	2	7
Peritonitis (117)	24	17	—	—	—	1	3	3	3	4	5	3	11	5	2	1	—	—
<i>Rectum.</i>	1629	1244	11	8	27	37	85	84	263	200	476	328	522	393	222	172	23	22
Carcinoma	1150	856	8	8	21	30	64	61	192	146	331	225	365	255	151	113	18	18
Sarcoma	5	2	—	—	—	1	—	—	2	—	2	—	1	1	—	—	—	—
Cancer	474	386	3	—	6	6	21	23	69	54	143	103	156	137	71	59	5	4
Epithelioma	22	16	2	—	—	—	1	—	1	2	4	5	8	7	4	1	2	1
Scirrhus	3	7	—	—	—	—	—	—	1	3	—	2	2	1	—	1	—	—
Rectum and liver	73	51	—	—	—	4	12	5	12	9	23	15	16	10	10	7	—	1
abdomen	3	9	—	—	—	—	—	—	1	1	1	5	—	3	1	—	—	—
secondary de- posits (un- defined).	12	11	—	—	—	1	—	—	6	2	1	6	3	—	2	1	—	1
Septicæmia (20 B) ...	4	7	—	—	—	—	—	2	—	1	1	4	2	—	1	—	—	—
Toxæmia	15	6	—	—	—	—	2	1	1	3	7	2	3	—	2	—	—	—
Nervous diseases (60-74) ...	9	11	1	—	—	1	1	—	3	1	1	1	2	7	1	1	—	—
Heart disease, all forms (77-80, 85 A).	9	6	—	—	—	—	—	—	2	1	3	4	1	4	—	—	—	—
Hæmorrhage	11	13	—	—	1	2	—	—	—	1	5	3	3	3	2	3	—	1
Bronchitis (90 B) ...	11	11	—	—	—	—	—	—	—	1	3	1	3	7	5	—	—	2
Pneumonia (92 B) ...	7	3	—	—	—	—	—	—	1	—	5	2	1	1	—	—	—	—
Total respiratory diseases (86-98).	32	20	—	—	—	—	—	—	4	1	11	5	10	12	6	—	1	2
Intestinal obstruction (109 B).	57	61	—	—	1	1	5	5	13	10	19	14	11	20	8	7	—	4
Peritonitis (117)	29	22	—	—	—	1	3	1	9	8	10	8	7	3	—	1	—	—
<i>Anus.</i>	12	8	—	—	—	—	1	1	2	2	4	3	2	1	3	1	—	—
Carcinoma	12	5	—	—	—	—	1	1	2	1	4	2	2	—	3	1	—	—
Sarcoma	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Epithelioma	10	5	—	—	—	—	1	1	1	1	3	2	2	—	3	1	—	—

42. CANCER OF THE FEMALE GENITAL ORGANS (1912).

TABLE A.

(Variety of growth not distinguished.)

("S" represents "single" and "MW" "married and widowed" women.)

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
<i>Ovary.</i>																		
Unqualified	{ Inst. 33	60	3	—	5	4	8	10	6	23	8	12	1	9	2	2	—	—
	{ Pr. 56	139	6	2	4	6	8	13	21	43	11	33	2	33	4	9	—	—
Ovary and liver	{ Inst. 1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	{ Pr. 2	8	—	—	—	—	—	—	3	2	4	—	1	—	—	—	—	—
peritoneum	{ Inst. 3	5	1	—	—	1	1	—	1	2	—	2	—	—	—	—	—	—
	{ Pr. 6	16	—	—	1	—	2	3	2	7	1	2	—	2	—	2	—	—
secondary deposits (undefined).	Pr. 5	13	—	—	—	—	2	2	1	5	—	2	2	3	—	1	—	—
Intestinal obstruction ...	{ Inst. 3	3	—	—	—	—	—	1	1	1	2	1	—	—	—	—	—	—
	{ Pr. 4	5	—	—	1	1	—	—	2	1	—	3	—	—	1	—	—	—
Peritonitis	{ Inst. 4	5	—	—	1	—	—	—	2	1	—	3	—	—	—	—	—	—
	{ Pr. 1	4	—	—	—	—	—	—	1	3	—	—	—	1	—	—	—	—
Ascites	{ Inst. 1	3	—	—	—	1	—	—	—	—	1	—	—	1	—	1	—	—
	{ Pr. 3	5	—	—	—	—	—	1	2	3	—	—	1	1	—	—	—	—

42. CANCER OF THE FEMALE GENITAL ORGANS (1912)—*continued.*TABLE A—*continued.*

				All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
				S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
<i>Uterus.</i>																					
Unqualified ...	{	Inst.	53	167	1	1	2	12	11	21	19	39	10	49	8	32	2	12	—	1	
		Pr.	171	2293	1	2	12	47	21	353	39	707	50	614	34	404	13	154	1	12	
Cervix...	{	Inst.	26	151	—	—	—	5	7	34	6	46	8	40	5	16	—	10	—	—	
		Pr.	10	239	1	—	—	8	1	39	4	67	2	70	1	42	—	13	1	—	
Uterus and liver	{	Inst.	1	2	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	
		Pr.	1	28	—	—	—	—	—	3	1	4	—	10	—	9	—	2	—	—	
peritoneum	{	Inst.	1	2	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	
		Pr.	1	10	—	—	—	—	—	—	—	2	—	6	1	—	—	2	—	—	
rectum ...	{	Inst.	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
		Pr.	1	8	—	—	—	—	—	—	1	2	—	3	—	3	—	—	—	—	
vagina ...	{	Inst.	3	1	1	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	
		Pr.	1	11	—	—	—	—	—	3	—	3	1	2	—	3	—	—	—	—	
lung ...	{	Inst.	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		Pr.	1	8	—	—	—	—	1	3	—	3	—	1	—	1	—	—	—	—	
bladder ...	{	Inst.	—	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	
		Pr.	—	18	—	—	—	1	—	4	—	8	—	3	—	2	—	—	—	—	
abdomen	{	Inst.	4	2	—	—	—	1	1	—	—	—	1	1	1	—	1	—	—	—	
		Pr.	—	7	—	—	—	—	—	—	—	3	—	3	—	1	—	—	—	—	
secondary deposits (undefined).	{	Inst.	1	3	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	
		Pr.	1	23	—	—	—	—	1	—	8	1	8	—	4	—	1	—	1	—	
Toxæmia ...	{	Inst.	1	3	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	
		Pr.	1	14	—	—	—	1	—	3	—	4	1	2	—	1	—	3	—	—	
Cerebral hæmorrhage	{	Inst.	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	
		Pr.	1	7	—	—	—	—	—	—	—	1	1	4	—	—	—	2	—	—	
Hæmorrhage ...	{	Inst.	1	8	—	—	—	1	—	3	—	—	1	3	—	1	—	—	—	—	
		Pr.	8	71	—	—	1	1	1	14	1	22	1	16	4	13	—	5	—	—	
Bronchitis ...	{	Inst.	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
		Pr.	—	22	—	—	—	—	—	2	—	5	—	5	—	5	—	4	—	1	
Intestinal obstruction	{	Inst.	—	7	—	—	—	—	—	—	—	2	—	2	—	3	—	—	—	—	
		Pr.	3	18	—	—	—	—	—	4	1	5	2	6	—	1	—	1	—	1	
Peritonitis ...	{	Inst.	4	20	—	—	—	1	—	3	1	9	1	6	1	1	1	—	—	—	
		Pr.	1	12	—	—	—	—	—	1	1	6	—	4	—	1	—	—	—	—	
Uræmia ...	{	Inst.	—	10	—	—	—	—	—	3	—	—	3	—	1	—	3	—	—	—	
		Pr.	1	12	—	—	—	—	—	—	—	7	1	2	—	3	—	—	—	—	
<i>Vagina.</i>																					
Unqualified ...	{	Inst.	3	7	—	—	—	1	1	—	1	—	—	3	1	2	—	1	—	—	
		Pr.	1	35	—	—	—	—	—	3	—	8	—	4	1	14	—	5	—	1	
<i>Vulva.</i>																					
Unqualified ...	{	Inst.	4	21	—	—	—	1	—	1	2	4	—	5	—	9	1	1	1	—	
		Pr.	24	98	1	—	1	—	1	3	2	16	5	18	8	41	5	17	1	3	

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

Ovary—(Single women).

Ovary and :—stomach, peritoneum and intestines (1); liver and mesentery (2); liver and peritoneum (1); liver and rectum (1); omentum (1); peritoneum and intestines (1); sigmoid (1); intestines (2); lung (1); lung and brain (1); pelvis (1); abdomen (2); general dissemination (1). *Complications* :—68. Mania (1). 74. Chronic brain disease, ascites (1). 79. Myocarditis, cardiac degeneration (1). 82. Embolism (1). 83. Ovary and glands, phlebitis (1). 103. Gastritis (1); ovary and peritoneum, gastric hæmorrhage (1); hæmatemesis, ascites (1). 104. Diarrhœa (1). 109. Ovary, peritoneum and intestines, intestinal obstruction (1). 187. Ovary and lung, ascites (1); ovary and secondary deposits, ascites (1). Total 28.

Ovary—(Married and widowed women).

Ovary and :—pylorus (1); liver and peritoneum (2); liver, periton. and uterus (1); liver and intestines (1); liver and vagina (1); liver and lungs (1); mesentery (1); mesenteric glands (1); omentum (3); omentum and peritoneum (1); omentum and kidney (1); peritoneum and intestines (1); colon (1); intestines (4); broad ligament (1); uterus (4); breast (1); lungs (2); abdomen (6); abdomen and chest (1). *Complications* :—54. Anæmia (1). 55. Toxæmia (1); ovary and deposits, tox. (1); tox., peritonitis (1); tox., recto-vesical fistula (1). 63. Disseminated sclerosis (1). 66. Ovary and peritoneum, hemiplegia (1). 77. Adherent pericardium, peritonitis, nephritis (1). 79. Valvular disease (1); heart dis. (2); ovary and spleen, ht. dis. (1). 81. Atheroma (1). 82. Thrombosis (2). 85. Hæmorrhage (1). 90. Bronchitis (3); ovary and liver, bronch. (1). 92. Pneumonia (2). 93. Pleurisy (1); ovary and mediastinum, pleurisy, ascites (1). 94. Œdema of lungs (1). 102. Gastric ulceration (1). 104. Diarrhœa (1). 109. Ovary and peritoneum, intestinal obstruction (1); ovary and pelvis, intest. obstr. (1); intest. obstr., peritonitis (1). 110. Paralysis of intestines (1). 117. Ovary and liver, peritonitis (1); perit., ascites (1). 120. Bright's disease (1); uræmia (1).

42. CANCER OF THE FEMALE GENITAL ORGANS (1912)—*continued*.

124. Cystitis (1). 142. Ovary and mesenteric glands, gangrene of leg, œdema (1). 187. Dropsy (2); ovary, stomach and liver, ascites (1); ovary and abdomen, ascites (1); ovary and secondary deposits, ascites (1). Total 77.

Ovary—(Condition as to marriage not stated).

Unqualified (1). *Complication* :—82. Pulmonary embolism (1). Total 2.

Other uterine appendages—(Single women).

Fallopian tube. Unqualified (1). *Broad ligament*. Unqualified (1). Total 2.

Other uterine appendages—(Married and widowed women).

Fallopian tube. Unqualified (1). *Complication* :—90. Bronchitis (1). *Broad ligament*. Unqualified (2). Broad ligament and colon (1); broad lig. and bladder (1). *Complication* :—109. Intestinal obstruction (1). Total 7.

Other uterine appendages—(Condition as to marriage not stated).

Broad ligament and liver (1).

Uterus—(Single women).

Uterus and :—stomach and liver (1); liver and ovary (1); liver and lung (2); liver and brain (1); peritoneum and intestines (1); sigmoid (1); ovary (1); appendages (1); vagina and abdomen (1); brain (2); brain and kidney (1); spine (2); mediastinum (1); glands (1); general dissemination (1). *Complications* :—28. Pulmonary tuberculosis, tub. of mesenteric glands, pulmonary abscess (1). 37. Tertiary specific necrosis of palate and nose (1). 52. Addison's disease (1). 55. Uterus and secondary deposits, toxæmia (1). 66. Hemiplegia (2). 68. Mania (1). 69. Epilepsy (1). 79. Mitral disease (1); fatty heart (1); heart disease (1); ht. dis., dropsy (1). 82. Thrombosis of femoral vein (1). 85. Uterus and appendages, hæmorrhage (1). 92. Lobar pneumonia (1); pneumonia (1). 93. Pleurisy (1). 96. Asthma (1). 103. Hæmatemesis (1); uterus and liver, hæmat. (1); ut. and peritoneum, hæmat. (1). 110. Perforation of intestine (1). 122. Pyelonephritis (1). 128. Metrorrhagia (1). 187. Œdema (1); uterus and appendages, dropsy (1); ut. and liver, ascites (1). Total 45.

Uterus—(Married and widowed women).

Uterus and :—stomach (5); stom. and liver (1); stom., liver, lung and pelvis (1); stom., liver, brain and spleen (1); stom. and peritoneum (1); stom., colon, brain and leg (1); liver and intestines (1); liver and rectum (1); liver and lungs (3); liver and brain (1); liver, brain and ovary (1); mesenteric glands (1); omentum (1); peritoneum and lung (1); colon (3); sigmoid (1); intestines (7); rectum and vagina (2); rect., vagina and bladder (1); rect. and lung (1); rect. and bladder (8); rect. and general dissemination (1); ovary (4); ovary and vagina (1); vagina and vulva (1); vagina and bladder (2); vagina and pelvis (1); vulva (3); breast (3); breast and arm (1); chest wall (1); bronchial glands (1); kidney (2); bladder and pelvis (1); brain (2); skull (1); vertebrae (1); mediastinum (1); inguinal glands (2); lumbar glands (1); pelvic glands (2); abdominal glands (1); glands (2); thorax (1); pelvis (8); general dissemination (6). *Complications* :—10. Influenza (2); influ., anæmia (1). 20. Septicæmia (7); uterus and peritoneum, sept. (1); uterus and bladder, sept. (1); sapræmia (1); septic poisoning (3); septic absorption, pyo-metritis (1). 28. Pulmonary tuberculosis (1); uterus and pelvic glands, pul. tub. (1); phthisis (3); phthisis, hemiplegia (1). 47. Acute rheumatism (1). 50. Diabetes, cerebral hæmorrhage (1); diabetes, heart disease (1). 54. Anæmia (2); uterus, stomach and liver, anæmia (1); anæmia, hæmorrhage (2); anæmia, uterine hæmorrhage (1); progressive anæmia, coma (1). 55. Toxæmia, coma (1). 64. Apoplexy (2); apoplexy, hemiplegia (1). 66. Hemiplegia (2); uterus and spine, paralysis (1); paral., cerebral thrombosis (1). 67. General paralysis of insane (1). 68. Melancholia (1); mania (3); dementia (2). 69. Epilepsy (1); epileptic eclampsia (1). 70. Convulsions (1); uterus and brain, convul. (1). 73. Peripheral neuritis (1). 74. Organic brain disease (1). 77. Pericarditis, pneumonia (1). 79. Aortic disease (2); mitral dis. (8); mitral regurgitation (1); mit. regurg., pleurisy, red granular kidney (1); valvular dis. (2); valv. dis., strangulated hernia (1); fatty heart (1); uterus and intestine, fatty ht. (1); myocarditis (1); heart dis. (5); ht. dis., bronchitis, goitre (1); uterus and rectum, ht. dis., congestion of lungs (1); ht. dis., hæmorrhage from vagina (1). 80. Angina pectoris (1). 81. Arterio-sclerosis (1); arterial degeneration, gangrene of foot (1). 82. Cerebral embolism (9); cerebral thrombosis (3); embolic softening (1); pulmonary embolism (9); uterus and pelvic glands, pul. embo. (1); thrombosis (3); uterus and glands, thromb. of pelvic veins (1). 83. Phlebitis (1). 85. Uterus and appendages, hæmorrhage (1); ut. and intestines, hæm. (1); ut. and bladder, hæm. (1); ut. and pelvis, hæm. (1); hæm., peritonitis (1); ut. and liver, hæm., ascites (1). 90. Bronchial catarrh., hypostatic pulmonary congestion, ulceration of leg (1); bronchitis, pelvic cellulitis (1). 91. Broncho-pneumonia (8); uterus and ovary, br.-pneu. (1). 92. Lobar pneumonia, peritonitis (1); pneumonia (6). 93. Pleurisy (1). 94. Pulmonary infarct (1); pulmonary congestion (1); pul. cong., cystitis (1); pul. œdema (1); hypostatic pneumonia (4). 99. Oral sepsis (1); septic parotitis (1). 103. Gastritis (1); gastric catarrh., metrorrhagia (1); hæmatemesis (1); vomiting (1); uterus and stomach, vomit. (1); ut., stom. and peritoneum, vomit. (1); ut. and intestines, vomit. (1). 104. Diarrhœa (4). 108. Appendicitis (1). 109. Uterus and peritoneum, intestinal obstruction (1); ut. and intestine, intest. obstr. (3); ut. and rectum, intest. obstr. (2); ut. and secondary deposits, intest. obstr. (1); intest. obstr., peritonitis (1). 110. Perforation of bowel (1); uterus and vagina, recto-vaginal fistula (1); ut. and intestine, recto-vaginal fistula (1). 113. Cirrhosis of liver (2). 115. Jaundice (1). 117. Uterus and peritoneum, septic peritonitis (1).

42. CANCER OF THE FEMALE GENITAL ORGANS (1912)—continued.

119. Acute nephritis (1). 120. Nephritis (2); neph., uræmia (1); uterus and liver, uræmia (1); ut. and kidney, uræmia (1); ut. and bladder, uræmia (1); ut., ureters and pelvis, uræmic convulsions (1); uræmic conv., suppression of urine (1); uræmic coma, suppress. of urine (1); uræmia, atrophy of kidney (1); uræmia, dropsy (1). 122. Suppression of urine (4); uterus and ureters, anuria (1); ascending nephritis (2); pyelonephritis (1); pyonephrosis (1); uterus and small intestines, pyonephr. (1); pyelitis, cystitis (1). 124. Cystitis (4). 125. Vesico-vaginal fistula (3); uterus and bladder, vesico-vag. fist. (1); recto-vesical fistula (1). 128. Menorrhagia (3); hæmorrhage from uterus (5). 130. Perimetritis (1); pelvic abscess (1); prolapse of uterus (1). 132. Tubo-ovarian abscess (1). 134. Pregnancy (1). 136. Cæsarean section (1); childbirth (1). 142. Gangrene (1). 185. Fracture of femur (1). 187. Dropsy (2); anasarca (1); ascites (9); uterus, liver and omentum, ascites (1). 189. Uterus and pelvis, abdominal obstruction (1); coma (4). Total 334.

Uterus—(Condition as to marriage not stated).

Unqualified (13). Cervix (3). Uterus and general dissemination (1). Total 17.

Vagina—(Single women).

Vagina and :—rectum and uterus (1); vulva (1); vulva and bladder (1). Complications :—55. Toxæmia (1). 63. Disseminated sclerosis (1). 68. Melancholia (1). Total 6.

Vagina—(Married and widowed women).

Vagina and :—liver (1); rectum (2); vulva (6); vulva and inguinal glands (1); brain (1); bladder (2); abdomen (1); neck (1); general dissemination (1). Complications :—20. Pyæmia (1); vagina and vulva, septic absorption (1). 55. Vagina and rectum, toxæmia (1). 85. Hæmorrhage (1); vagina and abdomen, hæm. (1). 91. Broncho-pneumonia (2). 94. Passive pneumonia (1). 120. Chronic nephritis (1). Total 25.

Vulva—(Single women).

Vulva and :—liver (1); abdominal wall (1); abdominal glands (2); glands (1); abdomen (1); pelvis (2); secondary growths (3). Complications :—28. Phthisis (1). 55. Toxæmia (1). 85. Hæmorrhage (1). 90. Bronchitis (1). Total 15.

Vulva—(Married and widowed women).

Vulva and :—liver and intestines (1); liver, mesenteric and pelvic glands (1); liver and lungs (1); lungs (1); buttock (1); groin (1); abdominal glands (1); glands (4); general dissemination (1); secondary deposits (5). Complications :—20. Septic absorption (1). 50. Diabetes (2). 55. Toxæmia (2). 64. Cerebral hæmorrhage (1). 68. Dementia (1). 79. Valvular disease (1). 85. Hæmorrhage (3); vulva and groin, hæm. (1). 90. Bronchitis (1). 91. Broncho-pneumonia (2); vulvâ and axillary glands, br.-pneu. (1). 94. Congestion of lungs (1). 145. Bed-sores (1). 189. Vulva and brain, coma (1). Total 36.

Vulva—(Condition as to marriage not stated).

Unqualified (2). Vulva and inguinal glands (1). Total 3.

TABLE B.

("S" represents "single" and "MW" "married and widowed" women.)

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
Ovary.	150	343	14	2	13	17	25	44	46	111	33	84	11	66	8	19	—	—
Carcinoma ...	75	175	—	—	7	6	15	26	23	44	20	56	8	35	2	8	—	—
Sarcoma ...	20	27	10	1	2	4	3	6	3	4	2	7	—	3	—	2	—	—
Cancer ...	55	141	4	1	4	7	12	20	63	11	21	3	28	6	9	—	—	—
Malignant cyst ...	12	21	—	—	2	—	3	1	6	11	—	6	1	3	—	—	—	—
Ovary and liver ...	6	17	—	—	—	2	—	1	2	4	3	7	1	3	—	—	—	—
peritoneum ...	14	28	2	—	1	2	4	3	3	11	3	6	1	4	—	2	—	—
intestines ...	4	6	1	—	—	—	1	2	1	—	1	2	—	2	—	—	—	—
abdomen ...	2	8	—	—	—	1	—	1	1	4	—	—	1	2	—	—	—	—
secondary deposits (undefined).	6	15	—	—	—	—	2	3	2	6	—	2	2	3	—	1	—	—
Intestinal obstruction (109B)...	8	12	1	—	1	2	—	2	3	3	2	4	—	1	1	—	—	—
Peritonitis (117) ...	5	14	—	—	1	—	—	3	2	5	2	3	—	3	—	—	—	—
Dropsy (187) ...	7	15	—	—	—	1	1	2	3	6	1	1	2	4	—	1	—	—
Uterus.	342	3519	6	2	11	95	50	542	91	1055	87	992	73	595	22	221	2	17
Carcinoma ...	223	2426	1	1	7	66	36	381	61	723	61	690	42	398	13	156	2	11
Sarcoma ...	16	42	4	1	1	5	3	5	4	9	2	14	2	8	—	—	—	—
Cancer ...	103	1051	1	—	3	24	11	156	26	323	24	288	29	189	9	65	—	6
Scirrhus ...	2	4	—	—	—	—	1	—	—	1	2	—	1	—	—	1	—	—
Epithelioma ...	1	45	—	—	—	7	1	8	—	11	—	12	—	4	—	3	—	—
Cervix ...	42	503	1	—	—	18	10	93	12	148	11	145	7	73	—	25	1	1
Body of uterus ...	1	8	—	—	—	—	1	1	—	4	—	3	—	—	—	—	—	—

42. CANCER OF THE FEMALE GENITAL ORGANS (1912)—continued.

TABLE B—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
<i>Uterus—cont.</i>																		
Uterus and stomach ...	1	14	—	—	—	—	—	—	1	—	4	1	5	—	4	—	—	—
liver ...	8	43	—	—	—	—	—	1	6	3	8	3	16	1	11	—	2	—
peritoneum ...	4	18	—	—	—	—	—	—	1	1	2	2	12	1	1	—	2	—
intestine ...	1	15	—	—	—	—	—	—	3	—	2	1	7	—	2	—	1	—
rectum ...	1	26	—	—	—	—	—	—	2	1	6	—	11	—	5	—	2	—
vagina ...	5	22	1	—	—	—	—	—	4	—	7	1	4	2	5	1	1	—
lung ...	4	16	—	—	—	—	1	1	5	1	6	—	4	2	1	—	—	—
bladder ...	—	37	—	—	—	—	1	—	7	—	16	—	10	—	2	—	1	—
pelvis ...	—	15	—	—	—	—	1	—	7	—	3	—	4	—	—	—	—	—
abdomen ...	4	10	—	—	—	—	1	1	—	—	4	1	4	1	1	1	—	—
secondary deposits (undefined).	3	27	—	—	—	—	1	1	8	2	9	—	6	—	1	—	2	—
Septicæmia (20B) ...	—	14	—	—	—	—	1	—	3	—	6	—	2	—	2	—	—	—
Toxæmia ...	3	18	—	—	1	—	1	1	4	—	4	1	4	—	1	—	4	—
Cerebral hæmorrhage (64E) ...	1	10	—	—	—	—	—	—	—	—	1	1	6	—	—	—	3	—
Total nervous diseases (60–74)	5	31	—	—	—	—	1	—	2	3	7	1	13	1	3	—	5	—
Valvular disease (79A) ...	1	15	—	—	—	—	1	—	1	—	5	—	4	1	3	—	1	—
Other organic disease of the heart (79C).	2	9	—	—	—	—	—	—	1	—	4	1	—	—	1	1	3	—
Heart disease, all forms (77–80, 85A).	4	27	—	—	—	—	1	—	2	1	9	1	6	1	5	1	4	—
Cerebral embolism and thrombosis (82A).	—	13	—	—	—	—	—	—	—	—	1	—	8	—	4	—	—	—
Other embolism and thrombosis (82B).	1	14	—	—	—	—	—	—	2	—	5	1	5	—	2	—	—	—
Hæmorrhage ...	10	87	—	—	1	2	1	20	2	24	2	22	4	14	—	5	—	—
Bronchitis (90B) ...	—	25	—	—	—	—	—	—	2	—	5	—	7	—	5	—	5	1
Total respiratory diseases (86–98).	4	54	—	—	—	—	—	—	6	—	11	1	18	2	11	1	6	2
Intestinal obstruction (109B)...	3	33	—	—	—	—	—	—	5	1	9	2	10	—	7	—	1	1
Peritonitis (117) ...	5	37	—	—	—	—	1	—	5	2	16	1	11	1	4	1	—	—
Bright's disease (120) ...	1	34	—	—	—	—	—	—	4	—	13	1	9	—	8	—	—	—
Total-urinary diseases (119–125)	2	56	—	—	—	—	—	—	6	—	18	2	21	—	10	—	1	—
Dropsy (187) ...	3	15	—	—	—	—	2	—	—	—	1	4	2	6	—	3	—	—
<i>Vagina.</i>																		
Carcinoma ...	10	67	—	—	1	1	1	5	2	10	—	17	5	23	1	8	—	3
Sarcoma... ..	9	48	—	—	1	1	1	2	2	7	—	15	4	17	1	5	—	1
Cancer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epithelioma ...	1	19	—	—	—	—	—	—	3	—	3	—	2	1	6	—	3	2
Epithelioma ...	3	18	—	—	—	—	—	—	1	1	—	2	—	6	2	7	—	—
<i>Vulva.</i>																		
Carcinoma ...	43	155	1	—	2	1	4	6	5	24	9	27	12	60	7	31	3	6
Sarcoma... ..	36	140	—	—	2	1	2	5	5	23	8	23	10	54	6	28	3	6
Cancer	2	3	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Epithelioma ...	5	12	1	—	—	—	—	—	1	1	—	1	3	1	5	1	3	—
Epithelioma ...	22	67	—	—	—	—	1	2	3	1	11	3	11	8	26	6	11	4

43. CANCER OF THE BREAST (1912). (*Males.*)

(Variety of growth not distinguished.)

Unqualified (13). *Breast and*:—brain and skin (1); spine (1); femur (1); mediastinum (1). *Complications.*—79. Aortic regurgitation, arterio-sclerosis (1). 103. Hæmatemesis (1). 120. Bright's disease (1). Total 20.

43. CANCER OF THE BREAST (1912). (*Females.*)

TABLE A.

(Variety of growth not distinguished.)

(“S” represents “single” and “MW.” “married and widowed” women.)

	All ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
Unqualified ... { Inst.	95	273	—	—	1	4	11	24	25	62	20	70	25	64	9	38	4	11
{ Pr.	312	1441	1	—	3	25	37	159	76	313	78	347	69	337	39	216	9	44
Breast and stomach ... { Pr.	2	18	—	—	—	—	—	4	1	4	1	4	—	5	—	1	—	—
liver ... { Inst.	9	15	—	—	—	—	1	4	5	6	2	1	1	2	—	2	—	—
{ Pr.	32	137	—	—	—	—	4	3	26	7	49	14	27	6	23	2	4	4

43. CANCER OF THE BREAST (1912)—*continued.*TABLE A—*continued.*

		All ages.		0—		25—		35—		45—		55—		65—		75—		85—	
		S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
Breast, liver and lungs.	Inst.	—	4	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—
	Pr.	4	20	—	—	1	1	7	1	6	2	4	—	2	—	—	—	—	—
and intestine	Inst.	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Pr.	—	15	—	—	—	—	—	—	7	—	3	—	4	—	1	—	—	—
lung ...	Inst.	12	9	—	—	—	—	4	2	4	3	1	3	3	1	—	—	—	—
	Pr.	43	161	—	—	4	3	24	16	58	10	42	11	29	2	4	1	—	—
lung and pleura.	Inst.	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	4	8	—	—	—	—	1	1	—	1	2	4	1	2	—	—	—	—
and pleura...	Inst.	1	3	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—
	Pr.	2	9	—	—	—	—	2	—	2	2	3	—	1	—	1	—	—	—
brain ...	Inst.	3	6	—	—	—	—	3	3	1	—	2	—	—	—	—	—	—	—
	Pr.	1	17	—	—	—	—	3	1	6	—	7	—	1	—	—	—	—	—
neck	Inst.	1	3	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—
	Pr.	2	17	—	—	1	—	3	1	7	—	5	1	1	—	—	—	—	—
glands.	Inst.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
mediastinal	Pr.	9	12	—	—	3	—	1	5	3	1	3	—	3	—	2	—	—	—
glands	Inst.	1	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	4	14	—	—	—	—	4	—	9	4	—	—	—	—	1	—	—	—
(undefined).	Inst.	2	10	—	—	—	—	1	2	1	3	—	3	—	2	—	—	—	—
	Pr.	6	22	—	—	1	—	4	4	5	1	9	—	3	—	1	—	—	—
spine ...	Inst.	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pr.	2	10	—	—	—	—	—	—	3	1	1	1	4	—	2	—	—	—
femur ...	Inst.	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Pr.	5	31	—	—	2	—	7	3	8	2	9	—	3	—	2	—	—	—
mediastinum.	Inst.	—	3	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
	Pr.	6	21	—	—	1	—	4	1	3	2	9	2	2	1	2	—	—	—
thorax ...	Inst.	1	4	—	—	—	—	1	1	1	—	—	—	2	—	—	—	—	—
	Pr.	1	20	—	—	1	—	2	—	8	—	2	1	6	—	—	—	—	1
abdomen	Inst.	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	Pr.	2	12	—	—	—	—	—	1	3	—	4	1	3	—	2	—	—	—
axilla ...	Inst.	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Pr.	2	12	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
general	Inst.	4	12	—	—	1	1	2	2	7	1	—	—	2	—	—	—	—	—
	Pr.	6	9	—	—	1	1	1	3	4	2	—	—	—	—	1	—	—	—
dissemination.	Inst.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	25	82	—	—	1	2	8	17	5	23	7	29	3	7	1	3	—	1
secondary	Inst.	—	5	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
deposits	Pr.	1	8	—	—	—	—	1	—	3	—	2	—	2	—	—	—	—	1
(undefined).	Inst.	3	1	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—
	Pr.	—	7	—	—	—	—	—	—	—	—	4	—	2	—	—	—	—	—
Toxæmia ...	Inst.	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Pr.	3	9	—	—	—	—	—	—	1	2	1	—	5	1	2	—	—	—
Cerebral	Inst.	3	11	—	—	—	—	1	2	—	—	1	2	1	4	3	—	—	—
hæmorrhage.	Pr.	10	49	—	—	—	—	3	1	3	2	8	3	16	3	15	1	4	—
Heart disease ...	Inst.	—	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—
	Pr.	1	6	—	—	—	—	2	—	—	—	1	1	2	—	—	—	—	1
Bronchitis ...	Inst.	1	3	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
	Pr.	1	14	—	—	—	—	2	—	2	1	6	—	2	—	1	—	—	1
Broncho-pneumonia	Inst.	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Pr.	—	9	—	—	—	—	—	—	—	—	—	—	3	—	2	—	—	—
Pneumonia...	Inst.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pr.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pulmonary	Inst.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
congestion.	Pr.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

(Single women.)

Breast and :—sub-maxillary glands, intestines, mediastinum and femur (1); œsophageal glands (1); stomach and liver, &c. (1); stom. and lung (1); stom. and general dissemination (1); liver and intestines (2); liv. and abdominal glands (2); liv., lung and pleura (1); liv., lung and spine (1); liv. and pleura (2); liv. and spine (1); rectum (1); ovary (2); uterus (1); chest wall (1); thoracic wall (1); skin of neck (1); skin of axilla (1); lung and pericardium (1); lung and brain (1); lung and neck glands (3); lung and spine (2); lung and bones (undefined) (1); lung and mediastinum (2); lung and thorax (1); pancreas (1); thoracic glands (2); axillary glands (1); neck glands and thorax (1); spine and mediastinum (1); spine and lumbar region (1); femur and thorax (1); bones (undefined) (1); hand (1). *Complications.*—10. Breast and lung, influenza (1). 18. Erysipelas (2). 28. Breast and stomach, pulmonary tuberculosis, gallstones (1); phthisis (1). 35. Tuberculosis of both hands and feet (1). 48. Rheumatism (2); rheumatoid arthritis (1). 50. Diabetes (1). 65. Cerebral softening, hemiplegia (1). 66. Hemiplegia (1); breast and brain, hemipl. (1); paraplegia (1); breast and spinal cord, parapl. (1); parapl., gangrene of buttocks (1); breast and spine, paralysis (1); breast and spinal cord, paresis (1). 68. Dementia (2); breast, mesentery and lung, melancholia (1). 69. Epilepsy (2). 74. Imbecility (1); breast and ovary, imbecility (1); cerebral tumour (2); organic brain disease (1). 79. Myocardial degeneration (1); breast and liver, cardiac dilatation, dropsy (1). 82. Embolism (3); breast and abdomen, pulmonary embolism (1). 85. Hæmorrhage (2). 90. Pulmonary catarrh (1). 91. Breast and bronchial glands, broncho-pneumonia (1). 92. Lobar pneumonia (1); breast and lung, pneumonia (2). 93. Pleurisy (4).

43. CANCER OF THE BREAST (1912)—*continued*.

94. Breast and mediastinal glands, pulmonary congestion (1); breast and spine, hypostatic pneumonia (1); breast and secondary deposits, passive pneumonia (1). 103. Hæmorrhage from stomach (1); breast and mediastinum, hæmatemesis (1); breast, stomach, pleura and axilla, vomiting (1). 115. Jaundice (1). 120. Chronic interstitial nephritis (1); cirrhosis of kidneys (1). 142. Senile gangrene (1); gangrene (1). 144. Cellulitis (1). 145. Herpes zoster (1). 146. Spontaneous fracture of femur (1). 154. Senile dementia (1). 168. Breast and glands, asphyxia (1). 187. Dropsy (1); breast and liver, ascites (1); breast and glands, oedema (1). 189. Breast and liver, coma (1); breast and cerebellum, coma (1); breast and general dissemination, coma (1); breast and secondary deposits, coma (1). Total 111.

(Married and widowed women.)

Breast and:—lower jaw (1); maxillary glands (1); œsophagus (1); stomach and liver (5); stom., liv. and mesentery (1); stom., liv. and intestines (1); stom., liv. and lung (1); stom., omentum and abdominal glands (1); stom. and intestines (1); stom., lung and mediastinum (2); stom., lung and throat (1); stom. and brain (1); liver and peritoneum (5); liv., periton. and mediastinum (1); liv. and intestines (1); liv. and chest wall (1); liv. and pleura (2); liv., pleura and brain (1); liv. and kidney (3); liv. and brain (1); liv. and spinal cord (2); liv., spinal cord and mediastinum (1); liv. and orbit (1); liv. and spine (1); liv. and femur (2); liv. and mediastinum (3); liv. and chest (3); liv. and abdomen (1); liv. and axilla (2); mesentery (2); mesent. and brain (1); omentum (4); peritoneum (8); periton., chest wall and pleura (1); periton. and pleura (1); duodenum (1); cæcum and colon (1); colon (3); intestines, lung and thigh (1); rectum (2); ovary (3); ovary and scalp (1); uterus (5); uterus and bladder (1); chest wall (6); chest wall and skin (1); chest wall and pleura (1); skin of back (1); skin and lungs (2); skin and spleen (1); skin and glands (2); skin and temporal bone (1); larynx (2); larynx and lung (1); lung and pericardium (1); lung and spine (6); lung and sternum (2); lung and femur (1); lung and mediastinum (3); lung and thorax (3); lung and neck (2); lung and axilla (2); bronchial glands (4); kidneys and inguinal glands (1); brain and neck (1); brain and throat (1); spinal cord (5); eye (1); axillary glands (2); neck glands and mediastinum (2); skull (1); spine and humerus (3); spine and bones (undefined) (1); spine and mediastinum (1); sternum (1); sternum and chest (1); sternum and femur (1); sacrum (1); elbow and axilla (1); tibia (1); hip (3); knee joint (2); chest (9); thorax and abdomen (1); throat (1); neck (1); arm (1); hand (1). *Complications*.—10. Influenza (4); influ., bronchitis (1); influ., pneumonia (1). 18. Erysipelas (4); erysip., bronchitis, albuminuria (1); erysip., septic pneumonia (1). 20. Pyæmia (1); septicæmia (6); sapræmia (2); septic poisoning (2); breast and glands, septic infection (1); septic absorption (2); breast and liver, septic absorp. (1); septic absorp., pleurisy (1); septic intoxication, gangrene of arm (1). 28. Pulmonary tuberculosis (4); breast and secondary deposits, pul. tub., cavitation of lung (1); pul. tub., tub. of bones (1); phthisis (5); breast and stomach, phth. (1); breast and rectum, phth. (1). 47. Acute rheumatism (1); sub-acute rheum., heart disease (1). 48. Rheumatoid arthritis (1); rheumatoid arth., valvular disease (1). 50. Diabetes (4); diabetes, peripheral neuritis (1); diabetes, bronchitis (1); glycosuria (1). 51. Breast and secondary deposits, Graves' disease (1). 54. Anæmia, cerebral thrombosis, hæmorrhage (1). 61. Breast and secondary deposits, cerebro-spinal meningitis (1). 63. Cerebral bulbar paralysis (1). 64. Breast and glands, cerebral apoplexy (1); cerebral hæmorrhage, coma (2). 66. Hemiplegia (3); breast and brain, hemipl. (1); paraplegia (4); breast and mediastinum, parapl. (1); parapl., paralysis (1); paralysis (2); breast and spinal cord, paral. (3); cerebral paralysis (1); Bell's paralysis, hæmorrhage from kidneys (1). 68. Insanity (2); dementia (2); dementia, Bright's disease, pemphigus, coma (1). 69. Epilepsy (1). 73. Neuritis (1). 74. Organic brain disease (2); nervous debility (1). 78. Infective endocarditis (1). 79. Aortic disease (2); mitral disease (8); mitral insufficiency (1); breast and secondary deposits, mitral incompetency, pulmonary infarct (1); valvular disease (5); fatty heart (6); cardiac dilatation (3); fibroid heart, bronchitis (1); cardiac dropsy (2); card. drop., tachycardia (1); breast and secondary deposits, heart disease (1); ht. dis., bronchitis (2); ht. dis., intestinal obstruction (1). 82. Cerebral embolism (3); cerebral thrombosis (2); pulmonary embolism (3); embolism (1); embo., gangrene of leg (1). 84. Suppurating glands (1). 85. Breast and internal growth, tachycardia (1); hæmorrhage (7); breast and axillary glands, hæm. (1); hæm., congestion of lungs (1). 90. Breast and liver, bronchitis (1); breast and lung, bronch. (4); breast and neck glands, bronch. (1); breast and axilla, bronch. (1); breast and secondary growth, bronch. (2); bronch., pleuro-pneumonia (1); bronch., asthma (1); bronch., emphysema (1); bronch., nephritis (1). 91. Breast and secondary deposits, broncho-pneumonia (1). 92. Lobar pneumonia (2); breast and brain, lobar pneu. (1); breast and liver, pneumonia (1); breast and lung, pneu. (1); breast, scapula and neck, pneu. (1); breast and mediastinum, pneu. (1); breast and axilla, pneu. (1). 93. Empyema (1); pleurisy (3); breast and lung, pleural effusion (3); breast and glands, pleurisy (1); pleural effusion, jaundice (1); pleurisy, chronic nephritis (1); breast, liver and mediastinum, pleural effusion, ascites (1); breast, pleura and ribs, pneumothorax (1); breast and lung, pleural hæmorrhage, congenital heart disease (1). 94. Oedema of lungs (2); breast and liver, pulmonary congestion (1); hypostatic pneumonia (2); breast and secondary deposits, hypo. pneu. (1); pulmonary collapse (1). 96. Bronchial asthma (3). 98. Breast and lung, hæmoptysis (2). 102. Gastric ulcer (1). 103. Vomiting (1). 104. Diarrhœa (2). 109. Strangulated umbilical hernia (1); breast and mesenteric glands, intestinal obstruction (1); breast and rectum, intest. obstruct. (1). 115. Jaundice (2); breast and liver, jaund. (3); breast, liver and abdomen, jaund. (1); breast and liver, jaund., ascites (1). 120. Bright's disease (3); chronic nephritis, uræmia (1); uræmia (2). 122. Pyelitis (1). 124. Cystitis (1). 131. Ovarian tumour (1). 134. Abortion (1). 136. Childbirth (2). 142. Gangrene of foot (1). 144. Cellulitis (3). 145. Bedsores (1); breast and spine, bedsores (1); breast and secondary deposits, bedsores (1); ulcerated legs (1). 146. Breast, sacrum and femur, spontaneous fracture (1). 154. Senile dementia (1). 168. Breast and larynx, asphyxia (1); breast and lung, asph. (2); breast and bronchial glands, asph. (1); breast and mediastinum, asph. (1). 172. Fall (2); breast and lung, fall (1). 185. Fracture (3). 187. Anasarca (2); breast and liver, anasarca (2); breast and lung, anasarca (1); dropsy (1); breast, liver and lung, dropsy (1); breast

43. CANCER OF THE BREAST (1912)—continued.

and liver, ascites (4); breast, omentum and axilla, ascites (1); breast, peritoneum and liver, ascites (1); breast, liver and mediastinal glands, ascites (1); breast, liver and abdomen, ascites (2). 189. Coma (2); breast and liver, coma (1); breast and brain, coma (1); breast and cervical glands, coma (1); breast and mediastinum, dyspnœa (1). Total 428.

(Condition as to marriage not stated.)

Unqualified (17). Breast and :—liver (1); secondary growths (1). Complications.—55. Toxæmia, lardaceous degeneration (1). 90. Bronchitis (1). 120. Waxy degeneration of kidneys (1). Total 22.

TABLE B.

(“S” represents “single” and “MW” “married and widowed” women.)

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW	S	MW
Total cancer of the breast ...	732	2982	1	—	11	55	90	389	203	737	194	738	148	639	69	349	16	75
Carcinoma	543	2174	—	—	11	43	67	278	152	546	144	553	101	458	56	241	12	55
Sarcoma	10	37	1	—	—	2	2	5	4	8	1	8	—	8	2	5	—	1
Cancer	179	771	—	—	—	10	21	106	47	183	49	177	47	173	11	103	4	19
Epithelioma	3	16	—	—	—	—	—	1	—	2	1	3	1	3	1	5	—	2
Scirrhus	91	259	—	—	—	5	9	23	23	66	34	55	12	60	11	41	2	9
Right breast	42	136	—	—	—	2	2	14	14	32	10	38	11	31	4	11	1	8
Left breast	42	143	—	—	—	2	5	23	9	31	13	28	9	33	4	24	2	2
Breast and stomach ...	7	35	—	—	—	—	—	7	2	10	3	9	1	7	1	1	—	1
liver	55	237	—	—	—	7	7	45	18	87	20	43	8	38	2	10	—	7
peritoneum	—	17	—	—	—	1	—	3	—	7	—	3	—	2	—	1	—	—
intestine	4	21	—	—	—	—	1	—	—	11	1	3	2	5	—	1	—	1
lung	82	247	—	—	—	5	10	45	29	83	22	61	15	46	5	7	1	—
pleura	11	29	—	—	—	1	1	5	1	9	7	9	2	3	—	1	—	1
brain	6	32	—	—	—	—	—	8	5	11	1	11	—	1	—	1	—	—
spinal cord	2	11	—	—	—	—	—	2	2	4	—	5	—	—	—	—	—	—
neck glands	7	24	—	—	—	1	—	3	3	10	2	7	2	2	—	1	—	—
mediastinal glands.	10	13	—	—	3	—	—	1	5	3	1	4	1	3	—	2	—	—
glands (undefined).	7	19	—	—	—	1	1	4	1	9	5	2	—	2	—	1	—	—
spinal column ...	17	45	—	—	1	—	2	10	6	13	7	15	1	5	—	2	—	—
femur	4	16	—	—	—	—	—	2	1	5	1	1	2	6	—	2	—	—
mediastinum	12	50	—	—	—	4	—	16	6	11	3	11	3	5	—	3	—	—
thorax	8	25	—	—	—	1	—	4	2	5	2	10	2	3	2	2	—	—
abdomen	3	29	—	—	—	1	—	3	2	11	—	4	1	8	—	1	—	1
axilla	3	22	—	—	—	—	—	1	1	7	1	7	1	4	—	3	—	—
general dissemination.	6	13	—	—	—	1	1	2	2	8	1	—	1	2	1	—	—	—
secondary deposits (undefined).	35	101	—	—	2	3	9	18	9	30	10	34	3	8	2	7	—	1
Septicæmia (20B)	—	13	—	—	—	—	—	1	—	3	—	3	—	4	—	2	—	—
Pulmonary tuberculosis (not acute) (28).	2	13	—	—	—	1	—	4	1	3	—	3	1	2	—	—	—	—
Tuberculosis, all forms (28-35).	3	13	—	—	—	1	—	4	1	3	1	3	1	2	—	—	—	—
Toxæmia	1	13	—	—	—	—	1	1	—	5	—	3	—	2	—	1	—	1
Cerebral hæmorrhage (64E)	3	10	—	—	—	—	1	—	2	—	—	4	—	4	—	2	—	—
Paralysis without specified cause (66).	7	17	—	—	—	—	1	4	3	3	—	8	3	2	—	—	—	—
Total nervous diseases (60-74).	21	41	—	—	1	—	4	4	7	5	4	18	4	9	1	5	—	—
Valvular disease (79A) ...	—	20	—	—	—	1	—	1	—	4	—	3	—	5	—	6	—	—
Other organic disease of the heart (79C).	5	22	—	—	—	—	1	1	—	4	3	3	—	9	1	4	—	1
Heart disease, all forms (77-80, 85A).	5	48	—	—	—	1	1	3	—	8	3	10	—	15	1	10	—	1
Embolism and thrombosis (82)	4	11	—	—	—	—	—	1	2	2	1	3	—	3	1	1	—	1
Hæmorrhage	2	10	—	—	—	—	—	4	—	1	1	—	—	4	—	1	1	—
Bronchitis (90B)	13	78	—	—	—	—	1	6	1	6	3	16	4	24	3	22	1	4
Broncho-pneumonia (91) ...	2	11	—	—	—	—	—	2	—	—	—	1	2	7	—	—	—	1
Pneumonia, type not stated (92B).	4	24	—	—	—	—	—	4	1	5	2	10	1	3	—	1	—	1
Pleurisy (93B)	4	13	—	—	—	—	—	1	3	3	1	5	—	4	—	—	—	—
Pulmonary œdema and congestion (94B).	1	14	—	—	—	—	—	1	—	1	—	4	1	5	—	3	—	—
Total respiratory diseases (86-98).	28	154	—	—	—	—	1	14	5	20	8	40	8	44	5	30	1	6
Urinary diseases (119-125)...	2	12	—	—	—	—	—	—	—	1	2	4	—	4	—	2	—	1
Dropsy (187)	4	18	—	—	—	—	—	2	1	10	3	3	—	1	—	2	—	—

44. CANCER OF THE SKIN (1912).

TABLE A.
(Variety of growth not distinguished.)

				All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Face.																					
Unqualified	{ Inst.	20	5	—	—	—	1	1	—	5	1	4	—	6	1	4	2	—	—
			{ Pr.	58	32	2	1	1	1	4	—	2	2	11	2	23	11	11	12	4	3
Cheek	{ Inst.	5	1	—	—	—	—	—	—	—	—	3	—	1	1	—	1	1	1
			{ Pr.	5	6	—	—	—	—	—	—	—	—	3	2	1	2	—	1	1	1
Nose.																					
Unqualified	{ Inst.	2	4	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—
			{ Pr.	14	8	1	—	—	—	—	2	—	4	3	4	2	2	2	1	1	1
Scalp.																					
Unqualified	{ Inst.	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
			{ Pr.	8	2	—	—	—	—	—	—	—	1	—	1	—	4	1	2	1	1
Ear.																					
Unqualified	{ Inst.	3	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—
			{ Pr.	14	3	—	—	—	—	—	1	2	1	—	5	—	5	1	2	—	—
Neck.																					
Unqualified	{ Inst.	13	3	—	—	1	—	—	3	1	4	—	3	—	1	2	1	—	—
			{ Pr.	14	3	—	—	—	—	1	1	—	5	—	4	—	4	1	—	1	—
Arm, hand, &c.																					
Arm	{ Inst.	1	2	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—
			{ Pr.	4	6	—	—	—	—	—	—	—	—	—	1	1	3	4	—	1	—
Hand	{ Inst.	2	2	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	
			{ Pr.	8	4	—	—	—	—	—	—	—	1	—	1	2	4	2	2	—	—
Leg, foot, &c.																					
Leg	{ Inst.	7	5	—	—	—	—	—	1	—	2	1	3	3	1	1	—	—	—
			{ Pr.	4	19	—	—	—	—	—	—	3	5	1	5	—	6	—	3	—	—
Thigh	{ Inst.	1	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	
			{ Pr.	2	6	—	—	—	—	1	1	1	1	—	2	—	1	—	1	—	—
Penis.																					
Unqualified	{ Inst.	27	—	—	—	2	—	—	1	—	7	—	12	—	3	—	2	—	—
			{ Pr.	32	—	—	—	2	—	1	2	—	6	—	9	—	10	—	2	—	—
Penis and inguinal glands.	{ Inst.	5	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	
			{ Pr.	7	—	—	—	—	1	—	1	—	2	—	2	—	1	—	—	—	—
Scrotum.																					
Unqualified	{ Inst.	15	—	—	—	—	1	—	4	—	4	—	5	—	—	—	1	—	—
			{ Pr.	6	—	—	—	—	—	—	1	—	3	—	1	—	—	—	1	—	—
Other parts.																					
Abdominal wall	{ Inst.	—	2	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
			{ Pr.	1	8	—	—	—	—	—	—	2	—	2	1	2	—	2	—	—	—
Umbilicus	{ Inst.	1	5	—	—	—	—	—	—	—	—	1	1	2	—	2	—	—	—
			{ Pr.	3	4	—	—	—	1	1	—	—	—	—	1	1	1	2	—	—	—
Skin, part not stated.																					
Unqualified	{ Inst.	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
			{ Pr.	3	9	—	—	—	1	—	—	2	—	—	2	1	—	—	6	—	—
Rodent ulcer.																					
Face	{ Inst.	11	10	—	—	1	1	—	—	—	1	1	6	3	3	5	—	—	—
			{ Pr.	12	40	—	1	—	—	—	—	2	6	5	2	11	4	17	—	4	—
Part affected not stated	{ Inst.	13	3	—	—	—	—	—	1	—	4	1	2	2	6	—	—	—	—
			{ Pr.	26	33	—	—	—	2	1	4	3	4	2	6	7	9	12	1	8	—

LIST SUPPLEMENTARY TO TABLE A.
(Variety of growth not distinguished.)

Face.

Face and:—tongue (1); jaw (2); liver (1); liver, uterus and brain (1); head (2); nose and eyes (1); orbit (3); eyelid (1); spine and abdomen (1); neck glands (3); throat (1); neck (4); secondary deposits (undefined) (2). *Complications.*—20. Face and head, sapræmia (1). 54. Anæmia, hæmorrhage (1). 73. Peripheral neuritis (1). 79. Mitral regurgitation (1); heart disease (1). 84. Enlarged cervical glands (1). 85. Hæmorrhage (5). 90. Bronchitis (2). 91. Broncho-pneumonia (1). 94. Pulmonary congestion (1). 144. Cellulitis (1). 172. Fall (1). Total 40.

Forehead. Unqualified (9). Forehead and liver (1). Total 10.

Cheek and:—jaw and neck (1); eyelid (1); neck glands (1). *Complications.*—85. Cheek and neck glands, hæmorrhage (1). 90. Cheek and eye, bronchitis (1). 91. Broncho-pneumonia (1). 92. Septic pneumonia (1). 142. Phagedænic ulceration (1). Total 8.

Nose.

Nose and:—face (4); palate (1); maxilla (1); eye and brain (1). *Complications.*—20. Septic intoxication (1). 34. Lupus (1). 55. Toxæmia (1); nose and face, tox. (1). 61. Meningitis (1). 92. Pneumonia (1). Total 13.

44. CANCER OF THE SKIN (1912)—*continued*.*Scalp.*

Scalp and:—temporal bone and ulna (1); clavicle (1); glands (2). *Complications*.—28. Pulmonary tuberculosis (1). 92. Pneumonia, pleurisy (1). 120. Chronic uræmia (1). Total 7.

Ear.

Ear and:—neck (2); neck glands (4). *Complications*.—85. Hæmorrhage (2). 90. Bronchitis (1). Total 9.

Neck.

Neck and:—neck glands (2); head (1); face (3); spine (1). *Complications*.—85. Hæmorrhage (1). 90. Neck and neck glands, bronchitis (1). 92. Lobar pneumonia (1). 104. Neck and liver, diarrhœa (1); neck and secondary deposits, diarrhœa (1). Total 12.

Arm, hand, etc.

Arm and:—hand (1); axilla (1); axilla and neck glands (1); lung (1); wrist (1). Total 5.

Hand. Hand and axilla (2). *Complications*.—20. Sapræmia (1); septic absorption (2). 50. Diabetes (1). 64. Apoplexy (1). 90. Bronchitis (1). Total 8.

Finger (1). Finger and axilla (1). Thumb and brain (1). Thumb, bronchitis (1); thumb, hypostatic pneumonia (1).

Leg, foot, etc.

Leg and:—sole of foot (1); bowels (1); lung and inguinal glands (1); neck glands (1). *Complications*.—55. Toxæmia (1). 85. Hæmorrhage (1). 120. Albuminuria (1). 142. Gangrene of foot (1). Total 8.

Thigh and:—scrotum and abdominal wall (1); abdominal wall (1); lung (1). *Complications*.—20. Thigh and scrotum, sapræmia (1). 85. Hæmorrhage (1). Total 5.

Knee (2). Popliteal space (2).

Foot (8). Heel (1). *Foot and*:—heel (1); liver (1); colon (1). *Complications*.—82. Cerebral embolism (1). 90. Bronchitis (1). 142. Gangrene (1). Total 15.

Penis.

Penis and:—scrotum (5); liver (1); mesentery (1); kidney (1); mediastinal glands (1); femoral glands (1); inguinal and lumbar glands (1); abdomen (1); groin (1); secondary deposits (undefined) (1). *Complications*.—18. Erysipelas, adenitis (1). 20. Septicæmia (2). 37. Syphilis (1). 55. Toxæmia (1). 79. Cardiac degeneration (1). 85. Hæmorrhage (5); penis and glands, hæm. (1); penis and secondary deposits, hæm. (1). 90. Bronchitis (2). 92. Pneumonia (2). 94. Hypostatic pneumonia (1). 120. Kidney disease (1); uræmia (1); nephritis, uræmia, cystitis (1). 122. Pyonephrosis (1). 124. Cystitis (5). 142. Penis and scrotum, phagedæna (1). 189. Coma (4). Total 46.

Scrotum.

Scrotum and:—inguinal glands (9); groin (2); glands (undefined) (1); general dissemination (2); secondary deposits (undefined) (2). *Complications*.—20. Septic poisoning (1). 62. Locomotor ataxy (1). 82. Thrombosis (1). 85. Scrotum and testes, hæmorrhage (1). 96. Scrotum and groin, asthma (1). 119. Nephritis (1). 142. Gangrene of scrotum and perineum (1). Total 23.

Other parts.

Shoulder (4). Scapular region (1). Chest (4); chest and intestines (1). Chest wall (2). Thoracic wall (1). Abdomen and groin (1); abdomen and peritoneum, ascites (1). Abdominal wall, purpura hæmorrhagica (1); abdominal wall and peritoneum, ascites (1). Umbilicus and liver (1); umbilicus and abdomen (1); umbilicus and secondary deposits, toxæmia (1); umbilicus, intestinal obstruction (2). Back (8); back, spine and scapula (1); back, bones and lung (1); back, chest, arms and legs (1); back and axillary glands (1); back and inguinal glands (1); back, bronchitis (1). Buttock (3); buttock and lung (1); buttock and mediastinum (1); buttock and lumbar region (1); buttock and general dissemination (2). Perineum (2); perineum and general dissemination (1).

Skin, part not stated.

Skin and:—liver and peritoneum (1); liver, lung and humerus (1); internal organs (1). *Complications*.—34. Lupus (2). 55. Toxæmia (2). 85. Hæmorrhage (1). Total 8.

Rodent ulcer.

Face and:—nose (1); nose, cheek and eye (1); ear (1); legs (1); lip (1); jaw (1); liver (1). *Complications*.—18. Erysipelas (1). 20. Septicæmia (3). 55. Toxæmia (2). 61. Meningitis (2); men., paralysis (1). 64. Cerebral hæmorrhage, paralysis (1). 65. Cerebral softening (1). 68. Melancholia (1); dementia (1). 82. Cerebral embolism (1). 85. Hæmorrhage (1). 92. Pneumonia (1). Total 23.

Nose. Unqualified (6). *Nose and*:—lip (2); throat (1). *Complications*.—90. Bronchitis (1). 92. Pneumonia (1). Total 11.

Other parts:—Forehead (1); forehead, cerebral apoplexy (1). Right side of head (1). Right temporal region (1). Scalp (2). Chin (1). Lip, hæmorrhage (1). Orbit (2); orbit, cystic tumour of

44. CANCER OF THE SKIN (1912)—continued.

ovary (1). Ear (2). Neck (1); neck and liver (1); neck and secondary deposits, hæmatemesis (1). Back (1). Arm (1). Back of hand (1). Thigh (1). Foot (2). Abdominal wall, sapræmia (1).
Part affected not stated. Complications.—20. Septic absorption (1). 61. Meningitis (1). 82. Cerebral thrombosis (2). 90. Bronchitis (3). 92. Croupous pneumonia (1); septic pneumonia (1). 113. Cirrhosis of liver (1). 124. Cystitis (2). 144. Cellulitis (2). Total 14.

TABLE B.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Skin (all parts).</i>	560	361	4	3	11	9	33	18	61	28	123	43	158	107	137	114	33	39
Carcinoma ...	451	303	—	1	7	8	25	8	46	22	102	34	128	95	119	101	24	34
Sarcoma ...	22	36	2	2	2	1	3	9	4	4	3	6	6	6	2	7	—	1
Cancer ...	87	22	2	—	2	—	5	1	11	2	18	3	24	6	16	6	9	4
Rodent ulcer ...	102	117	—	1	—	1	4	1	6	6	20	12	28	35	41	43	3	18
Epithelioma ...	238	120	—	—	6	2	8	5	27	8	61	10	63	38	56	45	17	12
Septicæmia (20B) ...	12	2	—	—	—	—	2	—	—	—	1	1	3	1	5	—	1	—
Nervous diseases (60–74) ...	9	4	—	—	—	—	—	—	1	—	2	1	3	—	2	2	1	1
Hæmorrhage ...	14	4	—	1	2	—	2	—	4	—	4	1	1	1	1	1	—	—
Bronchitis (90B) ...	12	4	—	—	—	—	—	—	1	—	—	—	5	2	7	1	—	—
Total respiratory diseases (86–98).	23	9	—	—	—	—	1	—	1	1	2	1	9	5	10	2	—	—
Urinary diseases (119–126) ...	13	1	—	—	—	—	3	—	—	—	2	—	5	—	2	—	1	1

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912).

TABLE A.

(Variety of growth not distinguished.)

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Larynx.</i>																		
Unqualified ...	{ Inst. 105	12	1	—	1	8	4	27	2	42	2	21	2	6	1	—	—	—
	{ Pr. 215	63	—	—	5	10	13	49	14	63	11	65	14	22	6	1	—	—
Larynx and œsophagus ...	{ Inst. 5	1	—	—	—	1	—	1	1	3	—	—	—	—	—	—	—	—
	{ Pr. 2	3	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—
neck glands ...	{ Inst. 7	—	—	—	—	2	—	1	—	4	—	—	—	—	—	—	—	—
	{ Pr. 4	1	—	—	—	—	—	1	—	1	—	1	—	1	1	—	—	—
Broncho-pneumonia ...	{ Inst. 7	1	—	—	—	—	1	3	—	3	—	1	—	—	—	—	—	—
	{ Pr. 2	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
Septic pneumonia ...	{ Inst. 5	2	—	—	1	2	1	2	—	1	—	—	—	—	—	—	—	—
	{ Pr. 3	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
<i>Thyroid body.</i>																		
Unqualified ...	{ Inst. 7	15	1	—	—	1	1	2	3	3	3	—	5	—	3	—	—	—
	{ Pr. 16	47	—	—	1	1	3	1	7	8	11	3	19	3	6	—	—	—
<i>Lung.</i>																		
Unqualified ...	{ Inst. 42	22	4	2	4	2	11	2	14	9	2	3	7	3	—	1	—	—
	{ Pr. 123	90	4	4	7	1	10	11	38	18	36	28	21	21	7	7	—	—
Lung and liver ...	{ Inst. 3	4	—	—	—	2	—	—	1	1	3	—	—	—	—	—	—	—
	{ Pr. 4	7	—	—	—	—	—	1	4	1	2	2	1	—	—	—	—	—
Pleurisy ...	{ Inst. 1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
	{ Pr. 6	4	—	—	—	—	—	2	—	3	—	—	4	1	—	—	—	—
<i>Pleura.</i>																		
Unqualified ...	{ Inst. 4	3	—	—	1	—	1	3	1	—	1	—	—	—	—	—	—	—
	{ Pr. 5	5	—	—	—	—	1	1	1	1	1	3	2	—	—	—	—	—
<i>Parotid gland.</i>																		
Unqualified ...	{ Inst. 13	2	—	—	—	1	—	3	—	4	—	4	1	1	1	—	—	—
	{ Pr. 37	11	2	1	—	—	1	6	3	13	3	10	3	6	—	—	—	—
<i>Pancreas.</i>																		
Unqualified ...	{ Inst. 82	59	3	1	5	4	8	4	23	5	21	22	20	16	2	6	—	1
	{ Pr. 122	169	—	—	2	1	7	4	21	29	52	56	28	53	11	24	1	2
Pancreas and liver ...	{ Inst. 6	10	—	—	1	—	—	1	1	1	2	3	1	4	1	1	—	—
	{ Pr. 13	14	—	—	—	—	—	5	3	4	4	3	4	1	3	—	—	—
Jaundice ...	{ Inst. 3	7	—	—	—	1	—	1	2	—	3	1	1	—	—	—	—	1
	{ Pr. 13	14	—	—	—	1	1	2	2	2	5	4	3	4	3	—	—	—
<i>Spleen.</i>																		
Unqualified ...	{ Inst. 3	3	1	—	1	—	—	—	—	1	—	1	2	—	—	—	—	—
	{ Pr. 16	16	2	—	—	2	2	3	5	4	3	3	5	2	1	—	—	—
<i>Kidney.</i>																		
Unqualified ...	{ Inst. 35	19	10	7	4	1	4	1	5	4	7	4	3	2	2	—	—	—
	{ Pr. 68	77	8	9	5	2	7	6	16	11	16	19	13	15	3	15	—	—
Kidney and liver ...	{ Inst. 1	7	—	2	—	—	—	1	—	—	—	—	—	2	—	—	—	—
	{ Pr. 3	3	—	2	—	—	1	—	1	—	1	—	—	1	—	—	—	—
Uræmia ...	{ Inst. 4	1	1	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—
	{ Pr. 3	5	—	—	1	—	—	1	2	1	—	3	—	—	—	—	—	—

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—*continued.*TABLE A—*continued.*

				All Ages.		0—		25—		35—		45—		55—		65—		75—		85—		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
<i>Bladder.</i>																						
Unqualified	Inst.	38	27	1	—	1	1	2	7	8	12	8	12	5	3	2	2	1	
				Pr.	299	132	—	—	3	1	14	4	35	19	82	38	122	40	39	25	4	5
Hæmorrhage	Inst.	3	5	—	—	—	1	—	1	—	—	2	1	1	—	2	—	—	
				Pr.	24	7	—	—	—	—	—	3	1	5	2	10	2	4	2	1	—	
Uræmia	Inst.	2	2	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	
				Pr.	7	2	—	—	—	—	—	2	—	3	—	1	1	1	—	—	1	
Hæmaturia	Inst.	3	3	—	—	—	—	—	—	—	—	—	1	1	1	2	1	—	
				Pr.	10	3	—	—	—	—	—	1	—	1	—	5	1	3	2	—	—	
Cystitis	Inst.	3	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	
				Pr.	4	3	—	—	—	—	—	1	—	—	1	1	1	1	1	1	—	
<i>Prostate.</i>																						
Unqualified	Inst.	80	—	1	—	—	—	—	5	—	32	—	28	—	14	—	—	—	
				Pr.	190	—	—	—	—	3	—	10	—	47	—	90	—	38	—	2	—	
Uræmia	Inst.	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
				Pr.	10	—	—	—	—	—	—	—	—	—	—	7	—	3	—	—	—	
Cystitis	Inst.	11	—	—	—	—	—	—	—	—	4	—	3	—	3	—	1	—	
				Pr.	13	—	—	—	—	—	—	—	—	4	—	5	—	4	—	—	—	
<i>Testes.</i>																						
Unqualified	Inst.	18	—	1	—	5	—	3	—	5	—	1	—	1	—	2	—	—	
				Pr.	17	—	3	—	3	—	1	—	3	—	2	—	2	—	2	—	1	
<i>Brain.</i>																						
Unqualified	Inst.	46	20	11	7	9	4	4	5	15	2	5	2	2	—	—	—	—	
				Pr.	31	26	2	5	4	1	5	4	12	8	5	5	3	1	—	1	—	
<i>Eye, Orbit.</i>																						
Unqualified	Inst.	5	6	1	2	—	—	1	1	1	1	1	1	—	1	1	—	—	
				Pr.	23	16	5	4	—	—	2	1	2	1	2	4	7	2	3	3	1	
<i>Lymphatic glands.</i>																						
Neck—				Inst.	48	13	5	4	2	1	5	2	15	3	14	1	5	2	1	—	1	
Unqualified	Pr.	72	39	10	1	1	2	4	6	20	4	19	11	16	10	2	4	—	
Mediastinum—				Inst.	4	2	—	—	—	—	—	1	2	—	1	—	1	1	—	—	—	
Unqualified	Pr.	13	4	—	—	4	1	—	—	4	—	3	1	2	—	—	—	—	
Retroperitoneal—				Inst.	3	2	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—	
Unqualified	Pr.	5	4	1	2	1	—	—	1	—	1	—	1	—	1	—	—	—	
Lymphosarcoma—				Inst.	15	3	2	—	1	—	5	—	6	1	1	2	—	—	—	—	—	
Unqualified	Pr.	13	12	2	1	2	2	—	1	2	5	4	1	2	—	1	—	—	
<i>Bones.</i>																						
Skull—				Inst.	6	8	2	2	—	—	—	2	1	2	3	1	—	—	—	1	—	
Unqualified	Pr.	11	9	2	2	—	1	—	—	4	2	4	2	1	1	—	1	—	
Spinal column—				Inst.	6	4	—	1	—	—	1	—	1	2	3	1	1	—	—	—	—	
Unqualified	Pr.	14	15	1	1	—	1	3	1	3	3	4	3	2	—	3	—	—	
Ribs—				Inst.	2	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Unqualified	Pr.	7	3	—	1	—	—	—	—	2	—	2	1	2	1	—	—	1	
Sternum—				Inst.	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Unqualified	Pr.	4	5	—	—	—	1	—	—	1	2	1	—	—	2	1	—	1	
Sacrum—				Inst.	2	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	
Unqualified	Pr.	8	7	2	1	—	—	—	2	2	2	—	1	3	1	1	—	—	
Ilium—				Inst.	4	3	2	1	—	—	—	—	—	1	2	—	—	—	—	1	—	
Unqualified	Pr.	9	11	2	1	1	—	—	—	2	3	4	3	—	—	—	3	1	
Pelvic bones (undefined)—				Inst.	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Unqualified	Pr.	11	9	2	3	2	1	1	—	—	—	2	3	3	2	1	—	—	
Hip—				Inst.	1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	
Unqualified	Pr.	3	10	1	6	1	—	—	1	—	1	—	—	1	—	2	—	—	
Femur—				Inst.	15	6	5	—	2	—	2	—	1	1	2	2	2	3	1	—	—	
Unqualified	Pr.	15	24	—	7	1	1	3	2	1	3	3	6	6	4	1	1	—	
Femur and lung	Inst.	2	2	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	
				Pr.	2	4	1	3	—	—	—	—	1	1	—	—	—	—	—	—	—	
<i>Mediastinum.</i>																						
Unqualified	Inst.	33	11	3	1	1	1	7	5	11	1	7	1	3	2	1	—	—	
				Pr.	82	52	2	1	4	3	8	3	15	10	26	19	26	15	1	1	—	
<i>Thorax.</i>																						
Unqualified	Inst.	2	1	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	
				Pr.	8	11	1	—	—	—	1	2	2	1	1	3	1	5	2	—	—	
<i>Pelvic cavity.</i>																						
Unqualified	Inst.	4	5	—	1	—	—	1	2	1	—	1	2	—	—	1	—	—	
				Pr.	15	28	—	—	—	2	2	5	3	7	3	7	5	5	2	2	—	
<i>Abdomen.</i>																						
Unqualified	Inst.	15	17	3	1	—	—	2	1	4	4	4	7	1	3	1	1	—	
				Pr.	41	131	2	1	1	1	4	14	1	29	15	25	14	36	4	21	—	
<i>Throat.</i>																						
Unqualified	Inst.	8	—	—	—	—	—	—	3	—	2	—	2	—	—	—	1	—	
				Pr.	24	7	—	—	—	—	3	—	8	1	5	—	8	4	—	2	—	
<i>Neck.</i>																						
Unqualified	Inst.	46	16	—	—	1	1	4	1	10	2	21	7	7	2	3	2	—	
				Pr.	108	39	3	2	1	1	4	2	20	7	35	9	37	10	8	7	—	
<i>Axilla.</i>																						
Unqualified	Inst.	—	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	
				Pr.	5	15	—	—	—	—	—	—	—	1	3	1	—	7	2	4	—	

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—*continued*.TABLE A—*continued*.

				All ages.		0—		25—		35—		45—		55—		65—		75—		85—		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
<i>Groin.</i>																						
Unqualified	{	Inst.	3	3	—	—	—	—	1	—	—	1	1	2	1	—	—	—	—	—
				Pr.	8	9	—	—	1	—	—	—	—	5	3	—	2	1	2	3	—	—
<i>Multiple.</i>																						
Unqualified	{	Inst.	6	6	2	—	—	1	1	1	1	1	2	2	—	1	—	—	—	—
				Pr.	22	33	1	1	1	3	2	7	3	8	8	9	6	4	1	1	—	—
<i>Undefined.</i>																						
Unqualified	{	Inst.	5	5	—	1	1	—	—	—	1	2	1	1	1	1	1	—	—	—
				Pr.	36	49	1	—	1	1	—	3	4	13	10	15	14	11	6	4	—	—

LIST SUPPLEMENTARY TO TABLE A.

(Variety of growth not distinguished.)

Larynx.

Larynx and:—tongue (1); pharynx (4); pharynx and neck glands (1); stomach (1); liver (1); thyroid (2); pleura (1); bronchial glands (1); neck glands and mediastinum (1); supra clavicular glands (1); mediastinum (1); throat (1). *Complications*.—Laryngeal obstruction (3); tracheal obstruction (2). 10. Influenza, necrosis of larynx (1). 20. Septicæmia (1); larynx and neck glands, septic absorption (1); sepsis, toxæmia (1). 28. Tuberculosis of lungs (2); tub. of larynx (1). 48. Gout (1). 55. Toxæmia (2). 64. Cerebral hæmorrhage (1). 66. Larynx and pharynx, hemiplegia (1). 77. Pericarditis (1). 82. Cerebral embolism (1). 85. Hæmorrhage (9); larynx and pharynx, hæm. (2); hæm., œdema of glottis (1). 87. Œdema of glottis (1); œdema of glottis, asphyxia (1). 90. Bronchiectasis, bronchitis (1); bronchitis (6). 91. Perforation of œsophagus, broncho-pneumonia (1); inhalation pneumonia (1). 92. Pneumonia (9). 95. Gangrene of lung (1). 98. Hæmoptysis (2). 104. Diarrhœa (1); enteritis (1). 144. Abscess in neck (1). 168. Asphyxia (5); larynx and glands, asphyxia (1). Total 79.

—Vocal chords and pharynx (1); vocal chords, pneumonia (1). Trachea (5); trachea and œsophagus (1); trachea, hæmorrhage (1); trachea, bronchitis (1). Wind pipe (1). Glottis and lung, granular kidney (1). Epiglottis (4); epiglottis and cervical glands (1); epiglottis, septic bronchitis (1); epiglottis, septic pneumonia (1). Cricoid (2).

Thyroid Body.

Thyroid and:—œsophagus (1); liver (3); larynx, pharynx and throat (1); trachea (1); lung (1); kidney (1); neck glands (2); glands (1). *Complications*.—Tracheal obstruction (2). Dysphagia (1). 51. Graves' disease (1). 64. Cerebral hæmorrhage (1). 79. Dilatation of heart (1). 85. Hæmorrhage (1). 88. Gout (2). 90. Septic bronchitis (1). 91. Broncho-pneumonia (1). 92. Pneumonia (3). 168. Asphyxia (7). Total 32.

Lung.

Lung and:—liver and spleen (1); liver and arm (1); ileum (1); intestine (1); rectum (1); breast (1); larynx (1); pleura (4); brain (2); brain and ribs (1); spinal cord (1); neck glands (1); ribs (1); mediastinum (6); chest (1); neck (1); leg (1); secondary growths (undefined) (5). *Complications*.—10. Influenza, pneumonia (1). 28. Pulmonary tuberculosis (2). 37. Lung and liver, cerebral syphilis (gummata) (1). 50. Glycosuria (1). 55. Purpura (1). 68. Insanity (1). 77. Pericarditis, bronchiectasis (1). 79. Mitral regurgitation (1); cardiac degeneration (1); heart disease (2). 82. Cerebral thrombosis (1). 85. Hæmorrhage (6). 90. Bronchitis (7). 91. Broncho-pneumonia (2). 92. Lobar pneumonia, hæmoptysis (1); pneumonia (2). 93. Lung, pleura and mediastinum, pleural effusion, collapse of lung (1); pneumothorax (2); pyopneumothorax (2). 94. Pulmonary congestion (2); pulmonary œdema (2); collapse of lung (1). 95. Gangrene of lung (2). 98. Hæmoptysis (7); lung and liver, hæmop. (1); hæmop., parturition (1). 142. Gangrene of arm (1). 168. Asphyxia (3). 185. Fracture (1). 187. Œdema (1); lung and mediastinum, anasarca (1). 189. Dyspnœa (6). Total 96.

Bronchial glands (2); bronchial glands and lung (1). Bronchus (7); bronchus, toxæmia (1); bronchus, hæmorrhage (1); bronchus, hypostatic pneumonia (1); bronchus, pyelonephritis, cystitis (1).

Pleura.

Pleura and:—liver (1); liver and omentum (1); liver and lung (1); lung (4); lung and mediastinal glands (1); thoracic glands (1); secondary growths (undefined) (1). *Complications*.—77. Pericarditis (1). 90. Bronchitis (1). 93. Pleural effusion (4); hydrothorax (3). Total 19.

Heart and Pericardium.

Heart (1); heart, cerebral embolism (1). Pericardium, hydrothorax (1).

Parotid Gland.

Parotid gland and:—palate and tonsil (1); liver (2); liver and abdominal glands (1); larynx (1); neck glands (1); left femur (1); neck (1); secondary growths (undefined) (1). *Complications*.—55. Toxæmia (2). 85. Hæmorrhage (1). 91. Broncho-pneumonia (1). 122. Parotid gland and kidney, hæmaturia (1). Total 14.

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—*continued.**Pancreas.*

Pancreas and:—œsophagus (1); œsoph. and stomach (1); stomach (6); stom. and liver (2); stom. and intestine (1); liver, omentum and gall bladder (1); liv., lung and pleura (1); liv., lung and spine (1); liv. and kidney (1); liv. and bones (1); liv. and glands (1); liv. and neck (1); gall bladder (1); bile duct (1); peritoneum (2); intestine (1); breast (1); lung (6); bronchial and mediastinal glands (1); inguinal glands and heel (1); glands (undefined) (1); mediastinum (2); abdomen (2); secondary deposits (undefined) (5). *Complications.*—48. Chronic rheumatism (1). 50. Diabetes (7); diabetes, jaundice (1); glycosuria (2). 54. Anæmia (1). 55. Toxæmia (3); tox., obstructive jaundice (1). 66. Paralysis, bedsores (1). 68. Pancreas, stomach and liver, dementia (1). 79. Endocarditis (2); mitral stenosis (4); valvular disease (3); fatty heart (2). 81. Pancreas and liver, arterio-sclerosis, gangrene (1). 85. Hæmorrhage (6). 90. Bronchitis (2); bronch., jaundice (1). 92. Pneumonia (3). 94. Pulmonary congestion (1); pulm. cong., intestinal hæmorrhage (1). 103. Vomiting (1); pancreas and liver, dilated stomach (1); hæmatemesis (1); hæmatemesis, jaundice (1). 104. Colitis, jaundice (1). 109. Intestinal obstruction (4). 110. Pancreas and duodenum, intestinal hæmorrhage (1); intest. hæm., jaundice (2). 113. Cirrhosis of liver (1). 114. Gallstones (9). 115. Pancreas and pylorus, jaundice (1); pancreas and liver, jaund. (2); jaund., ascites (2); cholæmia (6); cholecystitis (1). 117. Peritonitis (5). 120. Chronic nephritis (1); uræmia (1). 122. Suppression of urine (1); hæmaturia (1). 142. Gangrene of foot (1). 172. Fall (1). 177. Starvation (1). 187. Dropsy (5); ascites (5); pancreas and liver, ascites (1). 189. Pancreas and liver, coma (1). Total 144.

Spleen.

Spleen and:—liver (3); liv. and lungs (1); liv. and pancreas (1); intestines (1); intest., kidney and abdominal wall (1); kidney (1); skull (1); secondary deposits (undefined) (2). *Complications.*—54. Pernicious anæmia (1). 82. Cerebral embolism (1). 94. Spleen, lung and vulva, pulmonary œdema (1). 115. Jaundice (1). 187. Ascites (2); dropsy (1). 189. Coma (1). Total 19.

Kidney.

Kidney and:—maxilla (1); stomach (1); liver and brain (1); liv. and abdominal glands (1); peritoneum (1); colon (1); lungs (3); lungs and abdomen (1); bladder (5); brain (2); mediastinal glands (1); inguinal glands (1); femur (1); right thigh (1); hip (1); abdomen (1); general dissemination (1); secondary deposits (undefined) (3). *Complications.*—20. Septicæmia (1). 61. Meningitis delusional insanity (1). 64. Cerebral hæmorrhage (1). 79. Valvular disease (1); fatty heart, dropsy (1); heart disease (1). 82. Cerebral embolism (1). 85. Hæmorrhage (6); kidney and gall bladder, hæm. (1); hæm., uræmia (1). 90. Bronchitis (1). 93. Kidney and lung, pleural effusion (1). 104. Kidney and liver, enteritis (1). 109. Intestinal obstruction (1); intest. obstruct., peritonitis (1). 110. Kidney and secondary deposits, intestinal hæmorrhage (1). 119. Acute nephritis (1). 120. Kidney and urethra, chronic interstitial nephritis (1); chr. interstit. neph., uræmia (1); kidney and liver, uræmia (1); uræmia, pyuria, coma (1). 122. Hæmaturia (7); hæmaturia, coma (1). 123. Calculus (1). 172. Fall (1). 187. Anasarca (2); ascites (6); œdema (1). Total 72.

Suprarenals.—Unqualified (9). *Suprarenals and:*—liver (1); liver, lung and brain (1); retro-peritoneal (1); lung (1); brain (1); general dissemination (1); secondary deposits (undefined) (1). Total 16.

Bladder.

Bladder and:—œsophagus and abdomen (1); stomach (1); liver (3); peritoneum (1); intestine (3); rectum (2); uterus (2); vagina (1); lungs (2); kidneys (2); prostate (3); ureters (2); brain (1); abdominal glands (2); pelvic glands (1); tibia (1); pelvis (1); leg and foot (1); secondary deposits (undefined) (2). *Complications.*—10. Influenza (1). 20. Septicæmia (3); septic absorption (1); septic infection, intestinal obstruction (1). 48. Rheumatoid arthritis (1). 50. Diabetes (1). 54. Anæmia (1). 55. Toxæmia (6); tox., cystitis (1). 56. Alcoholism, cystitis, stricture (1). 64. Apoplexy (1); cerebral hæmorrhage (1). 66. Hemiplegia (1); hemipl., pneumonia (1). 68. Mania, hydro-nephrosis (1). 79. Valvular disease (1); valv. dis., dilatation of heart (1); heart disease (1). 82. Cerebral thrombosis (2); embolism (1). 83. Phlebitis (1). 85. Bladder and rectum, hæmorrhage (1); bladder and secondary deposits, hæm. (1); hæm., cystitis (1). 90. Bronchitis (5). 91. Broncho-pneumonia (1). 93. Pleurisy (3). 94. Pulmonary congestion (1); pulm. œdema (1). 103. Vomiting (1). 104. Diarrhœa (1); bladder and skin, enteritis (1). 117. Peritonitis (2). 120. Chronic nephritis (3); nephritis (2); nephritis, cystitis (2); uræmia, suppression of urine (1). 122. Suppression of urine (1); pyelitis (1); hydronephrosis (2); hydroneph., cystitis (1); pyonephrosis (3). 124. Cystitis, peritonitis (1); hæmorrhage from bladder (3); retention of urine (2); bladder and prostate, retent. of urine (1). 125. Bladder and prostate, extravasation of urine (1). 142. Gangrene of leg (2). 189. Coma (4). Total 110.

Urethra (4). Urethra and bladder (1). Total 5.

Prostate.

Prostate and:—liver (6); liv. and peritoneum (1); liv., periton. and glands (1); omentum (1); peritoneum (1); rectum (3); lungs (1); bladder (9); inguinal glands (1); abdominal glands (1); general dissemination (1); secondary deposits (undefined) (4). *Complications.*—20. Septicæmia (1). 50. Diabetes (1). 55. Toxæmia (1); tox., cystitis (1). 64. Cerebral hæmorrhage (1). 66. Prostate and spine, paraplegia (1). 74. Jacksonian epilepsy (1). 79. Dilated heart (1); cardiac degeneration, retention of urine (1); heart disease (1); ht. dis., broncho-pneumonia (1). 81. Atheroma (1). 84. Enlargement of cervical glands (1). 85. Hæmorrhage (4); prostate and bladder, hæm. (1); hæm., nephritis (1); hæm., retention of urine (1). 90. Bronchitis (6); prostate and bladder, bronch. (1). 91. Broncho-pneumonia (1). 92. Lobar pneumonia (1); pneumonia-(2). 93. Pleurisy, cystitis (1). 94. Congestion of lungs (1). 109. Intestinal obstruction (1); intest. obstruct., cystitis (1). 115. Prostate and liver, jaundice (1). 117. Peritonitis, rupture of bladder (1). 120. Chronic nephritis (2);

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—*continued*.

interstitial nephritis (1); nephritis (1); neph., coma (1); prostate and bladder, uræmia (1); uræmia, ascending nephritis (1); uræmia, pyelonephritis (1); uræmia, cystitis (2); prostate and bladder, uræmia, cystitis (1); uræmia, coma (2). 122. Pyonephritis (1); pyelonephritis (1); pyeloneph., cystitis (1); surgical kidney (2); suppurative nephritis, stone in bladder (1); septic nephritis, cystitis (2); pyelitis (1); pyelitis, cystitis (1); hæmatinuria (1). 124. Retention of urine (5). 125. Extravasation of urine, scrotal gangrene (1); extrav. of urine, gangrene (1). 187. Prostate and liver, dropsy (1). 189. Coma (1). Total 100.

Testes.

Testes and:—stomach and liver (1); stom. and spleen (1); liver (4); liv., lung and abdomen (1); mesentery (1); omentum (1); oment. and prostate (1); intestine (1); penis and scrotum (1); lung (2); lung and mediastinum (1); inguinal glands (1); lumbar glands (2); pelvic glands (1); mediastinal glands and abdomen (1); glands (undefined) (2); chest (1); thorax, abdomen (2); abdomen (6); throat (1); secondary deposits (undefined) (1). *Complications*.—20. Septicæmia, cystitis (1). 66. Hemiplegia (1); testes and spine, paraplegia (1). 68. Dementia (1). 70. Testes and brain, epileptiform convulsions (1). 79. Heart disease (1). 82. Pulmonary embolism, phlebitis (1). 90. Bronchitis (1). 91. Broncho-pneumonia (1). 93. Hæmothorax (1). 117. Testes and lumbar glands, peritonitis (1). 124. Cystitis (1). Total 45.

Spermatic cord (1). Vesicular seminales, cystitis (1).

Brain.

Cerebellum (3); cortex of brain (1); frontal lobe of brain (1). *Brain and*:—breast (1); general dissemination (2). *Complications*.—28. Pulmonary tuberculosis (1). 50. Diabetes (1). 61. Meningitis (2). 64. Cerebral hæmorrhage (2). 65. Cerebral softening (1). 66. Paralysis (1). 68. Insanity (3); Insanity, arterio-sclerosis (1). 73. Neuralgia, optic neuritis (1). 74. Jacksonian epilepsy (1). 75. Optic neuritis (1); ophthalmoplegia (1); atrophy of optic nerve, coma (1). 79. Fatty heart (1); myocardial degeneration (2). 92. Lobar pneumonia (1); brain and intestine, lobar pneum. (1); coma (8). Total 38.

Spinal Cord.

Unqualified (9). *Spinal cord and*:—liver (1); lung (1); tongue (1). *Complications*.—20. Pyæmia (1). 66. Paraplegia (1); paralysis of legs and bladder (1). Total 15.

Eye, Orbit.

Eye and:—upper jaw (1); liver (6); face (1); larynx (1); lung (2); thigh (1); secondary deposits (undefined) (2). *Complications*.—55. Eye and brain, toxæmia (1). 61. Meningitis (2); eye and testicle, men., coma (1). 62. Locomotor ataxy (1). 64. Cerebral hæmorrhage (1). 74. Organic brain disease (1). 79. Degeneration of heart (1). 98. Eye and lung, hæmoptysis (1). 189. Coma (1). Total 24.

Lymphatic Glands.

Neck and:—tongue (2); jaw (1); tonsil (1); liver (2); larynx (1); lung (2); parotid (1); mediastinal glands and sternum (1); scapula and clavicle (1); spine and abdomen (1); femur and groin (1); mediastinum (2); thorax (1). *Complications*.—24. Tetanus (1). 55. Toxæmia (1). 64. Cerebral congestion (1). 66. Paraplegia (2). 85. Hæmorrhage (3). 90. Bronchitis (3). 92. Pneumonia (1). 98. Neck and lung, hæmoptysis (1). 99. Pyorrhœa alveolaris (1). 189. Coma (1). Total 32.

Mediastinum and:—liver and pleura (1); lung (2). *Complications*.—77. Pericarditis, dilatation, pleurisy (1); pericard., ascites (1). 85. Hæmorrhage (1). 93. Empyema (1); pleural effusion (2). 94. Mediastinum and neck, hypostatic pneumonia (1). Total 10.

Axilla.—Unqualified (9). *Axilla and*:—liver and lungs (1); liver and spleen (1); lungs (2). *Complications*.—187. Anasarca (1). Total 14.

Retroperitoneal and:—liver (2); secondary growth (undefined) (1). Total 3.

Groin.—Unqualified (9). *Groin and*:—neck (1); thorax, abdomen (1); abdomen, dropsy (1). Total 12.

Abdomen.—Unqualified (1); abdomen, hæmorrhage (1).

Thorax.—Thorax pleurisy (1).

Lymphosarcoma of:—bronchial glands (1); parotid gland (1); tonsil (1).

Lymphosarcoma (undefined). *Complications*.—53. Leuchæmia (2). 79. Morbus cordis (1). 82. Cerebral thrombosis (1). 85. Hæmorrhage (1). 98. Hæmoptysis, jaundice (1). 103. Vomiting (1). 189. Coma (1). Total 8.

Bones.

Skull and:—bladder (1); neck glands (1); lymphatic glands (1). *Complications*.—61. Meningitis (1). 64. Cerebral hæmorrhage (1). 82. Cerebral thrombosis, coma (1). 92. Pneumonia (1). Total 7. Nasal bones (1). Ethmoid bone (2).

Spinal column and:—liver (6); lung (2); pleura (1); spinal cord (1); mediastinal and axillary glands (1); rib (1); secondary growths (undefined) (4). *Complications*.—20. Septicæmia, abscess (1). 63. Myelitis (4). 66. Paraplegia (4); parapl., bronchitis (1); parapl., paralysis of rectum and bladder (1); parapl., cystitis (1); paralysis (3). 73. Neuritis (1). 94. Pulmonary congestion (2); spinal column and sacrum, pulmpary oedema (1). 103. Vomiting (1). 110. Paralysis of rectum and bladder (1). 122. Pyelitis (1). 124. Cystitis (1). Total 39.

Ribs and:—liver, lung and kidney (1); lung (1). *Complications*.—50. Diabetes (1). 90. Bronchitis (1). Total 4.

Sternum and:—ribs (1); chest (1); liver (1); lung (1); cervical and axillary glands (1); cranium (1). Total 6.

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—*continued*.

Clavicle (9). *Clavicle and brain* (2). *Complications*.—14. Dysentery (1). 66. Spine and clavicle, paralysis (1). Total 13.

Scapula (4). *Scapula and*:—lung (1); abdomen (1). Total 6.

Shoulder (4). *Shoulder, liver and lungs* (2). *Shoulder, bronchitis* (1). Total 7.

Humerus (9). *Humerus and*—clavicle (1); lung (3); lung and pleura (1); lung and cervical glands (1); secondary growth (undefined) (1). Total 16.

Radius and lungs (1). *Ulna, liver and lung* (2).

Bone of arm (undefined) (1). *Bone of arm and*—liver, lung (1); lung (1); toxæmia (1). Total 4.

Finger (1).

Sacrum and—brain (1); abdomen (1). *Complications*.—66. Paralysis (1). 92. Pneumonia (1).

109. Intestinal obstruction (2). 119. Acute nephritis (1). Total 7.

Ilium and—hip (1); lung (1); lung and brain (1); brain (1); femoral gland (1). *Complications*.—54. Ilium, stomach and liver, pernicious anæmia (1). 94. Pulmonary oedema (1). Total 7.

Ischium (1). *Os innominatum* (5).

Pelvic bones (undefined) and—lung (1); groin (1). *Complications*.—79. Mitral disease (1). 92. Pneumonia (1). 94. Congestion of lungs (2). 117. Peritonitis (1). 187. Oedema (1). Total 8.

Hip and—general dissemination (1); abscess of hip joint (1); abscess of thigh (1). Total 3.

Femur and—liver (1); liver and ribs (1); rectum (1); lung and humerus (1); lung, ribs and sternum (1); pleura (1); spine (1); testicles (1); secondary deposits (undefined) (6). *Complications*.—20. Septic intoxication, gangrene (1). 28. Pulmonary tuberculosis (1). 48. Arthritis deformans (1). 50. Diabetes (1). 79. Valvular disease (1). 82. Embolism (2); femur and secondary growth, pulmonary embolism (1). 90. Bronchitis (1). 91. Broncho-pneumonia (1). 92. Femur and cranium, pneumonia (1). 94. Pulmonary congestion (1). 145. Bedsores (1). 186. Femur and lungs, injury (1). Total 28.

Tibia (7). *Tibia and*—fibula (1); liver (1); lung (3); lung and ribs (1); brain (1); general dissemination (1); secondary growths (undefined) (1). *Complications*.—61. Tibia and cranium, meningitis (1). 68. Melancholia (1). Total 18.

Knee (3). *Knee and lung* (3). Total 6.

Bone of leg (undefined) (5). *Bone of leg and*—liver and lung (1); lung (4). *Complications*.—28. Pulmonary tuberculosis (1). 186. Bone of leg and lung, injury (1). Total 12.

Ankle (1). *Foot* (1). *Foot and*—lungs, groin and glands (1); inguinal glands (1).

Bone (undefined) (5). *Complications*.—20. Septic absorption (1). 54. Anæmia (1). 77. Pericarditis, fall (1). Total 8.

Mediastinum.

Mediastinum and—cesophagus (1); liver (2); lung (7); lung, kidney and sternum (1); lung and spinal cord (1); lung and neck (1); pleura (1); neck glands (1); sternum (1); secondary deposits (undefined) (2). *Complications*.—Pressure on bronchi (1). Compression of lung (1). Respiratory obstruction (1). 77. Pericarditis (1). 79. Cardiac degeneration (1); dilatation of heart, pleurisy with effusion (1); heart disease (1). 85. Hæmorrhage (2). 90. Bronchitis (4). 91. Broncho-pneumonia (2); mediastinum and brain, br.-pneu. (1); mediast. and orbit, br.-pneu. (1). 92. Pneumonia (2). 93. Pleurisy (3); pneumothorax (1); hæmorrhage into pleura (1). 94. Congestion of lungs (1); cong. of lungs and liver (1); hypostatic pneumonia (1); mediastinum, liver and lung, hypo. pneu. (1). 98. Abscess of lung (1); hæmoptysis (2). 101. Stricture of cesophagus, still-birth (1). 109. Intestinal obstruction (1). 120. Granular kidneys, anasarca (1). 168. Asphyxia (5). 187. Mediastinum and abdomen, anasarca (1). Total 58.

Thorax.

Complications.—93. Pleurisy (2). 97. Emphysema (1). 168. Asphyxia (1). Total 4.

Pelvic Cavity.

Pelvic cavity and—liver (3); bladder (1). *Complications*.—92. Pneumonia (1). 109. Intestinal obstruction (3). 110. Intestinal stasis, pregnancy, Cæsarean section (1). 117. Peritonitis, ascites (1). 124. Cystitis (1). 172. Fall (1). 187. Dropsy (1). 189. Delirium (1). Total 14.

Abdomen.

Abdomen and—tongue (1); liver (6); lung (1); secondary deposits (undefined) (1). *Complications*.—20. Septicæmia (1). 28. Pulmonary tuberculosis (1). 54. Anæmia (3). 63. Myelitis (1). 73. Peripheral neuritis (1). 79. Mitral disease (1); fatty heart (1); dilatation of heart (1); heart disease (1). 82. Embolism (1). 90. Bronchitis, hæmatemesis (1). 91. Broncho-pneumonia (1). 92. Pneumonia (2). 93. Pleural effusion (1). 103. Hæmatemesis (1). 104. Diarrhoea (3). 109. Intestinal obstruction (8). 115. Jaundice (1). 117. Peritonitis (1). 120. Uræmia (1). 136. Childbirth (1). 187. Ascites (6). Total 48.

Throat.

Throat and neck (3). *Complications*.—55. Toxæmia (1). 64. Cerebral hæmorrhage (1). 85. Hæmorrhage (2); hæm., coma (1). 168. Asphyxia (1). Total 9.

Neck.

Neck and—tongue (2); liver, bowels and spine (1); trachea (1); bladder (1); clavicle (1); throat (1); axilla (1); groin (1). *Complications*.—20. Septicæmia (1); blood poisoning (1). 28. Phthisis, broncho-pneumonia (1). 64. Cerebral hæmorrhage (1). 66. Paraplegia, pulmonary oedema (1). 79. Valvular disease (2); fatty heart (1). 82. Cerebral thrombosis (1). 90. Bronchitis (2).

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—continued.

91. Broncho-pneumonia (1). 92. Pneumonia (1). 101. Stricture of œsophagus (1). 109. Intestinal obstruction (1). 120. Renal disease (1; nephritis, cystitis (1). 124. Neck and spinal cord, cystitis (1). 168. Asphyxia (4). 177. Starvation (1). Total 32.

Axilla.

Axilla and—liver and abdomen (1); bladder and kidneys (1); neck (1). Complications.—18. Erysipelas (1). 64. Cerebral hæmorrhage (1). 85. Hæmorrhage (2). Total 7.

Groin.

Groin and—pelvis (1); abdominal wall (1). Complications.—20. Sepsis (1). 68. Mania (1). 85. Hæmorrhage (2). 109. Intestinal obstruction (1). Total 7.

Other Localities.

Pituitary body (1). Middle ear (1). Nose (2); nose and lungs (1); nose, tuberculous disease of nose (1). Nasal septum (1). Nasal cartilage, meningitis, otitis (1). Nasal mucous membrane (1). Nasal passages (4); nasal passages, lung and neck (1). Nasal fossæ, pneumonia (2). Diaphragm (1). Ampulla of Vater (1). Erector spinæ muscle (1); erector spinæ muscle and brain (1). Ilio-psoas muscle (1). Triceps, erysipelas (1). Glands (undefined) (5); glands, coma (1). Shoulder (9); shoulder and brain (1); shoulder, hypertrophy of prostate (1). Scapular region (1). Supra clavicular region, fibroid disease of lung (1). Arm (4); arm and lung (3); arm and secondary deposits (1); arm, influenza (1); arm and side, hæmorrhage (1). Hand (2); hand and axilla (1); hand and secondary deposits (1). Thumb (1). Thigh (29). Thigh and—lung (1); lung, brain (1); brain (1); abdomen (1); groin (1). Thigh and following conditions: Septicæmia (1); pulmonary tuberculosis (2); anæmia (1); hæmorrhage (2); bronchial asthma (1). Leg (7). Leg and—liver (1); lung (1); brain (1); abdomen (2). Leg and following conditions: Toxæmia (1); valvular disease (1); bronchitis (1); pleurisy (1). Knee (2); knee and liver (1); knee, hæmorrhage (1). Foot (3); foot and liver (1); foot, bronchitis (1). Big toe (1). Toe and liver (1). Back (2). Right side (2). Gluteal region (2); gluteal region and lung (1); gluteal region and abdomen (1). Lumbar region, ribs and axilla (1). Iliac region (5). Perineum (5).

Multiple.

Complications.—20. Septic infection, spinal paralysis, retention of urine (1). 55. Toxæmia (1). 63. Myelitis (1). 66. Paraplegia (1). 79. Heart disease (1). 82. Pulmonary embolism (1). 91. Broncho-pneumonia (1). 93. Pleurisy (1). 94. Hypostatic pneumonia (1). 120. Nephritis (1). 187. Ascites (1). Total 11.

Undefined.

Complications.—50. Diabetic coma (1). 55. Toxæmia (1). 64. Apoplexy (1). 79. Heart disease (1). 92. Pleuro-pneumonia (1). 94. Congestion of lungs (1). 103. Dyspepsia (1). 122. Pyuria (1). 134. Abortion, sub-involution of uterus (1). 172. Fall (1). Total 10.

TABLE B.

	All Ages		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Larynx.	419	99	2	—	—	8	24	21	105	24	149	17	104	19	34	10	1	—
Carcinoma ...	293	58	1	—	—	4	13	13	77	15	108	11	70	13	24	2	—	—
Sarcoma ...	7	—	1	—	—	—	—	—	1	—	2	—	3	—	—	—	—	—
Cancer ...	119	41	—	—	—	4	11	8	27	9	39	6	31	6	10	8	1	—
Epithelioma ...	63	9	—	—	—	2	2	4	14	—	25	2	17	1	5	—	—	—
Larynx and œsophagus	7	4	—	—	—	—	1	1	2	2	4	1	—	—	—	—	—	—
neck glands	14	1	—	—	—	—	2	—	3	—	6	—	2	—	1	1	—	—
Hæmorrhage ...	9	3	—	—	—	—	—	—	5	2	3	—	1	1	—	—	—	—
Broncho-pneumonia (91)	10	3	—	—	—	—	—	1	3	1	4	1	3	—	—	—	—	—
Pneumonia (92B)	16	3	—	—	—	1	2	1	5	—	5	1	2	—	2	—	—	—
Total respiratory diseases (86-98).	32	13	—	—	—	1	2	2	11	2	12	4	5	2	2	2	—	—
Thyroid body.	33	84	2	2	—	1	3	5	7	14	15	21	3	31	3	10	—	—
Carcinoma ...	17	39	—	1	—	—	2	3	6	5	6	9	3	17	—	4	—	—
Sarcoma ...	3	6	1	—	—	1	—	—	—	1	2	2	—	2	—	—	—	—
Cancer ...	13	39	1	1	—	—	1	2	1	8	7	10	—	12	3	6	—	—
Lung.	235	168	9	11	17	3	30	15	70	43	56	45	44	39	8	12	1	—
Carcinoma ...	85	64	—	2	4	1	15	8	23	11	22	16	19	23	2	3	—	—
Sarcoma ...	72	44	9	7	11	2	10	3	25	13	9	9	6	6	2	4	—	—
Cancer ...	78	60	—	2	2	—	5	4	22	19	25	20	19	10	4	5	1	—
Lung and liver ...	10	12	1	—	—	—	2	—	2	6	3	5	2	1	—	—	—	—
Pleurisy (93B) ...	11	6	—	—	2	—	2	—	3	1	3	—	—	5	1	—	—	—
Total respiratory diseases (86-98).	30	17	1	—	3	—	5	1	8	3	8	2	4	10	1	1	—	—

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—continued.

TABLE B—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Pleura.</i>																		
Carcinoma	16	20	1	—	1	1	2	2	6	6	2	5	3	6	1	—	—	—
Sarcoma	4	8	1	—	—	—	2	—	1	2	—	3	—	3	—	—	—	—
Cancer	2	3	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—
	10	9	—	—	1	1	—	2	4	2	1	1	3	3	1	—	—	—
<i>Parotid gland.</i>																		
Carcinoma	59	18	2	1	1	—	2	1	11	6	22	3	14	5	7	2	—	—
Sarcoma	29	8	—	—	—	—	2	—	8	2	9	1	7	4	3	1	—	—
Cancer	12	4	2	1	1	—	—	—	1	6	2	2	—	2	1	—	—	—
	18	6	—	—	—	—	—	1	3	3	7	—	5	1	3	1	—	—
<i>Pancreas.</i>																		
Carcinoma	314	342	4	2	9	7	20	13	69	58	103	113	82	101	26	42	1	6
Sarcoma	205	213	3	1	6	4	12	8	44	42	72	69	46	58	21	28	1	3
Cancer	7	2	1	1	3	—	2	1	—	—	1	—	—	—	—	—	—	—
	102	127	—	—	—	3	6	4	25	16	30	44	36	43	5	14	—	3
Pancreas and stomach	6	5	—	—	—	—	1	1	2	—	1	2	2	1	—	—	—	—
liver	29	31	1	—	1	—	—	1	9	7	10	10	6	9	2	4	—	1
Diabetes (50)	6	4	—	—	—	—	—	—	—	—	2	2	4	—	2	—	—	—
Heart disease, all forms (77-80, and 85A)	5	6	—	—	—	—	—	—	2	1	—	—	2	4	1	1	—	—
Liver diseases (111-115)	32	34	—	—	—	—	2	1	5	6	7	13	10	9	8	4	—	1
Dropsy (187)	5	8	—	—	—	—	—	—	1	2	3	5	1	1	—	—	—	—
<i>Spleen.</i>																		
Carcinoma	31	26	4	1	—	1	2	2	9	7	7	6	6	8	3	1	—	—
Sarcoma	10	10	—	1	—	—	2	—	2	2	2	3	3	4	1	—	—	—
Cancer	6	3	3	—	—	1	—	1	3	—	—	1	—	—	—	—	—	—
	15	13	1	—	—	—	—	1	4	5	5	2	3	4	2	1	—	—
<i>Kidney.</i>																		
Carcinoma	153	144	25	19	10	7	14	11	34	22	39	34	25	28	6	23	—	—
Sarcoma	51	54	1	1	3	1	4	3	12	10	18	18	11	14	2	7	—	—
Cancer	60	46	24	16	6	5	5	6	10	6	9	2	5	5	1	6	—	—
	42	44	—	2	1	1	5	2	12	6	12	14	9	9	3	10	—	—
Kidney and liver	5	12	1	4	—	—	1	2	2	2	1	1	—	3	—	—	—	—
Urinary diseases (119-126)	15	13	2	—	1	—	1	1	5	3	3	5	2	—	1	4	—	—
<i>Bladder.</i>																		
Carcinoma	460	228	2	1	3	2	18	7	56	36	133	59	175	69	64	45	9	9
Sarcoma	269	141	—	—	1	2	11	5	32	26	76	32	110	44	34	26	5	6
Cancer	5	4	2	1	—	—	1	—	—	1	—	—	1	1	—	—	—	—
Epithelioma	186	83	—	—	2	—	6	2	24	9	56	27	64	24	30	18	4	3
Malignant papilloma	26	16	—	—	—	—	1	—	4	2	7	3	10	9	2	2	—	—
Hæmorrhage	14	4	—	—	—	—	1	—	5	—	1	1	5	1	2	2	—	—
Respiratory diseases (86-98)	32	12	—	—	—	—	2	—	4	1	6	4	14	3	5	4	1	—
Bright's disease (120)	9	3	1	—	—	—	—	—	—	—	4	1	3	1	1	—	—	1
Other diseases of the kidney (122)	14	7	—	—	—	—	—	—	2	1	5	1	5	4	2	—	—	1
Diseases of the bladder (124)	18	11	—	1	—	—	—	—	2	—	3	1	7	3	5	6	1	—
Total urinary diseases (119-126)	16	7	—	1	—	—	—	1	1	—	1	3	7	1	6	1	1	—
	47	23	—	1	—	—	—	1	5	1	9	4	18	8	13	7	2	1
<i>Prostate.</i>																		
Carcinoma	407	—	1	—	—	—	3	—	23	—	113	—	179	—	83	—	5	—
Sarcoma	259	—	—	—	—	—	—	—	17	—	77	—	114	—	49	—	2	—
Cancer	4	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—
Prostate and liver	144	—	—	—	—	—	2	—	6	—	35	—	64	—	34	—	3	—
bladder	10	—	—	—	—	—	—	—	—	—	4	—	3	—	3	—	—	—
Respiratory diseases (86-98)	13	—	—	—	—	—	—	—	1	—	1	—	9	—	2	—	—	—
Bright's disease (120)	14	—	—	—	—	—	—	—	3	—	3	—	7	—	1	—	—	—
Other diseases of the kidney (122)	27	—	—	—	—	—	—	—	1	—	6	—	13	—	7	—	—	—
Diseases of the bladder (124)	13	—	—	—	—	—	—	—	1	—	1	—	7	—	3	—	1	—
Total urinary diseases (119-126)	41	—	—	—	—	—	—	—	—	—	14	—	13	—	12	—	2	—
	75	—	—	—	—	—	—	—	2	—	19	—	32	—	20	—	2	—
<i>Testes.</i>																		
Carcinoma	80	—	9	—	20	—	13	—	14	—	4	—	8	—	10	—	2	—
Sarcoma	19	—	—	—	7	—	1	—	5	—	2	—	1	—	3	—	—	—
Cancer	42	—	9	—	9	—	8	—	6	—	—	—	6	—	3	—	1	—
	19	—	—	—	4	—	4	—	3	—	2	—	1	—	4	—	1	—
<i>Brain.</i>																		
Carcinoma	100	61	18	14	15	5	13	10	32	13	14	11	8	6	—	1	—	1
Sarcoma	1	4	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—
Cancer	84	46	17	13	14	5	9	7	26	10	11	6	7	4	—	—	—	1
Gliosarcoma	15	11	1	1	1	—	3	3	6	3	3	2	1	2	—	—	—	—
Endothelioma	21	9	5	3	3	3	2	2	9	—	2	1	—	—	—	—	—	—
Nervous diseases (60-74)	13	5	1	2	2	1	2	2	5	—	1	—	2	—	—	—	—	—
	10	2	3	—	1	—	1	—	3	—	1	1	1	1	—	—	—	—

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—continued.

TABLE B—continued.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Eye, Orbit.</i>																		
Carcinoma	40	34	6	9	1	2	7	2	5	2	7	8	8	6	3	3	3	2
Sarcoma	6	1	—	—	—	—	1	—	—	—	1	1	2	—	2	—	—	—
Cancer	20	26	5	9	1	2	5	2	2	2	3	6	4	4	—	1	—	—
Cancer	14	7	1	—	—	—	1	—	3	—	3	1	2	2	1	2	3	2
<i>Lymphatic glands.</i>																		
Carcinoma	224	113	27	8	14	7	29	14	60	19	57	23	30	29	6	12	1	1
Sarcoma	2	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Cancer	221	110	27	8	14	7	28	14	58	18	57	22	30	28	6	12	1	1
Neck	1	2	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—
Mediastinum	142	62	17	5	3	4	14	8	42	9	39	14	22	17	4	4	1	1
Axilla	26	7	2	—	5	1	2	2	6	—	7	1	4	3	—	—	—	—
Retroperitoneal	6	8	—	—	1	—	3	1	1	1	—	—	1	1	—	5	—	—
Groin	9	8	4	2	2	—	—	3	—	2	1	—	1	1	1	—	—	—
Lymphosarcoma (undefined)	8	4	—	—	—	—	2	—	2	1	3	—	1	1	—	2	—	—
Lymphosarcoma (undefined)	30	21	4	1	3	2	7	—	7	5	7	7	1	5	1	1	—	—
<i>Bones.</i>																		
Carcinoma	240	223	55	49	26	12	17	17	35	39	54	48	43	36	9	19	1	3
Sarcoma	16	23	—	—	—	—	—	1	1	5	9	8	4	5	2	4	—	—
Cancer	198	179	55	48	24	12	15	15	28	27	39	33	31	27	5	15	1	2
Skull	26	21	—	1	2	—	2	1	6	7	6	7	8	4	2	—	—	1
carcinoma	21	20	4	5	1	1	1	3	5	4	8	3	2	1	—	3	—	—
sarcoma	3	3	—	—	—	—	—	—	1	1	1	2	1	—	—	—	—	—
Spinal column	15	12	4	4	1	1	1	1	3	3	6	1	—	1	—	1	—	—
carcinoma	39	39	3	3	1	1	5	2	7	11	12	14	9	4	2	4	—	—
sarcoma	10	10	—	—	—	—	—	—	—	3	7	3	2	2	1	2	—	—
Spinal column and nervous diseases (60-74)	21	20	1	2	1	1	4	2	5	5	5	7	5	1	—	2	—	—
Ribs	5	10	—	—	—	1	—	—	1	2	2	6	1	1	1	—	—	—
carcinoma	11	5	1	1	1	—	—	—	2	—	3	1	3	2	—	1	1	—
sarcoma	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Sternum	9	4	1	1	1	—	—	—	2	—	2	1	2	2	—	—	—	—
carcinoma	10	7	—	—	1	1	1	—	3	3	—	—	1	2	1	—	—	1
sarcoma	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Clavicle	8	5	—	—	1	1	1	—	2	2	3	—	1	2	—	—	—	—
carcinoma	7	6	2	1	—	—	1	—	1	—	—	—	1	3	2	—	—	—
sarcoma	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bones of arm	7	5	2	1	—	—	1	—	1	—	—	—	3	2	—	2	—	—
carcinoma	11	12	5	4	1	—	—	—	—	2	2	5	3	—	—	—	—	1
sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pelvic bones	11	12	5	4	1	—	—	—	2	2	5	3	—	—	—	—	—	1
carcinoma	51	43	10	9	8	4	1	3	5	9	13	10	10	3	4	4	—	1
sarcoma	2	6	—	—	—	—	—	—	—	1	1	2	1	2	—	1	—	—
Bones of leg	42	36	10	9	6	4	1	3	4	8	11	8	7	—	3	3	—	1
carcinoma	72	80	22	27	14	2	6	9	8	8	11	12	18	2	5	—	—	—
sarcoma	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Leg and lung	68	75	22	26	13	2	6	8	8	7	10	10	16	2	5	—	—	—
Leg and lung	15	11	8	8	5	1	—	—	2	1	—	—	—	1	—	—	—	—
<i>Mediastinum.</i>																		
Carcinoma	153	83	6	2	8	5	24	13	28	14	47	26	37	22	3	1	—	—
Sarcoma	41	31	1	—	1	1	3	4	8	5	17	12	11	9	—	—	—	—
Cancer	44	13	3	2	5	4	12	2	7	1	9	3	8	1	—	—	—	—
Mediastinum and lung	68	39	2	—	2	—	9	7	13	8	21	11	18	12	3	1	—	—
Respiratory diseases (86-98)	6	5	—	—	1	1	1	—	—	—	3	1	1	3	—	—	—	—
Respiratory diseases (86-98)	16	7	—	—	2	—	3	2	3	2	3	3	4	—	1	—	—	—
<i>Thorax.</i>																		
Carcinoma	13	13	1	—	1	—	2	2	3	1	3	4	1	6	2	—	—	—
Sarcoma	1	2	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—
Cancer	5	5	1	—	1	—	—	2	2	—	—	2	—	1	1	—	—	—
Cancer	7	6	—	—	—	—	2	—	1	—	3	2	1	4	—	—	—	—
<i>Pelvic cavity.</i>																		
Carcinoma	25	41	—	1	—	2	3	8	6	9	7	11	5	6	4	4	—	—
Sarcoma	5	15	—	1	—	1	—	3	1	2	1	5	2	2	1	1	—	—
Cancer	16	12	—	—	—	1	3	3	4	2	5	4	2	1	2	1	—	—
Cancer	4	14	—	—	—	—	—	2	1	5	1	2	1	3	1	2	—	—
<i>Abdomen.</i>																		
Carcinoma	72	180	6	3	2	3	10	17	8	33	19	37	20	49	7	26	—	7
Sarcoma	21	77	—	—	—	—	2	4	2	22	8	17	7	21	2	10	—	3
Cancer	15	12	6	3	1	1	3	1	3	1	1	2	1	1	—	2	—	1
Cancer	36	91	—	—	1	2	5	12	3	15	10	18	12	27	5	14	—	3
<i>Throat.</i>																		
Carcinoma	40	78	—	—	—	—	5	—	14	1	10	—	11	4	—	2	—	1
Sarcoma	15	1	—	—	—	—	2	—	2	—	4	—	7	—	—	1	—	—
Cancer	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	24	7	—	—	—	—	3	—	11	1	6	—	4	4	—	1	—	1

45. CANCER OF OTHER OR UNSPECIFIED ORGANS (1912)—continued.

TABLE B—continued.

		All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<i>Neck.</i>		180	61	3	1	3	1	10	2	42	13	62	16	49	15	11	11	—	2
Carcinoma	109	38	1	1	1	1	7	—	24	6	34	11	36	11	6	7	—	1
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	71	23	2	—	2	—	3	2	18	7	28	5	13	4	5	4	—	1
<i>Axilla.</i>		9	20	—	—	—	—	1	—	—	2	5	2	1	10	2	5	—	1
Carcinoma	5	14	—	—	—	—	—	—	—	2	4	1	1	7	—	4	—	—
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	4	6	—	—	—	—	1	—	—	—	1	1	—	3	2	1	—	1
<i>Groin.</i>		15	15	—	—	1	—	1	—	1	5	5	2	5	4	2	3	—	1
Carcinoma	8	9	—	—	1	—	—	—	—	3	2	—	3	3	2	2	—	1
Sarcoma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	7	6	—	—	—	—	1	—	1	2	3	2	2	1	—	1	—	—
<i>Multiple.</i>		34	44	3	2	2	4	3	9	7	10	11	11	7	7	1	1	—	—
Carcinoma	6	21	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Sarcoma	25	21	3	2	1	3	3	5	4	2	7	4	6	4	1	1	—	—
Cancer	3	2	—	—	1	—	—	—	—	1	1	1	1	—	—	—	—	—
<i>Undefined.</i>		45	60	1	1	4	2	1	3	6	17	11	19	15	12	7	4	—	2
Carcinoma	17	32	1	1	1	—	—	1	1	6	4	13	7	8	3	2	—	1
Sarcoma	11	12	—	—	2	1	—	1	1	4	3	3	4	2	1	1	—	—
Cancer	17	16	—	—	1	1	1	1	4	7	4	3	4	2	3	1	—	1

39-45. CANCER (1912).—Variety without distinction of site or complication.

		All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Spheroidal-celled carcinoma	2	3	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—	—
Encephaloid carcinoma	5	7	1	—	1	—	—	—	1	1	3	—	1	3	—	—	—	—
Medullary cancer	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scirrhus	36	411	—	—	1	6	1	38	2	95	11	107	15	94	6	60	—	11
Colloid carcinoma	6	17	—	1	—	2	1	—	—	5	3	4	2	3	—	1	—	1
Carcinoma myxomatodes	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Squamous-celled carcinoma	11	5	—	—	—	—	1	1	2	4	1	4	1	1	—	1	—	—
Epithelioma	1267	480	3	—	8	20	64	36	225	62	394	92	361	145	173	95	39	30
Rodent ulcer	102	117	—	1	—	1	4	1	6	6	20	12	28	35	41	43	3	18
Columnar-celled carcinoma	7	7	—	—	1	2	1	1	1	1	2	3	2	—	—	1	—	—
Deciduoma malignum	—	4	—	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—
Adeno-carcinoma	4	2	—	—	—	—	—	—	—	2	1	2	1	—	—	—	—	—
Malignant adenoma	2	4	1	—	—	—	1	2	—	1	—	1	—	—	—	—	—	—
cyst	1	35	—	—	2	—	4	—	17	—	6	—	5	1	1	—	—	—
papilloma	15	11	—	—	1	1	1	5	3	2	2	5	2	2	2	—	—	—
polypus	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
ulcer	32	25	—	—	—	1	1	7	5	15	6	5	10	4	2	—	1	—
Fungating carcinoma	—	2	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Cancer following Paget's disease of nipple.	...	—	5	—	—	1	—	—	—	—	—	3	—	1	—	—	—	—	—
Carcinoma (undefined)	8458	12404	22	24	114	248	521	1203	1530	2694	2688	3375	2623	3203	879	1442	81	215
Endothelioma	17	14	1	2	3	3	2	3	7	2	2	2	2	—	—	—	—	—
Hypernephroma	5	2	—	—	2	—	—	1	2	—	1	—	—	—	—	—	—	—
Malignant teratoma	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Round-celled sarcoma	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Lympho-sarcoma	32	22	5	1	3	2	8	—	7	6	7	7	1	5	1	1	—	—
Chloroma	1	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spindle-celled sarcoma...	...	1	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Myeloid sarcoma	3	3	—	1	—	1	—	—	1	—	1	1	—	—	—	—	—	—
Melanotic sarcoma	8	17	—	—	—	1	1	6	2	2	2	2	1	5	2	1	—	—
Fibro-sarcoma	1	8	—	—	2	—	—	2	—	—	1	2	—	2	—	—	—	—
Myxo-sarcoma	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Chondro-sarcoma	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Osteo-sarcoma	5	2	—	—	—	—	—	—	—	—	3	1	—	—	1	1	—	—
Glio-sarcoma	21	11	5	5	3	3	2	2	9	—	2	1	—	—	—	—	—	—
Cystic-sarcoma	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malignant epulis	4	2	—	1	—	1	—	—	—	—	3	—	1	—	—	—	—	—
fibroid	—	3	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
fibromyoma	—	3	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
myoma	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Sarcoma (undefined)	1092	876	212	167	108	59	148	122	201	155	206	170	159	125	46	70	12	8
Cauliflower cancer	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer, malignant disease (undefined).	...	5046	6621	13	17	52	116	283	580	896	1347	1578	1706	1555	1875	615	863	54	117
Total	16188	21135	266	224	296	471	1040	2009	2905	4411	4950	5515	4769	5520	1772	2584	190	401

39-45. CANCER (1912).—Organ or locality (including secondary growths) without distinction of variety or complication.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Lip ...	253	23	—	—	—	1	5	1	20	1	59	2	85	3	67	6	17	9
Tongue ...	970	77	—	—	2	1	58	12	230	11	346	18	256	19	73	13	5	3
"Mouth" ...	191	33	—	—	—	2	12	1	46	4	62	6	50	8	18	10	3	2
Floor of mouth ...	63	6	—	—	—	—	6	1	19	—	17	4	15	1	6	—	—	—
Palate ...	52	8	—	—	2	1	2	—	16	—	12	4	14	—	6	3	—	—
Soft palate ...	16	2	—	—	1	—	1	1	4	—	4	1	4	—	2	—	—	—
Cheek ...	16	6	—	—	—	—	1	—	1	1	7	1	3	2	3	1	1	1
Gum ...	3	4	—	—	—	—	1	—	2	—	—	3	—	1	—	—	—	—
Tonsil ...	138	28	6	4	1	1	15	4	27	3	40	7	40	4	7	5	2	—
Jaw ...	525	163	10	11	2	6	35	16	113	20	167	43	144	45	45	20	9	2
Submaxillary glands ...	34	4	—	—	1	—	1	—	2	2	14	—	10	1	5	1	1	—
Pharynx ...	226	59	3	1	2	6	17	7	54	18	87	14	43	7	17	4	3	2
Naso-pharynx ...	14	16	2	2	—	1	3	1	4	2	3	4	1	2	1	4	—	—
Fauces ...	15	1	—	—	—	—	1	—	6	—	4	1	2	—	2	—	—	—
Œsophagus ...	1234	364	2	1	5	11	52	46	281	76	464	91	317	81	107	53	6	5
Stomach ...	3468	3161	8	4	49	39	254	195	604	544	1099	855	1093	1034	332	440	29	50
Liver ...	2090	3084	22	14	17	41	124	194	323	561	673	865	669	959	247	398	15	52
Gall bladder ...	103	224	—	1	1	4	4	6	22	35	28	68	35	79	13	27	—	4
Bile duct ...	35	29	—	1	1	2	—	2	6	4	14	6	7	10	7	3	—	1
Mesentery ...	31	56	1	1	2	2	5	4	8	16	6	11	7	16	2	6	—	—
Omentum ...	59	138	—	—	4	3	3	4	9	28	19	44	18	38	6	17	—	4
Peritoneum ...	97	277	5	7	3	11	14	38	16	65	28	80	25	53	5	21	1	2
Retropertitoneal ...	16	20	3	2	1	3	2	2	1	5	6	3	4	—	1	—	—	—
Duodenum ...	62	44	1	—	2	—	6	2	10	12	17	13	21	7	5	9	—	1
Jejunum ...	4	4	—	—	—	—	1	1	2	1	—	1	1	—	1	—	—	—
Ileum ...	15	7	1	—	2	—	1	—	3	—	1	2	5	4	2	1	—	—
Small intestine (undefined)	24	25	—	—	—	—	2	1	5	2	8	9	9	9	—	2	—	2
Cæcum ...	116	187	2	—	2	4	7	11	20	34	33	44	39	66	12	25	1	3
Appendix ...	5	2	—	—	1	—	—	—	—	—	—	4	2	—	—	—	—	—
Colon ...	562	762	5	2	7	11	44	52	73	113	169	205	191	250	66	107	7	22
Hepatic flexure ...	15	20	—	—	—	—	—	1	4	2	6	7	2	8	3	2	—	—
Splenic flexure ...	34	25	—	—	1	1	3	6	8	4	7	2	12	8	3	4	—	—
Sigmoid flexure ...	244	299	—	—	4	7	15	28	45	50	74	79	70	84	30	45	6	6
Large intestine (undefined)	70	77	1	—	—	2	6	6	9	14	17	22	27	20	7	13	3	—
Intestine (undefined)	684	1046	5	6	12	15	37	59	101	163	192	263	244	333	81	178	12	29
Rectum ...	1639	1295	11	8	27	37	86	87	263	215	479	348	526	404	224	174	23	22
Anus ...	13	8	—	—	—	—	1	1	2	2	4	3	3	1	3	1	—	—
Ovary ...	—	504	—	17	—	32	—	73	—	168	—	103	—	83	—	28	—	—
Fallopian tube ...	—	3	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
Broad ligament ...	—	11	—	1	—	—	—	1	—	6	—	1	—	2	—	—	—	—
Uterine appendages (undefined).	—	8	—	—	—	2	—	—	—	1	—	2	—	3	—	—	—	—
Uterus ...	—	3890	—	8	—	88	—	603	—	1159	—	1093	—	675	—	245	—	19
Vagina ...	—	97	—	—	—	2	—	7	—	15	—	21	—	37	—	12	—	3
Vulva ...	—	216	—	1	—	4	—	12	—	33	—	38	—	72	—	46	—	10
Breast ...	20	3743	—	—	—	67	—	480	1	950	7	938	8	793	4	423	—	92
Skin of:—																		
Face ...	180	134	2	1	1	6	7	2	15	7	45	15	60	37	39	50	11	16
Cheek ...	19	11	—	—	—	—	—	1	—	—	9	2	4	4	3	3	3	1
Nose ...	31	25	—	—	—	1	—	—	3	2	7	4	11	11	9	4	1	3
Scalp ...	8	17	1	—	1	1	—	1	1	1	—	1	1	5	3	5	1	3
Ear ...	28	7	—	—	—	—	—	1	1	2	2	—	8	2	14	2	3	—
Neck ...	70	16	—	—	1	—	4	3	10	3	21	—	20	1	12	6	2	3
Shoulder ...	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scapular region ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Arm ...	7	12	—	—	—	—	1	2	—	—	—	—	2	2	3	5	1	3
Hand ...	24	9	—	—	—	—	2	—	1	—	2	—	4	4	11	4	4	1
Chest ...	3	19	—	—	—	—	1	4	—	8	—	3	1	3	1	1	—	—
Abdomen... ..	6	14	—	—	—	—	2	1	1	3	2	4	1	4	—	2	—	—
Umbilicus ...	4	15	—	—	—	—	1	2	—	—	3	2	4	1	5	—	1	—
Back ...	11	5	—	—	—	—	1	2	1	1	—	2	5	—	4	—	—	—
Buttock ...	5	3	—	—	—	—	1	—	1	2	—	3	1	—	—	—	—	—
Groin ...	2	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Perineum... ..	2	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Penis ...	122	—	—	—	7	—	8	—	18	—	28	—	35	—	19	—	7	—
Scrotum ...	52	—	—	—	1	—	5	—	14	—	17	—	10	—	3	—	2	—
Thigh ...	7	10	—	—	—	—	1	1	2	1	2	1	2	3	—	2	—	2
Leg ...	24	29	—	—	—	—	1	1	3	1	11	6	6	9	2	9	1	3
Foot ...	11	14	—	—	—	—	2	1	—	1	1	1	4	7	4	4	—	—
Part not stated ...	8	30	—	1	—	2	—	6	3	2	—	5	5	7	—	7	—	—
Nose... ..	7	8	2	2	—	—	2	—	—	2	2	—	1	—	—	3	—	1

39-45. CANCER (1912).—Organ or locality (including secondary growths) without distinction of variety or complication—*continued.*

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Nasal septum ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
cartilage ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
mucous membrane ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
passages ...	3	2	2	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
fossæ ...	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Larynx ...	446	120	2	—	—	8	25	27	111	29	162	23	107	21	38	12	1	—
Vocal chords ...	1	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Trachea ...	18	4	1	—	—	—	3	2	2	1	10	—	1	1	1	—	—	—
Glottis ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Epiglottis ...	7	1	—	—	—	—	—	—	2	—	4	—	1	1	—	—	—	—
Thyroid ...	33	85	2	2	—	1	3	5	7	15	15	21	3	31	3	10	—	—
Lung ...	348	573	17	21	27	10	44	80	100	174	87	143	60	115	12	29	1	1
Bronchial glands ...	5	9	—	—	—	—	1	1	1	1	2	5	1	2	—	—	—	—
Bronchus ...	11	—	1	—	1	—	—	—	5	—	3	—	1	—	—	—	—	—
Pleura ...	26	66	3	—	1	2	3	9	10	16	4	24	4	13	1	1	—	1
Heart ...	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Pericardium ...	3	2	1	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—
Parotid gland ...	66	21	2	1	1	—	3	1	11	7	26	3	16	7	7	2	—	—
Pancreas ...	324	356	4	2	9	7	20	13	71	61	107	118	84	107	27	42	2	6
Ampulla of Vater ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Spleen ...	38	31	4	1	2	1	2	3	11	9	8	6	7	10	4	1	—	—
Kidney ...	174	162	28	22	13	7	16	14	41	26	43	39	27	31	6	23	—	—
Suprenals ...	11	6	4	3	2	—	1	—	2	1	1	1	1	1	—	—	—	—
Bladder ...	495	282	2	1	3	3	20	14	61	57	141	75	190	74	69	48	9	10
Urethra ...	3	3	—	—	—	—	—	—	1	1	1	—	1	1	—	1	—	—
Prostate ...	417	—	1	—	1	—	3	—	23	—	114	—	185	—	85	—	5	—
Testes ...	86	—	9	—	22	—	14	—	14	—	5	—	9	—	11	—	2	—
Spermatic cord ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Vesiculæ seminales ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Brain ...	125	124	20	17	16	5	18	25	38	36	19	30	14	8	—	2	—	1
Spinal cord ...	11	20	1	—	—	1	1	4	1	6	6	6	1	2	1	1	—	—
Eye, orbit ...	51	48	6	10	1	3	5	3	6	3	7	9	14	11	8	6	4	3
Middle ear ...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Pituitary body ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Glands :—</i>																		
Neck ...	270	113	17	7	13	7	25	13	61	21	79	28	57	26	15	10	3	1
Mediastinum ...	37	26	3	—	5	3	6	1	7	8	10	6	5	5	1	3	—	—
Axilla ...	7	15	—	—	1	—	3	1	1	3	1	2	1	4	—	5	—	—
Thorax ...	2	3	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—
Retropertitoneal ...	20	16	8	4	6	—	—	6	1	4	2	—	1	2	2	—	—	—
Abdomen ...	8	10	1	—	1	—	2	2	1	3	1	1	1	3	1	1	—	—
Pelvis ...	2	14	—	—	—	1	1	—	—	5	1	2	—	5	—	1	—	—
Groin ...	46	29	—	—	1	5	1	10	6	16	4	10	9	3	9	1	—	—
Lumbar ...	6	2	1	—	2	1	—	—	1	—	2	—	—	—	1	—	—	—
Undefined ...	59	46	2	—	3	3	1	10	16	15	15	10	14	5	8	3	—	—
<i>Bones :—</i>																		
Skull ...	25	24	7	5	1	1	1	3	6	6	8	5	2	1	—	3	—	—
Nose ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ethmoid ...	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Spine ...	52	102	2	2	2	3	6	14	9	31	17	35	11	11	5	6	1	—
Ribs ...	17	14	1	1	2	1	2	—	4	3	3	5	4	3	—	1	1	—
Sternum ...	14	13	—	1	1	3	1	4	2	3	2	4	—	1	—	—	—	1
Clavicle ...	8	11	3	1	1	—	1	1	—	1	3	2	—	2	—	3	—	1
Scapula ...	6	2	1	—	—	—	1	1	1	—	1	1	1	—	1	—	—	—
Shoulder ...	4	3	2	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—
Humerus ...	11	6	5	—	2	—	—	1	—	1	1	3	3	—	—	—	—	1
Radius ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulna ...	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Arm (undefined) ...	1	5	1	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Finger ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Sacrum ...	20	15	2	1	5	—	—	7	2	2	4	3	5	2	2	—	—	—
Ilium ...	21	24	5	5	1	—	1	—	3	7	9	4	1	—	1	7	—	1
Ischium ...	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Innominate ...	2	3	—	—	—	1	—	—	—	2	1	—	1	—	—	—	—	—
Pelvis (undefined) ...	12	16	2	4	2	5	1	—	1	2	4	4	4	2	1	—	—	—
Hip ...	20	16	6	6	4	—	2	2	1	4	2	—	4	2	1	2	—	—
Femur ...	57	63	13	13	4	2	10	7	11	12	6	8	10	16	3	5	—	—
Tibia ...	11	9	4	4	4	—	—	1	—	—	3	—	—	2	—	2	—	—
Fibula ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Knee ...	3	3	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Leg (undefined) ...	9	9	5	4	2	1	—	1	—	—	—	—	2	2	—	1	—	—
Ankle ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Foot ...	3	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Undefined ...	5	8	—	2	—	—	—	2	3	1	1	2	1	1	—	—	—	—

39-45. CANCER (1912).—Organ or locality (including secondary growths) without distinction of variety or complication—*continued.*

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Mediastinum ...	172	157	6	2	11	9	26	29	33	34	55	46	38	33	3	4	—	—
Thorax ...	20	70	1	1	3	1	3	11	5	13	3	21	3	17	2	6	—	—
Pelvic cavity ...	27	69	—	2	—	2	4	17	5	16	8	16	7	11	3	5	—	—
Abdomen ...	102	256	8	3	4	7	14	22	16	60	23	60	25	65	12	31	—	8
Throat ...	79	15	—	—	—	—	9	1	20	3	27	1	18	6	3	3	2	1
Neck... ..	308	94	5	1	3	2	22	3	71	15	111	36	77	19	19	16	—	2
Axilla ...	10	39	—	—	—	—	1	3	—	8	5	9	1	10	3	8	—	1
Groin ...	16	23	—	1	1	—	1	1	1	8	5	2	6	5	2	3	—	3
Diaphragm ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Erector spinæ muscle ...	1	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ilio-psoas muscle ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Triceps ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Clavicular region ...	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scapular region ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Shoulder ...	7	5	—	2	—	—	2	—	3	—	1	1	—	1	—	1	1	—
Arm ...	6	8	—	—	1	—	1	3	—	1	2	2	2	—	—	1	—	1
Hand ...	3	3	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1
Thumb ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Thigh ...	27	21	—	1	—	—	7	2	6	4	8	7	4	2	2	5	—	—
Leg ...	13	7	—	1	—	—	4	1	2	—	4	1	2	2	1	2	—	—
Knee ...	2	2	—	—	—	—	1	—	—	—	1	—	—	1	—	1	—	—
Foot... ..	2	6	—	—	—	—	—	1	1	1	1	1	—	2	—	1	—	—
Toe ...	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Back... ..	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Side ...	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Loin ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Gluteal region ...	2	2	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Iliac region... ..	—	5	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	—
Perineum ...	2	3	—	—	—	—	—	—	2	—	—	1	—	1	—	1	—	—
"Multiple"... ..	43	82	3	4	3	7	2	16	11	24	13	15	8	13	2	2	1	1

39-45. CANCER (1912).—Principal complications without distinction of variety or site.

	All Ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Influenza (10) ...	5	18	—	—	—	—	1	1	—	2	6	1	6	—	4	—	1	—
Erysipelas (18) ...	3	12	—	1	—	—	1	2	—	4	1	2	1	2	—	1	—	—
Septicæmia (20B) ...	64	56	—	—	1	2	5	8	10	14	19	14	19	11	9	6	1	1
Pulmonary tuberculosis (not acute) (28).	33	35	2	1	3	4	5	8	10	8	9	8	3	5	1	1	—	—
Tuberculosis (all forms) (28-35).	36	42	2	1	3	6	5	9	11	11	10	9	4	5	1	1	—	—
Osteo-arthritis (48B) ...	5	11	—	—	—	—	—	1	1	3	1	3	3	2	—	2	—	—
Diabetes (50) ...	25	29	—	—	—	—	—	—	1	2	8	12	12	10	4	5	—	—
Anæmia, chlorosis (54) ...	15	23	—	1	—	—	—	4	3	5	7	7	5	5	—	1	—	—
Toxæmia ...	91	105	2	1	3	3	6	19	19	22	29	30	20	12	11	17	1	1
Meningitis (61C) ...	12	8	1	3	2	—	1	1	3	1	2	1	1	1	2	1	—	—
Other diseases of the spinal cord (63).	7	13	—	1	—	—	—	—	1	1	1	7	3	3	2	1	—	—
Cerebral hæmorrhage, apoplexy (64).	40	61	3	—	—	—	—	2	6	7	10	20	12	20	6	11	3	1
Paralysis (66) ...	25	59	1	—	1	2	1	6	4	15	9	17	8	13	1	4	—	2
Other forms of mental alienation (68).	18	37	—	—	—	1	2	1	4	7	4	12	7	13	1	3	—	—
Total nervous diseases (60-74).	122	212	7	4	3	5	7	14	25	37	29	66	34	59	14	25	3	2
Pericarditis (77) ...	7	4	2	—	1	—	—	—	3	1	—	2	1	1	—	—	—	—
Valvular disease (79A) ...	36	74	—	1	—	2	1	4	5	13	11	17	9	21	10	14	—	2
Fatty degeneration of heart (79B).	12	15	—	—	—	—	1	—	2	1	7	7	2	5	—	2	—	—
Other organic disease of the heart (79C).	61	100	—	1	2	2	2	5	11	17	14	21	23	33	9	19	—	2
Heart disease, all forms (77-80, 85A).	117	200	2	2	3	4	4	10	22	34	34	49	34	61	18	36	—	4
Arterial sclerosis (81B) ...	8	5	—	—	—	—	—	—	2	—	—	3	3	2	2	—	1	—
Embolism and thrombosis (82).	32	90	—	—	3	—	—	9	8	23	11	28	6	19	4	10	—	1

39-45. CANCER (1912).—Principal complications without distinction of variety
or site—*continued.*

	All ages.		0—		25—		35—		45—		55—		65—		75—		85—	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Hæmorrhage... ..	225	236	1	1	4	6	18	31	54	46	64	57	60	64	23	27	1	4
Bronchitis (90)	115	214	1	—	2	1	4	11	11	29	30	46	40	65	26	51	1	11
Broncho-pneumonia (91) ...	77	43	1	—	—	1	6	9	21	6	28	11	16	13	4	2	1	1
Lobar pneumonia (92A) ...	14	13	—	—	1	—	1	—	4	3	3	6	5	3	—	1	—	—
Pneumonia (92B)	107	78	1	1	2	1	8	7	18	18	49	27	22	17	7	5	—	2
Pleurisy (93)	43	57	—	—	4	1	7	7	8	12	12	16	8	18	3	3	1	—
Pulmonary cedema and con- gestion (94B).	41	47	1	—	1	1	1	1	4	4	14	16	15	15	4	9	1	1
Hypostatic pneumonia (94C)	18	25	—	—	—	—	2	1	3	2	5	6	5	11	3	4	—	1
Gangrene of the lung (95) ...	9	6	—	—	—	—	—	1	6	—	3	2	—	2	—	1	—	—
Asthma (96)	5	7	—	—	—	—	1	—	1	2	—	2	2	1	1	2	—	—
Total respiratory diseases (86-98).	456	505	6	1	12	5	34	33	86	81	147	136	117	151	50	77	4	16
Gastritis (103A)	10	10	—	—	—	—	2	—	1	1	6	1	1	7	—	1	—	—
Diarrhoea and enteritis (104, 105).	27	32	—	—	1	—	1	5	3	5	10	5	5	12	5	4	2	1
Intestinal obstruction (109B)	258	454	1	2	2	7	16	38	46	72	75	112	78	132	37	73	3	18
Cirrhosis of liver (113A) ...	11	4	—	—	—	—	2	—	3	—	4	1	2	3	—	—	—	—
Biliary calculi (114)... ..	11	52	—	—	—	—	—	—	2	5	3	19	1	22	5	6	—	—
Peritonitis (117)	138	174	—	3	2	8	15	22	36	55	46	50	34	29	5	6	—	1
B right's disease (120) ...	101	94	1	—	2	—	4	8	13	27	25	23	40	24	10	6	6	1
Other diseases of the kidney and annexa (122).	48	39	—	1	—	—	3	5	10	4	9	11	15	8	9	10	2	—
Diseases of the bladder (124)	89	18	—	1	—	—	—	4	8	1	17	6	35	3	24	2	5	1
Total urinary diseases (119- 126).	252	158	15	2	18	—	31	16	51	37	39	48	52	34	39	19	7	2
Puerperal conditions (134- 141).	—	16	—	—	—	5	—	9	—	2	—	—	—	—	—	—	—	—
Gangrene (142)	15	19	—	—	—	—	1	—	2	—	2	4	7	9	3	5	—	1
Dropsy (187)	103	236	4	1	1	5	7	21	25	66	28	66	32	57	6	17	—	3

46. OTHER TUMOURS (1912).

This title includes only tumours of which the situation could not be ascertained or which could not be classed to the heading appropriate to the part of the body affected.

46A. ANGIOMA.

Unqualified (2).

46B. ADENOMA.

Abdominal adenomata (1).

46C. OTHER TUMOURS INCLUDED UNDER 46.

Scalp. Suppurating sebaceous cyst (1). Suppurating wen, anæmia, hæmorrhage (1).

Cheek. Papilloma (1).

Pituitary body. Unqualified (3). Cerebral compression (1). Epileptiform seizures (1).

Axilla. Thrombosis of vessels, cellulitis of arm (1).

Neck. Unqualified (2). Cyst (2). Lipoma (1). Fibroma, hæmorrhage (1).

Mediastinum. Unqualified (49). Fibroid (1). Neoplasm (4). *Complications:*—54. Anæmia (1). 66. Paraplegia (1). 85. Hæmorrhage (1). 93. Hydrothorax (2). 94. Pulmonary congestion (1). 168. Asphyxia (1). 187. Anasarca (1); cedema of arms (1); general cedema (1).

Thorax. Unqualified (3). Neoplasm (1). Pressure on œsophagus and bronchial tubes (1).

Chest wall. Cyst (1).

Abdomen. Unqualified (26). Cyst (4). Neoplasm (1). *Complications:*—20. Septic poisoning (1).

115. Congestion of liver (1); jaundice (2). 117. Peritonitis (2). 172. Accelerated by fall (1).

187. Dropsy (1).

Peritoneum. Unqualified (2).

Retroperitoneal. Lipoma (1). Anasarca (1).

Pelvis. Unqualified (2). Neoplasm (1). Intestinal obstruction (2). Fæcal fistula (1).

Thigh. Hæmatoma, toxæmia (1).

Tumour (unqualified) (5). Cyst (unqualified) (1). Neoplasm (unqualified) (1). New growth (unqualified) (1).

DEATHS from CANCER TABULATED by AGE and PLACE OF OCCURRENCE, 1912.
39. CANCER OF THE BUCCAL CAVITY.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	128	8	—	—	—	—	7	—	30	—	39	—	33	5	17	3	2	—
	Lunatic Asylums ...	4	1	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—
	Hospis., Nursing Homes	51	9	—	3	—	—	5	—	18	2	18	3	8	1	1	—	1	—
	Elsewhere ...	99	23	—	1	1	—	5	4	19	2	36	6	29	4	9	5	—	1
County Boroughs.	Poor Law Institutions ..	240	15	1	—	1	1	13	—	51	2	103	4	53	5	17	2	1	1
	Lunatic Asylums ...	4	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—
	Hospis., Nursing Homes	64	4	3	1	1	—	8	—	12	2	19	1	18	—	3	—	—	—
	Elsewhere ...	398	76	3	5	1	3	19	10	93	10	136	18	104	15	32	14	5	1
Other Urban Districts.	Poor Law Institutions...	142	10	1	—	—	—	5	1	36	1	46	1	41	5	8	1	5	1
	Lunatic Asylums ...	2	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—
	Hospis., Nursing Homes	60	11	3	—	—	1	3	2	17	3	21	2	12	3	4	—	—	—
	Elsewhere ...	418	87	3	3	4	3	32	9	69	8	122	23	134	21	46	16	8	4
Rural Districts.	Poor Law Institutions...	75	2	—	—	—	—	3	—	12	—	18	1	28	—	12	1	2	—
	Lunatic Asylums ...	3	1	—	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—
	Hospis., Nursing Homes	22	3	—	—	—	1	2	—	6	1	7	1	5	—	2	—	—	—
	Elsewhere ...	332	66	1	2	4	1	16	7	57	8	93	18	88	16	63	10	10	4
England and Wales.	Poor Law Institutions...	585	35	2	—	1	1	28	1	129	3	206	6	155	15	54	7	10	2
	Lunatic Asylums ...	13	3	—	—	—	1	1	—	1	—	7	1	4	1	—	—	—	—
	Hospis., Nursing Homes	197	27	6	4	1	2	18	2	53	8	65	7	43	4	10	—	1	—
	Elsewhere ...	1247	252	7	11	10	7	72	30	243	28	387	65	355	56	150	45	23	10

40. CANCER OF THE STOMACH, LIVER, &C.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	271	127	1	—	1	4	18	9	65	23	88	32	77	39	19	15	2	5
	Lunatic Asylums ...	20	19	—	—	—	—	1	—	5	5	5	3	6	6	2	5	—	—
	Hospis., Nursing Homes	165	78	1	—	4	6	15	13	57	11	60	35	26	11	2	2	—	—
	Elsewhere ...	417	477	3	—	2	4	29	17	61	67	139	142	134	156	41	80	8	11
County Boroughs.	Poor Law Institutions...	321	138	—	—	3	2	29	11	64	34	111	46	99	32	15	13	—	—
	Lunatic Asylums ...	11	12	—	—	—	—	2	—	3	—	2	7	4	3	—	2	—	—
	Hospis., Nursing Homes	225	111	3	1	12	7	33	23	79	33	65	30	25	17	3	—	—	—
	Elsewhere ...	1413	1516	3	3	16	22	89	87	274	264	486	413	416	521	120	190	9	16
Other Urban Districts.	Poor Law Institutions...	237	104	—	—	1	1	9	5	36	18	73	28	92	34	25	15	1	3
	Lunatic Asylums ...	18	9	—	—	—	—	2	—	1	4	9	1	4	1	—	—	1	—
	Hospis., Nursing Homes	178	122	3	2	4	9	28	14	49	35	64	42	17	15	13	5	—	—
	Elsewhere ...	1702	1872	2	7	9	18	79	105	288	320	550	513	575	606	192	271	7	32
Rural Districts.	Poor Law Institutions ..	120	23	—	—	1	1	7	1	19	3	38	5	34	5	20	5	1	3
	Lunatic Asylums ...	10	9	—	—	—	—	—	—	1	1	3	5	6	3	—	—	—	—
	Hospis., Nursing Homes	84	48	2	2	4	1	7	7	20	21	32	10	15	7	4	—	—	—
	Elsewhere ...	1361	1352	4	4	6	9	42	55	167	162	426	347	477	495	217	251	22	29
England and Wales.	Poor Law Institutions ..	949	392	1	—	6	8	63	26	184	78	310	111	302	110	79	48	4	11
	Lunatic Asylums ...	59	49	—	—	1	—	5	—	10	10	19	16	20	16	3	7	1	—
	Hospis., Nursing Homes	652	359	9	5	24	23	83	57	205	100	221	117	83	50	22	7	—	—
	Elsewhere ...	4893	5217	12	14	33	53	239	264	790	813	1601	1415	1602	1778	570	792	46	88

41. CANCER OF THE PERITONEUM, INTESTINES AND RECTUM.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	125	128	—	—	1	1	10	3	17	24	33	41	44	40	18	14	2	5
	Lunatic Asylums ...	5	10	—	—	—	—	—	1	1	—	3	4	1	3	—	2	—	—
	Hospis., Nursing Homes	115	120	1	5	4	12	10	15	30	27	44	33	24	27	2	1	—	—
	Elsewhere ...	231	314	2	—	6	5	5	10	29	49	66	71	86	110	34	64	3	5
County Boroughs.	Poor Law Institutions...	148	103	—	1	3	1	11	12	29	13	52	32	40	35	13	9	—	—
	Lunatic Asylums ...	5	9	1	—	—	—	—	—	1	1	2	4	1	4	—	—	—	—
	Hospis., Nursing Homes	174	162	2	1	9	8	16	23	43	46	56	50	46	30	2	4	—	—
	Elsewhere ...	657	796	4	3	9	15	42	47	107	126	187	202	227	266	73	121	8	16
Other Urban Districts.	Poor Law Institutions...	85	68	2	—	1	2	2	1	14	16	25	13	36	29	3	5	2	2
	Lunatic Asylums ...	6	8	—	—	—	—	—	—	2	3	2	3	4	—	—	—	—	—
	Hospis., Nursing Homes	171	156	5	3	8	9	20	28	47	36	47	50	38	24	6	4	—	2
	Elsewhere ...	822	1112	3	5	14	14	47	57	119	167	228	288	272	365	120	182	19	34
Rural Districts.	Poor Law Institutions ..	48	26	—	—	1	—	3	—	2	4	20	7	13	9	7	6	2	—
	Lunatic Asylums ...	6	6	—	—	—	—	—	—	1	2	2	3	3	1	—	—	—	—
	Hospis., Nursing Homes	113	102	1	—	1	4	10	23	33	33	41	21	31	16	6	4	—	1
	Elsewhere ...	749	733	9	1	3	7	37	38	84	77	194	182	263	251	148	153	11	24
England and Wales.	Poor Law Institutions...	406	325	2	1	6	4	26	16	62	57	130	93	133	113	41	34	6	7
	Lunatic Asylums ...	22	33	1	—	—	—	—	1	3	5	10	13	8	12	—	2	—	—
	Hospis., Nursing Homes	573	540	9	9	22	33	56	89	143	142	188	154	139	97	16	13	—	3
	Elsewhere ...	2459	2955	18	9	32	41	131	152	339	419	675	743	848	992	375	520	41	79

DEATHS FROM CANCER TABULATED BY AGE AND PLACE OF OCCURRENCE, 1912—
continued.

42. CANCER OF THE FEMALE GENITAL ORGANS.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	—	169	—	—	—	5	—	43	—	44	—	43	—	19	—	14	—	1
	Lunatic Asylums ...	—	15	—	—	—	—	—	3	—	4	—	2	—	4	—	2	—	—
	Hospis., Nursing Homes	—	125	—	1	—	3	—	28	—	37	—	38	—	16	—	2	—	—
	Elsewhere ...	—	361	—	2	—	14	—	36	—	100	—	107	—	75	—	26	—	1
County Boroughs.	Poor Law Institutions...	—	253	—	2	—	9	—	48	—	82	—	52	—	42	—	18	—	—
	Lunatic Asylums ...	—	7	—	—	—	—	—	1	—	3	—	2	—	1	—	—	—	—
	Hospis., Nursing Homes	—	124	—	3	—	13	—	23	—	43	—	24	—	14	—	4	—	—
	Elsewhere ...	—	1226	—	5	—	33	—	202	—	372	—	327	—	218	—	63	—	6
Other Urban Districts.	Poor Law Institutions...	—	128	—	—	—	5	—	18	—	35	—	31	—	30	—	8	—	1
	Lunatic Asylums ...	—	11	—	—	—	—	—	—	—	3	—	3	—	4	—	1	—	—
	Hospis., Nursing Homes	—	116	—	2	—	3	—	22	—	50	—	25	—	12	—	2	—	—
	Elsewhere ...	—	1284	—	6	—	31	—	166	—	381	—	343	—	239	—	110	—	8
Rural Districts.	Poor Law Institutions...	—	46	—	—	—	1	—	6	—	10	—	12	—	10	—	5	—	2
	Lunatic Asylums ...	—	7	—	—	—	—	—	—	—	1	—	2	—	2	—	2	—	—
	Hospis., Nursing Homes	—	74	—	3	—	6	—	15	—	18	—	24	—	8	—	—	—	—
	Elsewhere ...	—	714	—	2	—	19	—	72	—	173	—	218	—	157	—	61	—	12
England and Wales.	Poor Law Institutions...	—	596	—	2	—	20	—	115	—	171	—	138	—	101	—	45	—	4
	Lunatic Asylums ...	—	40	—	—	—	—	—	4	—	11	—	9	—	11	—	5	—	—
	Hospis., Nursing Homes	—	439	—	9	—	25	—	88	—	148	—	111	—	50	—	8	—	—
	Elsewhere ...	—	3585	—	15	—	97	—	476	—	1026	—	995	—	689	—	260	—	27

43. CANCER OF THE BREAST.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	2	124	—	—	—	1	—	16	—	29	—	26	1	30	1	17	—	5
	Lunatic Asylums ...	—	13	—	—	—	—	—	—	—	4	—	6	—	1	—	2	—	—
	Hospis., Nursing Homes	—	75	—	—	—	3	—	14	—	27	—	17	—	9	—	5	—	—
	Elsewhere ...	2	324	—	—	—	2	—	52	—	74	1	73	1	72	—	41	—	10
County Boroughs.	Poor Law Institutions...	—	107	—	—	—	1	—	11	—	28	—	26	—	26	—	13	—	2
	Lunatic Asylums ...	—	13	—	—	—	1	—	2	—	2	—	3	—	4	—	1	—	—
	Hospis., Nursing Homes	—	56	—	—	—	1	—	8	—	21	—	15	—	9	—	2	—	—
	Elsewhere ...	5	901	—	1	—	19	—	117	—	247	2	219	2	177	1	102	—	19
Other Urban Districts.	Poor Law Institutions...	—	90	—	—	—	1	—	6	—	27	—	17	—	24	—	13	—	2
	Lunatic Asylums ...	—	13	—	—	—	—	—	1	—	3	—	6	—	2	—	1	—	—
	Hospis., Nursing Homes	—	62	—	—	—	—	—	15	—	15	—	21	—	11	—	—	—	—
	Elsewhere ...	8	1149	—	—	—	25	—	149	1	281	2	302	3	236	2	127	—	29
Rural Districts.	Poor Law Institutions...	—	33	—	—	—	1	—	1	—	5	—	7	—	9	—	5	—	5
	Lunatic Asylums ...	—	6	—	—	—	—	—	—	—	1	—	2	—	3	—	—	—	—
	Hospis., Nursing Homes	—	29	—	—	—	2	—	2	—	13	—	9	—	3	—	—	—	—
	Elsewhere ...	3	741	—	—	—	9	—	85	—	171	2	187	1	175	—	94	—	20
England and Wales.	Poor Law Institutions...	2	354	—	—	—	4	—	34	—	89	—	76	1	89	1	48	—	14
	Lunatic Asylums ...	—	45	—	—	—	1	—	3	—	10	—	17	—	10	—	4	—	—
	Hospis., Nursing Homes	—	222	—	—	—	6	—	39	—	76	—	62	—	32	—	7	—	—
	Elsewhere ...	18	3115	—	1	—	55	—	403	1	773	7	781	7	660	3	364	—	78

44. CANCER OF THE SKIN.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	38	14	—	1	2	—	2	—	3	—	9	—	16	5	6	7	—	1
	Lunatic Asylums ...	—	3	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—
	Hospis., Nursing Homes	8	2	—	—	—	—	2	1	2	—	1	—	3	1	—	—	—	—
	Elsewhere ...	24	22	—	—	—	—	—	2	1	—	6	5	11	5	6	6	—	4
County Boroughs.	Poor Law Institutions...	54	15	—	—	1	—	2	—	6	2	17	3	20	5	4	4	4	1
	Lunatic Asylums ...	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Hospis., Nursing Homes	8	4	—	—	2	1	1	1	2	1	1	—	1	1	—	—	—	—
	Elsewhere ...	84	80	1	1	2	4	5	5	12	11	20	13	21	17	20	22	3	7
Other Urban Districts.	Poor Law Institutions...	36	14	—	—	1	1	2	—	6	2	8	1	4	7	10	1	5	2
	Lunatic Asylums ...	3	1	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—
	Hospis., Nursing Homes	10	5	—	—	1	1	—	—	3	—	2	2	2	2	2	—	—	—
	Elsewhere ...	142	100	2	1	2	2	13	5	17	8	33	11	39	31	29	32	7	10
Rural Districts.	Poor Law Institutions...	29	11	—	—	—	—	—	—	2	—	5	1	7	3	12	7	3	—
	Lunatic Asylums ...	2	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
	Hospis., Nursing Homes	5	3	—	—	—	—	—	1	1	—	2	—	1	2	1	—	—	—
	Elsewhere ...	116	86	1	—	—	—	5	3	5	3	18	5	31	26	45	35	11	14
England and Wales.	Poor Law Institutions...	157	54	—	1	4	1	6	—	17	4	39	5	47	20	32	19	12	4
	Lunatic Asylums ...	6	5	—	—	—	—	—	—	1	1	1	2	2	2	1	—	—	—
	Hospis., Nursing Homes	31	14	—	—	3	2	3	3	8	1	6	2	7	6	4	—	—	—
	Elsewhere ...	366	288	4	2	4	6	23	15	35	22	77	34	102	79	100	95	21	35

DEATHS FROM CANCER TABULATED by AGE and PLACE of OCCURRENCE, 1912—
continued.

45. CANCER OF OTHER OR UNSPECIFIED ORGANS.

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	147	69	5	2	3	3	13	8	26	12	56	11	33	23	9	7	2	3
	Lunatic Asylums ...	16	7	—	—	1	—	1	—	4	1	3	4	7	2	—	—	—	—
	Hosppls., Nursing Homes	148	82	18	16	9	6	26	6	38	24	31	18	24	10	2	2	—	—
	Elsewhere ...	256	185	6	6	8	6	14	9	54	36	67	49	69	46	37	26	1	7
County Boroughs.	Poor Law Institutions...	217	50	6	2	4	4	22	4	46	9	77	10	52	15	10	5	—	1
	Lunatic Asylums ...	15	10	—	—	—	—	3	—	3	1	4	4	4	3	1	1	—	1
	Hosppls., Nursing Homes	164	70	25	12	13	10	20	12	36	19	41	9	25	7	4	1	—	—
	Elsewhere ...	693	485	21	25	27	17	50	45	143	100	196	120	189	117	60	54	7	7
Other Urban Districts.	Poor Law Institutions...	115	38	1	1	7	—	8	1	24	9	35	12	27	9	11	6	2	—
	Lunatic Asylums ...	16	17	—	1	1	1	3	—	6	6	4	5	2	3	—	1	—	—
	Hosppls., Nursing Homes	172	74	25	15	17	5	23	13	38	17	44	16	19	5	6	3	—	—
	Elsewhere ...	857	633	52	37	30	13	64	55	145	109	248	161	242	163	73	85	3	10
Rural Districts.	Poor Law Institutions...	62	15	1	—	—	—	2	2	9	1	15	3	16	5	16	4	3	—
	Lunatic Asylums ...	10	7	—	—	—	—	1	—	5	—	2	3	2	3	—	1	—	—
	Hosppls., Nursing Homes	78	35	8	4	9	3	6	7	20	8	23	9	9	4	3	—	—	—
	Elsewhere ...	587	414	27	20	20	13	24	29	84	64	155	108	191	112	79	58	7	10
England and Wales.	Poor Law Institutions...	541	172	13	5	14	7	45	15	103	31	183	36	128	52	46	22	7	4
	Lunatic Asylums ...	57	41	—	1	2	1	8	—	18	8	13	16	15	11	1	3	—	1
	Hosppls., Nursing Homes	562	261	76	47	48	24	75	38	132	68	139	52	77	26	15	6	—	—
	Elsewhere ...	2393	1717	106	88	85	49	152	138	426	309	666	438	691	438	249	223	18	34

39-45. CANCER (ALL SITES).

Place of Death.		All Ages.		0-		25-		35-		45-		55-		65-		75-		85-	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
London	Poor Law Institutions...	711	639	6	3	7	14	50	79	141	132	225	153	204	161	70	77	8	20
	Lunatic Asylums ...	45	68	—	—	2	—	2	4	11	15	13	21	15	17	2	11	—	—
	Hosppls., Nursing Homes	487	491	20	25	17	30	58	77	145	128	154	144	85	75	7	12	1	—
	Elsewhere ...	1029	1706	11	9	17	31	53	130	164	328	315	453	330	468	127	248	12	39
County Boroughs.	Poor Law Institutions...	980	681	7	5	12	18	77	86	196	170	360	173	264	160	59	64	5	5
	Lunatic Asylums ...	36	51	1	—	—	1	6	3	7	7	12	20	9	15	1	4	—	1
	Hosppls., Nursing Homes	635	531	33	18	37	40	83	90	172	165	182	129	115	78	13	11	—	—
	Elsewhere ...	3256	5080	32	43	55	113	205	513	634	1130	1027	1312	959	1331	306	566	32	72
Other Urban Districts.	Poor Law Institutions...	615	452	4	1	10	10	26	32	116	108	187	103	200	138	57	49	15	11
	Lunatic Asylums ...	45	60	—	1	1	2	6	1	8	18	17	18	10	17	2	3	1	—
	Hosppls., Nursing Homes	591	546	36	22	30	28	74	94	154	156	178	158	88	72	31	14	—	2
	Elsewhere ...	3949	6237	62	59	59	106	235	546	639	1274	1183	1641	1265	1661	462	823	44	127
Rural Districts.	Poor Law Institutions...	334	156	1	—	2	3	15	10	44	23	96	36	98	41	67	33	11	10
	Lunatic Asylums ...	31	37	—	—	—	—	1	—	7	5	8	15	15	14	—	3	—	—
	Hosppls., Nursing Homes	302	294	11	9	14	17	25	55	70	94	105	74	61	40	16	4	—	1
	Elsewhere ...	3148	4106	42	29	33	58	124	289	397	658	888	1065	1051	1232	552	662	61	113
England and Wales.	Poor Law Institutions...	2640	1928	18	9	31	45	168	207	497	433	868	465	766	500	253	223	39	46
	Lunatic Asylums ...	157	216	1	1	3	3	15	8	33	45	50	74	49	63	5	21	1	1
	Hosppls., Nursing Homes	2015	1862	100	74	98	115	240	316	541	543	619	505	349	265	67	41	1	3
	Elsewhere ...	11376	17129	147	140	164	308	617	1478	1834	3390	3413	4471	3605	4692	1447	2299	149	351



